

Hunter T. Mk. 7
Issued with A/L No. 8

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Score | Plate No. |
|------------|-----------------------|--|---------|------------------------|---------------------|-----------|
| | | | | | | |
| | | ELECTRICAL EQUIPMENT—CENTRE FUSELAGE | — | — | | |
| | D.219401 | BLOCK, TERMINAL, No. 11, ASSEMBLY ... | — | — | | |
| | B.206477 | Block, terminal, 10 way ... | 1 | — | B. | |
| 5X/2863 | Plessey CZ.24285 | Cover ... | 1 | — | B. | |
| 5X/3275 | Plessey CZ.26808 | Link, connecting, 2 way ... | 1 | — | C. | |
| 5X/6163 | Plessey Z.50210 | Pillar ... | 2 | — | C. | |
| 5X/3278 | Plessey Z.28426 | | | | | |
| | B.206478 | BLOCK, TERMINAL, No. 12, ASSEMBLY ... | — | — | | |
| 5X/2863 | Plessey CZ.24285 | Block, terminal, 10 way ... | 1 | — | B. | |
| 5X/3275 | Plessey CZ.26808 | Cover ... | 1 | — | B. | |
| 5X/6172 | Plessey Z.50212 | Link, commoning, 4 way ... | 2 | — | C. | |
| 5X/3278 | Plessey Z.28426 | Pillar ... | 2 | — | C. | |
| | A.216517 | BLOCK, TERMINAL, No. 84, ASSEMBLY ... | — | — | | |
| 5D/506 | | Box, junction, 5 way ... | 1 | — | B. | |
| 5K/2374 | | Disc, blanking ... | 3 | — | C. | |
| 5K/87 | | Nut, gland ... | 3 | — | C. | |
| | A.233847 | Box, terminal, No. 83, group (Mod. 811) ... | 1 | — | | |
| 5X/2863 | Plessey CZ.24285 | Block, terminal ... | 1 | — | B. | |
| | A.215762 | Box ... | 1 | — | | |
| 8480 | A.215763 | Lid ... | 1 | L.16 | C. | |
| 5X/6163 | Plessey Z.50210 | Link, 2-way ... | 1 | — | C. | |
| 6A/4444 | Smiths Waymouth JX.15 | Box, relay ... | 1 | — | A. | |
| 6A/4443 | Smiths Waymouth JX.13 | Box, relay ... | 1 | — | A. | |
| 5866 | D.203812 | Box, junction, No. 1, group ... | 1 | — | A. | |
| | D.213196 | Box, junction ... | 1 | — | | |
| 5X/3181 | Plessey CZ.23212/1 | Block, terminal, 20 way ... | 4 | — | B. | |
| | | Cables (See Cable Chart) ... | 1 | — | — | |
| 28FP/147 | Dzus A4/30 | Fastener ... | 2 | — | C. | |
| 28FP/309 | Dzus GA4/250 | Grommet ... | 2 | — | C. | |
| 6714 | C.213287 | Lid, group ... | 1 | — | B. | |
| 5X/6317 | Plessey Z.50218 | Link, 10 way ... | 1 | — | C. | |
| 5X/6314 | Plessey Z.50214 | Link, 6 way ... | 1 | — | C. | |
| 5X/6171 | Plessey Z.50211 | Link, 3 way ... | 1 | — | C. | |
| 5X/6163 | Plessey Z.50210 | Link, 2 way ... | 4 | — | C. | |
| 5X/3259 | Plessey Z.50219 | Link, transverse ... | 2 | — | C. | |
| 7812 | F.206915 | Plate, tapped ... | 1 | — | MR/C | |
| 7813 | F.206916 | Plate, tapped ... | 1 | — | MR/C | |
| 7814 | F.206917 | Plate, tapped ... | 1 | — | MR/C | |
| 7815 | F.206918 | Plate, tapped ... | 1 | — | MR/C | |
| 5X/7142 | Plessey 2CZ.111401 | Plug, code 4 ... | 1 | — | B. | |
| 5X/7146 | Plessey 2CZ.111404 | Plug, code 8 ... | 1 | — | B. | |
| 5X/7152 | Plessey 2CZ.111227 | Plug, code 14 ... | 1 | — | B. | |
| 5X/7159 | Plessey 2CZ.111229 | Plug, code 21 ... | 11 | — | B. | |
| 5X/3148 | Plessey Z.49428 | Sleeve, 4-7 amp. ... | QR | — | C. | |
| 5X/3146 | Plessey Z.49397 | Sleeve, 7-19 amp. ... | QR | — | C. | |
| 5X/9400061 | Plessey Z.19924 | Tag, 4 amp. ... | QR | — | C. | |
| 5X/9400063 | Plessey Z.19925 | Tag, 7 amp. ... | QR | — | C. | |
| 5X/9400065 | Plessey Z.19926 | Tag, 19 amp. ... | QR | — | C. | |

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|--------------|------------------|-------------|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 5X/9400062 | Plessey Z.19979 | | | | | | QR | — | C. | |
| 5X/9400064 | Plessey Z.19980 | | | | | | QR | — | C. | |
| 5X/9400066 | Plessey Z.19981 | | | | | | QR | — | C. | |
| 5D/2277 | | | | | | | 1 | — | A. | |
| 9546 | C.225131 | | | | | | 1 | — | B. | |
| | F.214406 | | | | | | 4 | L.65.C | | |
| | F.214407 | | | | | | 2 | L.65.C | | |
| 5X/3181 | Plessey | | | | | | 1 | — | B. | |
| | CZ.23212/1 | | | | | | | | | |
| 5X/2863 | Plessey | | | | | | 3 | — | B. | |
| | CZ.24285 | | | | | | | | | |
| | C.214402 | | | | | | 1 | — | | |
| | F.214404 | | | | | | 1 | — | | |
| | A.214844 | | | | | | 1 | — | | |
| | A.159698 | | | | | | 2 | BSS.265 | | |
| 5X/6168 | Plessey Z.23197 | | | | | | 2 | — | C. | |
| 5CZ/5073 | Dowty | | | | | | 1 | — | B. | |
| | C.5165Y Mk. 1 | | | | | | | | | |
| 6029 | B.202522 | | | | | | 1 | L.59 | MR/C | |
| 5X/6163 | Plessey Z.50210 | | | | | | 2 | — | C. | |
| 5X/6173 | Plessey Z.50213 | | | | | | 1 | — | C. | |
| | F.214405 | | | | | | 1 | L.65.C | | |
| 10H/0560150 | Plessey CZ.49112 | | | | | | 1 | — | C. | |
| 10H/0560200 | Plessey CZ.49061 | | | | | | 1 | — | C. | |
| 10H/0560203 | Plessey | | | | | | 1 | — | C. | |
| 10F/Z.530032 | Plessey | | | | | | 1 | — | B. | |
| 5CW/540 | Rotax D.0701 | | | | | | 1 | — | B. | |
| 6030 | A.205605 | | | | | | 1 | DTD.610 | MR/C | |
| 5827 | B.205573 | | | | | | 1 | L.72 | C. | |
| | A.208251 | | | | | | 1 | L.72 | | |
| 4772 | A.199648 | | | | | | 1 | L.72 | MR/C | |
| | | | | | | | — | — | — | |
| | C.198766 | | | | | | — | — | — | |
| 3741 | Std.840/20 | | | | | | 1 | DTD.610 | C. | 4 |
| 4670 | Std.840/23 | | | | | | 1 | DTD.610 | C. | 4 |
| 3747 | Std.841/28 | | | | | | 1 | L.72 | MR/C | 4 |
| | | | | | | | | | | |
| 4823 | Std.841/42 | | | | | | 1 | L.72 | MR/C | 4 |
| | | | | | | | | | | |
| 5F/2281 | AS.2508 | | | | | | QR | — | C. | |
| 5F/9434855 | AS.2509 | | | | | | QR | — | C. | |
| | E.199817 | | | | | | — | — | — | |
| 4776 | B.198696 | | | | | | 1 | DTD.610 | MR/C | |
| 6031 | B.201234 | | | | | | 1 | S.84 | MR/C | |
| 6032 | B.201235 | | | | | | 1 | S.84 | MR/C | |
| 6033 | A.201236 | | | | | | 1 | S.84 | MR/C | |
| 4618 | F.196181 | | | | | | 2 | Ferobestos | C. | |

ELECTRICAL EQUIPMENT-CENTRE FUSELAGE

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|-----------------|---------------------|-------------|---|---|---|---|--------------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 4778 | F.197490 | | | | | | 1 | S.3 | MR/C | |
| 4779 | F.197491 | | | | | | 2 | S.3 | MR/C | |
| 4780 | F.196769 | | | | | | 1 | DTD.610- | MR/C | |
| | | | | | | | | | | |
| 4784 | F.196958 | | | | | | 1 | DTD.610 | MR/C | |
| | | | | | | | | | | |
| 4788 | F.198279 | | | | | | 1 | DTD.610 | MR/C | |
| 4764 | Std.840/21 | | | | | | 4 | DTD.610 | MR/C | 4 |
| | | | | | | | | | | |
| 4802 | Std.840/31 | | | | | | 1 | DTD.610 | MR/C | 4 |
| | | | | | | | | | | |
| 4159 | Std.841/20 | | | | | | 2 | DTD.610 | C. | |
| 3749 | Std.841/38 | | | | | | 3 | DTD.610 | C. | 4 |
| | Std.841/40 | | | | | | 1 | DTD.610 | | |
| | | | | | | | | | | |
| 6010 | Std.841/41 | | | | | | 1 | DTD.610 | MR/C | |
| | | | | | | | | | | |
| 3751 | Std.842/12 | | | | | | 1 | S.3 | MR/C | 4 |
| | | | | | | | | | | |
| 4792 | Std.852/36 | | | | | | 1 | S.3 | MR/C | 4 |
| | | | | | | | | | | |
| | Std.2045/17/26 | | | | | | 2 | — | | |
| | Std.2046/18/26 | | | | | | 1 | — | | |
| | Std.2045/24/24 | | | | | | 1 | — | | |
| | Std.2045/32/22 | | | | | | 2 | — | | |
| | Std.2045/36/22 | | | | | | 2 | — | | |
| | Std.2045/45/20 | | | | | | 2 | — | | |
| | Std.2045/47/20 | | | | | | 1 | — | | |
| | Std.2045/48/20 | | | | | | 1 | — | | |
| | Std.2045/52/20 | | | | | | 1 | — | | |
| | Std.2045/53/20 | | | | | | 1 | — | | |
| | Std.2045/65/20 | | | | | | 1 | — | | |
| | Std.2046/17/26 | | | | | | 1 | — | | |
| | Std.2046/21/24 | | | | | | 1 | — | | |
| | Std.2046/41/20 | | | | | | 3 | — | | |
| | | | | | | | | | | |
| | Std.2046/43/20 | | | | | | 1 | — | | |
| | | | | | | | | | | |
| | Std.2046/44/20 | | | | | | 1 | — | | |
| | | | | | | | | | | |
| 29H/2100 | Bowden PN.448 | | | | | | 26 | — | C. | |

ELECTRICAL EQUIPMENT-CENTRE FUSELAGE

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|-----------------|--|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| | A.197386 | EARTHING POINT No. 9, FRAME 25, STARBOARD SIDE, ASSEMBLY | | | | | - | - | | |
| | Std.1298/1 | Stud | | | | | 1 | S.1 | | |
| 4613 | Std.1335/C.18 | Washer | | | | | 3 | L.4 | C. | 4 |
| 4804 | F.196308 | Plate, sealing, for cables C24 and C26, at frame 37 | | | | | 4 | LFS.21 | MR/C | |
| | F.209619 | Plate, sealing, aft on frame 37 port | | | | | 2 | LFS.21 | | |
| | F.227156 | Plate, sealing, at frame 37 | | | | | 2 | LFS.21 | | |
| 3970 | Std.1509/12/020 | Tube, distance, 1/8" o/d x 20 s.w.g. x 0.20" | | | | | 2 | T.4 | MR/C | |
| 4808 | Std.850/24 | Clip, securing ignition leads at engine mounting rail, 7/16" wide x 22 s.w.g. x 2.4" long (Make from 30B/1433) | | | | | 2 | DTD.610 | MR/C | 4 |
| | Std.2045/17/26 | Clip, securing cable | | | | | 1 | - | | |
| | Std.2045/20/24 | Clip, securing cable | | | | | 1 | - | | |
| 9664 | Std.2045/22/24 | Clip, securing cable | | | | | 1 | - | C. | |
| | Std.2045/25/24 | Clip, securing cables | | | | | 3 | - | | |
| | Std.2045/32/22 | Clip, securing cables | | | | | 1 | - | | |
| | Std.2045/34/22 | Clip, securing cable | | | | | 3 | - | | |
| | Std.2045/36/22 | Clip, sleeved... .. | | | | | 1 | - | | |
| | Std.2045/38/22 | Clip, securing cables | | | | | 1 | - | | |
| | Std.2045/39/22 | Clip, securing cables | | | | | 1 | - | | |
| | Std.2045/49/20 | Clip, securing cables | | | | | 1 | - | | |
| | Std.2045/57/20 | Clip, securing cables | | | | | 1 | - | | |
| | Std.2045/68/20 | Clip, sleeved... .. | | | | | 1 | - | | |
| | Std.2046/16/26 | Clip, securing cables | | | | | 2 | - | | |
| | Std.2046/17/26 | Clip, securing cables | | | | | 5 | - | | |
| | Std.2046/21/24 | Clip, securing cables | | | | | 1 | - | | |
| | Std.2046/35/22 | Clip, securing cables | | | | | 1 | - | | |
| | Std.2046/37/22 | Clip, securing cables | | | | | 1 | - | | |
| | Std.2046/38/22 | Clip, securing cables | | | | | 2 | - | | |
| | Std.2046/42/20 | Clip, sleeved... .. | | | | | 2 | - | | |
| | Std.2046/45/20 | Clip, sleeved... .. | | | | | 1 | - | | |
| | Std.2046/55/20 | Clip, securing cable | | | | | 1 | - | | |
| | Std.2046/67/20 | Clip, securing cable | | | | | 1 | - | | |
| | Std.2046/27/22 | Clip, securing cable | | | | | 1 | - | | |
| | Std.2076/23/24 | Clip, securing cable | | | | | 1 | - | | |
| | Std.2076/30/22 | Clip, securing cables | | | | | 1 | - | | |
| | Std.2076/40/22 | Clip, securing cable | | | | | 3 | - | | |
| | Std.2076/44/22 | Clip, securing cable | | | | | 3 | - | | |
| | Std.2076/50/20 | Clip, securing cables | | | | | 1 | - | | |
| | Std.2076/57/20 | Clip, securing cable | | | | | 2 | - | | |
| | Std.2076/74/20 | Clip, securing cable | | | | | 2 | - | | |

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|------------|-----------------------------|--|-----|-----|-----|-----|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 6A/3335 | Smiths Waymouth CA/30 | Connector | ... | ... | ... | ... | 2 | — | B. | |
| 6A/2733 | Smiths Waymouth CA/37 | Connector | ... | ... | ... | ... | 1 | — | B. | |
| 6A/3571 | Smiths Waymouth CA/62 | Connector | ... | ... | ... | ... | 1 | — | B. | |
| 6A/3572 | Smiths Waymouth CA/125 | Connector | ... | ... | ... | ... | 1 | — | B. | |
| 6A/3573 | Smiths Waymouth CA/140 | Connector | ... | ... | ... | ... | 1 | — | B. | |
| 6A/4447 | Smiths Waymouth CS/75 | Connector | ... | ... | ... | ... | 2 | — | B. | |
| 6A/4388 | Smiths Waymouth CR/228 | Connector | ... | ... | ... | ... | 1 | — | B. | |
| 6A/4384 | Smiths Waymouth CR/30 | Connector | ... | ... | ... | ... | 1 | — | B. | |
| 6A/4385 | Smiths Waymouth CR/65 | Connector | ... | ... | ... | ... | 1 | — | B. | |
| 6A/4387 | Smiths Waymouth CR/192 | Connector | ... | ... | ... | ... | 1 | — | B. | |
| 4105 | Std.1285/8/C.C. | Connector, earthing, at high energy ignition | ... | ... | ... | ... | 1 | — | C. | 4 |
| | A.197124-5 | EARTHING POINTS, Nos. 10 AND 16, ASSEMBLY | | | | | — | — | | |
| 4619 | Std.1335/E.18 | Washer | ... | ... | ... | ... | 2 | L.4 | C. | 4 |
| 5L/X953271 | — | Filament, 28V., 7w. | ... | ... | ... | ... | 1 | — | B. | |
| 5X/3098 | Z.23201/D | Gasket, sealing, for time switch | ... | ... | ... | ... | 1 | — | C. | |
| 37A/1790 | | Ignitor, high energy, type C.10.T.S./3 | ... | ... | ... | ... | 2 | — | A. | |
| 5CX/446 | | Lamp, cockpit, Mk. 1A | ... | ... | ... | ... | 1 | — | B. | |
| 4896 | B.199981 | Lead, ignition, group | ... | ... | ... | ... | 1 | — | B. | |
| | | Consisting of:— | | | | | | | | |
| 5E/3131 | | Cable, uniplughitemp. No. 3 | ... | ... | ... | ... | 46" | — | C. | |
| | United Metallic Co. No. 110 | Conduit, braided, 0.132" i/d | ... | ... | ... | ... | 40" | — | | |
| | Lodge CG-11 | Contact-button | ... | ... | ... | ... | 2 | — | | |
| 29H/2100 | Bowden PN/448 | Clip | ... | ... | ... | ... | 1 | — | C. | |
| | Lodge EA6-90° | Elbow, assembly | ... | ... | ... | ... | 1 | — | | |
| 37B/1985 | Rolls Royce D.29850 | Ferrule | ... | ... | ... | ... | 2 | — | C. | |
| | Lodge S.F.6 | Ferrule, spring type | ... | ... | ... | ... | 2 | — | | |
| | Lodge N.28 | Nut | ... | ... | ... | ... | 2 | — | | |
| | Lodge SS.18 | Sleeve | ... | ... | ... | ... | 1 | — | | |
| | Lodge SS.23 | Sleeve | ... | ... | ... | ... | 1 | — | | |
| 4897 | B.199982 | Lead, ignition, group | ... | ... | ... | ... | 1 | — | B. | |
| | | Consisting of:— | | | | | | | | |
| 5E/3131 | | Cable, uniplughitemp No. 3 | ... | ... | ... | ... | 82" | — | C. | |
| | United Metallic Co. No. 110 | Conduit, braided, 0.312" i/d | ... | ... | ... | ... | 76" | — | | |
| | Lodge C.G-11 | Contact-button | ... | ... | ... | ... | 2 | — | | |
| 29H/2100 | Bowden PN/448 | Clip | ... | ... | ... | ... | 1 | — | C. | |
| | Lodge E.A6-90° | Elbow, assembly | ... | ... | ... | ... | 1 | — | | |

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|-----------|-----------------------|-------------|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 37B/1985 | Rolls Royce D.29850 | | | | | | | | | |
| | Lodge S.F.6 | | | | | | | | | |
| | Lodge N.28 | | | | | | | | | |
| | Lodge SS.23 | | | | | | | | | |
| | Lodge SS.18 | | | | | | | | | |
| 4620 | F.197595 | | | | | | | | | |
| 4621 | F.197596 | | | | | | | | | |
| 5X/6311 | | | | | | | | | | |
| 26DK/9821 | English Electric | | | | | | | | | |
| 5F/2301 | Hellermann NY.18007.A | | | | | | | | | |
| 5F/2302 | Hellermann NY.3342 | | | | | | | | | |
| | B.196635 | | | | | | | | | |
| 4811 | A.196638 | | | | | | | | | |
| 4812 | A.196639 | | | | | | | | | |
| 4813 | A.196640 | | | | | | | | | |
| 5CY/3084 | | | | | | | | | | |
| 5CY/2866 | | | | | | | | | | |
| 4814 | Std.1548/24/10 | | | | | | | | | |
| 5CY/2967 | — | | | | | | | | | |
| 5CW/5501 | Venner PTA/HA/W 19055 | | | | | | | | | |
| 27N/93 | | | | | | | | | | |
| 27N/91 | | | | | | | | | | |
| | Std.1509/24/022 | | | | | | | | | |
| 2192 | Std.915/C/14 | | | | | | | | | |
| 9174 | Std.915/E/18 | | | | | | | | | |
| 4619 | Std.1335/E/18 | | | | | | | | | |

Hunter T. Mk. 7
Issued with A/L No. 8

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|-------------------------------|--------------------------|---------------|-----------------|--------|-----|-----|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| SUMMARY OF STOCK ITEMS | | | | | | | | | | |
| 28D/1010658 | A25.1.B | Bolt, | 4 | B.A. | ... | ... | ... | ... | ... | — |
| 28D/9419452 | A25.3.B | Bolt, | 4 | B.A. | ... | ... | ... | ... | ... | — |
| 28D/1010029 | A25.6.B | Bolt, | 4 | B.A. | ... | ... | ... | ... | ... | — |
| 28D/9436920 | A25.1.C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | — |
| 28D/9133011 | A25.2.C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | — |
| 28D/9133012 | A25.3.C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | — |
| 28D/1010030 | A25.7.C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | — |
| 28D/9435710 | A25.11.C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | — |
| 28D/9419397 | A25.12.C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | — |
| 28D/12536 | A25.13.C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | — |
| 28D/12538 | A25.15.C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | — |
| 28D/1011021 | A25.16.C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | — |
| 28D/1011238 | A25.3.E | Bolt, | $\frac{1}{4}$ " | B.S.F. | ... | ... | ... | ... | ... | — |
| 28D/12812 | A25.12.E | Bolt, | $\frac{1}{4}$ " | B.S.F. | ... | ... | ... | ... | ... | — |
| 28D/8300 | AS.1242.1B | Bolt, | 4 | B.A. | ... | ... | ... | ... | ... | — |
| 28D/8307 | AS.1242.2C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | — |
| 28D/8325 | AS.1242.4E | Bolt, | $\frac{1}{4}$ " | B.S.F. | ... | ... | ... | ... | ... | — |
| 28D/8326 | AS.1242.5E | Bolt, | $\frac{1}{4}$ " | B.S.F. | ... | ... | ... | ... | ... | — |
| 28D/9128739 | AS.1248/ $\frac{1}{2}$ B | Bolt, | 4 | B.A. | ... | ... | ... | ... | ... | — |
| 28E/8184 | AGS.605 Mk. 2 | Clip | ... | ... | ... | ... | ... | ... | ... | — |
| 5K/3412 | AS.3360.C.7.C | Lead, bonding | ... | ... | ... | ... | ... | ... | ... | — |
| 28M/12931 | A27.ET | Nut, | $\frac{1}{4}$ " | B.S.F. | ... | ... | ... | ... | ... | — |
| 28M/10288 | AGS.2001/C1 | Nut, | 2 | B.A. | ... | ... | ... | ... | ... | — |
| 28M/10290 | AGS.2001/E1 | Nut, | $\frac{1}{4}$ " | B.S.F. | ... | ... | ... | ... | ... | — |
| 28M/10326 | AGS.2002/A1 | Nut, | 6 | B.A. | ... | ... | ... | ... | ... | — |
| 28M/10327 | AGS.2002/B1 | Nut, | 4 | B.A. | ... | ... | ... | ... | ... | — |
| 28M/10328 | AGS.2002/C1 | Nut, | 2 | B.A. | ... | ... | ... | ... | ... | — |
| 28M/10330 | AGS.2002/E1 | Nut, | $\frac{1}{4}$ " | B.S.F. | ... | ... | ... | ... | ... | — |
| 28S/9419435 | A31.B12 | Screw, | 4 | B.A. | ... | ... | ... | ... | ... | — |
| 28S/1200034 | A31.B16 | Screw, | 4 | B.A. | ... | ... | ... | ... | ... | — |
| 28S/1200040 | A31.B20 | Screw, | 4 | B.A. | ... | ... | ... | ... | ... | — |
| 28S/1200033 | A31.B24 | Screw, | 4 | B.A. | ... | ... | ... | ... | ... | — |
| 28S/1005622 | A31.B28 | Screw, | 4 | B.A. | ... | ... | ... | ... | ... | — |
| 28S/9437020 | A31.C12 | Screw, | 2 | B.A. | ... | ... | ... | ... | ... | — |
| 28S/9997545 | A31.C16 | Screw, | 2 | B.A. | ... | ... | ... | ... | ... | — |
| 28S/9435713 | A31.C20 | Screw, | 2 | B.A. | ... | ... | ... | ... | ... | — |
| 28S/1006979 | A32.A10 | Screw, | 6 | B.A. | ... | ... | ... | ... | ... | — |
| 28S/1006948 | A32.A12 | Screw, | 6 | B.A. | ... | ... | ... | ... | ... | — |
| 28S/514019 | A32.A14 | Screw, | 6 | B.A. | ... | ... | ... | ... | ... | — |
| 28S/9995324 | A32.A16 | Screw, | 4 | B.A. | ... | ... | ... | ... | ... | — |
| 28S/9992522 | A32.B16 | Screw, | 4 | B.A. | ... | ... | ... | ... | ... | — |
| 28S/9992525 | A32.B12 | Screw, | 4 | B.A. | ... | ... | ... | ... | ... | — |
| 28S/2875 | A32.B24 | Screw, | 4 | B.A. | ... | ... | ... | ... | ... | — |
| 28S/1011491 | A32.C24 | Screw, | 2 | B.A. | ... | ... | ... | ... | ... | — |
| 28S/1200059 | A33.A14 | Screw, | 6 | B.A. | ... | ... | ... | ... | ... | — |
| 28S/9435716 | A33.B12 | Screw, | 4 | B.A. | ... | ... | ... | ... | ... | — |
| 28S/9435715 | A33.B16 | Screw, | 3 | B.A. | ... | ... | ... | ... | ... | — |
| 28S/9992521 | A33.B24 | Screw, | 4 | B.A. | ... | ... | ... | ... | ... | — |

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|--|------------|---------------------|-----|-----|-----|-----|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| SUMMARY OF STOCK ITEMS (contd.) | | | | | | | | | | |
| 28W/9419401 | SP.10.B | Washer | ... | ... | ... | ... | ... | — | — | — |
| 28W/9419464 | SP.13.A | Washer | ... | ... | ... | ... | ... | — | — | — |
| 28W/9419465 | SP.13.B | Washer | ... | ... | ... | ... | ... | — | — | — |
| 28W/9419474 | SP.15.B | Washer, 4 B.A. | ... | ... | ... | ... | ... | — | — | — |
| 28W/9419475 | SP.15.C | Washer, 2 B.A. | ... | ... | ... | ... | ... | — | — | — |
| 28W/9419405 | SP.15.E | Washer, 1/2" dia. | ... | ... | ... | ... | ... | — | — | — |
| 28W/9419486 | SP.16.B | Washer | ... | ... | ... | ... | ... | — | — | — |
| 28W/9419404 | SP.16.C | Washer, 2 B.A.... | ... | ... | ... | ... | ... | — | — | — |
| 28W/9419487 | SP.16.E | Washer, 1/2" B.S.F. | ... | ... | ... | ... | ... | — | — | — |
| 28W/9419489 | SP.16.J | Washer, | ... | ... | ... | ... | ... | — | — | — |
| 28W/9419448 | AGS.2035/B | Washer | ... | ... | ... | ... | ... | — | — | — |
| 28W/11048 | AGS.2034/A | Washer | ... | ... | ... | ... | ... | — | — | — |



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

R-Type Mk2
pressure breathing
mask

R-Type mask
used on Dominie
by RAF until 2011
© Copyright 2011 Scott Bouch