

Hunter T. Mk. 7  
Issued with A/L No. 7

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
	C.218359	<b>ELECTRICAL EQUIPMENT IN FRONT FUSELAGE ASSEMBLY</b>								
	E.222047	<b>ADDITIONAL, DETAILS, ASSEMBLY ...</b>								
5Q/3181	Plessey CZ.23212/1	Block, terminal, 20-way ...	2					B.		
5X/3268	Plessey CZ.50207	Block, terminal, 5-way ...	1					B.		
9670	B.227889	Box, test, for G.90 camera, group (Mod. 712) ...	1					B.		
	B.227799	Box, ground test ...	1							
5L/9951273	—	Filament, 28v. 3.5 watt ...	1					B.		
10H/—	Belling Lee L.1055/7-5A	Fuse, 7.5 amp. ...	1					C.		
10H/0590100	Belling Lee L356	Holder, fuse ...	1					B.		
5CX/4191	Rotax H.2705	Lamp, warning ...	1					B.		
3837	Std.1606/44/B10	Screw, securing switch ...	4				Brass	C.	5	
10H/0560820	Plessey CZ.56743	Socket, code 45 ...	1					B.		
5CW/7551	C.W.C. Ltd. XD.786	Switch, D.P. "ON-OFF" spring return to No. 3 off	1					B.		
	A.235100	Bracket, mounting (Mod. 789) ...	1				L.72			
	—	Cables, (See Cable Chart) ...	—							
	Std.2045/26/22	Clip, securing cables ...	3							
	Std.2045/29/22	Clip, securing cables ...	2							
	Std.2046/46/20	Clip, securing cables ...	1							
9663	Std.2045/19/24	Clip, securing cables ...	1					C.	6	
	Std.2045/18/26	Clip, securing cables (Mod. 789) ...	1							
	Std.2045/19/26	Clip, securing cables (Mod. 789) ...	3							
	Std.2046/19/24	Clip, securing cables (Mod. 789) ...	2							
10H/19457	Plessey CZ.62271	Connector, bulkhead, code 45 ...	1					B.		
5X/6165	Plessey CZ.25111	Cover, T.B., 20-way ...	2					B.		
5X/3274	Plessey CZ.26805	Cover, T.B., 5-way ...	1					B.		
5CW/4839	Rotax D.11201	Delay unit, thermal, hood (Mod. 756) ...	1					A.		
10207	F.235213	Diode, assembly (Mod. 789) ...	1					C.		
5L/9952254	—	Filament, lamp ...	1					B.		
5CZ/1961	Rotax	Horn, electric, Type C.24 volts ...	1					B.		
5CX/446	—	Lamp, cockpit, Mk. 1A ...	1					B.		
10204	F.233580	Lever, for micro-switch (Mod. 789) ...	1				S.521	C.		
5X/6171	Plessey Z.50211	Link, commoning, 3-way ...	1					C.		
5X/3278	Plessey Z.28426	Pillar ...	6					C.		
	A.235288	Plate, guard (Mod. 789) ...	1					C.		
10206	F.234942	Plate, serrated (Mod. 789) ...	1				L.72	C.		
	F.231090	Plate, mounting, for delay unit (Mod. 756) ...	1				L.72	C.		
5CW/6453	—	Relay (Mod. 911) ...	2					A.		
9447	Std.1606/44/C28	Screw, round head, 4 B.A. ...	2				Brass	C.	5	
1638	Std.1606/44/B6	Screw, round head, 4 B.A. ...	1				Brass	C.	5	
3839	Std.1606/44/B16	Screw, round head, 4 B.A. (Mod. 789) ...	2				Brass	C.	5	
10205	F.233582	Spring (Mod. 789) ...	1				DTD.215	C.		
5F/2279	Hellermann HV.3254	Strap, helven, 1/8" wide ...	QR					C.		
5F/2301	NY.18007/A	Strap, nylon 1/2" wide ...	QR					C.		
5F/2302	Hellermann NY.3342	Stud ...	QR					C.		
5F/2280	Hellermann HV.3255	Stud ...	QR					C.		
5CW/6977	Dowty C.1831Y Mk. 102C	Switch, limit "Dowmic" (AS.860/75) ...	1					A.		
5CW/7540	C.W.C. Ltd. XD.778	Switch, single pole change over, no centre position	1					B.		
5CW/6501	Teddington Controls F.H.M./A/76	Switch, time top temperature (AS.860/48) ...	2					A.		

## ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5768 5F/—	Std.1509/12/050	Tube, distance	...	...	...	...	1	T.4	MR/C C.	
	Std.1509/23/116	Tube, distance (Mod. 789)	...	...	...	...	1	T.4		
	Std.1509/25/020	Tube, distance (Mod. 789)	...	...	...	...	2	T.4		
	Std.1509/12/016	Tube, distance (Mod. 789)	...	...	...	...	2	T.4		
		Tube, $\frac{3}{16}$ " i/d	...	...	...	...	QR	P.V.C.		
10488	D.236392	<b>ADDITIONAL, DETAILS, ASSEMBLY (Mod. 813)</b>					—	—		
	C.238026	<b>BOX, TEST for TAIL CHUTE, GROUP (Mod. 850)</b>					1	—	B.	
5CY/5380	A.238046	Base	...	...	...	...	1	L.72		
	B.238027	Box, test	...	...	...	...	1	L.59		
5CW/5361	BTH LGA. 6 B1/1	Breaker, circuit 6 amp. 28v.	...	...	...	...	1	—	A.	
	AEI Ltd. CX.119950	Cover, trip-button	...	...	...	...	1	—	C.	
10H/11718	Std.2044/9/067	Ferrule	...	...	...	...	1	DTD.604		
	Belling Lee L.1055/5	Fuse, 5-0A	...	...	...	...	1	—	C.	
5K/3456	A.238028	Plate, top	...	...	...	...	1	L.72		
	Std.1606/45/A.10	Screw	...	...	...	...	1	—		
5K/3457	F.222497	Clip, special securing cable	...	...	...	...	8	L.72		
	Std.2045/14/26	Clip, securing cable	...	...	...	...	1	—		
5CW/7249	B.235458	Duct, cable	...	...	...	...	1	L.67		
	Hellermann N.S.F. Ltd. 7675 B.102	Sleeve, helsyn, plus KP × 1" (AS.900/56)...	...	...	...	...	1	—	C.	
5CZ/5299	Hellermann N.S.F. Ltd. 7675 B.102	Sleeve, helsyn, plus LP × 1" (AS.900/56)	...	...	...	...	1	—	C.	
	Teddington Controls FLM.A.5	Switch, test, tailchute	...	...	...	...	1	—	B.	
5CZ/430	Rotax N.5BN	Amplifier, cabin temperature	...	...	...	...	1	—	A.	
	5X/2863	Block, terminal, 2-way type B. No. 1	...	...	...	...	1	—	B.	
5X/3181	Plessey CZ.24285	Block, terminal, 10-way	...	...	...	...	2	—	B.	
	Plessey CZ.23212/1	Block, terminal, 20-way	...	...	...	...	4	—	B.	
5X/2863	9328 D.222452	Box, A.C. junction, group	...	...	...	...	1	—	A.	
	8668 F.216107	Block, terminal, 10-way	...	...	...	...	2	—	B.	
8670	F.220761	Bolt, wing	...	...	...	...	6	—	C.	
	—	Bush, for earthing terminal	...	...	...	...	2	LFB.82	C.	
10C/0115567	A.224535	Cables (See Cable Chart)	...	...	...	...	1	—	—	
	Dubilier	Capacitors, 4, 5 and 6, group	...	...	...	...	1	—		
5X/6215	Plessey Z.56545	Capacitor, 0-5 mfd., 250v	...	...	...	...	3	—	C.	
	Ferranti	Lug	...	...	...	...	1	—	C.	
10CV/448	—	Rectifier, silicon, type Z.510A	...	...	...	...	1	—	B.	
	—	Rectifier, silicon	...	...	...	...	1	—	B.	
5X/9400061	Tucker S.79	Tag, eyelet	...	...	...	...	4	—	C.	
	Plessey Z.19924	Tag, 6 amp. Q.R.	...	...	...	...	2	—	C.	
5X/9400064	Plessey Z.19980	Thimble	...	...	...	...	1	—	C.	
	Plessey Z.19979	Thimble, 6 amp.	...	...	...	...	2	—	C.	
10C/0115567	A.224537	Capacitors, 10, 11 and 12, group	...	...	...	...	1	—		
	Dubilier	Capacitor, 0-5 mfd., 250v.	...	...	...	...	3	—	C.	
5X/6215	Plessey Z.56545	Lug	...	...	...	...	1	—	C.	
	Ferranti	Rectifier, silicon, type Z.510A	...	...	...	...	1	—		
10CV/448	—	Rectifier, silicon	...	...	...	...	1	—	B.	
	—	Tag, eyelet	...	...	...	...	4	—	C.	
5X/9400061	Tucker S.79	Tag, 6 amp., Q.R.	...	...	...	...	2	—	C.	
	Plessey Z.19924	Thimble, 2-5 amp.	...	...	...	...	1	—	C.	
5X/9400062	Plessey Z.19980	Thimble, 6 amp.	...	...	...	...	2	—	C.	
	Plessey Z.19979	Thimble, 6 amp.	...	...	...	...	2	—	C.	

Hunter T. Mk. 7  
Issued with A/L No. 7

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	Std.841/71					Clip, for retention of capacitors $\frac{7}{16}$ " wide × 22 s.w.g. × 7.1" long	3	L.72		
	B.215794					Cover, end	1	—		
	B.215787					Diaphragm	1	L.72		
10H/21797	H.T. Newton Ltd.					Fuse, 2.5 amp.	12	—	C.	
10H/23865	English Electric AS.25					Fuse, 2.5 amp. H.R.C.	8	—	C.	
10H/23864	English Electric AS.5					Fuse, 5 amp. H.R.C.	2	—	C.	
10H/21791	—					Fuse, dummy, Type "S"	18	—	C.	
5X/2790	Plessey Z.22634					Grommet, dummy	1	—	C.	
	A.230969					Guard, switch	1	L.72		
	F.229680					Guard, cushion	1	—		
	F.222438					Holder, for relay group	1	—		
	F.222438/2					Pad, $\frac{1}{4}$ " thick, "Volcrepe"	1	Rubber		
8669	B.215796					Lid, for junction box, group	2	L.72	C.	
28FP/551	Oddie 213/2					Stud, fastener	8	—	C.	
28FP/592	Oddie 214					Washer	8	—	C.	
	B.215793					Plate, plug mounting, group	1	—		
28FP/466	Oddie 212					Clip, spring	2	—	C.	
	B.215964					Platform, fuse block, group	1	—		
5X/6607	Plessey CZ.73898					Block, fuse	10	—	C.	
8671	A.215864					Bus-bar, for 4-way fuse block	8	BSS.265	C.	
5X/1877	Plessey Z.1719					Grommet	6	—	C.	
	B.215791					Platform, fuse block	1	L.72		
	C.215831					Platform, relay, group	1	—		
6A/2715	Smiths 213 M.V.					Auto-transformer	1	—	A.	
5E/3042	—					Cable, unipren, 24 amp.	QR	—	C.	
10C/O.115260	Dubilier					Capacitor, 0.25 mf 250 V., working	1	—	D.	
9496	Std.2045/20/22					Clip, securing capacitor	1	S.510 or S.511	C.	6
5X/1874	Plessey Z.1840					Grommet	1	—	C.	
5X/6215	Plessey Z.56545					Lug	6	—	C.	
	B.215792					Platform, relay	1	L.72		
10H/O.560130	Plessey CZ.51327					Plug, panel, mounting	1	—	C.	
5CW/2942	Pullin					Relay, type "S" No. 1, 25 amp.	4	—	A.	
	or									
5CW/5500	Hendry					Relay, type "S" No. 3, 25 amp.	5	—	A.	
5CW/3944	Pullin or Hendry					Sleeve, "Helsyn plus," J.P. × $\frac{3}{4}$ " long	8	—	C.	
5K/3455	—					Socket, panel mounting	1	—	C.	
10H/O.560310	Plessey CZ.51330					Tag, 6 amp. Q.R.	31	—	C.	
5X/9400061	Plessey Z.19924					Thimble, 6 amp.	31	—	C.	
5X/9400062	Plessey Z.19979					Thimble	6	—	C.	
5X/9400064	Plessey Z.19980					Wire, equipment, type 2, 14/0076, red	QR	DEF.12	C.	
5E/9100175	—					Wire, equipment, type 2, 14/0076, blue	QR	DEF.12	C.	
5E/9100176	—					Wire, equipment, type 2, 14/0076, black	QR	DEF.12	C.	
5E/9100179	—					Wire, equipment, type 2, 14/0076, pink	QR	DEF.12	C.	
5E/9100185	—									
	B.224538					Relay, "M" group	1	—		
	F.222438					Holder, group	1	—		
	F.222438/2					Pad, $\frac{1}{4}$ " thick Volcrepe	1	Rubber		
5X/6215	Plessey Z.56545					Lug	1	—	C.	
10F/Z.530453	Standard Telephone 9616					Relay, type SM.5A N.25	1	—	A.	
	F.224534					Support, relay wire	1	LFS.21	C.	
5X/9400061	Plessey Z.19924					Tag, 6 amp. Q.R.	2	—	C.	
5X/9400062	Plessey Z.19979					Thimble, 6 amp.	2	—	C.	
5X/9400064	Plessey Z.19980					Thimble	1	—	C.	
5E/9100185	—					Wire, equipment, type 2, 14/0076, pink	QR	—	C.	
5E/9100180	—					Wire, equipment, type 2, 14/0076, white	QR	—	C.	



ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
5CZ/4057		Fuse, 20 amp., Type S	...	...	...	...	1	—	C.	
5CZ/5214	English Electric A.S.25	Fuse, 2.5 amp., type H.R.C.	...	...	...	...	2	—	C.	
8675	C.210914	Lid, for fuse box, group	...	...	...	...	1	—	B.	
28FP/148	Dzus A4.35	Fastener	...	...	...	...	4	—	C.	
	C.210914/2	Strip, sealing, 1/2" wide x 1/10" thick	...	...	...	...	43"	DTD.5509D		
5X/9400388	Plessey Z.77862	Lug	...	...	...	...	4	—	C.	
10209	F.235385	Mounting, for diode (Mod. 789)	...	...	...	...	1	—	C.	
	F.221704	Plate, conversion	...	...	...	...	2	L.72		
	F.233330	Plate, reinforcing (AS.840/49)	...	...	...	...	2	—		
7813	F.206916	Plate, tapped	...	...	...	...	2	L.72	MR/C	
7815	F.206918	Plate, tapped	...	...	...	...	2	L.72	MR/C	
5X/6185	Plessey CZ.50361	Plug, assembly, code 21	...	...	...	...	2	—	B.	
5X/6330	Plessey CZ.56073	Plug, assembly, Code 11	...	...	...	...	1	—	B.	
5X/6329	Plessey CZ.50358	Plug, assembly, Code 9	...	...	...	...	1	—	B.	
5CZ/5862		Rectifier, type GJ/6/M (Mod. 789)	...	...	...	...	1	—	B.	
5245	Std.1606/44/A10	Screw, roundhead, 6 B.A.	...	...	...	...	8	Brass	C.	5
3838	Std.1606/44/B8	Screw, roundhead, 4 B.A.	...	...	...	...	30	Brass	C.	5
1178	Std.1606/44/B12	Screw, roundhead, 4 B.A.	...	...	...	...	4	Brass	C.	5
1637	Std.1606/44/B14	Screw, roundhead, 4 B.A.	...	...	...	...	8	Brass	C.	5
5X/9400063	Plessey Z.19925	Tag, 7 amp.	...	...	...	...	55	—	C.	
5X/9400065	Plessey Z.19926	Tag, 19 amp.	...	...	...	...	6	—	C.	
5X/3146	Plessey Z.49397	Thimble, 7 amp.	...	...	...	...	55	—	C.	
5X/3147	Plessey Z.28081	Thimble, 19 amp.	...	...	...	...	6	—	C.	
5F/		Tube, 1 1/2 mm.-2 1/2 mm. black	...	...	...	...	QR	P.V.C.	C.	
	B.253592	Box, junction artificial horizon, group (Mod. 1002)	...	...	...	...	1	—		
	A.253591	Box	...	...	...	...	1	L.72		
	A.248673	Cable (See Cable Chart)	...	...	...	...	1	—	—	
	A.248678	Cable (See Cable Chart)	...	...	...	...	1	—	—	
5X/2786	Plessey Z.22431	Grommet	...	...	...	...	1	—	C.	
	A.214146	Plate, cover	...	...	...	...	1	L.72		
10H/0560080	Plessey CZ.48995	Plug, panel unit, code 45	...	...	...	...	1	—	C.	
10H/0560260	Plessey CZ.49223	Socket, panel unit code 45	...	...	...	...	2	—	C.	
5E/9100173		Wire, equipment 7/70076, grey	...	...	...	...	QR	DEF.12	C.	
	G.217944	<b>BOX, JUNCTION, FOR MAIN TRUNKING, ASSEMBLY</b>	...	...	...	...	—	—		
8677	F.217908	Block, packing	...	...	...	...	40	LFS.21	C.	
5X/3181	Plessey CZ.23212/1	Block, terminal, 20-way	...	...	...	...	14	—	B.	
5E/3038		Cable, unipren, 6 amp.	...	...	...	...	QR	—	C.	
5E/3040		Cable, unipren, 12 amp.	...	...	...	...	QR	—	C.	
5E/3042		Cable, unipren, 24 amp.	...	...	...	...	QR	—	C.	
5E/3113		Cable, duprensheath, 6 amp....	...	...	...	...	QR	—	C.	
5E/3116		Cable, septoprensheath, 6 amp.	...	...	...	...	QR	—	C.	
5X/	Plessey Z.24919	Cover, for terminal block, 20-way	...	...	...	...	14	—	B.	
7989	A.209702	Ferrule	...	...	...	...	2	L.65.C or L.62	C.	
7990	A.209704	Ferrule	...	...	...	...	2	L.65.C or L.62	C.	
7991	A.209699	Ferrule	...	...	...	...	1	—	C.	
5X/6921	Plessey CZ.28009	Ferrule	...	...	...	...	20	—	C.	
5X/1524	Plessey Z.18500/B	Ferrule	...	...	...	...	1	—	C.	
5X/6922	Plessey CZ.50823	Ferrule	...	...	...	...	2	—	C.	
5X/1526	Plessey Z.18500/D	Ferrule	...	...	...	...	2	—	C.	
9336	B.222448	Gaiter, for cable	...	...	...	...	1	—	C.	
10H/0970058	Plessey Z.60667	Gasket, outlet, code 45	...	...	...	...	4	Rubber	C.	
10H/0970059	Plessey Z.60668	Gasket, outlet	...	...	...	...	2	Rubber	C.	

ELECTRICAL EQUIPMENT FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
10H/0970060	Plessey Z.60669						2	Rubber	C.	
10H/0970107	Plessey Z.62234						2	—	C.	
10H/0970108	Plessey Z.62235						1	Rubber	C.	
5X/2789	Plessey Z.22433						1	—	C.	
8680	C.215080						1	—	C.	
28FP/148	Dzus A4.35						6	—	C.	
8681	C.215081						1	—	C.	
28FP/148	Dzus A4.35						6	—	C.	
5X/6163	Plessey Z.50210						15	—	C.	
5X/6317	Plessey Z.50218						2	—	C.	
5X/6171	Plessey Z.50211						—	—	C.	
5X/6172	Plessey 50212						1	—	C.	
5CZ/3137	Purcell						3	—	C.	
	Bros. No. 25									
5X/9400389	Erma 12109						3	—	C.	
8682	F.220647						28	—	C.	
10H/0970061	CZ.49178						2	—	C.	
10H/0970065	Plessey CZ.49182						2	—	C.	
10H/0970067	Plessey CZ.49186						2	—	C.	
10H/0970069	Plessey CZ.49181						1	—	C.	
10H/0970068	Plessey CZ.49179						1	—	C.	
8679	C.220646						1	—	C.	
5X/6440	Plessey CZ.23144/Z						4	—	C.	
5X/6488	Plessey CZ.23144/B						6	—	C.	
5X/6489	Plessey CZ.23144/C						39	—	C.	
5X/3143	Plessey CZ.23144/ND						6	—	C.	
10H/0970087	Plessey Z.62228						2	—	C.	
10H/0970088	Plessey Z.62229						1	Rubber	C.	
10H/0970090	Plessey Z.62233						2	—	C.	
10H/0970091	Plessey Z.62231						3	—	C.	
10H/0970095	Plessey Z.49051						2	—	C.	
10H/0970098	Plessey Z.49084						1	—	C.	
10H/	Plessey Z.85838						1	—	C.	
5X/3148	Plessey Z.49428						498	—	C.	
5X/3147	Plessey Z.28081						5	—	C.	
5K/3455							766	—	C.	
5K/3456							1	—	C.	
5K/3457							5	—	C.	
5K/3458							4	—	C.	
5K/3459							1	—	C.	
5X/7180	Plessey CZ.56108						1	—	B.	
5X/7185	Plessey CZ.71751						2	—	B.	
5X/7191	Plessey CZ.71753						2	—	B.	
5X/7192	Plessey CZ.71754						20	—	B.	
10H/0560090	Plessey CZ.49014						2	—	C.	
10H/0560120	Plessey CZ.49017						2	—	C.	
10H/0560180	Plessey CZ.49126						1	—	C.	
10H/0560181	Plessey CZ.49126/1						1	—	C.	
10H/0560220	Plessey CZ.49070						2	—	C.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5K/—	Ross Courtney R.C.2120						3	—	C.	
5X/9400061	Plessey Z.19924						QR	—	C.	
5X/9400063	Plessey Z.19925						QR	—	C.	
5X/9400065	Plessey Z.19926						QR	—	C.	
5X/9400062	Plessey Z.19979						QR	—	C.	
5X/9400064	Plessey Z.19980						QR	—	C.	
5X/9400066	Plessey Z.19981						QR	—	C.	
	E.214995						—	—		
	F.217904						1	S.84/T.4		
	F.217905						2	S.84/T.4		
	F.217906						2	S.84/T.4		
	F.217907						4	S.84/T.4		
	B.215077						1	—		
28FP/331	Dzus S.4.225						1	—	C.	
	B.215078						1	—		
28FP/331	Dzus S.4.225						1	—	C.	
	C.215079						1	—		
28FP/331	Dzus S.4.225						1	—	C.	
	F.228599						12	—		
	F.212157						12	—		
	F.212867						8	—		
28FP/331	Dzus S.4.225						8	—	C.	
32C/—	—						QR	DTD 5509/D	C.	
5F/2034	—						QR	P.V.C.	C.	
5F/2035	—						QR	P.V.C.	C.	
5F/2036	—						QR	P.V.C.	C.	
5F/2037	—						QR	P.V.C.	C.	
5F/2038	—						QR	P.V.C.	C.	
7100	Std.915/B10						28	DTD.610	C.	4
8684	E.221770						1	—	A.	
5X/6607	Plessey CZ.73898						7	—	C.	
5X/2863	Plessey CZ.24285						10	—	B.	
5X/3181	Plessey CZ.23212/1						2	—	B.	
	D.215173						1	—		
	A.221811						1	—		
8685	D.215173/4						1	L.72	C.	
	F.221810						2	—		
28FP/337	Dzus S.5.200						2	—	C.	
	Stud. 914/B22						4	DTD.610		
3762	Std.915/A18						4	DTD.610	MR/C	
5E/3038	—						QR	—	C.	
5E/3040	—						QR	—	C.	
5E/3042	—						QR	—	C.	
3971	Std.840/19						1	DTD.610	MR/C	4
								long		
10247	B.236211						1	DTD.5545	C.	
10246	B.236212						1	DTD.5545	C.	
5X/6921	Plessey CZ.28009						1	—	C.	
8687	A.220751						2	—	C.	
7990	A.209704						1	—	C.	

## ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
10H/21747	H.T. Newton Ltd						12	—	C.	
10H/23865	English Electric AS.25						1	—	C.	
10H/21798	H.T. Newton Ltd						7	—	C.	
10H/21799	H.T. Newton Ltd						1	—	C.	
10H/23801	—									
10H/21791	—						5	—	C.	
10H/23862	—						1	—	C.	
5X/2786	Plessey Z.22431						1	—	C.	
5K/3703	Hellermann HV.2855						1	—	C.	
8688	C.215436						1	—	B.	
8689	F.215416						2	—	C.	
	A.215438						2	L.72		
8690	B.215437						1	L.72	C.	
28FP/239	Dzus AW.530						2	—	C.	
5X/6163	Plessey Z.50210						5	—	C.	
5X/6171	Plessey Z.50211						2	—	C.	
5X/6480	Plessey Z.60218						7	—	C.	
5X/6317	Plessey Z.50218						1	—	C.	
5X/6671	Plessey Z.77859						1	—	C.	
5X/6675	Plessey Z.77863						2	—	C.	
10H/O.970060	Plessey Z.60669						1	—	C.	
10H/O.970074	Plessey CZ.49187						1	—	C.	
	F.232398						1	—		
7813	F.206916						1	L.72	MR/C	
7814	F.206917						1	L.72	MR/C	
7815	F.206918						12	L.72	MR/C	
10H/O.560050	Plessey CZ.48992						2	—	C.	
01H/O.560150	Plessey CZ.49112						1	—	C.	
10H/O.560151	Plessey CZ.49112/1						1	—	C.	
5X/7145	Plessey 2CZ.111224						1	—	B.	
5X/7151	Plessey 2CZ.111226						1	—	B.	
5X/7159	Plessey 2CZ.111229						12	—	B.	
10H/Z.560200	Plessey CZ.49061						1	—	C.	
10W/Z.113360	—						1	—	C.	
10H/O.970090	Plessey Z.62233						1	—	C.	
5X/3148	Plessey Z.49428						QR	—	C.	
5K/3455	—						113	—	C.	
10H/O.560330	Plessey CZ.49459						1	—	C.	
10H/O.560260	Plessey CZ.49223						1	—	C.	
10H/O.560380	Plessey CZ.49229						1	—	C.	
10H/O.560381	Plessey CZ.49229/1						1	—	C.	
5X/7192	Plessey 2CZ.111238						1	—	B.	
5X/9400061	Plessey Z.19924						264	—	C.	
5X/9400063	Plessey Z.19925						QR	—	C.	
5X/9400065	Plessey Z.19926						274	—	C.	
5X/9400062	Plessey Z.19979						QR	—	C.	
5X/9400064	Plessey Z.19980						QR	—	C.	
5X/9400066	Plessey Z.19981						QR	—	C.	
5F/—	—						QR	P.V.C.	C.	
5F/2037	—						54	P.V.C.	C.	
10H/O.560220	Plessey CZ.49070						1	—	C.	

Hunter T. Mk. 7  
 Issued with A/L No. 8

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5X/6789	A.218494	Bracket, mounting	...	...	...	...	3	S.3		
	F.220710	Bracket, for switch, at Frame 10	...	...	...	...	1	L.72		
	Hellermann HV.3185	Bung, forward of frame 14	...	...	...	...	1	—	C.	
10741	B.235459	Cables, electrical (See Cable Charts)	...	...	...	...	—	—	—	
	F.229253	Cable, F.29, group (See Cable Chart) (Mod. 813)	...	...	...	...	1	—	B.	
5L/9951273 5CX/4191 6038	B.233295	Cable, compass light (Make from 6B/2755)	...	...	...	...	1	—		
	B.228264	Duct	...	...	...	...	1	L.67		
	Rotax N.2705	Cable, F.102, group (See Cable Chart)	...	...	...	...	1	—	—	
	F.202760	Filament, lamp (AS.790/55)	...	...	...	...	1	—	B.	
			Indicator, warning	...	...	...	...	1	—	B.
10F/1786	B.228265	Plate, adaptor	...	...	...	...	1	—	MR/C	
		Cable, F.103, group (See Cable Chart)	...	...	...	...	1	—	—	
8012	C.227820	Switch	...	...	...	...	1	—	B.	
	F.208578	Cable, F.50, assembly	...	...	...	...	1	—		
6A/4392	Std.2044/7/052	Adaptor	...	...	...	...	2	BSS.249	C.	
	Smith Waymouth CS.21	Ferrule	...	...	...	...	1	—		
14A/4929 10H/0970055		Cable, co-axial	...	...	...	...	2	—	B.	
		Camera, G.90	...	...	...	...	1	—	A.	
9496	A.227880	Cap, protective	...	...	...	...	1	—	C.	
	Std.2045/46/20	Channel, mounting	...	...	...	...	1	L.72		
9664	Std.2045/42/22	Clip, securing cables	...	...	...	...	1	S.510 & 511		
	Std.2045/18/26	Clip, securing cables	...	...	...	...	2	S.510 & 511		
9663	Std.2045/20/24	Clip, securing cables	...	...	...	...	2	S.510 & 511		
	Std.2045/20/22	Clip, securing cables	...	...	...	...	1	—		
9664	Std.2045/20/22	Clip, securing cables	...	...	...	...	1	S.510 & 511	C.	
	Std.2045/22/24	Clip, securing cables	...	...	...	...	1	S.510 & 511	C.	6
9663	Std.2045/29/22	Clip, securing cables	...	...	...	...	1	—		
	Std.2045/38/22	Clip, securing cables	...	...	...	...	1	S.510 & 511		
9663	Std.2045/25/24	Clip, securing cables	...	...	...	...	1	S.510 & 511		
	Std.2046/19/24	Clip, securing cables	...	...	...	...	1	S.510 & 511	C.	6
9663	Std.2046/23/24	Clip, securing cables	...	...	...	...	1	S.510 & 511		
	Std.2046/25/22	Clip, securing cables	...	...	...	...	3	S.510 & 511		
9663	Std.2046/25/24	Clip, securing cables	...	...	...	...	2	S.510 & 511		
	Std.2046/25/24	Clip, securing cables	...	...	...	...	1	S.510 & 511		
9663	Std.2046/18/26	Clip, securing cables	...	...	...	...	1	S.510 & 511		
	Std.2046/29/22	Clip, securing cables	...	...	...	...	1	S.510 & 511		
9663	Std.2046/41/22	Clip, securing cables	...	...	...	...	1	S.510 & 511	C.	
	Std.2046/34/22	Clip, securing cables	...	...	...	...	1	S.510 & 511		
9663	Std.2046/38/24	Clip, securing cables	...	...	...	...	4	S.510 & 511		
	Std.2046/38/24	Clip, securing cables	...	...	...	...	1	S.510 & 511		
9663	Std.2046/20/24	Clip, securing cables	...	...	...	...	1	S.510 & 511		
	Std.2046/59/20	Clip, securing cables	...	...	...	...	1	S.510 & 511		
9663	Std.2046/63/20	Clip, securing cables	...	...	...	...	1	S.510 & 511		
	Std.2046/72/20	Clip, securing cables	...	...	...	...	1	S.510 & 511		
9663	Std.2076/35/22	Clip, securing cables	...	...	...	...	1	S.510 & 511		
	Std.2076/27/24	Clip, securing cables	...	...	...	...	2	S.510 & 511		
5897 10216	F.209035	Clip, securing cables	...	...	...	...	1	S.510 & 511		
	F.234133	Clip, securing cables	...	...	...	...	2	S.510 & 511	MR/C	
10216	A.228425	Clip, securing cable guard at Frame 8	...	...	...	...	1	—	C.	
		Connector, inverter, for invertors No. 1 and 2, group (See Cable Chart)	...	...	...	...	2	—	—	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9339	A.220700						1	—	B.	
6022	A.201761						1	—	B.	
	E.214996						1	—		
	A.212377						2	L.72		
5X/3277	Plessey CZ.50206						1	—	B.	
5CZ/430	Rotax N.5.B.N.						1	—	B.	
	F.227348						2	L.65.C		
5CY/2564	—						1	—	A.	
4178	Rotax N.65291						QR	—	C.	
	D.229701						1	—	—	
10C/O.145519	Plessey						1	—	C.	
	CE.4063/40									
5CW/5252	Hellermann HV.3711						5	—	C.	
5CW/5253							1	—	C.	
8691	F.221234						1	—	C.	
4043	Std.841/30						1	—	C.	
3739	Std.840/30						2	DTD.610	MR/C	4
4733	Std.841/36						2	DTD.610	C.	4
5D/1924	M. B. Metals EL.42887/1C						2	DTD.610	MR/C	
							1	—	B.	
	B.215721						—	—		
	A.221275						1	L.65.C		
5CY/4520	—						1	—	C.	
5L/9.959118							2	—	B.	
10H/180	Belling Lee L.1055/3						2	—	C.	
5CW/5045	Rotax N.65290						1	—	C.	
5CW/4222							3	—	B.	
10H/O.590100	Belling Lee L.356						2	—	B.	
5CZ/5639	Plessey CZ.97135/55						2	—	B.	
5CZ/5085	Plessey CZ.97636/2						1	—	B.	
5CX/5449	Thorn 80/10/0855/ Clear						2	—	B.	
10695	F.249493						1	—	C.	
8692	C.213144						1	L.72 or L.59	C.	
8693	C.213145						1	L.72 or L.59	C.	
8694	A.214022/6						1	L.67	C.	NK.1
8695	A.214022/7						1	DTD.253	C.	NK.1
	F.223718						1	L.72		
	A.212378						1	L.72		
	A.212379						1	L.72		
	A.212380						1	L.72		
10980	A.214022/12						1	L.67	C.	
10981	A.214022/13						1	L.67	C.	
10982	A.214022/14						1	L.67	C.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.	
		1	2	3	4	5					
7815	E.206918						2	L.72	MR/C		
5CW/3944	Pullin or Hendry						15	—	A.		
10W/O.113475	—						1	—	C.		
5K/3459	—						9	—	C.		
5K/3456	—						1	—	C.		
5K/3457	—						1	—	C.		
1639	Std.1606/44/A6						2	Brass	C.	5	
3838	Std.1606/44/B8						1	Brass	—	5	
5245	Std.1606/44/A10						3	Brass	C.	6	
9451	Std.1606/44/A24						2	Brass	C.	5	
3837	Std.1606/44/B10						4	Brass	C.	5	
1178	Std.1606/44/B12						1	Brass	C.	5	
1720	Std.1606/44/B24						2	Brass	C.	5	
5829	Std.1606/44/A14						2	Brass	C.	5	
1638	Std.1606/44/B6						8	Brass	C.	5	
	Std.1606/44/A36						4	Brass	C.	5	
5830	Std.1606/45/A14						2	Brass	C.	5	
8697	Std.1606/45/A20						2	Brass	C.	5	
	Std.1606/45/B6						1	Brass	—	5	
	Std.1606/45/A10						1	Brass	—	5	
5CW/7540	C.W.C. Ltd. XD.778						3	—	B.		
10F/11714	—						1	—	B.		
5CW/7550	C.W.C. Ltd. XD.787						1	—	B.		
5CW/7552	C.W.C. Ltd. XD.788						1	—	B.		
5X/9400061	—						3	—	C.		
5X/9400062	—						3	—	C.		
5CW/4333	Rotax N.100397/7						1	—	C.		
5CW/4485	Rotax N.100397/37						1	—	C.		
5CW/4331	Rotax N.100397/5						1	—	C.		
5CW/4332	Rotax N.100397/6						1	—	C.		
5F/	—						QR	P.V.C.	C.		
5731	Std.1509/12/025						1	T.4	MR/C	4	
3792	Std.1509/23/025						4	T.4	MR/C	4	
	Std.1507/23/020						1	T.26			
	Std.1507/23/040						1	T.26			
—	E.218888/1						1	DTD625A Type 1	—		
5X/6165	Plessey CZ.25111						4	—	B.		
8545	F.220484						3	—	C.		
27V/4812	Teddington FHJ/A/7						1	—	A.		
	D.223753						—				
	F.223798						1	—			
	F.222736						3	BS.265			
	F.223283						1	BS.265			
	F.223528						1	BS.265			
	F.229594						1	BS.265			
—	—						—	—	—		
		<b>EQUIPMENT, COCKPIT LIGHTING, ASSEMBLY</b>									
							1	—			
							3	BS.265			
							1	BS.265			
							1	BS.265			
							1	BS.265			
							—	—	—		

## ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	Std.2046/21/24						1	S.510		
	Std.2045/17/26						2	S.510		
5L/9951271	—						10	—	B.	
5CX/5133	—						10	—	A.	
	F.232601						1	L.72		
5247	Std.1606/44/A16						6	Brass	C.	5
3859	Std.1606/45/B10						12	Brass	C.	5
5F/2281	Hellermann HV.3341						QR	—	C.	
5F/2282	Hellermann NY.3342						QR	—	C.	
5CW/2452	—						1	—	A.	
5CW/2530	—						1	—	A.	
5F/	—						QR	P.V.C.	C.	
	E.222039	<b>EQUIPMENT IN RADIO BAY, ASSEMBLY</b> ...					—	—		
5J/3307	—						2	—	B.	
5J/3336	Varley						2	—	B.	
6A/4457	Smiths Waymouth FAB/18						2	—	A.	
5CZ/5264	Ultra A.234						1	—	A.	
5CZ/5293	Smiths EC4/2						1	—	A.	
5CZ/5543	Smiths EC4/4						1	—	A.	
	A.213623						1	L.72		
	A.213624						1	L.72		
9744	F.209908						4	S.95.B	C.	
6A/4445	Smiths Waymouth JX12						1	—	B.	
6A/4446	Smiths Waymouth JX14						1	—	B.	
5D/506	—						2	—	B.	
	B.228553						1	—		
	B.228554						1	—		
	B.213540						1	—		
10H/O.560080	Plessey CZ.48995						1	—	C.	
5CW/3942	—						1	—	A.	
5CW/6307	Oliver Pell Ltd. RH2/1						1	—	A.	
8482	A.216114						1	—	B.	
	C.216112						1	—		
8483	F.216126						2	Spr. Stl.	C.	
	F.216127						1	—		

Hunter T. Mk. 7  
 Issued with A/L No. 8

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.225203	<b>BREAKER, CIRCUIT MAIN FEED, ASSEMBLY</b>					-	-		
	A.225186	Angle, mounting, bottom	...	...	...	1	L.72			
	A.225187	Angle, mounting, top	...	...	...	1	L.72			
	B.225184	Bracket, mounting	...	...	...	1	L.72			
	B.225185	Bracket, mounting	...	...	...	1	L.72			
5CY/2564	—	Breaker, circuit, 45 amp....	...	...	...	6	—	A.		
5CY/4520	—	Cover...	...	...	...	6	—	C.		
1639	Std.1606/44/A6	Screw, round head, 6 B.A.	...	...	...	12	Brass	C.		
	Std.1509/23/075	Tube, distance	...	...	...	4	T.4			
5CY/2560	—	Breaker, circuit, 10 amps.	...	...	...	1	—	B.		
5CY/2564	—	Breaker, circuit, 45 amp.s	...	...	...	1	—	A.		
5CY/2568	—	Breaker, circuit, 125 amp. Type B.4	...	...	...	1	—	B.		
5CY/2561	—	Breaker, circuit (Mod. 1141)...	...	...	...	1	—	B.		
5H/55	AS.2724	Bus-bar	...	...	...	1	—	C.		
—	—	Cables, electrical (See Cable Chart)	...	...	...	—	—	—		
	Std.2076/36/22	Clip, sleeved	...	...	...	1	—			
	Std.2045/25/24	Clip, sleeved	...	...	...	1	S.510 or S.511			
	Std.2045/21/24	Clip, sleeved	...	...	...	1	S.510 or S.511			
	Std.2046/25/24	Clip, sleeved	...	...	...	1	S.510 or S.511			
	Std.2046/19/26	Clip, sleeved	...	...	...	3	S.510 or S.511			
	Std.2046/31/22	Clip, sleeved	...	...	...	1	S.510 or S.511			
	Std.2045/23/24	Clip, sleeved	...	...	...	1	S.510 or S.511			
	Std.2045/44/20	Clip, sleeved	...	...	...	1	S.510 or S.511			
	Std.2045/59/20	Clip, sleeved	...	...	...	2	S.510 or S.511			
	Std.2045/28/22	Clip, sleeved	...	...	...	1	S.510 or S.511			
	Std.2046/17/26	Clip, sleeved	...	...	...	2	S.510 or S.511			
	Std.2046/22/24	Clip, sleeved	...	...	...	1	S.510 or S.511			
3747	Std.841/28	Clip, securing cable	...	...	...	1	DTD.160	MR/C	4	
6A/3570	Smiths Waymouth CA.10	Connector	...	...	...	1	—	B.		
6A/2767	Smiths Waymouth CA.14	Connector	...	...	...	1	—	B.		
5J/3419	—	Cover, venting	...	...	...	2	—	C.		
4143	F.170058	Cover, sealing	...	...	...	1	DTD.213	C.		
5J/3419	—	Cover, venting	...	...	...	2	—	C.		
5CY/4520	—	Cover	...	...	...	3	—	C.		
5K/2374	—	Disc, blank	...	...	...	3	—	B.		
5L/9.952254	—	Filament, lamp, 24-5W., Type "J"	...	...	...	1	—	B.		
5K/83	—	Glandnut	...	...	...	3	—	C.		
5H/48	AS.2722	Insulator...	...	...	...	2	—	C.		
5CX/446	—	Lamp, cockpit, Mk. 1A	...	...	...	1	—	B.		
	F.213042	Packing, at frame 17B	...	...	...	1	L.72			
	D.212163	<b>PANEL, GENERATOR, CONTROL, ... ASSEMBLY</b>					-	-		
5X/6903	Plessey Z.54032	Bar, commoning	...	...	...	1	—	C.		
5X/6607	Plessey CZ.73898	Block, fuse, with identification tags, less cover	...	...	...	2	—	B.		
5X/2863	Plessey CZ.24285	Block, terminal, 10-way	...	...	...	1	—	B.		
	F.196207	Bolt, special, for securing links	...	...	...	2	SSS.250B			
	B.222427	Bracket, mounting, for switch	...	...	...	1	L.72			
	A.198117	Bracket, mounting	...	...	...	2	DTD.610			

## ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
5CY/2560	—					Breaker, circuit, Type "S" No. 3, 10 amps.	2	—	A.	
5CY/5336	—					Breaker, circuit, Type "DB" ... ..	2	—	A.	
4178	Rotax N.65291					Bung, sealing ... ..	4	—	C.	
	D.222679					Cables, electric (See Cable Chart) ... ..	—	—	—	
5CY/4520	—					Cable, form, F.49 (See Cable Chart) ... ..	1	—	—	
3735	Std.840/16					Cap, protective ... ..	2	—	C.	
						Clip, securing cable, $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 1-6" long	1	DTD.610	MR/C	4
3971	Std.840/19					Clip, securing cable, $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 1-9" long	3	DTD.610	MR/C	4
4768	Std.841/14					Clip, securing cable, $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 1-4" long	1	DTD.610	MR/C	4
3741	Std.840/20					Clip, securing cable, $\frac{7}{16}$ " wide 22 S.W.G. $\times$ 2" long	1	DTD.610	C.	4
3743	Std.840/25					Clip, securing cable, $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 2-5" long	1	DTD.610	MR/C	4
4764	Std.840/21					Clip, securing cable, $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 2-1" long	1	DTD.610	MR/C	4
3740	Std.840/33					Clip, securing cable, $\frac{7}{16}$ " wide $\times$ 22 S.W. G. $\times$ 3-3" long	1	DTD.610	MR/C	4
4769	Std.843/10					Clip, securing cable, $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 1-0" long (Make from 30A/549)	1	S.510	MR/C	4
5CY/4211	—					Cut-out, differential, Type "A," Mk. 2 ... ..	2	—	A.	
10H/21798	—					Fuse, 5 amp. Type "S" ... ..	7	—	C.	
10H/21799	—					Fuse, 10 amp. Type "S" ... ..	1	—	C.	
5X/1878	Plessey Z.1841					Grommet ... ..	2	—	C.	
5CZ/5073	Dowty C.5165.Y Mk. 1					Indicator, magnetic ... ..	2	—	A.	
5X/6317	Plessey Z.50218					Link, commoning, 10-way ... ..	1	—	C.	
	A.190681					Link, connecting ... ..	1	BSS.1433	C.	
4181	A.190682					Link, connecting ... ..	1	BSS.1433	C.	
4182	A.190683					Link, connecting ... ..	1	BSS.1433	C.	
4183	A.190684					Link, connecting ... ..	1	BSS.1433	C.	
4184	F.190685					Link, connecting ... ..	1	BSS.1433	C.	
4185	B.190680					Link, connecting ... ..	1	BSS.1433	C.	
	D.217635					Panel, detail, group ... ..	1	—	—	
28FP/228	Dzus AJW.5/35					Fastener ... ..	4	—	C.	
	F.212049					Lug, hinge ... ..	2	L.65.C	—	
	F.216829					Plate ... ..	1	L.72	—	
5UC/5937	—					Regulator, voltage, Type 94 ... ..	2	—	A.	
5CW/3944	—					Relay, Type "S", No. 3 ... ..	4	—	A.	
5UC/5209	—					Resistance, trimmer, remote, Type 3, 5 ohms.	2	—	A.	
5Q/4341	—					Shunt, ammeter, 200 amps., 50 M/V ... ..	2	—	B.	
5CY/3002	—					Socket, 3 pole, 2 amps. ... ..	4	—	B.	
5CW/7748	C.W.C. Ltd. XD.789					Switch, D.P., change over no "OFF" position	2	—	B.	
5CW/6452	Smiths RD.1					Switch, magnetic relay, Type 9B, No. 1 ... ..	4	—	A.	
5CW/6185	—					Switch, magnetic relay, Type "R" ... ..	1	—	A.	
5CW/7545	C.W.C. Ltd. XD.782					Switch, flight instrument inverter ... ..	2	—	A.	
5CW/4485	Rotax N.100397/37					Transfer, "NORMAL" ... ..	2	—	C.	
	Std.1509/12/174					Tube, distance, at bolts securing relays ... ..	1	T.4	—	
	Std.1509/23/026					Tube, distance ... ..	1	T.4	—	
5781	Std.915/E.20					Washer, at differential cut-out ... ..	4	DTD.610	C.	4
	Std.1546/36/16					Washer, profile ... ..	1	—	—	

Hunter T. Mk. 7  
Issued with A/L No. 8

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	C.230203	<b>PANEL, GUN FIRING ASSEMBLY (Mod. 745)</b>	—	—		
5X/6480	Plessey Z.60218	Bar, commoning ... ..	1	—	C.	
5X/3271	Plessey CZ.52815	Block, fuse ... ..	1	—	B.	
5X/2863	Plessey CZ.24285	Block, terminal, 10-way ... ..	2	—	B.	
5E/3038		Cable, unipren, 6 amp. ... ..	QR	—	C.	
5E/3040		Cable, unipren, 12 amp. ... ..	QR	—	C.	
5X/3275	Plessey CZ.26808 Std.2045/22/22	Cover, 10-way ... ..	2	—	B.	
		Clip, securing cables ... ..	2	S.510 or S.511		
10H/21798		Fuse, 5 amp. ... ..	2	—	C.	
	C.224661	Panel, detail ... ..	1	—		
5X/3278	Plessey Z.28426	Pillar, fixing ... ..	4	—	C.	
	B.230202	Relays, C.1 and F.1, group (Mod. 745) ... ..	1	—		
5X/3268	Plessey CZ.50207	Block, terminal, 5-way ... ..	1	—	B.	
	A.224694	Bracket, relay mounting ... ..	1	L.72		
	Std.2045/14/22	Clip, sleeved ... ..	1	S.510 or S.511		
5E/3038		Cable, unipren, 6 amp. ... ..	10'	—	C.	
9496	Std.2045/20/22	Clip, sleeved ... ..	1	S.510 or S.511	C.	6
5X/3274	Plessey CZ.26805	Cover, 5-way ... ..	1	—	B.	
5X/6172	Plessey Z.50212	Link, commoning ... ..	1	—	C.	
5X/3278	Plessey Z.28426	Pillar, fixing ... ..	2	—	C.	
5CW/3944	—	Relay, Type "S," No. 3 ... ..	2	—	A.	
1178	Std.1606/44/B12	Screw, securing clip ... ..	1	Brass	C.	5
5K/3455		Sleeve, helsyn 100, J.P. x 3/4" ... ..	11	—	C.	
5X/2266	Plessey Z.19924	Tag, 4 amp. ... ..	10	—	C.	
5F/		Tube, 1 1/2-2 1/2 m/m i/d. ... ..	QR	P.V.C.	C.	
		Tubing, 2 1/2-5 m/m i/d. vidaflex (yellow) ... ..	QR	RCS.313	C.	
5CW/6595	Hendrey D.3822B	Relay, slugged ... ..	1	—	A.	
3838	Std.1606/44/B8	Screw, roundhead, 4 B.A. ... ..	2	Brass	C.	5
1178	Std.1606/44/B12	Screw, roundhead, 4 B.A. ... ..	4	Brass	C.	5
4179	Std.1606/44/B20	Screw, roundhead, 4 B.A. ... ..	6	Brass	C.	5
5CW/6452	Smiths RD.1	Switch, magnetic relay, Type 9B., No. 1 ... ..	2	—	A.	
5F/		Tube, 1 1/2-2 1/2 m/m i/d. ... ..	QR	P.V.C.	C.	
	E.223427	<b>PANEL, SUPPLY, ASSEMBLY</b> ... ..	—	—		
5X/6607	Plessey CZ.73898	Block, fuse ... ..	12	—	B.	
5X/3181	Plessey CZ.23212/1	Block, terminal, 20-way ... ..	8	—	B.	
		Cables, electrical (See Cable Chart) ... ..	—	—	—	
	A.223553	Clamp, retaining cables ... ..	1	L.72		
	Std.2046/49/20	Clip, sleeved ... ..	2	S.510 or S.511		
	Std.2046/59/20	Clip, sleeved ... ..	2	S.510 or S.511		
	Std.2046/67/20	Clip, sleeved ... ..	1	S.510 or S.511		
6024	F.209038	Clip ... ..	1	L.72	MR/C	
6025	F.209039	Clip ... ..	1	L.72	MR/C	
10H/21791	—	Fuse, dummy, Type "S" ... ..	16	—	C.	

## ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
10H/21797						Fuse, 2.5 amp. (Mod. 1068) ... ..	14	—	C.	
10H/21798						Fuse, 5 amp. (Mod. 1068)... ..	11	—	C.	
10H/21799						Fuse, 10 amp. (Mod. 1068) ... ..	5	—	C.	
10H/23801						Fuse, 20 amp. (Mod. 1068) ... ..	1	—	C.	
5X/6163	Plessey Z.50210					Link, commoning, 2-way ... ..	4	—	C.	
5X/6317	Plessey Z.50218					Link, commoning, 10-way ... ..	2	—	C.	
5X/3259	Plessey Z.50219					Link, commoning, transverse ... ..	2	—	C.	
5X/6898	Plessey Z.63022					Link, commoning, L.H. ... ..	5	—	C.	
5X/6899	Plessey Z.63023					Link, commoning, R.H. ... ..	5	—	C.	
	A.223552					Packing, for clamp retaining cables ... ..	1	Commnl. Aluminum		
	D.212103					Panel, supply, group ... ..	1	—		
	B.211911					Channel, support ... ..	1	L.72		
	B.211912					Channel, support ... ..	1	L.72		
	F.211946					Link, attachment, at bottom of panel ... ..	1	L.72		
	F.211947					Link, attachment at bottom panel ... ..	1	L.72		
	D.221216					<b>PANEL, SUPPLY, DETAIL AND ASSEMBLY</b>	—	—		
8701	F.221284					Plate, bolt ... ..	2	—	C.	
	C.186214					Plate, plug and landing group ... ..	1	—		
28FP/337	Dzus S5.200					Spring ... ..	4	—	C.	
3762	Std.915/A/18					Washer ... ..	8	—	MR/C	4
	Std.1509/24/060					Tube, distance, $\frac{3}{8}$ " o/d. $\times$ 17 S.W.G. $\times$ 0-6" long	2	T.4		
	Std.1509/24/058					Tube, distance, $\frac{3}{8}$ " o/d. $\times$ 17 S.W.G. $\times$ 0-58" long	4	T.4		
3997	Std.1548/20/16					Washer, radiused ... ..	2	DTD.610	MR/C	4
6026	A.204928					Plate, mounting, for fuse block ... ..	1	L.72	MR/C	
6027	F.204929					Plate, mounting, for fuse block ... ..	1	L.72	MR/C	
6028	A.204930					Plate, mounting, for fuse block ... ..	5	L.72	MR/C	
7814	F.206917					Plate, tapped ... ..	1	L.72	MR/C	
7815	F.206918					Plate, tapped ... ..	3	L.72	MR/C	
	A.223651					Relay, "X", group ... ..	1	—		
5CW/3944	Pullin or Hendry					Switch, magnetic relay, Type "S," No. 3...	1	—	A.	
	A.223652					Relay, "Y," group ... ..	1	—		
5CW/6717	Pullin or Hendry					Switch, magnetic relay, Type "S," No. 7...	1	—	A.	
5CW/6452	Smiths RD.1					Relay, Type 9B, No. 1 ... ..	1	—	B.	
5CW/4120						Relay, Type Q ... ..	2	—	A.	
	F.223649					Resistor, No. 2, group ... ..	1	—		
10W/Z113042						Resistor, 120 ohms ... ..	1	—	C.	
	F.223650					Resistor, No. 3, group ... ..	1	—		
10W/Z113040						Resistor, 100 ohms. ... ..	1	—	C.	
6A/3580	Sangamo Weston FD.871					Spool, adjustable ... ..	1	—	B.	
5F/2281	Hellermann HV.3341					Strapping ... ..	QR	—	C.	
5F/2302	Hellermann NY.3342					Stud ... ..	QR	—	C.	
	A.230397					Panel, for wiring diagram ... ..	1	Paxolin sheet		
	F.224693					Piece, distance ... ..	4	L.54.C		
	F.224202					Plate, mounting, for inertia switch ... ..	1	L.72		

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.	
		1	2	3	4	5					
5CY/4314	—						1	—	B.		
5CZ/5241	Electronic Components						1	—	B.		
	22508-685-°C										
3838	Std.1606/44/B8						4	Brass	C.	5	
4660	Std.1606/45/B14						3	Brass	C.	5	
5CY/3002	—						1	—	B.		
5F/2301	Hellermann NY.18007/A						QR	—	C.		
5F/2302	Hellermann NY.3342						QR	—	C.		
5H/49	—						3	—	C.		
27N/93	—						3	—	A.		
5CW/7552	—						1	—	B.		
5CW/4485	—						1	—	C.		
5CW/4333	—						1	—	C.		
5F/—	—						QR	P.V.C.	C.		
—	Std.1509/23/060						2	L.62	—		
—	Std.1509/24/052						1	L.62	—		
5SUB/6488	—						1	—	A.		
3953	Std.915/E/22						4	DTD.610	C.		
	C.222221	<b>EQUIPMENT, ON PORT FORWARD SHELF, ASSEMBLY</b>						—	—		
	B.238563						1	—			
	B.238564						1	—			
	A.238566						1	—			
	F.238573						1	S.518 T.4	MR.		
	F.238574						1	S.518 T.4	MR.		
	F.240559						1	L.72			
10495	F.238579						1	—	C.		
1642	F.190212						1	Spr. Stl.	C.		
10496	F.238576						1	Spr. Stl.	C.		
10562	F.240558						1	Spr. Stl.	C.		
	Std.1509/12/046						1	T.4		4	
	C.217606						1	—	—		
	A.241191						1	—	—		
3741	Std.840/20						1	DTD.610	C.		
	Std.2046/18/24						1	S.510 or S.511			
5L/9951273	—						1	—	B.		
5CW/4222	—						1	L.72	C.		
6A/3569	Smiths 501/FL						1	—	A.		
5CX/1069	—						1	—	B.		
	B.233279						1	—			
	AW.49161						1	—			
	AW.49164						1	—			
	A.233268						1	S.510			
5700	AW.49162						1	—	MR/C		
5701	AW.49163						1	—	MR/C		
	AS.2806						1	—			
	AW.88052/7						1	—			
	AW.88052/8						1	—			
7815	F.206918						1	L.72	MR/C		
	F.241192						1	L.72			
3838	Std.1606/44/B8						7	Brass	C.	5	
1637	Std.1606/44/B14						1	Brass	C.	5	
3839	Std.1606/44/B16						2	Brass	C.	5	

RESTRICTED

Hunter T. Mk. 7  
Issued with A/L No. 7

## ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
3856	Std.1606/44/C20					Screw, roundhead, 2 B.A. (AS.860/93) ... ..	3	Brass	C.	45
3857	Std.1606/44/C24					Screw, roundhead, 2 B.A. (AS.860/93) ... ..	1	Brass	C.	45
5K/9107067	Hellermann P.3 Grey					Sleeve, P.V.D.C., .90" long ... ..	1	1738 Type B	C.	
5CW/7541	—					Switch, S.P. "on-off," ... ..	1	—	B.	
5CW/4682	Western Manufg. LS.1611					Switch, trim Mk. B/2 ... ..	1	—	A.	
	C.235435					<b>EQUIPMENT, ON STARBOARD FORWARD SHELF, ASSEMBLY (Mod. 779)</b>	—	—		
	F.213003					Angle, support, for switch ... ..	1	L.72		
	F.213004					Angle, support, for switch ... ..	1	L.72		
	A.213138					Bracket, mounting, for trim switch lever ... ..	1	—		
5CY/2564	B.T.H. or Thorn					Breaker, circuit, Type "S" No. 56 ... ..	1	—	A.	
—	C.235433					Cable, F.99 (See Cable Chart) (Mod. 779)... ..	1	—	—	
—	B.217570					Cable, F.93 (See Cable Chart) ... ..	1	—	—	
	F.213142					Cam, at mounting bracket ... ..	1	—		
5CW/5222	—					Cap, sea grey ... ..	2	—	C.	
8698	A.213360					Cover, for circuit breaker, group ... ..	1	—	C.	
	F.213303					Bracket ... ..	1	L.72		
	A.213302					Cover ... ..	1	—		
	F.213304					Spring ... ..	1	Ph. Bronze Wire		
	B.223749					Housing, for armament safety switch ... ..	1	—		
6A/3569	Smiths 501/FL					Indicator, position ... ..	1	—	A.	
	A.213139					Lever, actuating trim switch ... ..	1	—		
3815	Std.1547/20/14					Packing ... ..	6	DTD.610	MR/C	4
5700	Armstrong Whitworth AW.49162					Plunger ... ..	1	S.1	MR/C	
	F.213140					Rod, actuating, adjustable, group ... ..	1	—		
8699	F.213195					Screw, adjusting ... ..	1	S.1	C.	
3839	Std.1606/44/B.16					Screw, roundhead, 4 B.A. ... ..	2	Brass	C.	5
3856	Std.1606/44/C20					Screw, roundhead, 4 B.A. ... ..	2	Brass	C.	5
3857	Std.1606/44/C24					Screw, roundhead, 4 B.A. ... ..	2	Brass	C.	5
1178	Std.1606/44/B12					Screw, roundhead, 4 B.A. ... ..	4	Brass	C.	5
4661	Std.1606/45/B12					Screw, countersunk 4 B.A. (Mod. 779) ... ..	4	Brass	C.	
	C.235434					Shelf, starboard, forward portion, group (Mod. 779)	1	—		
29G/2180	Carr 882					Stud (Lift the Dot) ... ..	1	—	C.	
	5701					Spring ... ..	1	Steel	MR/C	
	Armstrong Whitworth A.W.49163									
5CW/6977	Dowty					Switch, armament safety ... ..	1	—	A.	
	C.1831.Y Mk.102C									
5CW/4682	Western Manufg. LS.1611					Switch, trim, Mk. B/2 ... ..	1	—	A.	
5CW/7540	—					Switch, S.P.C.O. "No Centre Off" (Mod. 1041)	2	—	B.	
	C.235435/1					Washer, at lever attachment (Mod. 779) ... ..	1	S.3		
5CZ/5448	—					Flasher, unit, type A, 24 volt (Mod. 741) ... ..	1	—	A.	
	C.227917					Guard, cable, centre console ... ..	1	L.72		
	B.227595					Guard, cable, forward ... ..	1	L.72		
	B.227596					Guard, cable, centre ... ..	1	L.72		
	B.227597					Guard, cable, aft ... ..	1	L.72		
	A.231028					Guard, cable ... ..	2	S.510		
	F.222049					Guard, locking for switch ... ..	1	—		
5CZ/5073	Dowty					Indicator, magnetic ... ..	1	—	A.	
	C.5165.Y Mk. 1									

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
		<b>INVERTORS, INSTALLATION, ASSEMBLY</b> ...					—	—		
SUB/4938	C.222598	<b>Invertor, Type 100A</b> ...					4	—	A.	
	B.222533	<b>Mounting, Invertor, group</b> ...					4	—		
	F.222535	<b>Bush, special</b> ...					4	S.1		
	F.222536	<b>Bush, special</b> ...					4	S.1		
663	F.183670	<b>Collar</b> ...					2	S.1	C.	
	F.222544	<b>Handle, catch</b> ...					2	S.95B or S.96B		
	B.222405	<b>Mounting</b> ...					1	L.53		
	F.222534	<b>Pin, catch</b> ...					2	S.95B		
	F.222538	<b>Pin</b> ...					1	S.96B		
	F.222537	<b>Spring</b> ...					2	20G Spr. Stl.		
5UC/4939	—	<b>Panel, control, Type 12</b> ...					4	—	A.	
5X/6163	Plessey Z.50210	<b>Link, commoning, 2-way</b> ...					10	—	C.	
8543	F.218495	<b>Mounting</b> ...					12	Rubber	C.	
6733	A.207436	<b>Nut</b> ...					1	L.65	C.	
	C.218570	<b>Panel, A.C. supplies circuit breaker, group</b> ...					1	—		
5CY/2561	—	<b>Breaker, circuit, Type "A," No. 3, 15 amp.</b> ...					4	—	A.	
	B.218569	<b>Cable, F.34, group (See Cable Chart)</b> ...					1	—	—	
	A.209700	<b>Ferrule, code 54</b> ...					1	—		
5CW/5253	Hellermann HV.3710	<b>Cap, helvin (see grey)</b> ...					1	—	C.	
5CY/4520	—	<b>Cover, safety</b> ...					4	—	B.	
1639	Std.1606/44/A6	<b>Screw, roundhead, 6 B.A.</b> ...					8	Brass	C.	5
1638	Std.1606/44/B6	<b>Screw, roundhead, 4 B.A.</b> ...					4	Brass	C.	5
1943	Std.1606/45/B16	<b>Screw, countersunk, 4 B.A.</b> ...					3	Brass	C.	5
5CW/3002	—	<b>Socket, 3 pole, 2 amp.</b> ...					1	—	B.	
5CW/7550	C.W.C. Ltd. XD.787	<b>Switch, D.P. "centre off" spring return both ways</b> ...					1	—	B.	
5CW/4333	Rotax N.100397/7	<b>Transfer, "TEST"</b> ...					2	—	C.	
5CW/4481	Rotax N.100397/33	<b>Transfer, "PORT"</b> ...					1	—	C.	
5CW/4482	Rotax N.100397/34	<b>Transfer, "STARBOARD"</b> ...					1	—	C.	
	C.218033	<b>Panel, cabin pressurisation control, group</b> ...					1	—		
6076	F.207954	<b>Bar, ganging</b> ...					1	Fibre	C.	
	A.212462	<b>Panel, control</b> ...					1	L.72		
1638	Std.1606/44/B6	<b>Screw, securing switches</b> ...					8	Brass	C.	5
1178	Std.1606/44/B12	<b>Screw, securing, temperature selector</b> ...					4	Brass	C.	5
3839	Std.1606/44/B16	<b>Screw, securing, lever switch</b> ...					2	Brass	C.	5
5CZ/5297	Teddington Controls FHK/A/26	<b>Selector, temperature</b> ...					1	—	A.	
5CW/4679	Dowty C.1223Y Mk. 12	<b>Switch, lever, cabin temperature control</b> ...					1	—	A.	
5CW/7540	C.W.C. Ltd. XD.778	<b>Switch, S.P. change-over</b> ...					4	—	B.	
5CW/4327	Rotax N.100397/1	<b>Transfer, "ON"</b> ...					3	—	C.	
5CW/4328	Rotax N.100397/2	<b>Transfer, "OFF"</b> ...					3	—	C.	
5CW/4334	Rotax N.100397/8	<b>Transfer, "MANUAL"</b> ...					1	—	C.	
5CW/4335	Rotax N.100397/9	<b>Transfer, "AUTO"</b> ...					1	—	C.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	A.220711	Panel, control, between frames 10 and 11 ... ..					1	L.72		
	D.217197	Panel, leg, port, group ... ..					1	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10-way ... ..					1	—	B.	
		Cables, electric (See Cable Chart) ... ..					—	—	—	
8700	A.212014	Cover, access, group ... ..					1	—	C.	
28FP/146	Dzus A.425	Fastener ... ..					6	—	C.	
5CX/4264	Std.1512/1	Disc, identification ... ..					2	—	C.	
5L/9951273	—	Filament, 28 volt, 3.5 watt ... ..					2	—	B.	
5L/9959118	—	Filament, 28V., 0.04 amp. ... ..					1	—	B.	
5CW/5045	Rotax N.65290	Grommet, at attachment of bridge light ... ..					1	—	C.	
5CX/1553	Rotax H.1104 (Red)	Lamp, warning, Type "B" ... ..					2	—	B.	
	F.213272	Lever, for switch plate (Make from 30A/546)					4	S.3	—	
	A.188310	Lever, rudder bar release, group ... ..					1	—		
1649	F.188308	Lever ... ..					1	T.26 or T.45	C.	
1650	F.188311	Shackle ... ..					1	S.3	C.	
5CX/5361	Thorn 80/10/1483 (Issue 1)	Light, bridge, for ratiometer oil indicator (Mod. 732)					1	—	B.	
5X/6172	Plessey Z.50212	Link, 4-way ... ..					1	—	C.	
5X/9400389	Plessey Z.77863	Lug ... ..					2	—	C.	
4490	F.199451	Nut, special, at transfer "on" and "off" switch					1	L.65.C	C.	
	A.217235	Panel, mounting for cartridge selector switch ... ..					1	L.72		
	B.212009	Panel, mounting, for oil P.S.I. ... ..					1	L.72		
	A.215168	Plate, switch ... ..					1	L.72		
7813	F.206916	Plate, tapped ... ..					2	L.72	MR/C	
7815	F.206918	Plate, tapped ... ..					2	L.72	MR/C	
6A/2714	Smiths 1 A.C.R.	Ratiometer indicator, for oil pressure ... ..					1	—	A.	
4617	Std.1606/44/C14	Screw, roundhead, 2 B.A. ... ..					4	Brass	C.	5
3838	Std.1606/44/B8	Screw, roundhead, 4 B.A. ... ..					12	Brass	C.	5
3837	Std.1606/44/B10	Screw, roundhead, 4 B.A. ... ..					4	Brass	C.	5
1720	Std.1606/44/B24	Screw, roundhead, 4 B.A. ... ..					2	Brass	C.	5
3840	Std.1606/44/B28	Screw, roundhead, 4 B.A. ... ..					2	Brass	C.	5
4491	F.199449	Stud, at transfer "on" and "off" switch ... ..					—	S.95.B	C.	
5CW/4494	Teddington FJB/A/5 or FJB/A/3	Switch, cartridge selector ... ..					1	—	A.	
5CW/7748	C.W.C. Ltd. XD.789	Switch, D.P. change over ... ..					1	—	B.	
5CW/7540	C.W.C. Ltd. XD.778	Switch, S.P. change over ... ..					3	—	B.	
5CW/7541	C.W.C. Ltd. XD.779	Switch, S.P. "on-off" "upright-off" ... ..					1	—	B.	
5CW/4327	Rotax N.100397/1	Transfer, "ON" ... ..					5	—	C.	
5CW/4328	Rotax N.100397/2	Transfer, "OFF" ... ..					5	—	C.	
5F/	—	Tube, 1½ m/m.—2½ m/m. black ... ..					QR	P.V.C.	C.	
	Std.1507/12/006	Tube, distance ... ..					8	T.4		
	Std.1509/12/100	Tube, distance ... ..					2	T.4		
5CZ/4725	Teddington F.K.X./A1	Unit, resistance, 10 ohms ... ..					1	—	B.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	B.230995	<b>PANEL, PORT, MISCELLANEOUS SWITCH, ASSEMBLY</b>	—	—		
5CW/5253	Hellermann HV.3710	Cap, helvin, sea grey ... ..	2	—	C.	
	A.230965	Panel, mounting ... ..	1	L.72		
1638	Std. 1606/44/B.6	Screw, roundhead, 4 B.A. ... ..	8	Brass	C.	
5CW/7551	CWC Ltd. XD.786	Switch, D.P. "ON-OFF" ... ..	1	—	B.	
5CW/7552	CWC Ltd. XD.788	Switch, D.P. one side "ON" ... ..	1	—	B.	
5C/W4333	Rotax N.100397/7	Transfer, "TEST" ... ..	1	—	C.	
5CW/4331	Rotax N.100397/5	Transfer, "OPEN" ... ..	1	—	C.	
5CW/4485	Rotax N.100397/37	Transfer, "NORMAL" ... ..	1	—	C.	
8544	F.217580	Pillar ... ..	6	S.95.B	C.	
5X/3278	Plessey Z.28426	Pillar, fixing ... ..	8	—	C.	
	B.221852	Plate, cover, for T.B.79 and T.B.80 ... ..	1	L.72		
	B.223174	Plate, cover, for T.B.4 and T.B.7 ... ..	1	L.72		
	B.227578	Plate, mounting, cabin temperature amplifier ... ..	1	L.72		
5UC/5900	Rotax F.1303	Relay, hood motor (Pre Mod. 838) ... ..	1	—	A.	
5UC/6581	Rotax F.1306	Relay, hood motor (Mod. 838) ... ..	1	—	A.	
3838	Std. 1606/44/B8	Screw, roundhead, 4 B.A. ... ..	2	Brass	C.	
1720	Std. 1606/44/B24	Screw, roundhead, 4 B.A. ... ..	3	Brass	C.	5
9450	Std. 1606/45/A18	Screw, countersunk, 6 B.A. ... ..	2	Brass	C.	5
5K/9107067	Hellermann P.3 Grey	Sleeve, 0.9" long ... ..	1	P.V.C.	C.	
5F/2301	Hellermann NY.18007/A	Strapping, $\frac{3}{8}$ " wide ... ..	QR	—	C.	
8546	Std.2008/C/362	Strip, locking ... ..	3	S.84	C.	
8547	Std.2008/B/423	Strip, locking ... ..	3	S.94	C.	
5F/2302	Hellermann NY.3342	Stud ... ..	QR	—	C.	
5CY/1002	—	Suppressor, Type "P," No. 1 ... ..	1	—	A.	
5CW/5042	Kelvin & Hughes KSD./02/01	Switch, altitude ... ..	1	—	A.	
5CW/7540	CWC Ltd. XD.778	Switch, single pole ... ..	2	—	B.	
5CW/7550	CWC Ltd. XD.787	Switch, change over, centre "OFF" ... ..	1	—	B.	

## ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	C.228720	<b>SWITCHES, MICRO, FOR HOOD LOCKING GEAR, ASSEMBLY</b>					-	-		
8702	DTD.487/9B	<b>Bolt</b> ... ..					2	DTD.487	C.	
	A.232039	<b>Channel, mounting (Mod. 813)</b> ... ..					2	L.72		
9919	Std.1459/C	<b>Cup (Mod. 813)</b> ... ..					3	-	C.	
8705	F.213284	<b>Plate, serrated (Mod. 813)</b> ... ..					1	L.72	C.	
5CW/4638	Burgess Mk. 4BR	<b>Switch, micro, Type 1A</b> ... ..					1	-	B.	
5CW/4639	Burgess Mk. 5 B.R.	<b>Switch, micro, Type 4A (Mod. 813)</b> ... ..					3	-	B.	
5CW/6376	Pye 400	<b>Switch, micro (Alternative to 5CW/4639) (Mod. 813)</b> ... ..					3	-	B.	
5CW/6375	Pye 401	<b>Switch (Alternative to 5CW/4638)</b> ... ..					1	-	B.	
9920	F.228644	<b>Tappet, adjusting (Mod. 813)</b> ... ..					3	-	C.	
5CW/4439	Teddington Controls FHM/A25	<b>Switch, time delay</b> ... ..					1	-	A.	
5CW/4896	Teddington Controls FHO/A/96	<b>Thermostat</b> ... ..					1	-	A.	
5CW/4327	Rotax N.100397/1	<b>Transfer, "ON"</b> ... ..					1	-	C.	
5CW/4328	Rotax N.100397/2	<b>Transfer, "OFF"</b> ... ..					1	-	C.	
5CW/4331	Rotax N.100397/5	<b>Transfer, "OPEN"</b> ... ..					1	-	C.	
5CW/4437	-	<b>Transfer, "CLOSE"</b> ... ..					1	-	C.	
5F/-	-	<b>Tube, <math>\frac{5}{16}</math>" i/d</b> ... ..					QR	P.V.C.	C.	
5F/-	-	<b>Tube, <math>1\frac{1}{2}</math>" i/d.</b> ... ..					QR	P.V.C.	C.	
3802	Std.1507/23/085	<b>Tube, distance</b> ... ..					2	T.4	C.	
	Std.1509/23/084	<b>Tube, distance</b> ... ..					6	T.4		
	Std.1509/13/075	<b>Tube, distance</b> ... ..					1	T.4		
4042	Std.1509/23/030	<b>Tube, distance</b> ... ..					1	T.4	MR/C	
-	Std.1509/23/058	<b>Tube, distance, <math>\frac{5}{16}</math>" o/d. x 17 S.W. .G. x 0.58" long</b> (Make from 30B/1784)					2	L.62	-	
6A/6130	-	<b>Unit, control Type "B" (Mod. 779)</b> ... ..					1	-	A.	
	Std.915/B/16	<b>Washer (Mod. 779)</b> ... ..					1	DTD.610		
7169	Std.915/C/18	<b>Washer (Mod. 843)</b> ... ..					2	DTD.610	MR/C	
5407	Std.915/T/18	<b>Washer</b> ... ..					6	DTD.610	MR/C	
1940	Std.1231/1	<b>Washer, tab</b> ... ..					1	S.3	C.	
7060	F.207437	<b>Washer</b> ... ..					1	DTD.171	C.	
4613	Std.1335/C/18	<b>Washer</b> ... ..					10	L.34	C.	
	Std.1208/44/16/20	<b>Washer, at F5 suppressor outlet (AS.830/38)</b> ... ..					1	Com'l Shim Steel		

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
<b>SUMMARY OF STOCK ITEMS</b>										
28D/1010658	A.25.1B	Bolt,	4	B.A.	...	...	...	...	...	—
28D/1008149	A25.2B	Bolt,	4	B.A.	...	...	...	...	...	—
28D/9419425	A25.3B	Bolt,	4	B.A.	...	...	...	...	...	—
28D/1011006	A25.5B	Bolt,	4	B.A.	...	...	...	...	...	—
28D/1010142	A25.9B	Bolt,	4	B.A.	...	...	...	...	...	—
28D/9138768	A25.1/2C	Bolt,	2	B.A.	...	...	...	...	...	—
28D/9436920	A25.1C	Bolt,	2	B.A.	...	...	...	...	...	—
28D/9133011	A25.2C	Bolt,	2	B.A.	...	...	...	...	...	—
28D/9133012	A25.3C	Bolt,	2	B.A.	...	...	...	...	...	—
28D/1200119	A25.4C	Bolt,	2	B.A.	...	...	...	...	...	—
28D/12533	A25.5C	Bolt,	2	B.A.	...	...	...	...	...	—
28D/1010030	A25.7C	Bolt,	2	B.A.	...	...	...	...	...	—
28D/1011019	A25.8C	Bolt,	2	B.A.	...	...	...	...	...	—
28D/12534	A25.9C	Bolt,	2	B.A.	...	...	...	...	...	—
28D/9435710	A25.11C	Bolt,	2	B.A.	...	...	...	...	...	—
28D/9419397	A25.12C	Bolt,	2	B.A.	...	...	...	...	...	—
28D/12536	A25.13C	Bolt,	2	B.A.	...	...	...	...	...	—
28D/9140647	A25.14C	Bolt,	2	B.A.	...	...	...	...	...	—
28D/9140648	A25.19C	Bolt,	2	B.A.	...	...	...	...	...	—
28D/1012995	A25.22C	Bolt,	2	B.A.	...	...	...	...	...	—
28D/1011038	A25.2E	Bolt,	1/4"	B.S.F.	...	...	...	...	...	—
28D/1011238	A25.3E	Bolt,	1/4"	B.S.F.	...	...	...	...	...	—
28D/1008151	A25.4E	Bolt,	1/4"	B.S.F.	...	...	...	...	...	—
28D/1010031	A25.8E	Bolt,	1/4"	B.S.F.	...	...	...	...	...	—
28D/1011244	A25.9E	Bolt,	1/4"	B.S.F.	...	...	...	...	...	—
28D/1011246	A25.11E	Bolt,	1/4"	B.S.F.	...	...	...	...	...	—
28D/14004	A57.5E	Bolt,	1/4"	B.S.F.	...	...	...	...	...	—
28D/14826	AS.1242.1/2B	Bolt,	4	B.A.	...	...	...	...	...	—
28D/11126	AS.1242.9B	Bolt,	4	B.A.	...	...	...	...	...	—
28D/8308	AS.1242.3C	Bolt,	2	B.A.	...	...	...	...	...	—
28D/8329	AS.1242.9E	Bolt,	1/4"	B.S.F.	...	...	...	...	...	—
28D/9128739	AS.1248.1/2B	Bolt,	4	B.A.	...	...	...	...	...	—
28D/8837	AS.1248.1B	Bolt,	4	B.A.	...	...	...	...	...	—
28D/8339	AS.1248.6B	Bolt,	4	B.A.	...	...	...	...	...	—
28D/1007981	AS.1248.1/2C	Bolt,	2	B.A.	...	...	...	...	...	—
28D/1007982	AS.1248.1C	Bolt,	2	B.A.	...	...	...	...	...	—
28D/8343	AS.1248.4C	Bolt,	2	B.A.	...	...	...	...	...	—
28D/8344	AS.1248.5C	Bolt,	2	B.A.	...	...	...	...	...	—
28D/9354	AS.1248.6C	Bolt,	2	B.A.	...	...	...	...	...	—
28D/8345	AS.1248.7C	Bolt,	2	B.A.	...	...	...	...	...	—
28D/8347	AS.1248.10C	Bolt,	2	B.A.	...	...	...	...	...	—
28N/256	SP.58.D	Burr	...	...	...	...	...	...	...	—
28N/254	AGS.191B	Burr	...	...	...	...	...	...	...	—
28E/8183	AGS.605/1	Clip, hose	...	...	...	...	...	...	...	—
5K/115	AGS.1661/D	Clip, bonding	...	...	...	...	...	...	...	—
5K/3355	AS.3360/B/4/B	Connector earthing	...	...	...	...	...	...	...	—
5K/86	AGS.1657	Collet	...	...	...	...	...	...	...	—
5K/2894	SP.40.B6	Grommet	...	...	...	...	...	...	...	—
5K/2868	SP.40.B8	Grommet	...	...	...	...	...	...	...	—
5K/2956	SP.40.B36	Grommet	...	...	...	...	...	...	...	—
5K/	SP.48.A18	Grommet	...	...	...	...	...	...	...	—

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.		
		1	2	3	4	5						
28M/1200096	A27.AT	Nut,	6	B.A.	...	...	...	...	...	—	—	—
28M/9403519	A27.BP	Nut,	4	B.A.	...	...	...	...	...	—	—	—
28M/1006504	A27.BT	Nut,	4	B.A.	...	...	...	...	...	—	—	—
28M/9403520	A27.CP	Nut,	2	B.A.	...	...	...	...	...	—	—	—
28M/13121	A27.CS	Nut,	2	B.A.	...	...	...	...	...	—	—	—
28M/13124	A27.CT	Nut,	2	B.A.	...	...	...	...	...	—	—	—
28M/12931	A27.ET	Nut,	1"	B.S.F.	...	...	...	...	...	—	—	—
28M/13734	A54.B	Nut,	4	B.A.	...	...	...	...	...	—	—	—
28M/14534	A54.C	Nut,	2	B.A.	...	...	...	...	...	—	—	—
28M/10286	AGS.2001.A1	Nut,	6	B.A.	...	...	...	...	...	—	—	—
28M/10287	AGS.2001.B1	Nut,	4	B.A.	...	...	...	...	...	—	—	—
28M/10288	AGS.2001.C1	Nut,	2	B.A.	...	...	...	...	...	—	—	—
28M/10290	AGS.2001.E1	Nut,	1"	B.S.F.	...	...	...	...	...	—	—	—
28M/10276	AGS.2001.E4	Nut,	1"	B.S.F.	...	...	...	...	...	—	—	—
28M/10326	AGS.2002.A1	Nut,	6	B.A.	...	...	...	...	...	—	—	—
28M/10327	AGS.2002.B1	Nut,	4	B.A.	...	...	...	...	...	—	—	—
28M/10309	AGS.2002.B4	Nut,	4	B.A.	...	...	...	...	...	—	—	—
28M/10328	AGS.2002.C1	Nut,	2	B.A.	...	...	...	...	...	—	—	—
28M/10330	AGS.2002.E1	Nut,	1"	B.S.F.	...	...	...	...	...	—	—	—
28M/10215	AGS.2008.B1	Nut,	4	B.A.	...	...	...	...	...	—	—	—
28M/10216	AGS.2008.C1	Nut,	2	B.A.	...	...	...	...	...	—	—	—
28M/13307	AGS.2018.B1	Nut,	4	B.A.	...	...	...	...	...	—	—	—
28M/13774	AGS.2019.B1	Nut,	4	B.A.	...	...	...	...	...	—	—	—
28M/13279	AGS.2019.C1	Nut,	2	B.A.	...	...	...	...	...	—	—	—
28M/13721	AGS.2021.E1	Nut,	cap,	1"	...	...	...	...	...	—	—	—
28P/19153	SP.90.C5	Pin,	split...	...	...	...	...	...	...	—	—	—
28P/14669	SP.4.Z.D18	Pin,	shackle	...	...	...	...	...	...	—	—	—
28S/1200045	A31.A10	Screw,	6	B.A.	...	...	...	...	...	—	—	—
28S/9435712	A31.B8	Screw,	4	B.A.	...	...	...	...	...	—	—	—
28S/9419435	A31.B12	Screw,	4	B.A.	...	...	...	...	...	—	—	—
28S/1200034	A31.B16	Screw,	4	B.A.	...	...	...	...	...	—	—	—
28S/1200040	A31.B20	Screw,	4	B.A.	...	...	...	...	...	—	—	—
28S/1200033	A31.B.24	Screw,	4	B.A.	...	...	...	...	...	—	—	—
28S/1005622	A.31.B.28	Screw,	4	B.A.	...	...	...	...	...	—	—	—
28S/9435912	A31.B.44	Screw,	4	B.A.	...	...	...	...	...	—	—	—
28S/1009109	A32.A6	Screw,	6	B.A.	...	...	...	...	...	—	—	—
28S/1006979	A32.A10	Screw,	6	B.A.	...	...	...	...	...	—	—	—
28S/1200080	A32.B8	Screw,	4	B.A.	...	...	...	...	...	—	—	—
28S/13887	A32.B10	Screw,	4	B.A.	...	...	...	...	...	—	—	—
28S/9992522	A32.B16	Screw,	4	B.A.	...	...	...	...	...	—	—	—
28S/9995376	A32.B20	Screw,	4	B.A.	...	...	...	...	...	—	—	—
28S/9992525	A32.B12	Screw,	4	B.A.	...	...	...	...	...	—	—	—
28S/14005	A32.B14	Screw,	4	B.A.	...	...	...	...	...	—	—	—
28S/2875	A32.B24	Screw,	4	B.A.	...	...	...	...	...	—	—	—
28S/14627	A32.B36	Screw,	4	B.A.	...	...	...	...	...	—	—	—
28S/5694	A32.B40	Screw,	4	B.A.	...	...	...	...	...	—	—	—
28S/14269	A32.C10	Screw,	2	B.A.	...	...	...	...	...	—	—	—
28S/2856	A32.C12	Screw,	2	B.A.	...	...	...	...	...	—	—	—
28S/13742	A32.C14	Screw,	2	B.A.	...	...	...	...	...	—	—	—
28S/1011490	A32.C16	Screw,	2	B.A.	...	...	...	...	...	—	—	—

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
28S/2868	A32.C20	Screw, 2	B.A.	...	...	...	...	...	—	—
28S/2874	A32.C24	Screw, 2	B.A.	...	...	...	...	...	—	—
28S/2816	A33.A16	Screw, 6	B.A.	...	...	...	...	...	—	—
28S/3420	A33.B8	Screw, 4	B.A.	...	...	...	...	...	—	—
28S/13720	A33.B10	Screw, 4	B.A.	...	...	...	...	...	—	—
28S/2809	A33.B12	Screw, 4	B.A.	...	...	...	...	...	—	—
28S/2833	A33.B28	Screw, 4	B.A.	...	...	...	...	...	—	—
28S/14301	A33.C14	Screw, 2	B.A.	...	...	...	...	...	—	—
28S/13882	A43.A10	Screw, 6	B.A.	...	...	...	...	...	—	—
28S/2066	A43.C12	Screw, 2	B.A.	...	...	...	...	...	—	—
28S/8057	A44.B6	Screw, 4	B.A.	...	...	...	...	...	—	—
28S/2407	A44.B12	Screw, 4	B.A.	...	...	...	...	...	—	—
28S/13814	A44.B14	Screw, 4	B.A.	...	...	...	...	...	—	—
28S/2425	A44.B24	Screw, 4	B.A.	...	...	...	...	...	—	—
28S/3509	A44.C8	Screw, 2	B.A.	...	...	...	...	...	—	—
28S/2115	A45.B8	Screw, 4	B.A.	...	...	...	...	...	—	—
28W/9419473	SP.15A	Washer, 6	B.A.	...	...	...	...	...	—	—
28W/9419474	SP.15B	Washer, 4	B.A.	...	...	...	...	...	—	—
28W/9419475	SP.15C	Washer, 2	B.A.	...	...	...	...	...	—	—
28W/9419405	SP.15E	Washer, 1/4"	B.S.F.	...	...	...	...	...	—	—
28W/9419485	SP.16A	Washer, 6	B.A.	...	...	...	...	...	—	—
28W/9419486	SP.16B	Washer, 4	B.A.	...	...	...	...	...	—	—
28W/9419404	SP.16C	Washer, 2	B.A.	...	...	...	...	...	—	—
28W/9419487	SP.16E	Washer, 1/4"	B.S.F.	...	...	...	...	...	—	—
28W/14034	SP.25B	Washer, 4	B.A.	...	...	...	...	...	—	—
28W/9416642	SP.47B	Washer, 4	B.A.	...	...	...	...	...	—	—
28L/9419448	AGS.2035B	Washer, 4	B.A.	...	...	...	...	...	—	—





This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.