

ELECTRICAL EQUIPMENT—REAR FUSELAGE

| Ref. No. | Part No. | Description | No. Off | | | | | Material Specification | M.R. Class of Store | Plate No. |
|----------|-----------------------------------|--|---------|---|---|---|---|------------------------|---------------------|-----------|
| | | | 1 | 2 | 3 | 4 | 5 | | | |
| | E.222682 | ELECTRICAL EQUIPMENT IN REAR FUSELAGE, ASSEMBLY | | | | | | | | |
| | B.231138 | ADDITIONAL DETAILS, ASSEMBLY (Mod. 850) | | | | | | | | |
| | A.234149 | Bracket | | | | | | | | |
| 5CZ/430 | — | Block, terminal, 2-way | | | | | | | | B. |
| 9663 | Std.2045/19/24 | Clip, securing, cables | | | | | | | | C. |
| | Std.2046/14/24 | Clip, securing, cables | | | | | | | | |
| | Std.2046/16/24 | Clip, securing, cables | | | | | | | | |
| | Std.2046/19/24 | Clip, securing, cables | | | | | | | | |
| | Std.2046/21/24 | Clip, securing, cables | | | | | | | | |
| | Std.2046/23/24 | Clip, securing, cables | | | | | | | | |
| | B.239483 | Fuse, test, tailchute, group | | | | | | | | |
| 10H/ | L562-0-500 | Fuse, 0.5 amp. | | | | | | | | C. |
| 10H/ | Belling & Lee Z.590170 | Holder, fuse | | | | | | | | C. |
| | F.221261 | Label, for terminal block | | | | | | | | |
| 28FP/2 | Aviation Developments A.405 Mk. 5 | Pin, pip | | | | | | | | C. |
| 5W/5449 | Rotax A.1612 | Actuator, tailplane (Mod. 1145) | | | | | | | | A. |
| 5W/2317 | Western Mfg. Ltd. EA.25461 | Actuator, EJ.25 Mk. 1D | | | | | | | | A. |
| 5X/2863 | Plessey CZ.24285 | Block, terminal, 10-way | | | | | | | | B. |
| | A.243093 | BLOCK, TERMINAL, No. 42, ASSEMBLY (Mod. 850) | | | | | | | | |
| 5X/3276 | Plessey CZ.50205 | Block, terminal, 2-way | | | | | | | | B. |
| 5X/3272 | Plessey CZ.26799 | Cover | | | | | | | | B. |
| 4177 | F.197297 | Pillar | | | | | | | | C. |
| | B.206440 | BLOCK, TERMINAL, No. 43, ASSEMBLY | | | | | | | | |
| 5X/2863 | Plessey CZ.24285 | Block, terminal, 10-way | | | | | | | | B. |
| 5X/3275 | Plessey CZ.26808 | Cover | | | | | | | | B. |
| 5X/3278 | Plessey Z.28426 | Pillar | | | | | | | | C. |
| | A.222784 | BLOCK TERMINAL, No. 44, ASSEMBLY | | | | | | | | |
| 5X/2863 | Plessey CZ.24285 | Block, terminal, 10-way | | | | | | | | B. |
| 5X/3275 | Plessey CZ.26808 | Cover | | | | | | | | B. |
| 5X/6163 | Plessey Z.50210 | Link, commoning | | | | | | | | C. |
| 4177 | F.197297 | Pillar | | | | | | | | C. |
| | A.206250 | BLOCK, TERMINAL, No. 45, ASSEMBLY | | | | | | | | |
| 5X/3268 | Plessey CZ.50207 | Block, terminal, 5-way | | | | | | | | B. |
| 5X/3274 | Plessey CZ.26805 | Cover | | | | | | | | B. |
| 5X/3278 | Plessey Z.28426 | Pillar | | | | | | | | C. |
| | B.212739 | BLOCK, TERMINAL, Nos. 47 AND 48, ASSEMBLY | | | | | | | | |
| 5X/3181 | Plessey CZ.23212/1 | Block, terminal, 20-way | | | | | | | | B. |
| 5X/2863 | Plessey CZ.24285 | Block, terminal, 10-way | | | | | | | | B. |
| 5X/6165 | Plessey CZ.25111 | Cover | | | | | | | | B. |
| 5X/3275 | Plessey CZ.26808 | Cover | | | | | | | | B. |
| 5X/6163 | Plessey Z.50210 | Link, commoning, 2-way | | | | | | | | C. |
| 5X/6317 | Plessey Z.50218 | Link, commoning, 10-way | | | | | | | | C. |
| 4177 | F.197297 | Pillar | | | | | | | | C. |

ELECTRICAL EQUIPMENT—REAR FUSELAGE

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|------------------|---|-----|-----|-----|-----|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| | A.206441 | BLOCK, TERMINAL, No. 56, ASSEMBLY | | | | | — | — | | |
| 5X/3268 | Plessey CZ.50207 | Block, terminal, 5-way | ... | ... | ... | ... | 1 | — | B. | |
| 5X/3274 | Plessey CZ.26805 | Cover | ... | ... | ... | ... | 1 | — | B. | |
| 4177 | F.197297 | Pillar, fixing (AS.840/47) | ... | ... | ... | ... | 2 | — | C. | |
| | A.210747 | BLOCK, TERMINAL, No. 58, ASSEMBLY | | | | | — | — | | |
| 7056 | A.210157 | Block, terminal | ... | ... | ... | ... | 1 | — | B. | |
| | A.210713 | Bracket, mounting | ... | ... | ... | ... | 1 | L.72 | | |
| | A.213717 | BLOCK, TERMINAL, No. 79, ASSEMBLY | | | | | — | — | | |
| 5X/2863 | Plessey CZ.24285 | Block, terminal, 10-way | ... | ... | ... | ... | 1 | — | B. | |
| 5X/3275 | Plessey CZ.26808 | Cover | ... | ... | ... | ... | 1 | — | B. | |
| 5X/6163 | Plessey Z.50210 | Link, commoning | ... | ... | ... | ... | 1 | — | C. | |
| 4177 | F.197297 | Pillar | ... | ... | ... | ... | 2 | — | C. | |
| | A.216488 | BLOCK, TERMINAL, No. 87, ASSEMBLY | | | | | — | — | | |
| 5X/3268 | Plessey CZ.50207 | Block, terminal, 5-way | ... | ... | ... | ... | 1 | — | B. | |
| 5X/3274 | Plessey CZ.26805 | Cover | ... | ... | ... | ... | 1 | — | B. | |
| 5X/3278 | Plessey Z.28426 | Pillar | ... | ... | ... | ... | 2 | — | C. | |
| 2146 | A.189842 | Bolt, special, at lower end of actuator | ... | ... | ... | ... | 1 | S.99.B | C. | |
| | A.209068 | Bracket, mounting, for test socket | ... | ... | ... | ... | 1 | L.72 | | |
| | C.227299 | Cable, R.1 (See Cable Chart) | ... | ... | ... | ... | 1 | — | — | |
| | C.227300 | Cable, R.2 (See Cable Chart) | ... | ... | ... | ... | 1 | — | — | |
| 8596 | D.199822 | Cable, R.3 | ... | ... | ... | ... | 1 | — | B. | |
| | B.205484 | Cable, R.7 (See Cable Chart) | ... | ... | ... | ... | 1 | — | — | |
| | B.201976 | Cable, R.8 (See Cable Chart) | ... | ... | ... | ... | 1 | — | — | |
| | B.205494 | Cable, R.9 (See Cable Chart) | ... | ... | ... | ... | 1 | — | — | |
| | B.201997 | Cable, R.10 (See Cable Chart) | ... | ... | ... | ... | 1 | — | — | |
| | B.205495 | Cable, R.11 (See Cable Chart) | ... | ... | ... | ... | 1 | — | — | |
| | C.253187 | Cable, R.12 (See Cable Chart) | ... | ... | ... | ... | 1 | — | — | |
| | B.253878 | Cable, R.13 (See Cable Chart) | ... | ... | ... | ... | 1 | — | — | |
| | C.253879 | Cable, R.14 (See Cable Chart) | ... | ... | ... | ... | 1 | — | — | |
| | C.205510 | Cable, R.16 (See Cable Chart) | ... | ... | ... | ... | 1 | — | — | |
| | C.222154 | Cable, R.18 (See Cable Chart) | ... | ... | ... | ... | 1 | — | — | |
| | B.205545 | Cable, R.20 (See Cable Chart) | ... | ... | ... | ... | 1 | — | — | |
| | B.205699 | Cable, R.21 (See Cable Chart) | ... | ... | ... | ... | 1 | — | — | |
| | B.208717 | Cable, R.24 (See Cable Chart) | ... | ... | ... | ... | 1 | — | — | |
| | C.209067 | Cable, R.26 (See Cable Chart) | ... | ... | ... | ... | 1 | — | — | |
| | C.216074 | Cable, R.34 (See Cable Chart) | ... | ... | ... | ... | 1 | — | — | |
| | B.255612 | Cable, R.36 (See Cable Chart) | ... | ... | ... | ... | 1 | — | — | |
| | B.237845 | Cable, R.37, group (Mod. 850) (See Cable Chart) | ... | ... | ... | ... | 1 | — | — | |
| 10431 | F.221270 | Barrel, nut | ... | ... | ... | ... | 1 | B.11 | C. | |
| 5D/1933 | — | Contactor, No. 1. Mk. 2 | ... | ... | ... | ... | 1 | — | B. | |
| | F.238561 | Cover (Mod. 850) | ... | ... | ... | ... | 1 | LFS.21 | | |

ELECTRICAL EQUIPMENT—REAR FUSELAGE

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|------------------------|--|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| | B.221201 | | | | | | 1 | — | — | |
| | B.205121 | | | | | | 1 | — | — | |
| | B.216032 | | | | | | 1 | — | — | |
| | B.216045 | | | | | | 1 | — | — | |
| 5X/1965 | Plessey Z.22166 | | | | | | 1 | — | C. | |
| 9493 | F.222036 | | | | | | 2 | L.72 | C. | |
| 9664 | Std.2045/22/24 | | | | | | 1 | — | C. | |
| | Std.2045/24/24 | | | | | | 2 | — | | |
| | Std.2045/25/24 | | | | | | 1 | — | | |
| | Std.2045/34/22 | | | | | | 1 | — | | |
| | Std.2045/36/22 | | | | | | 2 | — | | |
| | Std.2046/19/24 | | | | | | 2 | — | | |
| | Std.2046/32/32 | | | | | | 1 | — | | |
| 6A/4383 | Smiths Waymouth CJC.65 | | | | | | 2 | — | B. | |
| 5CZ/7370 | Rotax D.8723 | | | | | | 2 | — | A. | |
| 5X/3275 | Plessey CZ.26808 | | | | | | 1 | — | B. | |
| | D.222683 | ELECTRICAL EQUIPMENT — ADDITIONAL DETAILS, ASSEMBLY | | | | | — | — | | |
| 5CZ/430 | — | | | | | | 3 | — | B. | |
| | F.216456 | | | | | | 1 | L.72 | | |
| | A.234149 | | | | | | 1 | — | | |
| | Std.2045/24/24 | | | | | | 2 | — | | |
| | Std.2045/26/22 | | | | | | 4 | — | | |
| | Std.2045/36/22 | | | | | | 2 | — | | |
| | Std.2045/44/20 | | | | | | 1 | — | | |
| | Std.2046/16/22 | | | | | | 1 | — | | |
| 3734 | Std.840/14 | | | | | | 1 | — | MR/C | 4 |
| 4186 | Std.841/16 | | | | | | 1 | — | C. | 4 |
| 3755 | Std.843/13 | | | | | | 5 | — | MR/C | 4 |
| | A.202094 | EARTHING, POINT, No. 11, ASSEMBLY | | | | | — | — | | |
| 4163 | Std.1335/C18 | | | | | | 1 | L.4 | C. | |
| 4659 | Std.1335/C22 | | | | | | 1 | L.4 | C. | 4 |
| 5CW/4638 | — | | | | | | 2 | — | B. | |
| or | | | | | | | | | | |
| 5CW/6375 | Hellermann NY.18007A | | | | | | QR | — | C. | |
| 5F/2301 | Hellermann NY.3342 | | | | | | QR | — | C. | |
| | B.220482 | INDICATOR, CONTENT, FUEL FILTER DE-ICING TANK, ASSEMBLY | | | | | — | — | | |
| 9028 | F.216625 | | | | | | 1 | — | B. | |
| 3838 | Std.1606/44/B.8 | | | | | | 2 | Brass | C. | 5 |
| 3837 | Std.1606/44/B.10 | | | | | | 4 | Brass | C. | 5 |
| 9027 | A.222152 | | | | | | 1 | — | B. | |
| 9030 | F.216627 | | | | | | 1 | — | C. | |
| 9029 | F.216626 | | | | | | 1 | Spg. Steel | C. | |

ELECTRICAL EQUIPMENT-REAR FUSELAGE

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|----------------------|-------------|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 5F/2281 | Hellermann HV.3341 | | | | | Strapping, 1/2" wide | QR | — | C. | |
| 5F/2282 | Hellermann HV.3342 | | | | | Stud | QR | — | C. | |
| 5CW/7544 | — | | | | | Switch | 1 | — | B. | |
| | A.221160 | | | | | Mounting, for terminal block, No. 97 | 1 | — | | |
| 4177 | F.197297 | | | | | Pillar, for terminal block, 10-way | 1 | — | C. | |
| 7937 | Std.1221.Z.B45 | | | | | Pin, at upper end of Actuator | 1 | — | C. | 4 |
| 7938 | Std.1221.Z.B70 | | | | | Pin, at lower end of Actuator | 1 | — | C. | 4 |
| 5887 | — | | | | | Sleeving, Symel, Silicone Elastomer, QS.167 | QR | — | C. | |
| 5F/2301 | Hellermann NY.18007A | | | | | Strapping, 1/2" wide | QR | — | C. | |
| 5F/2302 | Hellermann NY.3342 | | | | | Stud | QR | — | C. | |
| 25N/91 | — | | | | | Switch, flame detector, Mk. 4 | 4 | — | A. | |
| 6A/5460 | — | | | | | Thermo-couple, B.9 (AS.1010/17) | 8 | — | A. | |
| | C.213491 | | | | | TRANSMITTER, DESYNN, ASSEMBLY | — | — | | |
| | F.208355 | | | | | Angle | 1 | L.72 | | |
| 7843 | A.207754 | | | | | BOX, JUNCTION, ASSEMBLY | 1 | — | B. | |
| | A.207745 | | | | | Box, junction | 1 | — | | |
| 5X/6630 | Plessey CZ.72441 | | | | | Block, terminal, 5-way | 4 | — | B. | |
| 5K/2374 | — | | | | | Disc, blanking | 2 | — | C. | |
| 7844 | F.207746 | | | | | Lid | 1 | — | C. | |
| 5K/87 | — | | | | | Nut, gland | 2 | — | C. | |
| 5K/3469 | Ross Courtney 01 | | | | | Tag | 16 | — | C. | |
| 8278 | B.208354 | | | | | Bracket, mounting | 1 | L.72 | MR/C | |
| | B.205509 | | | | | Cable, R.15 (See cable chart) | 1 | — | — | |
| 1679 | A.189774 | | | | | Clip, attachment to actuator ram | 1 | S.3 | C. | |
| | B.191439 | | | | | Mounting, group | 1 | — | | |
| | | | | | | Consisting of :— | | | | |
| | A.189772 | | | | | Angle | 1 | — | | |
| | A.189773 | | | | | Angle | 1 | — | | |
| | B.189771 | | | | | Bracket | 1 | DTD.610 | | |
| 28Q/1650 | AS.156/404 | | | | | Rivet | 4 | — | C. | |
| 6851 | F.189775 | | | | | Rod, connecting (Make from 30A/397, 3 1/2" long) | 1 | S.1 | MR/C | |
| 6A/2085 | Smiths 227.FL | | | | | Transmitter | 1 | — | A. | |
| 10893 | Std.1509/12/050 | | | | | Tube, distance, 1/4" o/d x 20 SWG x 0.50" long | 1 | T.4 | C. | 4 |
| 5667 | Std.1509/12/030 | | | | | Tube, distance | 1 | T.4 | MR/C | |
| 2147 | Std.915/C20 | | | | | Washer, for pin at lower end of Actuator | 1 | — | C. | 4 |

ELECTRICAL EQUIPMENT—REAR FUSELAGE

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|-------------------------------|-------------|-----------------------|--------|-----|-----|-----|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| SUMMARY OF STOCK ITEMS | | | | | | | | | | |
| 28D/1007971 | A.25.3B | Bolt, 4 | B.A. | ... | ... | ... | ... | — | — | — |
| 28D/1010658 | A.25.1B | Bolt, 4 | B.A. | ... | ... | ... | ... | — | — | — |
| 28D/1011011 | A.25.8.B | Bolt, 4 | B.A. | ... | ... | ... | ... | — | — | — |
| 28D/1010142 | A.25.9.B | Bolt, 4 | B.A. | ... | ... | ... | ... | — | — | — |
| 28D/9435711 | A.25.10.B | Bolt, 4 | B.A. | ... | ... | ... | ... | — | — | — |
| 28D/9436920 | A.25.1.C | Bolt, 2 | B.A. | ... | ... | ... | ... | — | — | — |
| 28D/9133011 | A.25.2.C | Bolt, 2 | B.A. | ... | ... | ... | ... | — | — | — |
| 28D/9133012 | A.25.3.C | Bolt, 2 | B.A. | ... | ... | ... | ... | — | — | — |
| 28D/9435710 | A.25.11.C | Bolt, 2 | B.A. | ... | ... | ... | ... | — | — | — |
| 28D/1011238 | A.25.3.E | Bolt, $\frac{3}{8}$ " | B.S.F. | ... | ... | ... | ... | — | — | — |
| 28D/1007982 | AS.1248.1C | Bolt, 2 | B.A. | ... | ... | ... | ... | — | — | — |
| 28D/8342 | AS.1248.2C | Bolt, 2 | B.A. | ... | ... | ... | ... | — | — | — |
| 28N/254 | AGS.191.B | Burr | ... | ... | ... | ... | ... | — | — | — |
| 28K/551 | SP.3Y.413 | Fork-end | ... | ... | ... | ... | ... | — | — | — |
| 5K/2938 | SP.40.B.24 | Grommet | ... | ... | ... | ... | ... | — | — | — |
| 5K/2893 | SP.40.A.6 | Grommet | ... | ... | ... | ... | ... | — | — | — |
| 28N/9156370 | SP.21 | Nipple, lubricating | ... | ... | ... | ... | ... | — | — | — |
| 28M/13121 | A.27.CS | Nut, 2 | B.A. | ... | ... | ... | ... | — | — | — |
| 28M/13124 | A.27.CT | Nut, 2 | B.A. | ... | ... | ... | ... | — | — | — |
| 28M/7727 | AGS.572.E | Nut, $\frac{3}{8}$ " | B.S.F. | ... | ... | ... | ... | — | — | — |
| 28M/10287 | AGS.2001.B1 | Nut, 4 | B.A. | ... | ... | ... | ... | — | — | — |
| 28M/10288 | AGS.2001.C1 | Nut, 2 | B.A. | ... | ... | ... | ... | — | — | — |
| 28M/10327 | AGS.2002.B1 | Nut, 4 | B.A. | ... | ... | ... | ... | — | — | — |
| 28M/10328 | AGS.2002.C1 | Nut, 2 | B.A. | ... | ... | ... | ... | — | — | — |
| 28M/13774 | AGS.2019.B1 | Nut, 4 | B.A. | ... | ... | ... | ... | — | — | — |
| 28P/1830 | SP.4Y.B4 | Pin | ... | ... | ... | ... | ... | — | — | — |
| 28S/1200020 | A.31.A.20 | Screw, 6 | B.A. | ... | ... | ... | ... | — | — | — |
| 28S/9419435 | A.31.B.12 | Screw, 4 | B.A. | ... | ... | ... | ... | — | — | — |
| 28S/1011484 | A.32.A.20 | Screw, 6 | B.A. | ... | ... | ... | ... | — | — | — |
| 28S/1011486 | A.32.A.24 | Screw, 6 | B.A. | ... | ... | ... | ... | — | — | — |
| 28S/9992525 | A.32.B.12 | Screw, 4 | B.A. | ... | ... | ... | ... | — | — | — |
| 28S/9995376 | A.32.B.20 | Screw, 4 | B.A. | ... | ... | ... | ... | — | — | — |
| 28S/2875 | A.32.B.24 | Screw, 4 | B.A. | ... | ... | ... | ... | — | — | — |
| 28S/1200062 | A.33.A.20 | Screw, 6 | B.A. | ... | ... | ... | ... | — | — | — |
| 28S/9992531 | A.33.A.24 | Screw, 6 | B.A. | ... | ... | ... | ... | — | — | — |
| 28S/9435715 | A.33.B.16 | Screw, 4 | B.A. | ... | ... | ... | ... | — | — | — |
| 28S/1200066 | A.33.B.20 | Screw, 4 | B.A. | ... | ... | ... | ... | — | — | — |
| 28S/1200065 | A.33.B.28 | Screw, 4 | B.A. | ... | ... | ... | ... | — | — | — |
| 28W/9419454 | SP.10.C | Washer | ... | ... | ... | ... | ... | — | — | — |
| 28W/9419473 | SP.15.A | Washer | ... | ... | ... | ... | ... | — | — | — |
| 28W/9419474 | SP.15.B | Washer | ... | ... | ... | ... | ... | — | — | — |
| 28W/9419475 | SP.15.C | Washer | ... | ... | ... | ... | ... | — | — | — |
| 28W/9419405 | SP.15.E | Washer | ... | ... | ... | ... | ... | — | — | — |
| 28W/9419477 | SP.15.J | Washer | ... | ... | ... | ... | ... | — | — | — |
| 28W/9419404 | SP.16.C | Washer | ... | ... | ... | ... | ... | — | — | — |
| 28W/6308 | AGS.586.D | Washer, spring | ... | ... | ... | ... | ... | — | — | — |

RESTRICTED

| Ref. No. | Part No. | | | | | | Description | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|----------|---|---|---|---|---|-------------|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | | |
| | | | | | | | | | | | |

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

