

ELECTRICAL EQUIPMENT—AUTOSTABILISER

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Place No.	
			1	2	3	4	5				
	E.222881	AUTOSTABILISER Mk. 2, INSTALLATION	—			
	E.223543	ADDITIONAL DETAILS, ASSEMBLY	—			
5K/3391	AS.3360/B/4/E	Bonding, flexible (Mod. 906)	1	—	C.	
10H/0970055	Plessey	Cap, protective	1	—	C.	
	CZ.51538										
10H/0970056	Plessey	Cap, protective	1	—	C.	
	CZ.51539										
	Std.2046/22/24	Clip, securing cables (AS.840/68)	4	—		
	Std.2046/34/22	Clip, securing cables (AS.840/68)	1	—		
	F.227040	Clip, securing cable	1	—		
10242	C.235534	Clip (Mod. 1068)	1	S.510	C.	
10243	C.235533	Clip (Half, Mod. 1068)...	1	S.65.C	C.	
	B.223536	Plate, mounting, for gyro-unit	1	—		
5CY/5151	—	Suppressor, type "GS"	1	—	A.	
	Std.1509/23/020	Tube, distance (AS.760/74)	2	T.4		
4042	Std.1509/23/030	Tube, distance (AS.760/74)	3	T.4	MR/C	
	Std.1509/23/056	Tube, distance (AS.760/74)	1	T.4		
	4117	Std.1283/G	Washer, laminated	QR	Laminum	C.	4
	C.203729	AUTOSTABILISER INSTALLATION IN FIN, ASSEMBLY	—	—		
6S/50	—	Bracket, supporting, servomotor	1	—	B.	
9412	A.203605	Cable, indicator operating, group	1	—	B.	
		Consisting of :-									
	Std.1522	Adjuster	1	—		
28H/1866	Bowden P7/51	Cable	1	—	C.	
28H/1878	Bowden B.52	Casing	1	—	C.	
28H/1893	Bowden PN.980	Ferrule	1	—	C.	
28H/1176	Bowden PN.935	Nipple	2	—	C.	
9408	Std.499/4	Plate, locking	1	L.3	C.	4
9407	F.203487	Plate, locking	1	L.72	C.	
6S/48	—	Servomotor, type "B," and trim actuator	1	—	A.	
9413	F.206135	Shackle	1	S.3	C.	
5K/3457	—	Sleeve, helsynplus LP x 3/4"	1	—	C.	
9414	F.206169	Spring, compression	1	DTD.215	C.	
5K/3469	Ross Courtney 01	Tag	4	—	C.	
5F/	—	Tube, 5/8" i/d.	12"	P.V.C.	C.	
4150	Std.915/C/22	Washer (AS.680/25)	1	DTD.610	C.	4
5X/6630	Plessey	Block, terminal, miniature, 5-way	1	—	B.	
	CZ.72441										
	—	Cables, electrical (See cable chart)	—	—	—	
9489	F.199302	Clip, securing cables	1	DTD.610	C.	
9490	F.222851	Clip, securing cables	10	L.72	C.	

ELECTRICAL EQUIPMENT—AUTOSTABILISER

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
3735	Std.840/16	Clip,	securing	cable	1	DTD.610	C.	4
3736	Std.840/17	Clip,	securing	cable	1	DTD.610	C.	4
4099	Std.840/18	Clip,	securing	cable	1	DTD.610	C.	4
3743	Std.840/25	Clip,	securing	cable	7	DTD.610	C.	4
4802	Std.840/31	Clip,	securing	cable	5	—	MR/C	
10H/20734	Plessey CZ.61883	Plug,	bulkhead	socket, code 45	1	—	B.	
	Std.1606/45/A12	Screw,	mounting	autostabiliser	switch in cockpit	...	2	Brass		5
5F/2281	Hellermann HV.3341	Strapping	QR	—	C.	
5F/2282	Hellermann NY.3342	Stud	QR	—	C.	
5K/3469	Ross Courtney " 01 "	Tag	2	—	C.	
5F/2035	—	Tube,	$\frac{1}{2}$ "	i/d.	QR	P.V.C.	C.	


ELECTRICAL EQUIPMENT—AUTOSTABILISER

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.		
		1	2	3	4	5						
SUMMARY OF STOCK ITEMS												
28D/1007971	A.25.1B	Bolt, 4	B.A.	-	-	-
28D/1010658	A.25.1B	Bolt, 4	B.A.	-	-	-
28D/1008149	A.25.2B	Bolt, 4	B.A.	-	-	-
28D/9419452	A.25.3B	Bolt, 4	B.A.	-	-	-
28D/1010029	A.25.6B	Bolt, 4	B.A.	-	-	-
28D/9138768	A.25.1C	Bolt, 2	B.A.	-	-	-
28D/9436920	A.25.1C	Bolt	-	-	-
28D/9133012	A.25.3C	Bolt, 2	B.A.	-	-	-
28D/8337	AS.1248/1B	Bolt	-	-	-
28M/13734	A.54.B	Nut, 4	B.A.	-	-	-
28M/10326	AGS.2002/A1	Nut	-	-	-
28M/10327	AGS.2002/B1	Nut	-	-	-
28M/10328	AGS.2002/C1	Nut, 2	B.A.	-	-	-
28P/813	SP.4.Y.A3	Pin	-	-	-
28P/833	SP.4.Y.B7	Pin	-	-	-
28S/14019	A32.A14	Screw	-	-	-
28S/9992525	A32.B12	Screw	-	-	-
28S/14005	A32.B14	Screw	-	-	-
28S/9992522	A32.B.16	Screw	-	-	-
28S/14269	A32.C10	Screw	-	-	-
28S/1011491	A32.C24	Screw, 2	B.A.	-	-	-
28W/9419473	SP.15A	Washer	-	-	-
28W/9419474	SP.15B	Washer	-	-	-
28W/9419475	SP.15C	Washer	-	-	-
28W/9419404	SP.16C	Washer	-	-	-
28W/9416643	SP.47C	Washer, 2	B.A.	-	-	-

RESTRICTED

Ref. No.	Part No.						Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5					

ILLUSTRATIONS FOR THIS UNIT
TO BE ISSUED LATER.





This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.