

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		INSTRUMENT PANELS, ASSEMBLY	1	—		
3866	D.218068 Andre B134/AD/4	Block , mounting (Pre Mod. 761)	3	—	C.	
	A.221826	Bracket , mounting for bomb and RP. panel	1	L.72		
	A.221827	Bracket , mounting for bomb and RP. panel	1	L.72		
	Std.2045/17/26	Clip , sleeved (Mod. 850)	1	—		
	Std.2046/17/26	Clip , sleeved (Mod. 850)	1	—		
10L/16264	—	Controller , D.M.E., type 8197	1	—	A.	
9851	E.231422	Cover , windscreen reflector, group (Mod. 767)	1	—	B.	FC.1
	F.231555	Hook	2	Comml. Spr. Stl.		
29G/2098	Carr Fasteners N.608	Socket , " lift the dot "	9	—	C.	
29G/2096	Carr Fasteners 708A	Washer , back	9	—	C.	
5L/9951273	—	Filament , 3-5W. (Mod. 850)	2	—	B.	
10651	F.232337	Finisher and mounting angle, group at D.M.E. controller	1	—	C.	
10652	F.232338	Finisher and mounting angle, group at D.M.E. controller	1	—	C.	
9946	F.232600	Indicator , aileron neutral position (Mod. 782)	1	L.72	C.	FC.1
	A.237842	Lamp , mounting, assembly (Mod. 850)	—	—		
10475	A.237840	Cover	1	—	C.	
10476	A.237841	Mounting , lamp, group	1	—	B.	
	A.237838	Block , terminal	1	—		
	F.237836	Bracket , lamp, mounting	1	—		
	F.237835	Plate , base	1	L.72		
8543	F.218495	Mounting , for port panel (Mod. 761)	6	—	C.	FC.1
	D.235428	MOUNTING, PANEL, ASSEMBLY (Mod. 779)	—	—		
8718	A.208746	Bracket , for anti-vibration mounting	3	—	C.	FC.1
5373	A.203162	Bracket , for anti-vibration mounting	2	—	C.	FC.1
8719	A.214988	Bracket , for anti-vibration mounting	1	—	C.	FC.1
	A.232304	Bracket , mounting, outboard, group (Mod. 779)	1	—		
10105	F.232305	Stud	1	DTD.487	C.	FC.1
10104	F.235357	Stud	1	DTD.487	C.	FC.1
	A.235358	Bracket , mounting, inboard, group	1	—		
10104	F.235357	Stud	1	DTD.487	C.	FC.1
27H/3248	F.211792	Mounting , anti-vibration	8	—	B.	
27H/3219	—	Mounting , anti-vibration, non-magnetic	8	—	B.	
3868	F.168524	Washer , at anti-vibration mounting	24	DTD.610	C.	FC.1
	F.240020	Packing , at tail chute lamp (Mod. 850)	1	LFS.21		
	C.222985	Panel , control, for bomb and RP., group	1	—		
	—	Cables (See Cable Chart)	—	—		
8706	F.214078	Cover , spring, inboard, group	1	—	C.	FC.1
5K/2724	—	Cover , spring	1	—	C.	
8707	F.214079	Cover , spring, outboard, group	1	—	C.	FC.1
5K/2724	—	Cover , spring	1	—	C.	
8708	F.214077	Flap , switch, group	1	—	B.	FC.1
	F.214087	Channel (Make from Std.1530/11)	1	DTD.364		
	F.214084	Flap	1	Casting		
	F.214086	Pin	1	S.1.B		
	F.214085	Spring	1	Sp. St.		
	F.228684	Guard , switch (Mod. 742)	1	—		
5CW/5765	—	Guard , switch (Rotax)	1	—	B.	
	B.222984	Plate , switch mounting	1	L.72		
1178	Std.1606/44/B12	Screw , retaining switch	6	Brass	C.	5
5247	Std.1606/44/A16	Screw , retaining switch	8	Brass	C.	5
4661	Std.1606/45/B12	Screw , retaining switch	2	Brass	C.	5
5830	Std.1606/45/A14	Screw , retaining switch	4	Brass	C.	5
3859	Std.1606/45/B10	Screw , retaining switch	4	Brass	C.	5

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
5CW/6332	Rotax D.10007	Switch						—	B.	
5CW/540	—	Switch, D.P., push						—	B.	
5CW/936	—	Switch, 3-way, rotary, type B						—	B.	
5CW/7548	—	Switch, D.P., change over						—	B.	
5D/1760	—	Switch, D.P., selector						—	B.	
751	Std.915/A.20	Washer						DTD.610	C.	4
	D.215024	PANEL, FLYING, ASSEMBLY						—		
6A/8267	—	Altimeter, Mk. 19F (AS.1150/30)						—	A.	
—	D.222342	Cable, F.12, assembly (See Cable Chart)						—	—	
—	B.224703	Cable, F.60, group (See Cable Chart)						—	—	
	Std.2044/6/052	Ferrule						—	—	
6A/5653	Smiths Std.1503	Clamp, at flap indicator						—	C.	
3735	Std.840/16	Clip, securing cable, $\frac{7}{16}$ " wide \times 22 S.W.G. \times 1-6" long						DTD.610	MR/C	4
	Std.2045/28/22	Clip, securing cable F.12						—	—	
6A/2519	—	Connector, static and pressure						—	C.	
6A/7677	—	Indicator, rate of climb, Mk. 3Q						—	A.	
6A/5546	—	Indicator, turn and slip, Mk. 3						—	A.	
6A/3063	—	Indicator, artificial horizon, Mk. 4						—	A.	
	or									
6A/6216	—	Indicator, artificial horizon Mk. 4E (AS.860/11)						—	A.	
6A/3158	—	Indicator, air speed, Mk. 12A						—	A.	
6A/4741	Smiths 587.F.L.	Indicator, tail plane position						—	A.	
6A/5861	Smiths 7.H.S.D.	Indicator, flap position (Pre Mod. 769)						—	A.	
6A/5942	Smiths 19 H.S.D.	Indicator, flap position (Mod. 769)						—	A.	
5CZ/5074	Dowty C.5165.Y Mk. 2	Indicator, magnetic						—	A.	
	A.216487	Label						L.72		
	F.223732	Label, 'Turn and Slip'						L.72		
	F.237794	Label (Mod. 890)						L.72		
1940	Std.1231/1	Lug, locking						—	C.	
5F/2281	Hellermann HV.3341	Strappings						—	C.	
5F/2302	Hellermann HY.3342	Stud						—	C.	
	Std.1509/12/032	Tube, distance						—	—	
6A/7041	Kelvin Hughes KVC.0101	Unit, vibrator (Mod. 1002)						—	A.	
	D.245995	LIGHTING, PILLAR, ON FLYING INSTRUMENT PANEL, ASSEMBLY (Mod. 890)						—	—	
5CZ/432	—	Block, terminal, 3-way, type 'B'						—	B.	
	F.222196	Bracket, mounting, for terminal block						L.72		
5L/9959118	—	Filament, 28 volt, 0.04 amp.						—	B.	
5CW/5045	Rotax N.65290	Grommet						—	C.	
5CX/5360	Thorn 80/10/1236	Light, bridge, type 'L'						—	C.	
5CX/5351	Thorn 80/10/1193	Light, bridge, type 'B'						—	B.	
5CX/5352	Thorn 80/10/1192	Light, bridge, type 'C'						—	B.	
5CX/5353	Thorn 80/10/1190	Light, bridge, type 'D'						—	B.	
5CX/5355	Thorn 80/10/1191	Light, bridge, type 'F'						—	B.	
5CX/5356	Thorn 80/10/1189	Light, bridge, type 'G'						—	B.	
5CX/5357	Thorn 80/10/1194	Light, bridge, type 'H'						—	B.	
5CX/5364	Thorn 80/10/0855 Red	Light, pillar						—	B.	
9446	Std.1606/44/A20	Screw, securing dimmer switch						Brass	C.	5
4179	Std.1606/44/B20	Screw, securing bridge light (AS.860/92)						Brass	C.	5
6356	Std.1606/44/B32	Screw, securing bridge light						Brass	C.	5
3840	Std.1606/44/B28	Screw, securing bridge light						Brass	C.	5
7970	Std.1606/44/B36	Screw, securing bridge light						Brass	C.	5
9447	Std.1606/44/C28	Screw, securing bridge light						Brass	C.	5

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
5CW/6332	Rotax D.10007					Switch, D.P., 3-way spring return one way ...	1	—	B.	
5CW/7550	—					Switch, D.P. change over (centre "OFF" spring return both sides)	1	—	B.	
5CW/6551	—					Switch, S.P. (centre "OFF") ...	1	—	B.	
5CW/5056	—					Switch ...	1	—	B.	
5CW/6311	—					Switch, fire warning, push ...	1	—	B.	
5CW/7541	—					Switch, S.P., "ON-OFF" (upright OFF) ...	3	—	B.	
5CW/7544	—					Switch, S.P., "ON-OFF" (spring return to centre "OFF") (Pre Mod. 741)	1	—	B.	
5CW/7539	—					Switch, S.P., change over (centre "OFF" spring return)	1	—	B.	
5CW/7543	—					Switch, S.P., change over ...	1	—	B.	
5CW/7548	C.W.C Ltd. XD.784					Switch, D.P., change over ...	1	—	B.	
5CW/7748	C.W.C Ltd. XD.789					Switch, D.P., change over (not centre "OFF")	2	—	B.	
5CW/7552	—					Switch, D.P., change over (centre and one side "ON" spring return to centre)	1	—	B.	
5CW/4327	—					Transfer, "ON" ...	6	—	C.	
5CW/4328	—					Transfer, "OFF" ...	6	—	C.	
5CW/4331	—					Transfer, "OPEN" ...	1	—	C.	
5CW/4337	—					Transfer, "CLOSE" ...	1	—	C.	
5CW/4487	—					Transfer, "ENG" ...	2	—	C.	
5CW/4344	—					Transfer, "DIM" ...	1	—	C.	
5CW/4345	—					Transfer, "BRIGHT" ...	1	—	C.	
5CW/4346	—					Transfer, "IN" ...	1	—	C.	
5CW/4347	—					Transfer, "OUT" ...	2	—	C.	
5CW/6689	Rotax N.147415/1					Transfer, "JETTISON" ...	1	—	C.	
5CW/6690	Rotax N.147415/2					Transfer, "STREAM" ...	1	—	C.	
5768	Std.1509/12/016					Tube, distance, $\frac{1}{4}$ " o/d, x 20 S.W. G. x 0.16" long	8	T.4	MR/C	
5CW/4528	—					Window, red ...	1	—	C.	
	D.258615					PANEL, STARBOARD, ASSEMBLY (AS.1150/38...	—	—		
6A/8267	—					Altimeter, Mk. 19F (AS.1150/30) ...	1	—	A.	
10106	F.234666					Block, packing at altimeter bridge Light (Mod. 779)	1	LFS.21	C.	
5CZ/432	—					Block, terminal type 'B' 3-way (Mod. 779) ...	1	—	B.	
	A.232441					Bracket, mounting, terminal block (Mod. 779) ...	1	—		
	—					Cable, F.11 (See Cable Chart) ...	—	—	—	
6B/2775	—					Compass, repeater Mk. 2 ...	1	—	A.	
6A/2519	—					Connector, static and pressure (Mod. 779) ...	2	—	C.	
5L/9959118	—					Filament, 28V, 04A ...	16	—	B.	
5CW/5045	Rotax 65290					Grommet ...	9	—	C.	
6A/3158	—					Indicator, air speed Mk. 12A ...	1	—	A.	
6A/6005	—					Indicator, artificial horizon Mk. 6 (C) Miniature (Mod. 779)	1	—	A.	
5CZ/5003	—					Indicator, magnetic ...	1	—	A.	
5CZ/5074	—					Indicator, magnetic ...	2	—	A.	
6A/7677	—					Indicator, rate of climb Mk. 3Q ...	1	—	A.	
6A/5546	—					Indicator, turn and slip Mk. 3 (Mod. 779) ...	1	—	A.	
	F.223732					Label, turn and slip indicator (Mod. 779) ...	1	L.59		
5CX/5352	Thorn 80/10/1192					Light, bridge, type 'C' ...	6	—	B.	
5CX/5357	Thorn 80/10/1194					Light, bridge, type 'H' ...	1	—	B.	
5CX/5364	Thorn 80/10/0855 'Red'					Light, pillar ...	2	—	B.	

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
6A/3300	—	Machmeter, Mk. 3A	1	—	A.	FC.1
—	C.232440	Panel, instrument (Mod. 779)	1	L.72	—	
—	A.232436/1	Pipe, pressure, pitôt connector to tee union on machmeter (Mod. 779) (Make from 30B/1637, Q.R.)	1	T.9	—	
—	A.232436/2	Pipe, pressure, tee union on Machmeter to elbow on A.S.I. (Mod. 779) (Make from 30B/1637, Q.R.)	1	T.9	—	
—	A.232436/3	Pipe, static, connector to tee union on rate of climb indicator (Mod. 779) (Make from 30B/1637, Q.R.)	1	T.9	—	
—	A.232436/4	Pipe, static, tee union on rate of climb indicator to tee union (Mod. 779) (Make from 30B/1637, Q.R.)	1	T.9	—	
—	A.232436/5	Pipe, static, tee union to elbow in A.S.I. (Mod. 779) (Make from 30B/1637, Q.R.)	1	T.9	—	
—	A.232436/6	Pipe, static, tee union to tee union on machmeter (Mod. 779) (Make from 30B/1637, Q.R.)	1	T.9	—	
—	A.232436/8	Pipe, static, tee union on machmeter to elbow on Altimeter (Mod. 1002) (Make from 30B/1637, Q.R.)	1	T.9	—	
9446	Std.1606/44/A20	Screw, roundhead, 6 B.A.	3	Brass	C.	
	Std.1606/44/B22	Screw, roundhead, 4 B.A.	2	Brass	C.	
3840	Std.1606/44/B28	Screw, roundhead, 4 B.A.	2	Brass	C.	
	Std.1606/44/B30	Screw, roundhead, 4 B.A.	1	Brass	C.	
6356	Std.1606/44/B32	Screw, roundhead, 4 B.A.	2	Brass	C.	
7970	Std.1606/44/B36	Screw, roundhead, 4 B.A.	4	Brass	C.	
	Std.1606/44/B40	Screw, roundhead, 4 B.A.	3	Brass	C.	
5830	Std.1606/45/A14	Screw, countersunk, 6 B.A.	2	Brass	C.	
3859	Std.1606/45/B10	Screw, countersunk, 4 B.A.	2	Brass	C.	
4660	Std.1606/45/B14	Screw, countersunk, 4 B.A.	1	Brass	C.	
3860	Std.1606/45/B20	Screw, countersunk, 4 B.A.	3	Brass	C.	
3861	Std.1606/45/B24	Screw, countersunk, 4 B.A.	2	Brass	C.	
	Std.1606/45/B26	Screw, countersunk, 4 B.A.	2	Brass	C.	
8717	Std.1606/45/B28	Screw, countersunk, 4 B.A.	6	Brass	C.	
9951	Std.2095/208/B20	Screw, unified thread } to be used only if instru-	1	—	C.	
	Std.2095/209/B28	Screw, unified thread } ments have unified threads	2	—	C.	
10682	Std.2095/209/B44	Screw	2	—	C.	
5K/3455	Hellermann	Sleeve, Helsen, J.P. x 1	2	—	C.	
5CW/2530	—	Switch, dimmer, type 'R' 75 ohms (Mod. 779) ...	1	—	B.	
5CW/7540	—	Switch, S.P.C.O., no centre position	1	—	B.	
	Std.1509/12/032	Tube, distance, at turn and slip label (Mod. 779)	2	—	A.	
6A/7041	Kelvin Hughes KVC.0101	Unit, vibrator (AS.1150/38)	1	—	A.	
7100	Std. 915/B10	Washer	1	—	C.	
	B.232298	PANEL, SIDE STARBOARD, ASSEMBLY (Mod.779)	—	—	—	
—	—	Cable, F.36, Assembly (See Cable Chart)	1	—	—	FC.1
	B.232299	Panel, group (Mod. 779)	1	L.72	—	
	F.212983	Plate, stop	1	L.72	—	
1637	Std.1606/44/B14	Screw, roundhead, 4 B.A.	1	Brass	C.	
6983	Std.1606/44/B16	Screw, roundhead, 4 B.A. (AS.860/39)	1	Brass	C.	5
4179	Std.1606/44/B20	Screw, roundhead, 4 B.A.	2	Brass	C.	5
1720	Std.1606/44/B24	Screw, roundhead, 4 B.A.	1	Brass	C.	5
7970	Std.1606/44/B36	Screw, roundhead, 4 B.A.	1	Brass	C.	
5CW/6987	Dowty C.5183.Y Mk. 4D	Switch, undercarriage selector (AS.900/52) ...	1	—	A.	
5CW/6971	Dowty C.5148.Y Mk. 19N	Switch, flaps selector (AS.900/52)	1	—	A.	
	B.215028	PANEL, SIDE, PORT, ASSEMBLY	—	—	—	
—	D.216678	Cable, F.13, Assembly (See Cable Chart)	1	—	—	
—	C.216681	Cable, F.68, Assembly (See Cable Chart)	1	—	—	
5CW/5253	Hellermann HV.3710	Cap, protective, sea grey	1	—	C.	

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5CW/5252	—						1	—	C.	
5CX/5000	Std.1512/28						1	—	C.	
5L/9951286	—						9	—	B.	
5L/9951273	—						2	—	B.	
5CX/5164	—						1	—	B.	
5CZ/5074	Dowty C.5165 Mk. 2						1	—	B.	
5CZ/5073	Dowty C.5165 Mk. 1						1	—	B.	
	F.216265						1	L.72		
	A.216486						1	L.72		
5CX/4013	—						1	—	A.	
5CX/1553	—						1	—	B.	
	B.215011						1	L.72		FC.1
1178	Std.1606/44/B12						2	Brass	C.	5
3839	Std.1606/44/B16						2	Brass	C.	5
4179	Std.1606/44/B20						6	Brass	C.	5
3838	Std.1606/44/B8						1	Brass	C.	5
1943	Std.1606/45/B16						2	Brass	C.	5
3858	Std.1606/45/B8						3	Brass	C.	5
5CW/6968	Dowty C.1223Y. Mk. 15N						1	—	A.	
5CW/7748	—						1	—	B.	
5CW/7541	—						1	—	B.	
5CW/6983	Dowty C.5182.Y Mk. 3D						1	—	A.	
5CW/8570	Dowty C.5182.Y Mk. 8D						1	—	A.	
5CW/4327	—						1	—	C.	
5CW/4328	—						—	—	C.	
5CW/4346	Rotax N.100397/20						1	—	C.	
5CW/4347	Rotax N.100397/43						1	—	C.	
	A.225879						1	—		
1178	Std.1606/44/B.12						1	Brass	C.	
4614	Std.1606/44/C16						2	Brass	C.	
3856	Std.1606/44/C20						4	Brass	C.	5
	D.222376						1	—		
	D.222376/4						1	L.72	—	
6656	Std.2088/2						1	Rubber	C.	
29G/2180	Carr Fastener 882						3	—	C.	
	C.234817						1	—		
	C.234817/2						1	L.72	—	
6656	Std.2088/2						1	Rubber	C.	
29G/2180	Carr Fastener 882						3	—	C.	
	C.234316						1	—		
5245	Std.1606/44/A10						2	Brass	C.	
	C.234316/2						1	L.72	—	
6656	Std.2088/2						1	Rubber	C.	
29G/2180	Carr Fastener 882						3	—	C.	
	A.223946						1	—		
	A.221853						1	L.72		
	Std.1509/2/060						1	—		
	Std.1509/3/026						3	T.4		
	Std.1509/3/076						3	T.4		
9777	F.231121						3	DTD.5509 C or D	C.	FC.1

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.						Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5					

EQUIPMENT AIRCRAFT-INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/1007971	A25.1B	Bolt, 4 B.A.	---	---	---
28D/1010658	A25.1B	Bolt, 4 B.A.	---	---	---
28D/1008149	A25.2B	Bolt, 4 B.A.	---	---	---
28D/9419452	A25.3B	Bolt, 4 B.A.	---	---	---
28D/1011006	A25.5.B	Bolt, 4 B.A.	---	---	---
28D/12625	A25.9.B	Bolt, 4 B.A.	---	---	---
28D/9436920	A25.1.C	Bolt, 2 B.A.	---	---	---
28D/9133011	A25.2.C	Bolt, 2 B.A.	---	---	---
28D/12533	A25.5.C	Bolt, 2 B.A.	---	---	---
28D/1010030	A25.7.C	Bolt, 2 B.A.	---	---	---
28D/1011247	A25.13.E	Bolt, 1/4" B.S.F.	---	---	---
28D/8300	AS.1242/1B	Bolt, 4 B.A.	---	---	---
28D/9131782	AGS.1242/2B	Bolt, 4 B.A.	---	---	---
28D/9128739	AS.1248/1/2 B	Bolt, 4 B.A.	---	---	---
28D/8337	AS.1248/1B	Bolt, 4 B.A.	---	---	---
28D/11981	AS.1248/12E	Bolt, 1/4" B.S.F.	---	---	---
28N/258	SP.58.G	Burr, 1/4" dia.	---	---	---
28F/13603	AGS.838/8	Bush	---	---	---
28E/5452	AGS.895/1	Clip	---	---	---
28E/18865	AS.1163/16	Clip	---	---	---
5K/2903	SP.40/B10	Grommet	---	---	---
5K/3404	AS.2360.E4.E	Lead, bonding	---	---	---
5K/3355	AS.3360.B4.B	Lead, bonding	---	---	---
28M/5236	A14.E.B	Nut	---	---	---
28M/13978	A53.Z	Nut	---	---	---
28M/13734	A54.B	Nut	---	---	---
28M/14534	A54.C	Nut	---	---	---
28F/5108	AGS.838/4	Nut	---	---	---
28M/10286	AGS.2001/A1	Nut, 6 B.A.	---	---	---
28M/10287	AGS.2001.B1	Nut, 4 B.A.	---	---	---
28M/10290	AGS.2001/E1	Nut, 1/4" B.S.F.	---	---	---
28M/10326	AGS.2002/A1	Nut, 6 B.A.	---	---	---
28M/10327	AGS.2002/B1	Nut, 4 B.A.	---	---	---
28M/10309	AGS.2002/B4	Nut, 4 B.A.	---	---	---
28M/10328	AGS.2002/C1	Nut, 2 B.A.	---	---	---
28M/10310	AGS.2002/C4	Nut, 2 B.A.	---	---	---
28M/7002430	AGS.2002/E1	Nut, 1/4" B.S.F.	---	---	---
28M/12344	AGS.2002/E4	Nut, 1/4" B.S.F.	---	---	---
28S/1200040	A.31.B.20	Screw	---	---	---
28S/13887	A32.B.10	Screw	---	---	---
28S/5694	A32.B.40	Screw	---	---	---
28S/2856	A32.C.12	Screw	---	---	---
28S/14373	A43.B.10	Screw	---	---	---
28S/2063	A43.Z.8	Screw	---	---	---
28F/5104	AGS.838.1	Union, straight	---	---	---
28F/5105	AGS.838.2	Union, tee	---	---	---
28F/5107	AGS.838.3	Union, elbow	---	---	---
28VV/9419473	SP.15.A	Washer, 6 B.A.	---	---	---
28VV/9419474	SP.15.B	Washer, 4 B.A.	---	---	---
28VV/9419475	SP.15.C	Washer, 2 B.A.	---	---	---
28VV/9419405	SP.15.E	Washer, 1/4" dia.	---	---	---
28VV/9419486	SP.16.B	Washer, 4 B.A.	---	---	---
28VV/9419487	SP.16.E	Washer	---	---	---
28VV/3090	AGS.163.D	Washer, spring	---	---	---

RESTRICTED

Ref. No.	Part No.						Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5					

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.



LIGHTNING MK. 1
COVER PITOT HEAD
EB2-88-5111