

POWER INSTALLATION—ENGINE MOUNTING

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
	D.186357	ENGINE MOUNTING, ASSEMBLY	—		
409	F.188580	Ball, end	BSS.369	C.	LE.1
399	F.166660	Bearing, rear, port	BSS.369	C.	LE.1
400	F.166661	Bearing, rear, starboard	BSS.369	C.	LE.1
4175	D.186357/B	Block and cap, group	—	B.	LE.1
		Consisting of :—								
403	F.166527	Bolt, "U"	S.2	C.	LE.1
	B.186358	Block } Not supplied	Stamping		
	A.186522	Cap } separately	Stamping		
28M/13123	A27/JS	Nut	—	C.	
28W/12255	SP.13.J	Washer	—	C.	
402	F.186444	Bolt, rear block attachment	S.95.B	C.	LE.1
404	A.186359	Bolt, eye, front	Stamping	C.	LE.1
406	A.186360	Fork-end, front	Stamping	C.	LE.1
410	Std.1716/Q	Nut, lock, $\frac{5}{8}$" B.S.F., R.H.	—	C.	5
411	Std.1716/QL	Nut, lock, $\frac{5}{8}$" B.S.F., L.H.	—	C.	5
407	F.166967	Pin, attachment of rear bearing (port)	S.2	C.	LE.1
408	F.166531	Turnbuckle, front	S.11	C.	LE.1

POWER INSTALLATION—ENGINE MOUNTING

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.	
		1	2	3	4	5					
SUMMARY OF STOCK ITEMS											
28D/15073	A57.14N	Bolt	—	—
28D/15074	A57.12N	Bolt	—	—
28M/1011476	A27.JS	Nut, $\frac{3}{8}$ " B.S.F.	—	—
28M/7820	AGS.572/H	Nut, $\frac{1}{2}$ " B.S.F.	—	—
28W/12255	SP.13.J	Washer, $\frac{3}{8}$ " B.S.F.	—	—
28W/9419468	SP.13.N	Washer, $\frac{1}{2}$ " B.S.F.	—	—

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

