

SERVICES—FUEL SYSTEM IN WINGS

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
	E.206680-1	<b>FUEL SYSTEM IN WINGS, ASSEMBLY</b> ...								
	—	<b>Cables</b> , electrical (See cable chart) ...					—			
1136	A.186450	<b>Clamp</b> , pipe connection, group ...					—	C.	NC.1	
2723	F.184931	<b>Bolt</b> , eye ...					S.94.B	C.		
6526	F.213079	<b>Nut</b> , special ...					S.95	C.		
2724	F.185592	<b>Washer</b> , ...					DTD.364	C.		
4992	F.200275	<b>Clamp</b> , pipe connection, group ...					—	C.	NC.1	
2723	F.184931	<b>Bolt</b> , eye ...					S.94	C.		
6526	F.213079	<b>Nut</b> , special ...					S.95	C.		
2724	F.185592	<b>Washer</b> ...					DTD.364	C.		
421	A.185593	<b>Clamp</b> , pipe connection, group ...					—	C.		
2723	F.184931	<b>Bolt</b> , eye ...					S.94.B	C.		
2724	F.185592	<b>Washer</b> ...					DTD.364	C.		
5059	A.186451	<b>Clamp</b> , pipe connection, group ...					—	C.		
2723	F.184931	<b>Bolt</b> , eye ...					S.94.B	C.		
2724	F.185592	<b>Washer</b> ...					DTD.364	C.		
5414	Std.851/68	<b>Clip</b> , support, for vent pipe at rib "G" ...					DTD.610	C.	4	
	Std.851/30	<b>Clip</b> , support, for vent pipe at rib No. 2 ...					DTD.610	C.		
4165	Std.850/35	<b>Clip</b> , support, for earthing connector ...					DTD.610	C.	4	
27F/2352	Flight Refuelling FRS.132.F.	<b>Connector</b> ...					—	B.		
4105	Std.1285.8.C.C.	<b>Connector</b> , earth, at rib "A" ...					—	C.	4	
4993	F.205032	<b>Packing</b> , for vent pipe clip "G" <i>A.T RIB...</i> ...					LFS.21	C.		
4994	Std.1939/1	<b>Packing</b> , for vent pipe clip at rib No. 2 ...					LFS.21	C.		
6987	A.207209/4	<b>Pipe</b> , air, inboard tank to connection ...					DTD.253	C.	NC.1	
4996	B.198928/2	<b>Pipe</b> , connection to connection, port ...					DTD.253	C.	NC.1	
4997	B.198928/3	<b>Pipe</b> , air, connection to connection, starboard ...					DTD.253	C.	NC.1	
5000	B.198928/6	<b>Pipe</b> , fuel, transfer, connection to tank, port ...					DTD.253	C.	NC.1	
5001	B.198928/7	<b>Pipe</b> , fuel, transfer, connection to tank, starboard ...					DTD.253	C.	NC.1	
7902	A.206783	<b>Pipe</b> , fuel, inboard to outboard pylon, port ...					BSS.265	C.	NC.1	
7903	A.206784	<b>Pipe</b> , fuel, inboard to outboard pylon, starboard ...					BSS.265	C.	NC.1	
7898	C.206676	<b>Pipe</b> , fuel, by-pass valve to connection, port ...					DTD.253	C.	NC.1	
7899	C.206677	<b>Pipe</b> , fuel, by-pass valve to connection, starboard ...					DTD.253	C.	NC.1	
7900	C.206678	<b>Pipe</b> , air, Flight Refuelling coupling to connection, part ...					DTD.253	C.	NC.1	
7901	C.206679	<b>Pipe</b> , air, Flight Refuelling coupling to connection, starboard ...					DTD.253	C.	NC.1	
7892	B.206682	<b>Pipe</b> , fuel, between pylons ...					DTD.253	C.	NC.1	
7893	B.206683	<b>Pipe</b> , air, between pylons ...					DTD.253	C.	NC.1	
7894	C.206684	<b>Pipe</b> , fuel, outboard by-pass valve to connection, port ...					DTD.253	C.	NC.1	
7895	C.206685	<b>Pipe</b> , fuel, outboard by-pass valve to connection, starboard ...					DTD.953	C.	NC.1	
7896	C.206686	<b>Pipe</b> , air, outboard, by-pass valve to connection, port ...					DTD.253	C.	NC.1	
7897	C.206687	<b>Pipe</b> , air, outboard by-pass valve to connection, starboard ...					DTD.253	C.	NC.1	
5004	Dowty	<b>Ring</b> , sealing, at suction relief valve ...					—	C.		
27DA/376	GD.1309/16									
3940	Dowty	<b>Ring</b> , sealing, at transfer pipe couplings ...					—	C.		
27DA/371	GD.1309/25									

SERVICES—FUEL SYSTEM IN WINGS

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.	
			1	2	3	4	5				
27QA/361	3945 Dowty GD.1308/2	Ring, sealing, at fuel pipe connections ... ..						10	—	C.	NC.1
27QA/38D	8040 Dowty GD.1309/23	Ring, sealing, at fuel pipe connection outboard by-pass valve						2	—	C.	
27QA/379	5100 Dowty GD.1309/21	Ring, sealing, at air pipe connections ... ..						4	—	C.	
	5006 Std.1703/7C	Screw, special, for suction relief valve ... ..						4	S.95.B	C.	5
	7906 A.206273	Support, for fuel and air pipes between pylons ... ..						4	LFS.21	C.	NC.1
	7907 A.206274	Support, for fuel and air pipes between pylons ... ..						4	LFS.21	C.	NC.1
	7908 A.206275	Support, for fuel and air pipes between pylons ... ..						4	LFS.21	C.	NC.1
	E.206941-2	<b>TANK, INSTALLATION, ASSEMBLY</b> ... ..						—	—		
	5023 F.202080	Adaptor, union, for air pipe ... ..						2	L.56	C.	NC.1
	6777 F.210001	Bolt, special at transfer duct connection (AS.770/45)						12	S.95.B	C.	NC.1
	7066 F.211844	Bolt, special, for tank interconnection ... ..						36	S.95.B	C.	NC.1
6A/4315	Smiths JM.14	Box, terminal ... ..						2	—	B.	
6A/4316	Smiths JU.6	Box, terminal ... ..						8	—	B.	
	Std.843/38	Clip, support, for air pipe in No. 1 tank ... ..						2	—		4
	5025 C.198341	Duct, transfer, in No. 1 tank, port ... ..						1	S.54 & L.59	C.	NC.1
	5026 C.198342	Duct, transfer, in No. 1 tank, starboard ... ..						1	L.54 & L.59	C.	NC.1
	5027 C.198530	Duct, transfer, inner, in No. 2 tank, port ... ..						1	L.54 & L.59	C.	NC.1
	5028 C.198531	Duct, transfer, inner, in No. 2 tank, starboard ... ..						1	L.54 & L.59	C.	NC.1
	5029 C.198343	Duct, transfer, outer, in No. 2 tank, port ... ..						1	L.54 & L.59	C.	NC.1
	5030 C.198344	Duct, transfer, outer, in No. 2 tank, starboard ... ..						1	L.54 & L.59	C.	NC.1
	6991 C.209795	Duct, transfer, inner, in No. 3 tank, port ... ..						1	L.54 & L.59	C.	NC.1
	6992 C.209796	Duct, transfer, inner, in No. 3 tank, starboard ... ..						1	L.54 & L.59	C.	NC.1
	5033 C.198345	Duct, transfer, outer, in No. 3 tank, port ... ..						1	L.54 & L.59	C.	NC.1
	5034 C.198346	Duct, transfer, outer, in No. 3 tank, starboard ... ..						1	L.54 & L.59	C.	NC.1
	5035 C.198526	Duct, transfer, in No. 4 tank, port ... ..						1	L.54 & L.59	C.	NC.1
	5036 C.198527	Duct, transfer, in No. 4 tank, starboard ... ..						1	L.54 & L.59	C.	NC.1
	6095 B.208097	Duct, outlet, port, in No. 1 tank, group ... ..						1	—	B.	NC.1
	6096 B.208098	Duct, outlet, starboard, in No. 1 tank, group ... ..						1	—	B.	NC.1
	A.199074	Plate, mounting ... ..						2	DTD.610		
	5038 Dowty	Ring, sealing, "O" type ... ..						2	—	C.	<del>NC.1</del>
27QA/362	GD.1308/4										
5CW/5255	Flight Refuelling D.3504100/2	Float, switch, in No. 4 tank ... ..						2	—	A.	NC.1
	9655 A.226375	Gasket, sealing at tank mounting plate ... ..						8	—	C.	<del>NC.1</del>
	2144 Std.1231/3	Lug, locking ... ..						2	S.3	C.	4
	A.232202	Plate, sealing (AS.770/45) ... ..						2	L.72	—	
	6988 B.207013	Plate, mounting, at leading edge spar for No. 1 tank						2	DTD.610	C.	NC.1
	6990 B.207014	Plate, mounting, at leading edge spar for Nos. 2 and 3 tanks						4	DTD.610	C.	NC.1
	6989 B.207015	Plate, mounting, at leading edge spar for No. 4 tank						2	DTD.610	C.	NC.1
	5042 B.202091	Pipe, air, flexible, in No. 1 tank ... ..						2	—	C.	NC.1
	5043 B.202075	Pipe, air, in No. 1 tank, port ... ..						1	DTD.253	C.	NC.1
	5044 B.202076	Pipe, air, in No. 1 tank, starboard ... ..						1	DTD.253	C.	NC.1
	5045 C.198514	Pipe, fuel transfer, in No. 4 tank, port ... ..						1	L.54 & L.59	C.	NC.1
	5046 C.198515	Pipe, fuel transfer, in No. 4 tank, starboard ... ..						1	L.54 & L.59	C.	NC.1
	5047 A.199113	Ring, clamping transfer ducts to ribs ... ..						12	DTD.364	C.	NC.1
27QA/361	3945 Dowty GD.1308/2	Ring, sealing, "O" type, at transfer ducts connections						12	—	C.	NC.1

Hunter T. Mk. 7  
 Issued with A/L No. 7

SERVICES—FUEL SYSTEM IN WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
6208	F.210208						2	—	C.	
	Dowty						64	—	C.	NC.1
27QA/139	GD.1307/3									
	Dowty						24	—	C.	NC.1
27QA/140	GD.1307/4									
	Dowty						2	—	C.	NC.1
27QA/149	GD.1307/G									
—	—						—	—	—	
9654	F.226373						2	DTD.1177 and L.72	C.	NC.1
9653	F.226372						2	DTD.1177 and L.72	C.	NC.1
9652	F.226371						2	DTD.1177 and L.72	C.	NC.1
9659	A.226379						2	DTD.1177 and L.72	C.	
9648	F.226367						10	DTD.1177 and L.72	C.	
5053	F.199096						2	Rubber	C.	NC.1
4042	Std.1509/23/030						4	T.4	MR/C	4
8190	A.218022						1	—	B.	NC.1
8191	A.218023						1	—	B.	NC.1
6200	F.209640						1	—	C.	NC.1
	A.210450						1	—		
	A.210451						1	—		
6199	F.209155						1	Steel	C.	NC.1
7050	F.215727						1	—	C.	NC.1


## SERVICES—FUEL SYSTEM IN WINGS

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
	A.233327/8	<b>FUEL SYSTEM IN WINGS ASSEMBLY</b> (Conversion Wing Only) To Wing Serial Numbers :— 41H/670099 HABL/001208 41H/670148 HABL/001249 41H/670163 HABL/002018 41H/670462 HABL/002053 41H/670514 41H/670529 Identical to system fuel assemblyE. 206680-1 except for the following deletions and additions <b>DELETE:—</b> Pipe, fuel, inboard to outboard pylon, port ... Pipe, fuel, inboard to outboard pylon, starboard ... Pipe, fuel, between pylons ... Pipe, air, between pylons... Support, at rib "J" for fuel and air pipes, between pylons Support, at rib "M" for fuel and air pipes, between pylons <b>ADD:—</b> Clamp, fuel pipe connection at rib "M" group ... Bolt, eye ... Washer ... Clamp, air pipe connection between ribs "M-N" group Bolt, eye ... Washer ... Pipe, air, inboard pylon to coupling between ribs "M-N," port Pipe, air, inboard pylon to coupling between ribs "M-N," starboard Pipe, air, coupling between ribs "M-N" to outboard pylon, port Pipe, air, coupling between ribs "M-N" to outboard pylon, starboard Pipe, fuel, between inboard and outboard pylons ... Pipe, fuel, at inboard pylon, port ... Pipe, fuel, at inboard pylon, starboard... Ring, sealing, at fuel pipe connection rib "M" ... Ring, sealing, at air pipe connection between ribs "M-N" Support, at rib "M" for fuel and air pipes between pylons Support, at rib "J" for fuel and air pipes between pylons Tube, distance, at fuel pipe support rib "M" (Make from 30B/556) (Starboard only)	—	—	—	—	—	—	—	—
7902	A.206783	Pipe, fuel, inboard to outboard pylon, port ...	1	—	—	—	—	C.		
7903	A.206784	Pipe, fuel, inboard to outboard pylon, starboard ...	1	—	—	—	—	C.		
7892	B.206682	Pipe, fuel, between pylons ...	2	—	—	—	—	C.		
7893	B.206683	Pipe, air, between pylons... ..	2	—	—	—	—	C.		
7906	A.206273	Support, at rib "J" for fuel and air pipes, between pylons	4	—	—	—	—	C.		
7907	A.206274	Support, at rib "M" for fuel and air pipes, between pylons	4	—	—	—	—	C.		
421	A.185593	Clamp, fuel pipe connection at rib "M" group ...	2	—	—	—	—	C.		
2723	F.184931	Bolt, eye ... ..	1	—	—	—	S.94.B	C.		
2724	F.185592	Washer ... ..	1	—	—	—	DTD.364	C.		
5059	A.186451	Clamp, air pipe connection between ribs "M-N" group	2	—	—	—	—	C.		
2723	F.184931	Bolt, eye ... ..	1	—	—	—	S.94.B	C.		
2724	F.185592	Washer ... ..	1	—	—	—	DTD.364	C.		
	B.210509	Pipe, air, inboard pylon to coupling between ribs "M-N," port	1	—	—	—	DTD.253			
	B.210510	Pipe, air, inboard pylon to coupling between ribs "M-N," starboard	1	—	—	—	DTD.253			
	B.210511	Pipe, air, coupling between ribs "M-N" to outboard pylon, port	1	—	—	—	DTD.253			
	B.210512	Pipe, air, coupling between ribs "M-N" to outboard pylon, starboard	1	—	—	—	DTD.253			
	B.207362	Pipe, fuel, between inboard and outboard pylons ...	4	—	—	—	DTD.253			
	A.234181	Pipe, fuel, at inboard pylon, port ... ..	1	—	—	—	BSS.265			
	A.234182	Pipe, fuel, at inboard pylon, starboard... ..	1	—	—	—	BSS.265			
27QA/361	Dowty Seals GD.1308/2	Ring, sealing, at fuel pipe connection rib "M" ...	2	—	—	—	—	C.		
27QA/379	Dowty Seals GD.1309/21	Ring, sealing, at air pipe connection between ribs "M-N"	2	—	—	—	—	C.		
	A.207331	Support, at rib "M" for fuel and air pipes between pylons	4	—	—	—	LFS.21			
	A.234202	Support, at rib "J" for fuel and air pipes between pylons	4	—	—	—	LFS.21			
4042	Std.1509/23/030	Tube, distance, at fuel pipe support rib "M" (Make from 30B/556) (Starboard only)	2	—	—	—	T.4	MR/C		


SERVICES—FUEL SYSTEM IN WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
<b>SUMMARY OF STOCK ITEMS</b>										
28D/1010658	A25.1.B	<b>Bolt, 4 B.A.</b>	...	...	...	...	...	—	—	—
28D/9436920	A25.1.C	<b>Bolt, 2 B.A.</b>	...	...	...	...	...	—	—	—
28D/9133011	A25.2.C	<b>Bolt, 2 B.A.</b>	...	...	...	...	...	—	—	—
28D/9133012	A15.3.C	<b>Bolt, 2 B.A.</b>	...	...	...	...	...	—	—	—
28D/1200119	A25.4.C	<b>Bolt, 2 B.A.</b>	...	...	...	...	...	—	—	—
28D/7002428	A25.6.C	<b>Bolt, 2 B.A.</b>	...	...	...	...	...	—	—	—
28D/1011019	A25.8.C	<b>Bolt, 2 B.A.</b>	...	...	...	...	...	—	—	—
28D/12517	A25.17.C	<b>Bolt, 2 B.A.</b>	...	...	...	...	...	—	—	—
28D/12635	A25.24.E	<b>Bolt, 1/2" B.S.F.</b>	...	...	...	...	...	—	—	—
5K/3405	AS.3360 B.3.C	<b>Connector, earthing</b>	...	...	...	...	...	—	—	—
5K/3408	AS.3360 B.6.C	<b>Connector, earthing</b>	...	...	...	...	...	—	—	—
28F/8280	AGS.1142.H	<b>Nipple</b>	...	...	...	...	...	—	—	—
28F/19143	AGS.2120.H	<b>Nipple</b>	...	...	...	...	...	—	—	—
28M/13121	A.27.CS	<b>Nut, 2 B.A.</b>	...	...	...	...	...	—	—	—
28M/10327	AGS.2002.B1	<b>Nut, 4 B.A.</b>	...	...	...	...	...	—	—	—
28M/10328	AGS.2002.C1	<b>Nut, 2 B.A.</b>	...	...	...	...	...	—	—	—
28M/13264	AGS.2021.C1	<b>Nut, 2 B.A.</b>	...	...	...	...	...	—	—	—
28M/13721	AGS.2021.E1	<b>Nut, 1/2" B.S.F.</b>	...	...	...	...	...	—	—	—
28P/19225	SP.90 C.3	<b>Pin</b>	...	...	...	...	...	—	—	—
28P/19154	SP.90 C.7	<b>Pin</b>	...	...	...	...	...	—	—	—
28R/6341	AGS.566.B	<b>Plug</b>	...	...	...	...	...	—	—	—
28S/14301	A33.C14	<b>Screw, 2 B.A.</b>	...	...	...	...	...	—	—	—
28S/6611	A37.C20	<b>Screw, 2 B.A.</b>	...	...	...	...	...	—	—	—
28S/1200066	A33.B20	<b>Screw, 4 B.A.</b>	...	...	...	...	...	—	—	—
28F/9438453	AGS.1186.B	<b>Seal, 1/2"</b>	...	...	...	...	...	—	—	—
28S/1011903	AGS.1186.G	<b>Seal</b>	...	...	...	...	...	—	—	—
28S/9429636	AGS.1186.3	<b>Seal, 2 B.A.</b>	...	...	...	...	...	—	—	—
28W/9419474	SP.15.B	<b>Washer, 4 B.A.</b>	...	...	...	...	...	—	—	—
28W/9419475	SP.15.C	<b>Washer, 2 B.A.</b>	...	...	...	...	...	—	—	—
28W/9419404	SP.16.C	<b>Washer, 2 B.A.</b>	...	...	...	...	...	—	—	—
28F/9652	AGS.1138.E	<b>Washer, 1/2" dia.</b>	...	...	...	...	...	—	—	—

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				



FUEL SYSTEM





This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.