

Hunter T. Mk. 7
Issued with A/L No. 7

SERVICES—OXYGEN INSTALLATION

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|------------|-----------------|---|---------|------------------------|---------------------|-----------|
| | | | | | | |
| | E.235665 | OXYGEN INSTALLATION, ASSEMBLY (Mod. 745) | — | — | | |
| 6D/1647 | — | Adaptor , inlet, straight | 2 | — | C. | |
| 5145 | F.205189 | Block , clamp (AS.720/18) | 2 | LFS.21 | C. | NK.1 |
| 9756 | F.228590 | Block , clamp (AS.720/18) | 2 | LFS.21 | C. | NK.1 |
| 447 | F.186436 | Bolt (Make from 28D/12568) | 8 | — | C. | NK.1 |
| — | F.212353 | Channel , clamping (Make from 30B/1728) | 1 | L.72 | — | |
| 9175 | K.A.C. | Clamp , pipe | 1 | — | C. | |
| | C.4370/1/A | | | | | |
| | F.229467 | Clip , special (AS.720/43) | 1 | — | — | NK.1 |
| | B.214273 | Connector | 1 | — | — | |
| 6D/603 | — | Connection , 3-way... .. | 4 | — | C. | |
| 6D/9429896 | — | Cylinder , oxygen (complete with valve Ref. 6D/9429883) | 4 | — | A. | |
| 6D/574 | — | Filter | 3 | — | A. | |
| 6D/2237 | — | Gauge , contents, Mk. 4 (AS.840/54) | 1 | — | A. | |
| | B.221674 | Guard , for oxygen regulator, group | 1 | — | — | |
| | A.221672 | Channel , mounting | 1 | — | — | |
| | A.221673 | Channel | 1 | — | — | |
| — | B.221674/1 | Panel , $\frac{3}{16}$ " thick (Local Manufacture) | 1 | Perspex | — | |
| — | Std.1509/23/020 | Tube , distance, $\frac{5}{16}$ " o/d \times 17 s.w.g. \times 0.2 long (Make from 30B/556) | 4 | T.4 | — | |
| 6D/642 | — | Label , " Filter " | 3 | — | C. | |
| 6D/641 | — | Label , " Non-return valve " | 2 | — | C. | |
| | F.198869 | Lug | 1 | DTD.610 | — | |
| 1940 | Std.1231/1 | Lug , locking | 2 | S.3 | C. | 4 |
| | Std.1231/9/B | Lug , locking | 1 | S.3 | — | |
| | F.227544 | Packing , at oxygen charging valve | 2 | LFS.21 | — | |
| | F.230581 | Packing , at special clip | 1 | LFS.21 | — | |
| 6D/575 | — | Piece , connecting, 2-way, Mk. 3A | 1 | — | C. | |
| 9177 | B.212124/3 | Pipe , H.P., 3-way connection to port cylinders | 1 | T.51 | C. | NK.1 |
| 9178 | B.212124/4 | Pipe , H.P., cylinder to cylinder, port " in " | 1 | T.51 | C. | NK.1 |
| 9179 | B.212124/5 | Pipe , H.P., cylinder to cylinder port, " out " | 1 | T.51 | C. | |
| 9180 | B.212124/6 | Pipe , H.P., port cylinders to 3-way connection | 1 | T.51 | C. | NK.1 |
| 9182 | B.212124/8 | Pipe , H.P., cylinder to cylinder, starboard, " out " | 1 | T.51 | C. | NK.1 |
| 9183 | B.212124/9 | Pipe , H.P., cylinder to cylinder, starboard, " in " | 1 | T.51 | C. | |
| 9184 | B.212124/10 | Pipe , H.P., 3-way connection to starboard cylinder... .. | 1 | T.51 | C. | NK.1 |
| 9185 | B.212124/11 | Pipe , H.P., 3-way connection to line valve | 1 | T.51 | C. | NK.1 |
| 9186 | B.212124/12 | Pipe , H.P., line valve to floor connection | 1 | T.51 | C. | |
| 9187 | B.212124/13 | Pipe , H.P., floor connection to 3-way connection | 1 | T.51 | C. | NK.1 |
| 9188 | B.212124/14 | Pipe , H.P., 3-way connection to pressure release valve | 1 | T.51 | C. | NK.1 |
| 9189 | B.212124/15 | Pipe , H.P., 3-way connection to 2-way connection | 1 | T.51 | C. | NK.1 |
| 9190 | B.212124/16 | Pipe , H.P., 2-way connection to contents gauge | 1 | T.51 | C. | NK.1 |
| 10195 | B.212124/18 | Pipe , 3-way connection to charging valve (Mod. 745) | 1 | T.51 | C. | |
| 10194 | B.212124/19 | Pipe , starboard cylinders to 3-way connection (Mod. 745) | 1 | T.51 | C. | |
| 9192 | A.212152/1 | Pipe , L.P., pressure release valve to 3-way connection | 1 | L.67 | C. | NK.1 |
| 9193 | A.212152/2 | Pipe , L.P., 3-way connection to regulator | 1 | L.67 | C. | NK.1 |
| 9194 | A.212152/3 | Pipe , L.P., 3-way connection to union | 1 | L.67 | C. | NK.1 |
| 9195 | A.212152/4 | Pipe , L.P., union to union | 1 | L.67 | C. | NK.1 |

SERVICES—OXYGEN INSTALLATION

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Score | Plate No. |
|-----------|--------------------|--|-----|-----|-----|----|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 9196 | A.212152/5 | Pipe, L.P., union to regulator | ... | ... | ... | 1 | L.67 | C. | NK.1 | |
| 9197 | A.214022/9 | Pipe, L.P., regulator to connector, starboard | ... | ... | ... | 1 | DTD.253 | C. | NK.1 | |
| 9198 | A.214022/5 | Pipe, L.P., regulator, to joint, port | ... | ... | ... | 1 | L.67 | C. | NK.1 | |
| 9762 | A.214022/10 | Pipe, L.P., joint to seat connection, port | ... | ... | ... | 1 | DTD.253 | C. | | |
| 1941 | Std.499/3 | Plate, locking | ... | ... | ... | 2 | L.3 | C. | 4 | |
| 1942 | F.195799 | Plug | ... | ... | ... | 2 | Rubber | C. | NK.1 | |
| 6D/2294 | — | Regulator, demand, Mk. 17E (Mod. 919) | ... | ... | ... | 2 | — | A. | | |
| 28F/17672 | AS.5401 | Ring, sealing for demand regulator pipe joint | ... | ... | ... | 1 | — | C. | | |
| 1943 | Std.1606/45/B.16 | Screw, countersunk, 4 B.A. | ... | ... | ... | 4 | Brass | C. | 5 | |
| 9200 | A.211009 | Strap, group | ... | ... | ... | 8 | — | C. | NK.1 | |
| | F.210999 | Trunnion | ... | ... | ... | 1 | S.95.B | | | |
| 9201 | A.211010 | Strap, group | ... | ... | ... | 8 | — | C. | NK.1 | |
| | F.186432 | Trunnion, | ... | ... | ... | 1 | S.1 | | | |
| 5F/2279 | Hellermann HV.3254 | Strapping, helvin, 1/2" wide | ... | ... | ... | QR | — | C. | | |
| 5F/2280 | Hellermann NY.3255 | Stud, helvin | ... | ... | ... | QR | — | C. | | |
| — | E.218888/1 | Tube, pressure release, 7/8" i/d x 1 1/4" o/d x 2 3/8" long (Make from 32C/445) | ... | ... | ... | 4 | Rubber | — | | |
| — | Std.1509/23/064 | Tube, distance, 5/16" o/d x 17 s.w.g. x 0-64" long (Make from 30B/556) | ... | ... | ... | 8 | T.4 | — | | |
| | Std.1509/23/070 | Tube, distance 5/16" o/d x 17 s.w.g. x 0-70" long | ... | ... | ... | 2 | T.4 | | | |
| 6D/1497 | — | Union, blanking, Mk. 3 | ... | ... | ... | 5 | — | C. | | |
| 6D/1872 | — | Valve, Mk. 10 (Alternative to 6D/2313) | ... | ... | ... | 2 | — | A. | | |
| 6D/2313 | — | Valve, Mk. 10A (Alternative to 6D/1872) | ... | ... | ... | 2 | — | A. | | |
| 6D/427 | — | Valve, non-return | ... | ... | ... | 2 | — | A. | | |
| 6D/2344 | — | Valve, pressure reducing | ... | ... | ... | 1 | — | A. | | |
| | Std.1546/20/12 | Washer, packing, at regulator | ... | ... | ... | 4 | DTD.610 | | | |

Hunter T. Mk. 7
Issued with A/L No. 11

SERVICES—OXYGEN INSTALLATION

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|-------------------------------|---------------|------------------------------------|-----|-----|-----|-----|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| SUMMARY OF STOCK ITEMS | | | | | | | | | | |
| 28D/1010658 | A25.1.B | Bolt, 4 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28D/1008149 | A25.2.B | Bolt, 4 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28D/9140638 | A25.4.B | Bolt, 4 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28D/9436920 | A25.1.C | Bolt, 2 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28D/9133011 | A25.2.C | Bolt, 2 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28D/1200119 | A25.4.C | Bolt, 2 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28D/12533 | A25.5.C | Bolt, 2 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28D/1010030 | A24.7.C | Bolt, 2 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28D/12517 | A25.17.C | Bolt, 2 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28D/8337 | AS.1248.1.B | Bolt, mushroom head, 4 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28D/8338 | AS.1248.3.B | Bolt, mushroom head, 4 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28E/8183 | AGS.605/1 | Clip, hose | ... | ... | ... | ... | ... | ... | — | — |
| 5K/115 | AGS.1661/D | Clip, bonding | ... | ... | ... | ... | ... | ... | — | — |
| 28E/9130610 | AS.5419/3 | Clip | ... | ... | ... | ... | ... | ... | — | — |
| 29H/4113 | AGS.1200/11 | Chain | ... | ... | ... | ... | ... | ... | — | — |
| 5K/3355 | AS.3360/B/4/B | Connector, earthing | ... | ... | ... | ... | ... | ... | — | — |
| 5K/3413 | AS.3360/B/7/B | Connector, earthing | ... | ... | ... | ... | ... | ... | — | — |
| 28F/7839 | AGS.800/5 | Nipple, adapter | ... | ... | ... | ... | ... | ... | — | — |
| 28F/15126 | AGS.1170/B.B | Nipple, adaptor | ... | ... | ... | ... | ... | ... | — | — |
| 28F/9584 | AGS.1148/B | Nut, 1/4" B.S.P. | ... | ... | ... | ... | ... | ... | — | — |
| 28M/802 | AGS.113.C | Nut, wing, 2 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28M/10287 | AGS.2001.B.1 | Nut, 4 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28M/10327 | AGS.2002.B.1 | Nut, 4 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28M/10328 | AGS.2002.C.1 | Nut, 2 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28P/19225 | SP.90.C.3 | Pin, split | ... | ... | ... | ... | ... | ... | — | — |
| 28F/9129567 | AGS.1146/B | Union, body | ... | ... | ... | ... | ... | ... | — | — |
| 28F/9428453 | AGS.1186/B | Washer, sealing | ... | ... | ... | ... | ... | ... | — | — |
| 28W/9419474 | SP.15.B | Washer, 4 B.A.... | ... | ... | ... | ... | ... | ... | — | — |
| 28W/9419475 | SP.15.C | Washer, 2 B.A.... | ... | ... | ... | ... | ... | ... | — | — |
| 28W/9419486 | SP.16.B | Washer, 4 B.A.... | ... | ... | ... | ... | ... | ... | — | — |
| 28W/9419404 | SP.16.C | Washer, 2 B.A.... | ... | ... | ... | ... | ... | ... | — | — |
| 28W/9419491 | SP.16.N | Washer, 1/2" B.S.F. | ... | ... | ... | ... | ... | ... | — | — |

RESTRICTED

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|----------|-------------|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| | | | | | | | | | | |

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

