

TAIL UNIT-FIN

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9338	D.223171	FIN, GROUP (Less Actuator, Servo Motor and support bracket)					1	—	A.	PB.1
		(Complementary parts, e.g., inter component attachments are listed on Page PE.1 and will not be supplied with the assembly spare)								
—	C.203729	Autostabiliser, assembly (See Section "EF")					—	—	—	
	F.202220	Angle, for spring anchorage					1	L.72		
2930	A.185164	Angle, skin support, at lower diaphragm, port					1	DTD.610	MR/C	PB.2
2931	A.185165	Angle, skin support, at lower diaphragm, starboard					1	DTD.610	MR/C	PB.2
2932	F.183048	Angle, shroud attachment to rib 'G'					1	DTD.610	MR/C	PB.1
2933	F.183050	Angle, shroud attachment to rib 'H'					1	DTD.610	MR/C	PB.1
	B.227637	Angle, support, at detachable tip, port					1	DTD.610		PB.2
	B.227638	Angle, support, at detachable tip, starboard					1	DTD.610		PB.2
2A/9500442	BAM. $\frac{1}{8}$	Bearing, lower hinge					1	—	B.	
2A/9500466	BAA. $\frac{1}{8}$ B	Bearing, upper hinge					1	—	B.	
1602	F.192389	Bolt, lower hinge bearing					1	S.94.B	C.	PB.1
1603	Std.1700/1C	Bolt, attachment of rear end detachable portion					16	S.95.B	C.	5
	A.184161	BRACKET, RUDDER CONTROL, UPPER, ASSEMBLY					—	—		
	B.222601	Bracket, starboard					1	L.72		PB.2
2937	B.184159	Bracket, port					1	DTD.610	MR/C	PB.2
2938	F.184160	Stiffener					1	DTD.610	MR/C	PB.2
2939	A.183547	Bracket, rudder control, lower port					1	S.3	MR/C	PB.2
2940	A.183548	Bracket, rudder control, lower starboard					1	S.3	MR/C	PB.2
3738	Std.840/29	Clip, for duct, upper, $\frac{7}{16}$" wide x 22 S.W.G. x 2-9" long (Make from 30B/1433)					1	DTD.610	MR/C	4
3742	Std.840/37	Clip, for duct, lower, $\frac{7}{16}$" wide x 22 S.W.G. x 3-7" long (Make from 30B/1433)					1	DTD.610	MR/C	4
—	C.171698	CONTROLS, FLYING (See section "DF")					—	—	—	
	F.193403	Duct, for aerial connection, upper					1	L.54		
	A.193404	Duct, for aerial connection, lower					1	L.54		
2941	A.185201	Diaphragm, at tail rib 'D'					1	DTD.610	MR/C	PB.2
2942	A.188102	Diaphragm, at detachable portion					1	DTD.610	MR/C	PB.2
—	D.229649	ELECTRICAL INSTALLATION (For details see section "ED")					—	—	—	
	A.184946	Diaphragm, lower					1	DTD.610		
2944	A.186895	End, tip					1	L.53	MR/C	PB.2
	B.227636	Extension, rear spar					1	DTD.610		
193	C.186356	Fin, detachable portion					1	DTD.610	B.	PB.1
	C.172170	Former, front					1	DTD.610		
	F.183345	HINGE, TOP, ASSEMBLY					—	—		
2948	B.183142	Bracket, upper					1	DTD.610	MR/C	PB.2
2949	B.183143	Bracket, lower					1	DTD.610	MR/C	PB.2
2950	A.177845	Hinge					1	—	MR/C	PB.1

TAIL UNIT-FIN

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	F.183358	HINGE, BOTTOM, ASSEMBLY					-	-		
2951	F.182991	Angle, bottom					1	DTD.610	MR/C	PB.1
2952	A.172196	Fitting, hinge					1	-	MR/C	PB.1
2953	F.182992	Stop					1	LFS.21	MR/C	PB.1
2954	B.182990	Rib, tail 'D1'					1	DTD.610	MR/C	PB.2
2955	B.183260	Rib					1	DTD.610	MR/C	PB.2
3815	Std.1547/20/14	Washer, profile					2	DTD.610	MR/C	4
	B.184334	PANEL, ACCESS, ASSEMBLY					-	-		
2956	B.184094	Landing, port					1	DTD.610	MR/C	PB.1
2957	B.184095	Landing, starboard					1	DTD.610	MR/C	PB.1
191	B.183993	Panel, access to rudder controls, port ...					1	DTD.610	C.	PB.1
192	B.183994	Panel, access to rudder control, starboard					1	DTD.610	C.	PB.1
	B.203386	PANEL, ACCESS, STARBOARD CENTRE, ASSEMBLY ...					-	-		
9405	A.203387	Panel, access					1	L.72	C.	PB.1
9406	B.203448	Panel, rear access ^{REAR} between ribs 'E1' and 'F'					1	L.72	B.	PB.1
	C.216175	PANEL, REAR ACCESS, ASSEMBLY					-	-		
1603	Std.1700/1C	Bolt					14	S.95.B	C.	5
	C.222459	Landing					1	L.72		PB.1
9404	B.216176	Panel, access					1	L.72	C.	PB.1
2959	A.183897	Plate, cover, rib 'A'					1	DTD.610	MR/C	PB.2
	D.222456	Rib, interspar, 'A' group					1	-		PB.2
	F.183929	Angle, forward and intermediate					1	DTD.364		
	F.183930	Angle, rear					2	DTD.364		
	D.184098/2	Boom, port					1	DTD.364		
	D.184098/3	Boom, starboard					1	DTD.364		
	B.172194	Fitting, attachment, rear, port					1	Stpg.		
	B.172195	Fitting, attachment, rear, starboard ...					1	Stpg.		
	B.172193	Fitting, attachment, forward					2	Stpg.		
	A.172211	Fitting, tie, aft					1	DTD.364		
	A.172208	Fitting, tie, forward					1	DTD.364		
2961	B.183362	Rib, interspar 'B'					1	DTD.611	MR/C	PB.2
2962	B.183363	Rib, interspar 'C'					1	DTD.610	MR/C	PB.2
2963	B.183364	Rib, interspar 'D'					1	DTD.610	MR/C	PB.2
2964	B.183365	Rib, interspar 'D'					1	DTD.610	MR/C	PB.2
2965	B.183366	Rib, interspar 'E'					1	DTD.610	MR/C	PB.2
	B.222455	Rib, interspar 'E1'					1	L.72		PB.2
	B.222454	Rib, interspar 'F,' group					1	-		PB.2
	F.206970	Angle, mounting					1	L.72		
	F.203693	Bracket, mounting					1	S.3		
2968	B.183369	Rib, interspar 'G'					1	DTD.610	MR/C	PB.2
2969	B.183370	Rib, interspar 'H'					1	DTD.610	MR/C	PB.2
2970	B.183035	Rib, top interspar					1	DTD.610	MR/C	PB.2
2971	B.183579	Rib, nose 'B'					1	DTD.610	MR/C	PB.2
2972	B.183580	Rib, nose 'C'					1	DTD.610	MR/C	PB.2
2973	B.183581	Rib, nose 'D'					1	DTD.610	MR/C	PB.2
2974	B.183582	Rib, nose 'E'					1	DTD.610	MR/C	PB.2
2975	B.183583	Rib, nose 'F'					1	DTD.610	MR/C	PB.2
2976	B.183584	Rib, nose 'G'					1	DTD.610	MR/C	PB.2
2977	B.183148	Rib, nose 'H'					1	-	MR/C	PB.2

Hunter T. Mk. 7
 Issued with A/L No. 3

TAIL UNIT-FIN


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
2978	C.227639	Rib, top, at detachable tip	1	DTD.610	MR/C	PB.2
2979	C.185845	Rib, bottom	1	DTD.610	MR/C	PB.2
2980	B.182978	Rib, tail 'D'	1	DTD.610	MR/C	PB.2
	B.222453	Rib, tail 'E1'	1	L.72		PB.2
	B.222460	Rib, tail 'F'	1	L.72		PB.2
2983	B.182998	Rib, tail 'G'	1	DTD.610	MR/C	PB.2
2984	B.182999	Rib, tail 'H'	1	DTD.610	MR/C	PB.2
2985	A.183037	Rib, tail 'J'	1	DTD.610	MR/C	PB.2
2986	B.185416	Rib, lower, between rear spar and diaphragm	1	DTD.610	MR/C	PB.2
3779	Std.1356/15	Shim, lower hinge bearing	2	Laminated Aluminium	MR/C	4
3778	Std.1356/13	Shim, upper hinge bearing	2	Laminated Aluminium	MR/C	4
2987	D.183216	Shroud, below rib 'D'	1	DTD.610	MR/C	PB.2
2988	B.183040	Shroud, between tail ribs 'D' and 'D1'	1	DTD.610	MR/C	PB.2
2989	B.183042	Shroud, between tail ribs 'F' and 'G'	1	DTD.610	MR/C	PB.2
2990	B.183043	Shroud, between tail ribs 'G' and 'H'	1	DTD.610	MR/C	PB.2
2991	B.183044	Shroud, between tail ribs 'H' and top rib	1	DTD.610	MR/C	PB.2
2992	B.183045	Shroud, between top rib and tail rib 'J'	1	DTD.610	MR/C	PB.2
2993	B.183229	Shroud, top	1	DTD.610	MR/C	PB.2
	D.183316	Spar, front	1	DTD.610		
	D.183317	Spar, rear	1	DTD.610		
2994	F.183820	Stiffener, between tail ribs 'D' and 'D1'	1	DTD.610	MR/C	PB.2
	B.222457	Stiffener, starboard	1	DTD.364		
2996	A.183823	Stiffener, port	1	DTD.364	MR/C	PB.2
2997	F.183835	Stiffener	2	DTD.364	MR/C	PB.2
2998	F.183821	Stiffener, skin, tip portion	1	DTD.364	MR/C	PB.2
	D.223171/2	Skin, main, port	1	L.72		PB.1
	D.223171/3	Skin, main, starboard	1	L.72		PB.1
	D.223171/1	Skin, nose	1	L.72		PB.1
	D.223171/4	Skin, tip, port	1	L.72		PB.1
	D.223171/5	Skin, tip, starboard	1	L.72		PB.1
4892	D.204063	Tip, detachable	1	Lam. Paper	B.	PB.1
	A.186592	Tube, slinging	1	—		
26AQ/3804	F.195139	Washer, special, lower hinge bearing	2	S.1 or S.3	MR/C	
3769	Std.915/G12	Washer, upper hinge bearing	2	DTD.610	MR/C	4


TAIL UNIT-FIN


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.		
		1	2	3	4	5						
SUMMARY OF STOCK ITEMS												
28D/1010658	A25.1.B	Bolt,	4	B.A.	-	-	-
28D/9133011	A25.2.C	Bolt,	2	B.A.	-	-	-
28D/8306	AS.1242/1C	Bolt,	2	B.A.	-	-	-
28D/13132	AS.3297/1C	Bolt,	2	B.A.	-	-	-
28D/14129	A30/12G	Bolt,	$\frac{5}{16}$ "	B.S.F.	-	-	-
28M/9435067	AGS.2008/C1	Nut,	2	B.A.	-	-	-
28M/10327	AGS.2002/B1	Nut,	4	B.A.	-	-	-
28M/9403520	A27.CP	Nut,	2	B.A.	-	-	-
28M/7727	AGS.572/E	Nut,	$\frac{1}{2}$ "	B.S.F.	-	-	-
28M/13122	A27.G.S	Nut,	$\frac{5}{16}$ "	B.S.F.	-	-	-
28P/19154	SP.90.C.7	Pin,	split	-	-	-
28S/2862	A32.C.16	Screw,	2	B.A.	-	-	-
28S/2832	A33.C.28	Screw,	2	B.A.	-	-	-
28W/9419474	SP.15B	Washer,	4	B.A.	-	-	-
28W/9419475	SP.15C	Washer,	2	B.A.	-	-	-
28W/9419476	SP.15G	Washer,	$\frac{5}{16}$ "	dia.	-	-	-
28W/9419477	SP.15J	Washer,	$\frac{3}{8}$ "	dia.	-	-	-
28W/9419404	SP.16C	Washer,	2	B.A.	-	-	-


RESTRICTED

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				









This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

