

UNDERCARRIAGE—NOSE WHEEL DOORS

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|-----------|--------------------------|---|---------|------------------------|---------------------|-----------|
| | | | | | | |
| | | DOORS, NOSE WHEEL, ASSEMBLY | — | — | | |
| 9784 | D.208239 Std.323/66.N | Bolt , attachment of operating rod to rear nose wheel door | 2 | S.95.B | C. | 4 |
| 682 | F.188114 | Bolt , rear door attachment to keel member | 2 | S.94.B | C. | RE.1 |
| 8619 | E.208293 | Door , forward, group | 1 | — | A. | RE.1 |
| 685 | Std.323/48 | Bolt , attachment of door lock micro switch lever | 2 | S.95.B | C. | 4 |
| 9787 | Std.1988/110/N | Bolt , attachment of operating lever to hinge | 2 | S.95.B or S.94.B | C. | RE.1 |
| 8445 | Std.1629/1/BX. | Bolt , special, for attachment of door lock cover... | 6 | S.95.B | C. | 5 |
| 8444 | Std.1639/9/BX. | Bolt , special, for attachment of micro switch | 4 | S.95.B | C. | 5 |
| 26AQ/3765 | Std.1639/1/CX. | Bolt , special, for attachment of spigot housing | 4 | S.96.B | C. | 5 |
| 684 | F.170586 | Bolt , hinge | 2 | S.95.B | C. | RE.1 |
| 8504 | F.218847 | Bolt , lock attachment | 4 | S.95.B | C. | RE.1 |
| 8509 | F.220194 | Bolt , attachment | 4 | S.96.B | C. | RE.1 |
| 8967 | A.207861 | Bracket , door lock cover support, port | 1 | S.3 | C. | RE.1 |
| 8968 | A.207862 | Bracket , door lock cover support, starboard | 1 | S.3 | C. | RE.1 |
| — | B.221041 | Cable , group F.35 (See cable chart) | 1 | — | — | — |
| 9330 | A.222787 | Cover , door lock, port | 1 | S.510 | C. | RE.1 |
| 9331 | A.222788 | Cover , door lock, starboard | 1 | S.510 | C. | RE.1 |
| 6168 | Hellermann 2553 | Grommet | 2 | — | C. | — |
| 8969 | A.210748 | Guide , for operating rod | 2 | — | C. | RE.1 |
| 691 | B.188320 | Hinge , port | 1 | Stmpg. | C. | RE.1 |
| 692 | B.188321 | Hinge , starboard | 1 | Stmpg. | C. | RE.1 |
| 8970 | A.215909 | Housing , for spigot, port | 1 | L.65.C | C. | RE.1 |
| 8971 | A.215910 | Housing , for spigot, starboard | 1 | L.65 | C. | RE.1 |
| 8500 | F.218878 | Housing , spring, port | 1 | — | C. | RE.1 |
| 8501 | F.218879 | Housing , spring, starboard | 1 | — | C. | RE.1 |
| 8503 | F.218761 | Lever , at door lock | 2 | S.95.B | C. | — |
| 9549 | B.222397 | Lever , hinge, port, group | 1 | — | B. | RE.1 |
| 4488 | Std.1718/1 | Nut , | 1 | — | C. | 4 |
| 8420 | F.217874 | Pin , | 1 | S.94 | C. | RE.1 |
| 9550 | B.222398 | Lever , hinge, starboard, group | 1 | — | B. | RE.1 |
| 4488 | Std.1718/1 | Nut , | 1 | — | C. | 4 |
| 8420 | F.217874 | Pin , | 1 | S.94 | C. | RE.1 |
| 6622 | F.210047 | Lever , door lock micro switch, port, group | 1 | — | C. | RE.1 |
| | F.208012 | Bolt | 1 | S.95.B | | |
| 6623 | F.210048 | Lever , door lock micro switch, starboard, group | 1 | — | C. | RE.1 |
| | F.208012 | Bolt | 1 | S.95.B | | |
| 8455 | B.219281 | Lock , door group | 2 | — | B. | RE.1 |
| | Std.1231/4B | Lug , locking | 2 | — | | |
| 697 | F.187678 | Piece , filling, hinge, port | 1 | LFS.21 | C. | RE.1 |
| 698 | F.187679 | Piece , filling, hinge, starboard | 1 | LFS.21 | C. | RE.1 |
| 699 | F.187671 | Pin , attachment of door lock lever to operating rod | 2 | S.1 | C. | RE.1 |
| 9428 | F.221625 | Pin , at door lock lever | 4 | Piano Wire | C. | — |
| 8499 | B.218821 | Rod , operating, door locks | 2 | — | C. | RE.1 |
| 4211 | Std.1687/2 | Saddle | 1 | DTD 610 | C. | 5 |
| 702 | Std.1208/75/25/10 | Shim , washer, at attachment of hinge bolt | QR | Shim Steel | C. | RE.1 |
| 8502 | F.218763 | Slide , for spring in housing | 2 | BSS.369 | C. | RE.1 |
| 6239 | F.205562 | Spring , at door lock | 2 | Sp. St. | C. | RE.1 |
| 6624 | F.209950 | Stop , door lock, micro switch lever | 2 | S.95.B | C. | RE.1 |

UNDERCARRIAGE—NOSE WHEEL DOORS

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|--------------------|-------------|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 5F/2281 | Hellermann HV.3341 | | | | | | 3" | — | C. | |
| 5F/2302 | Hellermann HV.3342 | | | | | | 1 | — | C. | |
| 5CW/5982 | Pye | | | | | | 2 | — | B. | |
| 3785 | Std.1507/24/078 | | | | | | 2 | T.4 | MR/C | RE.1 |
| 4150 | Std.915/C22 | | | | | | 2 | — | C. | |
| 8620 | E.208311 | | | | | | 1 | — | A. | RE.1 |
| 703 | F.183256 | | | | | | 2 | — | C. | RE.1 |
| 704 | F.187373 | | | | | | 1 | Casting | C. | RE.1 |
| 705 | F.187374 | | | | | | 1 | Casting | C. | RE.1 |
| | A.224732 | | | | | | 1 | — | | |
| | B.224733 | | | | | | 1 | — | | |
| 8972 | F.208322 | | | | | | 1 | L.72 | C. | RE.1 |
| | F.224734 | | | | | | 6 | L.72 | | |
| 8973 | F.211656 | | | | | | 2 | S.94.B | C. | RE.1 |
| 8974 | A.208260 | | | | | | 2 | — | B. | RE.1 |
| 709 | F.187818 | | | | | | 1 | DTD.239 | C. | RE.1 |
| 710 | Std.1208/62/20/5 | | | | | | QR | Shim Steel | C. | 4 |

Hunter T. Mk. 7
 Issued with A/L No. 11

UNDERCARRIAGE—NOSE WHEEL DOORS

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|-------------------------------|--------------|---------------------|--------|-----|-----|-----|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| SUMMARY OF STOCK ITEMS | | | | | | | | | | |
| 28D/1010142 | A25.9.B | Bolt, 4 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28D/9436920 | A25.1.C | Bolt, 2 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28D/9133011 | A25.2.C | Bolt, 2 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28D/9133012 | A25.3.C | Bolt, 2 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28D/12533 | A25.5.C | Bolt, 2 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28D/12536 | A25.13.C | Bolt, 2 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28D/1011246 | A25.11.E | Bolt, 1/4" | B.S.F. | ... | ... | ... | ... | ... | — | — |
| 28D/8307 | AS.1242.2.C | Bolt, 2 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28D/8316 | AS.1242.13.C | Bolt, 2 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28D/1013284 | AS.1248.2.C | Bolt, 2 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28D/1013301 | AS.1248/4.C | Bolt, 2 | B.A. | ... | ... | ... | ... | ... | — | — |
| 5K/2871 | SP.40.A.12 | Grommet | | ... | ... | ... | ... | ... | — | — |
| 5K/2867 | SP.40.A.14 | Grommet | | ... | ... | ... | ... | ... | — | — |
| 28N/9156370 | SP.21 | Nipple, lubricating | | ... | ... | ... | ... | ... | — | — |
| 28M/9403520 | A27.CP | Nut, 2 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28M/13121 | A27.CS | Nut, 2 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28M/1006473 | A27.CT | Nut, 2 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28M/1011467 | A27.ES | Nut, 1/4" | B.S.F. | ... | ... | ... | ... | ... | — | — |
| 28M/1011476 | A27.JS | Nut, 3/8" | B.S.F. | ... | ... | ... | ... | ... | — | — |
| 28M/10328 | AGS.2002/C.1 | Nut, 2 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28M/10215 | AGS.2008/B.1 | Nut, 4 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28P/19225 | SP.90.C.3 | Pin, split | | ... | ... | ... | ... | ... | — | — |
| 28P/19154 | SP.90.C.7 | Pin, split | | ... | ... | ... | ... | ... | — | — |
| 28P/19229 | SP.90.C.9 | Pin, split | | ... | ... | ... | ... | ... | — | — |
| 28P/19128 | SP.90.E.4 | Pin, split | | ... | ... | ... | ... | ... | — | — |
| 28S/2857 | A32.B.12 | Screw, 4 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28S/14005 | A32.B.14 | Screw, 4 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28W/9419454 | SP.10.C | Washer, 2 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28W/9419465 | SP.13.B | Washer, 4 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28W/9419402 | SP.13.C | Washer, 2 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28W/9418921 | SP.13.E | Washer, 1/4" | dia. | ... | ... | ... | ... | ... | — | — |
| 28W/9419403 | SP.13.G | Washer, 5/16" | dia. | ... | ... | ... | ... | ... | — | — |
| 28W/9419466 | SP.13.J | Washer, 3/8" | dia. | ... | ... | ... | ... | ... | — | — |
| 28W/9419474 | SP.15.B | Washer, 4 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28W/9419475 | SP.15.C | Washer, 2 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28W/9419404 | SP.16.C | Washer, 2 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28W/9416316 | SP.41.E | Washer, 1/4" | dia. | ... | ... | ... | ... | ... | — | — |
| 28W/704 | AGS.194/4 | Washer, tab | | ... | ... | ... | ... | ... | — | — |

RESTRICTED

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|----------|-------------|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| | | | | | | | | | | |



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.