


L.H. CONSOLE CONTROLS ARRANGEMENT

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Score or L.M	Place No.
	—	CONTROLS FROM L.H. CONSOLE	1	—	—	CK1
		(Drg. No. 10-20 CE 3533)				
4071	10-20 CE 1955	CABLE , air shut off, coded No. 8, assembly ...	1	—	C	CK1
4074	10-20 CE 1961	CABLE , air shut off, coded No. 7, assembly ...	1	—	C	CK1
4072	10-20 CE 1967	CABLE , air temperature, coded No. 10, assembly ...	1	—	C	CK1
4073	10-20 CE 1973	CABLE , air temperature, coded No. 9, assembly ...	1	—	C	CK1
4068	10-20 CE 2019	CABLE , arrester hook, coded No. 23, assembly ...	1	—	C	CK1
4067	10-20 CE 2029	CABLE , arrester hook, coded No. 24, assembly ...	1	—	C	CK1
4070	10-20 CE 2011	CABLE , emergency air brake, coded No. 21, assembly ...	1	—	C	CK1
4069	10-20 CE 1929	CABLE , fuel crossfeed, coded No. 1, assembly ...	1	—	C	CK1
4066	10-20 CE 1933	CABLE , fuel crossfeed, coded No. 2, assembly ...	1	—	C	CK1
4064	10-20 CE 1977	CABLE , ram air, coded No. 11, assembly ...	1	—	C	CK1
4065	10-20 CE 1979	CABLE , ram air, coded, No. 12, assembly ...	1	—	C	CK1
28M/1006504	A27/BT	NUT , 4 BA, air temperature control cable ...	1	—	C	
28P/1009706	SP.4Y/A2	PIN , shackle, $\frac{3}{8}$ " dia., fuel crossfeed and arrester hook cables	4	—	C	
		Attachments for SP.4Y/A2, Pin :—				
28P/9527619	SP.90/C7	PIN , split (SP.9/C8)	4	—	C	
28P/830	SP.4Y/B4	PIN , shackle, $\frac{3}{8}$ " dia., emergency air brake cable ...	1	—	C	
		Attachments for SP.4Y/B4, Pin :—				
28P/9527619	SP.90/C7	PIN , split (SP.9/C8)	1	—	C	
8309	10-20 CE 3529A	ROD , connecting, arrester hook control, assembly	1	—	P	CK1
		Spares for :—				
	10-20 CE 1373A	FORK-END , assembly	1	—	—	CK1
		Spares for :—				
4060	10-20 CE 1377	BUSH (See Repair Section PA)	1	—	C	CK1
		Attachments for 10-20 CE 1373A, Fork-end :—				
2044	DHS.94/4/65	PIN , ground steel, $\frac{1}{8}$ " dia.	2	—	C	CK1
28M/1011470	A27/GT	NUT , $\frac{1}{8}$ " BSF	1	—	C	
8310	10-20 CE 1147A	ROD-END , bearing	1	—	P	
		Spares for :—				
28N/13510	HOFFMANN CJ.0	JOINT , self aligning	1	—	C	CK1
4062	10-20 CE 1375	SOCKET , end	1	—	C	CK1
		Attachments for 10-20 CE 1375, Socket :—				
2044	DHS.94/4/65	PIN , ground steel, $\frac{1}{8}$ " dia.	2	—	C	CK1
		Attachments for 10-20 CE 3529A, Rod :—				
28D/14526	A57/6E	Bolt , $\frac{1}{8}$ " BSF	1	—	C	
28M/5808573	A27/CS	Nut , 2 BA	1	—	C	
28M/13935	A58/ES	Nut , $\frac{1}{8}$ " BSF	1	—	C	
28P/9527619	SP.90/C7	PIN , split (SP.9/C8)	2	—	C	
	AS.2806/5/025	Tube , distance, $\frac{1}{8}$ " o/d x 22 SWG x 0"·25 long ...	1	T.35 or T.45	LM	CK1
19077	10-20 CE 8133	Washer (Mod. 1351)	1	—	C	
28W/9418920	SP.10/E	Washer	1	—	C	
4063	10-20 CE 1371A	ROD , connecting, fuel transfer control, assembly ...	1	—	P	CK1
	10-20 CE 1373A	FORK-END , assembly	1	—	—	CK1
		Spares for :—				
4060	10-20 CE 1377	BUSH (See Repair Section PA)	1	—	C	CK1
		Attachments for 10-20 CE 1373A, Fork-end :—				
2044	DHS.94/4/65	PIN , ground steel, $\frac{1}{8}$ " dia.	2	—	C	CK1
28M/1011470	A27/GT	NUT , $\frac{1}{8}$ " BSF	1	—	C	
28R/13509	HOFFMANN CM.2B	ROD-END , bearing	1	—	C	CK1

CONTROLS

L.H. CONSOLE CONTROLS ARRANGEMENT

Ref. No.	Part No.	Description	No. of	Material Specification	Class of Score or L.M.	Plate No.
4062	10-20 CE 1375	SOCKET , end	1	—	C	CK1
2044	DHS.94/4/65	Attachments for 10-20 CE 1375, Socket :— Pin, ground steel, $\frac{3}{8}$ " dia.	2	—	C	CK1
4137	10-20 CE 1383	STUD , pulley attachment	1	—	C	CK1
28M/1006473	A27/CT	Attachments for 10-20 CE 1383, Stud :— Nut, 2 BA	1	—	C	
28W/9419454	SP.10/C	Washer	1	—	C	
28D/14526	A57/6E	Attachments for 10-20 CE 1371A, Rod :— Bolt, $\frac{1}{4}$ " BSF	1	—	C	
28M/13935	A58/ES	Nut, $\frac{1}{4}$ " BSF	1	—	C	
28M/5808573	A27/CS	Nut, 2 BA	1	—	C	
28P/9527619	SP.90/C7	Pin, split (SP.9/C8)	2	—	C	
	AS.2806/5/025	Tube, distance, $\frac{5}{16}$ " o/d x 22 SWG x 0".25 long ...	1	T.35 or T.45	LM	CK1
28W/9419454	SP.10/C	Washer	1	—	C	
28W/9418920	SP.10/E	Washer	1	—	C	
28U/15097	SP.35/B	ROD , tension, air shut off and ram air cables ...	2	—	C	
28M/1006504	A27/BT	Attachments for SP.35/B, Rod :— Nut, 4 BA	2	—	C	
28M/13141	A27/BTL	Nut, 4 BA, L.H. thread	2	—	C	
28U/14774	SP.33/B	TURNBARREL , 4 BA, air shut off and ram air cables	2	—	C	
28M/1006504	A27/BT	Attachments for SP.33/B, Turnbarrel :— Nut, 4 BA	1	—	C	
28M/13141	A27/BTL	Nut, 4 BA, L.H. thread	1	—	C	



L.H. CONSOLE CONTROLS
DRG. No. IO.20 CE 3533

CK. I

CONTROLS

L.H. CONSOLE CONTROLS

RESTRICTED

CK. I

[A.L. 51]

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

