

ELECTRICAL INSTALLATIONS

INSTALLATION OF L.A.B.S. SYSTEM, CODED "AL"

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or LM	Plate No.
	—	INSTALLATION OF L.A.B.S. SYSTEM, CODED "AL" (Drg. Nos. 10-20 N 11209 Mod. 96, 10-20 A 2063 Mod. 96, 10-20 A 5591 Mod. 5108 SPECIAL ORDER ONLY)	1	—	—	
	—	INSTALLATION AT RIB "O" STN. 194"00 (Drg. Nos. 10-20 A 2063, 10-20 N 11421, 10-20 N 11209, 10-20 A 5591 SPECIAL ORDER ONLY)	1	—	—	
9/4612	—	ACCELEROMETER , coded "LE," assembly ... (SPECIAL ORDER ONLY) (SERVICE SUPPLY AND FIT) Attachments for Ref. No. 9/4612, Accelerometer: —	1	—	P	EAA1 EAA3
5612 28W/9419465	A25/1B/DHS.514/D SP.13/B	Bolt, 4 BA (Alternative S21/A25/1B)	2	—	C	
		Washer	2	—	C	
	10-20 A 2215	ACCELEROMETER-DUMMY , coded "LE," assembly Attachments for 10-20 A 2215, Accelerometer-Dummy: —	1	—	LM	EAA1 EAA3
5612 28W/9419465	A25/1B/DHS.514/D SP.13/B	Bolt, 4 BA (Alternative S21/A25/1B)	2	—	C	
		Washer	2	—	C	
	10-20 N 20767A	CABLE , bung "Q9," coded "FA-Q," assembly (Mod. 1016) (For cables circuit coded "AL")	1	—	ECC	EAA1
	—	INSTALLATION AT REAR PRESSURE BULK-HEAD, CODED "Q" (Drg. Nos. 10-20 N 10635 Mod. 2, 10-20 N 14755 Mod. 738, 10-20 N 11209 Mod. 96)	1	—	—	
	—	BLOCK , fuse, coded "H," group	1	—	—	
10H/23864	—	BLOCK , fuse, 12-way (See sub-section EBV)	1	—	—	
	—	FUSE , 5 amp.	1	—	C	EAA1
	—	BLOCK , fuse, coded "K," group	1	—	—	
10H/23862	—	BLOCK , fuse, 12-way (See sub-section EBV)	1	—	—	
10H/23864	—	FUSE , 10 amp.	1	—	C	EAA1
	—	FUSE , 5 amp.	1	—	C	EAA1
	—	BLOCK , terminal, coded "AB," group	1	—	—	
	DHS.456/10	BLOCK , terminal, 10-way, assembly ... (For breakdown see DHS. Data Sheet)	1	—	—	EAA1
5X/3275 5X/9450403	PLESSEY CX.26808	COVER , terminal block	1	—	P	
	PLESSEY Z.28426	PILLAR , fixing, 4 BA (5340-99-945-0403) ...	2	—	C	
	10-20 N 11049A	CABLE , coded "AH-BE4.Q," assembly	1	—	ECC	EAA1
	10-20 N 11055A	CABLE , coded "AJ.NZ-BF3.Q," assembly	1	—	ECC	EAA1
	10-20 N 9/583 Mk. 5	CABLE , coded "5.E*2.AL-AL.NZ.A.17," assembly	1	—	ECC	EAA1
	10-20 N 9/583 Mk. 6	CABLE , coded "9.AB.Q.AL-AL.NZ.A.9," assembly	1	—	ECC	EAA1
	10-20 N 9/583 Mk. 1	CABLE , coded "18.K.Q.ALC-ALC.NY.12," assembly	1	—	ECC	EAA1
	10-20 N 9/583 Mk. 8	CABLE , coded "22.H.Q.ALA-ALA.NZ.B.7," assembly	1	—	ECC	EAA1

ELECTRICAL INSTALLATIONS

INSTALLATION OF L.A.B.S. SYSTEM, CODED "AL"

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M	Plate No.
	10-20 N 9/583 Mk. 7	CABLE , coded "24.K.Q.ALB-ALB.NZ.A.8," assembly	1	—	ECC	EAA1
28M/10288	AGS.2001/C/1	TERMINAL , earth, station 2, coded "E," group	1	—	—	
26DV/7529	DHS.438/C	NUT , 2 BA	2	—	C	
26DV/4969	DHS.437/C	TAG , corrosion	1	L.16	C	EAA1
28W/9419475	SP.15/C	TERMINAL , earth, assembly (For breakdown see DHS. Data Sheet)	1	—	C	
		WASHER	2	—	C	
		INSTALLATION IN REAR COCKPIT, STARBOARD (Drg. Nos. 10-20 A 2063, 10-20 N 11209, 10-20 A 5591 SPECIAL ORDER ONLY)	1	—	—	
9/4609	—	GYRO , vertical, coded "AH" (SPECIAL ORDER ONLY) (SERVICE SUPPLY AND FIT) Attachments for Ref. No. 9/4609, Gyro:—	1	—	P	EAA1
14080	10-20 FS 15303	Nut, special	4	—	C	EAA3
28M/10328	AGS.2002/C/1	Nut, 2 BA	4	—	C	
14081	10-20 FS 15301	Stud, special	4	—	C	EAA3
28W/9419454	AS.2811/5/035 SP.10/C	Tube, distance, $\frac{3}{8}$ " o/d x 17 SWG x 0"-35 long...	4	L.62	LM	
		Washer	4	—	C	
9/4610	—	GYRO , yaw and roll, coded "AJ" (SPECIAL ORDER ONLY) (SERVICE SUPPLY AND FIT) Attachments for Ref. No. 9/4610, Gyro:—	1	—	P	EAA1
28M/9438427	A126/C	Nut, UNC, 2B	4	—	C	
28M/10328	AGS.2002/C/1	Nut, 2 BA	4	—	C	
15958	10-20 FS 17315	Stud, special (Mod. 790)	4	—	C	EAA3
28W/9419454	AS.2811/5/035 SP.10/C	Tube, distance, $\frac{3}{8}$ " o/d x 17 SWG x 0"-35 long...	4	L.62	LM	
		Washer	4	—	C	
		INSTALLATION AT RELAY GROUP, CODED "NZ" (Drg. Nos. 10-20 N 10767, 10-20 N 11209)	1	—	—	
18807	10-20 N 23039A	BOX , relay, coded "NZ," c/w mounting plate and terminal blocks, assembly (Mod. 1232, Pre Mod. 1270 and 1265)	1	—	P	EAA3
19456	10-20 N 23923A	BOX , relay, coded "NZ," c/w mounting plate and terminal blocks, assembly (Mod. 1265, Pre Mod. 1270 and 1061)	1	—	P	EAA3
19369	10-20 N 23885A	BOX , relay, coded "NZ," c/w mounting plate and terminal blocks, assembly (Mod. 1270, Pre Mod. 1265)	1	—	P	EAA3
19457	10-20 N 23935A	BOX , relay, coded "NZ," c/w mounting plate and terminal blocks, assembly (Mod. 1270 and 1265, Pre Mod. 1061)	1	—	P	EAA3
19836	10-20 N 24457A	BOX , relay, coded "NZ," c/w mounting plate and terminal blocks, assembly (Mod. 1270 and 1061)	1	—	P	EAA3
19837	10-20 N 24459A	BOX , relay, coded "NZ," c/w mounting plate and terminal blocks, assembly (Mod. 1061, Pre Mod. 1270)	1	—	P	EAA3

ELECTRICAL INSTALLATIONS

INSTALLATION OF L.A.B.S. SYSTEM, CODED "AL"

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or LM	Plate No.
	—	BLOCK , terminal, coded "A," group ...	1	—	—	EAA1
	DHS.456/20	BLOCK , terminal, 20-way, assembly ... (For breakdown see DHS. Data Sheet)	1	—	—	EAA1
5X/6172	PLESSEY Z.50212	LINK , 4-way, fit to terminals "A" 17 to 20	1	—	C	EAA1
5X/1004082	PLESSEY Z.1004082	LINK , 2-way, fit to terminal "A" 9 to 10, "A" 11 to 12, "A" 4 to 5 (5940-99-100-4082)	3	—	C	EAA1
5195	DHS.849	SCREW , special, fit to terminals "A" 9 to 12 and "A" 17 to 20 inclusive	7	—	C	
28S/1011488	A32/B28	SCREW , terminal, fixing ...	2	—	C	
18806	10-20 N 23023	TERMINAL , dummy (Fit at terminal Nos. 7, 13, 16) Attachments for 10-20 N 23023, Terminal:—	3	—	C	BA13
28S/1200049	A31/A12	Screw, 6 BA ...	1	—	C	
28W/9416641	SP.47/A	Washer ...	1	—	C	
28W/9419465	SP.13/B	WASHER ...	2	—	C	
	—	BLOCK , terminal, coded "B," group ...	1	—	—	EAA1
	DHS.456/20	BLOCK , terminal, 20-way, assembly ... (For breakdown see DHS. Data Sheet)	1	—	—	EAA1
18808	10-20 N 23033	PILLAR , fixing ...	2	—	C	
28S/1009986	A32/B6	SCREW ...	2	—	C	
18806	10-20 N 23023	TERMINAL , dummy (Fit at terminal Nos. 3, 6, 8, 10, 12, 14, 16) Attachments for 10-20 N 23023, Terminal:—	—	—	C	BA13
28S/1200049	A31/A12	Screw, 6 BA ...	1	—	C	
28W/9416641	SP.47/A	Washer ...	1	—	C	
28W/1200328	AGS.2037/B	WASHER , shakeproof ...	2	—	C	
28W/9419465	SP.13/B	WASHER ...	2	—	C	
	10-20 N 15447A	BLOCK , terminal, group ...	1	—	—	
5X/3181	PLESSEY CZ.23212/1	BLOCK , terminal, 20-way, assembly ...	1	—	C	
26DL/15401	DHS.870/2	PILLAR , fixing ...	2	—	C	
5195	DHS.849	SCREW , special, fit to terminals 25 to 29 inclusive	5	—	C	
	10-20 N 23029A	BRACKET , support, assembly ...	1	—	—	
	10-20 N 23027ND	BRACKET , bare, 18 SWG ...	1	L.72	LM	
28M/11957	AGS.2007/C1	NUT , anchor, 2 BA ...	1	—	C	
18809	10-20 N 23037A	GUARD , kick, assembly (Pre Mod. 1270A) ...	1	—	C	
20416	10-20 N 23987A/ND	GUARD , kick, coded "AJH," assembly ... (Mod. 1270A)	1	—	C	EAA3
19370	10-20 N 23761	GUARD , kick ...	1	—	C	EAA3
	10-20 N 23035ND	GUARD , kick, glass fibre, 8 lams. of "009 laminate resin	1	DTD.5518 or DTD.5519	—	
28S/9992533	A32/C20	SCREW ...	2	—	C	
28W/9419402	SP.13/C	WASHER ...	2	—	C	
	10-22 N 561A	BOX , relay, c/w relays, assembly (Mod. 1149, Pre Mod. 1265)	1	—	—	EAA3
	10-22 N 2157A	BOX , relay, c/w relays, assembly (Mod. 1265, Pre Mod. 1061)	1	—	—	EAA3
	10-22 N 1385A	BOX , relay, c/w relays, assembly (Mod. 1061)	1	—	—	EAA3
	10-20 N 10845A	BOX , relay, assembly ...	1	—	—	EAA3

ELECTRICAL INSTALLATIONS

INSTALLATION OF L.A.B.S. SYSTEM, CODED "AL"

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or LM	Plate No.
5X/1588 28M/9434251	10-20 N 10841ND	BRACKET , relay mounting, 18 SWG	1	L.72	LM	EAA3
	PLESSEY Z.15003/2	FERRULE , cut	1	—	C	EAA3
12894	AGS.2008/B/1	NUT , anchor, 4 BA	2	—	C	
	10-20 N 10839ND	PLATE , cable outlet, relay bracket, 18 SWG	1	L.72	LM	EAA3
28D/9128739	10-20 N 10843ND	PLATE , end. relay bracket, 18 SWG ...	1	L.72	LM	EAA3
	10-20 N 10847	COVER , relay, fibreglass (Pre Mod.1061) Attachments for 10-20 N 10847, Cover :—	1	—	C	EAA3
19577	AS.1248/1/2B	Bolt , 4 BA	2	—	C	
	10-22 N 1383A	COVER , relay (Mod. 1061) Attachments for 10-22 N 1383A, Cover :—	1	—	C	EAA3
28S/1214154	AS.2992/5B	Screw , 4 BA	1	—	C	
28S/9995376	A32/B20	Screw , 4 BA	1	—	C	
28W/9419465	SP.13/B	Washer	1	—	C	
	10-22 N 1371A	RELAY , c/w cables, coded "C," assembly (Mod. 1061)	1	—	ECC	EAA3
	10-20 N 10855A	RELAY , c/w cables, coded "D," assembly (Pre Mod. 1061)	1	—	ECC	EAA1 EAA3
	10-22 N 1397A	RELAY , c/w cables, coded "D," assembly (Mod. 1061)	1	—	ECC	EAA3
	10-20 N 10859A	RELAY , c/w cables, coded "F," assembly (Pre Mod. 1061)	1	—	ECC	EAA1 EAA3
	10-22 N 1399A	RELAY , c/w cables, coded "F," assembly (Mod. 1061)	1	—	ECC	EAA3
	10-20 N 10861A/1	RELAY , c/w cables, coded "G," assembly (Pre Mod. 1265)	1	—	ECC	EAA1 EAA3
	10-22 N 2015A	RELAY , c/w cables, coded "G," assembly (Mod. 1265)	1	—	ECC	EAA3
	10-20 N 10863A	RELAY , coded "H," assembly (Not required for the circuit coded "AL." see sub-section ECG) Attachments for 10-22 N 1371A, 10-20 N 10855A, 10-22 N 1397A, 10-20 N 10859A, 10-22 N 1399A, 10-20 N 10861A/1, 10-22 N 2015A or 10-20 N 10863A, Relay :—	—	—	—	
28M/10387	AGS.2002/B/1	Nut , 4 BA	2	—	C	
28S/9992525	A32/B12	Screw , 4 BA	2	—	C	
28W/941946	SP.13/B	Washer	2	—	C	

ELECTRICAL INSTALLATIONS

INSTALLATION OF L.A.B.S. SYSTEM, CODED "AL"

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M	Place No.
	10-22 N 1373A	SWITCH and FUSE, assembly (Mod. 1061)	1	—	—	
	10-22 N 1377	BRACKET, mounting, 16 SWG	1	L72	LM	EAA3
	10-22 N 1373A/ CABLES	CABLE, assembly	1	—	ECC	
10H/0590138		FUSE, lamp (5920-99-059-0138)	1	—	C	
10H/0590170		HOLDER, fuse (5920-99-059-0170)	1	—	P	
5CW/0510577		SWITCH (5930-99-051-0577)	1	—	P	
	AIRCRAFT MARINE PRODUCTS 32300 OR HELLERMANN HC.490	TAG, quick release	QR	—	C	
5X/7298		TAG, quick release	QR	—	C	
28S/9992525	A32/B12	Attachments for 10-22 N 561A, Box :— Screw, 4 BA	4	—	C	
	10-20 N 10837A	PLATE, mounting, assembly	1	—	—	EAA3
28M/9434251	AGS.2008/B/1	NUT, anchor, 4 BA	8	—	C	
	10-20 N 23833	PACKING, terminal block	1	—	—	EAA3
	10-20 N 10835ND	PLATE, bare	1	—	—	EAA3
		Attachments for 10-20 N 23039A, 10-20 N 23923A, 10-20 N 23885A, 10-20 N 23935A, 10-20 N 24457A or 10-20 N 24459A, Box :—				
28S/1011490	A32/C16	Screw, 2 BA	4	—	C	
	10-20 N 23051A	CABLE, coded "BE3," assembly (Mod. 1247)	1	—	ECC	EAA2
	10-22 N 1387A	CABLE, coded "BE3-NZ," assembly (Mod. 1061)	1	—	ECC	
	10-20 N 12911A	CABLE, coded "NZ-NW," assembly (Mod. 491)	1	—	ECC	EAA1
	10-20 N 9/583 Mk. 3	CABLE, coded "1.A.NZ.AL-AL.NY.16," assembly	1	—	ECC	EAA2
	10-20 N 9/583 Mk. 2	CABLE, coded "2.A.NZ.AL-AL.NY.15," assembly	1	—	ECC	EAA2
	10-20 N 9/583 Mk. 4	CABLE, coded "3.A.NZ.AL-AL.NY.17," assembly	1	—	ECC	EAA2
	10-20 N 9/583 Mk. 10	CABLE, coded "13.B.NZ.ALC-ALC.NY.12," assembly (Mod. 491)	1	—	ECC	EAA2
	10-22 N 2485A	CABLE, coded "NZ-B-AHX," assembly	1	—	ECC	
		INSTALLATION AT CANOPY DECKING (Drg. No. 10-20 N 11209)	1	—	—	
		BLOCK, terminal, coded "AHU," group	1	—	—	
5CZ/	WARD BROOKE WB/1110/S/3B	BLOCK, terminal, 3-way, assembly	1	—	C	EAA2
5CZ/6109	WARD BROOKE WB/1110/3	COVER, terminal block	1	—	C	
5CZ/6583	WARD BROOKE WB/1110/40	LINK, commoning	1	—	C	EAA2
5CZ/6424	WARD BROOKE WB/1114/28	PILLAR, fixing	2	—	C	
28S/1212705	A40/B10	SCREW, 4 BA	2	—	C	
28W/1200328	AGS.2037/B	WASHER, shakeproof	2	—	C	
28W/9419474	SP.15/B	WASHER	2	—	C	

ELECTRICAL INSTALLATIONS

INSTALLATION OF L.A.B.S. SYSTEM, CODED "AL"

Ref. No.	Part No.	Description	No. off						Material Specification	Class of Store or L.M	Place No.
			1	2	3	4	5	6			
	—	BOX , L.A.B.S. test, coded "NW," group ... (Drg. No. 10-20 N 12913)						1	—	—	EAA2
	—	BLOCK , terminal, coded "C," group ...						1	—	—	
	DHS.456/5	BLOCK , terminal, 5-way, assembly ... (For breakdown see DHS. Data Sheet)						1	—	—	EAA2
5X/9149641	PLESSEY CZ.26805	COVER , terminal block (5940-99-914-9641)						1	—	C	
5X/9450403	PLESSEY Z.28426	PILLAR , fixing, 4 BA (5340-99-945-0403)						2	—	C	
	10-20 N 12915A	BOX , test, wired complete, assembly ...						1	—	—	EAA3
	10-20 N 12909A	BOX , test, relay and button, assembly ...						1	—	P	EAA2 EAA3
	10-20 N 12915A/ CABLES	CABLES , coded "NW" (for cables circuit coded "AL")						QR	—	ECC	EAA2
	10-20 N 12927A	COVER , relay and test box, assembly ... Spares for :—						1	—	P	EAA3
	10-20 N 12923ND	LABEL , 20 SWG ...						1	L.72	LM	EAA3
5K/—	SP.95/B10	GROMMET (Alternative DHS. 1790/B10)						1	—	C	
5945-99-011-9161	—	RELAY , Ericsson, Type 2.HD, Coded "A" Attachments for Ref. No. 5945-99-011-9161. Relay :—						1	—	P	EAA2
	28M/10327	Nut, 4 BA ...						2	—	C	
	28S/9992525	Screw, 4 BA ...						2	—	C	
	28W/9419465	Washer ...						2	—	C	
	5CW/5060	SHROUD , push switch ...						1	—	C	
	5CW/9438526	SWITCH , push, Type B, coded "B" (5930-99-943-8526) Attachments for Ref. No. 5CW/9438526, Switch :—						1	—	C	EAA2
	28M/9403517	Nut, 8 BA ...						2	—	C	
	28M/9131100	Nut, 8 BA ...						2	—	C	
	28S/9706440	Screw, 8 BA ...						2	—	C	
	28W/9419465	Washer ...						2	—	C	
	28S/9995376	Attachments for 10-20 N 12915A, Box :—									
	28W/9419465	Screw, 4 BA ...						4	—	C	
		Washer ...						4	—	C	
	9/4873	BOX , relay, without timer, coded "BE" (Mod. 5122)(SPECIAL ORDER ONLY) (SERVICE SUPPLY AND FIT)						1	—	P	EAA2 EAA3
	10-20 A 2221A	BOX , relay (Dummy), coded "BE" ...						1	—	LM	EAA2 EAA3
		Attachments for Ref. No. 9/4873 or 10-20 A 2221A, Box :—									
	28D/1011029	Bolt, 1/2" BSF ...						4	—	C	
	28W/9418920	Washer ...						4	—	C	
	10-20 N 11051A	CABLE , coded "BE.1-T," assembly ...						1	—	ECC	EAA2
	10-20 N 11053A	CABLE , coded "BE.2-BF.2," assembly ...						1	—	ECC	EAA2
	10-20 N 11047A	CABLE , coded "BF.1-AUJ," assembly ...						1	—	ECC	EAA2
	9/4611	CALIBRATOR , coded "BF" (SPECIAL ORDER ONLY) (SERVICE SUPPLY AND FIT)						1	—	P	EAA2 EAA3
	10-20 A 2207	CALIBRATOR-DUMMY , coded "BF" ...						1	—	LM	EAA2 EAA3
		Attachments for 10-20 A 2207, Calibrator-dummy:—									
	28D/1010658	Bolt, 4 BA ...						4	—	C	
	28W/9419465	Washer ...						4	—	C	

ELECTRICAL INSTALLATIONS


INSTALLATION OF L.A.B.S. SYSTEM, CODED "AL"


Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M	Place No.
		INSTALLATION AT PANEL, CODED "G" (Drg. No. 10-22 N 1223A) (Mod. 1149)	1	—	—	
	10-22 N 1223A/ CABLES	CABLE , trimmer box, assembly	QR	—	ECC	EAA2
	10-22 N 559A	(For cables circuit coded "AL") SWITCH, AND CABLE , L.A.B.S. NORMAL assembly		—	LM	
	10-22 N 559A/ CABLES	CABLES , coded "G.D.-NZ-F," assembly	QR	—	ECC	EAA1 EAA2
5CW/6342	SANTON R.0544 DA12/S	SWITCH , 7470, coded "D" Attachments for R.0544 DA12/S, Switch :—	1	—	P	EAA2
28S/9992524	A32/A8	Screw, 6 BA	3	—	C	
10F/0510551	—	SWITCH , toggle, coded "C" (5930-99-051-0551)	1	—	P	EAA2
		INSTALLATION AT PILOT'S ATTACK SIGHT PANEL, CODED "AU" (Drg. Nos. 10-20 F 2725, 10-20 N 22903, 10-20 A 2063 and 10-20 A 5591)	1	—	—	
	DHS.456/20	BLOCK , terminal, coded "NY," group	1	—	—	
		BLOCK , terminal, 20-way, assembly (For breakdown see DHS. Data Sheet)	1	—	—	EAA2
5X/9149643	PLESSEY CZ.25111	COVER terminal block (5940-99-914-9643)	1	—	P	
28M/10287	AGS.2001/B/1	NUT , 4 BA	2	—	C	
12732	10-20 N 8085	PILLAR , fixing, 4 BA	2	—	C	EAE2
28W/9419401	SP.10/B	WASHER	2	—	C	
	10-20 N 13643	BRACKET , mounting, terminal block, forward end, 18 SWG (Mod. 346)	1	L.72	LM	EAA3
		Attachments for 10-20 N 13643, Bracket :—				
28M/10287	AGS.2001/B/1	Nut, 4 BA	2	—	C	
28S/9992522	A32/B16	Screw, 4 BA	2	—	C	
28W/9419465	SP.13/B	Washer	2	—	C	
	10-20 N 13645	BRACKET , mounting, terminal block, aft end, 18 SWG (Mod. 346)	1	L.72	LM	EAA3
		Attachments for 10-20 N 13645, Bracket :—				
28D/9133012	A25/3C	Bolt, 2 BA	2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	2	—	C	
28W/9419402	SP.13/C	Washer	2	—	C	
	10-20 N 22903/ CABLES	CABLES (For cables circuit coded "AL") (Mod. 1000)	QR	—	ECC	EAA2
	10-20 N 9/583 Mk. 9	CABLE , coded "4.B*1.AL-AL.AU.13," assembly	1	—	ECC	EAA2

ELECTRICAL INSTALLATIONS

INSTALLATION OF L.A.B.S. SYSTEM, CODED "AL"

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M	Plate No.
9/4614	—	INDICATOR , coded "J," assembly (SPECIAL ORDER ONLY) (SERVICE SUPPLY AND FIT)	1	—	P	EAA2 EAA3
—	—	INDICATOR-DUMMY , coded "J," (See sub-section FB)	—	—	—	—
—	PAGE ENGINEERING	—	—	—	—	—
5CX/5385	C.500/D/7	SWITCH , push button, illuminated, coded "V"	1	—	C	EAA2
10F/0510553	—	SWITCH , toggle, coded "F" (5930-99-051-0553)	1	—	P	EAA2
10F/0510583	—	SWITCH , toggle, coded "H" (5930-99-051-0583)	1	—	P	EAA2
—	—	INSTALLATION AT GROUP CODED "T" ... (Drg. Nos. 10-20 N 5733 and 10-20 N 20315A)	1	—	—	—
—	DHS.456/20	BLOCK , terminal, coded "F," group	1	—	—	—
—	—	BLOCK , terminal, 20-way, assembly (For breakdown see DHS. Data Sheet)	1	—	—	EAA2
5X/9149643	PLESSEY CZ.25111	COVER , terminal block (5940-99-914-9643)...	1	—	P	—
28M/10328	AGS.2002/B/1	NUT , 2 BA	1	—	C	—
7657	DHS.870/5	PILLAR , fixing, 4 BA	1	—	C	—
5X/9450403	PLESSEY Z.28426	PILLAR , fixing, 4 BA (5340-99-945-0403) ...	1	—	C	—
26DV/12296	DHS.489/5	SPACER	1	—	C	—
—	10-20 N 20315A/ CABLES	CABLE , assembly (For cables circuit coded "AL") (Mod. 1042)	1	—	ECC	EAA2
—	—	INSTALLATION AT PANEL CODED "AN"	1	—	—	—
—	—	TIMER-DUMMY , coded "A," assembly (See sub-section FB)	—	—	—	—
—	—	INSTALLATION AT FRAME 96" (Drg. No. 10-20 N 13463)	1	—	—	—
—	—	TERMINAL , earth, stn. 1, coded "B," group ...	1	—	—	EAA2
28D/9137409	AS.1246/2C	BOLT , 2 BA	2	—	C	—
28M/10288	AGS.2001/C/1	NUT , 2 BA	2	—	C	—
26DV/7529	DHS.438/C	TAG , corrosion	1	—	C	—
26DV/4969	DHS.437/C	TERMINAL , earth, assembly (For breakdown see DHS. Data Sheet)	1	—	C	EAA2
28W/9419404	SP.16/C	WASHER	2	—	C	—
32B/—	—	TAPE , identification, numbers and letters, use from Ref. Nos. 32B/1087 to 32B/1120 inclusive, as required	QR	—	C	—





EAA.3

ELECTRICAL INSTALLATION

EAA.3

L.A.B.S. SYSTEM
CODED AL

AL.61

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

