

**INSTALLATION OF TAILPLANE TRIM ACTUATOR, CODED "CE"**

Ref. No.	Part No.	Description	No. of	Material Specification	Class of Store or L.M	Plate No.
	—	<b>INSTALLATION OF TAILPLANE TRIM ACTUATOR, CODED "CE"</b>	1	—	—	
	—	<b>INSTALLATION AT CONTROL COLUMN</b> (Drg. Nos. 10-20 CF 10065A and 10-20 N 13463)	1	—	—	
	10-20 N 9/837 Mk. 27	<b>CABLE</b> , coded "8.D.1★.CEC—CEC.F.D10," assembly	1	—	ECC	EAD1
	10-20 N 14807A/ CABLES	<b>CABLE</b> , control column, assembly (For cables circuit coded "CE") (Mod. 824) (Pre Mod. 91)	1	—	ECC	EAD1
	10-20 N 13991A/ CABLES	<b>CABLE</b> , control column, assembly (For cables circuit coded "CE") (Mod. 91)	1	—	ECC	EAD1
	—	<b>SWITCH</b> , fast trim, supplied complete with cable with control column (See sub-section CA)	—	—	—	
	—	<b>TERMINAL</b> , earth, strn. 1, coded "D," group ...	1	—	—	
26DV/7529	DHS.438/C	<b>TAG</b> , corrosion ...	1	—	C	
26DV/4969	DHS.437/C	<b>TERMINAL</b> , earth, assembly (For breakdown see DHS. Data Sheet)	1	—	C	EAD1
	—	Attachments for DHS.437/C, Terminal:—				
28D/9137409	AS.1246/2C	Bolt, 2 BA ...	2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA ...	2	—	C	
28W/9419404	SP.16/C	Washer ...	2	—	C	
	—	<b>INSTALLATION AT THROTTLE BOX, CODED, "F"</b> (Drg. No. 10-20 N 13463)	1	—	—	
	—	<b>BLOCK</b> , terminal, coded "D," group ...	1	—	—	
15488	10-20 N 13527A/ND	<b>BLOCK</b> , terminal, assembly (For spares see sub-section EAB)	1	—	C	EAD1
	10-20 N 12721A	<b>COVER</b> , assembly (For spares see sub-section EAB)	1	—	—	
	10-20 N 14131A	<b>CABLE</b> , bung "Q10" (For cables circuit coded "CE") (Mod. 356)	1	—	ECC	EAD1
	10-20 N 9/837 Mk. 26	<b>CABLE</b> , coded "7.D.F.CEC—CEC.Q.CV.18," assembly	1	—	ECC	EAD1
	—	<b>INSTALLATION AT PILOT'S PORT CONSOLE, CODED "G"</b> (Drg. No. 10-20 CE 4251)	1	—	—	
5CW/5823	—	<b>SWITCH</b> , tumbler, fast trim, coded "E" ...	1	—	P	EAD1
	—	Attachments for Ref. No. 5CW/5823, Switch:—				
28S/9992525	A32/B12	Screw, 4 BA ...	2	—	C	

ELECTRICAL INSTALLATIONS

INSTALLATION OF TAILPLANE TRIM ACTUATOR, CODED "CE"

Ref. No.	Part No.	Description	No. off						Material Specification	Class of Store or L.M.	Place No.
			1	2	3	4	5	6			
	—	<b>INSTALLATION AT SWITCH PANEL, CODED "H"</b> (Drg. Nos. 10-20 N 15833A Pre Mod. 803 and 10-20 N 15709A Mod. 803)	1						—		
	—	<b>BLOCK</b> , fuse, coded "CV," group ... ..	1						—		
	—	<b>BLOCK</b> , fuse, 12-way (See sub-section EBV)	1						—		
10H/23862	—	<b>FUSE</b> , 10 amp. ... ..	1						C	EAD1	
10F/051578	—	<b>SWITCH</b> , coded "BH" ... ..	1						P	EAD1	
	—	<b>INSTALLATION AT REAR PRESSURE BULK-HEAD, CODED "Q"</b> (Drg. No. 10-20 N 14755A)	1						—		
	—	<b>BLOCK</b> , fuse, coded "L," group ... ..	1						—		
	—	<b>BLOCK</b> , fuse, 12-way (See sub-section EBV)	1						—		
10H/23862	—	<b>FUSE</b> , 10 amp. ... ..	1						C	EAD1	
	—	<b>INSTALLATION ADJACENT TO PORT WING DECK PANEL, CODED "FA"</b> (Drg. Nos. 10-20 N 13301A, 10-20 N 10109, 10-20 N 13521A, 10-20 N 11143 and 10-20 N 11421)	1						—		
	—	<b>BLOCK</b> , terminal, coded "F," group ... ..	1						—		
	DHS.456/20	<b>BLOCK</b> , terminal, 20-way, assembly ... .. (For breakdown see DHS. Data Sheet)	1						—	EAD1	
5X/9149643	PLESSEY CZ.25111	<b>COVER</b> , terminal block (5940-99-914-9643)	1						C		
5X/9450403	PLESSEY Z.28426	<b>PILLAR</b> , fixing, 4 BA (5340-99-945-0380) ...	2						C		
28W/9419474	SP.15/B	<b>WASHER</b> ... ..	2						C		
	10-20 N 15557A	<b>CABLE</b> , coded "DC." assembly ... ..	1						ECC	EAD1	
	10-20 N 13521A/ CABLES	<b>CABLE</b> , assembly (For cables circuit coded "CE")	1						ECC	EAD1	
	—	<b>CIRCUIT-BREAKER</b> , coded "AE," group ... ..	1						—		
5CY/4520	—	<b>CAP</b> , protecting ... ..	1						C		
5CY/2559	—	<b>CIRCUIT-BREAKER</b> , 5 amp., type A1, coded "AE"	1						C	EAD1	
28S/9435647	A44/A4	<b>SCREW</b> , 6 BA ... ..	2						C		
28W/9419474	SP.15/B	<b>WASHER</b> ... ..	2						C		
	AIRCRAFT MARINE PRODUCTS 321807 OR	<b>CONNECTOR</b> , inline, coded "HP," "HQ," "HR," "HX," "HY" and "HZ"	6						—		
5X/—	HELLERMANN	<b>CONNECTOR</b> , inline, coded "HP," "HQ," "HR," "HX," "HY" and "HZ"	6						—		

**INSTALLATION OF TAILPLANE TRIM ACTUATOR, CODED "CE"**

Ref. No.	Part No.	Description	No. off						Material Specification	Class of Store or L.M.	Plate No.
			1	2	3	4	5	6			
		<b>INSTALLATION AT PORT BOOM</b> (Drg. No. 10-20 N 15561)									
	10-20 N 12699A	<b>BOX</b> , relay, coded "DC," c/w wiring assembly (Mod. 470)						—	—	EAD1 EAD2	
15496	10-20 N 12689	<b>BLOCK</b> , terminal, for terminals Nos. 1 to 7						—	C	EAD2	
15497	10-20 N 12691	<b>BLOCK</b> , terminal, for terminals Nos. 8 to 14						—	C	EAD2	
	10-20 N 12683A	<b>BOX</b> , relay, bare, assembly						—	—	EAD2	
	10-20 N 12685ND	<b>BOX</b> , bare, 20 SWG						L.72	LM		
	10-20 N 12951ND	<b>PLATE</b> , end, lower, 20 SWG						L.72	LM		
	10-20 N 12687ND	<b>PLATE</b> , end, upper, 20 SWG						L.72	LM		
	10-20 N 12699A/ CABLES	<b>CABLES</b> , link						QR	—	ECC	
	10-20 N 12693A	<b>COVER</b> , terminal block, for terminals Nos. 1 to 7, assembly						1	—	EAD1 EAD2	
	10-20 N 12815ND	<b>COVER</b> , bare, 1/8" thick						1	LFS.21 23 or 26	LM	
15489	10-20 N 10707	<b>SCREW</b> , 4 BA						2	—	C	
15490	10-20 N 10717	<b>WASHER</b> , tapped, 4 BA						2	—	C	
	10-20 N 12695A	<b>COVER</b> , terminal block, for terminals Nos. 8 to 14, assembly						1	—	EAD2	
	10-20 N 13095ND	<b>COVER</b> , bare, 1/8" thick						1	LFS.21 23 or 26	LM	
15489	10-20 N 10707	<b>SCREW</b> , 4 BA						2	—	C	
15490	10-20 N 10717	<b>WASHER</b> , tapped, 4 BA						2	—	C	
15500	10-20 N 10715	<b>PILLAR</b> , terminal block and cover securing Attachments for 10-20 N 10715, Pillar :—						4	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA						1	—	C	
28W/9419401	SP.10/B	Washer						1	—	C	
28S/9135203	A.43/C8	<b>SCREW</b> , 2 BA, terminals Nos. 2, 5, 10 and 13						4	—	C	
28S/9993003	A.43/B8	<b>SCREW</b> , 4 BA, terminals Nos. 1, 4, 7, 8, 11 and 14						6	—	C	
28S/9137407	A.43/A8	<b>SCREW</b> , 6 BA, terminals Nos. 3, 6, 9 and 12						4	—	C	
15495	10-20 N 13281	<b>SPACER</b> , terminal						2	—	C	
5CW/6853	—	<b>SWITCH</b> , magnetic relay, Type 10B, No. 15 Attachments for Ref. No. 5CW/6853, Switch :—						1	—	P	
28M/10287	AGS.2001/B/1	Nut, 4 BA						4	—	C	
28S/1009187	A.32/B36	Screw, 4 BA						4	—	C	
28W/9419401	SP.10/B	Washer						4	—	C	
15498	10-20 N 10713	<b>TERMINAL</b> , tapped, 2 BA, Nos. 2, 5, 10 and 13 Attachments for 10-20 N 10713, Terminal :—						4	—	C	
28M/9995181	A.53/B	Nut, 4 BA						1	—	C	
28W/9419454	SP.10/C	Washer						1	—	C	
28W/1200328	AGS.2037/B	Washer, shakeproof						1	—	C	

**ELECTRICAL INSTALLATIONS**

**INSTALLATION OF TAILPLANE TRIM ACTUATOR, CODED "CE"**

Ref. No.	Part No.	Description	No. off						Material Specification	Class of Score or L.M	Plate No.
			1	2	3	4	5	6			
13213	10-20 N 10711	<b>TERMINAL</b> , tapped, 4 BA, Nos. 1, 4, 7, 8, 11 and 14						6	—	C	EAD2
15499	10-20 N 10709	<b>TERMINAL</b> , tapped, 6 BA, Nos. 3, 6, 9 and 12 Attachments for 10-20 N 10711 or 10-20 N 10709, Terminal :—						4	—	C	EAD2
28M/9995181	A.53/B	Nut, 4 BA ... ..						1	—	C	
28W/1200328	AGS.2037/B	Washer, shakeproof ... ..						1	—	C	
28W/1009752	SP.25/C	<b>WASHER</b> , under 2 BA terminal screw ...						4	—	C	
28W/9437455	SP.25/B	<b>WASHER</b> , under 4 BA terminal screw ...						6	—	C	
28W/9995407	SP.25/A	<b>WASHER</b> , under 6 BA terminal screw ...						4	—	C	
6637	D. POWIS & SON LTD.	<b>WASHER</b> , 2 BA, beryllium copper (Fit under head of terminal screw)						4	—	C	
16810	D. POWIS & SON LTD.	<b>WASHER</b> , 4 BA, beryllium copper (Fit under head of terminal screw)						6	—	C	
17778	D. POWIS & SON LTD.	<b>WASHER</b> , 6 BA, beryllium copper (Fit under head of terminal screw)						4	—	C	
28D/1010568	A25/1B	Attachments for 10-20 N 12699A, Box :—									
28W/9419465	SP.13/B	Bolt, 4 BA ... ..						4	—	C	
		Washer ... ..						4	—	C	
17710	10-20 N 23223A	<b>BOX</b> , relay and condenser, coded " UF," assembly						1	—	P	EAD2
	---	<b>BLOCK</b> , terminal, 6-way, group ... ..						1	—	—	EAD1
	10-20 N 10705	<b>BLOCK</b> , terminal ... ..						1	LFS.21	—	EAD2
	10-20 N 10703A	<b>COVER</b> , terminal, assembly ... ..						1	23 or 26	—	EAD2
	10-20 N 10701	<b>COVER</b> , bare ... ..						1	LFS.26	—	EAD2
15489	10-20 N 10707	<b>SCREW</b> ... ..						2	—	C	EAD2
15490	10-20 N 10717	<b>WASHER</b> ... ..						2	—	C	EAD2
28M/9995181	A53/B	<b>NUT</b> , 4 BA ... ..						6	—	C	
15500	10-20 N 10715	<b>PILLAR</b> , fixing, 4 BA ... ..						2	—	C	EAD2
28W/1200328	AGS.2037/B	<b>WASHER</b> , shakeproof ... ..						6	—	C	
	---	<b>BLOCK</b> , terminal, 15-way, group ... ..						1	—	—	
	10-20 N 10699	<b>BLOCK</b> , terminal ... ..						1	LFS.26	—	EAD2
	10-20 N 10697A	<b>COVER</b> , terminal, assembly ... ..						1	—	—	EAD3
	10-20 N 10695	<b>COVER</b> , bare ... ..						1	LFS.21,	—	EAD2
									23 or 26		
15489	10-20 N 10707	<b>SCREW</b> ... ..						2	—	C	EAD2
15490	10-20 N 10717	<b>WASHER</b> ... ..						2	—	C	EAD2
28M/9995181	A53/B	<b>NUT</b> , 4 BA ... ..						2	—	C	
15500	10-20 N 10715	<b>PILLAR</b> , fixing, 4 BA ... ..						2	—	C	EAD2
28W/1200328	AGS.2037/B	<b>WASHER</b> , shakeproof ... ..						2	—	C	
	10-20 N 12793A	<b>CABLE</b> , coded " UF-DC," assembly (Mod. 824) (For cables circuit coded " CE ")						1	—	ECC	EAD1
	10-20 N 10423/	<b>CABLES</b> , link ... ..						QR	—	ECC	EAD1
	CABLES	<b>CONDENSER</b> , assembly ... ..						1	—	—	EAD2
	10-20 N 10725A	<b>CONDENSER</b> , 50 mf. ... ..						2	—	C	EAD2
5CZ/5844	PLESSEY CE.51101	<b>MOUNTING</b> , condenser, assembly ... ..						1	—	—	EAD2
	10-20 N 10723A	<b>INSULATOR</b> , $\frac{1}{16}$ " thick ... ..						2	LFS.26	—	EAD2
	10-20 N 10719ND	<b>STRIP</b> , 20 SWG ... ..						1	BS.899	—	EAD2
	10-20 N 10721ND	Attachments for 10-20 N 10725A, Condenser :—									
28M/10287	AGS.2001/B/1	Nut, 4 BA ... ..						2	—	C	
28S/1005622	A31/B28	Screw, 4 BA ... ..						2	—	C	
	AS.2810/4/030	Tube, distance, $\frac{1}{4}$ " o/d x 20 SWG x 0"·3 long						2	L.62	LM	

**INSTALLATION OF TAILPLANE TRIM ACTUATOR, CODED "CE"**

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M	Place No.
10H/0590170	—	<b>CARRIER</b> , fuse and base (5920-99-059-0170)	1	—	C	
10C/0115511	—	<b>CONDENSER</b> , 0.5 mf. (5910-99-011-5511) ... Attachments for Ref. No. 10C/011511, Con- denser :—	3	—	C	
28E/16186	AS.5418/13	Clip, " P " ... ..	1	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA ... ..	1	—	C	
28S/1200034	A31/B16	Screw, 4 BA ... ..	1	—	C	
12721	PAGE ENGINEERING A345	<b>COVER</b> , capacitor, to accommodate positive cables	2	—	C	
17418	10-20 N 22811A/ND	<b>COVER</b> , relay, complete with label, assembly (Mod. 740)	1	—	C	EAD3
13212	10-20 N 22341	<b>COVER</b> , 0".007 thick (Mod. 740) ... ..	1	Fibreglass	C	EAD3
	10-20 N 12375	<b>LABEL</b> , relay ... ..	1	—	C	EAD3
		Attachments for 10-20 N 22811A/ND, Cover :—				
28M/10287	AGS.2001/B/1	Nut, 4 BA ... ..	10	—	C	
28S/9435715	A33/B16	Screw, 4 BA ... ..	10	—	C	
28W/9419401	SP.10/B	Washer ... ..	10	—	C	
10H/0590139	—	<b>FUSE</b> , link, 2 amp, coded " N " (5920-99-059- 0139)	1	—	C	EAD1
	10-20 N 10691	<b>PANEL</b> ... ..	1	LFS.26	—	EAD2
5CW/6825	MAGNETIC DEVICES 596/H14H/890/EE/24	<b>RELAY</b> , coded " A " and " B " ... ..	2	—	P	EAD1
5CW/6826	MAGNETIC DEVICES 596/H14/890/AB2/24	<b>RELAY</b> , coded " C," " D " and " E " ... ..	3	—	P	EAD1
5CW/6827	MAGNETIC DEVICES 596/H/TS/2402	<b>RELAY</b> , coded " F " ... ..	1	—	P	EAD1
		Attachments for 596/H14H/590/EE2/24, 596/H/ 14/890/AB2/24 or 596H/TS/2402, Relay :—				
28M/9403519	A27/BP	Nut, 4 BA ... ..	3	—	C	
28W/9419448	AGS.2035/B	Washer, shakeproof ... ..	3	—	C	
5905-99-0113288	—	<b>RESISTOR</b> , coded " K " ... ..	1	—	C	EAD1
	—	<b>TERMINAL</b> , 6 BA, group ... ..	1	—	—	
28S/9137407	A43/A8	<b>SCREW</b> , terminal, 6 BA ... ..	6	—	C	
15499	10-20 N 10709	<b>TERMINAL</b> , at Nos. 2, 4, 6, 10, 12 and 14	6	—	C	EAD3
28W/9137412	AGS.2037/A	<b>WASHER</b> , 6 BA ... ..	6	—	C	
		Attachments for 10-20 N 10709, Terminal :—				
28M/9995181	A53/B	Nut, 4 BA ... ..	1	—	C	
28W/1200328	AGS.2037/B	Washer, shakeproof ... ..	1	—	C	
28W/9995407	SP.25/A	<b>WASHER</b> ... ..	6	—	C	
	—	<b>TERMINAL</b> , 4 BA, group ... ..	1	—	—	
28S/9993003	A43/B8	<b>SCREW</b> , terminal, 4 BA ... ..	12	—	C	
13213	10-20 N 10711	<b>TERMINAL</b> , at Nos. 3, 5, 7, 8, 11, 15 to 21	12	—	C	EAD3
28W/1200328	AGS.2037/B	<b>WASHER</b> , 4 BA ... ..	12	—	C	
		Attachments for 10-20 N 10711, Terminal :—				
28M/9995181	A53/B	Nut, 4 BA ... ..	1	—	C	
28W/1200328	AGS.2037/B	Washer, shakeproof ... ..	1	—	C	

**ELECTRICAL INSTALLATIONS**

**INSTALLATION OF TAILPLANE TRIM ACTUATOR, CODED "CE"**

Ref. No.	Part No.	Description	No. off						Material Specification	Class of Store or L.M	Place No.	
			1	2	3	4	5	6				
28W/9437455	SP.25/B	<b>WASHER</b> ... ..							12	—	C	EAD3
	—	<b>TERMINAL</b> , 2 BA, group ... ..							1	—	—	
28S/9135203	A32/C8	<b>SCREW</b> , terminal, 2 BA ... ..							3	—	C	
15498	10-20 N 10713	<b>TERMINAL</b> , at Nos. 1, 9 and 13... ..							3	—	C	
28W/9457027	AGS.2037/C	<b>WASHER</b> , 2 BA ... ..							3	—	C	
		Attachments for 10-20 N 10713, Terminal:—										
28M/9995181	A53/B	Nut, 4 BA ... ..							1	—	C	
28W/1200328	AGS.2037/B	Washer, shakeproof ... ..							1	—	C	
28W/9419454	SP.10/C	Washer ... ..							1	—	C	
		<b>WASHER</b> ... ..							3	—	C	
28W/9437455	SP.25/B	<b>TUBING</b> , cable protective, 1 m/m i/d. ...							QR	—	C	
13463	DHS.181/1	Attachments for 10-20 N 10529A/1, or 10-20 N 23223A, Box:—										
28D/9133012	A25/3C	Bolt, 2 BA (Pre Mod. 740) ... ..							4	—	C	
28D/9133011	A25/2C	Bolt, 2 BA (Mod. 740) ... ..							4	—	C	
28W/9419402	SP.13/C	Washer ... ..							4	—	C	
	10-20 N 9/937 Mk. 4	<b>CABLE</b> , coded " 4.UF.CEA-CEA.UL.A.4 " assembly (Mod. 740)							1	—	ECC	EAD2
	10-20 N 9/937 Mk. 3	<b>CABLE</b> , coded " 5.UF.CEA-CEA.UL.B.1," assembly (Mod. 740)							1	—	ECC	EAD2
	10-20 N 9/937 Mk. 5	<b>CABLE</b> , coded " 6.UF.CEA-CEA.UL.A.5," assembly (Mod. 740)							1	—	ECC	EAD2
	10-20 N 9/937 Mk. 10	<b>CABLE</b> , coded " 7.UF.CEB-CEB.UY.A," assembly (Mod. 740)							1	—	ECC	EAD2
	10-20 N 9/937 Mk. 9	<b>CABLE</b> , coded " 9.UF.CEC-CEC.UK.Pos.," (Mod. 740)							1	—	ECC	EAD2
	10-20 N 9/937 Mk. 11	<b>CABLE</b> , coded " 12.UF.CEB-CEB.UY.B." (Mod. 740)							1	—	ECC	EAD2

**INSTALLATION OF TAILPLANE TRIM ACTUATOR, CODED "CE"**

Ref. No.	Part No.	Description	No. off						Material Specification	Class of Store or L.M	Place No.
			1	2	3	4	5	6			
	10-20 N 9/937 Mk. 12	<b>CABLE</b> , coded "13.UF.CEC★-CEC★.★19.B.2," assembly (Mod. 740)						1	—	ECC	EAD2
	10-20 N 9/637 Mk. 25	<b>CABLE</b> , coded "18.UF.CEC-CEC.UL.A.1," (Mod. 824)						1	—	ECC	EAD2
	10-20 N 9/937 Mk. 25	<b>CABLE</b> , coded "18.UF.CEC-CEC.UL.A.1," (Mod. 740)						1	—	ECC	EAD2
	10-20 N 9/737 Mk. 13	<b>CABLE</b> , coded "TK.CEA-CEA.UY.C," assembly (Mod. 824) (Mod. 740)						1	—	ECC	EAD2
	10-20 N 15555A	<b>CABLE</b> , coded "UU2," assembly (Mod. 740)						1	—	ECC	EAD2
26DV/7529	DHS.438/C	<b>TERMINAL</b> , earth, station 19, coded "B," group						1	—	—	
26DV/4969	DHS.437/C	<b>TAG</b> , corrosion						1	—	C	
		<b>TERMINAL</b> , earth, assembly (For breakdown see DHS. Data Sheet)						1	—	C	EAD1
		Attachments for DHS.437/C, Terminal :—									
28D/9436920	A25/1C	Bolt, 2 BA						2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA						2	—	C	
28VV/9419402	SP.13/C	Washer						2	—	C	
		<b>INSTALLATION AT PORT FIN</b> (Drg. Nos. 10-20 N 8701, 10-20 CF 7585 and 10-20 N 15561)						1	—	—	
	10-20 N 8877A	<b>ACTUATOR</b> , double motor linear, tailplane trim, coded "UJ," assembly						1	—	—	
SW/2791	ROTAX A.1803 10-20 N 8877A/ CABLES	<b>ACTUATOR</b>						1	—	P	EAD2
		<b>CABLE</b> , assembly (For cable circuit coded "CE")						1	—	ECC	EAD2
		Attachments for 10-20 N 8877A, Actuator :—									
28D/14004	A57/5E	Bolt, 3/4" BSF						1	—	C	
28D/13361	A30/8E	Bolt, 3/4" BSF						1	—	C	
28M/13935	A58/ES	Nut, 3/4" BSF						2	—	C	
28P/9527619	SP.90/C7	Pin, split (SP.9/C8)						2	—	C	
		<b>BLOCK</b> , terminal, coded "UL," group						1	—	—	
	DHS.456/5	<b>BLOCK</b> , terminal, 5-way, coded "A," assembly (For breakdown see DHS. Data Sheet)						1	—	—	EAD2
		Attachments for DHS.456/5, Block :—									
5734	DHS.755	Nut, slotted						2	—	C	EAD3
28VV/9419448	AGS.2035/B	Washer, shakeproof						2	—	C	
		<b>BOARD</b> , terminal, coded "B," group						1	—	—	
5X/9402802	AS.2633 10-20 N 2261A	<b>BOARD</b> , terminal, 2-way, 19 amp.						1	—	C	EAD2
		<b>COVER</b> , terminal board, assembly						1	—	—	
		Spares for :—									
5X/9402796	AS.2601	<b>COVER</b>						1	—	C	
5X/9400053	AS.2673	<b>FERRULE</b>						4	—	C	
5734	DHS.755	<b>NUT</b> , slotted						2	—	C	EAD3
5X/9402799	AS.2606/2	<b>TERMINAL</b> , 2-way, screwed head, 19 amp.						2	—	C	
28VV/9419448	AGS.2035/B	<b>WASHER</b> , shakeproof						2	—	C	

**ELECTRICAL INSTALLATIONS**

**INSTALLATION OF TAILPLANE TRIM ACTUATOR, CODED "CE"**


Ref. No.	Part No.	Description	No. off	Material Specification	Class of Score of L.M.	Plate No.	
							1
28M/13774 28M/9434253	10-20 N 10561A	<b>BOX</b> , relay, coded "UU." c/w wiring, assembly	1	—	—	EAD2	
	10-20 N 10541A	<b>BOX</b> , less equipment and wiring, assembly ...	1	—	—	EAD3	
	10-20 N 10543A/ND	<b>BRACKET</b> , cover attachment, assembly ...	2	—	—	EAD3	
	10-20 N 10537ND	<b>BRACKET</b> , 20 SWG	1	L.72	LM	EAD3	
	AGS.2019/B/1	<b>NUT</b> , anchor, 4 BA	1	—	C		
	10-20 N 10539ND	<b>BRACKET</b> , relay attachment, 20 SWG	2	L.72	LM	EAD3	
	AGS.2007/B/1	<b>NUT</b> , anchor, 4 BA ...	4	—	C		
	10-20 N 10533ND	<b>PLATE</b> , base, 20 SWG	1	L.72	LM	EAD3	
	10-20 N 10535ND	<b>PLATE</b> , side, 20 SWG	1	L.72	LM	EAD3	
	10-20 N 10536ND	<b>PLATE</b> , side, 20 SWG	1	L.72	LM	EAD3	
	10-20 N 10561A/ CABLES	<b>CABLE</b> , link	1	—	ECC	EAD2	
	10-20 N 10551	<b>COVER</b> , 20 SWG	1	L.72	LM	EAD3	
	28S/9992525	A32/B12	Attachments for 10-20 N 10551, Cover :—				
	28W/9143227	SP.14/B	Screw, 4 BA	2	—	C	
		Washer	2	—	C		
10H/0560080	PLESSEY CZ.48995	<b>PLUG</b> , 5 amp., coded "1"	1	—	C		
10H/0560260	PLESSEY CZ.49223	<b>SOCKET</b> , 5 amp., 6-pole, coded "2"	1	—	C		
5CW/6853	—	<b>SWITCH</b> , magnetic relay, Type 10B No. 15	1	—	P		
		Attachments for Ref. No. 5CW/6853, Switch :—					
28S/1200080	A32/B8	Screw, 4 BA	2	—	C		
28W/9419448	AGS.2035/B	Washer	4	—	C		
28D/1010658	A25/1B	Attachments for 10-20 N 10561A, Box :—					
28W/9419465	SP.13/B	Bolt, 4 BA	4	—	C		
		Washer	4	—	C		
28D/1010658	—	<b>BRACKET</b> , terminal block and cable guard, group	1	—	—		
14293	A25/1B	<b>BOLT</b> , 4 BA	3	—	C		
	10-20 N 13213A	<b>BRACKET</b> , terminal block mounting, assembly	1	—	C	EAD3	
		Spares for :—					
	DHS.1057/5B	<b>BOLT</b> , anchor, 4 BA...	2	S.92	—	EAD3	
	10-20 N 12979ND	<b>PLATE</b> , tapped 4 BA, 10 SWG	2	S.510	LM	EAD3	
	10-20 N 15063	<b>GUARD</b> , actuator trim cables, 18 SWG (Mod. 874)	1	L.72	LM	EAD3	
	10-20 N 9/337 Mk. 14	<b>CABLE</b> , coded "1.A.U.L.CEC-CEC.UK-VE," assembly	1	—	ECC	EAD2	
12174	10-20 N 7473	<b>SOLENOID</b> , lock, coded "UK" (Make from Ref. No. 5CW/6164)	1	—	P	EAD2	
		Attachments for 10-20 N 7473, Solenoid :—					
28D/1010030	A25/7C	Bolt, 2 BA	4	—	C		
28M/5808573	A27/CS	Nut, 2 BA	4	—	C		
28P/9527619	SP.90/C7	Pin, split (SP.9/CB)	4	—	C		
28W/9419454	SP.10/C	Washer	4	—	C		
5CW/6629	BURGESS BZ.38H.260	<b>SWITCH</b> , micro, coded "UY"	1	—	P	EAD2	
		Attachments for A.M. Ref. No. 5CW/6629, Switch :—					
28D/11993	AS.1242/12B	Bolt, 4 BA	2	—	C		
28M/10287	AGS.2001/B/1	Nut, 4 BA	2	—	C		
28W/9419465	SP.13/B	Washer	2	—	C		
32B/	—	<b>TAPE</b> , identification, number and letters, use from Ref. Nos. 32B/1087 to 32B/1120 inclusive as required	QR	—	C		

EAD.1

# ELECTRICAL INSTALLATION TAIL PLANE TRIM ACTUATOR CODED CE

EAD.1  
[AL53]

RESTRICTED



See Vixen Mk. 1

RESTRICTED

See sub-section EAY



Plate EAD.1

EAD.2

# ELECTRICAL INSTALLATION TAIL PLANE TRIM ACTUATOR CODED CE

EAD.2  
[A.232]


RESTRICTED



544 Vixen Mk.1

RESTRICTED

Plate EAD.2



EAD.3

**ELECTRICAL INSTALLATION  
TAIL PLANE TRIM ACTUATOR  
CODED CE**

EAD.3  
[AL 53]

This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

