

INSTALLATION OF FORMATION LIGHTS, CODED "LF"

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M	Place No.
	—	INSTALLATION OF FORMATION LIGHTS, CODED "LF"	1	—	—	
	—	INSTALLATION AT LOWER PANEL, CODED "H" (Drg. No. for use on Pre Mod. 2 A/C :—10-20 N 9665A/2 Pre Mod. 7) (Drg. Nos. for use on Mod. 2 A/C :—10-20 N 15833A Mod. 702, Pre Mod. 803 and 10-20 N 15709A Mod. 803)	1	—	—	
	—	BLOCK , fuse, coded "CW," group	1	—	—	EBM1
	—	BLOCK , fuse, 12-way (See sub-section EBV)	1	—	—	
10H/23862	—	FUSE , 10 amp.	1	—	C	EBM1
	—	INSTALLATION AT UPPER PANEL, CODED "H" (Drg. Nos. for use on Pre Mod. 2 A/C :—10-20 N 11801, 10-20 N 13415 and 10-20 N 8553) (Drg. Nos. for use on Mod. 2 A/C :—10-20 N 15777 Mod. 702, Pre Mod. 803; 10-20 N 22227A Mods. 1053 and 803 and 10-20 N 11421)	1	—	—	
	—	BLOCK , terminal, coded "CK," group	1	—	—	
	DHS.456/20L	BLOCK , terminal, 20-way, assembly (For breakdown see DHS. Data Sheet)	1	—	—	EBM1
5X/9149643	PLESSEY CZ.25111	COVER , terminal block	1	—	C	EBP2
7657	DHS.870/5	PILLAR , fixing, 4 BA	2	S.1	C	EBM2
26DV/12296	DHS.489/5	SPACER	2	P.V.C.	C	EBM2
	10-20 N 13713A	CABLE , bung "Q1," coded "FB," assembly (For use on Pre Mod. 2 A/C) (For cables circuit coded "LF")	1	—	ECC	EBM1
	10-20 N 23103A	CABLE , bung "Q1," coded "FB," assembly (Mod. 1120, Pre Mod. 803) (For cables circuit coded "LF")	1	—	ECC	EBM1
	10-20 N 23105A	CABLE , bung "Q1," coded "FB," assembly (Mods. 1120 and 803) (For cables circuit coded "LF")	1	—	ECC	EBM1
	10-20 N 13415/CABLES	CABLES , link (Pre Mods. 2 and 803) (For cables circuit coded "LF")	QR	—	ECC	EBM1
	10-20 N 15771/CABLES	CABLES , link (Mod. 2, Pre Mod. 803) (For cables circuit coded "LF")	QR	—	ECC	EBM1
	10-20 N 22251/CABLES	CABLES , link (Mods. 2 and 803) (For cables circuit coded "LF")	QR	—	ECC	EBM1
10F/0510551	—	SWITCH , toggle, coded "BG"	1	—	P	EBM1
	—	INSTALLATION AT PORT WING DECK PANEL, CODED "FA" (Drg. Nos. for use on Pre Mod. 2 A/C :—10-20 N 8861, 10-20 N 13431A) (Drg. Nos. for use on Mod. 2 A/C :—10-20 N 11211, 10-20 N 13301A)	1	—	—	
	—	BLOCK , terminal, coded "E," group	1	—	—	
	DHS.456/20	BLOCK , terminal, 20-way, assembly (For breakdown see DHS. Data Sheet)	1	—	—	EBM1
14987	10-20 N 8231	PILLAR , fixing, 4 BA	2	—	C	EBM2
28W/9419474	SP.15/B	WASHER	2	—	C	
	10-20 N 9/155 Mk. 2	CABLE , coded "9.E.FA.LF-LF.PH.2," assembly (Pre Mod. 2)	1	—	ECC	EBM1
	10-20 N 9/755 Mk. 2	CABLE , coded "9.E.FA.LF-LF.PH.2," assembly (Mods. 655 and 2)	1	—	ECC	EBM1

ELECTRICAL INSTALLATIONS

INSTALLATION OF FORMATION LIGHTS, CODED "LF"

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
	—	INSTALLATION AT PORT INNER WING (Drg. Nos. for use on Pre Mod. 2 A/C :—10-20 N 8861, 10-20 N 2611) (Drg. Nos. for use on Mod. 2 A/C :— 10-20 N 9477, 10-20 N 11211)	1	—	—	
	DHS.456/20	BLOCK , terminal, 20-way, coded "PH," assembly (Pre Mod. 2) (For breakdown see DHS. Data Sheet)	1	—	—	EBM1
28D/12690	AS.1246/5B	Attachments for DHS.456/20, Block :— Bolt, 4 BA	2	—	C	
	DHS.456/20L	BLOCK , terminal, 20-way, coded "PH," assembly (Mod. 2) (For breakdown see DHS. Data Sheet)	1	—	—	EBM1
	AGS.2002/B/1	Attachments for DHS.456/20L, Block :— Nut, 4 BA	2	—	C	
28M/10327 5X/9450403	—	Pillar, fixing, 4 BA	2	—	C	
28W/9419465	SP.13/B	Washer	2	—	C	
	10-20 N 9/155 Mk. 3	CABLE , coded "2.PH.LF-LF.UA.A.7," assembly (Pre Mod. 2)	1	—	ECC	EBM1
	10-20 N 9/755 Mk. 3	CABLE , coded "2.PH.LF-LF.UA.A.7," assembly (Mods. 655 and 2)	1	—	ECC	EBM1
	10-20 N 10481A/2	CABLE , coded "PM1," assembly (Pre Mod. 2) ... (For cables circuit, coded "LF")	1	—	ECC	EBM1
	10-20 N 10483A/1	CABLE , coded "PM1-SH1," assembly (Pre Mod. 2) (For cables circuit coded "LF")	1	—	ECC	EBM1
	10-20 N 13895A	CABLE , coded "SH1," assembly (Mods. 655 and 2) (For cables circuit coded "LF")	1	—	ECC	EBM1
	—	INSTALLATION AT PORT OUTER WING (Drg. Nos. 10-20 N 2275 Pre Mod. 7, 10-20 N 11509 Mod. 2; 10-20 N 2393)	1	—	—	
	DHS.456/20	BLOCK , terminal, 20-way, coded "SY," assembly (For breakdown see DHS. Data Sheet)	1	—	—	EBM1
	A32/B28	Attachments for DHS.456/20, Block :— Screw, 4 BA	2	—	C	
28S/1011488 28VV/9419401	SP.10/B	Washer	2	—	C	
	DHS.456/2	BLOCK , terminal, 2-way, coded "TF," assembly (For breakdown see DHS. Data Sheet)	1	—	—	EBM1
	DHS.755	Attachments for DHS.456/2, Block :— Nut, 4 BA, slotted	2	L.65	C	EBM2
5734 28S/1200065	A33/B28	Screw, 4 BA	2	—	C	
28W/9419448	AGS.2035/B	Washer, shakeproof	2	—	C	
	10-20 N 9/155 Mk. 7	CABLE , coded "4.A.★17.LF-LF.SY.3," assembly	1	—	ECC	EBM1
	10-20 N 9/155 Mk. 6	CABLE , coded "3.SY.LF-LF.TF.1," assembly ...	1	—	ECC	EBM1
	10-20 N 9/155 Mk. 5	CABLE , coded "4.SY.LF-LF.TF.2," assembly ...	1	—	ECC	EBM1
	10-20 N 2097A/2	CABLE , coded "SH1," assembly (Pre Mods. 2 and 7) (For cables circuit coded "LF")	1	—	ECC	EBM1
	10-20 N 8979A	CABLE , coded "SH1," assembly (Mod. 2) ... (For cables circuit coded "LF")	1	—	ECC	EBM1

ELECTRICAL INSTALLATIONS

INSTALLATION OF FORMATION LIGHTS, CODED "LF"

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store of L.M	Plate No.
	10-20 N 6115A	CABLE , coded "1.TF.LF-LF.TG.1" and "2.TF.LF-LF.TG.2," assembly	1	—	ECC	EBM1
28E/8018278	AS.3180/8B	CLIP , "P," for formation lamp cables ...	2	—	C	
28S/9992522	A32/B16	Attachments for Ref. No. 28E/14041, Clip :— Screw , 4 BA ...	1	—	C	
	—	TERMINAL , earth, station 17, coded "A," group	1	—	—	
28D/9436920	A25/1C	BOLT , 2 BA ...	2	—	C	
26DV/7529	DHS.438/C	TAG , corrosion ...	1	—	C	EBM2
26DV/4969	DHS.437/C	TERMINAL , earth, assembly ... (For breakdown see DHS. Data Sheet)	1	—	C	EBM1
28W/9419454	SP.10/C	WASHER ...	2	—	C	
	—	INSTALLATION AT PORT AILERON ... (Drg. Nos. 10-20 N 2393 Pre Mod. 1048 and 10-20 N 24741 Mod. 1048) (SPECIAL ORDER ONLY)	1	—	—	
	—	LAMP , formation, coded "TG," group ...	1	—	—	
5CX/917	—	FRONT , No. 2, formation lamp ...	1	—	C	
5L/9952258	—	LAMP , electric, filament, 24 volts, 6 watts ... (Pre Mod. 1048)	1	—	C	
5L/9953271	—	LAMP , electric, filament, 28 volts, 7 watts ... (Mod. 1048)	1	—	C	
5CX/803	—	LAMP , formation, Type B ...	1	—	C	
	—	MOUNTING , lamp (See sub-section LJ) ...	—	—	—	
	—	INSTALLATION AT BOOM JOINT, CODED "UA" (Drg. No. 10-20 N 15561A Mod. 740)	1	—	—	
	DHS.456/20	BLOCK , terminal, 20-way, coded "A", assembly (For breakdown see DHS. Data Sheet) Attachment for DHS.456/20, Block :—	1	—	—	EMB1
28D/12138	AS.1246/10B	Bolt , 4 BA ...	2	—	C	
26DV/12296	DHS.489/5	Spacer ...	2	—	C	EMB2
	10-20 N 9/655 Mk. 4	CABLE , coded "7.A.UA.LF-LF.UN.B.2," assembly	1	—	ECC	EBM1
	—	INSTALLATION AT PORT FIN, CODED "UN," (Drg. Nos. 10-20 N 8701 and 10-20 N 2439)	1	—	—	
	—	BOARD , terminal, coded "B," group ...	1	—	—	
5X/9402802	AS.2633	BOARD , terminal, 2-way ...	1	—	C	EBM1
28D/11540	AS.1246/2B	BOLT , 4 BA ...	2	—	C	
	10-20 N 2261A	COVER , 2-way terminal, board, assembly ...	1	—	—	EBM2
5X/9402796	AS.2601	COVER , bare ...	1	—	C	
28M/10287	AGS.2001/B/1	NUT , 4 BA ...	2	—	C	
5X/9994577	AS.2605	TERMINAL , screwed head, single tier ...	2	—	C	
	10-20 N 9/155 Mk. 12	CABLE , coded "3.A.*21.LF-LF.US.1," assembly	1	—	ECC	EBM1
	10-20 N 9/155 Mk. 11	CABLE , coded "2.B.UN.LF-LF.US.2," assembly	1	—	ECC	EBM1
	—	TERMINAL , earth, station 21, group ...	1	—	—	
28D/9436920	A25/1C	BOLT , 2 BA ...	2	—	C	
26DV/7529	DHS.438/C	TAG , corrosion ...	1	—	C	EBM2
26DV/4969	DHS.437/C	TERMINAL , earth, assembly ... (For breakdown see DHS. Data Sheet)	1	—	C	EMB1

ELECTRICAL INSTALLATIONS

INSTALLATION OF FORMATION LIGHTS, CODED "LF"

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		INSTALLATION AT PORT TAILPLANE FAIRING (Org. No. 10-20 N 2439)	1	—	—	
		LAMP , formation, coded "US," group ...	1	—	—	
	10-20 N 2431A	BRACKET , centre lamp mounting, assembly	1	—	—	EBM2
	10-20 N 2433ND	BRACKET , bare, 18 SWG ...	1	L.72	LM	EBM2
28M/13774	AGS.2019/B/1	NUT , 4 BA, anchor ...	2	—	C	
		Attachments for 10-20 N 2431A, Bracket :—				
28D/9128739	AS.1248/1B	Bolt , 4 BA ...	2	—	C	
		BRACKET , lamp mounting, assembly...	2	—	—	EBM2
	10-20 N 2435A	BRACKET , bare, 18 SWG ...	1	L.72	LM	EBM2
	10-20 N 2437ND	NUT , 4 BA, anchor ...	2	—	C	
28M/9434253	AGS.2007/B/1	Attachments for 10-20 N 2435A, Bracket :—				
28D/8337	AS.1248/1B	Bolt , 4 BA ...	4	—	C	
5L/9953271	—	LAMP , electric, filament, 28 volts, 7 watts ...	1	—	C	
5CX/819	—	GLASS , blue ...	1	—	C	
5CX/818	—	LAMP , formation, Type B, tail No. 2 ...	1	—	C	EBM1
		Attachments for Ref. No. 5CX/818, Lamp :—				
28D/9131782	AS.1242/2B	Bolt , 4 BA ...	2	—	C	
28M/10327	AGS.2002/B/1	Nut , 4 BA ...	2	—	C	
		PLATE , backing, lamp support, 16 SWG ...	1	L.72	LM	EBM2
	10-20 N 2429	PLATE , lamp, 18 SWG ...	1	L.72	LM	EBM2
	10-20 N 2427	SOCKET ...	1	—	C	
5CX/501	—	STUD , bonded, anti-vibration ...	13	—	C	EBM2
8396	SILENTBLOC B.137	Attachments for B.137, Stud :—				
28M/10327	AGS.2002/B/1	Nut , 4 BA ...	2	—	C	


INSTALLATION OF FORMATION LIGHTS, CODED "LF"

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M	Plate No.
		INSTALLATION AT STARBOARD WING DECK PANEL, CODED "FB" (Drg. Nos. 10-20 N 14863A, 10-20 N 11143 and 10-20 N 11213)	1	—	—	
	DHS.456/20	BLOCK , terminal, coded "G," group	1	—	—	EBM1
		BLOCK , terminal, 20-way, assembly (For breakdown see DHS. Data Sheet)	1	—	—	
28D/12182	AS.1246/6B	BOLT , 4 BA (Mod. 963)	2	—	C	
5X/9149643	PLESSEY CZ.25111	COVER , terminal block (Pre Mod. 963)	1	—	C	
7657	DHS.870/5	PILLAR , fixing, 4 BA (Pre Mod. 963)	2	—	C	EBM2
26DV/12296	DHS.489/5	SPACER (Pre Mod. 963)	2	—	C	EBM2
28W/9419474	SP.15/B	WASHER	2	—	C	
	10-20 N 9/155 Mk. 1	CABLE , coded "9.E.FA.LF-LF.FB.G.8," assembly	1	—	ECC	EBM1
	10-20 N 8993A	CABLE , coded "VMI," assembly (For cables circuit coded "LF")	1	—	ECC	EBM1
		INSTALLATION AT STARBOARD INNER WING (Drg. No. 10-20 N 11513)	1	—	—	
	10-20 N 8995A	CABLE , coded "VM1-XH1," assembly (For cables circuit coded "LF")	1	—	ECC	EBM1
		INSTALLATION AT STARBOARD OUTER WING (Drg. Nos. 10-20 N 11511 and 10-20 N 2393)	1	—	—	
	DHS.456/10	BLOCK , terminal, 10-way, coded "XY," assembly (For breakdown see DHS. Data Sheet)	1	—	—	EBM1
		Attachments for DHS.456/10, Block :—				
28S/1011488	A32/B28	Screw, 4 BA	2	—	C	
28W/9419401	SP.10/B	Washer	2	—	C	
	DHS.456/2	BLOCK terminal, 2-way, coded "YF," assembly (For breakdown see DHS. Data Sheet)	1	—	—	EBM1
		Attachments for DHS.456/2, Block :—				
5734	DHS.755	Nut, 4 BA, slotted	2	—	C	EBM2
28S/1200065	A33/B28	Screw, 4 BA	2	—	C	
28W/9419448	AGS.2035/B	Washer, shakeproof	2	—	C	
	10-20 N 9/155 Mk. 10	CABLE coded "4.A.*16.LF-LF.XY.3," assembly	1	—	ECC	EBM1
	10-20 N 9/155 Mk. 9	CABLE , coded "3.XY.LF-LF.YF.1," assembly	1	—	ECC	EBM1
	10-20 N 9/155 Mk. 8	CABLE , coded "4.XY.LF-LF.YF.2," assembly	1	—	ECC	EBM1
	10-20 N 8997A	CABLE , coded "XH1," assembly (For cables circuit coded "LF")	1	—	ECC	EBM1
	10-20 N 6083A	CABLE , coded "1.YF.LF-LF.YG.1" and "2.YF.LF-LF.YG.2," assembly	1	—	ECC	EBM1
28E/1201809	AS.3180/6B	CLIP , "P," for formation lamp cables	2	—	C	
		Attachment for Ref. No. 28E/1201809, Clip :—				
28S/9992522	A32/B16	Screw, 4 BA	1	—	C	

ELECTRICAL INSTALLATIONS


INSTALLATION OF FORMATION LIGHTS, CODED "LF"

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Score or L.M.	Plate No.
28D/9436920	—	TERMINAL , earth, strn. 16, coded "A," group	1	—	—	EBM2 EBM1
26DV/7529	A25/1C	BOLT , 2 BA	2	—	C	
26DV/4969	DHS.438/C	TAG , corrosion	1	—	C	
	DHS.437/C	TERMINAL , earth, assembly (For breakdown see DHS. Data Sheet)	1	—	C	
28W/9419454	SP.10/C	WASHER	2	—	C	
	—	INSTALLATION AT STARBOARD AILERON (Drg. Nos. 10-20 N 2393, Pre Mod. 1048 and 10-20 N 24743, Mod. 1048) (SPECIAL ORDER ONLY)	1	—	—	
5CX/917	—	LAMP , formation, coded "YG," group	1	—	—	
5L/9952258	—	FRONT , No. 2, formation lamp	1	—	C	
5L/9953271	—	LAMP , electric, filament, 24 volts, 6 watts (Pre Mod. 1048)	1	—	C	
5CX/803	—	LAMP , electric, filament, 28 volts, 7 watts (Mod. 1048)	1	—	C	
32B/—	—	LAMP , formation Type B	1	—	C	
	—	MOUNTING , lamp (See sub-section "LJ")	—	—	—	
	—	TAPE , identification, numbers and letters, use from Ref. Nos. 32B/1087 to 32B/1120 inclusive, as required	QR	—	C	




PLATE, LAMP SUPPORT
10.20 N 2429


10.20 N 2433ND




BRACKET, LAMP MTG., ASSY.
10.20 N 2431A



COVER
10.20 N 2261A



~~PILLAR
10.20 N 9333~~



PILLAR
DHS 870/5



TAG, CORROSION
DHS 438/C



SPACER,
PACKING
DHS 489/5




PILLAR
10.20 N 8231



NUT, SLOTTED
DHS 755




STUD, BONDED
SILENTBLOC B.137



PLATE, LAMP
10.20 N 2427

10.20 N 2437ND



BRACKET, LAMP MTG., ASSY
10.20 N 2435A

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

