

**INSTALLATION OF A.C. 115V, 2400 C.P.S., A.I. MK. 18 SUPPLY, CODED "SD"**

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Score or L.M	Place No.
		<b>INSTALLATION OF A.C. 115V, 2400 C.P.S., A.I. 18 SUPPLY, CODED "SD"</b>	1	—	—	
		<b>INSTALLATION AT FUSELAGE NOSE (Drg. No. 10-20 N 7835)</b>	1	—	—	
		<b>BLOCK</b> , terminal, coded "EU," group ...	1	—	—	
	DHS.456/3	<b>BLOCK</b> , terminal, 3-way, assembly ... (For breakdown see DHS. Data Sheet)	1	—	—	ECD1
		Attachments for DHS.456/3, Block :—				
28M/10327	AGS.2002/B/1	Nut, 4 BA ...	2	—	C	
5X/9450403	PLESSEY Z.28426	Pillar, fixing, 4 BA (5340-99-945-0403) ...	2	—	C	
5195	DHS.849	<b>BOLT</b> , special, at terminal No. 3 ...	1	—	C	ECD1
5X/3273	PLESSEY CZ.26802	<b>COVER</b> , terminal block ...	1	—	C	
	HELLERMANN					
	5K/—	<b>BOOT</b> , cable, at single phase plug coded "ES" ...	2	—	—	
		<b>CABLE</b> , coded "ET," assembly (Mod. 1589) ...	1	—	ECC	ECD1
	10-20 N 24935A	<b>CABLE</b> , coded "KG," assembly ...	1	—	ECC	ECD1
	10-20 N 10897A	<b>CABLE</b> , coded "X.EP.SD-SD.EU.2," assembly ...	1	—	ECC	ECD1
	10-20 N 9/177 Mk. 3	<b>CABLE</b> , coded "6.BP.SDA-SDA.EU.1," assembly	1	—	ECC	ECD1
	10-20 N 9/177 Mk. 8	<b>CABLE</b> , coded "4.ES.SD-SD.EU.1," assembly ...	1	—	ECC	ECD1
	10-20 N 9/177 Mk. 9	<b>CABLE</b> , coded "2.EU.SD-SD.ES.3," assembly ...	1	—	ECC	ECD1
	10-20 N 9/177 Mk. 18	<b>CABLE</b> , coded "3.EU.SD-SD.★," assembly ...	1	—	ECC	ECD1
	10-20 N 9/177 Mk. 32	Attachments for 10-20 N 9/177 Mk. 32, Cable :—				
28D/9436920	A25/1C	Bolt, 2 BA ...	1	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA ...	1	—	C	
28W/9419402	SP.13/C	Washer ...	1	—	C	
	5CY/5369	<b>PLUG</b> , single phase, coded "ES" ...	1	—	P	ECD1
		Attachments for Ref. No. 5CY/5369, Plug :—				
28D/1011031	A25/8E	Bolt, 1/4" BSF ...	4	—	C	
28M/10290	AGS.2001/E/1	Nut, 1/4" BSF ...	2	—	C	
28W/9418921	SP.13/E	Washer ...	4	—	C	
		<b>TAP</b> , single electromatic, wave guide, coded "KG" (See sub-section QW)	1	—	—	
		<b>INSTALLATION AT FORWARD FACE OF FRONT PRESSURE BULKHEAD, CODED "A" (Drg. Nos. 10-20 N 1003A, 10-20 N 9465, 10-20 N 8553 Pre Mods. 7 and 2 and 10-20 N 11421 Mod. 2)</b>	1	—	—	
		<b>BLOCK</b> , terminal, coded "BP," group ...	1	—	—	
	DHS.456/20L	<b>BLOCK</b> , terminal, 20-way, assembly ... (For breakdown see DHS. Data Sheet)	1	—	LM	ECD1
		Attachments for DHS.456/20L, Block :—				
26DV/12294	DHS.489/3	Packing ...	2	P.V.C.	C	
13589	DHS.870/4	Pillar, fixing, 4 BA ...	2	—	C	
5X/9149643	PLESSEY CZ.25111	<b>COVER</b> , terminal block (5940-99-914-9643)	1	—	C	
		<b>BOARD</b> , terminal, coded "BY," group ...	1	—	—	
5X/9402792		<b>BOARD</b> , terminal (5940-99-940-2792) ...	1	—	C	ECD1
		Attachments for Ref. No. 5X/9402792, Board :—				
28S/9995376	A32/B20	Screw, 4 BA ...	2	—	C	

**ELECTRICAL INSTALLATIONS**

**INSTALLATION OF A.C. 115V, 2400 C.P.S., A.I. MK. 18 SUPPLY, CODED "SD"**

Ref. No.	Part No.	Description	1 2 3 4 5 6						No. off	Material Specification	Class of Store or L.M	Plate No.
			1	2	3	4	5	6				
5X/9435997 5X/9002	10-20 N 8651A	COVER, terminal board, assembly ... ..						1	—	LM		
	—	COVER (5940-99-943-5997) ... ..						1	—	C		
5X/9402792	—	SOCKET ... ..						2	—	C		
	—	BOARD, terminal, coded "ER," group ... ..						1	—	—		
28S/9995376	A32/B20	BOARD, terminal (5940-99-940-2792) ... ..						1	—	C		
	—	Attachments for Ref. No. 5X/9402792, Board :— Screw, 4 BA ... ..						2	—	C		
5X/9435997 5X/9400056 5X/9402798	10-20 N 8653A	COVER, terminal board, assembly ... ..						1	—	LM		
	—	COVER (5940-99-943-5997) ... ..						1	—	C		
	—	FERRULE (5975-99-940-0056) ... ..						1	—	C		
	—	TERMINAL (5940-99-940-2798) ... ..						2	—	C		
4213	DHS.833/5	BOX, torque switch, coded "EQ," assembly ... .. (For breakdown see sub-section ND) Spares for :—						1	—	—		
	—	BLOCK, terminal, 5-way assembly ... ..						1	—	C	ECD1	
28S/1011486 28W/9419473	A32/A24	Attachments for DHS.833/5, Block :— Screw, 6 BA ... ..						2	—	C		
	SP.15/A	Washer ... ..						2	—	C		
10-20 N 14911A 10-20 N 9/177 Mk. 10 10-20 N 9/177 Mk. 11 10-20 N 9/177 Mk. 12 10-20 N 9/177 Mk. 13 10-20 N 9/177 Mk. 14 10-20 N 9/177 Mk. 15 10-20 N 9/177 Mk. 16 10-20 N 9/177 Mk. 29 10-20 N 9/177 Mk. 30 10-20 N 9/177 Mk. 31 10-20 N 9/177 Mk. 33 10-20 N 9/177 Mk. 34 10-20 N 20459A	10-20 N 14911A	CABLE, bung A1, assembly (Mod. 758) ... .. (For cables circuit coded "SD")						1	—	ECC	ECD1	
	10-20 N 9/177 Mk. 10	CABLE, coded "1.ER.SD-SD.★4.A.7," assembly						1	—	ECC	ECD1	
	10-20 N 9/177 Mk. 11	CABLE, coded "7.BP.SDB-SDB.EN.6," assembly						1	—	ECC	ECD1	
	10-20 N 9/177 Mk. 12	CABLE, coded "Y.EP.SD-SD.★4.A.8," assembly						1	—	ECC	ECD1	
	10-20 N 9/177 Mk. 13	CABLE, coded "2.EN.SD-SD.★4.A.2," assembly						1	—	ECC	ECD1	
	10-20 N 9/177 Mk. 14	CABLE, coded "5.BP.SD-SD.★4.A.5," assembly						1	—	ECC	ECD1	
	10-20 N 9/177 Mk. 15	CABLE, coded "5.EQ.SD-SD.EN.1," assembly ...						1	—	ECC	ECD1	
	10-20 N 9/177 Mk. 16	CABLE, coded "4.EQ.SD-SD.EN.6," assembly ...						1	—	ECC	ECD1	
	10-20 N 9/177 Mk. 29	CABLE, coded "12.BP.A.SD-SD.A.EN.5," assembly						1	—	ECC	ECD1	
	10-20 N 9/177 Mk. 30	CABLE, coded "12.BP.A.SD-SD.A.EP.3," assembly						1	—	ECC	ECD1	
	10-20 N 9/177 Mk. 31	CABLE, coded "13.BP.A.SD-SD.A.EP.2," assembly						1	—	ECC	ECD1	
	10-20 N 9/177 Mk. 33	CABLE, coded "B.EP.SD-SD.ER.2," assembly ...						1	—	ECC	ECD1	
	10-20 N 9/177 Mk. 34	CABLE, coded "E.EP.SD-SD.ER.1," assembly ...						1	—	ECC	ECD1	
	10-20 N 20459A	CABLE, coded "A7," assembly (Mod. 1053) ... .. (For cables circuit coded "SD")						1	—	ECC	ECD1	
	10-20 N 8431A	CABLE, coded "EP-ES" and "EP-BY," assembly						1	—	—		
	—	BRAID, copper, flexible, tinned 12/5/0048 ...						QR	—	—		
	10-20 N 8451A	CABLE, coded "EP-ES," assembly ... ..						1	—	ECC	ECD1	
	10-20 N 8453A	CABLE, coded "EP-BY," assembly ... ..						1	—	ECC	ECD1	
	—	CORD, nylon ... ..						QR	SRDE	—		
	16008 5CW/6453	DHS.181/2	TUBING, protective, 2 m/m i/d ... ..						QR	PS.8784	—	
—		SWITCH, magnetic, Type 9B, No. 2A, coded "EN" Attachments for Ref. No. 5CW/6453, Switch :—						1	P.V.C.	C	ECD1	
28S/9995376	A32/B20	Screw, 4 BA ... ..						2	—	C		
	—	SWITCH, magnetic, coded "EP" (See sub-section ND)						1	—	—		

**INSTALLATION OF A.C. 115V, 2400 C.P.S., A.I. MK. 18 SUPPLY, CODED "SD"**

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
26DV/7529	—	<b>TERMINAL</b> , earth, station 4, coded "A," group	1	—	—	
26DV/4969	DHS.438/C	<b>TAG</b> , corrosion ... ..	1	L.16	C	
	DHS.437/C	<b>TERMINAL</b> , earth, assembly ... ..	1	—	C	
		(For breakdown see DHS. Data Sheet)				
		Attachments for DHS.437/C, Terminal :—				
28D/12513	A25/2C	Boit, 2 BA ... ..	2	—	C	
28W/9419402	SP.13/C	Washer ... ..	2	—	C	
	—	<b>INSTALLATION AT AFT FACE OF FRONT PRESSURE BULKHEAD CODED "A"</b> (Drg. Nos. 10-20 N 9465, 10-20 N 8553 Pre Mods. 7 and 2, 10-20 N 11421 Mod. 2)	1	—	—	
	—	<b>BLOCK</b> , terminal, coded "DF," group ... ..	1	—	—	
	DHS.456/10	<b>BLOCK</b> , terminal, 10-way, assembly ... ..	1	—	C	
		(For breakdown see DHS. Data Sheet)				
		Attachments for DHS.456/10, Block :—				
16671	DHS.870/1	Pillar, fixing, 4 BA ... ..	2	—	C	
5X/3275	PLESSEY CZ.26808	<b>COVER</b> , terminal block ... ..	1	—	C	
	10-20 N 11629A	<b>RESISTANCE</b> , assembly ... ..	1	—	LM	
10W/Z113312	—	<b>RESISTANCE</b> ... ..	1	—	C	
	10-20 N 12541ND	<b>SLEEVE</b> , make from "Tenatube," 6 m/m x 1 1/8" long	1	P.V.C.	LM	
5K/—	AOP x 1"-0	<b>SLEEVE</b> , cable binding ... ..	2	—	C	
5X/9400061	—	<b>TAG</b> ... ..	2	—	C	
	—	<b>BLOCK</b> , terminal, coded "EE," group ... ..	1	—	—	
	DHS.456/20L	<b>BLOCK</b> , terminal 20-way, assembly ... ..	1	—	—	
		(For breakdown see DHS. Data Sheet)				
		Attachments for DHS.456/20L, Block :—				
16671	DHS.870/1	Pillar, fixing, 4 BA ... ..	2	—	C	
5X/9149643	PLESSEY CZ.25111	<b>COVER</b> , terminal block ... ..	1	—	C	
	—	<b>BLOCK</b> , terminal, coded "EM," group ... ..	1	—	—	
	DHS.456/5	<b>BLOCK</b> , terminal, 5-way, assembly ... ..	1	—	—	
		(For breakdown see DHS. Data Sheet)				
		Attachments for DHS.456/5, Block :—				
16671	DHS.870/1	Pillar, fixing, 4 BA ... ..	2	—	C	
5X/9149641	PLESSEY CZ.26805	<b>COVER</b> , terminal block ... ..	1	—	C	
5X/9402792	AS.2651	<b>BOARD</b> , terminal, coded "BZ," group ... ..	1	—	—	
		<b>BOARD</b> , terminal, 2-way, 37 amp. ... ..	1	—	C	
		Attachments for Ref. No. 5X/9402792, Board :—				
28S/9995376	A32/B20	Screw, 4 BA ... ..	2	—	C	
	10-20 N 8649A	<b>COVER</b> , terminal board, assembly ... ..	1	—	—	
5X/9435997	AS.2638	<b>COVER</b> ... ..	1	—	C	
5X/9400056	AS.2675	<b>FERRULE</b> ... ..	4	—	C	
5X/9402798	AS.2641	<b>TERMINAL</b> , double tier ... ..	2	—	C	
	10-20 N 9089A	<b>CABLE</b> , coded "A7" assembly (Pre Mod. 803) (For cables circuit coded "SD")	1	—	ECC	
	10-20 N 21057	<b>CABLE</b> , bung JB4, assembly (Mod. 1014, Pre Mod. 2) (For cables circuit coded "SD")	1	—	ECC	
	10-20 N 20305A	<b>CABLE</b> , bung JB4, assembly (Mods. 1014 and 2) (For cables circuit coded "SD")	1	—	ECC	

**ELECTRICAL INSTALLATIONS**

**INSTALLATION OF A.C. 115V, 2400 C.P.S., A.I. MK. 18 SUPPLY, CODED "SD"**

Ref. No.	Part No.	Description						No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6				
	10-20 N 9/177 Mk. 17	CABLE, coded "3.DF.SDC-SDC.H.CU.20," assembly						1	—	ECC	
	10-20 N 9/177 Mk. 19	CABLE, coded "1.DF.SD-SD.★29.A.6," assembly (Pre Mod. 827)						1	—	ECC	
	10-20 N 9/177 Mk. 26	CABLE, coded "4.DF.SD-SD.Q.Q.C," assembly						1	—	ECC	
	10-20 N 9/177 Mk. 27	CABLE, coded "7.EE.SD-SD.Q.Q.7a," assembly						1	—	ECC	
	10-20 N 9/177 Mk. 28	CABLE, coded "5.EM.SD-SD.Q.Q.5," assembly						1	—	ECC	
	10-20 N 9/577 Mk. 35	CABLE, coded "7.DF.SD-SD.DF.1," assembly (Mod. 827)						1	—	ECC	
	10-20 N 9/577 Mk. 36	CABLE, coded "7.DF.SD-SD.★29.A.6," assembly (Mod. 827)						1	—	ECC	
	10-20 N 20489A	CABLE, coded "A7," assembly (Mods. 1053, and 803)						1	—	ECC	
	10-20 N 22525A	CABLE, coded "JB1," assembly (Mod. 1053) (For cables circuit coded "SD")						1	—	ECC	
10H/19481	—	PLUG-SOCKET, Type 47, coded "A7" ...						1	—	P	
	—	<b>INSTALLATION AT PANEL CODED "H" AND IN FUSELAGE</b> (Drg. Nos. for use on Pre Mod. 2 A/C :—10-20 N 9665A/2 and 10-20 FS 7833) (Drg. Nos. for use on Mod. 2 A/C :—10-20 N 15833A Pre Mod. 803, 10-20 N 15709A Mod. 803 and 10-20 FS 20479)						1	—	—	
	—	BLOCK, fuse, coded "CU," group						1	—	—	
	—	BLOCK, fuse, 12-way, assembly (See sub-section EBV)						1	—	—	
10H/23862	—	FUSE, 10 amp						3	—	C	
	—	TERMINAL, earth, station 29, coded "A," at Starboard longeron, group						1	—	—	
26DV/7529	DHS.438/C	TAG, corrosion						1	L.16	C	
6608	10-20 N 2295A	TERMINAL, earth, 45°, assembly						1	—	C	
	10-20 N 2297A	BRACKET, assembly						1	—	LM	BA13
	DHS.436ND	PLATE, doubling, 14 SWG						1	BS.265	LM	BA13
	10-20 N 2299ND	PLATE, terminal, 16 SWG						1	BS.265	LM	BA13
26DV/11786	AS.2751	CIRCLIP						4	—	C	
12687	DHS.379/1	LABEL						1	—	C	
12688	DHS.379/2	LABEL						1	—	C	
26DV/11785	AS.2749	SOCKET, half						8	—	C	
SX/9028	AS.2747	SOCKET, assembly						4	—	C	
26DV/11787	AS.2752	SPACER						4	—	C	
		Attachments for 10-20 N 2295A, Terminal :—									
28D/7002428	A25/6C	Bolt, 2 BA (Pre Mod. 96)						2	—	C	
28D/9140202	AS.1246/1C	Bolt, 2 BA (Mod. 96)						2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA						2	—	C	
	10-20 FS 13099ND	Spacer, 3/8" o/d x 3/16" i/d x 0"·31 thick (Pre Mod. 96)						2	L.34	LM	
28W/9403514	SP.26/C	Washer (Pre Mod. 96)						4	—	C	
28W/9419454	SP.10/C	Washer (Mod. 96)						2	—	C	
	—	<b>INSTALLATION AT FLOOR BEAM, STN. 148</b> (Drg. Nos. 10-20 N 9199, 10-20 N 8749 Pre Mod. 2 and 10-20 N 9837 Mod. 2)						1	—	—	
	10-20 N 8771A/2	CABLE, coded "JB1," assembly (For cables circuit coded "SD")						1	—	ECC	
6X/6133	—	PLUG, bulkhead, 26 pole, coded "JB1" ...						1	—	P	


INSTALLATION OF A.C. 115V, 2400 C.P.S., A.I. MK. 18 SUPPLY, CODED "SD"

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M	Plate No.
		<b>INSTALLATION AT REAR PRESSURE BULK-HEAD, CODED "Q"</b> (Drg. No. 10-20 N 7615A Pre Mods. 96 and 2, 10-20 N 14755A Mods. 738 and 2)	1	—	—	
10H/23863	—	<b>BLOCKS</b> , fuse, coded "A" and "B," group ...	1	—	—	
	—	<b>BLOCK</b> , fuse, 12-way (See sub-section EBV) ...	2	—	—	
	—	<b>FUSE</b> , 7.5 amps. ...	2	—	C	ECD1
		<b>INSTALLATION AT ACCUMULATOR BAY</b> (Drg. Nos. 10-20 N 9199, 10-20 N 5883 Pre Mod. 2 and 10-20 N 12401 Mod. 2)	1	—	—	
5X/9402793	—	<b>BOARD</b> , terminal, coded "KM," group ...	1	—	—	
	—	<b>BOARD</b> , terminal, 3-way, 27 amps. ...	1	—	C	ECD1
28S/9995376	A32/B20	Attachments for Ref. No. 5X/9402793, Board:—	—	—	—	
28W/9419474	SP.15/B	Screw, 4 BA ...	2	—	C	
		Washer ...	2	—	C	
	10-20 N 9881ND	<b>COVER</b> , assembly (Make from Ref. No. 5X/9402797)	1	—	LM	
5X/9002	5H47 AS 2640	<b>SOCKET</b> ...	2	—	C	
	10-20 N 8439A	<b>CABLE</b> , coded "KC4-KM," assembly ...	1	—	ECC	ECD1
		<b>INSTALLATION AT ACCUMULATOR BULK-HEAD, CODED "JA"</b> (Drg. Nos. 10-20 N 8337, 10-20 N 5839 Pre Mod. 2, 10-20 N 12399 Mod. 2, 10-20 N 5883 Pre Mod. 2 and 10-20 N 12401)	1	—	—	
	DHS.456/20	<b>BLOCK</b> , terminal, coded "JA.P," group ...	1	—	—	
		<b>BLOCK</b> , terminal, 20-way, assembly ...	1	—	—	ECD1
		(For breakdown see DHS. Data Sheet)				
5X/9450403	PLESSEY Z.28426	Attachments for DHS.456/20, Block:—	—	—	—	
		Pillar, fixing, 4 BA ...	2	—	C	
16180	10-20 N 10687A	<b>COVER</b> , terminal block ...	1	—	—	
	10-20 N 8447A	<b>CABLE</b> , coded "KD2-JA," assembly ...	1	—	ECC	ECD1
	10-20 N 8443A	<b>CABLE</b> , coded "KD3-JA," assembly ...	1	—	ECC	ECD1
	10-20 N 8441A	<b>CABLE</b> , coded "KE," assembly ...	1	—	ECC	ECD1
5X/9400051	—	<b>TERMINAL</b> , earth, stn. 5, coded "A," group ...	1	—	—	
	10-20 N 2301	<b>FERRULE</b> ...	1	—	C	
6608	10-20 N 2295A	<b>TAG</b> , corrosion, 20 SWG ...	1	L.16	LM	EBG1
	10-20 N 2297A	<b>TERMINAL</b> , earth, 45°, assembly ...	1	—	C	ECD1
	DHS.436ND	<b>BRACKET</b> , assembly ...	1	—	LM	BA13
	10-20 N 2299ND	<b>PLATE</b> , doubling, 14 SWG ...	1	BS.265	LM	BA13
26DV/11786	AS.2751	<b>PLATE</b> , terminal, 16 SWG ...	1	BS.265	LM	BA13
12687	DHS.379/1	<b>CIRCLIP</b> ...	4	—	C	
12688	DHS.379/2	<b>LABEL</b> , half ...	1	—	C	
26DV/11785	AS.2749	<b>LABEL</b> , half ...	1	—	C	
5X/9028	5H47 AS.2747	<b>SOCKET</b> , half ...	8	—	C	
26DV/11787	AS.2752	<b>SOCKET</b> , assembly ...	4	—	C	
		<b>SPACER</b> ...	4	—	C	
		Attachments for 10-20 N 2295A, Terminal:—				
28D/1011030	A25/2E	Bolt, 1/4" BSF ...	2	—	C	
28M/10290	AGS.2001/E/1	Nut, 1/4" BSF ...	2	—	C	
28W/9418921	SP.13/E	Washer ...	4	—	C	

**ELECTRICAL INSTALLATIONS**

**INSTALLATION OF A.C. 115V, 2400 C.P.S., A.I. MK. 18 SUPPLY, CODED "SD"**

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or LM	Plate No.
	—	<b>INSTALLATION AT UPPER ACCESSORY BAY, PORT</b> (Drg. No. 10-20 N 5883 Pre Mod. 2 and 10-20 N 12401 Mod. 2)	1	—	—	
	10-20 N 8437A	<b>CABLE</b> , coded "KD1-KC5," assembly ... ..	1	—	ECC	ECD1
	—	<b>UNIT</b> , control, coded "KD" (See sub-section QT)	1	—	—	
	—	<b>INSTALLATION AT PORT FUEL BAY</b> (Drg. No. 10-20 N 5883 Pre Mod. 2 and 10-20 N 12401 Mod. 2)	1	—	—	
	—	<b>ALTERNATOR</b> , coded "KB" (See sub-section QT)	1	—	—	
	10-20 N 8445A	<b>CABLE</b> , coded "KC1-KB1," assembly ... ..	1	—	ECC	ECD1
	10-20 N 8435A	<b>CABLE</b> , coded "KB3-KC3," assembly ... ..	1	—	ECC	ECD1
	10-20 N 8449A	<b>CABLE</b> , coded "KC2-KB2," assembly ... ..	1	—	ECC	ECD1
	—	<b>CONDENSER</b> , coded "KC" (See sub-section QT)	1	—	—	
	—	<b>VALVE</b> , selector, coded "KE" (See sub-section QT)	1	—	—	
32B/—	—	<b>TAPE</b> , identification, numbers and letters, use from Ref. Nos. 32B/1087 to 32B/1120 inclusive, as required	QR	—	C	



ECD.1

# ELECTRICAL INSTALLATION

ECD.1  
[AL 53]

A.C. 115V 2400C.P.S. A.I. MK.18 SUPPLY

CODED SD


RESTRICTED

CABLES IO.20N10897A indicated thus ○  
 CABLES IO.20N8425A indicated thus ◻

IO.20N14323A PRE MOD.2 AC  
 IO.20N14911A MOD.2 AC indicated thus ◻

CABLE IO.20N9/577 MK 35 indicated thus ◻

ROUTING CHART  
 IO.20N5/577 ISS.13



This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.