

INSTALLATION OF HYDRAULIC LOW PRESSURE WARNING, CODED "WB"

| Ref. No. | Part No. | Description | No. off | Material Specification | Class of Store or L.M | Plate No. |
|-------------|------------------------------|---|---------|------------------------|-----------------------|-----------|
| | | | | | | |
| | — | INSTALLATION OF HYDRAULIC LOW PRESSURE WARNING, CODED "WB" | 1 | — | — | |
| | — | INSTALLATION AT THROTTLE BOX, CODED "F" (Drg. Nos. 10-20 CE 4643A, 10-20 N 13463A, 10-20 N 11421 and 10-20 Z 36385) (Mod. 1567) (Special order only) | 1 | — | — | |
| | DHS.456/20L | BLOCK , terminal, coded "E," group | 1 | — | — | ECK1 |
| | | BLOCK , terminal, 20-way, assembly (For breakdown see DHS. Data Sheet) | 1 | — | — | |
| | | BRACKET , mounting (See sub-section KQ) ... | — | — | — | |
| 5X/9149643 | PLESSEY CZ.25111 | COVER , terminal block (5940-99-914-9643) ... | 1 | — | C | |
| 12732 | 10-20 N 8085 | PILLAR , fixing, 4 BA | 2 | — | C | |
| | 10-20 Z 36387ND | BRACKET , fixing, assembly (Mod. 1567)... .. | 1 | — | — | |
| 5CX/6735 | THORN 80/10/1351 | BASE , lampholder | 1 | — | C | |
| 5CX/6740 | THORN 80/10/1560/ RED | CAP , indicator | 1 | — | C | |
| 5L/9959118 | — | FILAMENT , 28V, .04 amp. | 1 | — | C | |
| | 10-20 N 10465A | CABLE , coded "F-T," assembly | 1 | — | ECC | ECK1 |
| | 10-20 N 10469A | CABLE , coded "Q27-F," assembly | 1 | — | ECC | ECK1 |
| | 10-20 N 9/738 Mk. 9 | CABLE , coded "19.E-F.WBC-WBC.S-B.6," assembly | 1 | — | ECC | ECK1 |
| | 10-20 N 9/738 Mk. 10 | CABLE , coded "12.E-F.WBD-WBD.S-B.8," assembly | 1 | — | ECC | ECK1 |
| | 10-20 N 9/738 Mk. 11 | CABLE , coded "11.E-F.WBE-WBE.S-B.10," assembly | 1 | — | ECC | ECK1 |
| | — | INDICATOR , triple pressure, coded "T," group | 1 | — | — | ECK1 |
| 6A/6594 | SANGAMO WESTON 168411 | FLANGE | 1 | — | P | |
| 6A/6594 | SANGAMO WESTON 168414 | GASKET | 1 | — | P | |
| 6A/6593 | SANGAMO WESTON S.214/1/19 | INDICATOR , triple pressure (Mod. 249) ... Attachments for S.214/1/19, Indicator :— | 1 | — | P | ECK1 |
| 28S/1200040 | A31/B20 | Screw, 4 BA | 4 | — | C | |
| 28W/9419401 | SP.10/B | Washer | 4 | — | C | |
| 6A/6595 | SANGAMO WESTON 168413 | RING , locking | 1 | — | P | |
| | — | INSTALLATION AT GROUP, CODED "S," COCKPIT WALL, STARBOARD (Drg. No. 10-20 N 12977) | 1 | — | — | |
| | — | BLOCK , fuse, coded "S-B," group | 1 | — | — | ECK1 |
| | — | BLOCK , fuse, 12-way (See sub-section EBV) | — | — | — | |
| 10H/23864 | — | FUSE , 5 amp. | 3 | — | C | ECK1 |
| | — | BLOCK , fuse, coded "S-D," group (Mod. 1567) | 1 | — | — | |
| 10H/23864 | — | BLOCK , fuse, 12-way (See sub-section EBV) | — | — | — | |
| | — | FUSE , 5 amp. | 1 | — | C | |
| | — | INSTALLATION AT REAR PRESSURE BULK- HEAD, CODED "Q" (Drg. Nos. 10-20 N 11421 and 10-20 N 11143) | 1 | — | — | |
| | 10-20 N 23103A | CABLE , bung "Q1," coded "FB," assembly ... (Mod. 1120, Pre Mod. 803) (For cables circuit coded "WB") | 1 | — | ECC | ECK1 |
| | 10-20 N 23105A | CABLE , bung "Q1," coded "FB," assembly ... (Mods. 1120 and 803) (For cables circuit coded "WB") | 1 | — | ECC | ECK1 |

ELECTRICAL INSTALLATIONS

INSTALLATION OF HYDRAULIC LOW PRESSURE WARNING, CODED "WB"

| Ref. No. | Part No. | Description | No. off | Material Specification | Class of Store or L.M | Plate No. |
|-----------|-----------------------|--|---------|------------------------|-----------------------|-----------|
| | | | | | | |
| | 10-20 N 12553A | CABLE , bung "Q8," coded "FA," assembly ... (Pre Mod. 803) (For cables circuit coded "WB") | 1 | — | ECC | ECK1 |
| | 10-20 N 14487A | CABLE , bung "Q8," coded "FA," assembly ... (Mod. 803) (For cables circuit coded "WB") | 1 | — | ECC | ECK1 |
| | 10-20 N 10467A | CABLE , coded "Q27-FA," assembly ... | 1 | — | ECC | ECK1 |
| | — | INSTALLATION AT PORT WING DECK PANEL, CODED "FA" (Drg. Nos. 10-20 N 13301A, 10-20 N 11143, 10-20 N 11655, 10-20 N 13521A) | 1 | — | — | |
| | — | BLOCK , fuse, coded "W" group ... | 1 | — | — | ECK1 |
| | — | BLOCK , fuse, 12-way (See sub-section EBV) ... | 1 | — | — | |
| 10H/23862 | — | FUSE , 10 amp. ... | 1 | — | C | ECK1 |
| | — | BLOCK , terminal, coded "A," group ... | 1 | — | — | |
| | DHS.456/20 | BLOCK , terminal, 20-way, assembly ... (For breakdown see DHS. Data Sheet) | 1 | — | — | ECK1 |
| | 5X/9149643 | COVER , terminal block (5940-99-914-9643) | 1 | — | C | |
| | 5X/9450403 | PILLAR , fixing, 4 BA (5340-99-945-0403) ... | 2 | — | C | |
| | 28W/9419474 | WASHER ... | 2 | — | C | |
| | — | BLOCK , terminal, 20-way, coded "B," assembly (For breakdown see DHS. Data Sheet) | 1 | — | — | ECK1 |
| | 28D/1214867 | Attachments for DHS.456/20, Block :— Bolt, 4 BA ... | 2 | — | C | |
| | 28W/9419474 | Washer ... | 2 | — | C | |
| | — | BLOCK , terminal, coded "D," group ... | 1 | — | — | |
| | DHS.456/20 | BLOCK , terminal, 20-way, assembly ... (For breakdown see DHS. Data Sheet) | 1 | — | — | ECK1 |
| | 28D/12182 | BOLT , 4 BA (Mod. 963) ... | 2 | — | C | |
| | 5X/9149643 | COVER , terminal block (Pre Mod. 963) (5940-99-914-9643) | 1 | — | C | ECK1 |
| | 5X/1004082 | LINK (connecting terminals 17 and 18) (5940-99-100-4082) | 1 | — | C | EAR2 |
| | 5X/9450403 | PILLAR , fixing, 4 BA (Pre Mod. 963) (5340-99-945-0403) | 2 | — | C | ECK1 |
| | 28W/9419474 | WASHER ... | 2 | — | C | |
| | 10-20 N 5691A | CABLE , coded "RY," assembly ... | 1 | — | ECC | EAR2 |
| | 10-20 N 9/138 Mk. 2 | CABLE , coded "12.B.FA.WB-WB.FB.G.7," assembly | 1 | — | ECC | ECK1 |
| | 10-20 N 9/638 Mk. 6 | CABLE , coded "5.AV.FB.WB-WB.FA.B.20," assembly | 1 | — | ECC | ECK1 |
| | 10-20 N 9/638 Mk. 7 | CABLE , coded "6.AV.FB.WB-WB.FA.B.12," assembly | 1 | — | ECC | ECK1 |
| | 10-20 N 9/638 Mk. 8 | CABLE , coded "1.AV.FB.WB-WB.FA.B.13," assembly | 1 | — | ECC | ECK1 |
| | 10-20 N 9/738 Mk. 12 | CABLE , coded "17.D.FA.WB-WB.*8.D.3," assembly | 1 | — | ECC | ECK1 |
| | 10-20 N 13521A/CABLES | CABLE , link (Mod. 482) ... (For cables circuit coded "WB") | QR | — | ECC | ECK1 |

ELECTRICAL INSTALLATIONS


INSTALLATION OF HYDRAULIC LOW PRESSURE WARNING, CODED "WB"

| Ref. No. | Part No. | Description | No. off | Material Specification | Class of Store or L.M | Plate No. |
|-------------|---------------------------|--|---------|------------------------|-----------------------|-----------|
| | | | | | | |
| | — | INSTALLATION AT RIB "O" (Drg. No. 10-20 N 11143) | 1 | — | — | |
| | 10-20 N 9/638 Mk. 5 | CABLE , coded "2.AV.FB.WB-WB.★8.D.7," assembly | 1 | — | ECC | ECK1 |
| | — | TERMINAL , earth, str. 8, coded "D," group ... | 1 | — | — | ECK1 |
| 28M/10328 | AGS.2002/C/1 | NUT , 2 BA | 2 | — | C | |
| 28S/1007443 | A32/C18 | SCREW , 2 BA | 2 | — | C | |
| 26DV/7529 | DHS.438/C | TAG , corrosion | 1 | — | C | |
| 26DV/4969 | DHS.437/C | TERMINAL , earth, assembly (For breakdown see DHS. Data Sheet) | 1 | — | C | ECK1 |
| 28W/9419402 | SP.13/C | WASHER | 4 | — | C | |
| | — | INSTALLATION AT STARBOARD WING DECK PANEL, CODED "FB" (Drg. Nos. 10-20 N 14863A, 10-20 N 11701 and 10-20 N 14899A) | 1 | — | — | |
| | — | BLOCK , terminal, coded "G," group | 1 | — | — | |
| 28D/12182 | AS.1246/6B | BOLT , 4 BA (Mod. 963) | 2 | — | C | |
| | DHS.456/20 | BLOCK , terminal, 20-way, assembly (For breakdown see DHS. Data Sheet) | 1 | — | — | ECK1 |
| 5X/9149643 | PLESSEY CZ.25111 | COVER , terminal block (Pre Mod. 963) (5940-99-914-9643) | 2 | — | C | |
| | 7657 | PILLAR , fixing, 4 BA (Pre Mod. 963) | 2 | — | C | |
| 26DV/12296 | DHS.489/5 | SPACER (Pre Mod. 963) | 2 | — | C | |
| 28W/9419474 | SP.15/B | WASHER | 2 | — | C | |
| | 16463 | BRACKET | 2 | — | C | ECK1 |
| | | Attachments for 10-20 N 4625, Bracket :— | | | | |
| 28D/1007979 | AS.1246/1B | Bolt , 4 BA | 2 | — | C | |
| 28M/10287 | AGS.2001/B/1 | Nut , 4 BA | 1 | — | C | |
| 28S/1008327 | A32/B14 | Screw , 4 BA | 1 | — | C | |
| 28W/9419474 | SP.15/B | Washer | 1 | — | C | |
| 28W/9419474 | SP.15/B | Washer | 2 | — | C | |
| | 14871 | BRACKET , assembly | 1 | — | C | ECK1 |
| | | Attachments for 10-20 N 4627A, Bracket :— | | | | |
| 28D/1007979 | AS.1246/1B | Bolt , 4 BA | 2 | — | C | |
| 28W/9419474 | SP.15/B | Washer | 2 | — | C | |
| | 10-20 N 5751A | CABLE , coded "WY," assembly | 1 | — | ECC | ECK1 |
| | 10-20 N 14899A/ CABLES | CABLES , link (Mod. 372) | QR | — | ECC | ECK1 |
| | 10-20 N 11969A | RELAY , assembly | 1 | — | — | |
| | 10-20 N 11969A/ CABLES | CABLES , link | QR | — | ECC | ECK1 |
| 10C/0120138 | PLESSEY CE.51102 | CAPACITOR , 140 mf, coded "AW" and "AY" (5910-99-012-0138) Attachments for Ref. No. 10C/0120138, Capacitor :— | 2 | — | C | ECK1 |
| | 28M/9995181 | Nut , 4 BA | 1 | — | C | |
| 28W/9419401 | SP.10/B | Washer | 1 | — | C | |
| 28W/1200328 | AGS.2037/B | Washer , shakeproof (Discard stiffnut supplied with Capacitor) | 1 | — | C | |
| | PAGE ENGINEERING A.345 | COVER , capacitor, plastic | 2 | — | C | |
| 12721 | 10-20 N 12109ND | PLATE , mounting, 18 SWG | 1 | L.72 | LM | |

ELECTRICAL INSTALLATIONS

INSTALLATION OF HYDRAULIC LOW PRESSURE WARNING, CODED "WB"

| Ref. No. | Part No. | Description | No. off | Material Specification | Class of Store of L.M. | Place No. |
|-------------|---------------------------------|--|---------|------------------------|------------------------|--------------|
| | | | | | | |
| 10W/0113231 | — | RESISTOR , 100 ohms, coded "AX" and "AZ" | 2 | — | C | ECK1 |
| | | Attachments for Ref. No. 10W/0113231, Resistor :— | | | | |
| 28E/9436819 | AS.3180/3B | Clip, "P," rubber covered | 1 | — | C | |
| 28M/10287 | AGS.2001/B/1 | Nut, 4 BA | 1 | — | C | |
| 28S/9992525 | A32/B12 | Screw, 4 BA (For Resistor coded "AX") ... | 1 | — | C | |
| 28S/9992522 | A32/B16 | Screw, 4 BA (For Resistor coded "AZ") ... | 1 | — | C | |
| 28W/9419401 | SP.10/B | Washer (For Resistor coded "AX") ... | 1 | — | C | |
| 28W/9419465 | SP.13/B | Washer (For Resistor coded "AZ") ... | 1 | — | C | |
| | 10-20 N 12111ND | STRIP , mounting, $\frac{1}{8}$ " thick | 2 | LFS.21 | LM | |
| 5CW/6452 | — | SWITCHES , magnetic, Type 9B, No. 1A, coded "AV" and "UA" | 2 | — | P | ECK1 |
| | | Attachments for Ref. No. 5CW/6452, Switch :— | | | | |
| 28D/9419452 | A25/3B | Bolt, 4 BA | 2 | — | C | |
| 28M/10287 | AGS.2001/B/1 | Nut, 4 BA | 2 | — | C | |
| 28W/9419465 | SP.13/B | Washer | 2 | — | C | |
| | 13463 | TUBING , protective | QR | — | C | |
| | — | INSTALLATION AFT OF REAR WHEEL WELL WALL, PORT (Drg. No. 10-20 S 13689) | 1 | — | — | |
| | THERMAL CONTROL LTD. TP.5735 | SWITCH , pressure, coded "RY" (Mod. 875) ... | 1 | — | P | ECK1 |
| | | Attachments for Ref. No. 5CW/8146, Switch :— | | | | |
| 28D/9436920 | A25/1C | Bolt, 2 BA | 4 | — | C | |
| 28M/10288 | AGS.2001/C/1 | Nut, 2 BA | 4 | — | C | |
| 28W/9419454 | SP.10/C | Washer | 4 | — | C | |
| | — | INSTALLATION AFT OF REAR WHEEL WELL WALL, STARBOARD (Drg. No. 10-20 S 3633) | 1 | — | — | |
| | THERMAL CONTROL LTD. TP.5735 | SWITCH , pressure, coded "WY" (Mod. 649) ... | 1 | — | P | ECK1 |
| | | Attachments for Ref. No. 5CW/7146, Switch :— | | | | |
| 28D/9436920 | A25/1C | Bolt, 2 BA | 4 | — | C | |
| 28M/10288 | AGS.2001/C/1 | Nut, 2 BA | 4 | — | C | |
| 28W/9419454 | SP.10/C | Washer | 4 | — | C | |
| | — | INSTALLATION UNDER COCKPIT FLOOR, PORT (Drg. Nos. 10-20 N 9199 and 10-20 S 13015) (Mod. 249) | 1 | — | — | |
| | 10-20 N 10459A | CABLE , coded "RO," assembly | 1 | — | ECC | ECK1 |
| | 10-20 N 10461A | CABLE , coded "SO," assembly | 1 | — | ECC | ECK1 |
| | 10-20 N 10463A | CABLE , coded "ZO," assembly | 1 | — | ECC | ECK1 |
| 6A/5441 | SANGAMO WESTON S.122/4/61 | TRANSMITTERS , pressure, 0-2000 P.S.I., coded "SO," Port and "ZO," Starboard | 2 | — | P | ECK1 QQ14 |
| 6A/4659 | SANGAMO WESTON S.122/4/31 | TRANSMITTER , pressure, 0-4000 P.S.I., coded "RO," Main | 1 | — | P | ECK1 QQ14 |



ECK.1

ELECTRICAL INSTALLATION
HYDRAULIC LOW PRESSURE WARNING
CODED WB

ECK.1
[AL 57]

RESTRICTED

ROUTING CHART
IO.20N5/838 ISS. 5



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.