

INSTALLATION OF FIRE EXTINGUISHER CIRCUITS, CODED "WE" AND "WJ"

Ref. No.	Part No.	Description						No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6				
	—	INSTALLATION OF FIRE EXTINGUISHER CIRCUITS, CODED "WE" AND "WJ"						1	—	—	
	—	INSTALLATION AT PILOT'S SWITCH PANEL, CODED "H" (Drg. Nos. 10-20 N 15833 (Pre Mod. 803), 10-20 N 15709 (Mod. 803), 10-20 N 13987 (Mod. 803), 10-20 N 15777, 10-20 N 22227, 10-20 N 11421)						1	—	—	
	—	BLOCK, fuse, coded "CT," group ...						1	—	—	
	—	BLOCK, fuse, 12-way (See sub-section EBV) ...						1	—	—	
10H/23862	AS.10	FUSE, 10 amp. ...						3	—	C	
10H/23860	AS.20	FUSE, 20 amp. ...						2	—	C	
	—	BLOCK, terminal, coded "DA," group, mounted on Panel "H" (Pre Mod. 803)						1	—	—	
28D/1010658	A25/1B	BOLT, 4 BA ...						1	—	C	
28D/9436920	A25/1C	BOLT, 2 BA, securing plate ...						1	—	C	
	10-20 N 7159	PIECE, distance ...						1	L.65	LM	EAQ3
5X/9450403	PLESSEY Z.28426	PILLAR, fixing, 4 BA ...						1	—	C	EAQ3
	10-20 N 7121A	PLATE, mounting, complete with terminal block, assembly						1	—	—	EAQ3
	DHS.456/20L	BLOCK, terminal, 20-way, assembly (For breakdown see DHS. Data Sheet)						1	—	—	EAQ3
5X/9149641	PLESSEY CZ.25111	COVER, terminal block ...						1	—	C	EAR2
28M/10327	AGS.2002/B/1	NUT, 4 BA ...						1	—	C	
5X/9450403	PLESSEY Z.28426	PILLAR, fixing, 4 BA ...						1	—	C	EAQ3
	10-20 N 7123ND	PLATE, mounting, terminal block, 18 SWG						1	L.72	LM	EAQ3
28W/9419401	SP.10/B	WASHER ...						1	—	C	
28W/9419465	SP.13/B	WASHER ...						1	—	C	
	—	BLOCK, terminal, coded "DA," group, mounted on panel "H-A" (Mod. 803)						1	—	—	
	DHS.456/20	BLOCK, terminal, 20-way, assembly (For breakdown see DHS. Data Sheet)						1	—	—	
5X/9149465	PLESSEY CZ.25111	COVER, terminal block ...						1	—	C	EAR2
5X/3278	PLESSEY Z.28426	PILLAR, fixing, 4 BA ...						2	—	C	EAQ3
5195	DHS.849	SCREW (fit to terminals 3, 6 and 9) ...						3	—	C	ECN1
	10-20 N 23103A	CABLE, bung Q1, coded "FB," assembly... (For cables circuit coded "WE") (Pre Mod. 803)						1	—	ECC	
	10-20 N 23105A	CABLE, bung Q1, coded "FB," assembly... (For cables circuit coded "WE") (Mod. 803)						1	—	ECC	
	10-20 N 12553A	CABLE, bung Q8, coded "FA," assembly... (For cables circuit coded "WE") (Pre Mod. 803)						1	—	ECC	
	10-20 N 14487A	CABLE, bung Q8, coded "FA," assembly... (For cables circuit coded "WE") (Mod. 803)						1	—	ECC	
	10-20 N 15771/ CABLES	CABLES, link (For cables circuit coded "WE") (Pre Mod. 803)						QR	—	ECC	

ELECTRICAL INSTALLATIONS

INSTALLATION OF FIRE EXTINGUISHER, CODED "WE" AND "WJ"

Ref. No.	Part No.	Description						No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6				
	10-20 N 9/817 Mk. 28	CABLE , coded " 20.CT.WEA-WEA.H.A.DA.4," assembly (Mod. 803)						1	—	ECC	
	10-20 N 9/817 Mk. 29	CABLE , coded " 22.CT.WE-WE.H.A.DA.7," assembly (Mod. 803)						1	—	ECC	
	10-20 N 9/817 Mk. 30	CABLE , coded " 24.CT.WE-WE.H.A.DA.10," assembly (Mod. 803)						1	—	ECC	
	10-20 N 9/517 Mk. 1	CABLE , coded " 18.CT.H.WJ-WJ.Q.N.17," assembly						1	—	ECC	
	10-20 N 9/117 Mk. 21	CABLE , coded " 23.CT.H.PEB-PEB.T.A. 4," assembly						1	—	ECC	
	10-20 N 9/117 Mk. 22	CABLE , coded " 6.CT.H.PEC-PEC.T.A. 1," assembly						1	—	ECC	
	—	INSTALLATION AT NAVIGATOR'S WINDOW (Drg. Nos. 10-20 N 11713 (Mod. 372) and 10-20 N 14813)						1	—	—	
	10-20 N 14831A	BRACKET and SWITCH , coded " PO " c/w wiring, assembly						1	—	—	
	10-20 N 13573A	BRACKET and SWITCH , coded " PO," assembly						1	—	—	ECM1
	10-20 N 13575	Spares for :—									
	10F/Z510581	PLATE , mounting, 20 SWG						1	L.72	LM	ECM1
	—	SWITCH , coded " A "						1	—	P	
	10-20 N 14831A/ CABLES	CABLES (For cables circuit coded " WE ")						QR	—	ECC	
	28D/1010658	Attachments for 10-20 N 14831A, Bracket :—									
	28V/9419465	Bolt , 4 BA						2	—	C	
	—	Packing , 16 SWG						1	L.72	LM	ECM1
	—	Washer						2	—	C	
	—	INSTALLATION AT NAVIGATOR'S RIGHT-HAND PANEL, CODED " N " (Drg. Nos. 10-20 N 9009A/1 and 10-20 N 8831)						1	—	—	
	10-20 N 9009A/1 CABLES	CABLES , link (For cables circuit coded " WJ ")						QR	—	ECC	
	10-20 N 20879	LABEL , identification						1	—	—	ECM
	28S/15864	Attachments for 10-20 N 20879 Label :—									
	28M/10280	Screw , 4 BA (Parkerise matt black)						2	—	C	
	—	Nut , 4 BA						2	—	C	
	5CW/5060	SWITCH , crash relay reset, coded " G," group						1	—	—	
	5CW/5061	SHROUD , switch						1	—	C	
	—	SWITCH , button						1	—	C	
	28S/9148309	Attachments for Ref. No. 5CW/5061, Switch :—									
	A32/Z6	Screw , 8 BA (Parkerise matt black)						2	—	C	

INSTALLATION OF FIRE EXTINGUISHER, CODED "WE" AND "WJ"

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M	Plate No.
		INSTALLATION AT RELAY GROUP, CODED "T" (Drg. Nos. 10-20 N 5733 and 10-20 FS 20479)	1	—	—	
	10-20 N 20305A	CABLE , bung J.B.4, assembly (For cables circuit coded "PE")	1	—	ECC	
	10-20 N 9/117 Mk. 23	CABLE , coded "2.A.T.PEC-PEC.★.29.A.7," assembly	1	—	ECC	
	10-20 N 9/117 Mk. 24	CABLE , coded "5.A.T.PEC-PEC.T.A.1," assembly	1	—	ECC	
	10-20 N 9/117 Mk. 25	CABLE , coded "4.A.T.PEB-PEB.T.A.6," assembly	1	—	ECC	
5CW/6453	—	SWITCH , relay magnetic, coded "A" Type 9B/No. 2A	1	—	P	
		Attachments for Ref. No. 5CW/6453, Switch :—				
28M/10327	AGS.2002/B/1	Nut, 4 BA	2	—	C	
28S/2887	A32/B32	Screw, 4 BA	2	—	C	
28W/9419465	SP.13/B	Washer	4	—	C	
		TERMINAL , earth, station 29, coded "A," group...	1	—	—	
26DV/7529	DHS.438/C	TAG , corrosion	1	L.16	C	EBG1A
6608	10-20 N 2295A	TERMINAL , earth, 45°, assembly	1	—	C	EBG1A
	10-20 N 2297A	BRACKET , assembly	1	—	—	EBG1A
	DHS.436ND	PLATE , doubling, 14 SWG	1	BS.265	LM	EBG1A
	10-20 N 2299ND	PLATE , terminal, 16 SWG	1	BS.265	LM	EBG1A
26DV/11786	AS.2751	CIRCLIP	4	—	C	EBG1A
12687	DHS.379/1	LABEL , half	1	BS.265	C	EBG1A
12688	DHS.379/2	LABEL , half	1	BS.265	C	EBG1A
26DV/11785	AS.2749	SOCKET , half	8	—	C	EBG1A
5X/9028	AS.2747	SOCKET , terminal, assembly	4	—	C	EBG1A
26DV/11787	AS.2752	SPACER	4	—	C	EBG1A
		Attachments for 10-20 N 2295A, Terminal :—				
28D/9140202	AS.1246/1C	Bolt, 2 BA	2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	2	—	C	
28W/9419454	SP.10/C	Washer	2	—	C	
		INSTALLATION AT FORWARD FACE OF BULKHEAD, CODED "Q" (Drg. No. 10-20 N 10635)	1	—	—	
	DHS.456/20	BLOCKS , terminal, coded "AB" and "N," group	1	—	—	
		BLOCK , terminal, 20-way, assembly (For breakdown see DHS. Data Sheet)	2	—	—	
5X/9149643	—	COVER , terminal block	2	—	C	
12732	10-20 N 8085	PILLAR , fixing, 4 BA	4	S.93	C	EAA3
	10-20 N 22525A	CABLE , coded "JB1," assembly (For cables circuit coded "WJ") (Mod. 1030)	1	—	ECC	
	10-20 N 22741A	CABLE , bung QZ, coded "FB," assembly (For cables circuit coded "WE" (Mod. 1042, Pre Mod. 803)	1	—	ECC	
	10-20 N 22743A	CABLE , bung Q2, coded "FB," assembly (For cables circuit coded "WE" (Mods. 1042 and 803)	1	—	ECC	
		TERMINAL , earth, station 3, coded "C," group...	1	—	—	
26DV/7529	DHS.438/C	TAG , corrosion	1	L.16	C	ECN1
26DV/4969	DHS.437/C	TERMINAL , earth, assembly (For breakdown see DHS. Data Sheet)	1	—	C	ECN1
		Attachments for DHS.437/C, Terminal :—				
28M/10288	AGS.2001/C/1	Nut, 2 BA	2	—	C	
28W/9419474	SP.15/C	Washer	2	—	C	

ELECTRICAL INSTALLATIONS

INSTALLATION OF FIRE EXTINGUISHER, CODED "WE" AND "WJ"

Ref. No.	Part No.	Description	No. off						Material Specification	Class of Score or L.M.	Plate No.
			1	2	3	4	5	6			
		INSTALLATION AT FLOOR STEP, STN. 148" (Drg. No. 10-20 N 22525)									
5X/6133	PLESSEY CZ.28057	PLUG , bulkhead, coded "JB1"						1	—	P	
		INSTALLATION AT COCKPIT FLOOR, PORT SIDE (Drg. No. 10-20 N 9199)									
		BOX , crash trip relay, coded "JP," group... (Drg. No. 10-20 N 9639)						1	—	—	
27N/215	GRAVINER C/470	BOX , crash trip relay, assembly Attachments for C/470, Box :—						1	—	P	ECM
28S/2856	A32/C12	Screw, 2 BA						4	—	C	
28W/1006946	AGS.2035/C	Washer						4	—	C	
	10-20 N 22745A	BRACKET , assembly (Mod. 1078)						1	—	—	ECM1
28M/9144673	10-20 N 22747ND AGS.2019/C/1	BRACKET , 20 SWG						1	L.72	LM	ECM1
		NUT , anchor, 2 BA						4	—	C	
28D/9138768	A25/3C	Attachments for 10-20 N 22745A, Bracket :— Bolt, 2 BA						2	—	C	
	10-20 N 9751A	BRACKET , assembly						1	—	—	ECM1
28M/9144673	10-20 N 9959ND AGS.2019/C/1	BRACKET , 20 SWG						1	L.72	LM	ECM1
		NUT , anchor, 2 BA						4	—	C	
28D/9138768	A25/3C	Attachments for 10-20 N 9751A, Bracket :— Bolt, 2 BA						2	—	C	
	10-20 N 9747	PLATE , mounting						1	L.72	LM	ECM1
28D/9138768	A25/3C	Attachments for 10-20 N 9747, Plate :— Bolt, 2 BA						4	—	C	
	10-20 N 9903A	CABLE , coded "JP1," assembly (For cables circuit coded "WJ")						1	—	ECC	
	10-20 N 13581A	CABLE , coded "JP2," assembly (For cables circuit coded "WJ")						1	—	ECC	
	10-20 N 13583A	CABLE , coded "JP3," assembly (For cables circuit coded "WJ")						1	—	ECC	
		INSTALLATION AT ACCUMULATOR BULK-HEAD , coded "JA" (Drg. No. 10-20 N 8337)									
		BLOCK , fuse, coded "JA-E," group						1	—	—	
		BLOCK , fuse, 6-way, assembly (See sub-section EBV)						1	—	—	
10H/23860	AS.20	FUSE , 20 amp.						1	—	C	
		BLOCK , terminal, coded "JA-G," group						1	—	—	
	DHS.456/20	BLOCK , terminal, 20-way, assembly (For breakdown see DHS. Data Sheet)						1	—	—	
16180	10-20 N 10687A	COVER , terminal block						1	—	C	EAF1
12732	10-20 N 8085	PILLAR , fixing, 4 BA						2	S.93	C	EAA3
		BLOCK , terminal, coded "JA-P," group						1	—	—	
	DHS.456/20	BLOCK , terminal, 20-way, assembly (For breakdown see DHS. Data Sheet)						1	—	—	
16180	10-20 N 10687A	COVER , terminal block						1	—	C	EAF1
5X/9450403	PLESSEY Z.28426	PILLAR , fixing, 4 BA						2	—	C	EAQ3

INSTALLATION OF FIRE EXTINGUISHER, CODED "WE" AND "WJ"

Ref. No.	Part No.	Description						No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6				
	10-20 N 13577A	CABLE , coded "GO," assembly (For cables circuit coded "WJ")						1	—	ECC	
	10-20 N 9/117 Mk. 2	CABLE , coded "7.F.JA.-JA.F.C," assembly ...						1	—	ECC	
	10-20 N 9/117 Mk. 3	CABLE , coded "5.F.JA.-JA.F.3," assembly ...						1	—	ECC	
	10-20 N 9/117 Mk. 4	CABLE , coded "3.F.JA.-JA.F.1," assembly ...						1	—	ECC	
	10-20 N 9/117 Mk. 6	CABLE , coded "C.F.JA.WJ-WJ.JA.G.13," assembly						1	—	ECC	
	10-20 N 9/117 Mk. 7	CABLE , coded "5a.F.JA.WE2-WE2.JA.G.16," assembly						1	—	ECC	
	10-20 N 9/117 Mk. 8	CABLE , coded "3a.F.JA.WEA-WEA.JA.G.17," assembly						1	—	ECC	
	10-20 N 9/117 Mk. 9	CABLE , coded "1a.F.JA.WE1-WE1.JA.G.18," assembly						1	—	ECC	
	10-20 N 9/117 Mk. 10	CABLE , coded "17.G.JA.WEA-WEA.FA.B.17," assembly						1	—	ECC	
	10-20 N 9/117 Mk. 12	CABLE , coded "18.G.JA.WE1-WE1.FA.B.18," assembly						1	—	ECC	
	10-20 N 9/117 Mk. 15	CABLE , coded "16.G.JA.WE2-WE2.FB.G.18," assembly						1	—	ECC	
	10-20 N 9/117 Mk. 16	CABLE , coded "13.G.JA.WJ-WJ.FA.B.19," assembly						1	—	ECC	
	10-20 N 9/117 Mk. 17	CABLE , coded "11.G.JA.WE2-WE2.JA.F.1," assembly						1	—	ECC	
	10-20 N 9/117 Mk. 20	CABLE , coded "7a.F.JA.WJ-WJ.FA.Y.1," assembly						1	—	ECC	
	10-20 N 9/217 Mk. 26	CABLE , coded "5.C.FB.WJ-WJ.JA.P.19," assembly						1	—	ECC	
	10-20 N 9/217 Mk. 27	CABLE , coded "Ca.F.JA.WJ★-WJ★.JA.P.19," assembly						1	—	ECC	
	—	RELAY , coded "JA-F," group						1	—	—	
	10-20 N 4171	BRACKET , mounting, 18 SWG						1	L.72	LM	ECM1
5CW/6853	—	SWITCH , magnetic, Type 10B, No. 15 Attachments for Ref. No. 5CW/6853, Switch :—						1	—	P	
28D/11540	AS.1246/2B	Bolt, 4 BA						2	—	C	
28S/14545	A31/B10	Screw, 4 BA						2	—	C	
28W/9419448	AGS.2035/B	Washer						2	—	C	
	—	TERMINAL , earth, station 5, coded "B," group						1	—	—	
5X/9400051	—	FERRULE , spare, at terminal, coded "B" ...						2	—	C	
26DV/7529	DHS.438/C	TAG , corrosion						1	L.16	C	ECM1
26DV/4969	DHS.437/C	TERMINAL , earth, coded "B" (For breakdown see DHS. Data Sheet)						1	—	C	ECN1
	—	Attachments for DHS.437/C, Terminal :—									
28D/9133011	A25/2C	Bolt, 2 BA						2	—	C	
28M/10288	AGS.2001/C/1	Nuc. 2 BA						2	—	C	
28W/9419402	SP.13/C	Washer						4	—	C	
	—	INSTALLATION AT WING DECK PANEL, STARBOARD, CODED "FB" (Drg. No. 10-20 N 14863A)						1	—	—	
	—	BLOCK , terminal, coded "G," group						1	—	—	
	DHS.456/20	BLOCK , terminal, 20-way, assembly (For breakdown see DHS. Data Sheet)						1	—	—	
	—	Attachments for DHS.456/20, Block :—									
7657	DHS.870/5	Pillar						2	S.96	C	EAE2
26DV/12296	DHS.489/5	Spacer						2	P.V.C.	C	EAE2
28W/9419474	SP.15/B	Washer						2	—	C	
5X/9149641	—	COVER , terminal block						1	—	C	

ELECTRICAL INSTALLATIONS

INSTALLATION OF FIRE EXTINGUISHER, CODED "WE" AND "WJ"

Ref. No.	Part No.	Description						No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6				
	DHS.456/20	BLOCK , terminal coded "C," group						1	—	—	
		BLOCK , terminal, 20-way, assembly (For breakdown see DHS. Data Sheet)						1	—	—	
		Attachments for DHS.456/20, Block :—									
5X/9450403	PLESSEY Z.28426	Pillar, fixing						2	—	C	EAQ3
28W/9419474	SP.15/B	Washer						2	—	C	
5X/9149643	PLESSEY CZ.25111	COVER , terminal block						1	—	C	EAR2
5X/1004082	PLESSEY Z.50210	LINK , 2-way, at terminals 4 to 5						1	—	C	
	10-20 N 13569A	CABLE , coded "VR," assembly (For cables circuit coded "WJ")						1	—	ECC	
	10-20 N 2537A	CABLE , coded "VR," assembly (For cables circuit coded "WE")						1	—	ECC	
		INSTALLATION AT WING DECK PANEL, PORT, CODED "FA" (Drg. Nos. 10-20 N 13301A, 10-20 N 11143A and 10-20 N 11655)						1	—	—	
	DHS.456/20	BLOCK , terminal, coded "B," group						1	—	—	
		BLOCK , terminal, 20-way, assembly (For breakdown see DHS. Data Sheet)						1	—	—	
		Attachments for DHS.456/20, Block :—									
28D/12690	AS.1246/5B	Bolt, 4 BA						2	—	C	
28W/9419474	SP.15/B	Washer						2	—	C	
	10-20 N 14405A	CABLE , coded "PR," assembly (For cables circuit coded "WJ")						1	—	ECC	
	10-20 N 6009A	CABLE , coded "HG," assembly						1	—	ECC	
	10-20 N 14167A	CABLE , coded "PR," assembly						1	—	ECC	
26DV/7529	DHS.438/C	TERMINAL , earth, station 8, coded "B," group						1	—	—	ECN1
26DV/4969	DHS.437/C	TAG , corrosion						1	L.16	C	ECN1
		TERMINAL , earth, assembly (For breakdown see DHS. Data Sheet)						1	—	C	ECN1
		Attachments for DHS.437/C, Terminal :—									
28D/9436920	A25/1C	Bolt, 2 BA						2	—	C	
28M/10328	AGS.2002/C/1	Nut, 2 BA						2	—	C	
28W/9419402	SP.13/C	Washer						2	—	C	
		INSTALLATION AT WHEEL WELL, STARBOARD (Drg. No. 10-20 N 11701)						1	—	—	
	10-20 N 2537A	CABLE , coded "VR," assembly (For cables circuit coded "WJ")						1	—	ECC	
		EXTINGUISHER , fire, coded "VR" (See sub-section MK)						—	—	—	
26DV/7529	DHS.438/C	TERMINAL , earth, station 10, coded "B," group						1	—	—	ECN1
26DV/4969	DHS.437/C	TAG , corrosion						1	L.16	C	ECN1
		TERMINAL , earth, assembly (For breakdown see DHS. Data Sheet)						1	—	C	ECN1
		Attachments for DHS.437/C, Terminal :—									
28D/9133011	A25/2C	Bolt, 2 BA						2	—	C	
		INSTALLATION AT WHEEL WELL, PORT... (Drg. No. 10-20 N 2399)						1	—	—	
	10-20 N 13567A	CABLE , coded "PR," assembly (For cables circuit coded "WJ")						1	—	ECC	
		EXTINGUISHER , fire, coded "PR" (See sub-section MK)						—	—	—	
26DV/7529	DHS.438/C	TERMINAL , earth, station 11, coded "B," group						1	—	—	ECN1
26DV/4969	DHS.437/C	TAG , corrosion						1	L.16	C	ECN1
		TERMINAL , earth, assembly (For breakdown see DHS. Data Sheet)						1	—	C	ECN1
		Attachments for DHS.437/C, Terminal :—									
28D/9133011	A25/2C	Bolt, 2 BA						2	—	C	

ELECTRICAL INSTALLATIONS


INSTALLATION OF FIRE EXTINGUISHERS, CODED "WE" AND "WJ"

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
	—	INSTALLATION AT ACCESSORY BAY EXTINGUISHER , fire, coded "HG" (See sub-section MK)	1	—	—	
	—	INSTALLATION AT L.H. FUEL BAY DOOR (Drg. Nos. 10-20 N 12401 and 10-20 WC 12727)	1	—	—	
	DHS.456/3	BLOCK , terminal, coded "JR." group BLOCK , terminal, 3-way, assembly (For breakdown see DHS. Data Sheet)	1 1	— —	— —	
		Attachments for DHS. 456/3, Block :—				
28D/15936	AS.1246/17B	Bolt, 4 BA	2	—	C	
28W/9480389	AS.2810/4/129 SP.26/B	Tube, distance, 1/2" o/d x 20 SWG x 1"-29 long Washer	2 2	L.62 —	LM C	
26FC/13545 28E/14207	DHS.381 AS.5418/4	CLAMP , cable CLIP , cable	2 2	— —	C C	ECM1
		Attachments for AS.5418/4, Clip :—				
28D/1007971 28M/10287 28W/9419465	A25/3B AGS.2001/B/1 SP.13/B	Bolt, 4 BA Nut, 4 BA Washer	1 1 1	— — —	C C C	
	10-20 N 12989A 10-20 N 12989A/ CABLES	DETECTOR , crash trip, c/w cables, assembly CABLE , assembly (For cables circuit coded "WJ")	1 1	— —	— ECC	ECM1
27N/256	GRAVINER 12C/473/1	SWITCH , crash trip Attachments for 10-20 N 12989A, Detector :—	1	—	P	ECM1
28D/1007979 28M/10287	AS.1246/1B AGS.2001/B/1	Bolt, 4 BA Nut, 4 BA	17 17	— —	C C	
5K/ 2877	SP.40/A8 10-20 N 13587A 10-20 N 13587A/ CABLES	GROMMET PLUG , coded "GO," assembly	4 1	— —	C —	
	10-20 N 6437ND	CABLES , coded "GO," assembly (For cables circuit coded "WJ") SECTION , Burley rubber, 1/4" dia x 7/64" slot (Make from Ref. No. 32C/600)	1 QR	— —	ECC LM	
32B/—	—	TAPE , identification, numbers and letters, use from Ref. Nos. 32B/1087 to 32B/1120 inclusive as required	QR	—	C	

ELECTRICAL INSTALLATIONS

INSTALLATION OF FIRE EXTINGUISHERS, CODED "WE" AND "WF"

Ref. No.	Part No.	Description						No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6				



ECM.I

ELECTRICAL INSTALLATION
FIRE EXTINGUISHER
CODED WE, WJ

ECM.I
[AL. 60]

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rftm

Please see site for usage terms,
and more aircraft documents.

