


ELECTRICAL INSTALLATIONS
INSTALLATION IN OUTBOARD HEAVY STORES PYLON, PORT,
FOR THE CARRIAGE OF 2000 LB. H.E. BOMB (SPECIAL ORDER ONLY)

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		INSTALLATION IN OUTBOARD HEAVY STORES PYLON, PORT, FOR THE CARRIAGE OF 2000 LB. H.E. BOMB (Drg. Nos. 10-20 A 6209A and 10-20 N 24409A) (SPECIAL ORDER ONLY)	1	—	—	
	DHS.456/3L	BLOCKS , terminal, coded "N" and "S", group... BLOCK , terminal, 3-way, L.H., assembly (For breakdown see DHS. Data Sheet)	1 2	— —	— —	
28D/1010658	A25/1B	BOLT , 4 BA	2	—	C	
28D/1214867	AS.1246/5B 10-20 N 8903A 10-20 N 8901ND	BOLT , 4 BA (Block "N" only) BRACKET , assembly BRACKET , bare, 20 SWG	2 1 1	— — L.72	C — LM	EDE1
28M/9434252	AGS.2018/B/1 13586 5195	NUT , 4 BA PILLAR , fixing (Block "S" only) SCREW , terminal (Fit at terminal No. 1, blocks "N" and "S")	2 2 2	— — —	C C C	ECR1 EBL3
28W/9419465	SP.13/B 20408	WASHER BOX , relay, c/w cables coded "TR," assembly ... Spares for :—	2 1	— —	C C	EDE1
	10-20 N 24433A	BOX , relay, bare, assembly Spares for :—	1	—	—	
	10-20 N 10099A	CLEAT , plug, assembly	1	—	C	EDE1
28D/9435711	A25/10B 10-20 N 8815ND	BOLT , 4 BA CLEAT	2 1	— LFS. 23 or 26	C LM	EDE1
	10-20 N 8817ND	CLEAT	2	LFS.23 or 26	LM	EDE1
28M/9403519	A27/BP	NUT , 4 BA	2	—	C	
28W/1206041	AGS.2035/B	WASHER , shakeproof Attachments for 10-20 N 10099A, Cleat :—	2	—	C	
28D/9130082	AS.1246/3B	Bolt , 4 BA	2	—	C	
28W/9480389	SP.26/B	Washer	2	—	C	
	12379	COVER , fibreglass, assembly Attachments for 10-20 N 8819, Cover :—	1	—	C	EDE1
28FP/1014631	DZUS A3/25	Fastener	5	—	C	
28FP/9434075	DZUS GA3-175	GROMMET , fastener, cover	2	—	C	
13593	10-20 N 8883A	PLATE , terminal, assembly	1	—	C	EDE1
10H/0560062	HARWIN H.2071Z 10-20 N 8881ND	TERMINAL , post (5940-99-056-0062) PLATE , bare	13 1	— LFS.23 or 26	C LM	EDE1
		Attachments for 10-20 N 8883A, Plate :—				
28M/9995181	A53/B	Nut , 4 BA	2	—	C	
28S/9134016	A43/B14	Screw , 4 BA	2	—	C	
28W/9437455	SP.25/B	Washer	4	—	C	
28W/1206041	AGS.2035/B	Washer , shakeproof	2	—	C	
	10-20 N 8811A	SHELF , relay and terminal, assembly Attachments for 10-20 N 8811A, Shelf :—	1	—	—	
28S/9435716	A33/B12	Screw , 4 BA	4	—	C	
28FP/1229	DZUS S3/150/D.12	SPRING , fastener, Type 5	5	—	C	

ELECTRICAL INSTALLATIONS
INSTALLATION IN OUTBOARD HEAVY STORES PYLON, PORT,
FOR THE CARRIAGE OF 2000 LBS. H.E. BOMB (SPECIAL ORDER ONLY)

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M	Place No.
28M/15582	AGS.2018/C/3	NUT , 2 BA	2	—	C	
28D/1200119	A25/4C	Attachments for 10-20 A 2805A, Bracket :—				
28W/1006940	AGS.2034/C	Bolt , 2 BA	2	—	C	
		Washer , shakeproof	2	—	C	
20665	10-20 N 24775A	CABLE , loom, pylon, assembly (Mod. 5179)	1	—	C	
		Spares for :—				
	10-22 N 3451A/ND	CABLE , assembly	1	—	ECC	
	10-20 N 14197A	CABLE , coded "SJ3-TR3," assembly	1	—	ECC	
	10-20 N 22981A	CABLE , coded "SJ4," assembly (Mod. 5165)	1	—	ECC	
28E/9000882	AS.3180/7B	CLIP , "P," securing cable, aft	1	—	C	
		Attachments for AS.3180/7B, Clip :—				
28D/1007468	AS.1242/3B	Bolt , 4 BA	1	—	C	
28M/10287	AGS.2001/B/1	Nut , 4 BA	1	—	C	
28W/9419465	SP.13/B	Washer	1	—	C	
28E/9000883	AS.3180/9B	CLIP , "P," cable securing	1	—	C	
	SUPERFLEXIT	CLIP , "P," cable securing	3	—	—	
	SCF.1312/6	Attachments for AS.3180/9B or SCF.1312/6, Clip :—				
28D/9140638	A25/4B	Bolt , 4 BA	1	—	C	
28M/10287	AGS.2001/B/1	Nut , 4 BA	1	—	C	
28W/9419465	SP.13/B	Washer	1	—	C	
28E/9450597	AS.3180/16C	CLIP , "P," cable securing	2	—	C	
12376	10-20 N 9027A	DUCT , cable, assembly	1	—	C	EDE1
		Attachments for 10-20 N 9027A, Duct :—				
28D/9133031	AS.1242/6B	Bolt , 4 BA	3	—	C	
	—	SERVICING SAFETY BREAK, GROUP (Drg. Nos. 10-20 A 2801 and 10-20 A 2819A) (For breakdown see sub-section EDA)	1	—	—	
5D/1987	—	SWITCH , separation, Type E.P., Mk. 1	1	—	P	
		Attachments for Ref. No. 5D/1987, Switch :—				
28D/1011024	A25/21C	Bolt , 2 BA	4	—	C	
28W/1006940	AGS.2034/C	Washer	4	—	C	
32B/—	—	TAPE , identification, numbers and letters, use from Ref. Nos. 32B/1087 to 32B/1120 inclusive, as required	QR	—	C	
26DV/7259	DHS.438/C	TERMINAL , earth, coded "Q" and "T," groups	2	—	—	
	DHS.1021	TAG , corrosion	1	—	C	EBS1
	DHS.1018	TERMINAL , assembly	1	—	LM	
15677	PLESSEY Z.50005	BRACKET	1	—	C	
5X/	PLESSEY Z.24686	CHANNEL , clamping	4	—	—	
5X/8484	PLESSEY Z.24686	CIRCLIP	4	—	C	
5X/	PLESSEY Z.77414	LABEL and plate	4	—	—	
5X/	PLESSEY Z.50749	PLATE , contact	4	—	—	
5X/8483	PLESSEY Z.24264	SCREW	4	—	C	



ELECTRICAL INST^N OUTBOARD (PORT) PYLON
 (REF DRG IO.2ON 24409 A)

EDE.1

ELECTRICAL INSTALLATION

EDE.1

OUTBOARD HEAVY STORES PYLON, PORT, FOR THE CARRIAGE OF
 2000 LBS. H.E. BOMB(SPECIAL ORDER ONLY)

[A.L. 68]

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

