

**TRANSFERS**

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
	—	<b>STENCILS</b> (See sub-section HA) ... ..	—	—	—	
	—	<b>TRANSFERS, FOR EXTERNAL OPERATIONAL AND MAINTENANCE MARKINGS</b> (Drg. No. 10-20 G 71/1-200)	1	—	—	
13011	10-20 G 71/1	<b>TRANSFER,</b> "Keep Off," red on grey ... ..	21	—	C	
13014	10-20 G 71/4	<b>TRANSFER,</b> "∇ Danger—Ejection Seat," red and white on grey	2	—	C	
13015	10-20 G 71/5	<b>TRANSFER,</b> "Ground Supply," black on white ...	1	—	C	
13016	10-20 G 71/6	<b>TRANSFER,</b> "Fuel Vent," red on grey ... ..	1	—	C	
13018	10-20 G 71/8	<b>TRANSFER,</b> "Warning," red on white ... ..	4	—	C	
13019	10-20 G 71/9	<b>TRANSFER,</b> "Defuelling-maximum suction, pressure 11 lbs. sq. in. below atmos," red on white	2	—	C	
13022	10-20 G 71/12	<b>TRANSFER,</b> "M," black on grey ... ..	16	—	C	
13023	10-20 G 71/13	<b>TRANSFER,</b> "Jury Strut," black on grey ... ..	4	—	C	
13024	10-20 G 71/14	<b>TRANSFER,</b> "Ladder," black on grey ... ..	2	—	C	
13025	10-20 G 71/15	<b>TRANSFER,</b> "Plumb Bob," black on white ... ..	1	—	C	
13027	10-20 G 71/17	<b>TRANSFER,</b> "Air brake ground/flight switch," black on white	1	—	C	
13028	10-20 G 71/18	<b>TRANSFER,</b> "Hydraulic accumulator charging point," black on grey	5	—	C	
13029	10-20 G 71/19	<b>TRANSFER,</b> "Armament aligning projector," black on white	1	—	C	
13030	10-20 G 71/20	<b>TRANSFER,</b> "Levelling Pegs," black on grey ...	2	—	C	
13031	10-20 G 71/21	<b>TRANSFER,</b> "Pneumatic system selector," black on grey	1	—	C	
13033	10-20 G 71/23	<b>TRANSFER,</b> "Activated alumina bottle and filter," black on white	1	—	C	
13034	10-20 G 71/24	<b>TRANSFER,</b> "Jury U/C," black on white ... ..	6	—	C	
13035	10-20 G 71/25	<b>TRANSFER,</b> "Hydraulic priming pump & filter," black on white	1	—	C	
13036	10-20 G 71/26	<b>TRANSFER,</b> "Trestle," black on grey ... ..	4	—	C	
13038	10-20 G 71/28	<b>TRANSFER,</b> "Before lashing refer to A.P.," black on grey	2	—	C	
13039	10-20 G 71/29	<b>TRANSFER,</b> "Intercomm.," black on white ... ..	2	—	C	
13040	10-20 G 71/30	<b>TRANSFER,</b> "Fit jacking beam here," black on white	1	—	C	
13042	10-20 G 71/32	<b>TRANSFER,</b> "Electrical," black on grey ... ..	19	—	C	
15171	10-20 G 71/32A	<b>TRANSFER,</b> "Electrical," black on white ... ..	14	—	C	
13043	10-20 G 71/33	<b>TRANSFER,</b> "Low pressure air engine starting," black on white	2	—	C	
13044	10-20 G 71/34	<b>TRANSFER,</b> "Cabin pressurisation.....test points," black on grey	1	—	C	
13045	10-20 G 71/35	<b>TRANSFER,</b> "A.I. ground cooling," black on grey	1	—	C	
13046	10-20 G 71/36	<b>TRANSFER,</b> "Hydraulic servicing rig," black on white	1	—	C	
15172	10-20 G 71/36A	<b>TRANSFER,</b> "Hydraulic servicing rig," black on grey	1	—	C	
13047	10-20 G 71/37	<b>TRANSFER,</b> "Telebrief," black on grey ... ..	2	—	C	
13048	10-20 G 71/38	<b>TRANSFER,</b> "A.I. ground test," black on grey ...	1	—	C	
13049	10-20 G 71/39	<b>TRANSFER,</b> "Compass unit," black on white ... ..	1	—	C	
13051	10-20 G 71/41	<b>TRANSFER,</b> "Danger," yellow on grey ... ..	1	—	C	
13052	10-20 G 71/42	<b>TRANSFER,</b> "Emergency," yellow on grey ... ..	1	—	C	

**NOTE:—TRANSFERS ARE SUPPLIED IN BOOKS OF SIX.**

**EQUIPMENT, AIRCRAFT**

**TRANSFERS**

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Score or L.M	Plate No.
13053	10-20 G 71/43	TRANSFER, "Access to optimum angle release," yellow on grey	1	—	C	
13054	10-20 G 71/44	TRANSFER, "Power operated hood.....clear of rail," yellow on grey	1	—	C	
13055	10-20 G 71/45	TRANSFER, "Canopy release," yellow on grey ...	1	—	C	
13056	10-20 G 71/46	TRANSFER, "Press button.....off canopy," yellow on grey	1	—	C	
13059	10-20 G 71/49	TRANSFER, "If canopy.....break window," yellow on grey	1	—	C	
13062	10-20 G 71/52	TRANSFER, "These four access panels.....before flight," red on white	2	—	C	
13063	10-20 G 71/53	TRANSFER, "Lever forward for towing—aft for flight," red on white	1	—	C	
13064	10-20 G 71/54	TRANSFER, "Hatch operation.....into slot," yellow on grey	1	—	C	
13065	10-20 G 71/55	TRANSFER, "To open door.....pull handle," black on white	2	—	C	
13066	10-20 G 71/56	TRANSFER, "Dihedral check," black on grey ...	2	—	C	
13067	10-20 G 71/57	TRANSFER, "Incidence check rib 11," black on grey	2	—	C	
13068	10-20 G 71/58	TRANSFER, "Incidence check rib 3A," black on grey	2	—	C	
13069	10-20 G 71/59	TRANSFER, "→," black on grey ...	6	—	C	
15173	10-20 G 71/59A	TRANSFER, "→," black on white ...	8	—	C	
13070	10-20 G 71/60	TRANSFER, "Inclinometer rigging pads," background black, white letters, on grey	2	—	C	
13072	10-20 G 71/62	TRANSFER, "Flap up alignment," black on white	4	—	C	
13073	10-20 G 71/63	TRANSFER, "Aerial cover.....compounds," black on white	2	—	C	
13074	10-20 G 71/64	TRANSFER, "Oil synthetic.....R.D.2487," black on white	1	—	C	
13075	10-20 G 71/65	TRANSFER, "Gearbox," black on white ...	1	—	C	
13076	10-20 G 71/66	TRANSFER, "Overflow," black on white ...	1	—	C	
13077	10-20 G 71/67	TRANSFER, "Filler," black on white ...	1	—	C	
13078	10-20 G 71/68	TRANSFER, "Do not tow.....lowered," red on white	1	—	C	
13079	10-20 G 71/69	TRANSFER, "Disconnect.....screw-jack," red on grey	2	—	C	
15174	10-20 G 71/69A	TRANSFER, "Disconnect.....screw-jack," red on white	2	—	C	
14473	10-20 G 71/70	TRANSFER, "Cocking test," black on white ...	2	—	C	
14474	10-20 G 71/71	TRANSFER, "○ Pylon ejector gun," red on white	4	—	C	
14475	10-20 G 71/72	TRANSFER, "Access to separation switch connections," black on white	1	—	C	
14476	10-20 G 71/73	TRANSFER, "Access to fuel.....connections," black on white	1	—	C	
14477	10-20 G 71/74	TRANSFER, "Access to separation switch pockets," black on white	1	—	C	
14478	10-20 G 71/75	TRANSFER, "If screw-jack and...extending screw-jack," red on white	2	—	C	

**NOTE:—TRANSFERS ARE SUPPLIED IN BOOKS OF SIX.**

TRANSFERS

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Score or L.M.	Plate No.
14479	10-20 G 71/76	TRANSFER, "For Type "C" hoist," black on white	4	—	C	
14480	10-20 G 71/77	TRANSFER, "←LOCK," red on white ... ..	2	—	C	
14481	10-20 G 71/78	TRANSFER, "→UNLOCK," red on white ... ..	2	—	C	
16811	10-20 G 71/79	TRANSFER, "Open—Shut," black on white ... (Mod. 583)	18	—	C	
15626	10-20 G 71/80	TRANSFER, "No rain repellent on this → panel," white letters, red arrow, on grey (Mod. 913)	1	—	C	
15627	10-20 G 71/81	TRANSFER, "→," white on grey (Mod. 913) ...	6	—	C	
15628	10-20 G 71/82	TRANSFER, " [ ] The three windscreen panels cleaning instructions," white on grey (Mod. 913)	1	—	C	
15175	10-20 G 71/83	TRANSFER, "Do not press strip," black on white	1	—	C	
16218	10-20 G 71/85	TRANSFER, "XJ," white on grey ... ..	2	—	C	
17192	10-20 G 71/86A	TRANSFER, "O," white on grey ... ..	QR	—	C	
17193	10-20 G 71/86B	TRANSFER, "1," white on grey ... ..	QR	—	C	
17194	10-20 G 71/86C	TRANSFER, "2," white on grey ... ..	QR	—	C	
17195	10-20 G 71/86D	TRANSFER, "3," white on grey ... ..	QR	—	C	
17196	10-20 G 71/86E	TRANSFER, "4," white on grey ... ..	QR	—	C	
17197	10-20 G 71/86F	TRANSFER, "5," white on grey ... ..	QR	—	C	
17198	10-20 G 71/86G	TRANSFER, "6," white on grey ... ..	QR	—	C	
17199	10-20 G 71/86H	TRANSFER, "7," white on grey ... ..	QR	—	C	
17200	10-20 G 71/86J	TRANSFER, "8," white on grey ... ..	QR	—	C	
17201	10-20 G 71/86K	TRANSFER, "9," white on grey ... ..	QR	—	C	
16220	10-20 G 71/87	TRANSFER, "AFT," black on grey ... ..	10	—	C	
16221	10-20 G 71/87A	TRANSFER, "AFT," light grey on white ... ..	10	—	C	
16222	10-20 G 71/88	TRANSFER, "Emergency Oxygen," white on black and yellow	1	—	C	
16223	10-20 G 71/90	TRANSFER, "S.A. Unit 1150 P.S.I.," black on grey	2	—	C	
16224	10-20 G 71/91	TRANSFER, "Normal," white on clear ... ..	1	—	C	
16225	10-20 G 71/92	TRANSFER, "Emergency," white on clear ... ..	1	—	C	
16557	10-20 G 71/93	TRANSFER, "Methanol fill.....do not spill," red on grey (Mod. 728)	1	—	C	
16694	10-20 G 71/94	TRANSFER, "XN," white on grey ... ..	2	—	C	
16725	10-20 G 71/95	TRANSFER, "Tank No. 1A test drain→," black on white (Mod. 941)	2	—	C	
16558	10-20 G 71/96	TRANSFER, "Methanol overspill," red on white (Mod. 728)	1	—	C	
16917	10-20 G 71/97	TRANSFER, "XP," white on grey ... ..	2	—	C	
17332	10-20 G 71/98	TRANSFER, "Do not step," rd on grey ... ..	2	—	C	
17246	10-20 G 71/100	TRANSFER, "Do not handle or apply force," red on grey (Mod. 1053)	1	—	C	

**NOTE :—TRANSFERS ARE  
SUPPLIED-IN BOOKS OF SIX.**

**EQUIPMENT, AIRCRAFT**

**TRANSFERS**

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store of L.M.	Plate No.
18810	10-20 G 71/103	TRANSFER, "No step," red on white	1	—	C	
20632	10-20 G 71/104	TRANSFER, "Keep of," red on black (Mod. 1106)	1	—	C	
17895	10-20 G 71/108	TRANSFER, "To open radome.....," black on grey (Mod. 1080)	1	—	C	
17899	10-20 G 71/109	TRANSFER, "Lift here," yellow on grey (Mod. 1223)	1	—	C	
17900	10-20 G 71/110	TRANSFER, "Closed," yellow on grey (Mod. 1223)	1	—	C	
17901	10-20 G 71/111	TRANSFER, "Open," yellow on grey (Mod. 1223)	1	—	C	
18845	10-20 G 71/113	TRANSFER, "Blanking plug stowage," black on white	2	—	C	
18963	10-20 G 71/124	TRANSFER, "Test probe S," black on white (Mod. 827)	2	—	C	
19598	10-20 G 71/127	TRANSFER, "Refuelling maximum delivery pressure 50 lbs. sq. in.," red on white	1	—	C	
19985	10-20 G 71/131	TRANSFER, N.A.T.O. markings for filler caps on top of wings and drop tanks L.H. and R.H., white on grey (Mod. 1375)	12	—	C	
19986	10-20 G 71/132	TRANSFER, N.A.T.O. markings for external electrical connections 28 V.D.C., black on white (Mod. 1375)	2	—	C	
19987	10-20 G 71/133	TRANSFER, N.A.T.O. markings for hydraulic fluid, white on grey (Mod. 1375)	1	—	C	
19988	10-20 G 71/134	TRANSFER, N.A.T.O. markings for pneumatic system, black on white (Mod. 1375)	1	—	C	
19989	10-20 G 71/135	TRANSFER, N.A.T.O. markings for oxygen breathing, black on white (Pre Mod. 348, Mod. 1375)	1	—	C	
19990	10-20 G 71/136	TRANSFER, N.A.T.O. markings for jacking positions, black on white (Mod. 1375)	2	—	C	
19991	10-20 G 71/137	TRANSFER, N.A.T.O. markings for external electrical connections, services and voltage details, black on white (Mod. 1375)	2	—	C	
19992	10-20 G 71/138	TRANSFER, N.A.T.O. markings for engine lubrication oil, black on white (Mod. 1375)	2	—	C	
20258	10-20 G 71/142	TRANSFER, N.A.T.O. markings for slinging or hoisting point, yellow on green	4	—	C	
20259	10-20 G 71/143	TRANSFER, N.A.T.O. markings for moorings or securing point, yellow on green (Mod. 1375)	6	—	C	
20445	10-20 G 71/144	TRANSFER, "Ensure bonding sockets.....cowling door," red on white	2	—	C	

**NOTE :—TRANSFERS ARE SUPPLIED IN BOOKS OF SIX.**

This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

