

**EQUIPMENT, SPECIAL OPERATIONAL
OUTBOARD PYLONS AND JETTISONABLE FUEL TANKS (PRE MOD. 7)
(SPECIAL ORDER ONLY)**

Ref. No.	Part No.	Description	No. of	Material Specification	Class of Store or L.M	Place No.
		INSTALLATION OF OUTBOARD PYLONS AND 150 GALLS. JETTISONABLE FUEL TANKS (Drg. Nos. 10-20 PT 657 and 10-20 PT 837 (Mods. 5007 and 5012) (For use on Pre Mod. 7 aircraft) (SPECIAL ORDER ONLY)	1	—	—	JA1
Naval Ref. KB/070	—	LUG , suspension, ball, Type 37, Mk. 1	2	—	P	JA3
9638	10-20 PT 729A	PIPES , air pressure (See sub-section QV)	—	—	—	
		PLATE , blanking, assembly (For use when 14" radius tanks are not fitted)	2	—	P	JA1
		Spares for :—				
15285	10-20 PT 713	BALL , suspension	1	S.110	—	JA1
	10-20 PT 905	PIECE , distance (Mod. 5045)	1	S.110	C	JA1
	10-20 PT 731ND	PLATE , cover, 8 SWG	1	L.72	—	JA1
	10-20 PT 727	PLATE , supporting suspension ball	1	S.510	—	JA1
	10-20 PT 711	SPIGOT	2	S.110	—	JA1
28D/7002428	A25/6C	Attachments for 10-20 PT 729A, Plate :—				
		Bolt, 2 BA	1	—	C	
		PLATES , wing cover (For use when pylons are not fitted) (See sub-section LH)	—	—	—	
	10-20 PT 511A	PYLON , 150-galls. jettisonable tank, Port, assembly	1	—	—	JA1
	10-20 PT 512A	PYLON , 150-galls. jettisonable tank, Starboard, assembly	1	—	—	JA1
		Spares for :—				
19793	10-20 PT 569	BEARING , bottom, split (2 halves), screw jack	1	DTD.197	—	JA1
17058	10-20 PT 571	BEARING , retaining	1	DTD.197	C	JA1
	10-20 P 1621	COUPLING , and L.P. switch mounting, assembly	1	—	P	JA1
1092	DHS.365/2C	ADAPTER , banjo	1	L.64	—	JA2
27F/2324	FLIGHT REFUELLING FRS.73/H	BOLT , 2 BA	4	S.96	C	JA1
27ZA/60	EXACTOR C.16143A	COLLAR , split	1	—	C	JA1
		COUPLING , cross-over, female half (Drg. No. 10-20 P 889)	1	—	C	JA1
28M/10288	10-20 P 1617A	MOUNTING , L.P. warning switch, assembly	1	—	—	JA2
	AGS.2001/C/1	NUT , 2 BA	4	—	C	
	10-20 PT 505A	PLATE , slave, assembly	1	—	—	JA2
	FLIGHT REFUELLING FRS.151/H/					
27F/3004	Series 1	SLEEVE , rubber	1	—	C	JA1
27F/3787	FLIGHT REFUELLING FRS.152/H	SLEEVE , outer	1	—	C	JA1
	10-20 P 945	UNION , air reducing	1	L.65	—	JA1
28W/9419454	SP.10/C	WASHER	4	—	C	
28F/9434374	AGS.1186/E	WASHER , sealing	1	—	C	
28F/9434375	AGS.1186/H	WASHER , sealing	2	—	C	
6582	10-20 PT 507	Attachments for 10-20 PT 765A/ND, Coupling :—				
28D/1007976	AS.1242/4C	Bolt	4	S.96	C	JA1
		Bolt, 2 BA	4	—	C	

**EQUIPMENT, SPECIAL OPERATIONAL
OUTBOARD PYLONS AND JETTISONABLE FUEL TANKS (PRE MOD. 7)
(SPECIAL ORDER ONLY)**

Ref. No.	Part No.	Description	No. off						Material Specification	Class of Score or L.M	Plate No.
			1	2	3	4	5	6			
	10-20 PT 633A/ND	DOOR , access, Port, assembly (For spares use 10-20 PT 907A/ND) (Drg. No. 10-20 PT 607)						1	—	—	JA3
14704	10-20 PT 907A/ND	DOOR , access, Port, assembly (Spares condition)						1	—	P	
	10-20 PT 634A/ND	DOOR , access, Starboard, assembly (For spares use 10-20 PT 908A/ND) (Drg. No. 10-20 PT 607)						1	—	—	JA3
14705	10-20 PT 908A/ND	DOOR , access, Starboard, assembly (Spares condition) Spares for :—						1	—	P	
28FP/993	DZUS F3½/T/8	FASTENER						2	—	C	JA3
28FP/1002561	DZUS GH/3½	GROMMET , fastener						2	—	C	JA3
28N/12176	AS.1877/35	HINGE						1	—	C	
	10-20 PT 623ND	PACKING , hinge, front						1	L.72	LM	LA3
	10-20 PT 625ND	PACKING , hinge, rear						1	L.72	LM	JA3
28FP/9438596	DZUS R.3½	RECEPTACLE , panel mounting						2	—	C	JA3
		Attachments for 10-20 PT 633A/ND or 10-20 PT 634A/ND, Door :—									
28S/9419431	AS.2996/5C	Screw, 2 BA						9	—	C	
28S/1010635	AS.2996/7C	Screw, 2 BA						5	—	C	
	—	ELECTRICAL COMPONENTS (See sub-section EBW)						—	—	—	
	10-20 P 943	HOSE , air, flexible, stainless steel, between rear spigot and cross-over coupling						1	—	—	JA1
	10-20 PT 513A	HOUSING , Port, assembly						1	—	—	JA1
	10-20 PT 514A	HOUSING , Starboard, assembly						1	—	—	JA1
	10-20 PT 915A	JACK , screw, and release unit, assembly (Mod. 5075)						1	—	—	JA3
6576	10-20 PT 559	BARREL , centre						1	Hidurax bronze	C	JA3
	10-20 PT 561	BARREL , outer						1	S.98	—	JA3
	A. FRAZER NASH D.100/17	EJECTOR RELEASE UNIT (Mod. Arm. 2037)						1	—	P	JA1
28M/1006939	A27/GP	NUT , ½" BSF						1	—	C	
6577	10-20 PT 567	NUT , ring						1	S.96	C	JA3
15777	10-20 PT 565	PLUG , end						1	S.98	C	JA3
28Q/1012795	AS.460/412	RIVET						1	—	C	
	10-20 PT 557	SCREW , inner						1	S.98	—	JA3
15776	10-20 PT 563	STOP , end						1	S.96	C	JA3
5K/3397	AS.3360/C3C	LEAD , bonding, fuel pipe						1	—	C	
		Attachments for AS.3360/C3C, Lead :—									
28D/9138768	A25/½C	Bolt, 2 BA						1	—	C	
28E/14085	AS.3181/15C	Clip, " P "						1	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA						1	—	C	
6578	10-20 PT 577	NUT , pylon retaining						1	S.96	C	JA1
15062	10-20 P 3861A/ND	PIPE , fuel, Port, assembly (Mod. 5034)						1	—	C	JA3
15063	10-20 P 3862A/ND	PIPE , fuel, Starboard, assembly (Mod. 5034)						1	—	C	JA3
	10-20 PT 539	PLATE , clamp, fuel connection						1	L.72	LM	JA3
		Attachments for 10-20 PT 539, Plate :—									
28D/1007976	AS.1242/4C	Bolt, 2 BA						2	—	C	
28D/1204937	AS.1242/6C	Bolt, 2 BA						2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA						4	—	C	

**EQUIPMENT, SPECIAL OPERATIONAL
OUTBOARD PYLONS AND JETTISONABLE FUEL TANKS (PRE MOD. 7)
(SPECIAL ORDER ONLY)**

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Score or LM	Plate No.
9637	10-20 PT 733A	PLATE , sole, assembly	1	—	C	JA1
		Spares for :—				
	10-20 PT 503	BUSH , spigot, aft	1	S.80	—	JA1
		Attachments for 10-20 PT 503, Bush :—				
28D/1007976	AS.1242/4C	Bolt, 2 BA	2	—	C	
28M/9403520	A27/CP	Nut, 2 BA	2	—	C	
	10-20 PT 501	BUSH , spigot, forward	1	S.80	—	JA1
		Attachments for 10-20 PT 501, Bush :—				
28D/8308	AS.1242/3C	Bolt, 2 BA	2	—	C	
28D/1013172	AS.1242/5C	Bolt, 2 BA	1	—	C	
	DHS.492/3GG	Bolt, 1/8" BSF	2	—	—	JA1
12849	10-20 PT 823	Bolt, 1/8" BSF	2	S.98	C	JA1
28M/9403520	A27/CP	Nut, 2 BA	3	—	C	
28M/1011470	A27/GT	Nut, 1/8" BSF	4	—	C	
28W/9128924	SP.14/C	Washer	1	—	C	
		Attachments for 10-20 PT 733A, Plate :—				
28D/12102	AS.1242/3G	Bolt, 1/8" BSF	6	—	C	
28D/12128	AS.1242/4G	Bolt, 1/8" BSF	14	—	C	
	10-20 PT 597A	RIBLET , front, assembly	1	—	—	JA2
		Attachments for 10-20 PT 597A, Riblet :—				
28D/9140645	A25/10C	Bolt, 2 BA	2	—	C	
4384	DHS.358/3½E	Bolt, 3/4" BSF	1	S.96	C	JA2
	10-20 PT 589A	RIBLET , trailing edge, bottom, assembly	1	—	—	JA2
		Attachments for 10-20 PT 589A, Riblet :—				
28D/13132	AS.3297/1C	Bolt, 2 BA	3	—	C	
28D/1011030	A25/2E	Bolt, 3/4" BSF	1	—	C	
28D/8324	AS.1242/3E	Bolt, 3/4" BSF	1	—	C	
28W/9418920	SP.10/E	Washer	1	—	C	
	10-20 PT 583A	RIBLET , trailing edge, top, port, assembly	1	—	—	JA2
	10-20 PT 584A	RIBLET , trailing edge, top, Starboard, assembly	1	—	—	JA2
		Attachments for 10-20 PT 583A or 10-20 PT 584A, Riblet :—				
28D/8307	AS.1242/2C	Bolt, 2 BA	2	—	C	
28Q/1820	AS.460/407	RIVET , outer sleeve locking	3	—	C	
	10-20 PT 541	SEATING , fuel pipe connector	1	LFS.33	—	JA3
	—	SERVICING SAFETY BREAK, GROUP	1	—	—	JA2
		(Drg. Nos. 10-20 PT 913A, Port and 10-20 PT 914A, Starboard) (Mod. 5033) Spares for :—				
15470	10-20 A 2925	CLIP , spring, safety plug, 26 SWG	2	S.513	C	JA2
	10-20 A 2953ND	CORD , retention, safety plug	1	Nylon	LM	JA2
		(Make from SRDE./PS.8784)				
15467	10-20 A 2909A	COVER , spring, safety plug, assembly	1	—	C	JA2
		Attachments for 10-20 A 2909A, Cover :—				
28M/10286	AGS.2001/A/1	Nut, 6 BA	2	—	C	
28S/1200049	A31/A12	Screw, 6 BA	2	—	C	
28W/9419473	SP.15/A	Washer	2	—	C	

**EQUIPMENT, SPECIAL OPERATIONAL
OUTBOARD PYLONS AND JETTISONABLE FUEL TANKS (PRE MOD. 7)
(SPECIAL ORDER ONLY)**


Ref. No.	Part No.	Description						No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6				
	10-20 A 2819A	DOOR , access, complete with Unitor socket, Port, assembly						1	—	—	JA2
	10-20 A 2820A	DOOR , access, complete with Unitor socket, Starboard, assembly						1	—	—	JA2
15468	10-20 A 2961A/ND	DOOR , access, Port, assembly						1	—	C	JA2
15469	10-20 A 2962A/ND	DOOR , access, Starboard, assembly						1	—	C	JA2
		Spares for :—									
28FP/1079	DZUS F3½/T30/DS	FASTENER , supersonic						2	—	C	JA2
28FP/1002561	DZUS GH/3½	GROMMET , fastener						2	—	C	JA2
	—	SOCKET , Unitor (See sub-section EBW)						—	—	—	
		Attachments for 10-20 A 2819A or 10-20 A 2820A, Door :—									
28D/15914	AS.3296/3B	Bolt, 4 BA						4	—	C	
28M/9434251	AGS.2008/B/1	Nut, anchor, 4 BA						4	—	C	
28W/9419465	SP.13/B	Washer						4	—	C	
	—	ELECTRICAL COMPONENTS						—	—	—	
		(See sub-section EBW)									
	10-20 A 2927	GUARD , spring clip, 20 SWG						2	L.72	LM	JA2
		Attachments for 10-20 A 2927, Guard :—									
28S/1200060	A33/A16	Screw, 6 BA						2	—	C	
28M/9434251	AGS.2008/B/1	NUT , anchor, 4 BA						3	—	C	
28FP/9438596	DZUS R.3½	RECEPTACLE , fastener						2	—	C	JA2
15471	10-20 A 2929A	TRAY , safety break, Port						1	—	C	JA2
15472	10-20 A 2930A	TRAY , safety break, Starboard						1	—	C	JA2
		Attachments for 10-20 A 2929A or 10-20 A 2930A, Tray :—									
28D/1007973	AS.1242/2B	Bolt, 4 BA						3	—	C	
6579	10-20 PT 579	SHIM , retaining bearing						1	LB.2	C	JA1
	10-20 PT 735A	SKIN , inboard, Port						1	L.73	—	JA1
	10-20 PT 736A	SKIN , inboard, Starboard						1	L.73	—	JA1
	10-20 PT 737ND	SKIN , outboard, Port						1	L.73	—	JA1
	10-20 PT 738ND	SKIN , outboard, Starboard						1	L.73	—	JA1
		Attachments: for 10-20 PT 735A, 10-20 PT 736A, 10-20 PT 737ND or 10-20 PT 738ND, Skins (per pair):—									
28D/13697	AS.3297/3C	Bolt, 2 BA						53	—	C	
28M/10328	AGS.2002/C/1	Nut, 2 BA						53	—	C	
	10-20 PT 627A/ND	SKIN , leading edge, Port, assembly						1	—	—	JA3
		(Drg. No. 10-20 PT 607)									
	10-20 PT 628A/ND	SKIN , leading edge, Starboard, assembly... ..						1	—	—	JA3
		(Drg. No. 10-20 PT 607)									
	10-20 PT 603ND	SKIN , trailing edge, L.H.						1	L.73	—	JA1
	10-20 PT 604ND	SKIN , trailing edge, R.H.						1	L.73	—	JA1
		Attachments for 10-20 PT 603ND or 10-20 PT 604ND, Skin :—									
1141	DHS.365/1C	Bolt, 2 BA						2	S.96	C	JA1

**EQUIPMENT, SPECIAL OPERATIONAL
OUTBOARD PYLONS AND JETTISONABLE FUEL TANKS (PRE MOD. 7)
(SPECIAL ORDER ONLY)**

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store of L.M.	Place No.
	10-20 PT 573	SLEEVE , inner	1	S.96	—	JA1
15061	10-20 PT 899	SLEEVE , outer (Mod. 5034)	1	S.96	C	JA1
6580	10-20 PT 543	WASHER , locking, rear spigot	1	S.84	C	JA3
27BB/3	BRISTOL 75-06-3001/1	TANK , fuel, jettisonable, 150-gall., 14" radius (with male couplings and sealing rings), Port	1	—	P	JA3
27BB/4	BRISTOL 75-06-3002/1	TANK , fuel, jettisonable, 150-gall., 14" radius (with male couplings and sealing rings), Starboard Note: Remove Exactor male coupling Part No. C.16586 and replace with Part No. C.15464. Remove Exactor male coupling, Part No. C.16587 and replace with Part No. C.16134B. On tanks embodying Bristol Aero Co. Mod. B.T.D.18, remove long Spigot, Part No. 75/06/3326 and replace with short Spigot, Part No. 75/01/0323 (Mod. 5066)	1	—	P	JA3

EQUIPMENT, SPECIAL OPERATIONAL
OUTBOARD PYLONS AND JETTISONABLE FUEL TANKS (PRE MOD. 7)
(SPECIAL ORDER ONLY)

Ref. No.	Part No.	Description						No. off	Material Specification	Class of Store or L.M	Place No.
		1	2	3	4	5	6				



JA.1

**EQUIPMENT, SPECIAL OPERATIONAL
OUTBOARD PYLONS & JETTISONABLE
FUEL TANKS (PRE MOD. 7)**

JA.1
[AL.51]

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm
Please see site for usage terms,
and more aircraft documents.

