

**EQUIPMENT, SPECIAL OPERATIONAL
OUTBOARD HEAVY STORES PYLONS (MOD. 7)
(SPECIAL ORDER ONLY)**

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M	Place No.
	—	INSTALLATION OF OUTBOARD HEAVY STORES PYLONS (Drg. No. 10-20 WS 5493) (For use on aircraft embodying Mod. 7) (SPECIAL ORDER ONLY) Spares for :—	1	—	—	JB1
20515	10-20 A 6251A	PLATE , pylon blanking, assembly (Mod. 5184) ... Spares for :—	2	—	P	JB1
	10-20 PT 713	BALL , suspension	1	S.110	—	JB1
15903	10-20 A 2709	BOLT , 3/8" BSF	5	—	C	JB1
	10-20 A 727	PLATE , supporting suspension ball	1	S.510	—	JB1
	10-20 A 2837ND	SEAL , rubber, forward edge (Make from Hertfordshire Rubber Co. "Supple-seal" M9366, or C.O.H. Baines S.R.S.5. approx 6 1/2" long, secure with Bostik 1410)	1	—	LM	JB1
	10-20 A 2711	SPIGOT , front	1	S.80	—	JB1
	10-20 PT 711	SPIGOT , rear	1	S.110	—	JB1
	10-20 A 1697A/1	PYLON , armament stores, Port, assembly (Mod. 5009)	1	—	—	JB1
	10-20 A 1699A/1	PYLON , armament stores, Starboard, assembly (Mod. 5008) Spares for :—	1	—	—	JB1
12348	10-20 A 1567	BEARING , bottom, split (2 halves), screw jack	1	—	C	JB1
19021	10-20 A 1543	BEARING , front spigot Attachments for 10-20 A 1543, Bearing :—	1	—	C	JB1
15893	10-20 PT 537	Bolt, 1/2" BSF, forward	1	—	C	JB1
15894	10-20 PT 535	Bolt, 1/2" BSF, rear (Lock to DHS.514/D)	2	—	C	JB1
19022	10-20 A 1531	Pad, bearing	1	—	C	JB1
	10-20 A 2327A	BRACKET , fusing unit, assembly (Mod. 5018) (For spares use 10-20 A 3035A/ND)	1	—	—	JB1
14761	10-20 A 3035A/ND	BRACKET , fusing unit, assembly (Mod. 5018) (Spares condition) Attachments for 10-20 A 2327A, Bracket :—	1	—	C	
28D/1011238	A25/3E	Bolt, 1/2" BSF	1	—	C	
28D/1008151	A25/4E	Bolt, 1/2" BSF	1	—	C	
28M/1007403	A27/ET	Nut, 1/2" BSF	2	—	C	
28W/9419405	SP.15/E	Washer	2	—	C	
16997	10-20 A 3113A	BRACKET, plug-pivot, hinged, assembly (Mod. 5068) Attachments for 10-20 A 3113A, Bracket :—	1	—	C	JB1
28D/9419452	A25/3B	Bolt, 4 BA	2	—	C	
28M/10327	AGS.2002/B/1	Nut, 4 BA	2	—	C	
16772	10-20 A 5001	BRACKET , plug, variable timing fusing (Mod. 5077) Attachments for 10-20 A 5001, Bracket :—	1	—	C	JB1
28D/1007976	AS.1242/4C	Bolt, 2 BA	4	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	4	—	C	
26DL/7259	DHS.725/C16	Washer	4	—	C	JB1

**EQUIPMENT, SPECIAL OPERATIONAL
OUTBOARD HEAVY STORES PYLONS (MOD. 7)
(SPECIAL ORDER ONLY)**

Ref. No.	Part No.	Description	No. off						Material Specification	Class of Store or L.M.	Place No.
			1	2	3	4	5	6			
12365	10-20 A 1571	BUSH , centre spigot						1	—	C	JB1
28D/1007976	AS.1242/4C	Attachments for 10-20 A 1571, Bush :—									
12338	DHS.492/4GG	Bolt, 2 BA						3	—	C	
28M/9403520	A27/CP	Bolt, 3/8" BSF						5	—	C	JB1
28M/1011470	A27/GT	Nut, 2 BA						3	—	C	
		Nut, 3/8" BSF						5	—	C	
15906	10-20 A 2717A	BUSH , front spigot, assembly (Mods. 5026 and 5027)						1	—	C	JB1
28D/9133012	A25/3C	Attachments for 10-20 A 2717A, Bush :—									
28D/1007976	AS.1242/4C	Bolt, 2 BA						1	—	C	
28M/9403520	A27/CP	Bolt, 2 BA						1	—	C	
		Nut, 2 BA						2	—	C	
17785	10-20 A 1569	BUSH , rear spigot						2	—	C	JB1
28D/1013172	AS.1242/5C	Attachments for 10-20 A 1569, Bush :—									
28M/9403520	A27/CP	Bolt, 2 BA						2	—	C	
		Nut, 2 BA						2	—	C	
12347	10-20 A 1711	CAP , retaining, screw jack						1	—	C	JB1
	10-20 A 2753A	CASTING , pylon, Port, assembly (Mod. 5029)						1	—	—	JB1
		(Pre Mod. 5099)									
	10-20 A 5431A	CASTING , pylon, Port, assembly (Mod. 5099 and Mod. 5011)						1	—	—	JB1
	10-20 A 2755A	CASTING , pylon, Starboard, assembly (Mod. 5029)						1	—	—	JB1
		(Pre Mod. 5098)									
	10-20 A 5433A	CASTING , pylon, Starboard, assembly (Mod. 5098)						1	—	—	JB1
		Spares for :—									
28M/9434253	AGS.2007/B/1	NUT , anchor, 4 BA						2	—	C	
28M/11957	AGS.2007/C1	NUT , anchor, 2 BA						4	—	C	
28M/9434251	AGS.2008/B/1	NUT , anchor, 4 BA						3	—	C	
	10-20 A 2503	PIN , guide (Mod. 5018)						1	L.64	—	JB1
	10-20 A 2491	PLATE , latch (Mod. 5018)						1	S.514	—	JB1
	10-20 A 2493	PLATE , latch (Mod. 5018)						1	S.514	—	JB1
28FP/9438596	DZUS R.3 1/2	RECEPTACLE , fastener						2	—	C	JB1
27ZA/61	EXACTOR C.16585	CONNECTOR , air						1	—	C	JB1
		Attachments for C.16585, Connector :—									
28D/9133011	A25/2C	Bolt, 2 BA						4	—	C	
26FN/3285	DHS.180 Mk. 3/X	Tag, locking						1	—	C	JB1
28VV/1006940	AGS.2034/C	Washer, shakeproof						4	—	C	
27ZA/62	EXACTOR C.16584	CONNECTOR , fuel						1	—	C	JB1
		Attachments for C.16584, Connector :—									
28D/9133011	A25/2C	Bolt, 2 BA						3	—	C	
28D/9140645	A25/10C	Bolt, 2 BA						1	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA						1	—	C	
28VV/9419454	SP.10/C	Washer						1	—	C	
28VV/1006940	AGS.2034/C	Washer, shakeproof						3	—	C	
	10-20 A 2323A	DIAPHRAGM , rear, assembly (Mod. 5018) ...						1	—	—	JB1
		(For spares use 10-20 A 3033A/ND)									
14746	10-20 A 3033A/ND	DIAPHRAGM , rear, assembly (Mod. 5018) ...						1	—	C	
		(Spares condition)									
		Attachments for 10-20 A 2323A, Diaphragm :—									
12339	DHS.901/6CC	Bolt, 2 BA						2	—	C	JB1

**EQUIPMENT, SPECIAL OPERATIONAL
OUTBOARD HEAVY STORES PYLONS (MOD. 7)
(SPECIAL ORDER ONLY)**

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M	Plate No.
	—	DOOR , fusing unit access, at trailing edge skin. group (Drg. No. 10-20 A 2409 Mod. 5018)	1	—	—	
	10-20 A 2531A/ND	DOOR , assembly (Pre Mod. 5176)	1	—	—	JB2
	10-20 A 6257A/ND	DOOR , assembly (Mod. 5176)	1	—	—	JB2
	10-20 A 2415ND	DOOR , bare, 18 SWG, L.72 (Pre Mod. 5176)	1	L.72	LM	JB2
	10-20 A 6255ND	DOOR , bare, 18 SWG, L.72 (Mod. 5176)	1	L.72	LM	JB2
28FP/72	DZUS F4/30/DS	FASTENER	4	—	C	JB2
28FP/9483371	DZUS GF4/150	GROMMET , fastener	4	—	C	JB2
	10-20 A 2421ND	HINGE , (For spares use 10-20 A 3049ND)	1	—	—	JB2
15092	10-20 A 3049ND	HINGE (Spares condition)	1	—	C	
13329	10-20 A 2423	SPRING	1	—	C	JB2
	10-20 A 2419ND	STRIP , packing, 18 SWG	1	L.72	LM	JB2
	10-20 A 2417ND	FRAME , door landing, 18 SWG	1	L.72	LM	JB2
	DZUS					
28FP/1072	S4/250/D.12	SPRING , fastener... ..	4	—	C	JB2
	—	ELECTRICAL COMPONENTS (See sub-section EDA)	—	—	—	
	A. FRAZER NASH					
11A/4520	D100/17	EJECTOR, RELEASE UNIT , No. 2, Mk. 1 ...	1	—	P	JB1
	10-20 A 1953	FAIRLEAD , 2"-60 x 2"-40 x 3/32"	1	LFS.21	LM	JB1
		Attachments for 10-20 A 1953, Fairlead :—		23 or 26		
28D/9133013	A25/5C	Bolt, 2 BA	4	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	4	—	C	
	12345	GROMMET	1	—	C	JB1
	16150	JACK , screw, ejector unit, assembly (Mod. 5051)	1	—	P	JB1
	10-20 A 1837	BARREL	1	S.98	—	JB1
28M/1007404	A27/JT	NUT , 3/8" BSF, locking end plug	1	—	C	
	12366	NUT , ring	1	—	C	JB1
	10-20 A 1855	PLUG , end	1	S.98	—	JB1
	10-20 A 1843	RIVET	1	—	C	
28Q/15177	AS.460/413	SCREW , inner (Mod. 5051)	1	S.98	—	JB1
	10-20 A 3067	STOP , end	1	S.96	—	JB1
	10-20 A 1845	LEADING-EDGE SKINNING DETAILS , GROUP (Drg. No. 10-20 A 1727)	1	—	—	
		Spares for :—				
	13348	BRACKET , fusing unit, assembly (Mod. 5018)	1	—	C	JB1
		Spares for :—				
28M/9993192	AGS.2009/C/1	NUT , anchor, 2 BA	3	—	C	
28FP/1230	DZUS Z/100/D/12	SPRING	4	—	C	JB1
		Attachments for Z/100/D.12, Spring :—				
28M/10326	AGS.2002/A/1	Nut, 6 BA	2	—	C	
28S/9143419	A37/A12	Screw, 6 BA	2	—	C	
28VV/9419446	SP.10/A	Washer	2	—	C	
		Attachments for 10-20 A 2315A, Bracket :—				
28D/9133011	A25/2C	Bolt, 2 BA	3	—	C	
28D/1011238	A25/3E	Bolt, 1/2" BSF	1	—	C	
28VV/9419451	SP.45/E	Washer, tab	1	—	C	
28E/9428425	AS.2294/2	CLIP , cable stowage	1	—	C	

**EQUIPMENT, SPECIAL OPERATIONAL
OUTBOARD HEAVY STORES PYLONS (MOD. 7)
(SPECIAL ORDER ONLY)**

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or LM	Plate No.
13344	10-20 A 2319	DIAPHRAGM , fusing-unit (Mod. 5018) ...	1	—	C	JB1
	10-20 A 1735ND	DIAPHRAGM , leading edge, Port (For spares use 10-20 A 2675ND)	1	—	—	JB1
14148	10-20 A 2675ND	DIAPHRAGM , leading edge, Port ...	1	—	C	
	10-20 A 1736ND	(Spares condition)				
		DIAPHRAGM , leading edge, Starboard (For spares use 10-20 A 2676ND)	1	—	—	JB1
14149	10-20 A 2676ND	DIAPHRAGM , leading edge, Starboard ...	1	—	C	
		(Spares condition)				
12381	10-20 A 1743A/ND	DOOR , access, Port, assembly ...	1	—	C	JB1
12354	10-20 A 1744A/ND	DOOR , access, Starboard, assembly ...	1	—	C	JB1
		Attachments for 10-20 A 1743A/ND or 10-20 A 1744A/ND, Door :—				
28D/1007975	AS.1242/1C	Bolt, 2 BA ...	11	—	C	
28D/1007976	AS.1242/4C	Bolt, 2 BA ...	7	—	C	
	10-20 A 1753A/ND	DOOR , fusing test, Port, assembly (For spares use 10-20 A 2673A/ND)	1	—	—	JB1
14150	10-20 A 2673A/ND	DOOR , fusing test, Port, assembly ...	1	—	C	
		(Spares condition)				
	10-20 A 1754A/ND	DOOR , fusing test, Starboard, assembly (For spares use 10-20 A 2674A/ND)	1	—	—	JB1
14151	10-20 A 2674A/ND	DOOR , fusing test, Starboard, assembly ...	1	—	C	
		(Spares condition)				
		Spares for :—				
28FP/1077	DZUS F3 $\frac{1}{2}$ /T8/DS	FASTENER , supersonic ...	2	—	C	JB1
28FP/1002561	DZUS GH/3 $\frac{1}{2}$	GROMMET , fastener ...	2	—	C	JB1
	10-20 A 1889	LABEL , engraved "Cocking test—Fusing Test," etc., Port, 20 SWG	1	L.72	LM	JB1
	10-20 A 1890	LABEL , engraved "Cocking test—Fusing Test," etc., Starboard, 20 SWG	1	L.72	LM	JB1
28M/11957	AGS.2007/C/1	NUT , anchor, 2 BA ...	11	—	C	
28M/9993192	AGS.2009/C/1	NUT , anchor, 2 BA ...	7	—	C	
21039	10-20 A 6261A/ND	PANEL , fusing-unit, access, assembly (Mod. 5018)	1	—	C	JB1
		Spares for :—				
28FP/833	DZUS EF.5/40A/DS	FASTENER ...	4	—	C	JB1
	10-20 A 2345A	LINE , retention, assembly (Mod. 5018) ...	1	—	—	JB1
28X/3495	—	CABLE , 5 cwt. ...	QR	W914P	C	
	10-20 A 2341ND	TAG , cable end, 20 SWG ...	2	S.511	LM	JB1
28FP/9438596	DZUS R.3 $\frac{1}{2}$	RECEPTACLE , fastener, fusing test door ...	2	—	C	JB1
13345	10-20 A 2321	RIBLET , front ...	1	—	C	JB1
		Attachments for 10-20 A 2321, Riblet :—				
28D/8346	AS.1248/8C	Bolt, 2 BA ...	2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA ...	2	—	C	
	10-20 A 2313	RIBLET , leading edge, Port (For spares use 10-20 A 3039ND) (Mod. 5018)	1	—	—	JB1
14762	10-20 A 3039ND	RIBLET , leading edge, Port (Spares condition) (Mod. 5018)	1	—	C	
	10-20 A 2314	RIBLET , leading edge, Starboard (For spares use 10-20 A 3040ND) (Mod. 5018)	1	—	—	JB1
14763	10-20 A 3040ND	RIBLET , leading edge, Starboard (Spares condition) (Mod. 5018)	1	—	C	

**EQUIPMENT, SPECIAL OPERATIONAL
OUTBOARD HEAVY STORES PYLONS (MOD. 7)
(SPECIAL ORDER ONLY)**

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M	Plate No.
	10-20 A 2353A/ND	SKIN , spot-welded, Port, assembly (For spares use 10-20 A 3037A/ND)	1	—	—	JB1
14774	10-20 A 3037A/ND	SKIN , spot-welded, Port, assembly ... (Spares condition)	1	—	C	
	10-20 A 2354A/ND	SKIN , spot-welded, Starboard, assembly (For spares use 10-20 A 3038A/ND)	1	—	—	JB1
14775	10-20 A 3038A/ND	SKIN , spot-welded, Starboard, assembly ... (Spares condition)	1	—	C	
28F/8011897	AGS.1142/F	NIPPLE , adapter, air pipe connections ...	2	—	C	
12349	10-20 A 1723	NUT , inner, sleeve screw jack ...	1	—	C	JB1
15907	10-20 A 3075	NUT , pylon retaining, screw jack ...	1	—	C	JB1
12363	10-20 A 1781	PAD , butt connector, forward ... Attachments for 10-20 A 1781, Pad :—	1	—	C	JB1
28D/1013172	AS.1242/5C	Bolt, 2 BA ...	4	—	C	
28M/9403520	A27/CP	Nut, 2 BA ...	4	—	C	
	—	PANEL AND DOOR, GROUP (Drg. No. 10-20 A 6305) (Mod. 5165 and 5166) Port and Starboard	1	—	—	JB2
	10-20 A 6331A/ND	PANEL , complete with hinged door, assembly, Port and Starboard Spares for :—	1	—	—	JB2
20756	10-20 A 6207A	DOOR , assembly ...	1	—	C	JB2
	10-20 A 6205ND	BLOCK , locating ...	1	LFS.21, 22 or 23	LM	JB2
	DHS.1151/5	CHAIN , retaining ...	1	—	LM	JB2
	10-20 A 6201ND	DOOR , bare, 18 SWG ...	1	L.72	LM	JB2
28FP/1078	DZUS F3½/T/9/DS	FASTENER ...	4	—	C	JB2
28FP/1002561	DZUS GH/3½	GROMMET ...	4	—	C	JB2
26DL/7354	DHS.180/Mk.1/X	TAG , attachment ...	1	—	C	JB2
20755	10-20 A 6199A	PANEL , assembly ...	1	—	C	JB2
	10-20 A 6433ND	DOUBLER , 20 SWG ...	1	L.72	LM	JB2
	10-20 A 6197ND	DOUBLER , 20 SWG ...	1	L.72	LM	JB2
28FP/1080	DZUS F3½/T/85/DS	FASTENER , supersonic, for panel ...	1	—	C	JB2
28FP/1079	DZUS F3½/T/30/DS	FASTENER , supersonic, for panel ...	8	—	C	JB2
28FP/1002561	DZUS GH/3½	GROMMET , fastener, for panel ...	9	—	C	JB2
28FP/9438596	DZUS R/3½	RECEPTACLE , fastener, for door ...	4	—	C	JB2
26DL/7354	DHS.180/MK.1/X	TAG , attachment ...	1	—	C	JB2
28FP/9438596	DZUS R/3½	RECEPTACLE , fastener for panel ...	9	—	C	JB2
12364	10-20 A 1689	PIN , locking, inner sleeve and nut, screw jack ...	2	—	C	JB2
15856	10-20 A 2701ND	PIPE , air pressure, assembly (Mods. 5038 and 5011)	1	—	C	JB2
	—	PIPE , fuel, group (Drg. No. 10-20 PT 749)	1	—	—	JB2
12337	10-20 A 1685	ADAPTER , termination ...	1	—	C	JB2
	FLIGHT REFUELLING					
27FR/2523	FRS.73/L	COLLAR , split ...	1	—	C	JB2
15855	10-20 A 2707	PIPE , fuel, assembly (Mod. 5038) Attachments for 10-20 A 2707, Pipe :—	1	—	C	JB2
28D/9133013	A25/5C	Bolt, 2 BA ...	4	—	C	
	10-20 A 1767	Plate, retaining, 16 SWG ...	2	L.72	LM	JB2
28W/9419404	SP.16/C	Washer ...	4	—	C	
28F/9155152	AGS.1186/L	SEAL , bonded ...	1	—	C	
27FR/3008	FLIGHT REFUELLING FRS.151/L/ Series 1	SEAL , rubber ...	1	—	C	JB2

**EQUIPMENT, SPECIAL OPERATIONAL
OUTBOARD HEAVY STORES PYLONS (MOD. 7)
(SPECIAL ORDER ONLY)**

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M	Plate No.
27FR/3528	FLIGHT REFUELLING FRS.152/L 10-20 A 2501	SLEEVE , outer	1	—	C	JB2
		PLATE , cover, engraved "Manual Lock," 14 SWG (Mod. 5018)	1	L.72	LM	JB1
16358	10-20 A 3107A	PLATE , locking screw jack, assembly (Mod. 5069)	1	—	C	JB1
15999	10-20 A 3149A	PLATE , sole, assembly (Mod. 5068)	1	—	C	JB1
		Spares for :—				
15905	10-20 A 2853	BLOCK , rubbing (Mods. 5062 and 5027)	2	—	C	JB1
		Attachments for 10-20 A 2853, Block :—				
28D/1007468	AS.1242/3B	Bolt, 4 BA	2	—	C	
28M/10327	AGS.2002/B/1	Nut, 4 BA	2	—	C	
28M/9435069	AGS.2008/G/1	NUT , anchor, $\frac{3}{16}$ " BSF, "Nyloc"	4	—	C	
		Attachments for 10-20 A 3149A, Plate :—				
28D/1212745	AS.1242/3G	Bolt, $\frac{1}{8}$ " BSF	2	—	C	
28D/1212746	AS.1242/4G	Bolt, $\frac{1}{16}$ " BSF	22	—	C	
13337	10-20 A 2495A	PLATE , spring, manual lock cover, assembly	1	—	C	JB1
		(Mod. 5018)				
		Attachments for 10-20 A 2495A, Plate :—				
28D/9140203	AS.1246/3C	Bolt, 2 BA	1	—	C	
26DL/15350	DHS.447/25	Ferrule, 2 BA	1	—	C	JB1
	10-20 A 1755A/1	RIBLET , trailing edge, bottom, assembly (Mod. 5018) (For spares use 10-20 A 2671A/ND)	1	—	—	JB2
14147	10-20 A 2671A/ND	RIBLET , trailing edge, bottom, assembly (Mod. 5018) (Spares condition)	1	—	C	
		Spares for :—				
	10-20 A 1757ND	BLOCK , packing, trailing edge	1	LFS.21, 23 or 26	LM	JB2
28M/14216	AGS.2023/E/1	NUT , anchor, cap, $\frac{1}{8}$ " BSF	2	—	C	
28M/—	AGS.2023/G/1	NUT , anchor, cap, $\frac{1}{16}$ " BSF	1	—	C	
		Attachments for 10-20 A 1755A/1, Riblet :—				
1141	DHS.365/1C	Bolt, 2 BA	2	—	C	JB2
1792	DHS.365/3C	Bolt, 2 BA	1	—	C	JB2
28D/1011238	A25/3E	Bolt, $\frac{1}{4}$ " BSF	2	—	C	
	10-20 A 1773A	RIBLET , trailing edge, top, Port, assembly	1	—	—	JB1
	10-20 A 1774A	RIBLET , trailing edge, top, Starboard, assembly	1	—	—	JB1
		Spares for :—				
	10-20 A 1777ND	BLOCK , packing, Port	1	LFS.21, 23 or 26	LM	JB1
	10-20 A 1778ND	BLOCK , packing, Starboard	1	LFS.21, 23 or 26	LM	JB1
		Attachments for 10-20 A 1773A or 10-20 A 1774A, Riblet :—				
28D/1214091	AS.1242/2C	Bolt, 2 BA	2	—	C	


**EQUIPMENT, SPECIAL OPERATIONAL
OUTBOARD HEAVY STORES PYLONS (MOD. 7)
(SPECIAL ORDER ONLY)**

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M	Plate No.
	—	SERVICING SAFETY BREAK, GROUP (Drg. Nos. 10-20 A 2801, Port and 10-20 A 2802, Starboard) (Mod. 5029) Spares for:—	—	—	—	JB2
15470	10-20 A 2925	CLIP , spring, safety plug, 26 SWG	2	—	C	JB2
	10-20 A 2953ND	CORD , retention, safety plug (Make from SRDE./PS.8784)	1	Nylon	LM	JB2
	10-20 A 2819A	DOOR , access, complete with Unitor socket, Port, assembly	1	—	—	JB2
	10-20 A 2820A	DOOR , access, complete with Unitor socket, Starboard, assembly	1	—	—	JB2
15468	10-20 A 2961A/ND	DOOR , access, Port, assembly	1	—	C	JB2
15469	10-20 A 2962A/ND	DOOR , access, Starboard, assembly	1	—	C	JB2
		Spares for:—				
28FP/1079	DZUS F3½/T30/DS	FASTENER , supersonic	2	—	C	JB2
28FP/1002561	DZUS GH/3½	GROMMET , fastener	2	—	C	JB2
		SOCKET , Unitor (See sub-section EDA) Attachments for 10-20 A 2819A or 10-20 A 2820A, Door:—	—	—	—	
28D/1214641	AS.3296/3B	Bolt, 4 BA	4	—	C	
28M/9434251	AGS.2008/B/1	Nut, 4 BA	4	—	C	
28W/9419465	SP.13/B	Washer	4	—	C	
		ELECTRICAL COMPONENTS (See sub-section EDA)	—	—	—	
	10-20 A 2927	GUARD , spring clip, 20 SWG Attachments for 10-20 A 2927, Guard:—	2	L.72	LM	JB2
28S/1200060	A33/A16	Screw, 6 BA	2	—	C	
15467	10-20 A 2909A	HINGE , sprung, safety plug, assembly Attachments for 10-20 A 2909A, Hinge:—	1	—	C	JB2
28M/10286	AGS.2001/A/1	Nut, 6 BA	2	—	C	
28S/1200049	A31/A12	Screw, 6 BA	2	—	C	
28W/9419473	SP.15/A	Washer	2	—	C	
15471	10-20 A 2929A	TRAY , safety break, Port	1	—	C	JB2
15472	10-20 A 2930A	TRAY , safety break, Starboard Attachments for 10-20 A 2929A or 10-20 A 2930A, Tray:—	1	—	C	JB2
28D/1007973	AS.1242/2B	Bolt, 4 BA	3	—	C	
16773	10-20 A 5005	SHROUD , variable time fusing plug (Mod. 5077)	1	—	C	JB1
	10-20 A 2329ND	SKIN , trailing edge, Port, 18 SWG	1	L.73	LM	JB1
	10-20 A 2545ND	SKIN , trailing edge, Starboard, 18 SWG	1	L.73	LM	JB1
12344	10-20 A 1725	SLEEVE , inner, screw jack	1	—	C	JB1
	10-20 A 2687	SPIGOT , rear (Mod. 5038) Attachments for 10-20 A 2687, Spigot:—	1	S.97	—	JB1
12350	10-20 A 1533	Nut, ring	1	—	C	JB1
12351	10-20 A 1529	Washer, locking	1	—	C	JB1

**EQUIPMENT, SPECIAL OPERATIONAL
OUTBOARD HEAVY STORES PYLONS (MOD. 7)
(SPECIAL ORDER ONLY)**

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M	Plate No.
15998	10-20 A 3091	SPOOL , hoist (Mod. 5068)	2	—	C	JB1
28M/9452621	A27/NT	Attachments for 10-20 A 3091, Spool :—				
28W/9419491	SP.16/N	Nut, 1/2" BSF	1	—	C	
		Washer	1	—	C	
	10-20 A 2413	STOWAGE , plug. aft fusing-unit (Mod. 5018) ...	1	LFB.82 or 89	—	JB1
		Attachments for 10-20 A 2413, Stowage :—				
28D/1008148	A25/5A	Bolt, 6 BA	2	—	C	
15984	10-20 A 3087A	TUBE , fusing guide, aft (Mod. 5018)	1	—	C	JB1
		Attachments for 10-20 A 3087A, Tube :—				
28D/1007973	AS.1242/2B	Bolt, 4 BA	2	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	2	—	C	
28W/9419474	SP.15/B	Washer	2	—	C	
15983	10-20 A 3083A	TUBE , fusing guide, forward (Mod. 5018)	1	—	C	JB1
		Attachments for 10-20 A 3083A, Tube :—				
28D/1007468	AS.1242/3B	Bolt, 4 BA	3	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	3	—	C	
28W/9419474	SP.15/B	Washer	3	—	C	
	10-20 A 5551ND	WASHER , inner sleeve nut, 3"-10 o/d x 2"-50 l/d x ".005—".008 thick (Mod. 5097)	1	Zinc	—	JB1

SEE TEXT FOR SPARES CONDITION OF ITEMS MARKED * *




JB.1

EQUIPMENT, SPECIAL OPERATIONAL
OUTBOARD HEAVY STORES PYLONS
(MOD. 7)

JB.1

[AL. 72]

SEE TEXT FOR SPARES CONDITION OF ITEMS MARKED WITH *



JB.2

EQUIPMENT SPECIAL OPERATIONAL OUTBOARD HEAVY STORES PYLONS (MOD.7)

JB.2
(A.L.75)



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.