

ARMAMENT
OUTBOARD HEAVY STORES PYLON, PORT, FOR THE CARRIAGE OF
2000 LBS. H.E. BOMB (SPECIAL ORDER ONLY)

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M	Plate No.
	—	INSTALLATION OF OUTBOARD HEAVY STORES PYLON, PORT, FOR THE CARRIAGE OF 2000 LBS. H.E. BOMB (Drg. No. 10-20 WE 5493) (SPECIAL ORDER ONLY)	1	—	—	
20515	10-20 A 6251A	PLATE , pylon blanking, assembly (Mod. 5184) (For breakdown see sub-section JB)	1	—	P	JE1
	10-20 A 6209A	PYLON , armament stores, Port, assembly (Mod. 5176)	1	—	—	JE1
12348	10-20 A 1567	BEARING , bottom, split (2 halves) screw jack ...	1	—	C	JE1
19021	10-20 A 1543	BEARING , front spigot ...	1	—	C	JE1
		Attachments for 10-20 A 1543, Bearing :—				
15893	10-20 PT 537	Bolt, 1/2" BSF, forward ...	1	—	C	JE1
15894	10-20 PT 535	Bolt, 1/2" BSF, rear (Lock to DHS.514/D) ...	2	—	C	JE1
19022	10-20 A 1531	Pad, bearing ...	1	—	C	JE1
	10-20 A 2327A	BRACKET , fuzing unit, assembly (For spares use 10-20 A 3035A/ND)	1	—	—	JE1
14761	10-20 A 3035A/ND	BRACKET , fuzing unit, assembly ... (Spares condition)	1	—	C	
		Attachments for 10-20 A 2327A, Bracket :—				
28D/1011238	A25/3E	Bolt, 1/2" BSF ...	1	—	C	
28D/1008151	A25/4E	Bolt, 1/2" BSF ...	1	—	C	
28M/1007403	A27/ET	Nut, 1/2" BSF ...	2	—	C	
28W/9419405	SP.15/E	Washer ...	2	—	C	
15906	10-20 A 2717A	BUSH , front spigot, assembly ...	1	—	C	JE1
		Attachments for 10-20 A 2717A, Bush :—				
28D/9133012	A25/3C	Bolt, 2 BA ...	1	—	C	
28D/1007976	AS.1242/4C	Bolt, 2 BA ...	1	—	C	
28M/9403520	A27/CP	Nut, 2 BA ...	2	—	C	
17785	10-20 A 1569	BUSH , rear spigot ...	1	—	C	JE1
		Attachments for 10-20 A 1569, Bush :—				
28D/1013172	AS.1242/5C	Bolt, 2 BA ...	2	—	C	
28M/9403520	A27/CP	Nut, 2 BA ...	2	—	C	
12347	10-20 A 1711	CAP , retaining, screw jack ...	1	—	C	JE1
	10-20 A 5431A	CASTING , pylon, assembly ... (Spares for :—)	1	—	—	JE1
28FP/9438596	DZUS R.3/1	RECEPTACLE , fastener ...	2	—	C	
	10-20 A 2323A	DIAPHRAGM , rear, assembly (For spares use 10-20 A 3033A/ND)	1	—	—	JE1
14746	10-20 A 3033A/ND	DIAPHRAGM , rear, assembly (Spares condition)	1	—	C	
		Attachments for 10-20 A 2323A, Diaphragm :—				
12339	DHS.901/6CC	Bolt, 2 BA ...	2	—	C	JE1
	—	DOOR , fuzing unit access, at trailing edge skin, group (Drg. No. 10-20 A 2409) (For breakdown see sub-section JB)	1	—	—	
	—	ELECTRICAL COMPONENTS (See sub-section EDE)	—	—	—	
11A/4520	A. FRAZER NASH D.100/17	EJECTOR, RELEASE UNIT No. 2, Mk. 1 ...	1	—	P	JE1
16777	10-20 A 3195	EYE-BOLT , lanyard attachment ...	1	—	C	JE1

ARMAMENT
OUTBOARD HEAVY STORES PYLON, PORT, FOR THE CARRIAGE OF
2000 LBS. H.E. BOMB (SPECIAL ORDER ONLY)

Ref. No.	Part No.	Description	No. off						Material Specification	Class of Store or L.M.	Plate No.
			1	2	3	4	5	6			
	10-20 A 1953	FAIRLEAD , 2"-60 x 2"-40 x $\frac{3}{16}$ "	1						LFS.21 23 or 26	LM	JE1
		Attachments for 10-20 A 1953, Fairlead :—									
28D/9133013	A25/5C	Bolt, 2 BA	4						—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	4						—	C	
12345	10-20 A 1937	GROMMET	1						—	C	JE1
16150	10-20 A 3069A	JACK , screw, ejector unit assembly (For break-down see sub-section JB)	1						—	P	JE1
	—	LEADING EDGE SKINNING DETAILS, GROUP (Drg. No. 10-20 A 1727)	1						—	—	
		Spares for :—									
13348	10-20 A 2315A	BRACKET , fuzing unit, assembly (For break-down see sub-section JB)	1						—	C	JE1
28E/9428425	AS.2294/2	CLIP , cable stowage	1						—	C	
13344	10-20 A 2319	DIAPHRAGM , fuzing unit	1						—	C	JE1
	10-20 A 1735ND	DIAPHRAGM , leading edge (For spares use 10-20 A 2675ND)	1						—	—	JE1
14148	10-20 A 2675ND	DIAPHRAGM , leading edge (Spares condition)	1						—	C	
12381	10-20 A 1743A/ND	DOOR , access, assembly	1						—	C	JE1
		Attachments for 10-20 A 1743A/ND, Door :—									
28D/1007975	AS.1242/1C	Bolt, 2 BA	11						—	C	
28D/1007976	AS.1242/4C	Bolt, 2 BA	7						—	C	
	10-20 A 1753A/ND	DOOR , fuzing test, assembly (For spares use 10-20 A 2673A/ND)	1						—	—	JE1
14150	10-20 A 2673A/ND	DOOR , fuzing test, assembly (Spares condition) (For breakdown see sub-section JB)	1						—	C	
	10-20 A 1889	LABEL , engraved "Cocking Test - Fuzing Test," etc., 20 SWG	1						L.72	LM	JE1
28M/11957	AGS.2007/C/1	NUT , anchor, 2 BA	11						—	C	
28M/9993192	AGS.2009/C/1	NUT , anchor, 2 BA	7						—	C	
21079258	10-20 A 2261 A/ND	PANEL , fuzing unit, access, assembly (For breakdown see sub-section JB)	1						—	C	JE1
28FP/9438596	DZUS R.3 $\frac{1}{2}$	RECEPTACLE , fastener, fuzing test door ...	2						—	C	
13345	10-20 A 2321	RIBLET , front	1						—	C	JE1
		Attachments for 10-20 A 2321, Riblet :—									
28D/8346	AS.1248/8C	Bolt, 2 BA	2						—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	2						—	C	
	10-20 A 2313	RIBLET , leading edge (For spares use 10-20 A 3039ND)	1						—	—	JE1
14762	10-20 A 3039ND	RIBLET , leading edge (Spares condition) ...	1						—	C	
	10-20 A 2353A/ND	SKIN , spot-welded, assembly (For spares use 10-20 A 3037A/ND)	1						—	—	JE1
14774	10-20 A 3037A/ND	SKIN , spot-welded, assembly (Spares condition)	1						—	—	
12349	10-20 A 1723	NUT , inner sleeve, screw jack	1						—	C	JE1
15907	10-20 A 3075	NUT , pylon retaining, screw jack	1						—	C	JE1
12343	10-20 A 1781	PAD, pylon connector, forward	1						—	C	JE1
		Attachments for 10-20 A 1781, Pad :—									
28D/1013172	AS.1242/5C	Bolt, 2 BA	4						—	C	
28M/9403520	A27/CP	Nut, 2 BA	4						—	C	


ARMAMENT
OUTBOARD HEAVY STORES PYLON, PORT, FOR THE CARRIAGE OF
2000 LB. H.E. BOMB (SPECIAL ORDER ONLY)

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M	Place No.
	—	PANEL AND DOOR, GROUP (Drg. No. 10-20 A 6305) (Mod. 5165)	1	—	—	
	10-20 A 6331A/ND	PANEL , c/w hinged door, assembly (For breakdown see sub-section JB)	1	—	—	JE1
28FP/9438596	DZUS R.3½	RECEPTACLE , fastener, for panel ...	9	—	C	
12364	10-20 A 1689	PIN , locking, inner sleeve and nut, screw jack ...	2	—	C	JE1
	10-20 A 2501	PLATE , cover, engraved "Manual lock," 14 SWG	1	L.72	LM	JE1
16358	10-20 A 3107A	PLATE , locking, screw jack, assembly ...	1	—	C	JE1
	10-20 A 6217A	PLATE , sole, assembly ...	1	—	—	JE1
	15905	Spares for :— BLOCK , rubbing ...	2	—	C	JE1
	28D/1007468	Attachments for 10-20 A 2853, Block :—				
	28M/10327	Bolt, 4 BA ...	2	—	C	
		Nut, 4 BA ...	2	—	C	
	28D/1007700	Attachments for 10-20 A 6217A, Plate :—				
	28D/1212745	Bolt, ¼" BSF ...	2	—	C	
	28D/1212746	Bolt, ⅜" BSF ...	2	—	C	
		Bolt, ⅝" BSF ...	22	—	C	
	13337	PLATE , spring, manual lock cover, assembly ...	1	—	C	JE1
	28D/9140203	Attachments for 10-20 A 2495A, Plate :—				
	26DL/15350	Bolt, 2 BA ...	1	—	C	
		Ferrule ...	1	—	C	JE1
	28P/9527619	PLUG , blanking, air, group ...	1	—	—	
	28F/1011816	PIN , split (SP.9/CB) ...	1	—	C	
	28F/8011822	PLUG , nipple, ⅜" BSP ...	1	—	C	
		SLEEVE , outer, ⅜" BSP ...	1	—	C	
	10-20 A 1755A/1	RIBLET , trailing edge, bottom, assembly, (For spares use 10-20 A 2671A/ND)	1	—	—	JE1
	14147	RIBLET , trailing edge, bottom, assembly (Spares condition) (For breakdown see sub-section JB)	1	—	C	
		Attachments for 10-20 A 1755A/1, Riblet :—				
	1141	Bolt, 2 BA ...	2	—	C	JE1
	1792	Bolt, 2 BA ...	1	—	C	JE1
	28D/1011238	Bolt, ¼" BSF ...	2	—	C	
	10-20 A 1773A	RIBLET , trailing edge, top, assembly (For breakdown see sub-section JB)	1	—	—	JE1
		SERVICING SAFETY BREAK, GROUP (Drg. No. 10-20 A 2801) (See sub-section JB)	1	—	—	
	17331	SHOE , blanking, assembly (Drg. No. 10-20 A 6239)	1	—	C	JE1
		Spares for :—				
	10-20 A 2843ND	SEAL , rubber (Make from standard section J.332 (Ref. No. 26FN/1829)	1	—	LM	JE1
	10-20 A 2841ND	STRIP , retaining seal, 22 SWG ...	2	L.72	LM	JE1
		Attachments for 10-20 A 3203A, Shoe :—				
	28D/1214091	Bolt, 2 BA ...	2	—	C	
	28M/10288	Nut, 2 BA ...	4	—	C	
	28S/7002444	Screw, 2 BA ...	2	—	C	
	10-20 A 2329ND	SKIN , trailing edge, 18 SWG ...	1	L.73	LM	JE1
	12344	SLEEVE , inner, screw jack ...	1	—	C	JE1

**ARMAMENT
OUTBOARD HEAVY STORES PYLON, PORT, FOR THE CARRIAGE OF
2000 LB. H.E. BOMB (SPECIAL ORDER ONLY)**

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Score or L.M.	Plate No.
	10-20 A 2687	SPIGOT , rear	1	—	—	JE1
		Attachments for 10-20 A 2687, Spigot :—				
12350	10-20 A 1533	Nut, ring	1	—	C	JE1
12351	10-20 A 1529	Washer, locking	1	—	C	JE1
15998	10-20 A 3091	SPOOL , hoist	2	—	C	JE1
		Attachments for 10-20 A 3091, Spool :—				
28M/9452621	A27/NT	Nut, 1/2" BSF	1	—	C	
28W/9419491	SP.16/N	Washer	1	—	C	
	10-20 A 5551ND	WASHER , inner sleeve nut, 3"-10 o/d x 2"-50 i/d x ".005 - ".008 thick	1	—	—	JE1
15475	10-20 A 3047	WASHER , tab, eye-bolt	1	—	C	JE1

SEE TEXT FOR SPARES CONDITION OF ITEMS MARKED THUS - *



PYLON ARMAMENT STORES, PORT ASSY. IO.20A6209

JE.1

**EQUIPMENT SPECIAL OPERATIONAL
OUTBOARD HEAVY STORES PYLON, PORT, FOR THE CARRIAGE
OF 2,000 LBS. H.E. BOMB (SPECIAL ORDER ONLY)**

JE.1
[A.L. 72]

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

