

**EQUIPMENT, SPECIAL OPERATIONAL
INBOARD LIGHT STORES PYLONS
(SPECIAL ORDER ONLY)**

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Place No.
	—	INSTALLATION OF INBOARD LIGHT STORES PYLONS, PORT AND STARBOARD (Drg. No. 10-20 A 1721, Mod. 5006) (SPECIAL ORDER ONLY) Spares for :—	1	—	—	JG1
14646	10-20 A 2993A	PLATE , cover, assembly (Mod. 5046) (For use when missiles are not carried) Spares for :—	4	—	P	JG1
9339	10-20 A 1579 10-20 A 1649	BOLT , $\frac{1}{8}$ " BSF, mushroom head, plate attachment	1	S.96	C	JG1
		DOWEL , cold air	1	LFB.82 or 89	—	JG1
	10-20 A 1647	DOWEL , hot air	1	LFB.82 or 89	—	JG1
14647	10-20 A 2989 10-20 A 181ND	LUG , suspension, ejector release unit, group LUG , suspension	1 1	— DTD.298	— C	— JG1
		PIN , ground steel, $\frac{1}{4}$ " dia. (Make from Part No. DHS.94/8,160)	1	S.96	LM	JG1
14648	10-20 A 3041	SPACER	1	S.93	C	JG1
28W/9418921	SP.13/E	WASHER	2	—	C	—
9337	10-20 A 1575 10-20 A 1577	SEAL , rubber SPIGOT	1 2	Neoprene S.96	C —	JG1 JG1
28D/1013177	AS.1242/2E	Attachments for 10-20 A 1577, Spigot :— Bolt , $\frac{1}{2}$ " BSF	1	—	C	—
	10-20 A 3159A	PYLON , inboard, light stores, Port, assembly (Mod. 5134)	2	—	—	JG1
	10-20 A 3160A	PYLON , inboard, light stores, Starboard, assembly (Mod. 5134) Spares for :—	2	—	—	JG1
15991	10-20 A 2963A	BEARING , ejector release unit, assembly (Mod. 5042) Spares for :—	2	—	C	JG1
15993	10-20 A 3073	NUT , lock, slotted, $\frac{3}{8}$ " x 20 TPI, Whitworth	1	S.80	C	JG1
16000	10-20 A 3007	RING , spring	1	S.513	C	JG1
15992	10-20 A 3071	STUD	1	S.98	C	JG1
16002	10-20 A 3133A	CAPPING , nose, Port, assembly (Mod. 5072)	1	—	C	JG1
16003	10-20 A 3134A	CAPPING , nose, Starboard, assembly (Mod. 5072) Attachments for 10-20 A 3133A or 10-20 A 3134A, Capping :—	1	—	C	JG1
28D/9137409	AS.1246/2C	Bolt , 2 BA	1	—	C	—
16004	10-20 A 3125A	CAPPING , tail, Port, assembly (Mod. 5072)	1	—	C	JG1
16005	10-20 A 3126A	CAPPING , tail, Starboard, assembly (Mod. 5072) Attachments for 10-20 A 3125A or 10-20 A 3126A, Capping :—	1	—	C	JG1
28D/1007980	AS.1246/3C	Bolt , 2 BA	3	—	C	—
12K/1274	—	CARTRIDGE , ejector release unit	1	—	C	JG1

**EQUIPMENT, SPECIAL OPERATIONAL
INBOARD LIGHT STORES PYLONS
(SPECIAL ORDER ONLY)**

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M	Plate No.
	—	CHANNEL , air hoses and electrical cable connections, at top of pylons, group	1	—	—	
28D/1007976	AS.1242/4C	BOLT , 2 BA	6	—	C	
11318	10-20 A 2027	CHANNEL , plate	1	S.511	C	JG1
28M/10328	AGS.2002/C/1	NUT , 2 BA	6	—	C	
8834	10-20 A 145	PAD , insulating, air hoses	1	LFS.21	C	JG1
8835	10-20 A 85	PLATE , half, retaining air hoses	1	L.72	C	
8836	10-20 A 87	PLATE , half, retaining air hoses	1	L.72	C	JG1
28S/9140929	A33-C12	SCREW , 2 BA	4	—	C	
8833	10-20 A 89	WASHER , half, insulating, hot air hose	2	LFS.21	C	JG1
28W/9419402	SP.13/C	WASHER	6	—	C	
	10-20 A 2141A	CLAMP , half, securing magnetic indicator, assembly Attachments for 10-20 A 2141A, Clamp (per pair):—	2	L.72	LM	JG1
28D/9133012	A25/3C	Bolt, 2 BA	1	—	C	
28M/10328	AGS.2002/C/1	Nut, 2 BA	1	—	C	
	—	COVER , crutching, ejector release unit, group	1	—	—	
15988	10-20 A 2999	BOLT , shouldered, 2 BA (Mod. 5042)	1	S.96	C	JG1
15990	10-20 A 3055A	CATCH , ball, assembly (Mod. 5042)	1	—	C	JG1
15989	10-20 A 3001	COVER , crutching (Mod. 5042)	1	S.510	C	JG1
11A/4731	—	EJECTOR RELEASE UNIT , No. 3, Mk. 1	1	—	P	JG1
	—	ELECTRICAL COMPONENTS	—	—	—	
		(See sub-section EDB)				
	—	GUARD , protecting electrical cables, aft, group	1	—	—	
28S/1200053	A33/C16	SCREW , 2 BA	2	—	C	
15987	10-20 A 3063	SCREW , 2 BA internal thread (Mod. 5042)	2	S.96	C	JG1
	10-20 A 3065ND	TUBE , rubber, on lower screw, 1/2" o/d x 1" i/d x 2 3/4" long, Shore hardness 50°-60° (Mod. 5042)	1	DTD.215	LM	JG1
	—	GUARD , protecting electrical cables, centre, group	1	—	—	
28D/1012995	A25/22C	BOLT , 2 BA	1	—	C	
28M/1006473	A27/CT	NUT , 2 BA	1	—	C	
	10-20 A 2899ND	TUBE , distance (Make from Part No. AS.2806/4/300) 1/2" o/d x 22 SWG x length to suit	1	T.35 or T.45	LM	JG1
	—	GUARD , protecting electrical cables, forward, group	1	—	—	
28D/1017157	A25/25C	BOLT , 2 BA	1	—	C	
28M/1006473	A27/CT	NUT , 2 BA	1	—	C	
	10-20 A 2899ND	TUBE , distance (Make from Part No. AS.2806/4/300) 1/2" o/d x 22 SWG x length to suit	1	T.35 or T.45	LM	JG1
	10-20 A 2161ND	TUBE , rubber, 1/2" o/d x 1" i/d x 2'-05 long, Shore hardness 50°-60°	1	DTD.215	LM	JG1
	10-20 A 1443A/ND	HOSE , cold air, assembly	1	—	—	JG1
8829	10-20 A 1445A	ELBOW , assembly	1	—	C	JG1
8830	10-20 A 1447A	HOSE , assembly (Dunlop)	1	—	C	JG1
28F/9429532	AGS.1186/C	SEAL , bonded	1	—	C	
	DUNLOP					
27VA/5728	ACO.23094	SEAL , elbow	1	—	C	JG1
	10-20 A 1437A/ND	HOSE , hot air, assembly	1	—	—	JG1
8827	10-20 A 1439A	ELBOW , assembly	1	—	C	JG1
8828	10-20 A 1441A	HOSE , assembly (Dunlop)	1	—	C	JG1
28F/9428456	AGS.1186/F	SEAL , bonded	1	—	C	
	DUNLOP					
27VA/5729	ACO.23095	SEAL , elbow	1	—	C	JG1

**EQUIPMENT, SPECIAL OPERATIONAL
INBOARD LIGHT STORES PYLONS
(SPECIAL ORDER ONLY)**

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M	Place No.
75BB/34	—	INDICATOR , magnetic, push re-set ...	1	—	P	
11313	10-20 A 2157A	MOUNTING , magnetic indicator, assembly (Mod. 5006) Spares for :—	1	—	C	JG1
11314	10-20 A 2149	BOLT , 4 BA, grooved head ...	2	S.93	C	JG1
11315	10-20 A 2151	CAM , eccentric ...	1	L.65	C	JG1
	10-20 A 2153A	CASTING , assembly ...	1	—	—	JG1
11316	10-20 A 2139	SPINDLE ...	1	S.93	C	JG1
11317	10-20 A 2147	SPRING ...	1	DTD.215	C	JG1
28W/9419455	SP.10/G	WASHER ...	2	—	C	
28D/1007975	AS.1242/1C	Attachments for 10-20 A 2157A, Mounting :—				
28D/1007976	AS.1242/4C	Bolt, 2 BA ...	2	—	C	
		Bolt, 2 BA ...	1	—	C	
15064	10-20 A 2689	PAD , serrated, pylon locating (Mod. 5036) ...	2	—	C	JG1
19068	10-20 A 3335A	PLATE , sole, assembly (Mod. 5136) ... Spares for :—	1	—	P	JG1
19069	10-20 N 23759	CONTACT , earth, coded "YZN" ...	1	—	C	JG1
28M/9995181	A53/B	Attachments for 10-20 N 23759, Contact :—				
28W/1010006	SP.22/B	Nut, 4 BA ...	2	—	C	
		Washer ...	1	—	C	
	AS.8456/15	INSERT , thread, 1/4" U.N.C. (Mod. 5173) ...	1	—	C	
8825	10-20 A 1537	NUT , flanged, 3/8" BSF ...	2	S.80	C	JG1
18347	10-20 A 1449	SPIGOT , location, "FWD" ...	1	DHE.223	C	JG1
18348	10-20 A 1451	SPIGOT , yaw, "AFT" ...	1	DHE.223	C	JG1
		Attachments for 10-20 A 1449 or 10-20 A 1451, Spigot :—				
28D/1013172	AS.1242/5C	Bolt, 2 BA ...	3	—	C	
28M/10328	AGS.2002/C/1	Nut, 2 BA ...	3	—	C	
28W/9419475	SP.15/C	Washer ...	3	—	C	
28D/8308	AS.1242/3C	Attachments for 10-20 A 3335A, Plate :—				
28D/8324	AS.1242/3E	Bolt, 2 BA ...	3	—	C	
		Bolt, 1/4" BSF ...	10	—	C	

**EQUIPMENT, SPECIAL OPERATIONAL
INBOARD LIGHT STORES PYLONS
(SPECIAL ORDER ONLY)**

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M	Place No.
	10-20 A 3141A	PYLON , c/w nose and tail skin fairings, assembly (Mod. 5042) Spares for :—	1	—	—	JG1
	10-20 A 2137	BUSH	1	LFT.40 or 42	—	JG1
	10-20 A 3143A	CASTING , pylon, assembly	1	—	—	JG1
11303	10-20 A 2075	Spares for :— BUSH , serrated (Ref. Drg. No. 10-20 A 2073) Attachments for 10-20 A 2075, Bush :—	2	S.96	C	JG1
11304	10-20 A 2081	Screw, cap. 1/4" BSF	1	S.96	C	JG1
11305	10-20 A 2077A	Trunnion, assembly	1	—	C	JG1
	10-20 A 2159ND	Spares for :— Insert	1	Nylon	—	JG1
	10-20 A 2079	Trunnion	1	S.92	—	JG1
15985	10-20 A 2891	DOWEL	2	S.96	C	JG1
	—	DOOR , access, servicing safety break, group (Drg. No. 10-20 A 2871A, Mod. 5032) Spares for :—	1	—	—	
	10-20 A 2873A/ND	DOOR , access, assembly	1	—	—	JG1
	10-20 A 2875ND	DOOR , bare, 20 SWG	1	L.72	LM	JG1
28FP/1138	DZUS F3 1/2/T/16/DS	FASTENER , supersonic	2	—	C	JG1
28FP/1002561	DZUS GH/3 1/2	GROMMET , fastener	2	—	C	JG1
	10-20 A 2877ND	HINGE , door (Make from Part No. AS. 1877/25, Ref. No. 28N/12176)	1	L.72	LM	JG1
	10-20 A 2879ND	PACKING , hinge, 14 SWG	1	L.72	LM	JG1
	—	Attachments for 10-20 A 2873A/ND, Door:—				
28D/15332	AS.3296/2B	Bolt, 4 BA	4	—	C	
28M/10327	AGS.2002/B/1	Nut, 4 BA	4	—	C	
28W/9419474	SP.15/B	Washer	4	—	C	
28M/9434251	AGS.2008/B/1	NUT , anchor, 4 BA	3	—	C	
28FP/9438596	DZUS R.3 1/2	RECEPTACLE , fastener	2	—	C	JG1
11306	10-20 A 2101A/ND	SKIN , nose fairing, detachable portion, assembly Spares for :—	1	—	C	JG1
	10-20 A 2733ND	LIP , engagement, 20 SWG	1	L.72	LM	JG1
	10-20 A 2734ND	LIP , engagement, 20 SWG	1	L.72	LM	JG1
	10-20 A 2099ND	SKIN , bare, 20 SWG	1	L.72	—	JG1
	10-20 A 2685	WINDOW (Ref. Drg. No. 10-20 A 2093) Attachments for 10-20 A 2101A/ND, Skin :—	2	Perspex	—	JG1
28S/9419431	AS.2996/5C	Screw, 2 BA	10	—	C	
	10-20 A 1487A/ND	SKIN , nose fairing, fixed portion, assembly (For spares use 10-20 A 2769A/ND)	1	—	—	JG1
14329	10-20 A 2769A/ND	SKIN , nose fairing, fixed portion, assembly (Spares condition) Attachments for 10-20 A 1487A/ND, Skin :—	1	—	C	
28D/15332	AS.3296/2B	Bolt, 4 BA	2	—	C	
28M/9403519	A.27/BP	Nut, 4 BA	2	—	C	
28W/9419401	SP.10/B	Washer	2	—	C	

**EQUIPMENT, SPECIAL OPERATIONAL
INBOARD LIGHT STORES PYLONS
(SPECIAL ORDER ONLY)**

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M	Plate No.
	10-20 A 6019A/ND	SKIN , tail fairing, assembly (For spares use 10-20 A 6017A/ND) (Mod. 5134)	1	—	—	JG1
19553	10-20 A 6017A/ND	SKIN , tail fairing, assembly (Spares condition) (Mod. 5134)	1	—	C	
5617	A25/1/2C/DHS.514/D	Attachments for 10-20 A 6019A/ND, Skin :—				
28D/1200119	A25/4C	Bolt, 2 BA	2	—	C	JG1
28D/15331	AS.3296/1B	Bolt, 2 BA	1	—	C	
28S/1200053	A33/C16	Bolt, 4 BA	4	—	C	
28W/9419454	SP.10/C	Screw, 2 BA	2	—	C	
28W/9419475	SP.15/C	Washer	2	—	C	
		Washer	1	—	C	
11322	10-20 A 2163	SEAL , rubber, between spindle on magnetic indicator mounting and nose skin fairing	1	—	C	JG1
	—	SERVICING SAFETY BREAK, GROUP (Drg. No. 10-20 A 2803, Mod. 5032) Spares for :—	1	—	—	JG1
15470	10-20 A 2925	CLIP , spring, safety plug, 26 SWG	2	—	C	JG1
	10-20 A 2953ND	CORD , retention, safety plug (Make from SRDE/PS.8784)	1	Nylon	LM	JG1
15467	10-20A 2909A	COVER , spring safety plug, assembly... .. Attachments for 10-20 A 2909A, Cover :—	1	—	C	JG1
28M/10286	AGS 2001/A/1	Nut, 6 BA	2	—	C	
28S/1200049	A31/A12	Screw, 6 BA	2	—	C	
28W/9419473	SP.15/A	Washer	2	—	C	
	—	ELECTRICAL COMPONENTS (See sub-section "EDB")	—	—	—	
	10-20 A 2927	GUARD , spring clip, 20 SWG Attachments for 10-20 A 2927, Guard :—	2	L.72	LM	JG1
28S/9419437	A31/A16	Screw, 6 BA	2	—	C	
15886	10-20 A 2897A	TRAY , safety break, assembly (Mod. 5032) Attachments for 10-20 A 2897A, Tray :—	1	—	C	JG1
28D/8300	AS.1242/1B	Bolt, 4 BA	3	—	C	
11319	10-20 A 2025	SPIGOT , pylon attachment Attachments for 10-20 A 2025, Spigot :—	1	—	C	JG1
28N/2001540	AGS.2031/4	Circlip, Seeger external type, 1/8" shaft size	1	—	C	
13166	10-20 A 2559	Pin, shear (Mod. 5025)	1	—	C	JG1
	—	TRUNNION , missile lifting, group	1	—	—	
15000	10-20 A 1519	HOUSING	2	S.80	C	JG1
		Attachments for 10-20 A 1519, Housing :—				
28S/1007469	A33/B14	Screw, 4 BA	3	—	C	
14999	10-20 A 1521A	TRUNNION , assembly	2	—	C	JG1
		Spares for :—				
2A/9424323	—	BALL , steel, 1/8" dia.	2	—	C	
	10-20 A 1525ND	SPRING , 26 SWG	1	Piano Wire	LM	JG1

EQUIPMENT, SPECIAL OPERATIONAL
INBOARD LIGHT STORES PYLONS
(SPECIAL ORDER ONLY)

Ref. No.	Part No.	Description						No. of	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6				

This file was downloaded
from the RTFM Library:

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

