

**FUSELAGE**

**CANOPY WINDSCREEN INSTALLATION**

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M	Place No.
	—	<b>CANOPY WINDSCREEN INSTALLATION (Drg. No. 10-20 FC 1185)</b>	1	—	—	KF1
19860	10-20 FC 2275A	<b>MIRROR</b> , rear vision, assembly (Mod. 1352) ...	1	—	P	KF1
		Attachments for 10-20 FC 2275A, Mirror:—				
28D/1011469	A26/6C	Bolt, 2 BA ...	1	—	C	
19861	10-20 FC 2277	Cup ...	1	—	C	KF1
28M/10339	AGS.2002/C/2	Nut, 2 BA ...	1	—	C	
26FC/13532	DHS.187/1	Washer, shrinkage ...	2	—	C	
28W/9128924	SP.14/C	Washer ...	1	—	C	
	10-20 FC 1895A	<b>WINDSCREEN</b> , assembly (Mod. 346) ...	1	—	—	KF1
		Spares for:—				
20751	10-20 FC 2441A	<b>BOLT-STOP</b> (Mod. 1562) ...	1	—	C	KF2
19926	10-20 F 3565A	<b>BRACKET</b> , mounting, anti-glare screen ...	1	—	C	KF1
20750	10-20 FC 2423A	<b>CATCH</b> , assembly (Mod. 1562) ...	1	—	C	KF2
	10-20 F 3941	<b>CLIP</b> , shroud retaining, Port, 18 SWG (Drg. No. 10-20 F 4197) (Mod. 821)	1	L.72	LM	KF3
	10-20 F 3943	<b>CLIP</b> , shroud retaining, Starboard, 18 SWG (Drg. No. 10-20 F 4197) (Mod. 821)	1	—	LM	KF3
		Attachments for 10-20 F 3941 or 10-20 F 3943, Clip:—				
28D/1011002	A25/1/2A	Bolt, 6 BA ...	1	—	C	
28M/10326	AGS.2002/A/1	Nut, 6 BA ...	1	—	C	
28W/13726	SP.18/A	Washer ...	1	—	C	
	10-20 FC 1893A	<b>DUCT</b> , bottom, assembly (For spares use 10-20 FC 2183A/ND)	1	—	—	KF1
16101	10-20 FC 2183A/ND	<b>DUCT</b> , bottom, assembly (Spares condition) ...	1	—	C	
		Spares for:—				
	10-20 FC 1243A/ND	<b>DUCT</b> , air, assembly ...	1	—	—	KF1
	10-20 FC 1137ND	<b>MEMBER</b> , leading edge, L.H. ...	1	LFS.26	—	KF1
	10-20 FC 1139ND	<b>MEMBER</b> , leading edge, R.H. ...	1	LFS.26	—	KF1
	10y20 FC 1907ND	<b>SKIN</b> , top ...	1	L.72	—	KF1
	10-20 FC 1021ND	<b>STRIP</b> , rubber, around pipe. 1/8" thick, shore hardness 30°-40°	1	COM	LM	KF1
		Attachments for 10-20 FC 2183A/ND, Duct:—				
28D/1213846	AS.3294/7C	Bolt, 2 BA ...	1	—	C	
28D/1213847	AS.3294/8C	Bolt, 2 BA ...	4	—	C	
28D/1213849	AS.3294/10C	Bolt, 2 BA ...	4	—	C	
28D/1213850	AS.3294/11C	Bolt, 2 BA ...	1	—	C	
28M/10288	AGS.2201/C/1	Nut, 2 BA ...	8	—	C	
28W/9419454	SP.10/C	Washer ...	8	—	C	
10691	10-20 FC 1669ND	Washer, packing ...	2	—	C	KF3
10692	10-20 FC 1673ND	Washer, packing ...	2	—	C	KF2
10693	10-20 FC 1671ND	Washer, packing ...	5	—	C	KF1
1854	10-20 FC 829	<b>DUCT</b> , top ...	1	—	C	KF1

**FUSELAGE**

**CANOPY WINDSCREEN INSTALLATION**

Ref. No.	Part No.	Description	No. off						Material Specification	Class of Store or L.M	Plate No.
			1	2	3	4	5	6			
	—	<b>DUCT</b> , windscreen, heating, group (Drg. No. 10-20 FC 2105) (Mod. 802) Spares for:—						1	—	—	
	10-20 FC 2095A	<b>DUCT</b> , insulated, heating, centre beam, assembly (For spares use 10-20 FC 2133A/ND)						1	—	—	KF1
15741	10-20 FC 2133A/ND	<b>DUCT</b> , heating, centre beam, assembly ... (Spares condition) Attachments for 10-20 FC 2095A, Duct:—						1	—	C	
28S/1214329	AS.2995/3B	Screw, 4 BA ... ..						10	—	C	
28W/1206065	AGS.2036/B	Washer, shakeproof ... ..						10	—	C	
15622	10-20 FC 1851A/ND	<b>DUCT</b> , elbow, assembly ... ..						1	—	C	KF1
16852	10-20 FC 5003	<b>JOINT</b> , at elbow (Mod. 913) ... ..						1	—	C	KF1
	10-20 FC 1123	<b>FRAME</b> , windscreen, bare (For spares use 10-20 FC 1595A/ND)						1	RZ.5	—	KF1
1855	10-20 FC 1595A/ND	<b>FRAME</b> , windscreen, bare (Spares condition) ...						1	—	P	
89	S10-20 FC 3	<b>GLASS</b> , main, Port (Special spares assembly, complete with attachments)						1	—	P	KF2
9821	10-20 FC 1597	<b>BLOCK</b> , spacing, black "Perspex" ... ..						6	—	C	KF2
9822	10-20 FC 1599	<b>BLOCK</b> , spacing, black "Perspex") ... ..						13	—	C	KF2
1834	10-20 FC 791	<b>GLASS</b> , main, port ... ..						1	—	P	KF2
1833	10-20 FC 795	<b>GLASS</b> , outer, Port ... ..						1	—	P	KF2
1851	10-20 FC 1023ND	<b>SHIM</b> ( $\frac{1}{8}$ " nominal thickness) ... ..						3	—	C	KF1
	10-20 FC 1869ND	<b>STRIP</b> , masking, main, L.H. ... .. (For spares use 10-20 FC 2179ND)						1	—	—	KF2
16097	10-20 FC 2179ND	<b>STRIP</b> , masking, main, L.H. (Spares condition)						1	—	C	
	—	<b>STRIP</b> , masking, nozzle bracket at windscreen (See Page QK1)						—	—	—	
	10-20 FC 1903ND	<b>STRIP</b> , masking, centre, L.H. (For spares use 10-20 FC 2139ND)						1	—	—	KF2
15619	10-20 FC 2139ND	<b>STRIP</b> , masking, centre, L.H. (Spares condition)						1	—	—	
7091	10-20 FC 1555	<b>STRIP</b> , retaining ... ..						1	—	C	KF2
16750	10-20 FC 943ND	<b>STRIP</b> , rubber ... ..						1	—	C	KF2
		Attachments for 10-20 FC 791 or 10-20 FC 795, Glass to Strips:—									
28D/1213838	AS.3294/16B	Bolt, 4 BA ... ..						5	—	C	
28D/1213847	AS.3294/8C	Bolt, 2 BA ... ..						3	—	C	
28D/1213855	AS.3294/17C	Bolt, 2 BA ... ..						3	—	C	
28D/1213856	AS.3294/19C	Bolt, 2 BA ... ..						18	—	C	
28M/10327	AGS.2002/B/1	Nut, 4 BA ... ..						5	—	C	
28M/10328	AGS.2002/C/1	Nut, 2 BA ... ..						24	—	C	
28S/9435717	A33/C26	Screw, 2 BA ... ..						16	—	C	
	PARKER KALON										
28S/9486521	Type Z	Screw, No. 6 x $\frac{1}{4}$ ", countersunk ... ..						10	—	C	
28W/9419454	SP.10/C	Washer ... ..						24	—	C	
28W/9419401	SP.10/B	Washer ... ..						5	—	C	

‡Component parts of this group which are not used when fitting the assembly are to be returned, with the packing crate, to detail stores

**FUSELAGE**  
**CANOPY WINDSCREEN INSTALLATION**

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M	Place No.
91	S10-20 FC 5	‡GLASS, main, starboard (Special spares assembly, complete with attachments)	1	—	P	KF2
9821	10-20 FC 1597	BLOCK, spacing, black "Perspex" ...	7	—	C	KF2
9822	10-20 FC 1599	BLOCK, spacing, black "Perspex" ...	10	—	C	KF2
1835	10-20 FC 789	GLASS, main, Starboard ...	1	—	P	KF2
1832	10-20 FC 793	GLASS, outer, Starboard ...	1	—	P	KF2
1851	10-20 FC 1023ND	SHIM (1/8" nominal thickness) ...	3	—	C	KF1
	10-20 FC 1871ND	STRIP, masking, main, R.H. ...	1	—	—	KF2
		(For spares use 10-20 FC 2181ND)				
16098	10-20 FC 2181ND	STRIP, masking, main, R.H. (Spares condition)	1	—	C	
	10-20 FC 1905ND	STRIP, masking, centre, R.H. (For spares use 10-20 FC 2141ND)	1	—	—	KF2
	10-20 FC 2141ND	STRIP, masking, centre, R.H. (Spares condition)	1	—	C	
1562	10-20 FC 969ND	STRIP, masking ...	1	—	C	KF2
1842	10-20 FC 969ND	STRIP, retaining ...	1	—	C	KF2
7090	10-20 FC 1557	STRIP, rubber ...	1	—	C	KF2
16750	10-20 FC 943ND	Attachments for 10-20 FC 789 or 10-20 FC 793, Glass to Strips:—				
7086	10-20 FC 1527	Bolt, 4 BA ...	1	—	C	KF2
28D/1213838	AS.3294/16B	Bolt, 4 BA ...	5	—	C	
7085	10-20 FC 1539	Bolt, 2 BA ...	3	—	C	KF2
7084	10-20 FC 1541	Bolt, 2 BA ...	5	—	C	KF2
28D/1213846	AS.3294/7C	Bolt, 2 BA ...	3	—	C	
28D/1213856	AS.3294/19C	Bolt, 2 BA ...	7	—	C	
28D/1214483	AS.3294/19E	Bolt, 1/2" BSF ...	1	—	C	
28M/10327	AGS.2002/B/1	Nut, 4 BA ...	3	—	C	
28M/10309	AGS.2002/B/4	Nut, 4 BA ...	1	—	C	
28M/10328	AGS.2002/C/1	Nut, 2 BA ...	10	—	C	
28M/10310	AGS.2002/C/4	Nut, 2 BA ...	7	—	C	
28M/10290	AGS.2002/E/1	Nut, 1/2" BSF ...	1	—	C	
28S/9486521	Type Z	Screw, No. 6 x 1/2", countersunk ...	10	—	C	
28S/9435717	A33/C20	Screw, 2 BA ...	16	—	C	
28W/9419401	SP.10/B	Washer ...	3	—	C	
28W/9419454	SP.10/C	Washer ...	10	—	C	
28W/9419405	SP.15/E	Washer ...	1	—	C	
7087	10-20 FC 1531	Washer ...	1	—	C	KF2
7088	10-20 FC 1533	Washer ...	8	—	C	KF2
90	S10-20 FC 4	‡GLASS, side, Port (Special spares assembly, complete with attachments)	1	—	P	KF3
1830	10-20 FC 1161	GLASS, side, Port ...	1	—	P	KF3
	10-20 FC 1157ND	STRIP, masking ...	1	—	—	KF3
		(For spares use 10-20 FC 1731ND)				
13230	10-20 FC 1731ND	STRIP, masking (Spares conditions) ...	1	—	C	
	10-20 FC 1159ND	STRIP, masking ...	1	—	—	KF3
		(For spares use 10-20 FC 1733ND)				
13372	10-20 FC 1733ND	STRIP, masking (Spares condition) ...	1	—	C	
	10-20 FC 1173ND	STRIP, masking ...	1	—	—	KF3
		(For spares use 10-20 FC 1735ND)				
13373	10-20 FC 1735ND	STRIP, masking (Spares condition) ...	1	—	C	

‡ Component parts of this group which are not used when fitting the assembly are to be returned, with the packing crate, to detail stores

**FUSELAGE**  
**CANOPY WINDSCREEN INSTALLATION**

Ref. No.	Part No.	Description	No. off						Material Specification	Class of Store or L.M.	Plate No.
			1	2	3	4	5	6			
		Attachments for 10-20 FC 1161, Glass to 10-20 FC 1157ND, 10-20 FC 1159ND or 10-20 FC 1173ND, Strip :-									
28D/1213845	AS.3294/6C	Bolt, 2 BA ... ..						17	—	C	
28D/1213850	AS.3294/11C	Bolt, 2 BA ... ..						2	—	C	
28D/1213851	AS.3294/12C	Bolt, 2 BA ... ..						3	—	C	
28D/1213852	AS.3294/13C	Bolt, 2 BA ... ..						1	—	C	
28D/1213853	AS.3294/14C	Bolt, 2 BA ... ..						1	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA ... ..						23	—	C	
28W/9419454	SP.10/C	Washer ... ..						23	—	C	
10691	10-20 FC 1669ND	Washer, packing, 1/2" dia. (Not supplied with spares assembly Drg. No. S10-20 FC 4)						6	—	C	KF3
92	S10-20 FC 6	‡GLASS, side, Starboard (Special spares assembly, complete with attachments)						1	—	P	KF3
1831	10-20 FC 785	GLASS, side ... ..						1	—	P	KF3
	10-20 FC 1027ND	STRIP, masking ... .. (For spares use 10-20 FC 1729ND)						1	—	—	KF3
13371	10-20 FC 1729ND	STRIP, masking (Spares condition) ... ..						1	—	C	
	10-20 FC 1175ND	STRIP, masking ... .. (For spares use 10-20 FC 1737ND)						1	—	—	KF3
13374	10-20 FC 1737ND	STRIP, masking (Spares condition) ... ..						1	—	C	
	10-20 FC 1177ND	STRIP, masking ... .. (For spares use 10-20 FC 1739ND)						1	—	—	KF3
13375	10-20 FC 1739ND	STRIP, masking (Spares condition) ... ..						1	—	C	
		Attachments for 10-20 FC 785, Glass to 10-20 FC 1027ND, 10-20 FC 1175ND or 10-20 FC 1177ND. Strip :-									
11924	10-20 FC 1675	Bolt, 2 BA ... ..						5	—	C	KF3
28D/1213845	AS.3294/6C	Bolt, 2 BA ... ..						13	—	C	
28M/9129528	A54/C	Nut, 2 BA ... ..						1	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA ... ..						16	—	C	
28W/9419454	SP.10/C	Washer ... ..						17	—	C	
	10-20 FC 1231	GUSSET, corner, bottom, L.H. ... ..						1	L.72	—	KF1
	10-20 FC 1233	GUSSET, corner, bottom, R.H. ... ..						1	L.72	—	KF1
	10-20 FC 2387A	MOUNTING, mirror, rear vision, assembly (Mod. 1352)						1	—	—	KF1
28D/1011340	A26/9B	BOLT, 4 BA ... ..						2	—	C	
28D/1213097	A26/18B	BOLT, 4 BA ... ..						2	—	C	
19850	10-20 FC 2295	BRACKET, support ... ..						1	—	C	KF2
19853	10-20 FC 2287A	CATCH, assembly ... .. Spares for :-						1	—	C	KF2
19857	10-20 FC 2307ND	PIN ... ..						2	—	C	KF2
19855	10-20 FC 2281	PLUNGER ... ..						2	—	C	KF2
19856	10-20 FC 2283	SPRING ... ..						1	—	C	KF2
19854	10-20 FC 2285	STOP, rubber ... ..						1	—	C	KF2
19851	10-20 FC 2289	LINK, top ... ..						1	—	C	KF2
19852	10-20 FC 2291	LINK, bottom ... ..						1	—	C	KF2
28M/12619	A24/BT	NUT, 4 BA ... ..						4	—	C	
19858	10-20 FC 2349	SPRING, L.H. ... ..						1	—	C	KF2
19859	10-20 FC 2350	SPRING, R.H. ... ..						1	—	C	KF2
28W/9143227	SP.14/B	WASHER ... ..						4	—	C	

‡ Component parts of this group which are not used when fitting the assembly are to be returned, with the packing crate, to detail stores


**CANOPY WINDSCREEN INSTALLATION**

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Place No.
28D/1214551	AS.2920/4B	Attachments for 10-20 FC 2387A, Mounting :—				
28M/1010993	A24/BP	Bolt, 4 BA	2	—	C	
28W/9143227	SP.14/B	Nut, 4 BA	2	—	C	
		Washer	2	—	C	
	10-20 FC 2431ND	<b>PACKING</b> , 16 SWG (Mod. 1562)	1	L.72	LM	KF2
13798	10-20 FC 1775A	<b>TURNBUCKLE</b> , anchoring, assembly	1	—	P	KF1
	10-20 FC 813	<b>FORK-END</b> , L.H. thread	1	—	—	KF1
	10-20 FC 811	<b>FORK-END</b> , R.H. thread	1	—	—	KF1
28M/1007403	A27/ET	<b>NUT</b> , 1/2" BSF	1	—	C	
28M/13456	A27/ETL	<b>NUT</b> , 1/2" BSF, L.H.	1	—	C	
	10-20 FC 1741	<b>ROD</b> , tension	1	—	—	KF1
		Attachments for 10-20 FC 1775A, Turnbuckle :—				
28P/865	SP.4Y/D7	Pin, shackle	2	—	C	
28P/9527619	SP.90/C7	Pin, split (SP.9/C8)	2	—	C	
28W/9419405	DP.15/E	Washer	2	—	C	
209	10-20 FC 5383A/ND	<b>WINDSCREEN</b> , assembly (Dry fit)	1	—	C	KF1
		Spares for :—				
7094	10-20 FC 1559	<b>BEAM</b> , centre	1	—	C	KF1
		Attachments for 10-20 FC 1559, Beam :—				
1853	10-20 FC 977ND	Pin	1	—	C	KF1
	10-20 FC 1893A	<b>DUCT</b> , bottom, assembly (For spares use 10-20 FC 2183A/ND)	1	—	—	KF1
16101	10-20 FC 2183A/ND	<b>DUCT</b> , bottom, assembly (Spares condition)	1	—	C	
1854	10-20 FC 829	<b>DUCT</b> , top	1	—	C	KF1
1850	10-20 FC 985	<b>FORK-END</b> , windscreen, centre beam	1	—	C	KF1
		Attachments for 10-20 FC 985, Fork-end:—				
28M/1011470	A27/GT	Nut, 5/16" BSF (Pre Mod. 1352)	1	—	C	
19862	10-20 FC 2297	Nut, special (Mod. 1352)	1	—	C	KF1
26FC/6754	DHS.69/GG	Shim (Mod. 1352)	3	—	C	
28W/12799	SP.42/C	Washer, tab (Mod. 1352)	1	—	C	
28W/9419455	SP.10/G	Washer (Pre Mod. 1352)	1	—	C	
	10-20 FC 1123	<b>FRAME</b> , windscreen, bare (For spares use 10-20 FC 1595A/ND)	1	—	—	KF1
1855	10-20 FC 1595A/ND	<b>FRAME</b> , windscreen, bare (Spares condition)	1	—	C	
1830	10-20 FC 1161	<b>GLASS</b> , side, Port	1	—	P	KF3
1831	10-20 FC 785	<b>GLASS</b> , side, Starboard	1	—	P	KF3
	10-20 FC 1869ND	<b>STRIP</b> , masking, main, L.H. (For spares use 10-20 FC 2179ND)	1	—	—	KF2
16097	10-20 FC 2179ND	<b>STRIP</b> , masking, main, L.H. (Spares condition)	1	—	C	
	10-20 FC 1903ND	<b>STRIP</b> , masking, centre, L.H. (For spares use 10-20 FC 2139ND)	1	—	—	KF2
15619	10-20 FC 2139ND	<b>STRIP</b> , masking, centre, L.H. (Spares condition)	1	—	C	
7091	10-20 FC 1555	<b>STRIP</b> , retaining	1	—	C	KF2
	10-20 FC 1871ND	<b>STRIP</b> , masking, main, R.H. (For spares use 10-20 FC 2181ND)	1	—	—	KF2
16098	10-20 FC 2181ND	<b>STRIP</b> , masking, main, R.H. (Spares condition)	1	—	C	
	10-20 FC 1905ND	<b>STRIP</b> , masking, centre, R.H. (For spares use 10-20 FC 2141ND)	1	—	—	KF2
15620	10-20 FC 2141ND	<b>STRIP</b> , masking, centre, R.H. (Spares condition)	1	—	C	

**FUSELAGE**

**CANOPY WINDSCREEN INSTALLATION**

Ref. No.	Part No.	Description	No. of	Material Specification	Class of Store or L.M	Plate No.
1842	10-20 FC 969ND	STRIP, masking ... ..	1	—	C	KF2
7090	10-20 FC 1557	STRIP, retaining ... ..	1	—	C	KF2
	10-20 FC 1157ND	STRIP, masking (For spares use 10-20 FC 1731ND)	1	—	—	KF3
13230	10-20 FC 1731ND	STRIP, masking (Spares condition) ... ..	1	—	C	
	10-20 FC 1159ND	STRIP, masking (For spares use 10-20 FC 1733ND)	1	—	—	KF3
13372	10-20 FC 1733ND	STRIP, masking (Spares condition) ... ..	1	—	C	
	10-20 FC 1173ND	STRIP, masking (For spares use 10-20 FC 1735ND)	1	—	—	KF3
13373	10-20 FC 1735ND	STRIP, masking (Spares condition) ... ..	1	—	C	
	10-20 FC 1027ND	STRIP, masking (For spares use 10-20 FC 1729ND)	1	—	—	KF3
13371	10-20 FC 1729ND	STRIP, masking (Spares condition) ... ..	1	—	C	
	10-20 FC 1175ND	STRIP, masking (For spares use 10-20 FC 1737ND)	1	—	—	KF3
13374	10-20 FC 1737ND	STRIP, masking (Spares condition) ... ..	1	—	C	
	10-20 FC 1177ND	STRIP, masking (For spares use 10-20 FC 1739ND)	1	—	—	KF3
13375	10-20 FC 1739ND	STRIP, masking (Spares condition) ... ..	1	—	C	
Attachments for 10-20 FC 1895A, Windscreen :-						
14946	10-20 FC 1881	Block, support, aft ... ..	1	—	C	KF1
19695	10-20 FC 1511	Block, support, forward ... ..	1	—	C	KF1
28D/9133011	A25/2C	Bolt, 2 BA ... ..	5	—	C	
28D/9133013	A25/5C	Bolt, 2 BA ... ..	5	—	C	
	3415	Bolt, 2 BA (Alternative S21/A25/5C) ... ..	2	—	C	
28D/7002428	A25/6C	Bolt, 2 BA ... ..	1	—	C	
28D/9140648	A25/19C	Bolt, 2 BA ... ..	1	—	C	
28D/1213843	AS.3294/4C	Bolt, 2 BA ... ..	6	—	C	
28D/1213844	AS.3294/5C	Bolt, 2 BA ... ..	1	—	C	
28D/1213848	AS.3294/9C	Bolt, 2 BA ... ..	1	—	C	
28D/1214032	AS.1242/9C	Bolt, 2 BA ... ..	1	—	C	
28D/1011240	A25/5E	Bolt, 3/4" BSF ... ..	3	—	C	
28D/1008145	A25/6E	Bolt, 3/4" BSF ... ..	2	—	C	
28D/1010031	A25/8E	Bolt, 3/4" BSF ... ..	1	—	C	
28D/1212595	A25/34E	Bolt, 3/4" BSF ... ..	1	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA ... ..	1	—	C	
28M/10328	AGS.2002/C/1	Nut, 2 BA ... ..	10	—	C	
28M/9403520	A27/CP	Nut, 2 BA ... ..	1	—	C	
28M/1011475	A27/EP	Nut, 3/4" BSF ... ..	6	—	C	
19652	10-20 FC 2327	Plate, nut, blank (Mod. 1409) ... ..	2	—	C	KF1
	PARKER KALON					
28S/1201878	Type Z	Screw, No. 6 x 3/8", countersunk ... ..	4	—	C	
28W/9419454	SP.10/C	Washer ... ..	16	—	C	
28W/9418920	SP.10/E	Washer ... ..	12	—	C	
28W/9419402	SP.13/C	Washer ... ..	1	—	C	
28W/9419404	SP.16/C	Washer ... ..	1	—	C	
1837	10-20 FC 979ND	Washer, packing ... ..	6	—	C	KF1




KF. I

# FUSELAGE

KF. I  
(A.L. 72)

## WINDSCREEN INSTALLATION




KF.2


# FUSELAGE WINDSCREEN INSTALLATION

KF.2  
[AL.72]


SEE TEXT FOR SPARES CONDITION OF ITEMS MARKED THUS \*



- ITEMS FOR -
- S. IO.20 FC 4 PORT, MARKED THUS \*
  - S. IO.20 FC 6 STBD, MARKED THUS ■



Section Q - Q



KF. 3

# FUSELAGE

KF.3  
[A.L.56]

## WINDSCREEN INSTALLATION

This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

