

FUSELAGE

FUSELAGE NOSE (RADOME)


Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M	Plate No.
1	S10-20 FS 1	NOSE, FUSELAGE (RADOME) (Special spares assembly, c/w attachments)	1	—	P	KM1
	10-20 FS 4591A	RADOME , assembly	1	—	—	KM1
	10-20 FS 15335A	Spares for :—				
	BRACKET , micro-switch striker bolt, assembly (For spares use 10-20 FS 16597A/ND)		1	—	—	KM1
14171	10-20 FS 16597A/ND	BRACKET , micro-switch striker bolt, assembly (Spares condition)	1	—	P	
		Spares for :—				
12396	10-20 FS 15283	BOLT , striker	2	—	C	KM1
28M/9403520	A27/CP	NUT , 2 BA	2	—	C	
		Attachments for 10-20 FS 15335A, Bracket :—				
28D/1007468	AS.1242/3B	Bolt, 4 BA	1	—	C	
28D/9130082	AS.1246/3B	Bolt, 4 BA	2	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	2	—	C	
	10-20 FS 15073	Plate, packing, 3"60 x 1"0 x 7 SWG	1	L.71	LM	KM1
28W/9435887	SP.27/B	Washer	2	—	C	
6627	10-20 FS 6481	CAP , radome nose	1	—	C	KM1
		Attachments for 10-20 FS 6481, Cap :—				
28M/10288	AGS.2001/C/1	Nut, 2 BA	1	—	C	
28W/9419402	SP.13/C	Washer	1	—	C	
6628	10-20 FS 6485	Washer, conical	1	—	C	KM1
6629	10-20 FS 5091A	PLATE , access, assembly	1	—	C	KM1
		Attachments for 10-20 FS 5091A, Plate :—				
28D/1214091	AS.1242/2C	Bolt, 2 BA	8	—	C	
	10-20 FS 18437A	RADOME , moulding, assembly (Mod. 1319) (Pre Mod. 1442)	1	—	—	KM1
	10-20 FS 21079A	RADOME , moulding, assembly (Mod. 1442)	1	—	—	KM1
		Spares for :—				
17448	10-20 FS 6483	BUSH , nose cap (laminated fibre glass)	1	—	C	KM1
		Attachments for 10-20 FS 18437A or 10-20 FS 21079A, Radome :—				
28D/1214473	AS.3297/4C	Bolt, 2 BA	4	—	C	
28D/1214474	AS.3297/5C	Bolt, 2 BA	159	—	C	
28D/1214475	AS.3297/6C	Bolt, 2 BA	28	—	C	
28D/1012888	AS.3297/7C	Bolt, 2 BA	9	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	200	—	C	
28W/9419402	SP.13/C	Washer	200	—	C	
17321	10-20 WC 40713ND	Washer, zinc (Mod. 1134)	200	—	C	KM1
17547	10-20 FS 4085A	RING , radome, assembly	1	—	P	KM1
		Spares for :—				
	DHS.419/2/J/35	BUSH	2	DTD.197	—	KM1
9494	10-20 FS 4621	BUSH (See Repair section PA)	2	—	C	KM1
28M/11957	AGS.2007/C/1	NUT , 2 BA, anchor	6	—	C	
28M/12421	AGS.2018/C/1	NUT , 2 BA, anchor	2	—	C	
6573	10-20 FS 4717	PAD , locking, Port	1	—	C	KM1
6571	10-20 FS 4623	PAD , locking, top Port and bottom Starboard	2	—	C	KM1
6572	10-20 FS 4624	PAD , locking, top Starboard and bottom Port	2	—	C	KM1
		Attachments for 10-20 FS 4717, 10-20 FS 4623 or 10-20 FS 4624, Pad :—				
28D/9133013	A25/5C	Bolt, 2 BA	2	—	C	
28M/9403520	A27/CP	Nut, 2 BA	2	—	C	
28W/9419475	SP.15/C	Washer	2	—	C	
17321	10-20 WC 40713ND	Washer, zinc (Mod. 1134)	2	—	C	KM1
		Attachments for 10-20 FS 4624, Pad (Port only):—				
28D/9133013	A25/5C	Bolt, 2 BA	2	—	C	
28M/9403520	A27/CP	Nut, 2 BA	2	—	C	
28W/9419454	SP.10/C	Washer	2	—	C	
17321	10-20 WC 40713ND	Washer, zinc (Mod. 1134)	2	—	C	KM1

FUSELAGE

FUSELAGE NOSE (RADOME)

Ref. No.	Part No.	Description	No. off						Material Specification	Class of Store or L.M	Place No.	
			1	2	3	4	5	6				
26DL/4216	DHS.69/C	SHIM							10	—	C	
	10-20 FS 4619	TUBE , torque							1	L.64	—	KM1
		Attachments for 10-20 FS 4619, Tube :—										
17830	10-20 FS 20935	Bolt, 1/2" BSF, top							2	—	C	KM1
17828	10-20 FS 20937	Bolt, 1/2" BSF, bottom							2	—	C	KM1
28M/14537	A58/GS	Nut, 1/2" BSF							4	—	C	
28P/9527619	SP.90/C7	Pin, split (SP.9/C8)							4	—	C	
28W/9419455	SP.10/G	Washer							2	—	C	
28W/9419476	SP.15/G	Washer							2	—	C	
17322	10-20 WC 40719ND	Washer, zinc (Mod. 1134)							8	—	C	KM1
	10-20 FS 5089ND	PLATE , seal retaining, bottom (For spares use 10-20 FS 14401ND)							1	L.72	—	KM1
10208	10-20 FS 14401ND	PLATE , seal retaining, bottom (Spares condition)							1	—	C	
	10-20 FS 6341ND	PLATE , seal retaining, top (For spares use 10-20 FS 14403ND)							1	L.72	—	KM1
10209	10-20 FS 14403ND	PLATE , seal retaining, top (Spares condition) ...							1	—	C	
	10-20 FS 5083ND	STRIP , sealing (Make from Standard section J.1065, (Ref. No. 26FY/6636)							1	—	LM	KM1
		Attachments for 10-20 FS 5083ND, Strip :—										
28D/9131782	AS.1242/2B	Bolt, 4 BA							7	—	C	
28D/1007468	AS.1242/3B	Bolt, 4 BA							3	—	C	
28D/1007319	AS.1242/4B	Bolt, 4 BA							3	—	C	
28D/1214865	AS.1246/2B	Bolt, 4 BA							52	—	C	
28D/9130082	AS.1246/3B	Bolt, 4 BA							21	—	C	
28D/1214866	AS.1246/4B	Bolt, 4 BA							45	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA							131	—	C	
	PARKER-KALON											
28S/7813	TYPE Z	Screw, countersunk, No. 6 x 3/8"							6	—	C	
	10-20 FS 5073ND	Strip, clamping, lower, centre (For spares use 10-20 FS 14391ND)							1	L.72	—	KM1
10203	10-20 FS 14391ND	Strip, clamping, lower, centre (Spares condition)							1	—	C	
	10-20 FS 5071ND	Strip, clamping, lower, Port (For spares use 10-20 FS 14389ND)							1	L.72	—	KM1
10202	10-20 FS 14389ND	Strip, clamping, lower, Port (Spares condition) ...							1	—	C	
	10-20 FS 5075ND	Strip, clamping, lower, Starboard (For spares use 10-20 FS 14393ND)							1	L.72	—	KM1
10204	10-20 FS 14393ND	Strip, clamping, lower, Starboard (Spares condition)							1	—	C	
	10-20 FS 5079ND	Strip, clamping, upper, centre (For spares use 10-20 FS 14397ND)							1	L.72	—	KM1
10206	10-20 FS 14397ND	Strip, clamping, upper, centre (Spares condition)							1	—	C	
	10-20 FS 5081ND	Strip, clamping, upper, Port (For spares use 10-20 FS 14399ND)							1	L.72	—	KM1
10207	10-20 FS 14399ND	Strip, clamping, upper, Port (Spares condition) ...							1	—	C	
	10-20 FS 5077ND	Strip, clamping, upper, Starboard (For spares use 10-20 FS 14395ND)							1	L.72	—	KM1
10205	10-20 FS 14395ND	Strip, clamping, upper, Starboard (Spares condition)							1	—	C	
28W/9419465	SP.13/B	Washer							131	—	C	
17324	10-20 WC 40715ND	Washer, zinc (Mod. 1134)							131	—	C	KM1
		Attachments for 10-20 FS 4591A, Radome :—										
28D/1213575	A60/13J	Bolt, 3/8" BSF							1	—	C	
28M/14833	A58/J5	Nut, 3/8" BSF							1	—	C	
28M/13259	A27/J5	Nut, 1/2" BSF							2	—	C	
6630	10-20 FS 4125A	Pin, hinged, assembly (Drg. No. 10-20 FS 4063)							—	—	—	
		Spares for :—										
28N/9156370	SP.21	Nipple, lubrication							1	—	C	KM1
28P/19234	SP.90/E8	Pin, split (SP.9/E10)							4	—	C	
28P/9527619	SP.90/C7	Pin, split (SP.9/C8)							1	—	C	
28W/9419456	SP.10/J	Washer							4	—	C	
28W/9419458	SP.10/N	Washer							QR	—	C	
28W/9419468	SP.13/N	Washer							4	—	C	
28W/9419477	SP.15/J	Washer							1	—	C	
28W/13323	SP.18/J	Washer							2	—	C	

SEE TEXT FOR SPARES CONDITION OF
ITEMS MARKED THUS *



KM.I

FUSELAGE

KM.I
[A.L. 66]

FUSELAGE NOSE (RADOME)

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

