


SCANNER MOUNTING

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M	Plate No.
	—	MOUNTING, SCANNER, GROUP (Drg. No. 10-20 FS 5445)	1	—	—	
10260	10-20 FS 12255A	BRACKET , scanner mounting centre strut, assembly Attachments for 10-20 FS 12255A, Bracket :—	1	—	C	KP1
26DV/7367	DHS.94/5/125	Pin, ground steel, $\frac{1}{16}$ " dia.	2	S.96	C	KP1
10259	10-20 FS 7375	FITTING , end, hemispherical, centre scanner mounting strut	1	S.96	C	KP1
26FC/10543	DHS.94/8/120	Attachments for 10-20 FS 7375, Fitting :— Pin, ground steel, $\frac{1}{8}$ " dia.	2	S.96	C	KP1
10257	10-20 FS 7909A/ND	STRUT , mounting, scanner, centre, assembly Attachments for 10-20 FS 7909A/ND, Strut :—	1	—	C	KP1
10258	10-20 FS 9209	Bolt	1	S.96	C	KP1
28M/12928	A27/EP	Nut, $\frac{1}{2}$ " BSF	1	—	C	
28W/9419405	SP.15/E	Washer	1	—	C	
9632	10-20 FS 8897A/ND	STRUT , mounting, scanner, lower Port, assembly (Mod. 47)	1	—	C	KP1
10555	10-20 FS 8245	Spares for :— FITTING , lower attachment (Mod. 47) Attachments for 10-20 FS 8245, Fitting :—	1	DTD.304	C	KP1
28D/9133012	A25/3C	Bolt, 2 BA	5	—	C	
28D/1200119	A25/4C	Bolt, 2 BA	1	—	C	
28M/9403520	A27/CP	Nut, 2 BA	5	—	C	
28W/9419475	SP.15/C	Washer	5	—	C	
14288	10-20 FS 16619	Attachments for 10-20 FS 8897A/ND, Strut :— Eyebolt (Mod. 618)	1	S.96	C	KP1
28M/1011473	A27/JP	Nut, $\frac{1}{2}$ " BSF	2	—	C	
26FC/10543	DHS.94/8/120	Pin, ground steel, $\frac{1}{8}$ " dia.	1	S.96	C	KP1
28W/9419477	SP.15/J	Washer	1	—	C	
9633	10-20 FS 8898A/ND	STRUT , mounting, scanner, lower Starboard, assembly (Mod. 47)	1	—	C	KP1
10556	10-20 FS 8246	Spares for :— FITTING , lower, attachment (Mod. 47) Attachments for 10-20 FS 8246, Fitting :—	1	DTD.304	C	KP1
28D/9133012	A25/3C	Bolt, 2 BA	5	—	C	
28D/1200119	A25/4C	Bolt, 2 BA	1	—	C	
28M/9403520	A27/CP	Nut, 2 BA	5	—	C	
28W/9419475	SP.15/C	Washer	5	—	C	
14288	10-20 FS 16619	Attachments for 10-20 FS 8898A/ND, Strut :— Eyebolt (Mod. 618)	1	S.96	C	KP1
28M/1011473	A27/JP	Nut, $\frac{1}{2}$ " BSF	1	—	C	
26FC/10543	DHS.94/8/120	Pin, ground steel, $\frac{1}{8}$ " dia.	2	S.96	C	KP1
28W/9419477	SP.15/J	Washer	1	—	C	
10254	10-20 FS 7913A/ND	STRUT , mounting, scanner, outer Port, assembly Spares for :—	1	—	—	KP1
10254	10-20 FS 5427	FITTING , attachment, lower Attachments for 10-20 FS 5427, Fitting :—	1	DTD.298	C	KP1
28D/13476	A30/4C	Bolt, 2 BA	7	—	C	
28M/9403520	A27/CP	Nut, 2 BA	7	—	C	
28W/9419404	SP.16/C	Washer	7	—	C	

**FUSELAGE
SCANNER MOUNTING**

Ref. No.	Part No.	Description						No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6				
10253	10-20 FS 5429	FITTING , attachment, upper						1	DTD.298	C	KP1
		Attachments for 10-20 FS 5429, Fitting :—									
28D/13476	A30/AC	Bolt, 2 BA						7	—	C	
28M/9403520	A27/CP	Nut, 2 BA						7	—	C	
28W/9419404	SP.16/C	Washer						7	—	C	
10252	10-20 FS 14805A/ND	STRUT , less upper and lower attachment fittings, Port. assembly						1	—	C	KP1
		Attachments for 10-20 FS 14805A/ND, Strut :—									
26FC/10543	DHS.94/B/120	Pin, ground steel, 1/2" dia.						6	S.96	C	
	10-20 FS 7915A/ND	STRUT , mounting, scanner, outer Starboard, assembly						1	—	—	KP1
		Spares for :—									
10557	10-20 FS 5431	FITTING , attachment, lower						1	DTD.298	C	KP1
		Attachments for 10-20 FS 5431, Fitting :—									
28D/13361	A30/8E	Bolt, 1/2" BSF						3	—	C	
28M/12928	A27/EP	Nut, 1/2" BSF						3	—	C	
28W/9419405	SP.15/E	Washer						3	—	C	
17323	10-20 WC 40723ND	Washer, zinc, ".005-.008 thick (Mod. 1134) ...						6	—	C	
10253	10-20 FS 5429	FITTING , attachment, upper						1	DTD.298	C	KP1
		Attachments for 10-20 FS 5429, Fitting :—									
28D/13476	A30/AC	Bolt, 2 BA						7	—	C	
28M/9403520	A27/CP	Nut, 2 BA						7	—	C	
28W/9419404	SP.16/C	Washer						7	—	C	
10255	10-20 FS 14807A/ND	STRUT , less upper and lower attachment fittings, Starboard, assembly						1	—	C	KP1
		Attachments for 10-20 FS 14807A/ND, Strut :—									
26FC/10543	DHS.94/B/120	Pin, ground steel						6	S.96	C	
	—	SUPPORT , directional, coupler, group						1	—	—	
		(Drg. No. 10-20 FS 12227)									
10263	10-20 FS 12241	FORK-END , strut, between bracket on centre radar mounting and directional coupler support						1	S.92	C	KP1
		Attachments for 10-20 FS 12241, Fork-end :—									
28D/1008151	A25/4E	Bolt, 1/2" BSF						1	—	C	
28M/10290	AGS.2001/E/1	Nut, 1/2" BSF						1	—	C	
26DV/8735	DHS.94/5/80	Pin, ground steel						2	S.96	C	KP1
28W/9419405	SP.15/E	Washer						1	—	C	
10262	10-20 FS 12245A	STRUT , between bracket on centre radar mounting strut and directional coupler support, assembly						1	—	C	KP1
		Attachments for 10-20 FS 12245A, Strut :—									
28D/1011245	A25/10E	Bolt, 1/2" BSF						1	—	C	
28M/10290	AGS.2001/E/1	Nut, 1/2" BSF						1	—	C	
28W/9419405	SP.15/E	Washer						1	—	C	
14289	10-20 FS 16627A	SUPPORT , directional coupler, assembly (Mod. 618)						1	—	C	KP1
		Attachments for 10-20 FS 16627A, Support :—									
28D/1011240	A25/5E	Bolt, 1/2" BSF						2	—	C	
28M/12928	A27/EP	Nut, 1/2" BSF						2	—	C	
28P/1007741	SP.9/C8	Pin, split						2	—	C	
26FC/6726	DHS.69/D	Shim, washer						2	LB.2	C	
28W/9418921	SP.13/E	Washer						1	—	C	
28W/9419405	SP.15/E	Washer						1	—	C	



KP.1

**FUSELAGE
SCANNER MOUNTING**

KP.1

[AL.36]



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.