

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	—	WING, CENTRE SECTION STRUCTURE (Drg. Nos. 10-20 WC 1 and 10-20 WC 1115)	1	—	—	LA1
	—	AIR-INTAKE AND AIR DUCT , between front spar and main spar, Port and Starboard, Group (Drg. Nos. 10-20 WC 11397 and 10-20 WC 6855)	1	—	—	LA2 LA4
	10-20 WC 30753A	AIR-BLEED , exit, Port, assembly (Mod. 913) (For spares use 10-20 WC 40887A/ND)	1	—	—	LA2
17373	10-20 WC 40887A/ND	AIR-BLEED , exit, Port, assembly (Spares condition)	1	—	P	LA2
	10-20 WC 31006A	AIR-BLEED , exit, Starboard, assembly (Mod. 876) (For spares use 10-20 WC 31812A/ND)	1	—	—	
16684	10-20 WC 31812A/ND	AIR-BLEED , exit, Starboard, assembly (Mod. 876) (Spares condition)	1	—	P	
		Attachments for 10-20 WC 30753A or 10-20 WC 31006A, Air-bleed :—				
28D/9133011	A25/2C	Bolt, 2 BA	2	—	C	
1092	DHS/365/2C	Bolt, 2 BA	4	—	C	
28M/9403520	A27/CP	Nut, 2 BA	2	—	C	
28P/5210	AGS.1551/1	Pin, locking	2	—	C	
28W/9419402	SP.13/C	Washer	4	—	C	
	10-20 WC 31721A	AIR-INTAKE , leading edge, Port, assembly (Mod. 846 for use on Mod. 506 a/c.) (For spares use 10-20 WC 41113A/ND)	1	—	—	LA2
17825	10-20 WC 41113A/ND	AIR-INTAKE , leading edge, Port, assembly (Spares condition)	1	—	P	
	10-20 WC 31722A	AIR-INTAKE , leading edge, Starboard, assembly (Mod. 846 for use on Mod. 506 a/c.) (For spares use 10-20 WC 41114A/ND)	1	—	—	LA2
17826	10-20 WC 41114A/ND	AIR-INTAKE , leading edge, Starboard, assembly (Spares condition)	1	—	P	
	10-20 WC 11839A	AIR-BLEED , and leading edge structure, Port, assembly	1	—	—	LA3
	10-20 WC 11841A	AIR-BLEED , and leading edge structure, Starboard, assembly	1	—	—	LA3
	10-20 WC 11087	BRACKET , lower attachment, Port (For spares use 10-20 WC 28657ND)	1	L.53	—	LA5
13707	10-20 WC 28657ND	BRACKET , lower attachment, Port (Spares condition)	1	L.53	C	
	10-20 WC 11088	BRACKET , lower attachment, Starboard (For spares use 10-20 WC 28658ND)	1	L.53	—	LA5
13708	10-20 WC 28658ND	BRACKET , lower attachment, Starboard (Spares condition)	1	L.53	C	
	10-20 WC 14867A	CASTING , air-bleed, Port, assembly (Mod. 1214) (For spares use 10-20 WC 41163A/ND)	1	—	—	LA3 LA4
17882	10-20 WC 41163A/ND	CASTING , air-bleed, Port, assembly (Spares condition)	1	—	P	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 14868A	CASTING , air-bleed, Starboard, assembly ... (Mod. 1214) (For spares use 10-20 WC 41164A/ND)	1	—	—	LA3 LA4
17883	10-20 WC 41164A/ND	CASTING , air-bleed, Starboard, assembly ... (Spares condition) Attachments for 10-20 WC 14867A or 10-20 WC 14868A, Casting :—	1	—	P	
28D/9133012	A25/3C	Bolt, 2 BA	4	—	C	
1092	DHS.365/2C	Bolt, 2 BA	1	S.96	C	
1792	DHS.365/3C	Bolt, 2 BA	3	S.96	C	
6760	DHS.365/13C	Bolt, 2 BA	2	S.96	C	
28D/9133208	A25/20E	Bolt, 1" BSF	1	—	C	
28D/12636	A25/25E	Bolt, 1" BSF	1	—	C	
28D/14750	A25/27E	Bolt, 1" BSF	1	—	C	
28D/11997	AS.1242/14E	Bolt, 1" BSF	1	—	C	
28M/9403520	A27/CP	Nut, 2 BA	4	—	C	
28M/12928	A27/EP	Nut, 1" BSF	4	—	C	
28M/1006473	A27/CT	Nut, 2 BA	6	—	C	
28W/9419402	SP.13/C	Washer	4	—	C	
28W/9419404	SP.16/C	Washer	6	—	C	
28W/9418921	SP.13/E	Washer	4	—	C	
	10-20 WC 21569A/1	DOOR , air-bleed tunnel, Port, assembly ...	1	—	—	LA3 LA4
	10-20 WC 21570A/1	DOOR , air-bleed tunnel, Starboard, assembly ... Spares for :—	1	—	—	LA3 LA4 LA4
	10-20 WC 25067ND	HINGE , Port	1	—	—	LA3 LA4
	10-20 WC 25068ND	HINGE , Starboard	1	—	—	LA3 LA4
		Attachments for 10-20 WC 21569A/1 or 10-20 WC 21570A/1, Door :—				
1092	DHS.365/2C	Bolt, 2 BA	9	S.96	C	
2742	DHS.365/4C	Bolt, 2 BA	3	S.96	C	
28D/8307	AS.1242/2C	Bolt, 2 BA	5	—	C	
11651	10-20 WC 24437	Nipple, nut, 2 BA	3	—	C	LA3
28M/10288	AGS.2001/C/1	Nut, 2 BA	5	—	C	
28M/1006473	A27/CT	Nut, 2 BA	9	—	C	
28W/9419402	SP.13/C	Washer	5	—	C	
	10-20 WC 11705A	DUCT , air-bleed, Port, assembly ...	1	—	—	LA4
	10-20 WC 11706A	DUCT , air-bleed, Starboard, assembly ... Spares for :—	1	—	—	LA4
	10-20 WC 11851A/ND	DUCT , spot welded, Port, assembly ...	1	—	—	LA4
	10-20 WC 11852A/ND	DUCT , spot welded, Starboard, assembly ...	1	—	—	LA4
	10-20 WC 21481A/ND	PLATE , deflector, Port, assembly ...	1	—	—	LA4
	10-20 WC 21482A/ND	PLATE , deflector, Starboard, assembly ...	1	—	—	LA4

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
		Attachments for 10-20 WC 11705A or 10-20 WC 11706A, Duct :—													
28D/9436920	A25/1C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	7	—	C	
28D/9133011	A25/2C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	1	—	C	
1141	DHS.365/1C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	9	—	C	
1792	DHS.365/3C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	19	—	C	
4341	DHS.365/5C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	2	—	C	
6759	DHS.365/8C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	2	—	C	
28D/9354	AS.1248/6C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	2	—	C	
28D/8345	AS.1248/7C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	1	—	C	
28D/8312	AS.1242/8C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	4	—	C	
28D/8313	AS.1242/9C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	5	—	C	
6769	10-20 WC 22341	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	11	—	C	LA3
9758	10-20 WC 25079	Bolt, slotted, 2 BA	...	...	...	...	...	...	...	...	...	1	—	C	LA3
26DL/15350	DHS.447/25	Ferrule, countersunk, screwed	...	...	...	...	...	...	...	...	...	8	—	C	
28M/10328	AGS.2002/C/1	Nut, 2 BA	...	...	...	...	...	...	...	...	...	11	—	C	
28M/1006973	A27/CT	Nut, 2 BA	...	...	...	...	...	...	...	...	...	45	—	C	
28P/5210	AGS.1551/1	Pin, locking	...	...	...	...	...	...	...	...	...	3	—	C	
28W/9419454	SP.10/C	Washer	...	...	...	...	...	...	...	...	...	16	—	C	
28W/9419402	SP.13/C	Washer	...	...	...	...	...	...	...	...	...	19	—	C	
28W/9419404	SP.16/C	Washer	...	...	...	...	...	...	...	...	...	4	—	C	
	10-20 WC 40851	MEMBER, support, duct wall, air-bleed entrance, Port (Mod. 1214)	...	...	...	...	...	...	...	...	...	1	DHA.380 or L.71	—	LA4
	10-20 WC 40852	MEMBER, support, duct wall, air-bleed entrance, Starboard (Mod. 1214)	...	...	...	...	...	...	...	...	...	1	DHA.380 or L.71	—	LA1
	10-20 WC 21591	PACKING, lower, Port	...	...	...	...	...	...	...	...	...	1	LFS.23 or 26	—	LA4
	10-20 WC 21592	PACKING, lower, Starboard	...	...	...	...	...	...	...	...	...	1	LFS.23 or 26	—	LA4
	10-20 WC 21593	PACKING, upper, Port	...	...	...	...	...	...	...	...	...	1	LFS.23 or 26	—	LA4
	10-20 WC 21594	PACKING, upper, Starboard	...	...	...	...	...	...	...	...	...	1	LFS.23 or 26	—	LA4
28FP/9438596	DZUS R.3½	RECEPTACLE	...	...	...	...	...	...	...	...	...	2	—	C	
	10-20 WC 11329	RIB, "O" leading edge air bleed mouth and duct wall, Port, assembly	...	...	...	...	...	...	...	...	...	1	—	—	LA3
	10-20 WC 11330	RIB, "O" leading edge air-bleed mouth and duct wall, Starboard, assembly	...	...	...	...	...	...	...	...	...	1	—	—	LA3
		Spares for :—	...	...	...	...	...	...	...	...	...				
	10-20 WC 11525ND	CLEAT, Port, 16 SWG	...	...	...	...	...	...	...	...	...	1	L.73	LM	LA3
	10-20 WC 11526ND	CLEAT, Starboard, 16 SWG	...	...	...	...	...	...	...	...	...	1	L.73	LM	LA3
		Attachments for 10-20 WC 11525ND or 10-20 WC 11526ND, Cleat :—	...	...	...	...	...	...	...	...	...				
1092	DHS.365/2C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	6	—	C	
28M/1006473	A27/CT	Nut, 2 BA	...	...	...	...	...	...	...	...	...	6	—	C	
28W/9419402	SP.13/C	Washer	...	...	...	...	...	...	...	...	...	6	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 11605A/ND											1	—	—	LA3
	10-20 WC 11606A/ND											1	—	—	LA3
1141	DHS.365/1C											17	—	C	
28M/1006473	A27/CT											17	—	C	
28W/9419402	SP.13/C											17	—	C	
	10-20 WC 11335A											1	—	—	LA3
	10-20 WC 11336A											1	—	—	LA3
	10-20 WC 11405											1	L.73	—	LA3
	10-20 WC 11403											1	L.73	—	LA3
28D/8308	AS.1242/3C											3	—	C	
8540	10-20 WC 24473A/ND											1	—	C	LA3
28D/9133011	A25/2C											2	—	C	
28M/1006473	A27/CT											2	—	C	
28W/9419475	SP.15/C											2	—	C	
	10-20 WC 12325											1	—	—	LA3
19099	10-20 WC 41195A/ND											1	—	C	
	10-20 WC 12326											1	—	—	LA3
19100	10-20 WC 41196A/ND											1	—	C	
	10-20 WC 21589A											1	—	—	LA3
	10-20 WC 21590A											1	—	—	LA3
	10-20 WC 11773ND											1	L.72	—	LA3
	10-20 WC 11774ND											1	L.72	—	LA3
1141	DHS.365/1C											1	—	C	
28D/1007975	AS.1242/1C											3	—	C	
28M/1006473	A27/CT											4	—	C	
28W/9419402	SP.13/C											4	—	C	
	10-20 WC 11299ND											1	L.73	—	LA3
	10-20 WC 11300ND											1	L.73	—	LA3

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 11771ND	PACKING, 8 SWG	1	L.72	LM	LA3
	10-20 WC 21709ND	PACKING, 0"-.43 wide, 16 SWG	1	L.72	LM	LA3
	10-20 WC 12897ND	PACKING, 0"-.6 wide, 16 SWG	1	L.72	LM	LA2
	10-20 WC 12895ND	PACKING, 16 SWG	1	L.72	LM	LA3
	10-20 WC 12575ND	PACKING, 16 SWG	1	L.72	LM	LA3
	10-20 WC 20693ND	PLATE, attachment, Port, 16 SWG	1	L.73	—	LA3
	10-20 WC 20694ND	PLATE, attachment, Starboard, 16 SWG... ..	1	L.73	—	LA3
	10-20 WC 20695ND	PLATE, attachment, Port, 16 SWG	1	L.73	—	LA3
	10-20 WC 20696ND	PLATE, attachment, Starboard, 16 SWG... ..	1	L.73	—	LA3
	10-20 WC 21521ND	PLATE, attachment, Port, 16 SWG	1	L.73	—	LA3
	10-20 WC 21522ND	PLATE, attachment, Starboard, 16 SWG... ..	1	L.73	—	LA3
		Attachments for 10-20 WC 21521ND, or 10-20 WC 21522ND, Plate :—				
1141	DHS.365/1C	Bolt, 2 BA	2	S.96	C	
28D/1007975	AS.1242/1C	Bolt, 2 BA	2	—	C	
28M/1006473	A27/CT	Nut, 2 BA	3	—	C	
28VV/9419402	SP.13/C	Washer	3	—	C	
	10-20 WC 21523ND	PLATE, attachment, Port, 16 SWG	1	L.73	—	LA3
	10-20 WC 21524ND	PLATE, attachment, Starboard, 16 SWG... ..	1	L.73	—	LA3
	10-20 WC 22419ND	PLATE, attachment, Port, 16 SWG	1	L.73	—	LA3
	10-20 WC 22420ND	PLATE, attachment, Starboard, 16 SWG... ..	1	L.73	—	LA3
	10-20 WC 20567ND	PRESSING, rib "O," aft portion, Port, 16 SWG	1	L.73	—	LA3
	10-20 WC 20568ND	PRESSING, rib "O," aft portion, Star- board, 16 SWG	1	L.73	—	LA3
	10-20 WC 20569ND	PRESSING, rib "O," forward portion, Port, 16 SWG	1	L.61	—	LA3
	10-20 WC 20570ND	PRESSING, rib "O," forward portion, Star- board, 16 SWG	1	L.61	—	LA3
11652	10-20 WC 13003	SPACER, locking	4	DTD.187	C	LA3
28FP/9437343	DZUS RF3	RECEPTACLE, fastener	7	—	C	
	10-20 WC 11577	SPACER, air-bleed tie member, Port (For spares use 10-20 WC 28643ND)	1	L.53	—	LA3
13659	10-20 WC 28643ND	SPACER, air-bleed tie member, Port (Spares condition)	1	L.53	C	
	10-20 WC 11578	SPACER, air-bleed tie member, Starboard (For spares use 10-20 WC 28644ND)	1	L.53	—	LA3
13660	10-20 WC 28644ND	SPACER, air-bleed tie member, Starboard ... (Spares condition)	1	L.53	C	
		Attachments for 10-20 WC 11577 or 10-20 WC 11578, Spacer :—				
28D/9133011	A25/2C	Bolt, 2 BA (Lock to DHS.514/D)	2	—	C	
28D/9140645	A25/10C	Bolt, 2 BA	3	—	C	
28D/1013284	AS.1248/2C	Bolt, 2 BA	4	—	C	
28D/9142406	AS.1248/3C	Bolt, 2 BA	1	—	C	
28D/1013301	AS.1248/4C	Bolt, 2 BA	1	—	C	
2742	DHS.365/4C	Bolt, 2 BA	2	S.96	C	
9604	10-20 WC 22345	Bolt, special, 2 BA	2	S.96	C	LA3
28M/10328	AGS.2002/C/1	Nut, 2 BA	2	—	C	
28M/1006473	A27/CT	Nut, 2 BA	11	—	C	
28P/5210	AGS.1551/1	Pin, locking	2	—	C	
	10-20 WC 24899ND	Tube, distance, 0"-.25 dia. x 22 SWG x 1"-.25 long	15	T.35	LM	LA3
28W/9419402	SP.13/C	Washer	4	—	C	
28W/9419404	SP.16/C	Washer	5	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	—	LIPS , upper and lower, Port, group (Drg. No. 10-20 WC 31715A, Mod. 846)	1	—	—	LA5
	—	LIPS , upper and lower, Starboard, group (Drg. No. 10-20 WC 31716A, Mod. 846)	1	—	—	LA5
	10-20 WC 11951	FORMER , false spar end, forward, Port, 18 SWG	1	L.73	—	LA5
	10-20 WC 11952	FORMER , false spar end, forward, Starboard, 18 SWG	1	L.73	—	LA5
		Attachments for 10-20 WC 11951 or 10-20 WC 11952, Former :—				
1792	DHS.365/3C	Bolt, 2 BA	1	S.96	C	LA5
2729	DHS.365/3½C	Bolt, 2 BA	1	S.96	C	
2742	DHS.365/4C	Bolt, 2 BA	1	S.96	C	
9606	10-20 WC 22349	Bolt, 2 BA	1	S.96	C	
28M/1006473	A27/CT	Nut, 2 BA	3	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	1	—	C	
28P/5210	AGS.1551/1	Pin, locking	1	—	C	
28VV/9419402	SP.13/C	Washer	1	—	C	
28VV/9419404	SP.16/C	Washer	3	—	C	
	10-20 WC 30301A	FORMER , false spar end, rear, Port, assembly (Mod. 506)	1	—	—	LA5
	10-20 WC 30302A	FORMER , false spar end, rear, Starboard, assembly (Mod. 506)	1	—	—	LA5
		Attachments for 10-20 WC 30301A, or 10-20 WC 30302A, Former :—				
28D/9436920	A25/1C	Bolt, 2 BA	7	—	C	LA5
1092	DHS.365/2C	Bolt, 2 BA	4	S.96	C	
1792	DHS.365/3C	Bolt, 2 BA	1	S.96	C	
9604	10-20 WC 22345	Bolt, special, 2 BA	9	S.96	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	16	—	C	
28M/1006473	A27/CT	Nut, 2 BA	5	—	C	
28P/5210	AGS.1551/1	Pin, locking	9	—	C	
28VV/9419402	SP.13/C	Washer	16	—	C	
28VV/9419404	SP.16/C	Washer	5	—	C	
	10-20 WC 31713A	LIP , lower, Port, assembly (Mods. 506 and 846)	1	—	—	LA6
	10-20 WC 31714A	LIP , lower, Starboard, assembly (Mods. 506 and 846)	1	—	—	LA6
		Spares for :—				
17735	10-20 WC 40833A	COVER , access, inboard, assembly (Mod. 1192)	1	—	C	LA2
		Attachments for 10-20 WC 40833A, Cover :—				
20084	1144 DHS.365/4C 825/1C	Bolt, 2 BA	8	S.96	C	LA2
17734	10-20 WC 40829A	COVER , access, intermediate, assembly (Mod. 1192)	1	—	C	LA2
		Attachments for 10-20 WC 40829A, Cover :—				
20891	6589 DHS.825/1½C	Bolt, 2 BA	8	S.96	C	LA2

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
17733	10-20 WC 40825A	COVER , access, outboard, assembly (Mod. 1192)										1	—	C	
20091	DHS.825/1½C	Attachments for 10-20 WC 40825A, Cover :— Bolt, 2 BA										10	—	C	LA2
16837	10-20 WC 25461	COVER , strut access, inboard, Port (Mod. 506)										1	L.73	C	LA6
16838	10-20 WC 25462	COVER , strut access, inboard, Starboard ... (Mod. 506)										1	L.73	C	LA6
18238	10-20 WC 41145	COVER , strut access, outboard, Port ... (Mod. 1192)										1	L.73	C	LA6
16839	10-20 WC 25639	COVER , strut access, outboard, Port ... (Mod. 506)										1	L.73	C	LA6
18239	10-20 WC 41146	COVER , strut access, outboard (Mod. 1192)										1	L.73	C	LA6
16840	10-20 WC 25640	COVER , strut access, outboard, Starboard ... (Mod. 506)										1	L.73	C	LA6
28D/1007975	AS.1242/1C	Attachments for 10-20 WC 25461, 10-20 WC 25462, 10-20 WC 41145, 10-20 WC 25639, 10-20 WC 41146 or 10-20 WC 25640, Cover :—										11	—	C	
28D/8307	AS.1242/2C	Bolt, 2 BA										1	—	C	
	10-20 WC 40837A	PANEL , wing skin, Port, assembly (Mod. 1192) (For spares use 10-20 WC 41101A/ND)										1	—	—	LA6
	10-20 WC 41101A/ND	PANEL , wing skin, Port, assembly (Mod. 1192)										1	—	—	
	10-20 WC 40838A	PANEL , wing skin, Starboard, assembly (Mod. 1192) (For spares use 10-20 WC 41102A/ND)										1	—	—	LA6
	10-20 WC 41102A/ND	PANEL , wing skin, Starboard, assembly (Mod. 1192)										1	—	—	
		Attachments for 10-20 WC 40837A or 10-20 WC 40838A, Panel :—													
9604	10-20 WC 22345	Bolt, 2 BA										7	—	C	
9606	10-20 WC 22349	Bolt, 2 BA										6	—	C	
4371	DHS.365/2½C	Bolt, 2 BA										1	—	C	
2742	DHS.365/4C	Bolt, 2 BA										3	—	C	
1657	DHS.365/3E	Bolt, 1" BSF										9	—	C	
26DV/5897	DHS.365/4E	Bolt, 1" BSF										1	—	C	
28M/10328	AGS.2002/C/1	Nut, 2 BA										10	—	C	
28M/7002430	AGS.2002/E/1	Nut, 1" BSF										9	—	C	
28M/1007403	A27/ET	Nut, 1" BSF										7	—	C	
28P/5210	AGS.1551/1	Pin, locking										14	—	C	
28W/9419402	SP.13/C	Washer										10	—	C	
28W/9419487	SP.16/E	Washer										5	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
16841	10-20 WC 25637											1	—	C	LA6
	10-20 WC 22683											1	—	—	LA6
	10-20 WC 22677											1	—	—	LA6
16843	10-20 WC 25463											1	—	C	LA6
16842	10-20 WC 25638											1	—	C	LA6
	10-20 WC 22684											1	—	—	LA6
	10-20 WC 22678											1	—	—	LA6
16844	10-20 WC 25464											1	—	C	LA6
		Attachments for 10-20 WC 25637, 10-20 WC 22683, 10-20 WC 22677, 10-20 WC 25463, 10-20 WC 25638, 10-20 WC 22684, 10-20 WC 22678 or 10-20 WC 25464, Plate :—													
16822	10-20 WC 30271											3	—	C	LA6
16823	10-20 WC 30273											3	—	C	LA6
28M/10288	AGS.2001/C/1											3	—	C	
28P/5210	AGS.1551/1											3	—	C	
	10-20 WC 11701											1	L.73	—	LA5
	10-20 WC 11702											1	L.73	—	LA5
	10-20 WC 29013A											1	—	—	LA5
	10-20 WC 29014A											1	—	—	LA5
	10-20 WC 29035A											1	—	—	LA5
	10-20 WC 29036A											1	—	—	LA5
16836	10-20 WC 24627											1	—	C	LA6
		BLOCK, capped, $\frac{3}{8}$ " BSF, strut attachment (Mod. 506)													
		Attachments for 10-20 WC 24627, Block :—													
28D/1011019	A25/8C											2	—	C	
28M/1006473	A27/CT											2	—	C	
28W/9419454	SP.10/C											2	—	C	

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
		Attachments for 10-20 WC													
		29013A, 10-20 WC													
		29014A, 10-20 WC													
		29035A, 10-20 WC													
		29036A, Rib :—													
28D/1011030	A25/2E	Bolt, 1" BSF										2	—	C	
	10-20 WC 11469A	SKIN, lip, Port, assembly (Pre Mod. 846)										1	—	—	LA6
	10-20 WC 31693A	SKIN, lip, Port, assembly (Mod. 846) ...										1	—	—	LA6
	10-20 WC 11470A	SKIN, lip, Starboard, assembly (Pre Mod. 846)										1	—	—	LA6
	10-20 WC 31694A	SKIN, lip, Starboard, assembly (Mod. 846) ...										1	—	—	LA6
		Spares for :—													
9606	10-20 WC 22349	BOLT, 2 BA										4	—	C	LA6
		Attachments for 10-20 WC 11469A, 10-20 WC													
		31693A, 10-20 WC 11407A or													
		10-20 WC 31694A, Skin :—													
1092	DHS.365/2C	Bolt, 2 BA										2	—	C	
4371	DHS.365/21C	Bolt, 1 BA										2	—	C	
9606	10-20 WC 22349	Bolt, special, 2 BA										23	—	C	LA6
9604	10-20 WC 22345	Bolt, special, 2 BA										13	—	C	LA6
9605	10-20 WC 22347	Bolt, special, 2 BA										18	—	C	LA6
1657	DHS.365/3E	Bolt, 1" BSF										3	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA										59	—	C	
28M/10290	AGS.2001/E/1	Nut, 1" BSF										3	—	C	
28M/1007403	A27/ET	Nut, 1" BSF										3	—	C	
28P/5210	AGS.1551/1	Pin, locking										55	—	C	
28P/9527619	SP.90/C7	Pin, split (SP.9/C8)										4	—	C	
28W/9419402	SP.13/C	Washer										59	—	C	
28W/9419404	SP.16/C	Washer										2	—	C	
28W/9419487	SP.16/E	Washer										3	—	C	
	10-20 WC 11043A	SPAR, false, forward, Port, assembly ...										1	—	—	LA5
	10-20 WC 11044A	SPAR, false, forward, Starboard, assembly ...										1	—	—	LA5
	10-20 WC 11535A/ND	SPAR, spot-welded, assembly, Port ...										1	—	—	LA5
	10-20 WC 11536A/ND	SPAR, spot-welded, assembly, Starboard ...										1	—	—	LA5
	—	SPAR, false, rear, rib "O" to rib "1A,"										1	—	—	LA5
		Port, group (10-20 WC 11047)													
	—	SPAR, false, rear, rib "O" to rib "1A," Star-										1	—	—	LA5
		board, group (10-20 WC 11048)													
	10-20 WC 23227A/ND	SPAR, intercostal, rib "O" to rib 1, Port										1	—	—	LA5
	10-20 WC 23228A/ND	SPAR, intercostal, rib "O" to rib 1, Star-										1	—	—	LA5
		board													
	10-20 WC 22471A/ND	SPAR, inner portion, Port										1	—	—	LA5
	10-20 WC 22472A/ND	SPAR, inner portion, Starboard										1	—	—	LA5
		Attachments for 10-20 WC 22471A/ND or													
		10-20 WC 22472A/ND, Spar :—													
28D/9436920	A25/1C	Bolt, 2 BA										3	—	C	
	10-20 WC 11575A/ND	SPAR, outer portion, Port										1	—	—	LA5
	10-20 WC 11576A/ND	SPAR, outer portion, Starboard										1	—	—	LA5
		Attachments for 10-20 WC 11575A/ND or													
		10-20 WC 11576A/ND, Spar :—													
28D/9436920	A25/1C	Bolt, 2 BA										3	—	C	
28M/10328	AGS.2002/C/1	Nut, 2 BA										3	—	C	
28W/9419402	SP.13/C	Washer										3	—	C	

MAIN PLANES WING CENTRE SECTION

Ref No	Part No.	Description	QTY	Factor	Class of Structure	Part No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 12233A/ND	SPAR , intercostal, rib 1 to rib 1A, Port ...	1	—	—	LA5
	10-20 WC 12234A/ND	SPAR , intercostal, rib 1 to rib 1A, Starboard	1	—	—	LA5
		Attachments for 10-20 WC 12233A/ND or 10-20 WC 12234A/ND, Spar :—				
28D/9436920	A25/1C	Bolt, 2 BA ...	6	—	C	
28M/10328	AGS.2002/C/1	Nut, 2 BA ...	6	—	C	
28W/9419402	SP.13/C	Washer ...	6	—	C	
		Attachments for 10-20 WC 11537A/1, 10-20 WC 29975A, 10-20 WC 31711A, 10-20 WC 31713A, 10-20 WC 11538A/1, 10-20 WC 29976A, 10-20 WC 31712A or 10-20 WC 31714A, Lip :—				
28D/9133011	A25/2C	Bolt, 2 BA ...	4	—	C	
1141	DHS.365/1C	Bolt, 2 BA ...	1	—	C	
4371	DHS.365/2½C	Bolt, 2 BA ...	16	—	C	
	10-20 WC 13129	Bolt, 2 BA (Make from Part No. DHS.365/1½C, Ref. No. 265Y/6389)	15	S.96	LM	LA6
6773	10-20 WC 13005	Bolt, 2 BA ...	2	—	C	LA6
28D/1011030	A25/2E	Bolt, 1" BSF ...	6	—	C	
28M/10328	AGS.2002/C/1	Nut, 2 BA ...	16	—	C	
28M/1006473	A27/CT	Nut, 2 BA ...	20	—	C	
28P/5210	AGS.1551/1	Pin, locking ...	15	—	C	
28W/9419454	SP.10/C	Washer ...	17	—	C	
28W/9419402	SP.13/C	Washer ...	3	—	C	
28W/9419404	SP.16/C	Washer ...	16	—	C	
28W/9418920	SP.10/E	Washer ...	6	—	C	
	10-20 WC 24493A	LIP , upper, Port, assembly (Pre Mods. 506 and 846) (Mod. 46)	1	—	—	LA6
	10-20 WC 29973A	LIP , upper, Port, assembly (Pre Mod. 846) (Mods. 46 and 506)	1	—	—	LA6
	10-20 WC 31723A	LIP , upper, Port, assembly (Pre Mod. 506) (Mods. 46 and 846)	1	—	—	LA6
	10-20 WC 31727A	LIP , upper, Port, assembly (Mods. 46, 506 and 846)	1	—	—	LA6
	10-20 WC 24494A	LIP , upper, Starboard, assembly (Pre Mods. 506 and 846) (Mod. 46)	1	—	—	LA6
	10-20 WC 29974A	LIP , upper, Starboard, assembly (Pre Mod. 846) (Mods. 46 and 506)	1	—	—	LA6
	10-20 WC 31724A	LIP , upper, Starboard, assembly (Pre Mod. 506) (Mods. 46 and 846)	1	—	—	LA6
	10-20 WC 31728A	LIP , upper, Starboard, assembly (Mods. 46, 506 and 846)	1	—	—	LA6
	10-20 WC 14519A	BRACKET , nose rib "O," Port (Mod. 46) ...	1	DTD.304	—	LA5
	10-20 WC 14520A	BRACKET , nose rib "O," Starboard (Mod. 46) ...	1	DTD.304	—	LA5
		Attachments for 10-20 WC 14519A or 10-20 WC 14520A, Bracket :—				
28D/9133012	A25/3C	Bolt, 2 BA ...	1	—	C	
28M/1006473	A27/CT	Nut, 2 BA ...	1	—	C	
28W/9419404	SP.16/C	Washer ...	1	—	C	
	10-20 WC 12921A	DUCT , Port, assembly ...	1	—	—	LA6
	10-20 WC 12922A	DUCT , Starboard, assembly ...	1	—	—	LA6
		Attachments for 10-20 WC 12921A or 10-20 WC 12922A, Duct :—				
28D/9133012	A25/3C	Bolt, 2 BA ...	5	—	C	
	10-20 WC 12937	Packing, 12 SWG ...	2	L.16	—	LA6
	10-20 WC 11611	MEMBER , intercostal, centre, Port, 18 SWG	1	L.73	—	LA5
	10-20 WC 11612	MEMBER , intercostal, centre, Starboard, 18 SWG	1	L.73	—	LA5

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Place No.
		1 2 3 4 5 6 7 8 9 10				
		Attachments for 10-20 WC 11611, or 10-20 WC 11612, Member :—				
28D/9436920	A25/1C	Bolt, 2 BA	6	—	C	
28D/8307	AS.1242/2C	Bolt, 2 BA	5	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	6	—	C	
28W/9419402	SP.93/C	Washer	6	—	C	
	10-20 WC 11217	MEMBER , intercostal, front, Port, 18 SWG	1	L.73	—	LA5
	10-20 WC 11218	MEMBER , intercostal, front, Starboard, 18 SWG	1	L.73	—	LA5
		Attachments for 10-20 WC 11217, or 10-20 WC 11612, Member :—				
28D/9436920	A25/1C	Bolt, 2 BA	3	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	3	—	C	
28W/9419402	SP.13/C	Washer	3	—	C	
	10-20 WC 11609	MEMBER , intercostal, inboard, Port, 18 SWG	1	L.73	—	LA5
	10-20 WC 11610	MEMBER , intercostal, inboard, Starboard, 18 SWG	1	L.73	—	LA5
		Attachments for 10-20 WC 11609 or 10-20 WC 11610, Member :—				
28D/9436920	A25/1C	Bolt, 2 BA	3	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	3	—	C	
28W/9419402	SP.13/C	Washer	3	—	C	
	10-20 WC 11613	MEMBER , intercostal, outboard, Port, 18 SWG	1	L.73	—	LA5
	10-20 WC 11614	MEMBER , intercostal, outboard, Starboard, 18 SWG	1	L.73	—	LA5
		Attachments for 10-20 WC 11613 or 10-20 WC 11614, Member :—				
28D/9436920	A25/1C	Bolt, 2 BA	3	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	3	—	C	
28W/9419402	SP.13/C	Washer	3	—	C	
	10-20 WC 11651A	MEMBER , intercostal, rear, inboard, Port	1	—	—	LA5
	10-20 WC 11652A	MEMBER , intercostal, rear, inboard, Starboard	1	—	—	LA5
		Attachments for 10-20 WC 11651A, or 10-20 WC 11652A, Member :—				
28D/9436920	A25/1C	Bolt, 2 BA	3	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	3	—	C	
28W/9419402	SP.13/C	Washer	3	—	C	
	10-20 WC 11653A	MEMBER , intercostal, rear, outboard, Port	1	—	—	LA5
	10-20 WC 11654A	MEMBER , intercostal, rear, outboard, Starboard	1	—	—	LA5
		Attachments for 10-20 WC 11653A, or 10-20 WC 11654A, Member :—				
28D/9436920	A25/1C	Bolt, 2 BA	7	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	7	—	C	
28W/9419402	SP.13/C	Washer	7	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. Off	Material Specification	Class of Surface Treatment	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 22671	PLATE , seal, inner, inboard strut, Port, 8 SWG	1	L.73	—	LA6
	10-20 WC 22672	PLATE , seal, inner, inboard strut, Starboard, 8 SWG	1	L.73	—	LA6
	10-20 WC 22681	PLATE , seal, outer, outboard strut, Port, 8 SWG	1	L.73	—	LA6
	10-20 WC 22682	PLATE , seal, outer, outboard strut, Starboard, 8 SWG	1	L.73	—	LA6
		Attachments for 10-20 WC 22671, 10-20 WC 22672, 10-20 WC 22681, or 10-20 WC 22682, Plate :—				
16823	10-20 WC 30273	Bolt, 2 BA (Mod. 506) ...	2	S.96	C	LA6
28M/10288	AGS.2001/C/1	Nut, 2 BA ...	2	—	C	
28P/5210	AGS.1551/1	Pin, locking ...	2	—	C	
	10-20 WC 22679	PLATE , seal, inner, outboard strut, Port, 8 SWG	1	L.73	—	LA6
	10-20 WC 22680	PLATE , seal, inner, outboard strut, Starboard, 8 SWG	1	L.73	—	LA6
		Attachments for 10-20 WC 22679, or 10-20 WC 22680, Plate :—				
16822	10-20 WC 30271	Bolt, 2 BA (Mod. 506) ...	2	S.96	C	LA6
28M/10288	AGS.2001/C/1	Nut, 2 BA ...	2	—	C	
28P/5210	AGS.1551/1	Pin, locking ...	2	—	C	
28W/9419404	SP.16/C	Washer ...	2	—	C	
	10-20 WC 22673	PLATE , seal, outer, inboard strut, Port, 8 SWG	1	L.73	—	LA6
	10-20 WC 22674	PLATE , seal, outer, inboard strut, Starboard, 8 SWG	1	L.73	—	LA6
		Attachments for 10-20 WC 22673, or 10-20 WC 22674, Plate :—				
16822	10-20 WC 30271	Bolt, 2 BA (Mod. 506) ...	3	S.96	C	LA6
28M/10288	AGS.2001/C/1	Nut, 2 BA ...	3	—	C	
28P/5210	AGS.1551/1	Pin, locking ...	3	—	C	
28W/9419404	SP.16/C	Washer ...	3	—	C	
	10-20 WC 28963A	RIB , No. 1, Port, assembly (Mod. 506) ...	1	—	—	LA5
	10-20 WC 28964A	RIB , No. 1, Starboard, assembly (Mod. 506) ...	1	—	—	LA5
	10-20 WC 28989A	RIB , No. 1A, Port, assembly (Mod. 506) ...	1	—	—	LA5
	10-20 WC 28990A	RIB , No. 1A, Starboard, assembly (Mod. 506) ...	1	—	—	LA5
		Spares for :—				
16836	10-20 WC 24627	BLOCK , tapped, 3" BSF, strut attachment (Mod. 506)	1	DHA.67 or DTD.5003	C	LA5
		Attachments for 10-20 WC 24627, Block :—				
28D/1011019	A25/8C	Bolt, 2 BA ...	2	—	C	
28M/1006473	A27/CT	Nut, 2 BA ...	2	—	C	
28W/9419454	SP.10/C	Washer ...	2	—	C	
	10-20 WC 31695A	SKIN , lip, Port, assembly (Mod. 846) ...	1	—	—	LA6
	10-20 WC 31696A	SKIN , lip, Starboard, assembly (Mod. 846) ...	1	—	—	LA6
		Spares for :—				
	10-20 WC 11905	PLATE , reinforcing, Port, 18 SWG	1	L.73	—	LA6
	10-20 WC 11906	PLATE , reinforcing, Starboard, 18 SWG	1	L.73	—	LA6
	10-20 WC 31731A/ND	SKIN , leading edge, spot welded, assembly Port (Mod. 846)	1	—	—	LA6
	10-20 WC 31732A/ND	SKIN , leading edge, spot welded, assembly Starboard (Mod. 846)	1	—	—	LA6

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
		Attachments for 10-20 WC 31731A/ND, or 10-20 WC 31732A/ND, Skin :—				
1141	DHS.365/1C	Bolt, 2 BA	6	S.96	C	LA6
9604	10-20 WC 22345	Bolt, 2 BA	4	—	C	
9606	10-20 WC 22349	Bolt, 2 BA	3	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	13	—	C	
28P/5210	AGS.1551/1	Pin, locking	13	—	C	
28W/9419402	SP.13/C	Washer	6	—	C	
28W/9419404	SP.16/C	Washer	7	—	C	
	10-20 WC 11955A	SKIN, wing, Port, assembly	1	—	—	LA6
	10-20 WC 11956A	SKIN, wing, Starboard, assembly	1	—	—	LA6
		Spares for :—				
	10-20 WC 11963	COVER, access, Port, 14 SWG	1	L.73	—	LA6
	10-20 WC 11964	COVER, access, Starboard, 14 SWG	1	L.73	—	LA6
		Attachments for 10-20 WC 11963 or 10-20 WC 11964, Cover :—				
28D/1007975	AS.1242/1C	Bolt, 2 BA	13	—	C	
		Attachments for 10-20 WC 11955A, or 10-20 WC 11956A, Skin :—				
1141	DHS.365/1C	Bolt, 2 BA	6	S.96	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	6	—	C	
28P/5210	AGS.1551/1	Pin, locking	6	—	C	
28W/9419402	SP.13/C	Washer	6	—	C	
		Attachments for 10-20 WC 31695A, or 10-20 WC 31696A, Skin :—				
1092	DHS.365/2C	Bolt, 2 BA	2	S.96	C	
4371	DHS.365/2½C	Bolt, 2 BA	2	S.96	C	
2729	DHS.365/3½C	Bolt, 2 BA	2	S.96	C	
1657	DHS.365/3E	Bolt, ½" BSF	8	S.96	C	
6769	10-20 WC 22341	Bolt, special, 2 BA	20	S.96	C	LA6
9603	10-20 WC 22343	Bolt, special, 2 BA	31	S.96	C	LA6
9604	10-20 WC 22345	Bolt, special, 2 BA	34	S.96	C	LA6
9605	10-20 WC 22347	Bolt, special, 2 BA	17	S.96	C	LA6
9606	10-20 WC 22349	Bolt, special, 2 BA	14	S.96	C	LA6
28M/10288	AGS.2001/C/1	Nut, 2 BA	119	—	C	
28M/7002430	AGS.2002/E/1	Nut, ½" BSF	3	—	C	
28M/12931	A27/ET	Nut, ½" BSF	5	—	C	
28P/5210	AGS.1551/1	Pin, locking	104	—	C	
28W/9419454	SP.10/C	Washer	22	—	C	
28W/9419402	SP.13/C	Washer	97	—	C	
28W/9419487	SP.16/E	Washer	8	—	C	
		Attachments for 10-20 WC 31727A, or 10-20 WC 31728A, Lip :—				
28D/9133011	A25/2C	Bolt, 2 BA	5	—	C	
28D/9133012	A25/3C	Bolt, 2 BA	4	—	C	
28D/8307	AS.1242/2C	Bolt, 2 BA	3	—	C	
6389	DHS.365/1½C	Bolt, 2 BA	3	S.96	C	
	10-20 WC 13129	Bolt, 2 BA (Make from Part No. DHS.365/1½C, Ref. No. 26FY/6389)	22	S.96	LM	LA6
6773	10-20 WC 13005	Bolt, 2 BA	2	—	C	LA6
28D/7002413	A25/14E	Bolt, ½" BSF (Lock to DHS.514/D)	1	—	C	
28D/12571	A25/21E	Bolt, ½" BSF (Lock to DHS.514/D)	2	—	C	
28M/10328	AGS.2002/C/1	Nut, 2 BA	22	—	C	
28P/5210	AGS.1551/1	Pin, locking	22	—	C	
28W/9419454	SP.10/C	Washer	22	—	C	
28W/9419402	SP.13/C	Washer	9	—	C	
28W/9418920	SP.10/E	Washer	3	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 12947	PIPE, de-icing feed (boundary layer) ...	1	—	—	LA3
28D/9436920	A25/1C	Attachments for 10-20 WC 12947, Pipe :—				
28W/9419454	SP.10/C	Bolt, 2 BA ...	4	—	C	
	10-20 WC 12955ND	Washer ...	4	—	C	
		Washer, joint, Hallite, 2" 25 o.d x 1" 01/d x $\frac{1}{16}$ " thick	1	—	LM	LA3
17827	10-20 WC 23955ND	SEAL, rubber (Make from Dunlop DAS.582/24/12)	4	—	LM	
18761	10-20 WC 30415A	STRUT, inboard (Mod. 846) ...	1	—	C	LA2
18762	10-20 WC 30419A	STRUT, outboard (Mod. 846) ...	1	—	C	LA2
		Attachments for 10-20 WC 30415A or 10-20 WC 30419A, Strut :—				
28D/9435054	A59/9J	Bolt, $\frac{3}{8}$ " BSF (Lock to DHS.514/D) ...	2	—	C	
28W/9419456	SP.10/J	Washer ...	2	—	C	
		Attachments for 10-20 WC 31721A or 10-20 WC 31722A, Air-intake :—				
28D/9133011	A25/2C	Bolt, 2 BA ...	9	—	C	
28D/1011030	A25/2E	Bolt, $\frac{1}{2}$ " BSF ...	27	—	C	
28D/1011254	A25/2G	Bolt, $\frac{1}{2}$ " BSF ...	2	—	C	
1092	DHS.365/2C	Bolt, 2 BA ...	54	S.96	C	
1792	DHS.365/3C	Bolt, 2 BA ...	4	S.96	C	
2729	DHS.365/3 $\frac{1}{2}$ C	Bolt, 2 BA ...	2	S.96	C	
1657	DHS.365/3E	Bolt, $\frac{1}{2}$ " BSF ...	10	S.96	C	
3413	DHS.365/3 $\frac{1}{2}$ E	Bolt, $\frac{1}{2}$ " BSF ...	6	S.96	C	
26DV/5897	DHS.365/4E	Bolt, $\frac{1}{2}$ " BSF ...	9	S.96	C	
2726	DHS.365/4 $\frac{1}{2}$ E	Bolt, $\frac{1}{2}$ " BSF ...	8	S.96	C	
1793	DHS.365/5E	Bolt, $\frac{1}{2}$ " BSF ...	7	S.96	C	
3414	DHS.365/5 $\frac{1}{2}$ E	Bolt, $\frac{1}{2}$ " BSF ...	2	S.96	C	
11780	10-20 WC 13131	Bolt, 2 BA ...	2	S.96	C	LA2
11776	10-20 WC 24707	Bolt, 2 BA ...	4	S.96	C	LA2
11777	10-20 WC 24709	Bolt, 2 BA ...	6	S.96	C	LA2
11778	10-20 WC 24711	Bolt, 2 BA ...	2	S.96	C	LA2
11779	10-20 WC 24713	Bolt, 2 BA ...	6	S.96	C	LA2
28M/10328	AGS.2002/C/1	Nut, 2 BA ...	2	—	C	
28M/7002430	AGS.2002/E/1	Nut, $\frac{1}{2}$ " BSF ...	6	—	C	
28M/12931	A27/ET	Nut, $\frac{1}{2}$ " BSF ...	24	—	C	
28M/1006473	A27/CT	Nut, 2 BA ...	60	—	C	
28M/1006939	A27/GP	Nut, $\frac{3}{8}$ " BSF ...	2	—	C	
11775	10-20 WC 23217	Nut, special, $\frac{3}{8}$ " BSF ...	8	S.96	C	LA2
28P/5210	AGS.1551/1	Pin, locking ...	2	—	C	
11652	10-20 WC 13003	Spring, locking ...	18	—	C	LA2
11774	10-20 WC 23215	Stud, $\frac{3}{8}$ " BSF (Pre Mod. 973) ...	8	S.96	C	LA2
16817	10-20 WC 31135	Stud, $\frac{3}{8}$ " BSF (Mod. 973) ...	8	S.96	C	LA2
28W/9419402	SP.13/C	Washer ...	10	—	C	
28W/9419403	SP.13/G	Washer ...	4	—	C	
28W/9419404	SP.16/C	Washer ...	60	—	C	
28W/9418920	SP.10/E	Washer ...	9	—	C	
28W/9418921	SP.13/E	Washer ...	18	—	C	
28W/9419487	SP.16/E	Washer ...	30	—	C	
28W/9419455	SP.10/G	Washer ...	4	—	C	

MAIN PLANES

WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
11396	10-20 WC 11753	ANGLE, attachment, lower, at front spar, Port. (For spares use 10-20WC26855ND)	1	—	—	LA7
	10-20 WC 26855ND	ANGLE, attachment, lower, at front spar, Port. (Spares condition)	1	—	C	
	10-20 WC 11754	ANGLE, attachment, lower, at front spar, Starboard. (For spares use 10-20WC26856ND)	1	—	—	LA7
11397	10-20 WC 26856ND	ANGLE, attachment, lower, at front spar, Starboard (Spares condition)	1	—	C	
	Attachments for 10-20 WC 11753 or 10-20 WC 11754, Angle :—					
	28D/9133012 A25/3C	Bolt, 2 BA	11	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	11	—	C	
28VV/9419404	SP.16/C	Washer	11	—	C	
11402	10-20 WC 11745	ANGLE, attachment, upper, at front spar, Port (For spares use 10-20WC26853ND)	1	—	—	LA7
	10-20 WC 26853ND	ANGLE, attachment, upper, at front spar, Port (Spares condition)	1	—	C	
	10-20 WC 11746	ANGLE, attachment, upper, at front spar, Starboard (For spares use 10-20WC26854ND)	1	—	—	LA7
11403	10-20 WC 26854ND	ANGLE, attachment, upper, at front spar, Starboard (Spares condition)	1	—	C	
	Attachments for 10-20 WC 11745 or 10-20 WC 11746, Angle :—					
	28D/9133012 A25/3C	Bolt, 2 BA	13	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	13	—	C	
28VV/9419404	SP.16/C	Washer	13	—	C	
11404	10-20 WC 12435	ANGLE, joint, inboard, at front spar, Port (For spares use 10-20 WC 26859ND)	1	—	—	LA7
	10-20 WC 26859ND	ANGLE, joint, inboard, at front spar, Port (Spares condition)	1	—	C	
	10-20 WC 12436	ANGLE, joint, inboard, at front spar, Starboard (For spares use 10-20 WC 26860ND)	1	—	—	LA7
11405	10-20 WC 26860ND	ANGLE, joint, inboard, at front spar, Starboard (Spares condition)	1	—	C	
	10-20 WC 12289	ANGLE, joint, outboard, at front spar, Port (For spares use 10-20 WC 26857ND)	1	—	—	LA7
	11398 10-29 WC 26857ND	ANGLE, joint, outboard, at front spar, Port (Spares condition)	1	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description 1 2 3 4 5 6 7 8 9 10	No. off	Material Specification	Class of Store or L.M.	Plate No.
	10-20 WC 12290	ANGLE, joint, outboard, at front spar, Starboard (For spares use 10-20 WC 26858ND)	1	—	—	LA7
11399	10-20 WC 26858ND	ANGLE, joint outboard, at front spar, Starboard (Spares condition)	1	—	C	
	10-20 WC 41359	DUCT, air intake, centre portion, Port, assembly (Mod. 1287)	1	—	—	LA4
	10-20 WC 41360	DUCT, air intake, centre portion, Starboard, assembly (Mod. 1287)	1	—	—	LA4
	10-20 WC 41947	ANGLE, attachment, at forward joint ring, Port, (For spares use 10-20 WC 42049ND)	1	—	—	LA4
20668	10-20 WC 42049ND	ANGLE, attachment, at forward joint ring, Port (Spares condition)	1	—	C	
	10-20 WC 41948	ANGLE, attachment, at forward joint ring, Star- board (For spares use 10-20 WC 42050ND)	1	—	—	LA4
20669	10-20 WC 42050ND	ANGLE, attachment, at forward joint ring, Star- board (Spares condition)	1	—	C	
		Attachments for 10-20 WC 41947 or 10-20 WC 41948, Angle :—				
1141	DHS.365/1C	Bolt, 2 BA	27	—	C	
28M/1006473	A27/CT	Nut, 2 BA	27	—	C	
	10-20 WC 531	ANGLE, attachment, at rear joint ring, Port ... (For spares use 10-20 WC 27023ND)	1	—	—	LA7
11406	10-20 WC 27023ND	ANGLE, attachment, at rear joint ring, Port (Spares condition)	1	—	C	
	10-20 WC 532	ANGLE, attachment, at rear joint ring, Starboard (For spares use 10-20 WC 27024ND)	1	—	—	LA7
11407	10-20 WC 27024ND	ANGLE, attachment, at rear joint ring, Starboard (Spares condition)	1	—	C	

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 13762	ANGLE , attachment, joint ring, at main spar, lower (For spares use 10-20 WC 26925ND)										1	—	—	LA7
11235	10-20 WC 26925ND	ANGLE , attachment, joint ring, at main spar, lower (Spares condition)										1	—	C	
	10-20 WC 13761	ANGLE , attachment, joint ring at main spar, upper, (For spares use 10-20 WC 26926ND)										1	—	—	LA7
11236	10-20 WC 26926ND	ANGLE , attachment, joint ring at main spar, upper (Spares condition)										1	—	C	
		Attachments for 10-20 WC 13761, or 10-20 WC 13762. Angle :—													
1792	DHS.365/3C	Bolt, 2 BA										29	—	C	LA7
28M/1006473	A27/CT	Nut, 2 BA										27	—	C	
28W/9419402	SP.13/C	Washer										27	—	C	
7725	10-20 WC 5719ND	ANGLE , joint (tank protection skin)										1	—	C	LA4
	10-20 WC 41773A/ND	DUCT , spot welded, assembly, Port (For spares use 10-20 WC 41775A/ND)										1	—	—	
19772	10-20 WC 41775A/ND	DUCT , spot-welded, assembly, Port (Spares con- dition) (Mod. 1287)										1	—	P	LA4
	10-20 WC 41774A/ND	DUCT , spot-welded, assembly, Starboard (For spares use 10-20 WC 41776A/ND)										1	—	—	
19773	10-20 WC 41776A/ND	DUCT , spot-welded, assembly, Starboard (Spares condition) (Mod. 1287)										1	—	P	LA4
	10-20 WC 41769ND	ANGLE , rib, at diagonal rib datum, (For spares use 10-20 WC 41809ND)										1	—	—	LA7
19976	10-20 WC 41809ND	ANGLE , rib, at diagonal rib datum, Port (Spares condition) (Mod. 1287)										1	—	C	
	10-20 WC 41770ND	ANGLE , rib, at diagonal rib datum, Starboard, (For spares use 10-20 WC 41810ND)										1	—	—	LA7
19977	10-20 WC 41810ND	ANGLE , rib, at diagonal rib datum, Starboard, (Spares condition) (Mod. 1287)										1	—	C	
		Attachments for 10-20 WC 41769ND, or 10-20 WC 41770ND, Angle :—													
1792	DHS.365/3C	Bolt, 2 BA										QR	—	C	LA7
28M/1006473	A27/CT	Nut, 2 BA										QR	—	C	
28W/9419402	SP.13/C	Washer										QR	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 41321ND	ANGLE , rib, at rib No. 1 datum, Port (For spares use 10-20 WC 41813ND)										1	—	—	LA4
19978	10-20 WC 41813ND	ANGLE , rib, at rib No. 1 datum, Port (Spares condition) (Mod. 1287)										1	—	C	
	10-20 WC 41322ND	ANGLE , rib, at rib No. 1 datum, Starboard (For spares use 10-20 WC 41814ND)										1	—	—	LA4
19979	10-20 WC 41814ND	ANGLE , rib, at rib, No. 1 datum, Starboard (Spares condition)										1	—	C	
		Attachments for 10-20 WC 41321ND, or 10-20 WC 41322ND, Angle :—													
	10-20 WC 21499	Block, distance										24	—	—	LA4
20705	10-20 WC 12273	Block, distance										2	—	C	LA7
19648	10-20 WC 5177	Block, distance										5	—	C	LA7
20703	10-20 WC 42043	Bolt, 2 BA										3	—	C	
20602	10-20 WC 41973ND	Bolt, 2 BA										26	—	C	LA3
	10-20 WC 42047ND	Bolt, 1/2" BSF										8	—	C	LA3
20607	10-20 WC 41983ND	Bolt, 1/2" BSF										3	—	C	LA3
28M/10328	AGS.2002/C/1	Nut, 2 BA										26	—	C	
28M/7002430	AGS.2002/E/1	Nut, 1/2" BSF										8	—	C	
28P/5210	AGS.1551/1	Pin, locking										34	—	C	
28W/9419402	SP.13/C	Washer										26	—	C	
28W/9418921	SP.13/E	Washer										8	—	C	
	10-20 WC 41355ND	ANGLE , rib, at rib "OA" datum, Port ...										1	—	—	
	10-20 WC 41356ND	ANGLE , rib, at rib "OA" datum, Starboard										1	—	—	
		Attachments for 10-20 WC 41355ND or 10-20 WC 41356ND, Angle :—													
6769	10-20 WC 22341	Bolt, 2 BA										17	—	C	LA3
28M/10328	AGS.2002/C/1	Nut, 2 BA										17	—	C	
28P/5210	AGS.1551/1	Pin, locking										17	—	C	
	10-20 WC 41215A	MANIFOLD , de-icing supply, Port, assembly										1	—	—	
	10-20 WC 41216A	MANIFOLD , de-icing supply, Starboard, assembly										1	—	—	
		Attachments for 10-20 WC 41215A or 10-20 WC 41216A, Manifold :—													
20705	10-20 WC 12273	Block, distance										4	—	C	LA7
20704	10-20 WC 42045	Block, distance										6	—	C	
20605	10-20 WC 41979ND	Bolt, 2 BA										10	—	C	LA3
	10-20 WC 41421	Gasket										5	—	—	
28M/10328	AGS.2002/C/1	Nut, 2 BA										10	—	C	
28P/5210	AGS.1551/1	Pin, locking										10	—	C	
28W/9419402	SP.13/C	Washer										10	—	C	
19774	10-20 WC 41181	PLATE , joint (Drg. No. 10-20 WC 41179-41180)										1	—	C	LA4

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 41339ND	SKIN, duct pressing, lower Port and upper Starboard, 16 SWG	2	L.73	—	LA4
	10-20 WC 41341ND	SKIN, duct pressing, upper Port and lower, Starboard, 16 SWG	2	L.73	—	LA4
	10-20 WC 41331A/ND	SKIN, tank protection, assembly (For spares use 10-20 WC 41852A/ND) (Mod. 1287)	1	—	—	LA4
19775	10-20 WC 41852A/ND	SKIN, tank protection, assembly (Spares condition)	1	—	C	
	10-20 WC 541ND	STRAP, at rear, joint ring, inboard (For spares use 10-20 WC 27016ND)	1	—	—	LA4
11366	10-20 WC 27016N	STRAP, at rear joint ring, inboard (Spares condition)	1	—	C	
	10-20 WC 539ND	STRAP, at rear joint ring, outboard (For spares use 10-20 WC 27015ND)	1	—	—	LA4
11365	10-20 WC 27015ND	STRAP, at rear joint ring, outboard ... (Spares condition)	1	—	C	
		Attachments for 10-20 WC 541ND or 10-20 WC 539ND, Strap :—				
6769	10-20 WC 22341	Bolt, 2 BA	11	—	C	
28M/1006473	A27/CT	Nut, 2 BA	11	—	C	
28P/5201	AGS.1551/1	Pin, locking	11	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 543ND	STRAP, butt, at forward joint: ring (For spares use 10-20 WC 27017ND)	1	—	—	LA7
11367	10-20 WC 27017ND	STRAP, butt, at forward joint ring (Spares condition)	1	—	C	
1092	DHS.365/2C	Attachments for 10-20 WC 543ND, Strap:—				
28M/1006473	A27/CT	Bolt, 2 BA	6	—	C	LA7
		Nut, 2 BA	6	—	C	
	10-20 WC 40817ND	STRAP, butt, lower at rear joint ring, Port (For spares use 10-20 WC 40907ND)	1	—	—	LA7
18533	10-20 WC 40907ND	STRAP, butt, lower, at rear joint ring, Port (Spares condition)	1	—	C	
	10-20 WC 40818ND	STRAP, butt, lower, at rear joint ring, Starboard (For spares use 10-20 WC 40908ND)	1	—	—	LA7
18534	10-20 WC 40908ND	STRAP, butt, lower, at rear joint ring, Starboard (Spares condition)	1	—	C	
	10-20 WC 40815ND	STRAP, butt, lower, at rear joint ring, Port (For spares use 10-20 WC 40905ND)	1	—	—	LA7
18531	10-20 WC 40905ND	STRAP, butt, lower, at rear joint ring, Port (Spares condition)	1	—	C	
	10-20 WC 40816ND	STRAP, butt, lower, at rear joint ring, Starboard (For spares use 10-20 WC 40906ND)	1	—	—	LA7
18532	10-20 WC 40906ND	STRAP, butt, lower, at rear joint ring, Starboard (Spares condition)	1	—	C	
		Attachments for 10-20 WC 40817ND, 10-20 WC 40818ND, 10-20 WC 40815ND, or 10-20 WC 40816ND, Strap:—				
9603	10-20 WC 22343	Bolt, 2 BA	18	—	C	
28M/10328	AGS.2002/C/1	Nut, 2 BA	18	—	C	
28P/5201	AGS.1551/1	Pin, locking	18	—	C	
28W/9419402	SP13/C	Washer	18	—	C	

MAIN PLANES

WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
		Attachments for 10-20 WC 41359, or 10-20 WC 41360, Duct :—				
28D/9436920	A25/1C	Bolt, 2 BA	16	—	C	
28D/9133011	A25/2C	Bolt, 2 BA	60	—	C	
28D/1011027	A25/27C	Bolt, 2 BA	4	—	C	
9604	10-20 WC 22345	Bolt, 2 BA	2	—	C	LA4
4371	DHS.365/2½C	Bolt, 2 BA	68	—	C	LA4
20602	10-20 WC 41973ND	Bolt, 2 BA	4	—	C	LA4
28D/1011029	A25/1E	Bolt, ½" BSF	8	—	C	
28D/1011030	A25/2E	Bolt, ½" BSF	2	—	C	
28D/1008151	A25/4E	Bolt, ½" BSF	19	—	C	
3198	DHS.382/3½E	Bolt, ½" BSF	2	—	C	LA4
15166	DHS.1001/2E	Bolt, ½" BSF	2	—	C	LA4
28M/9403520	A27/CP	Nut, 2 BA	24	—	C	
28M/1006473	A27/CT	Nut, 2 BA	20	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	42	—	C	
28M/1011475	A27/EP	Nut, ½" BSF	9	—	C	
2227	DHS.983/E	Nut, ½" BSF	2	—	C	LA4
28W/9419402	SP.13/C	Washer	8	—	C	
28W/9419404	SP.16/C	Washer	136	—	C	
28W/9418921	SP.13/E	Washer	8	—	C	
28W/9419405	SP.15/E	Washer	8	—	C	
28W/9419487	SP.16/E	Washer	23	—	C	
		at rib No. 1 :—				
28D/1011240	A25/5E	Bolt, ½" BSF	8	—	C	
28D/1011242	A25/7E	Bolt, ½" BSF	8	—	C	
3239	DHS.382/2½E	Bolt, ½" BSF	8	—	C	LA4
3228	DHS.382/3E	Bolt, ½" BSF	2	—	C	LA4
15166	DHS.1001/2E	Bolt, ½" BSF	38	—	C	LA4
28D/1213886	AS.4598/3E	Bolt, ½" BSF	6	—	C	
28D/1213887	AS.4598/4E	Bolt, ½" BSF	13	—	C	
28D/1213888	AS.4598/5E	Bolt, ½" BSF	9	—	C	
28M/1007403	A27/ET	Nut, ½" BSF	28	—	C	
2227	DHS.983/E	Nut, ½" BSF	38	—	C	LA4
28M/10290	AGS.2001/E/1	Nut, ½" BSF	6	—	C	
28M/9435068	AGS.2008/E/1	Nut, ½" BSF	3	—	C	
28P/5201	AGS.1551/1	Pin, locking	6	—	C	
28W/9419405	SP.13/E	Washer	70	—	C	
	10-20 WC 12619A	ELBOW, de-icing air supply, assembly	1	—	—	LA7
17496	10-20 WC 5249A	HOSE, flexible, de-icing air supply	1	—	C	LA7
		Attachments for 10-20 WC 5249A, Hose :—				
28E/9129562	AGS.605/3	Clip, adjustable	2	—	C	
	18836	10-20 EC 14111A				
		MOUNTING, anti-vibration (Mod. 1314)	8	—	C	LA4
		Attachments for 10-20 EC 14111A, Mounting :—				
28M/10328	AGS.2002/C/1	Nut, 2 BA	2	—	C	
28M/9403520	A27/CP	Nut, 2 BA	2	—	C	
9787	10-20 WC 24209	Stud, 2 BA	4	—	C	LA4
9786	10-20 WC 25541	Stud, 2 BA (for mountings at rib No. 1)	2	—	C	LA4
28W/9419454	SP.10/C	Washer	4	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Place No.
		1 2 3 4 5 6 7 8 9 10				
14681	10-20 WC 11543A	PANEL , access, lower, Port, assembly (For spares use 10-20 WC 28929A/ND)	1	—	—	LA2
	10-20 WC 28929A/ND	PANEL , access, lower, Port, assembly (Spares condition)	1	—	P	
	10-20 WC 11544A	PANEL , access, lower, Starboard, assembly (For spares use 10-20 WC 28930A/ND)	1	—	—	LA2
	10-20 WC 28930A/ND	PANEL , access, lower, Starboard, assembly (Spares condition)	1	—	P	
28D/1202334 28D/1212825 28D/1013178 28D/1212745 28D/1013282 28D/1212748	Attachments for 10-20 WC 11543A, or 10-20 WC 11544A, Panel :—					
	AS.1242/3E	Bolt, $\frac{1}{8}$ " BSF	23	—	C	
	AS.1242/4E	Bolt, $\frac{1}{8}$ " BSF	22	—	C	
	AS.1242/5E	Bolt, $\frac{1}{8}$ " BSF	12	—	C	
	AS.1242/3G	Bolt, $\frac{1}{8}$ " BSF	4	—	C	
	AS.1242/5G	Bolt, $\frac{1}{8}$ " BSF	2	—	C	
	AS.1242/8G	Bolt, $\frac{1}{8}$ " BSF	4	—	C	
	10-20 WC 11549A	PANEL , access, upper, Port, assembly (For spares use 10-20 WC 30901A/ND)	1	—	—	LA2
15873	10-20 WC 30901A/ND	PANEL , access, upper, Port, assembly (Spares condition)	1	—	P	
	10-20 WC 11550A	PANEL , access, upper, Starboard, assembly (For spares use 10-20 WC 30902A/ND)	1	—	—	LA2
	10-20 WC 30902A/ND	PANEL , access, upper, Starboard, assembly (Spares condition)	1	—	P	
	Attachments for 10-20 WC 11549A or 10-20 WC 11550A, Panel :—					
28D/1013177 28D/1202334 28D/1212825 28D/1013179 28D/1212746 28D/1013282 28D/1212748 28D/1213010	AS.1242/2E	Bolt, $\frac{1}{8}$ " BSF	21	—	C	
	AS.1242/3E	Bolt, $\frac{1}{8}$ " BSF	13	—	C	
	AS.1242/4E	Bolt, $\frac{1}{8}$ " BSF	19	—	C	
	AS.1242/6E	Bolt, $\frac{1}{8}$ " BSF	4	—	C	
	AS.1242/4G	Bolt, $\frac{1}{8}$ " BSF	2	—	C	
	AS.1242/5G	Bolt, $\frac{1}{8}$ " BSF	5	—	C	
	AS.1242/8G	Bolt, $\frac{1}{8}$ " BSF	4	—	C	
	AS.1242/6J	Bolt, $\frac{1}{8}$ " BSF	2	—	C	
7734	10-20 WC 6963	RING , "O," at de-icing air supply elbow, silicone rubber	1	—	C	LA7
	10-20 WC 25245A	ANGLE , landing, wingfold top fairing, Port, assembly (For spares use 10-20 WC 27823A/ND)	1	—	—	LA8
12459	10-20 WC 27823A/ND	ANGLE , landing, wingfold top fairing, Port, assembly (Spares condition)	1	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
~~12460~~	~~10-20 WC 37924A/ND~~	~~ANGLE, landing, wingfold top fairing, Starboard, assembly (Spares condition)~~	~~1~~	~~—~~	~~C~~	
	10-20 WC 30243A	ANGLE, landing, wing fold top fairing, Starboard, assembly (Mod. 655) (For spares use 10-20 WC 31589A/ND)	1	—	—	LA8
16292	10-20 WC 31589A/ND	ANGLE, landing, wingfold top fairing, Starboard, assembly (Spares condition)	1	—	C	
		Attachments for 10-20 WC 25245A and 10-20 WC 25246A or 10-20 WC 30243A, Angle :—				
1793	DHS.365/5E	Bolt, $\frac{1}{2}$ " BSF	6	S.96	C	
1794	DHS.365/6E	Bolt, $\frac{1}{2}$ " BSF	1	S.96	C	
2227	DHS.983/E	Nut, $\frac{1}{2}$ " BSF	7	L.65	C	
28W/9419405	SP.15/E	Washer	6	—	C	
	10-20 WC 16477A	ANGLE, wingfold fairing attachment, bottom, forward, Port, assembly	1	—	—	LA8
	10-20 WC 16478A	ANGLE, wingfold fairing attachment, bottom, forward, Starboard, assembly	1	—	—	LA8
		Attachments for 10-20 WC 16477A and 10-20 WC 16478A, Angle :—				
2241	DHS.365/5EE	Bolt, $\frac{1}{2}$ " BSF	6	S.96	C	
2227	DHS.983/E	Nut, $\frac{1}{2}$ " BSF	6	L.65	C	
	10-20 WC 27939A	ANGLE, wingfold fairing attachment, bottom, aft, Port (For spares use 10-20 WC 29897A/ND)	1	—	—	LA8
14782	10-20 WC 29897A/ND	ANGLE, wingfold fairing attachment, bottom, aft, Port (Spares condition)	1	—	P	
	10-20 WC 27940A	ANGLE, wingfold fairing attachment, bottom, aft, Starboard (For spares use 10-20 WC 29898A/ND)	1	—	—	LA8
14783	10-20 WC 29898A/ND	ANGLE, wingfold fairing attachment, bottom, aft, Starboard (Spares condition)	1	—	P	
		Attachments for 10-20 WC 27939A and 10-20 WC 27940A, Angle :—				
1141	DHS.365/1C	Bolt, 2 BA	1	S.96	C	
2348	DHS.358/4E	Bolt, $\frac{1}{2}$ " BSF	2	S.96	C	
2340	DHS.358/4½E	Bolt, $\frac{1}{2}$ " BSF	2	S.96	C	
2248	DHS.358/5E	Bolt, $\frac{1}{2}$ " BSF	2	S.96	C	
2354	DHS.358/8E	Bolt, $\frac{1}{2}$ " BSF	1	S.96	C	
4575	DHS.358/10E	Bolt, $\frac{1}{2}$ " BSF	1	S.96	C	
10052	DHS.358/5½G	Bolt, $\frac{5}{8}$ " BSF	2	S.96	C	
26FC/11711	DHS.365/6G	Bolt, $\frac{3}{8}$ " BSF	1	S.96	C	
3190	DHS.983/G	Nut, $\frac{3}{8}$ " BSF	3	L.65	C	
28M/12931	A27/ET	Nut, $\frac{1}{2}$ " BSF	8	—	C	
28W/9419405	SP.15/E	Washer	6	—	C	
4427	10-20 WC 17853	Washer, plate, Port	1	L.64	C	LA8
4428	10-20 WC 17854	Washer, plate, Starboard	1	L.64	C	LA8

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 16497	ANGLE , wingfold door landing, rear bottom latch, 16 SWG Attachments for 10-20 WC 16497, Angle :—	1	L.72	LM	LA8
5185	DHS.365/9½E	Bolt, ½" BSF	1	S.96	C	
11821	DHS.365/11½E	Bolt, ½" BSF	1	S.96	C	
4374	DHS.365/13G	Bolt, ½" BSF	1	S.96	C	
28M/12931	A27/ET	Nut, ½" BSF	2	—	C	
28M/13326	A27/GT	Nut, ½" BSF	1	—	C	
28W/9419405	SP.15/E	Washer	2	—	C	
28W/9419476	SP.15/G	Washer	1	—	C	
2188	10-20 WC 16215	ANGLE , wingfold fairing attachment, bottom, Port	1	DTD.363	C	LA8
2189	10-20 WC 16216	ANGLE , wingfold fairing attachment, bottom, Starboard Attachments for 10-20 WC 16215 and 10-20 WC 16216, Angle :—	1	DTD.363	C	LA8
2253	DHS.358/7E	Bolt, ½" BSF	29	S.96	C	
2256	DHS.358/9E	Bolt, ½" BSF	4	S.96	C	
4568	DHS.492/8E	Bolt, ½" BSF	1	S.98	C	
10790	DHS.492/9E	Bolt, ½" BSF	1	S.98	C	
4569	DHS.492/10E	Bolt, ½" BSF	1	S.98	C	
4570	DHS.492/11E	Bolt, ½" BSF	2	S.98	C	
4571	DHS.492/12E	Bolt, ½" BSF	2	S.98	C	
4572	DHS.492/13E	Bolt, ½" BSF	1	S.98	C	
8383	DHS.365/6½EE	Bolt, ½" BSF	14	S.96	C	
1795	DHS.365/8E	Bolt, ½" BSF	4	S.96	C	
4567	DHS.492/12G	Bolt, ½" BSF	2	S.98	C	
2203	DHS.492/14G	Bolt, ½" BSF	1	S.98	C	
3012	DHS.492/15G	Bolt, ½" BSF	1	S.98	C	
2227	DHS.983/E	Nut, ½" BSF	18	L.65	C	
28M/12931	A27/ET	Nut, ½" BSF	41	—	C	
28M/13326	A27/GT	Nut, ½" BSF	4	—	C	
28W/9419405	SP.15/E	Washer	29	—	C	
	10-20 WC 17871	Washer	2	L.64	LM	LA8
	10-20 WC 17885	Washer	3	L.64	LM	LA8
	10-20 WC 17887	Washer	3	L.64	LM	LA8
	10-20 WC 17923	Washer	1	L.64	LM	LA8
	10-20 WC 17931	Washer	1	L.64	LM	LA8
	10-20 WC 21229	Washer	1	L.72	LM	LA8
12163	10-20 WC 26767	Washer, Port	1	L.64	LM	LA8
12164	10-20 WC 26768	Washer, Starboard	1	L.64	C	LA8
4422	10-20 WC 17851	Washer, plate, Port	1	L.64	C	LA8
4423	10-20 WC 17852	Washer, plate, Starboard	1	L.64	C	LA8
5071	10-20 WC 21629	Washer, plate, Port	1	L.64	C	LA8
5072	10-20 WC 21630	Washer, plate, Starboard	1	L.64	C	LA8
	10-20 WC 27733	ANGLE , wingfold fairing attachment, top, Port	1	DTD.363	—	LA8
	10-20 WC 27734	ANGLE , wingfold fairing attachment, top, Starboard Attachments for 10-20 WC 27733 and 10-20 WC 27734, Angle :—	1	DTD.363	—	LA8
8517	DHS.358/9½E	Bolt, ½" BSF	1	S.96	C	
4575	DHS.358/10E	Bolt, ½" BSF	1	S.96	C	
4573	DHS.358/11E	Bolt, ½" BSF	1	S.96	C	
7887	DHS.358/12E	Bolt, ½" BSF	1	S.96	C	
8156	DHS.358/12½E	Bolt, ½" BSF	1	S.96	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
8525	DHS.358/13E	Bolt, 1/4"	BSF									1	S.96	C	
8518	DHS.358/14E	Bolt, 1/4"	BSF									1	S.96	C	
	DHS.358/15E	Bolt, 1/4"	BSF									1	S.96	C	
2342	DHS.358/7E	Bolt, 1/4"	BSF									4	S.96	C	
2247	DHS.358/5E	Bolt, 1/4"	BSF									1	S.96	C	
2354	DHS.358/8E	Bolt, 1/4"	BSF									4	S.96	C	
1794	DHS.365/6E	Bolt, 1/4"	BSF									42	S.96	C	
9385	DHS.365/7EE	Bolt, 1/4"	BSF									1	S.96	C	
2256	DHS.358/9E	Bolt, 1/4"	BSF									1	S.96	C	
4575	DHS.358/10E	Bolt, 1/4"	BSF									1	S.96	C	
4573	DHS.358/11E	Bolt, 1/4"	BSF									1	S.96	C	
7887	DHS.358/12E	Bolt, 1/4"	BSF									1	S.96	C	
8525	DHS.358/13E	Bolt, 1/4"	BSF									1	S.96	C	
8522	DHS.358/14E	Bolt, 1/4"	BSF									1	S.96	C	
13568	DHS.365/11EE	Bolt, 1/4"	BSF									1	S.96	C	
13567	DHS.365/13EE	Bolt, 1/4"	BSF									1	S.96	C	
2244	DHS.365/6E	Bolt, 1/4"	BSF									4	S.96	C	
2254	DHS.365/9G	Bolt, 1/4"	BSF									1	S.96	C	
5961	DHS.365/15G	Bolt, 1/4"	BSF (Pre Mod. 584)									1	S.96	C	
	10-20 WC 29281	Bolt, 1/4"	BSF (Mod. 584)									1	S.96	C	LA8
6383	DHS.365/17G	Bolt, 1/4"	BSF									1	S.96	C	
3012	DHS.492/15G	Bolt, 1/4"	BSF									1	S.98	C	
4566	DHS.492/16G	Bolt, 1/4"	BSF									1	S.98	C	
3015	DHS.492/17G	Bolt, 1/4"	BSF									1	S.98	C	
3009	DHS.492/18G	Bolt, 1/4"	BSF									1	S.96	C	
2227	DHS.983/E	Nut, 1/4"	BSF									14	L.65	C	
28M/1011467	A27/ES	Nut, 1/4"	BSF									2	—	C	
28M/12931	A27/ET	Nut, 1/4"	BSF									52	—	C	
28M/1011470	A27/GT	Nut, 1/4"	BSF									11	—	C	
28P/1007741	SP.9/C8	Pin, split										2	—	C	
28W/9419405	SP.15/E	Washer										30	—	C	
28W/9419488	SP.16/G	Washer										4	—	C	
8523	10-20 WC 17849	Washer, Port										1	L.64	C	LA8
8524	10-20 WC 17850	Washer, Starboard										1	L.64	C	LA8
	10-20 WC 17923	Washer										1	L.64	LM	LA8
	10-20 WC 17927	Washer										1	L.64	LM	LA8
	10-20 WC 17925	Washer										2	L.64	LM	LA8
	10-20 WC 17885	Washer										2	L.64	LM	LA8
	10-20 WC 17887	Washer										2	L.64	LM	LA8
8519	10-20 WC 17857	Washer, plate, Port										1	L.64	C	LA8
8520	10-20 WC 17858	Washer, plate, Starboard										1	L.64	C	LA8
13795	10-20 WC 21635	Washer, plate, Port										1	L.64	C	LA8
13796	10-20 WC 21636	Washer, plate, Starboard										1	L.64	C	LA8
8526	10-20 WC 24151	Washer, plate, Port										2	DTD.423	C	LA8
8527	10-20 WC 24152	Washer, plate, Starboard										2	DTD.423	C	LA8
	10-20 WC 21631	Washer, plate, Port										1	DTD.423	—	LA8
	10-20 WC 21632	Washer, plate, Starboard										1	DTD.423	—	LA8
	—	BEAM, main undercarriage door mechanism support, Port and Starboard, group (Drg. No. 10-20 WC 15297)										1	—	—	
	10-20 WC 10383A	BEAM, support, Port, assembly (For spares use 10-20 WC 29061A/ND)										1	—	—	LA9
14176	10-20 WC 29061A/ND	BEAM, support, Port, assembly (Spares condition)										1	—	P	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 10385A	BEAM, support, Starboard, assembly (For spares use 10-20 WC 29063A/ND)										1	—	—	LA9
14177	10-20 WC 29063A/ND	BEAM, support, Starboard, assembly (Spares condition)										1	—	P	
	10-20 WC 10993	BRACKET, angle, Port only, 18 SWG										1	L.72	LM	LA9
	10-20 WC 10994	BRACKET, angle, Starboard only, 18 SWG										1	L.72	LM	LA9
	DHS.419/2G/-49"	BUSH, plain, bracing strut attachment										2	DTD.197	—	LA9
	10-20 WC 16821	BUSH, $\frac{1}{4}$ " i/d $\times$ ".3762 o/d $\times$ ".545 long, at out-board end										3	L.64	—	LA9
	10-20 WC 10983	BUSH, $\frac{1}{4}$ " i/d $\times$ ".3762 o/d $\times$ ".395 long										2	L.64	—	LA9
5121	10-20 WC 10989	BUSH, $\frac{1}{4}$ " i/d $\times$ ".6265 o/d $\times$ ".547 long, servo-dyne pick-up (See Repair Section PA)										1	BS.249	C	LA9
9610	10-20 WC 25845	BUSH, $\frac{3}{8}$ " i/d $\times$ ".7515 o/d $\times$ ".575 long										1	BS.249	C	LA9
28S/1200066	A33/B20	Attachment for 10-20 WC 25845, Bush :— Screw, 4 BA										1	—	C	
5119	10-20 WC 10985	BUSH, ".8095 i/d $\times$ ".9350 o/d $\times$ ".566 long, step-up lever pick-up (See Repair Section PA)										2	L.64	C	LA9
5120	10-20 WC 10987	BUSH, ".8095 i/d $\times$ ".9390 o/d $\times$ 1".206 long, operating lever attachment (See Repair Section PA)										2	L.64	C	LA9
		Attachments for 10-20 WC 10383A or 10-20 WC 10385A, Beam :— At Rib No. 1 :—													
28D/1200119	A25/4C	Bolt, 2 BA										4	—	C	
28D/12536	A25/13C	Bolt, 2 BA										2	—	C	
3815	DHS.358/4 $\frac{1}{2}$ C	Bolt, 2 BA										2	S.96	C	
2340	DHS.358/4 $\frac{3}{8}$ E	Bolt, $\frac{1}{4}$ " BSF										12	S.96	C	
3198	DHS.382/3 $\frac{1}{2}$ E	Bolt, $\frac{1}{4}$ " BSF										2	S.96	C	
2474	DHS.382/4E	Bolt, $\frac{1}{4}$ " BSF										14	S.96	C	
3594	DHS.382/6 $\frac{1}{8}$ E	Bolt, $\frac{1}{4}$ " BSF										3	S.96	C	
28M/9403520	A27/CP	Nut, 2 BA										4	—	C	
28M/1006473	A27/CT	Nut, 2 BA										2	—	C	
28M/12931	A27/ET	Nut, $\frac{1}{4}$ " BSF										29	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA										2	—	C	
28W/9419475	SP.15/C	Washer										4	—	C	
28W/9419404	SP.16/C	Washer										4	—	C	
28W/9419405	SP.15/E	Washer										16	—	C	
28W/9419487	SP.16/E	Washer										13	—	C	
		At Rib No. 2 :—													
28D/1011248	A25/16E	Bolt, $\frac{1}{4}$ " BSF										1	—	C	
28D/12548	A25/17E	Bolt, $\frac{1}{4}$ " BSF										1	—	C	
28D/7002440	A25/18E	Bolt, $\frac{1}{4}$ " BSF										3	—	C	
28M/12928	A27/EP	Nut, $\frac{1}{4}$ " BSF										5	—	C	
5123	10-20 WC 15407	Shim, Attewell ".002 or ".003 lams										1	LA.3	C	LA9
28W/9419487	SP.16/E	Washer										5	—	C	
	10-20 WC 16823	Washer, packing, 22 SWG										2	L.72	LM	LA9

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	QTY	Part No.	QTY	Part No.	QTY
At top skin panel :—							
1792	DHS.365/3C	Bolt, 2 BA	2	S.96	C		
1793	DHS.365/5E	Bolt, 1/4" BSF	26	S.96	C		
3592	DHS.365/6 1/2 E	Bolt, 1/4" BSF	8	S.96	C		
28M/9403520	A27/CP	Nut, 2 BA	2	—	C		
2227	DHS.983/E	Nut, 1/4" BSF	33	L.65	C		
28M/12931	A27/ET	Nut, 1/4" BSF	1	—	C		
28W/9419475	SP.15/C	Washer	2	—	C		
5124	10-20 WC 15025	SPACER, between beam and rib No. 2, Port	1	L.53	C	LA9	
5125	10-20 WC 15026	SPACER, between beam and rib No. 2, Starboard	1	L.53	C	LA9	
Attachments for 10-20 WC 15025 or 10-20 WC 15026.							
Spacer :—							
28D/7002428	A25/6C	Bolt, 2 BA	2	—	C		
28D/1008145	A25/6E	Bolt, 1/4" BSF	4	—	C		
28M/9403520	A27/CP	Nut, 2 BA	2	—	C		
28M/12928	A27/EP	Nut, 1/4" BSF	4	—	C		
28W/9419404	SP.16/C	Washer	2	—	C		
28W/9419487	SP.16/E	Washer	4	—	C		
STRUT, beam support, Port and Starboard, group							
5127	10-20 WC 10995	FORK-END, lower	1	L.64	C	LA9	
26DL/7356	DHS.94/6/115	PIN, ground steel, 3/8" dia., lower fork-end, attachment	5	S.96	C	LA9	
5126	10-20 WC 15405A	STRUT, support, between beam and fork-end at rib No. 1, assembly	1	—	C	LA9	
Spares for :—							
5127	10-20 WC 10995	FORK-END, upper	1	L.64	C	LA9	
26DL/7356	DHS.94/6/115	PIN, ground steel, 3/8" dia., upper fork-end, attachment	5	S.96	C	LA9	
Attachments for — Strut, group :—							
28D/12818	A25/9G	Bolt, 3/16" BSF	2	—	C		
28D/16113	A60/11G	Bolt, 3/16" BSF	2	—	C		
28M/13122	A27/GS	Nut, 3/16" BSF	4	—	C		
28P/1007741	SP.9/C8	Pin, split	4	—	C		
28W/9419488	SP.16/G	Washer	4	—	C		
BLANKING-UNITS, weapon pylon housings, Port and Starboard, group							
(Drg. No. 10-20 A 1765)							
9963	10-20 A 1455A	BLANKING-UNIT, pylon housing, inboard, Port, assembly (Pre Mod. 774)	1	—	P	LA10	
9964	10-20 A 1456A	BLANKING-UNIT, pylon housing, inboard, Starboard, assembly (Pre Mod. 774)	1	—	P	LA10	
9968	10-20 A 1943A	BLANKING-UNIT, pylon housing, outboard, Port, assembly (Pre Mod. 774)	1	—	P	LA10	
9969	10-20 A 1944A	BLANKING-UNIT, pylon housing, outboard, Starboard, assembly (Pre Mod. 774)	1	—	P	LA10	
Spares for :—							
9966	10-20 A 13	PAD, sealing, sponge rubber	1	MD.1	C	LA10	
9965	10-20 A 1323	SPIGOT	1	S.1	C	LA10	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
15737	10-20 A 3025A	BLANKING-UNIT , pylon housing, inboard, Port, assembly (Mod. 774)	1	—	P	LA10
15736	10-20 A 3026A	BLANKING-UNIT , pylon housing, inboard, Starboard, assembly (Mod. 774)	1	—	P	LA10
15739	10-20 A 3029A	BLANKING-UNIT , pylon housing, outboard, Port, assembly (Mod. 774)	1	—	P	LA10
15740	10-20 A 3030A	BLANKING-UNIT , pylon housing, outboard, Starboard, assembly (Mod. 774)	1	—	P	LA10
15738	10-20 A 3017	Spares for:—				
	9966	BOLT , special (Mod. 774)	2	L.64	P	LA10
	9965	PAD , sealing, sponge rubber	1	MD.1	C	LA10
	28W/9419455	SPIGOT	1	S.1	C	LA10
	9967	WASHER , facing	QR	—	C	
		NUT , bearing, blanking-unit attachment	1	S.96	C	LA10
		Note:—This nut is retained and used for weapon pylon attachment				
	—	BOX STOWAGE, FIRESTREAK SAFETY PLUG AND FIRING LINK ON AFT FACE OF MAIN UNDER-CARRIAGE WHEEL BAY, PORT, GROUP (Drg. No. 10-20 A 1985 Mod. 122)	1	—	—	LA10
	—	BOX, STOWAGE, FIRESTREAK SAFETY PLUG AND FIRING LINK ON AFT FACE OF MAIN UNDER-CARRIAGE WHEEL BAY, STARBOARD, GROUP (Drg. No. 10-20 A 1986 Mod. 122)	1	—	—	LA10
13584	10-20 A 2427A/1	BOX , stowage, assembly (Mod. 524)	1	—	C	LA10
		Spares for:—				
	10-20 A 2429ND	BRACKET , angle, box attachment, 20 SWG	4	L.72	LM	LA10
	10-20 A 2443A/1	COVER , assembly	1	—	—	LA10
		Spares for:—				
	10-20 A 2565A	GUIDE , assembly	1	—	—	LA10
		Spares for:—				
	10-20 A 2479	PLATE , backing, 18 SWG	1	L.72	LM	LA10
12489	10-20 A 2571	SPRING	1	S.513	C	LA10
13585	10-20 A 2455A/1	DOOR , assembly	1	—	C	LA10
		Spares for:—				
	10-20 A 2471A	CATCH , assembly	1	—	—	LA10
12491	10-20 A 2473	CATCH	1	DHE.245	C	LA10
	10-20 A 2475	MOUNTING	1	DHE.245	—	LA10
26DV/4210	DHS.94/4/75	PIN , ground steel, 1" dia.	1	S.96	C	LA10
		Attachments for 10-20 A 2471A, Catch:—				
	28D/13868	Bolt; 4 BA	2	—	C	
	28M/10327	Nut; 4 BA	2	—	C	
	28W/9419465	Washer	2	—	C	
	10-20 A 2461ND	HINGE (Make from Part No. AS.1878/40, Ref. No. 28N/10786)	1	L.72	LM	LA10
12492	10-20 A 2463	PLUNGER	1	S.92	C	LA10
	10-20 A 2581ND	SEAL (Make from Linatex Section K.O.154) (Attach with Bostik 1414 or 1430)	1	—	LM	LA10
12493	10-20 A 2465	SPRING	1	Spr. Stl.	C	LA10
	10-20 A 2453ND	STRIP , sorbo rubber, 1" 50 wide x $\frac{3}{16}$ " thick (Ref. Drg. No. 19-20 A 2449A/1)	1	—	LM	LA10
	10-20 A 2599ND	STRIP , sorbo rubber, $\frac{1}{2}$ " wide x $\frac{3}{16}$ " thick (Make from Ref. No. 32C/561) (Ref. Drg. No. 10-20 A 2449A/1)	1	—	LM	LA10
	10-20 A 2467	PLATE , catch, 18 SWG	1	S.510	LM	LA10
	10-20 A 2431ND	WASHER , angle bracket, 16 SWG	4	L.72	LM	LA10
		Attachments for 10-20 A 2427A/1, Box:—				
	28D/11210	Bolt; 2 BA	4	—	C	
28W/9419454	AS.1246/3C SP.10/C	Washer	4	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
14340	10-20 WC 22665	BRACKET , bracing strut attachment, at bottom rear diffusion member and rib No. 4, Port (For spares use 10-20 WC 28801ND)	1	—	—	LA11
	10-20 WC 28801ND	BRACKET , bracing strut attachment, at bottom rear diffusion member and rib No. 4, Port (Spares condition)	1	—	C	
	10-20 WC 22666	BRACKET , bracing strut attachment, at bottom rear diffusion member and rib No. 4, Starboard (For spares use 10-20 WC 28802ND)	1	—	—	LA11
14341	10-20 WC 28802ND	BRACKET , bracing strut attachment, at bottom rear diffusion member and rib No. 4, Starboard (Spares condition)	1	—	C	
		Attachments for 10-20 WC 22665 or 10-20 WC 22666, Bracket:—				
	28D/15710 A59/SE	Bolt, 1/2" BSF ...	2	—	C	
	28M/12931 A27/ET	Nut, 1/2" BSF ...	2	—	C	
	28W/9419405 SP.15/E	Washer ...	2	—	C	
	28W/9419487 SP.16/E	Washer ...	2	—	C	
	10-20 WC 23831A	BRACKET , clamp block, hydraulic pipes, on bottom skin panel in wing-fold jack bay, Port, assembly	1	—	—	LA11
	10-20 WC 23832A	BRACKET , clamp block, hydraulic pipes, on bottom skin panel in wing-fold jack bay, Starboard, assembly	1	—	—	LA11
	10-20 S 4767A	BRACKET , clamp block, hydraulic pipes, on rear bottom inboard latch, assembly	2	—	—	LA11
28M/9435067	10-20 S 4769ND	BRACKET , bare, 18 SWG ...	1	L.72	LM	LA11
	AGS.2008/C/1	NUT , anchor, 2 BA ...	2	—	C	
	10-20 WC 24281	BRACKET , clip, on main spar bottom boom, 18 SWG (Pre Mod. 963)	2	L.72	LM	LA12
	10-20 WC 24281	BRACKET , clip, on main spar bottom boom, 18 SWG, Starboard only (Mod. 963)	1	L.72	LM	LA12
	—	BRACKETS , fuel pump cable clips, on main spar bottom boom, Port, group (Mod. 963) (Drg. No. 10-20 WC 31255)	1	—	—	
	—	BRACKETS , fuel pump cable clips, on main spar bottom boom, Starboard, group (Drg. No. 10-20 WC 6539)	1	—	—	
	10-20 WC 28525	BRACKET , clip attachment, inboard of rib No. 2, 18 SWG	1	L.72	LM	LA12
		Attachments for 10-20 WC 28525, Bracket:—				
13793 2227	DHS.365/12EE	Bolt, 1/2" BSF ...	2	—	C	
	DHS.983/E	Nut, 1/2" BSF ...	1	—	C	
	10-20 WC 28527	BRACKET , clip attachment, inboard of rib No. 3, 18 SWG	1	L.72	LM	LA12
		Attachments for 10-20 WC 28527, Bracket:—				
13568 2227	DHS.365/11EE	Bolt, 1/2" BSF ...	2	—	C	
	DHS.983/E	Nut, 1/2" BSF ...	2	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Place No.
		1 2 3 4 5 6 7 8 9 10				
15506 2227	10-20 WC 28529	BRACKET , clip attachment, outboard of rib No. 3, 18 SWG	1	L.72	LM	LA12
	DHS.365/10½EE	BOLT , 1" BSF	2	—	C	
	DHS.983/E	NUT , 1" BSF	2	—	C	
8383 2227 28W/9418920 28W/9418921	10-20 WC 28529	BRACKET , clip attachment, inboard of rib No. 3A, 18 SWG	1	L.72	LM	LA12
	DHS.365/6½EE	Attachments for 10-20 WC 28529, Bracket :—				
	DHS.983/E	Bolt, 1" BSF	2	—	C	
	SP.10/E	Nut, 1" BSF	2	—	C	
	SP.13/E	Washer } between bracket and boom in spot face	1	—	C	
		Washer }	1	—	C	
2241 2227	10-20 WC 29831	BRACKET , clip attachment, between ribs Nos. 3A and 4, Port, 18 SWG	1	L.72	LM	LA12
	DHS.365/5EE	Attachments for 10-20 WC 29831, Bracket :—				
	DHS.983/E	Bolt, 1" BSF	2	—	C	
	10-20 WC 25319A	BRACKET , micro-switch, at centre bottom latch, on rib No. 4, Port, assembly	1	—	—	LA12
	10-20 WC 25320A	BRACKET , micro-switch, at centre bottom latch, on rib No. 4, Starboard, assembly	1	—	—	LA12
	9157	10-20 WC 25317	1	—	C	LA12
91572 9158	10-20 WC 25318	ARM , Port	1	—	C	LA12
	10-20 WC 25315	ARM , Starboard	1	—	C	LA12
	10-20 WC 25315	BOLT	1	—	C	LA12
9155 9156	10-20 WC 25321	BRACKET , Port	1	—	C	LA12
	10-20 WC 25322	BRACKET , Starboard	1	—	C	LA12
	28M/13121	NUT , 2 BA	1	—	C	
28P/1007741	A27/C5	PIN , split	1	—	C	
	SP.9/C8					
	10-20 WC 17373	BRACKET , pick-up, top, wing-fold jack rear support strut, at rib No. 4, Port (For spares use 10-20 WC 26977ND)	1	—	—	LA11
11258	10-20 WC 26977ND	BRACKET , pick-up, top, wing-fold jack rear support strut, at rib No. 4, Port (Spares condition)	1	—	C	
	10-20 WC 17374	BRACKET , pick-up, top, wing-fold jack rear support strut, at rib No. 4, Starboard (For spares use 10-20 WC 26978ND)	1	—	—	LA11
11259	10-20 WC 26978ND	BRACKET , pick-up, top, wing-fold jack rear support strut, at rib No. 4, Starboard (Spares condition)	1	—	C	
		Attachments for 10-20 WC 17373 or 10-20 WC 17374, Bracket :—				
	28D/1011244	Bolt, 1" BSF	3	—	C	
5201 5954 8530 4569	DHS.492/5½E	Bolt, 1" BSF	4	—	C	
	DHS.492/6E	Bolt, 1" BSF	6	—	C	
	DHS.492/6½E	Bolt, 1" BSF	3	—	C	
28M/12931 28W/9419405	DHS.492/10E	Bolt, 1" BSF	1	—	C	
	A27/ET	Nut, 1" BSF	17	—	C	
	SP.15/E	Washer	17	—	C	
12177 8531	10-20 WC 17347	Washer, shim	1	—	C	LA11
	10-20 WC 17377	Washer, shim	1	—	C	LA11

RESTRICTED

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
2184	10-20 WC 5959	BRACKET , stabiliser, rear bottom skin panel, at rear wheel well wall, Port	1	—	C	LA11
2185	10-20 WC 5960	BRACKET , stabiliser, rear bottom skin panel, at rear wheel well wall, Starboard	1	—	C	LA11
		Attachments for 10-20 WC 5959 or 10-20 WC 5960, Bracket :—				
15549	DHS.1063/3½E	Bolt, ½" BSF ...	2	—	C	
15550	DHS.1063/4E	Bolt, ½" BSF ...	1	—	C	
28D/7002427	A25/6G	Bolt, ⅜" BSF ...	1	—	C	
2244	DHS.365/6½G	Bolt, ⅜" BSF ...	1	—	C	
2227	DHS.983/E	Nut, ½" BSF ...	3	—	C	
28M/1011470	A27/GT	Nut, ⅜" BSF ...	1	—	C	
28M/1006939	A27/GP	Nut, ⅜" BSF ...	1	—	C	
28W/9419476	SP.15/G	Washer ...	1	—	C	
	10-20 WC 17375	BRACKET , stabiliser, rear bottom skin panel, at rear wheel well wall and rib No. 4, Port (For spares use 10-20 WC 28395ND)	1	—	—	LA11
12933	10-20 WC 28395ND	BRACKET , stabiliser, rear bottom skin panel, at rear wheel well wall and rib No. 4, Port (Spares condition)	1	—	C	
	10-20 WC 17376	BRACKET , stabiliser, rear bottom skin panel, at rear wheel well wall and rib No. 4, Starboard (For spares use 10-20 WC 28396ND)	1	—	—	LA11
12934	10-20 WC 28396ND	BRACKET , stabiliser, rear bottom skin panel, at rear wheel well wall and rib No. 4, Starboard (Spares condition)	1	—	C	
		Attachments for 10-20 WC 17375 or 10-20 WC 17376, Bracket :—				
2247	DHS.358/5½E	Bolt, ½" BSF ...	1	—	C	
15355	DHS.1063/4½E	Bolt, ½" BSF ...	5	—	C	
15552	DHS.1063/5E	Bolt, ½" BSF ...	2	—	C	
28D/1202771	A25/4G	Bolt, ⅜" BSF ...	1	—	C	
2244	DHS.365/6½G	Bolt, ⅜" BSF ...	1	—	C	
2227	DHS.983/E	Nut, ½" BSF ...	7	—	C	
28M/1006939	A27/GP	Nut, ⅜" BSF ...	1	—	C	
28M/12931	A27/ET	Nut, ½" BSF ...	1	—	C	
28M/1011470	A27/GT	Nut, ⅜" BSF ...	1	—	C	
28W/9419405	SP.15/E	Washer ...	1	—	C	
28W/9419476	SP.15/G	Washer ...	1	—	C	
26FN/3263	DHS.69/EE	Washer, shim ...	1	—	C	
	—	BULKHEAD , semi, str. 197"-45, at shear panel doors, group (Drg. Nos. 10-20 WC 25527, 10-20 WC 25595, 10-20 WC 27533 and 10-20 WC 27761)	1	—	—	
13150	10-20 WC 27755A	BRACKET , mounting, R.A.E. fatigue meters, assembly	1	—	C	LA14
		Attachments for 10-20 WC 27755A, Bracket :—				
28D/9133011	A25/2C	Bolt, 2 BA ...	2	—	C	
28D/1007975	AS.1242/1C	Bolt, 2 BA ...	2	—	C	
28W/9419402	SP.13/C	Washer ...	2	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 24475A/1	BULKHEAD , semi, stn. 197"-45, assembly (Mod. 46) Spares for :—	1	—	—	LA13
	10-20 WC 13815ND	BLOCK , stop, for strut, at centre of bulkhead ... Attachments for 10-20 WC 13815ND, Block :—	1	LFB.89 or LFS.26	LM	LA14
28D/1011023	A25/20C	Bolt, 2 BA	1	—	C	
28M/1006473	A27/CT	Nut, 2 BA	1	—	C	
28W/9419402	SP.13/C	Washer	1	—	C	
	10-20 WC 23383A	BRACKET , bulkhead attachment, Port, assembly (Mod. 46)	1	—	—	LA13
	10-20 WC 21659A	BRACKET , attachment, assembly (Mod. 46) (For spares use 10-20 WC 28933A/ND)	1	—	—	LA13
14063	10-20 WC 28933A/ND	BRACKET , attachment, assembly (Spares condition) Spares for :—	1	—	C	
9297	10-20 P 887	SPINDLE , pulley, threaded 1/2" BSF	1	—	C	LA13
9296	10-20 WC 11215	GUARD , cable Attachments for 10-20 WC 11215, Guard :—	1	—	C	LA13
4186	A25/2C/DHS.514/D	Bolt, 2 BA	3	—	C	LA13
28W/9419402	SP.13/C	Washer	3	—	C	
28R/13502	AS.111	PULLEY , ball bearing Attachments for AS.111, Pulley :—	6	—	C	LA13
26DL/6752	A25/21E/DHS.514/D	Bolt, 1/2" BSF (pulley spindle)	1	—	C	LA13
28W/9418921	SP.13/E	Washer	1	—	C	
28R/13502	AS.111	PULLEY , ball bearing Attachments for AS.111, Pulley :—	1	—	C	LA13
28M/1011467	A27/ES	Nut, 1/2" BSF	1	—	C	
28P/1007741	SP.9/C8	Pin, split	1	—	C	
28W/9418921	SP.13/E	Washer	2	—	C	
28D/9436920	A25/1C	Attachments for 10-20 WC 23383A, Bracket :—				
3411	A25/1C/DHS.514/D	Bolt, 2 BA	6	—	C	
28D/16106	A59/13E	Bolt, 2 BA	2	—	C	
9298	10-20 WC 11045	Bolt, 1/2" BSF	1	—	C	LA13
28M/1011467	A27/ES	Bush	1	—	C	
28P/1007741	SP.9/C8	Nut, 1/2" BSF	1	—	C	
28W/1006940	AGS.2034/C	Pin, split	1	—	C	
28W/9418921	SP.13/E	Washer, shakeproof	6	—	C	
28W/1009699	SP.55/C	Washer	1	—	C	
	10-20 WC 29205A	Washer, spring	2	—	C	
	10-20 WC 14525A	BRACKET , bulkhead attachment, starboard, assembly (Mod. 216)	1	—	—	LA13
12266	10-20 WC 27465ND	BRACKET , assembly (For Spares use 10-20 WC 27465ND) BRACKET , assembly (Spares condition) Spares for :—	1	—	P	LA13
9873	10-20 WC 11855	GUARD , cable	1	—	C	LA13
16136	10-20 WC 28787	GUARD , cable Attachments for 10-20 WC 28787, Guard :—	1	—	C	LA13
28D/1011019	A25/8C	Bolt, 2 BA	1	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	1	—	C	
28W/9419402	SP.13/C	Washer	1	—	C	

RESTRICTED

MAIN PLANES

WING CENTRE SECTION

Ref. No.	Part No.	Description	QTY	Material	Class of proof	Plate No.
		1 2 3 4 5 6 7 8 9 10				
1787	DHS.797/20	PULLEY , cable, assembly	1	—	C	LA13
		Attachments for DHS.797/20, Pulley :—				
28M/1011476	A27/J5	Nut, $\frac{3}{8}$ " BSF	1	—	C	
28P/1007741	SP.9/C8	Pin, split	1	—	C	
28W/9419466	SP.13/J	Washer	1	—	C	
16135	10-20 WC 28785	SPIGOT , pulley spindle	1	S.96	C	LA13
		Attachments for 10-20 WC 29205A, Bracket :—				
28D/9436920	A25/1C	Bolt, 2 BA	7	—	C	
3411	A25/1C/DHS.514/D	Bolt, 2 BA	2	—	C	
28D/16106	A59/13E	Bolt, $\frac{1}{2}$ " BSF	1	—	C	
9298	10-20 WC 11045	Bush	1	—	C	LA13
28M/1011467	A27/E5	Nut, $\frac{1}{2}$ " BSF	1	—	C	
28P/1007741	SP.9/C8	Pin, split	1	—	C	
28W/1006940	AGS.2034/C	Washer, shakeproof	7	—	C	
28W/9418921	SP.13/E	Washer	1	—	C	
28W/1009699	SP.55/C	Washer	2	—	C	
	10-20 WC 25539A	BRACKET , centre attachment, assembly ...	1	—	—	LA13
		Spares for :—				
	10-20 WC 13717ND	PLATE , locking, 18 SWG	1	L.72	LM	LA13
		Attachments for 10-20 WC 13717ND, Plate :—				
26DL/14979	A25/9G/DHS.514/D	Bolt, 2 BA	1	—	C	LA13
	AS.2806/4/091	Tube, distance, $\frac{1}{4}$ " o/d $\times$ 22 SWG $\times$ 0"-91 long	1	T.35	LM	
28R/13502	AS.111	PULLEY , ball bearing	2	—	C	LA13
		Attachments for AS.111, Pulley :—				
28M/1011467	A27/E5	Nut, $\frac{1}{2}$ " BSF	1	—	C	
28P/1007741	SP.9/C8	Pin, split	1	—	C	
28W/9419405	SP.15/E	Washer	1	—	C	
9297	10-20 P 887	SPINDLE , pulley, threaded, $\frac{1}{2}$ " BSF ...	1	S.93	C	LA13
		Attachments for 10-20 WC 25539A, Bracket :—				
28D/9133011	A25/2C	Bolt, 2 BA	6	—	C	
28D/9133012	A25/3C	Bolt, 2 BA	2	—	C	
28M/1010996	A24/CP	Nut, 2 BA	6	—	C	
28M/9403520	A27/CP	Nut, 2 BA	2	—	C	
28W/9419402	SP.13/C	Washer	2	—	C	
28W/9428924	SP.14/C	Washer	6	—	C	
	10-20 WC 27189A	BRACKET , clamp block, inboard, Port, assembly	1	—	—	LA14
	10-20 WC 27159ND	BRACKET , bare, 20 SWG	1	L.72	LM	LA14
28M/9144673	AGS.2019/C/1	NUT , anchor, 2 BA	2	—	C	
	10-20 WC 25483A	BRACKET , clamp block, inboard, Port, assembly	1	—	—	LA13
	10-20 WC 25481ND	BRACKET , bare, 20 SWG	1	L.72	LM	LA13
28M/9144673	AGS.2019/C/1	NUT , anchor, 2 BA	2	—	C	
	10-20 WC 29107A	BRACKET , clamp block, inboard, Port, assembly	1	—	—	LA14
	10-20 WC 29109ND	BRACKET , bare, 18 SWG	1	L.72	LM	LA14
28M/12421	AGS.2018/C/1	NUT , anchor, 2 BA	2	—	C	
	10-20 WC 25487A	BRACKET , clamp block, inboard, Starboard, assembly	1	—	—	LA13
	10-20 WC 20645A	BRACKET , clamp block, outboard, Port, assembly	1	—	—	LA13
	10-20 WC 20643ND	BRACKET , bare, 22 SWG	1	L.72	LM	LA13
28M/9144673	AGS.2019/C/1	NUT , anchor, 2 BA	2	—	C	
	10-20 WC 25455A	BRACKET , clamp block, outboard, Starboard, assembly	1	—	—	LA13

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Place No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 20659A	BRACKET , mounting, pressure relief valve, Starboard, assembly	1	—	—	LA13
	—	BRACKET , pulley, and cable guard, inboard, Port, group	1	—	—	
9872	10-20 WC 20825A	BRACKET , pulley, assembly	1	—	C	LA13
		Spares for :—				
28M/1011467	A27/ES	NUT , 1" BSF	1	—	C	
28P/1007741	SP.9/C8	PIN , split	1	—	C	
9303	10-20 P 885	SPINDLE , pulley, threaded, 1" BSF	1	—	C	LA13
28W/9418921	SP.13/E	WASHER	1	—	C	
		Attachments for 10-20 WC 20825A, Bracket :—				
28D/9133011	A25/2C	Bolt, 2 BA	2	—	C	
28M/9403520	A27/CP	Nut, 2 BA	2	—	C	
28W/9419402	SP.13/C	Washer	2	—	C	
	10-20 WC 13717ND	PLATE , locking, 18 SWG	1	L.72	LM	LA13
		Attachments for 10-20 WC 13717ND, Plate :—				
28D/9140644	A25/9C	Bolt, 2 BA	1	—	C	
	AS.2806/4/090	Tube, distance, 1" o/d x 22 SWG x 0".90 long	1	T.35	LM	
28R/13502	AS.111	PULLEY , cable	2	—	C	LA13
		Attachments for AS.111, Pulley :—				
28M/1011467	A27/ES	Nut, 1" BSF	1	—	C	
28P/1007741	SP.9/C8	Pin, split	1	—	C	
28W/9419405	SP.15/E	Washer	1	—	C	
9091	10-20 P 1505	BRACKET , valve support, at centre of bulkhead	1	—	C	LA13
	10-20 WC 13813ND	CHANNEL , stop block housing, 18 SWG	1	L.72	LM	LA14
17294	10-20 WC 40465	FAIRLEAD , inboard, Port (Mod. 1165)	1	P.T.F.E.	C	LA13
	10-20 WC 40845	FAIRLEAD , half, inboard, Port (Mod. 1165)	1	LFS.23 or LFS.26	—	LA13
	10-20 WC 40847	FAIRLEAD , half, inboard, Port (Mod. 1165)	1	LFS.23 or LFS.26	—	LA13
		Attachments for 10-20 WC 40465, 10-20 WC 40845 and 10-20 WC 40847, Fairlead (per pair) :—				
28D/9133012	A25/3C	Bolt, 2 BA	2	—	C	
28D/7002428	A25/6C	Bolt, 2 BA	2	—	C	
28M/10288	AGS.2001/C/1	Nut, 1 BA	4	—	C	
28W/9419402	SP.13/C	Washer	6	—	C	
9876	10-20 WC 12833A	HINGE , battery tray, assembly	4	—	C	LA14
		Spares for :—				
9877	DHS.419/2/E/".285	BUSH (See Repair section PA)	1	—	C	
		Attachments for 10-20 WC 12833A, Hinge :—				
28D/9133011	A25/2C	Bolt, 1 BA	4	—	C	
28D/9133012	A25/3C	Bolt, 2 BA (Starboard inboard hinge only)	1	—	C	
28M/9403520	A27/CP	Nut, 2 BA	2	—	C	
28W/9419454	SP.10/C	Washer	2	—	C	
28W/9419402	SP.13/C	Washer	2	—	C	
28W/9419402	SP.13/C	Washer (Starboard inboard hinge only)	3	—	C	
	10-20 WC 26805A	MOUNTING , lower, V.G. recorder, assembly	1	—	—	LA14
	10-20 WC 26833A	MOUNTING , upper, V.G. recorder, assembly	1	—	—	LA14
	10-20 WC 26813ND	BLOCK , lower and upper mounting	3	L.65	LM	LA14
	10-20 WC 26815ND	BLOCK , lower mounting only	1	L.65	LM	LA14
	10-20 WC 26817ND	BRACKET , lower, bare, 18 SWG	1	L.72	LM	LA14
	10-20 WC 26835ND	BRACKET , upper, bare, 18 SWG	1	L.72	LM	LA14
13145	10-20 WC 26807A/ND	CLAMP , attachment, V.G. recorder, assembly	2	—	C	LA14

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
28D/1011023	A25/20C	Attachments for 10-20 WC 26807A/ND, Clamp :—	1	—	C	LA14
28D/1012995	A25/22C	Bolt, 2 BA, upper mounting	1	—	C	
28M/9403520	A27/CP	Bolt, 2 BA, lower mounting	1	—	C	
	12-20 S 2423ND	Nut, 2 BA	1	—	C	
28W/9419465	SP.13/B	Tube, distance, $\frac{1}{16}$ " o/d $\times$ 16 SWG $\times$ 0"5 long	1	T.26	LM	
28W/9419402	SP.13/C	Washer	1	—	C	
	10-20 WC 30259A	Washer	1	—	C	
		PIPE, fuel, booster pump drain, at semi-bulkhead, stn. 197"45, Port, assembly (Mod. 835)	1	—	—	
16507	10-20 WC 31113A/ND	PIPE, flanged, assembly	1	—	C	LA13
16508	10-20 WC 31115A/ND	PIPE, branch, assembly	1	—	C	LA13
	10-20 WC 30265A	PIPE, fuel, booster pump drain, at semi-bulkhead, stn. 197"45, Starboard, assembly (Mod. 835)	1	—	—	
16509	10-20 WC 31121A/ND	PIPE, flanged, assembly	1	—	C	LA13
16510	10-20 WC 31123A/ND	PIPE, branch, assembly	1	—	C	LA13
		Attachments for 10-20 WC 30259A or 10-20 WC 30265A, Pipe :—				
28D/1007971	A25/ $\frac{1}{2}$ B	Bolt, 4 BA	2	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	2	—	C	
7215	DHS.373/6	Tubing, rubber, kerosene resistant, $\frac{3}{8}$ " i.d. $\times$ 1"75 long	1	—	C	LA13
28W/9437455	SP.25/B	Washer	2	—	C	
20452	10-20 WC 41893A	RING, reinforcing, assembly	2	—	C	LA13
	10-20 WC 30431ND	SEAL, rubber, 51"0 long, at bulkhead base (Make from standard section Ref. No. 26FY/6636)	1	—	LM	LA14
	10-20 WC 8933ND	STRIP, sealing, kerosene resistant sorbo rubber, top edge bulkhead, $\frac{1}{2}$ " $\times$ $\frac{1}{2}$ " $\times$ 21"2 long	2	—	—	LA13
13571	10-20 P 3661A	VENT, fitting, at bulkhead base, assembly ...	2	—	C	LA13
	10-20 WC 26293A	PLATE, sealing, semi-bulkhead, stn. 197"45, Port, bottom, assembly (For spares use 10-20 WC 41149A/ND)	1	—	—	LA13
18864	10-20 WC 41149A/ND	PLATE, sealing, semi-bulkhead, stn. 197"45, Port, bottom, assembly (Spares condition)	1	—	C	
	10-20 WC 25255A	PLATE, sealing, semi-bulkhead, stn. 197"45, Port, assembly	1	—	—	LA14
28D/9133012	A25/3C	BOLT, 2 BA, securing fairleads	6	—	C	
28D/7002428	A25/6C	BOLT, 2 BA, securing fairlead	1	—	C	
	10-20 WC 11503	FAIRLEAD, half	1	LFS.23 or 26	LM	LA14
	10-20 WC 11505	FAIRLEAD, half	1	LFS.23 or 26	LM	LA14
	10-20 WC 11507	FAIRLEAD, half	1	LFS.23 or 26	LM	LA14
	10-20 WC 11509	FAIRLEAD, half	1	LFS.23 or 26	LM	LA14
28M/10328	AGS.2002/C/1	NUT, 2 BA, for fairlead securing bolts	7	—	C	
15382	10-20 WC 30139	PLATE, sealing (Mod. 377)	1	—	C	LA14
	10-20 WC 11513ND	STRIP, sealing, $\frac{1}{2}$ " $\times$ $\frac{1}{2}$ " $\times$ 31" long, kerosene resistant sorbo rubber	1	—	LM	LA14
28W/9419454	SP.10/C	WASHER, under bolt heads, securing fairleads	7	—	C	
28W/9419402	SP.13/C	WASHER, under nuts securing fairleads ...	7	—	C	
	10-20 WC 40193A	PLATE, sealing, semi-bulkhead, stn. 197"45, Starboard, bottom, assembly (For spares use 10-20 WC 41153A/ND)	1	—	—	LA13
18863	10-20 WC 41153A/ND	PLATE, sealing, semi-bulkhead, stn. 197"45, Starboard, bottom, assembly (Spares condition)	1	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 29219A	PLATE, sealing, semi-bulkhead, stn. 197"-45, Starboard, assembly										1	—	—	LA14
28D/9133012	A25/3C	BOLT, 2 BA, securing fairleads										13	—	C	
28D/9133013	A25/5C	BOLT, 2 BA, securing fairlead										1	—	C	
	10-20 WC 23187	FAIRLEAD, half										1	LFS.23 or 26	LM	LA14
	10-20 WC 23185	FAIRLEAD, half										1	LFS.23 or 26	LM	LA14
	10-20 WC 28835	FAIRLEAD, half										1	LFS.23 or 26	LM	LA14
	10-20 WC 23199	FAIRLEAD, half										1	LFS.23 or 26	LM	LA14
	10-20 WC 28791	FAIRLEAD, half										1	LFS.23 or 26	LM	LA14
	10-20 WC 28793	FAIRLEAD, half										1	LFS.23 or 26	LM	LA14
	10-20 WC 28833	FAIRLEAD, one third										1	LFS.23 or 26	LM	LA14
	10-20 WC 23191	FAIRLEAD, one third										1	LFS.23 or 26	LM	LA14
	10-20 WC 23189	FAIRLEAD, one third										1	LFS.23 or 26	LM	LA14
28M/10328	AGS.2002/C/1	NUT, 2 BA, for fairlead securing bolts										14	—	C	
	10-20 WC 29171	PLATE, sealing, 22 SWG										1	L.72	—	LA14
	10-20 WC 11601ND	STRIP, sealing, $\frac{1}{2}$ " x $\frac{1}{2}$ " x 0"-70 long, kerosene resistant sorbo rubber										1	—	LM	LA14
	10-20 WC 11603ND	STRIP, sealing, $\frac{1}{2}$ " x $\frac{1}{2}$ ", kerosene resistant sorbo rubber										1	—	LM	LA14
28W/9419454	SP.10/C	WASHER, under bolt heads, securing fairleads										14	—	C	
28W/9419402	SP.13/C	WASHER, under nuts securing fairleads ...										14	—	C	
9295	10-20 WC 24053A	STRUT, support, bulkhead to bottom boom, assembly										1	—	C	LA14
		Attachments for 10-20 WC 24053A, Strut :—													
28D/1011247	A25/13E	Bolt, $\frac{1}{2}$ " BSF										1	—	C	
28D/9133208	A25/20E	Bolt, $\frac{1}{2}$ " BSF										1	—	C	
28M/1011475	A27/EP	Nut, $\frac{1}{2}$ " BSF										2	—	C	
28W/9418921	SP.13/E	Washer										2	—	C	
	—	TRAY, battery mounting, at semi-bulkhead, stn. 197"-45, Port and Starboard, group (Drg. No. 10-20 N 4653A)										1	—	—	LA15
9770	10-20 N 9147A	PIPE, battery vent, Port, assembly										1	—	C	LA15
9771	10-20 N 9148A	PIPE, battery vent, Starboard, assembly ...										1	—	C	LA15
		Spares for :—													
5981	10-20 N 4655	SLEEVE, end, neoprene, shore hardness 30°-40°										1	—	—	LA15
		Attachments for 10-20 N 9147A or 10-20 N 9148A, Pipe :—													
28D/9436920	A25/1C	Bolt, 2 BA										2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA										2	—	C	
28W/9419454	SP.10/C	Washer										2	—	C	
28W/9419402	SP.13/C	Washer										2	—	C	
5982	10-20 N 4679ND	SHIM, "Attewell," $\frac{1}{8}$ " x $\frac{1}{4}$ "-60 x 1"-80, under battery tray brackets										QR	—	C	LA15
	10-20 N 4415A	TRAY, battery, group										1	—	—	LA15
13080	10-20 N 7705	BOLT, clamp, battery, $\frac{1}{4}$ " BSF										2	—	C	LA15
5973	10-20 N 4417A	HINGE, fitting, assembly										1	—	C	LA15
		Spares for :—													
	DHS.418/2/E/"-192	BUSH										2	—	—	LA15
	DHS.418/2/E/"-20	BUSH										4	—	—	LA15
	DHS.418/2/G/"-242	BUSH										4	—	—	LA15

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Score or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
5976	10-20 N 4425	LEVER, hinge	2	—	C	LA15
5975	10-20 N 4429	PIN, hinge	2	—	C	LA15
	10-20 N 12217A/ND	PLATE, "U," at clamp bolt, assembly ...	2	—	—	LA15
	10-20 N 12067ND	PLATE, "U," 18 SWG	1	S.510	LM	LA15
28W/9419402	SP.13/C	WASHER	2	—	C	
		Attachments for 10-20 N 12217A/ND, Plate :—				
28P/1013002	SP.4Y/B9	Pin, shackle	1	—	C	
28P/9527619	SP.90/C7	Pin, split (SP.9/C8)	1	—	C	
28W/9419454	SP.10/C	Washer	1	—	C	
5977	10-20 N 4433	SPRING, at hinge pins	2	—	C	LA15
5974	10-20 N 4385A	TRAY, battery, assembly	1	—	P	LA15
	10-20 N 4414ND	FITTING, clamp, aft, inboard, 14 SWG ...	1	L.73	LM	LA15
	10-20 N 4413ND	FITTING, clamp, aft, outboard, 14 SWG ...	1	L.73	LM	LA15
	10-20 N 4412ND	FITTING, clamp, forward, inboard, 14 SWG	1	L.73	LM	LA15
	10-20 N 4411ND	FITTING, clamp, forward, outboard, 14 SWG	1	L.73	LM	LA15
	10-20 N 4396ND	FITTING, hinge, inboard, 14 SWG	1	L.73	LM	LA15
	10-20 N 4395ND	FITTING, hinge, outboard, 14 SWG	1	L.73	LM	LA15
		Attachments for 10-20 N 4396ND or 10-20 N 4395ND, Fitting :—				
28D/1013284	AS.1248/2C	Bolt, 2 BA	4	—	C	
28M/1006473	A27/CT	Nut, 2 BA	4	—	C	
28W/9419454	SP.10/C	Washer	2	—	C	
28W/9419475	SP.15/C	Washer	2	—	C	
	10-20 N 4393ND	Washer, 12 SWG	2	L.72	LM	LA15
	10-20 N 4397ND	FITTING, hinge, 14 SWG	2	L.73	LM	LA15
	10-20 N 4401ND	PAD, base, rubber, $\frac{1}{16}$ " thick	1	Comml. Rubber	LM	LA15
	10-20 N 4391ND	PLATE, aft, 18 SWG	1	L.73	LM	LA15
	10-20 N 4409ND	PLATE, doubler, 16 SWG	1	L.73	LM	LA15
	10-20 N 4389ND	PLATE, forward, 18 SWG	1	L.73	LM	LA15
	10-20 N 4399ND	STRIP, rubber, aft, $\frac{1}{16}$ " thick $\times$ 4'-95 long	1	Comml. Rubber	LM	LA15
	10-20 N 4403ND	STRIP, rubber, forward, $\frac{1}{16}$ " thick $\times$ 7'-66 long	2	Comml. Rubber	LM	LA15
	10-20 N 4405ND	STRIP, rubber, forward, $\frac{1}{16}$ " thick $\times$ 6'-35 long	1	Comml. Rubber	LM	LA15
	10-20 N 4407ND	STRIP, rubber, sides, $\frac{1}{16}$ " thick $\times$ 9'-85 long	2	Comml. Rubber	LM	LA15
	10-20 N 4387ND	TRAY, bare, 18 SWG	1	L.73	—	LA15
	10-20 N 4431	TUBE, distance, outer, at hinge pins (Make from AS.2811/6/020) $\frac{3}{8}$ " o/d $\times$ 17 SWG $\times$ 0'-20 long	2	L.62	LM	LA15
	AS.2811/6/050	TUBE, distance, inner, at hinge pins, $\frac{3}{8}$ " o/d $\times$ 17 SWG $\times$ 0'-50 long	2	L.62	LM	
28W/9418920	SP.10/E	WASHER, at hinge pins	2	—	C	
		Attachments for 10-20 N 4415A, Tray :—				
28P/9527619	SP.90/C7	Pin, split (SP.9/C8)	4	—	C	
28P/865	SP.4Y/D7	Pin, shackle	2	—	C	
28P/867	SP.4Y/D9	Pin, shackle	2	—	C	
28W/9418921	SP.13/E	Washer	6	—	C	
10050	10-20 WC 3205	COVER, access, in bottom skin, to gear box flap mechanism, Starboard only	1	—	C	LA16
		Attachments for 10-20 WC 3205, Cover :—				
19915	DHS.825/2E	Bolt, $\frac{1}{4}$ " BSF	8	—	C	LA16

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description 1 2 3 4 5 6 7 8 9 10	No. off	Material Specification	Class of Store or L.M.	Place No.
13216	10-20 WC 28519A	COVER , access, in bottom skin, to wingfold jack connections, assembly	2	—	C	LA16
19907	DHS.823/5E	Attachments for 10-20 WC 28519A, Cover :— Bolt, $\frac{1}{8}$ " BSF	8	—	C	LA16
19910	DHS.823	Bolt, $\frac{1}{8}$ " BSF	9	—	C	LA16
19913	DHS.823/6 $\frac{1}{2}$ G	Bolt, $\frac{3}{8}$ " BSF	3	—	C	LA16
75	S10-20 WC 13	COVER , manhole, tank No. 1A (Special spares assembly complete with attachments)	2	—	P	LA16
	10-20 WC 15617A	COVER , manhole, tank No. 1A, less attachments, assembly Spares for :—	2	—	—	LA16
16805	10-20 P 8093A	DRAIN , water, assembly (Mod. 1038) Spares for :—	1	—	P	LA16
14278	10-20 P 3831	CAM	1	—	C	LA16
5505	10-20 P 2311	HOUSING	1	—	C	LA16
28P/9527619	SP.90/C7	PIN , split, securing spindle (SP.9/C8)	1	—	C	
28S/1013561	A55/B4	SCREW , grub, 4 BA	1	—	C	
	10-20 P 8477ND	SHIM , $\frac{1}{16}$ " o/d $\times$ $\frac{1}{16}$ " i/d $\times$ $\frac{1}{16}$ " brass, "Attewell"	1	LB.2	LM	LA16
16806	10-20 P 8087A	SPINDLE , assembly	1	—	C	LA16
5503	10-20 P 2321	SPRING	1	—	C	LA16
		Attachments for 10-20 P 8093A, Drain :—				
10047	DHS.395/5C	Bolt, 2 BA, assembly	4	—	C	LA16
28M/9403520	A27/CP	Nut, 2 BA	4	—	C	
27QA/232	DOWTY SP.900/3	Ring, "O," sealing	4	—	C	
26DV/11369	DHS.386/G	NUT , $\frac{1}{8}$ " BSF, anchor	54	—	C	LA16
10046	10-20 WC 10645	RING , sealing, Resista rubber	1	—	C	LA16
3782	DHS.396/G	WASHER , plate, under anchor nuts	54	—	C	LA16
		Attachments for 10-20 WC 15617A, Cover :—				
19916	DHS.820/5 $\frac{1}{2}$ G	Bolt, $\frac{5}{8}$ " BSF	54	—	C	LA16
76	S10-20 WC 14	COVER , manhole, tank No. 2 (Special spares assembly complete with attachments)	2	—	P	LA16
	10-20 WC 16097A	COVER , manhole, tank No. 2, less attachments, assembly Spares for :—	2	—	—	LA16
26DV/11369	DHS.386/G	NUT , $\frac{1}{8}$ " BSF, anchor	54	—	C	LA16
3644	10-20 WE 3911	PLUG , locating	2	—	C	LA16
10049	10-20 WC 17431	RING , sealing, rubber	1	—	C	LA16
	10-20 P 2797A	VALVE , drain, assembly Spares for :—	1	—	—	LA16
5506	10-20 P 2801	BODY	1	—	C	LA16
26DL/2581	6 P 343	CAP	1	—	C	LA16
26DL/6773	AS.403	GUIDE , assembly	1	—	C	LA16
26DL/2582	6 P 347	RING , seating, rubber	1	—	C	LA16
28Y/13380	AS.404	SPRING , 16 SWG	1	—	C	LA16
28Y/13381	AS.2579	VALVE	1	—	C	LA16
26DL/2583	6 P 345	WASHER (NEO-K-TEX HR.2.30)	1	—	C	LA16
		Attachments for 10-20 P 2797A, Valve :—				
13823	DHS.1093/4 $\frac{1}{2}$ EE	Bolt, $\frac{1}{2}$ " BSF	8	—	C	LA16
2227	DHS.983/E	Nut, $\frac{1}{2}$ " BSF	8	—	C	LA16
3642	10 N 915	Ring, sealing, rubber	1	—	C	LA16
3782	DHS.396/G	WASHER , plate, under anchor nuts	54	—	C	LA16
26FC/8947	DHS.388/J	WASHER , sealing, under locating plug	2	—	C	LA16
2358	DHS.388/G	WASHER , sealing, under stiffeners	6	—	C	LA16
		Attachments for 10-20 WC 16097A, Cover :—				
19909	DHS.823/4 $\frac{1}{2}$ G	Bolt, $\frac{3}{4}$ " BSF	48	—	C	LA16
19911	DHS.823/5 $\frac{1}{2}$ G	Bolt, $\frac{5}{8}$ " BSF	6	—	C	LA16

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
	—	COVER , access, to extension bays to electrical equipment panels coded "FA" and "FB" and de-icing ducting, top wing fairing, Port and Starboard, installation (Drg. No. 10-20 WC 31707) (Mod. 913)										1	—	—	LA17
	10-20 WC 11629ND	ANGLE , mounting, at access cover inner edge, and inboard fairing outer edge, Port, 18 SWG (For spares use 10-20 WC 27255ND)										1	—	—	LA17
12012	10-20 WC 27255ND	ANGLE , mounting, at access cover inner edge, and inboard fairing outer edge, Port, 18 SWG (Spares condition)										1	—	C	
	10-20 WC 11630ND	ANGLE , mounting, at access cover inner edge, and inboard fairing outer edge, Starboard, 18 SWG (For spares use 10-20 WC 27256ND)										1	—	—	LA17
12013	10-20 WC 27256ND	ANGLE , mounting, at access cover inner edge, and inboard fairing outer edge, Starboard, 18 SWG (Spares condition)										1	—	C	
28D/9436920	A25/1C	Attachments for 10-20 WC 11629ND or 10-20 WC 11630ND, Angle :—													
		Bolt, 2 BA										1	—	C	
153	S.10-20 WC 27	COVER , access, to extension bay to electrical equipment panel coded "FA" and de-icing ducting, top wing fairing, Port, Spares assembly, complete with attachments (0".2 trim allowance) (For a/c serial Nos. XJ474 to XJ493)										1	—	P	LA17
50	S.10-20 WC 7	COVER , access, to extension bay to electrical equipment panel coded "FA" and de-icing ducting, top wing fairing, Port, Spares assembly, complete with attachments (For a/c serial Nos. XJ494 and subsequent)										1	—	P	LA17
154	S.10-20 WC 28	COVER , access, to extension bay to electrical equipment panel coded "FB" and de-icing ducting, top wing fairing, Starboard, Spares assembly, complete with attachments (0".2 trim allowance) (For a/c serial Nos. XJ474 to XJ493)										1	—	P	LA17
51	S.10-20 WC 8	COVER , access, to extension bay to electrical equipment panel coded "FB" and de-icing ducting, top wing fairing, Starboard, Spares assembly, complete with attachments (For a/c serial Nos. XJ494 and subsequent)										1	—	P	LA17

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off										Condition	Remarks
			1	2	3	4	5	6	7	8	9	10		
		Spares for:—												
	10-20 WC 3081A/1	COVER, access, Port, assembly	1										—	LA17
	10-20 WC 3082A/1	COVER, access, Starboard, assembly	1										—	LA17
		Attachments for 10-20 WC 3081A/1 or 10-20 WC 3082A/1, Cover:—												
28D/8307	AS.1242/2C	Bolt, 2 BA	4										—	C
28D/1013177	AS.1242/2E	Bolt, 1/2" BSF	4										—	C
1093	DHS.358/2E	Bolt, 1/2" BSF	26										—	C
	10-20 WC 11627A/ND	FAIRING, along inboard edge of access cover, Port, assembly (For spares use 10-20 WC 27259A/ND)	1										—	LA17
12010	10-20 WC 27259A/ND	FAIRING, along inboard edge of access cover, Port, assembly (Spares condition)	1										—	P
	10-20 WC 11628A/ND	FAIRING, along inboard edge of access cover, Starboard, assembly (For spares use 10-20 WC 27260A/ND)	1										—	LA17
12011	10-20 WC 27260A/ND	FAIRING, along inboard edge of access cover, Starboard, assembly (Spares condition)	1										—	P
		Attachments for 10-20 WC 11627A/ND or 10-20 WC 11628A/ND, Fairing:—												
1199	DHS.358/1C	Bolt, 2 BA	1										—	C
7199	DHS.358/1 1/2 C	Bolt, 2 BA	1										—	C
2347	DHS.358/3 1/2 C	Bolt, 2 BA	4										—	C
3815	DHS.358/4 1/2 C	Bolt, 2 BA	9										—	C
28M/10288	AGS.2001/C/1	Nut, 2 BA	13										—	C
28W/9419475	SP.15/C	Washer	13										—	C
	10-20 WC 12901A/ND	FAIRING, along outboard edge of access cover, Port, assembly (For spares use 10-20 WC 27267A/ND)	1										—	LA17
12008	10-20 WC 27267A/ND	FAIRING, along outboard edge of access cover, Port, assembly (Spares condition)	1										—	P
	10-20 WC 12902A/ND	FAIRING, along outboard edge of access cover, Starboard, assembly (For spares use 10-20 WC 27268A/ND)	1										—	LA17
12009	10-20 WC 27268A/ND	FAIRING, along outboard edge of access cover, Starboard, assembly (Spares condition)	1										—	P
		Attachments for 10-20 WC 12901A/ND or 10-20 WC 12902A/ND, Fairing:—												
1092	DHS.365/2C	Bolt, 2 BA	18										—	C
1793	DHS.365/5E	Bolt, 1/2" BSF	1										—	C

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 11033ND	FORMER , mounting, at access cover outer edge and outboard fairing inner edge, Port, 18 SWG (For spares use 10-20 WC 27257ND)										1	L.72	—	LA17
12014	10-20 WC 27257ND	FORMER , mounting, at access cover outer edge and outboard fairing inner edge, Port, 18 SWG (Spares condition)										1	L.72	C	
	10-20 WC 11034ND	FORMER , mounting, at access cover outer edge and outboard fairing inner edge, Starboard, 18 SWG (For spares use 10-20 WC 27258ND)										1	L.72	—	LA17
12015	10-20 WC 27258ND	FORMER , mounting, at access cover outer edge and outboard fairing inner edge, Starboard, 18 SWG (Spares condition)										1	L.72	C	
28D/1011030	A25/2E	Attachments for 10-20 WC 11033ND or 10-20 WC 11034ND, Former :—										18	—	C	
28D/1008151	A25/4E	Bolt, 1" BSF										1	—	C	
	10-20 WC 11617A	FORMER , support, for access cover and inboard fairing, stn. 187", Port, assembly (For spares use 10-20 WC 26905A/ND)										1	—	—	LA17
11224	10-20 WC 26905A/ND	FORMER , support, for access cover and inboard fairing, stn. 187", Port, assembly (Spares condition)										1	—	C	
	10-20 WC 11618A	FORMER , support, for access cover and inboard fairing, stn. 187", Starboard, assembly (For spares use 10-20 WC 26906A/ND)										1	—	—	LA17
11225	10-20 WC 26906A/ND	FORMER , support, for access cover and inboard fairing, stn. 187", Starboard, assembly (Spares condition)										1	—	C	
28D/1011030	A25/2E	Attachments for 10-20 WC 11617A or 10-20 WC 11618A, Former :—										2	—	C	
28D/1011242	A25/7E	Bolt, 1" BSF										2	—	C	
28D/12547	A25/15E	Bolt, 1" BSF										2	—	C	
28M/12928	A27/EP	Nut, 1" BSF										4	—	C	
28W/9419405	SP.15/E	Washer										2	—	C	
28W/9419487	SP.16/E	Washer										2	—	C	
26DL/15365	DHS.726/E/16	Washer, support										2	DTD.746	C	LA17

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 11019A	FORMER , support, for access cover and inboard fairing, stn. 200"-75, Port, assembly (For spares use 10-20 WC 26915A/ND)	1	—	—	LA17
11231	10-20 WC 26915A/ND	FORMER , support, for access cover and inboard fairing, stn. 200"-75, Port, assembly (Spares condition)	1	—	C	
	10-20 WC 11020A	FORMER , support, for access cover and inboard fairing, stn. 200"-75, Starboard, assembly (For spares use 10-20 WC 26916A/ND)	1	—	—	LA17
11232	10-20 WC 26916A/ND	FORMER , support, for access cover and inboard fairing, stn. 200"-75, Starboard, assembly (Spares condition)	1	—	C	
		Attachments for 10-20 WC 11019A or 10-20 WC 11020A, Former :—				
28D/1011030	A25/2E	Bolt, 1/2" BSF	1	—	C	
28D/1011240	A25/5E	Bolt, 1/2" BSF	4	—	C	
28D/12546	A25/14E	Bolt, 1/2" BSF	1	—	C	
28M/12928	A27/EP	Nut, 1/2" BSF	4	—	C	
28W/9419405	SP.15/E	Washer	4	—	C	
26DL/15365	DHS.726/E/16	Washer, support	2	DTD.746	C	LA17
	10-20 WC 21571	Washer, support, 14 SWG	4	L.73	LM	LA17
	10-20 WC 11021A	FORMER , support, for access cover and inboard fairing, stn. 212"-50, Port, assembly (For spares use 10-20 WC 27009A/ND)	1	—	—	LA17
11374	10-20 WC 27009A/ND	FORMER , support, for access cover and inboard fairing, stn. 212"-50, Port, assembly (Spares condition)	1	—	C	
	10-20 WC 11022A	FORMER , support, for access cover and inboard fairing, stn. 212"-50, Starboard assembly (For spares use 10-20 WC 27010A/ND)	1	—	—	LA17
11375	10-20 WC 27010A/ND	FORMER , support, for access cover and inboard fairing, stn. 212"-50, Starboard, assembly (Spares condition)	1	—	C	
		Attachments for 10-20 WC 11021A or 10-20 WC 11022A, Former :—				
28D/1011030	A25/2E	Bolt, 1/2" BSF	2	—	C	
28D/1011248	A25/5E	Bolt, 1/2" BSF	4	—	C	
28M/12928	A27/EP	Nut, 1/2" BSF	4	—	C	
28W/9421405	SP.15/E	Washer	4	—	C	
26DL/15365	DHS.726/E/16	Washer, support	2	DTD.746	C	LA17
	10-20 WC 21571	Washer, support, 14 SWG	4	L.73	LM	LA17
16855	10-20 WC 31407	PLATE , nut (Mod. 913)	1	L.64	C	LA17
		Attachments for 10-20 WC 31407, Plate :—				
28D/8309	AS.1242/4C	Bolt, 1 BA	3	—	C	
16854	10-20 WC 31405	Nut, 1/2" BSF	1	S.113	C	LA17
28M/10288	AGS.2001/C/1	Nut, 1 BA	3	—	C	
26DL/7259	DHS.725/C16	Washer, saddle	4	—	C	LA17

RESTRICTED

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Score or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	—	DUCT , de-icing, air supply forward of front firewall, Port, installation (Drg. Nos. 10-20 WC 12903 Pre Mod. 846 and 10-20 WC 31705 Mod. 846)	1	—	—	LA30
	—	DUCT , de-icing, air supply forward of front firewall, Starboard, installation (Drg. Nos. 10-20 WC 12904 Pre Mod. 846 and 10-20 WC 31706 Mod. 846) Spares for :—	1	—	—	LA30
	—	BRACKET , flamestat mounting (See sub-section ECP)	—	—	—	—
	10-20 WC 23331A	CLAMP , securing duct to wing skin between strns. 212"-36 and 227"-01, assembly	1	—	—	LA30
	10-20 WC 23333ND	CLAMP , bare, 18 SWG	1	L.72	LM	LA30
	10-20 WC 23335ND	PACKING , $\frac{3}{8}$ " thick $\times$ $\frac{3}{4}$ " wide $\times$ $7\frac{1}{2}$ " long, "Langite"	1	DTD.789	LM	LA30
28D/9133012	A25/3C	Attachments for 10-20 WC 23331A, Clamp :—	2	—	C	—
26DL/15370	DHS.729/C/12	Bolt, 2 BA:	2	—	C	LA30
	7455	Washer, support	2	—	C	LA30
	10-20 WC 12767	COUPLING , flexible, connection, ducting, silicone rubber	3	—	C	LA30
28E/19824	SP.91/J	Attachments for 10-20 WC 12767, Coupling :—	4	—	C	—
	DUNLOP	Clip; hose, adjustable	4	—	C	—
16182	DAS.393/14/3-0	COUPLING , hose, connection, accessory pipe ...	1	—	C	LA30
	DUNLOP	COUPLING , hose, connection, strake supply pipe	2	—	—	LA30
	DAS.393/18/2-70	Attachments for DAS.393/14/3-0 or DAS.393/18/2-70, Coupling :—	2	—	C	—
28E/19823	SP.91/G	Clip; hose adjustable	2	—	C	—
	DUNLOP	COUPLING , hose, connection, branch pipe elbow	1	—	C	LA30
17446	DAS.393/22/2-40	Attachments for DAS.393/22/2-40, Coupling :—	2	—	C	—
28E/20104	SP.91/F	Clip; hose, adjustable	2	—	C	—

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
16930	10-20 WC 30429	DISC, at joint of elbow and branch pipe at station 205"-82 (Mod. 846)	1	—	C	LA30
7460	10-20 WC 13269A/ND	DUCT, lagged, aft, between station 227"-01 and forward of front firewall face, Port, assembly (Pre Mod. 846)	1	—	P	LA30
16972	10-20 WC 30435A/ND	DUCT, lagged, aft, between station 227"-01 and forward of front firewall face, Port, assembly (Mod. 846)	1	—	P	LA30
7461	10-20 WC 13270A/ND	DUCT, lagged, aft, between station 227"-01 and forward of front firewall face, Starboard, assembly (Pre Mod. 846)	1	—	P	LA30
16973	10-20 WC 30436A/ND	DUCT, lagged, aft, between station 227"-01 and forward of front firewall face, Starboard, assembly (Mod. 846)	1	—	P	LA30
7453	10-20 WC 13263A/ND	DUCT, lagged, between leading edge and station 203"-30, Port, assembly (Pre Mod. 846)	1	—	P	LA30
16932	10-20 WC 30437A/ND	DUCT, lagged, between leading edge and station 203"-30, Port, assembly (Mod. 846)	1	—	P	LA30
7454	10-20 WC 13264A/ND	DUCT, lagged, between leading edge and station 203"-30, Starboard, assembly (Pre Mod. 846)	1	—	P	LA30
16933	10-20 WC 30438A/ND	DUCT, lagged, between leading edge and station 203"-30, Starboard, assembly (Mod. 846)	1	—	P	LA30
28D/9133012	A25/3C	Attachments for 10-20 WC 13263A/ND, 10-20 WC 30437A/ND, 10-20 WC 13264A/ND or 10-20 WC 30438A/ND, Duct :— Bolt, 2 BA, at flanged end	6	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
7458	10-20 WC 23285A	DUCT, lagged, between stations 212"-36 and 227"-01, Port, assembly (Pre Mod. 846)										1	—	P	LA30
16974	10-20 WC 30433A	DUCT, lagged, between stations 212"-36 and 227"-01, Port, assembly (Mod. 846)										1	—	P	LA30
7459	10-20 WC 23286A	DUCT, lagged, between stations 212"-36 and 227"-01, Starboard, assembly (Pre Mod. 846)										1	—	P	LA30
16975	10-20 WC 30434A	DUCT, lagged, between stations 212"-36 and 227"-01, Starboard, assembly (Mod. 846)										1	—	P	LA30
7456	10-20 WC 13265A/ND	DUCT, lagged, branch fitting, between stations 203"-3 and 212"-36, Port, assembly										1	—	P	LA30
7457	10-20 WC 13266A/ND	DUCT, lagged, branch fitting, between stations 203"-3 and 212"-36, Starboard, assembly										1	—	P	LA30
	—	FLAMESTAT (See sub-section ECP)										—	—	—	—
	10-20 WC 13727	FLANGE, at joint of accessory pipe with bottom wing skin										1	L.64	—	LA30
7462	10-20 WC 13273A/ND	PIPE, lagged, accessory pipe, Port, assembly										1	—	P	LA30
7463	10-20 WC 13274A/ND	PIPE, lagged, accessory pipe, Starboard, assembly										1	—	P	LA30
		Attachments for 10-20 WC 13273A/ND or 10-20 WC 13274A/ND, Pipe :—													
1792	DHS.365/3C	Bolt, 2 BA										4	S.96	C	LA30
28M/10288	AGS.2001/C/1	Nut, 2 BA										4	—	C	
28W/9419402	SP.13/C	Washer										4	—	C	
7451	10-20 WC 14351A/ND	PIPE, lagged, branch casting, under top wing skin aft, of front spar, Port, assembly										1	—	P	LA30
7452	10-20 WC 14352A/ND	PIPE, lagged, branch casting, under top wing skin aft, of front spar, Starboard, assembly										1	—	P	LA30
		Attachments for 10-20 WC 14351A/ND or 10-20 WC 14352A/ND, Pipe :—													
28D/8389	AS.1242/4C	Bolt, 2 BA										3	—	C	
1007976															

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
7449	10-20 WC 14355A/ND	PIPE, lagged, branch elbow, Port. assembly ...	1	—	P	LA30
7450	10-20 WC 14356A/ND	PIPE, lagged, branch elbow, Starboard, assembly ...	1	—	P	LA30
		Attachments for 10-20 WC 14355A/ND or 10-20 WC 14356A/ND, Pipe :—				
5622	A25/6C/DHS.514/D	Bolt, 2 BA	3	—	C	
28W/9419402	SP.13/C	Washer	3	—	C	
7448	10-20 WC 13271A/ND	PIPE, lagged, strake supply, assembly ...	1	—	P	LA30
	10-20 WC 13101	RING, sealing, at branch pipe joint, under top wing skin, between stations 203"30 and 212"36	1	L.64 or L.65	—	LA30
	10-20 WC 12731	RING, sealing, between accessory intake pipe and bottom wing skin, silicone rubber	1	—	—	LA30
	10-20 WC 12729	RING, sealing, between branch elbow and wing skin, silicone rubber	1	—	—	LA30
	10-20 WC 12727	RING, sealing, between leading edge supply duct and forward face of aft false spar, silicone rubber	1	—	—	LA30
14253	10-20 WC 28455	STUD, 1" BSF, securing elbow to branch pipe at joint at top wing skin, station 205"82 (Pre Mod. 846)	1	S.96	C	LA30
16931	10-20 WC 31683	STUD, 1" BSF, securing elbow to branch pipe at joint at top wing skin, station 205"82 (Mod. 846)	1	S.96	C	LA30
		Attachments for 10-20 WC 28455 or 10-20 WC 31683, Stud :—				
28M/1011467	A27/ES	Nut, 1" BSF	1	—	C	
28M/10330	AGS.2002/E/1	Nut, 1" BSF	1	—	C	
28W/9436801	SP.11/E	Washer (Mod. 846)	1	—	C	
28W/9418921	SP.13/E	Washer	1	—	C	
16928	10-20 WC 40007ND	TUBE, distance, 2"20 long, spacing disc, on stud securing elbow to branch pipe at station 205"82 (Mod. 846)	1	T.55	C	LA30
16929	10-20 WC 40009ND	TUBE, distance, 2"50 long, spacing disc, on stud securing elbow to branch pipe at station 205"82 (Mod. 846)	1	T.55	C	LA30

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	—	ENGINE BAY AND STUB WING STRUCTURE, GROUP (Drg. No. 10-20 WC 24349)	1	—	—	
	—	BEAM , gear-box, between front and rear firewalls, Port, group (Drg. No. 10-20 EC 5251)	1	—	—	LA19
	10-20 EC 14161A	BEAM , gear-box, Port, assembly (For spares use 10-20 EC 14267A/ND)	1	—	—	LA19
20213	10-20 EC 14267A/ND	BEAM , gear-box, Port, assembly (Mod. 1275, Pre Mod. 1328) (Spares condition)	1	—	P	
	10-20 EC 14161A	BEAM , gear-box, Port, assembly (For spares use 10-20 EC 14305A/ND)	1	—	—	LA19
20449	10-20 EC 14305A/ND	BEAM , gear-box, Port, assembly (Mod. 1275 and Mod. 1328) (Spares condition)	1	—	P	
	10-20 EC 8303	BLOCK , clamp, 0"5 chick Attachments for 10-20 EC 8303, Block :— Bolt, 2 BA Nut, 2 BA Washer	2 2 2 2	LFS.21, 23 or 26 — — —	LM C C C	LA19
	28D/1011019 28M/10328 28W/9419402	BRACKET , cowl door hinge attachment, assembly (For spares use 10-20 EC 9541A/ND)	2	—	—	LA19
	10-20 EC 4937A	BRACKET , cowl door hinge attachment, assembly (Spares condition)	2	—	P	
	13187	Attachments for 10-20 EC 4937A, Bracket :— Bolt, 2 BA Nut, 2 BA Washer	4 4 4	— — —	C C C	
	28D/9133013 28M/10288 28W/9419475	A25/5C AGS.2001/C/1 SP.15/C				

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 EC 5169A											1	—	P	LA19
13189	10-20 EC 9539A/ND											1	—	P	
28D/9133013	A25/5C											3	—	C	
28M/10288	AGS.2001/C/1											3	—	C	
28VV/9419475	SP.15/C											3	—	C	
10910	10-20 EC 4687											2	—	C	LA19
28D/1011240	A25/5E											3	—	C	
28M/10290	AGS.2001/E/1											3	—	C	
28VV/9419405	SP.15/E											3	—	C	
10921	10-20 EC 5167A											1	—	P	LA19
10922	10-20 EC 5259											1	—	C	LA19
28D/1011240	A25/5E											3	—	C	
28M/10290	AGS.2001/E/1											3	—	C	
28VV/9419405	SP.15/E											3	—	C	
	10-20 EC 10259A											1	L.72	LM	

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
2A/9501177	10-20 CE 1849A	BRACKET, throttle pulley control, assembly...										1	—	—	LA19
10923	—	BEARING, ball										2	—	C	LA19
28N/2001690	10-20 CE 2377	BRACKET (bare)										1	—	C	LA19
10924	AGS.2030/37	CIRCLIP, internal (Seeger type)										1	—	C	LA19
	10-20 CE 2173	SPINDLE, splined										1	—	C	LA19
	10-20 CE 2197ND	TUBE, distance, $\frac{5}{8}$ " o/d $\times$ 17 SWG $\times$ 1'-3 long										1	T.45	LM	LA19
28D/1008145	A25/6E	Attachments for 10-20 EC 1849A, Bracket :—													
28M/1011475	A27/EP	Bolt, $\frac{1}{2}$ " BSF										3	—	C	
28VV/9419405	SP.15/E	Nut, $\frac{1}{2}$ " BSF										3	—	C	
		Washer										3	—	C	
	10-20 CE 785A	BRACKET, "U" bolt, toggle fastener, assembly										2	—	—	LA19
3292	10-20 EC 4215	(Pre Mod. 1275)													
		BOLT, "U"										1	—	C	LA19
28M/13271	A24/EP	Attachments for 10-20 EC 4215, Bolt :—													
28VV/9418921	SP.13/E	Nut, $\frac{1}{2}$ " BSF										2	—	C	
		Washer										2	—	C	
10925	10-20 EC 745	BRACKET (bare)										1	—	C	LA19
28D/1011240	A25/5E	Attachments for 10-20 EC 785A, Bracket :—													
28M/10290	AGS.2001/E/1	Bolt, $\frac{1}{2}$ " BSF										3	—	C	
28VV/9419405	SP.15/E	Nut, $\frac{1}{2}$ " BSF										3	—	C	
		Washer										3	—	C	
	—	CONNECTION, hydraulic pipe on Port gear										—	—	—	
		box beam (See sub-section QT)													
10911	10-20 EC 5219ND	COVER, access, forward										1	—	P	LA19
28D/13132	AS.3297/1C	Attachments for 10-20 EC 5219ND, Cover :—													
		Bolt, 2 BA										12	—	C	
10912	10-20 EC 5217ND	COVER, access, rear										1	—	P	LA19
28D/13132	AS.3297/1C	Attachments for 10-20 EC 5217ND, Cover :—													
		Bolt, 2 BA										22	—	C	
	10-20 EC 5149A/ND	DIAPHRAGM, at strn. 301'-11, assembly										1	—	—	LA19
10927	10-20 EC 4767	Spares for :—													
		SPIGOT, attachment, control lever										1	—	C	LA19
28D/9133013	A25/5C	Attachments for 10-20 EC 4767, Spigot :—													
28D/1011240	A25/5E	Bolt, 2 BA										1	—	C	
28M/10288	AGS.2001/C/1	Bolt, $\frac{1}{2}$ " BSF										1	—	C	
28M/10290	AGS.2001/E/1	Nut, 2 BA										1	—	C	
28W/9419475	SP.15/C	Nut, $\frac{1}{2}$ " BSF										1	—	C	
28VV/9419405	SP.15/E	Washer										1	—	C	
		Washer										1	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
10926	10-20 EC 5261A	DUCT, upper removable, oil filter drainage, assembly (Pre Mod. 1101)										1	—	C	LA19
18989	10-20 EC 10235A	DUCT, upper removable, oil filter drainage, assembly (Mod. 1101)										1	—	C	LA19
		Attachments for 10-20 EC 5261A, or 10-20 EC 10235A, Duct :—													
28D/1010658	A25/1B	Bolt, 4 BA										8	—	C	
28W/9419474	SP.15/B	Washer										8	—	C	
	10-20 EC 5155	FAIRLEAD, on diaphragm, stn. 251"-20, 0"-5 thick										1	LFS.21	LM	LA19
	10-20 EC 5163	FAIRLEAD, on diaphragm and centre hinges, 0"-2 thick										7	LFS.21	LM	LA19
	10-20 EC 5159	FAIRLEAD, on diaphragm, stn. 269"-26, 0"-5 thick										1	LFS.21	LM	LA19
	10-20 EC 5157	FAIRLEAD, on diaphragm, stn. 279"-91, 0"-5 thick										1	LFS.21	LM	LA19
	10-20 EC 5129	FAIRLEAD, on forward diaphragm, 0"-2 thick										1	LFS.21	LM	LA19
19668	10-20 EC 14085A	FASTENER, toggle, assembly (Drg. No. 10-20 EC 14201)										3	—	C	LA19
19662	10-20 EC 14061	HOOK										1	—	C	LA19
28M/1011470	A27/GT	NUT, 3/8" BSF										1	—	C	
19669	10-20 EC 14087	SWIVEL										1	—	C	LA19
		Attachments for 10-20 EC 14085A, Fastener :—													
28P/17049	SP.113/E9	Pin, shackle										1	—	C	
28P/9527619	SP.90/C7	Pin, split (SP.9/C8)										1	—	C	
28W/9418920	SP.10/E	Washer										1	—	C	
20450	10-20 EC 14291A	HINGE, cowling door, assembly										1	—	C	LA19
		Spares for :—													
28N/13512	HOFFMANN C.J.2	JOINT, self aligning										1	—	C	LA19
10908	10 WC 4519	RING, self aligning, joint, retaining										1	—	C	LA19
		Attachments for 10-20 EC 14291A, Hinge :—													
28D/1008151	A25/4E	Bolt, 1/2" BSF										2	—	C	
28D/1008145	A25/6E	Bolt, 1/2" BSF										1	—	C	
28M/10290	AGS.2001/E/1	Nut, 1/2" BSF										1	—	C	
10909	10-20 EC 5041	Shim, 1/4" thick, "Attewell"										1	LA	C	LA19
28W/9419405	SP.15/E	Washer										1	—	C	
28W/9416316	SP.41/E	Washer										2	—	C	
20451	10-20 EC 14295A	HINGE, cowling door, assembly										1	—	C	LA19
		Spares for :—													
28N/13512	HOFFMANN C.J.2	JOINT, self aligning										1	—	C	LA19
10908	10 WC 4519	RING, self aligning joint, retaining										1	—	C	LA19
		Attachments for 10-20 EC 14295A, Hinge :—													
28D/1008151	A25/4E	Bolt, 1/2" BSF										2	—	C	
28D/1008145	A25/6E	Bolt, 1/2" BSF										1	—	C	
28M/10290	AGS.2001/E/1	Nut, 1/2" BSF										1	—	C	
10909	10-20 EC 5041	Shim, 1/4" thick, "Attewell"										1	—	C	LA19
28W/9419405	SP.15/E	Washer										1	—	C	
28W/9416316	SP.14/E	Washer										2	—	C	

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Score or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
10920	10-20 EC 4749A	HINGE , cowling door, assembly										1	—	P	LA19
		Spares for :—													
28N/13512	HOFFMANN C1.2	JOINT , self aligning										1	—	C	LA19
10908	10 WC 4519	RING , self aligning joint retaining										1	—	C	LA19
		Attachments for 10-20 EC 4749A, Hinge :—													
28D/1008151	A25/4E	Bolt, $\frac{1}{2}$ " BSF										2	—	C	
28D/1008145	A25/6E	Bolt, $\frac{1}{2}$ " BSF										1	—	C	
28M/10290	AGS.2001/E/1	Nut, $\frac{1}{2}$ " BSF										1	—	C	
10909	10-20 EC 5041	Shim, $\frac{1}{32}$ " thick, "Attewell"										1	LA	C	LA19
28W/9419405	SP.15/E	Washer										1	—	C	
28W/9416316	SP.41/E	Washer										2	—	C	
10928	10-20 EC 4753A	HINGE , cowling door, assembly										1	—	P	LA19
		Spares for :—													
28N/13512	HOFFMANN C1.2	JOINT , self aligning										1	—	C	LA19
10908	10 WC 4519	RING , self aligning joint retaining										1	—	C	LA19
		Attachments for 10-20 EC 4753A, Hinge :—													
28D/1008151	A25/4E	Bolt, $\frac{1}{2}$ " BSF										2	—	C	
28D/1008145	A25/6E	Bolt, $\frac{1}{2}$ " BSF										1	—	C	
28M/10290	AGS.2001/E/1	Nut, $\frac{1}{2}$ " BSF										3	—	C	
28W/9419405	SP.15/E	Washer										3	—	C	
10925	10-20 EC 14199A	MOUNTING , toggle, assembly (Mod. 1275)... ..										2	—	—	LA19
19660	10-20 EC 14057A	BRACKET										1	—	C	LA19
19663	10-20 EC 14053A	FASTENER , toggle, assembly... ..										1	—	C	LA19
19662	10-20 EC 14061	END , fork, assembly										1	—	C	LA19
		HOOK										1	—	C	LA19
		Attachments for 10-20 EC 14061, Hook :—													
28M/1011470	A27-GT	Nut, $\frac{3}{8}$ " BSF										1	—	C	
19661	10-20 EC 14103	SWIVEL										1	—	C	LA19
		Attachments for 10-20 EC 14103, Swivel :—													
28P/	SP.113/B10	Pin										1	—	—	
28P/17193	SP.113/E10	Pin										1	—	C	
28P/9527619	SP.90/C7	Pin, split (SP.9/C8)										2	—	C	
		Attachments for 10-20 EC 14057A, Fastener :—													
5629	A27/EP/DHS.514/D	Nut (Lock to DHS.514/D)										2	—	C	
26FC/6726	DHS.69/D	Shim, "Attewell"										QR	—	C	
		Attachments for 10-20 EC 14199A, Mounting :—													
28D/1011240	A25/5E	Bolt, $\frac{1}{2}$ " BSF										3	—	C	
28M/10290	AGS.2001/E/1	Nut, $\frac{1}{2}$ " BSF										3	—	C	
28W/9419405	SP.15/E	Washer										3	—	C	
10929	10-20 EC 5295A	PANEL , oil filter access, assembly										1	—	P	LA19
		Spares for :—													
10930	HARTWELL	FASTENER										1	—	C	LA19
26DL/7354	TYPE H.5000/064/064	TAG										1	—	C	LA19
	DHS.180 Mk. 1/X	PIPE , hydraulic, on Port gear-box beam										—	—	—	
		(See sub-section QT)													
	10-20 EC 8575	PLATE , bearing, front engine mounting strut										1	—	—	LA19
		(For spares use 10-20 EC 9475ND)													
12431	10-20 EC 9475ND	PLATE , bearing, front engine mounting strut										1	—	P	
		(Spares condition)													

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 EC 8577	PLATE, bearing, front engine mounting strut (For spares use 10-20 EC 9477ND)										1	—	—	LA19
12600	10-20 EC 9477ND	PLATE, bearing, front engine mounting strut (Spares condition)										1	—	P	
	10-20 E 2485A	PLATE, mounting, gear-box, assembly (For spares use 10-20 E 5471A/ND)										1	—	—	LA19
15897	10-20 E 5471A/ND	PLATE, mounting, gear-box, assembly (Spares condition) Spares for :—										1	—	P	
10914	10-20 E 2507A	PLATE, nut, assembly Attachments for 10-20 E 2485A, Plate :—										1	—	C	LA19
28D/9138768	A25/1C	Bolt, 2 BA										6	—	C	
28D/9436920	A25/1C	Bolt, 2 BA										9	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA										15	—	C	
28W/9419475	SP.15/C	Washer										15	—	C	
	10-20 N 15087A	PLUG, bonding, assembly										2	—	LM	LA19
5K/4423	PLESSEY 16/4/"0048	FLEX, bonding										2	—	C	
5X/3242	PLESSEY Z.28147	PIN, plug										2	—	C	
5X/6674	ERMA 12108	TERMINATION, lug										2	—	C	
		Attachments for 10-20 N 15087A, Plug :—													
28D/9419452	A25/3B	Bolt, 4 BA										2	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA										2	—	C	
28W/9419474	SP.15/B	Washer										2	—	C	
28W/9419465	SP.13/B	Washer										2	—	C	
	10-20 EC 10257ND	STIFFENER, 18 SWG										1	L.72	LM	
	10-20 EC 5161	STRIP, sealing, stn. 296"-26										1	LFS.21	LM	LA19
	10-20 EC 5135ND	STRIP, sealing, stn. 279"-91, 0".5 wide... ..										1	LFS.21	LM	LA19
	10-20 EC 5137ND	STRIP, sealing, stn. 289"-11, 0".5 wide... ..										1	LFS.21	LM	LA19
	10-20 EC 5139ND	STRIP, sealing, stn. 301"-11, 0".5 wide... ..										1	LFS.21	LM	LA19
	10-20 EC 9621	SUPPORT, clamp block, stn. 264"-65, 20 SWG										1	L.72	LM	LA19
		Attachments for 10-20 EC 14161A, Beam at front firewall :—													
10934	DHS.965/2C	Bolt, 2 BA										5	—	C	
28D/7002440	A25/18E	Bolt, 1" BSF										2	—	C	
28D/1011254	A25/2G	Bolt, 1" BSF										2	—	C	
28M/10290	AGS.2001/E/1	Nut, 1" BSF										2	—	C	
28M/10291	AGS.2001/G/1	Nut, 1" BSF										2	—	C	
10932	10-20 EC 1313	Shim, 1" thick "Attewell"										1	—	C	LA19
10933	10-20 EC 1315	Shim, 1" thick "Attewell"										1	—	C	LA19
28W/9419405	SP.15/E	Washer										2	—	C	
28W/9419476	SP.15/G	Washer										2	—	C	
		at rear firewall :—													
10934	DHS.965/2C	Bolt, 2 BA										3	—	C	
10937	DHS.965/3C	Bolt, 2 BA										1	—	C	
28D/12571	A25/21E	Bolt, 1" BSF										2	—	C	
28D/14751	A25/21G	Bolt, 1" BSF										2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA										1	—	C	
28M/10290	AGS.2001/E/1	Nut, 1" BSF										2	—	C	
28M/10291	AGS.2001/G/1	Nut, 1" BSF										2	—	C	
10936	10-20 EC 1317	Shim, 1" thick, "Attewell"										1	—	C	LA19
10935	10-20 EC 1341	Shim, 1" thick, "Attewell"										1	—	C	LA19
28W/9419475	SP.15/C	Washer										1	—	C	
28W/9419405	SP.15/E	Washer										2	—	C	
28W/9419476	SP.15/G	Washer										2	—	C	
	DHS.781/24/20	Washer, 0".75 o/d x 0".257 i/d x 20 SWG										2	S.510	LM	
26FN/3275	DHS.69/DD	Washer, shim										1	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	—	BEAM , gear-box, between front and rear firewall, Starboard, group (Drg. No. 10-20 EC 5253)	1	—	—	
	10-20 EC 4639A/2	BEAM , gear-box, Starboard, assembly (For spares use 10-20 EC 14265A/ND)	1	—	—	LA20
20214	10-20 EC 14265A/ND	BEAM , gear-box, Starboard, assembly (Mod. 1275, Pre Mod. 1328) (Spares condition)	1	—	P	
	10-20 EC 4639A/2	BEAM , gear-box, Starboard, assembly (For spares use 10-20 EC 14309A/ND)	1	—	—	LA20
20446	10-20 EC 14309A/ND	BEAM , gear-box, Starboard, assembly (Mod. 1275 and Mod. 1328) (Spares condition)	1	—	P	
10950	10-20 EC 8323	Spares for :— BLOCK , clamp, hydraulic pipe support ...	1	—	C	LA20
10951	10-20 EC 8325	BLOCK , clamp, hydraulic pipe support ... Attachments for 10-20 EC 8323 or 10-20 EC 8325, Block :—	1	—	C	LA20
28D/1212399	A25/28C	Bolt, 2 BA ...	2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA ...	2	—	C	
28VV/9419402	SP.13/C	Washer ...	2	—	C	
	10-20 EC 4938A	BRACKET , hinge attachment, assembly (For spares use 10-20 EC 9542A/ND)	3	—	—	LA20
13188	10-20 EC 9542A/ND	BRACKET , hinge, attachment, assembly (Spares condition) Attachments for 10-20 EC 4938A, Bracket :—	3	—	P	
28D/9133013	A25/5C	Bolt, 2 BA ...	4	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA ...	4	—	C	
28VV/9419475	SP.15/C	Washer ...	4	—	C	
10910	10-20 EC 4687	BRACKET , latch toggle fastener ... Attachments for 10-20 EC 4687, Bracket :—	3	—	C	LA20
28D/1011240	A25/5E	Bolt, 1/2" BSF ...	3	—	C	
28M/10290	AGS.2001/E/1	Nut, 1/2" BSF ...	3	—	C	
28VV/9419405	SP.15/E	Washer ...	3	—	C	
	—	CONNECTION , hydraulic pipe on Starboard gear-box beam (See sub-section QT)	—	—	—	
17491	10-20 EC 5097	DUCT , bottom portion, compressor seal vent outlet	1	—	P	LA20

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 EC 9213A											1	—	—	LA20
14503	10-20 EC 9801A/ND											1	—	P	
28D/9436920	A25/1C											6	—	C	
28D/9133011	A25/2C											2	—	C	
28D/1010030	A25/7C											2	—	C	
28W/9419475	SP.15/C											10	—	C	
19668	10-20 EC 14085A											3	—	C	LA20
19662	10-20 EC 14061											1	—	C	LA20
28M/1011470	A27/GT											1	—	C	
19669	10-20 EC 14087											1	—	C	LA20
28P/17049	SP.113/E9											1	—	C	
28P/9527616	SP.90/C7											1	—	C	
28W/9418920	SP.10/E											1	—	C	
	10-20 EC 719A											1	—	—	LA20
20448	10-20 EC 14289A/ND											1	—	C	
28N/13512	HOFFMANN CJ.2											1	—	C	LA20
28D/1011240	A25/5E											3	—	C	
28M/10290	AGS.2001/E1											3	—	C	
28W/9419405	SP.15/E											3	—	C	
20447	10-20 EC 14299A											1	—	C	LA20
28N/13512	HOFFMANN CJ.2											1	—	C	LA20
10908	10 WC 4519											1	—	C	LA20
28D/1008151	A25/4E											2	—	C	
28D/1008145	A25/6E											1	—	C	
28M/10290	AGS.2001/E/1											1	—	C	
10909	10-20 EC 5041											1	—	C	LA20
28W/9419405	SP.15/E											1	—	C	
28W/9416316	SP.41/E											2	—	C	
10944	10-20 EC 4761A											1	—	P	LA20
28N/13512	HOFFMANN CJ.2											1	—	C	LA20
10908	10 WC 4519											1	—	C	LA20
28D/1008151	A25/4E											2	—	C	
28D/1008145	A25/6E											1	—	C	
28M/10290	AGS.2001/E/1											1	—	C	
10909	10-20 EC 5041											1	—	C	LA20
28W/9419405	SP.15/E											1	—	C	
28W/9416316	SP.41/E											2	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
12580	10-20 EC 743A	HINGE , inboard cowling door, assembly (For spares use 10-20 EC 9473A/ND)										2	—	—	LA20
	10-20 EC 9473A/ND	HINGE , inboard cowling door, assembly ... (Spares condition) Spares for :—										2	—	P	
28N/13512	HOFFMANN CJ.2	JOINT , self aligning										1	—	C	LA20
28D/1011240	A25/5E	Attachments for 10-20 EC 743A, Hinge :—													
28M/10290	AGS.2001/E/1	Bolt, 1" BSF										3	—	C	
28W/9419405	SP.15/E	Nut, 1" BSF										3	—	C	
		Washer										3	—	C	
10946	10-20 EC 4765A	HINGE , outboard cowling door, assembly ...										1	—	P	LA20
		Spares for :—													
28N/13512	HOFFMANN CJ.2	JOINT , self aligning										1	—	C	LA20
10908	10 WC 4519	RING , self aligning, joint, retaining ...										1	—	C	LA20
		Attachments for 10-20 EC 4765A, Hinge :—													
28D/1008151	A25/4E	Bolt, 1" BSF										2	—	C	
28D/1008145	A25/6E	Bolt, 1" BSF										1	—	C	
28M/10290	AGS.2001/E/1	Nut, 1" BSF										1	—	C	
10909	10-20 EC 5041	Shim, 1/4" thick, "Attewell"										1	—	C	LA20
28W/9419405	SP.15/E	Washer										1	—	C	
28W/9416316	SP.41/E	Washer										2	—	C	
	—	PIPE , hydraulic, on Starboard gear box beam ... (See sub-section QT)										—	—	—	
	10-20 EC 4769	PLATE , bearing, front engine mounting struts (For spares use 10-20 EC 9543ND)										2	—	—	LA20
13186	10-20 EC 9543ND	PLATE , bearing, front engine mounting struts (Spares condition)										2	—	P	
	10-20 E 2486A	PLATE , mounting, gear box, assembly (For spares use 10-20 E 5472A/ND)										1	—	—	LA20
15898	10-20 E 5472A/ND	PLATE , mounting, gear box, assembly ... (Spares condition) Spares for :—										1	—	P	
10914	10-20 E 2507A	PLATE , nut, assembly										1	—	C	LA20
		Attachments for 10-20 E 2486A, Plate :—													
28D/9138768	A25/1C	Bolt, 2 BA										6	—	C	
28D/9436920	A25/1C	Bolt, 2 BA										9	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA										15	—	C	
28W/9419475	SP.15/C	Washer										15	—	C	
	10-20 N 15087A	PLUG , bonding, assembly										2	—	LM	LA20
5K/4423	PLESSEY 16/4"/0048	FLEX , bonding										2	—	C	
5X/3242	PLESSEY Z.28147	PIN , plug										2	—	C	
5X/6674	ERMA 12108	TERMINATION , lug										2	—	C	
		Attachments for 10-20 N 15087A, Plug :—													
28D/9419452	A25/3B	Bolt, 4 BA										2	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA										2	—	C	
28W/9419474	SP.15/B	Washer										2	—	C	
28W/9419465	SP.13/B	Washer										2	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Place No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 EC 5107ND	STRIP, sealing, 0".5 wide	1	LFS.21	LM	LA20
	10-20 EC 5109ND	STRIP, sealing, 0".5 wide	1	LFS.21	LM	LA20
	10-20 EC 5111ND	STRIP, sealing, 0".5 wide	1	LFS.21	LM	LA20
	10-20 EC 5113ND	STRIP, sealing, 0".5 wide	1	LFS.21	LM	LA20
	10-20 EC 5115ND	STRIP, sealing, 0".5 wide	1	LFS.21	LM	LA20
		Attachments for 10-20 EC 4639A/2, Beam, at front firewall :—				
10934	DHS.965/2C	Bolt, 2 BA	4	—	C	
28D/12812	A25/12E	Bolt, 1" BSF	1	—	C	
28D/7002440	A25/18E	Bolt, 1" BSF	1	—	C	
28D/1011254	A25/2G	Bolt, 3/4" BSF	2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	1	—	C	
28M/10290	AGS.2001/E/1	Nut, 1" BSF	2	—	C	
28M/10291	AGS.2001/G/1	Nut, 3/4" BSF	1	—	C	
10932	10-20 EC 1313	Shim, 1" thick, "Attewell"	2	—	C	LA20
10933	10-20 EC 1315	Shim, 1" thick, "Attewell"	2	—	C	LA20
28W/9419405	SP.15/E	Washer	2	—	C	
28W/9419476	SP.15/G	Washer	2	—	C	
		at rear firewall :—				
10953	DHS.965/1C	Bolt, 2 BA	2	—	C	
10937	DHS.965/3C	Bolt, 2 BA	2	—	C	
28D/12571	A25/21E	Bolt, 1" BSF	2	—	C	
28D/14751	A25/21G	Bolt, 3/4" BSF	2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	2	—	C	
28M/10290	AGS.2001/E/1	Nut, 1" BSF	2	—	C	
28M/10291	AGS.2001/G/1	Nut, 3/4" BSF	2	—	C	
10952	10-20 EC 1319	Shim, 1" thick, "Attewell"	1	—	C	LA20
10935	10-20 EC 1341	Shim, 1" thick, "Attewell"	1	—	C	LA20
28W/9419475	SP.15/C	Washer	2	—	C	
28W/9419405	SP.15/E	Washer	2	—	C	
28W/9419476	SP.15/G	Washer	2	—	C	
	—	BRACKETS, frame joint, stn. 319"-75-321"-5, group (Drg. No. 10-20 EC 4843)	1	—	—	LA21
11741	10-20 EC 633	BRACKET, frame joint, L.H.	1	—	C	LA21
11742	10-20 EC 634	BRACKET, frame joint, R.H.	1	—	C	LA21
		Attachments for 10-20 EC 633 or 10-20 EC 634, Bracket :—				
28D/9133012	A25/3C	Bolt, 2 BA	7	—	C	
28D/7002428	A25/6C	Bolt, 2 BA	3	—	C	
28D/1008145	A25/6E	Bolt, 1" BSF	2	—	C	
28M/9403520	A27/CP	Nut, 2 BA	10	—	C	
28M/12928	A27/EP	Nut, 1" BSF	2	—	C	
28W/9419402	SP.13/C	Washer	17	—	C	
28W/9418921	SP.13/E	Washer	4	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
	10-20 EC 4845	PLATE , joint (For spares use 10-20 EC 9707ND)	1	—	—	LA21
14162	10-20 EC 9707ND	PLATE , joint (Spares condition)	1	—	P	LA21
11746	10-20 EC 4853ND	PLATE , tension Attachments for 10-20 EC 4853ND, Plate :—	1	—	P	LA21
28D/1010031	A25/8E	Bolt, $\frac{1}{4}$ " BSF	2	—	C	
28M/12928	A27/EP	Nut, $\frac{1}{4}$ " BSF	2	—	C	
28W/9418921	SP.13/E	Washer	2	—	C	
11744	10-20 EC 2361ND	STIFFENER , L.H.	1	—	P	LA21
11745	10-20 EC 2362ND	STIFFENER , R.H.	1	—	P	LA21
—	—	BRACKETS , frame joint, station 328"-75-330"-50, group (Drg. No. 10-20 EC 515)	1	—	—	LA21
11747	10-20 EC 521	BRACKET , frame joint, rib "O," L.H.	1	—	C	LA21
11748	10-20 EC 523	BRACKET , frame joint, rib "O," R.H. Attachments for 10-20 EC 521 or 10-20 EC 523, Bracket :—	1	—	C	LA21
28D/9133012	A25/3C	Bolt, 2 BA	4	—	C	
28D/7002428	A25/6C	Bolt, 2 BA	1	—	C	
28D/1011030	A25/2E	Bolt, $\frac{1}{4}$ " BSF	1	—	C	
28D/1011238	A25/3E	Bolt, $\frac{1}{4}$ " BSF	3	—	C	
28D/1011257	A25/7G	Bolt, $\frac{5}{16}$ " BSF	2	—	C	
28D/12818	A25/9G	Bolt, $\frac{5}{16}$ " BSF	2	—	C	
28M/9403520	A27/CP	Nut, 2 BA	5	—	C	
28M/12928	A27/EP	Nut, $\frac{1}{4}$ " BSF	4	—	C	
28M/1006939	A27/GP	Nut, $\frac{5}{16}$ " BSF	4	—	C	
28W/9419402	SP.13/C	Washer	10	—	C	
28W/9418921	SP.13/E	Washer	8	—	C	
28W/9419403	SP.13/G	Washer	8	—	C	
10-20 EC 513	10-20 EC 514	BRACKET , joint, L.H., 18 SWG	2	L.73	LM	LA21
10-20 EC 511	10-20 EC 517ND	BRACKET , joint, R.H., 18 SWG	2	L.73	LM	LA21
		CHANNEL , joint, 18 SWG	2	L.73	LM	LA21
		PACKING , between bracket and rib, Port, side, 24 SWG	1	L.72	LM	LA21
11749	10-20 EC 8461	BRACKET , frame joint, bottom cowling station 338"-10-339"-84, Rib "O," L.H.	1	—	C	LA21

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	QTY	REMARKS	CLASS	PLATE
		1 2 3 4 5 6 7 8 9 10			OF	NO.
11750	10-20 EC 8462	BRACKET , frame joint, bottom cowling, station 339"-10-339"-84, Rib "O," R.H. Attachments for 10-20 EC 8461 or 10-20 EC 8562, Bracket :—	1	—	C	LA21
28D/13107	A30/3C	Bolt, 2 BA	4	—	C	
28D/13112	A20/2E	Bolt, 1" BSF	2	—	C	
28D/13113	A30/3E	Bolt, 1" BSF	2	—	C	
28D/14129	A30/12G	Bolt, 1 1/8" BSF	2	—	C	
28D/18679	A30/20J	Bolt, 3/8" BSF	2	—	C	
28M/9403520	A27/CP	Nut, 2 BA	4	—	C	
28M/12928	A27/EP	Nut, 1/2" BSF	4	—	C	
28M/1006939	A27/GP	Nut, 5/8" BSF	2	—	C	
28M/1011473	A27/JP	Nut, 3/4" BSF	2	—	C	
28W/9419402	SP.13/C	Washer	4	—	C	
28W/9418921	SP.13/E	Washer	4	—	C	
28W/9419403	SP.13/G	Washer	2	—	C	
28W/9419466	SP.13/J	Washer	2	—	C	
	10-20 EC 8001	BRACKET , shear lug, frame joint, Port (For spares use 10-20 EC 9463ND)	1	—	—	LA21
12421	10-20 EC 9463ND	BRACKET , shear lug, frame joint, Port (Spares condition)	1	—	P	
	10-20 EC 8002	BRACKET , shear lug, frame joint, Starboard (For spares use 10-20 EC 9464ND)	1	—	—	LA21
12422	10-20 EC 9464ND	BRACKET , shear lug, frame joint, Starboard (Spares condition)	1	—	P	
		Attachments for 10-20 EC 8001, 10-20 EC 9463ND, 10-20 EC 8002 or 10-20 EC 9464ND, Bracket :—				
28D/9133011	A25/2C	Bolt, 2 BA	4	—	C	
28D/1010031	A25/8E	Bolt, 1" BSF	1	—	C	
28D/1011244	A25/9E	Bolt, 1" BSF	1	—	C	
28M/9403520	A27/CP	Nut, 2 BA	4	—	C	
28M/12928	A27/EP	Nut, 1/2" BSF	2	—	C	
28W/9419402	SP.13/C	Washer	4	—	C	
28W/9418921	SP.13/E	Washer	2	—	C	
	—	COWLING , rear fixed, group (Drg. No. 10-20 WC 11565)	1	—	—	
8263	DHS.365/12C 10-20 WC 11805A	BOLT , 2 BA, at main attachment bracket BOX , sealing, for hydraulic equipment on offset web, rib "O," assembly Spares for :—	4 1	—	C —	LA23
28D/9138768	A25/1/2C 10-20 WC 11807ND	BOLT , 2 BA	12	—	C	
14312	10-20 WC 29159ND	COVER , box (For spares use 10-20 WC 29195ND)	1	—	—	LA23
28M/11957	AGS.2007/C/1	COVER , box (Spares condition) NUT , 2 BA	1 22	—	C C	LA23

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
28M/12421	AGS.2018/C/1	NUT, 2 BA										2	—	C	
28D/9436920	A25/1C	Attachments for 10-20 WC 11805A, Box :—										18	—	C	
28D/1200119	A25/4C	Bolt, 2 BA										3	—	C	
28M/9403520	A27/CP	Nut, 2 BA										21	—	C	
28W/9419402	SP.13/C	Washer										21	—	C	
	10-20 CF 1631A	BRACKET , pulley mounting, flap gear, rib No. 1 and spectacle beam L.H., assembly										1	—	—	LA23
	10-20 CF 1632A	BRACKET , pulley mounting, flap gear, rib No. 1 and spectacle beam R.H., assembly										1	—	—	LA23
		Spares for :—													
8261	10 CF 2399	GUARD , cable, L.H.										1	—	C	LA23
8262	10 CF 2400	GUARD , cable, R.H.										1	—	C	LA23
		Attachments for 10 CF 2399 or 10 CF 2400, Guard :—													
28D/9133013	A25/5C	Bolt, 2 BA										1	—	C	
28M/9403520	A27/CP	Nut, 2 BA										1	—	C	
		Attachments for 10-20 CF 1631A or 10-20 CF 1632A, Bracket :—													
26FN/3002	A25/5E/DHS.514/D	Bolt, 1" BSF										1	—	C	
28D/1011242	A25/7E	Bolt, 1" BSF (Lock to DHS.514/D)										1	—	C	
28D/1011247	A25/13E	Bolt, 1" BSF (Lock to DHS.514/D)										1	—	C	
28D/1011261	A25/15G	Bolt, 1" BSF (Lock to DHS.514/D)										1	—	C	
28M/1011475	A27/EP	Nut, 1" BSF										1	—	C	
28M/1006939	A27/GP	Nut, 1" BSF										1	—	C	
28W/9418921	SP.13/E	Washer										3	—	C	
28W/9419403	SP.13/G	Washer										1	—	C	
	10-20 WC 28007A	FAIRING , rear fixed, assembly (Mod. 752A) ...										1	—	—	LA22
	10-20 WC 30153A	FAIRING , rear fixed, assembly (Mod. 752B) (For spares use 10-20 WC 41817A/ND) (Mod. 1282)										1	—	—	LA22
20089	10-20 WC 41817A/ND	FAIRING , rear fixed, assembly (Spares condition)										1	—	P	
		Spares for :—													
	10-20 WC 31265ND	ANGLE , reinforcing at frame No. 5, rear fixed fairing (Drg. No. 10-20 WC 30129A) (For spares use 10-20 WC 31803ND)										1	L.72	—	LA22
	10-20 WC 31803ND	ANGLE , reinforcing, at frame No. 5, rear fixed fairing (Spares condition)										1	L.72	—	
	10-20 WC 23847A/1	BEAM , spectacle, assembly										1	—	—	LA22
		Spares for :—													
8055	10-20 WC 8643	BLOCK , packing, bottom pulley, L.H. ...										1	—	C	LA23
8056	10-20 WC 8644	BLOCK , packing, bottom pulley, R.H. ...										1	—	C	LA23
28D/1011024	A25/21C	BOLT, 2 BA , locking ring and seal retaining ring securing, Port and Starboard										22	—	C	
8051	10-20 WC 14855	BRACKET , hinge hook fairing, L.H. ...										1	—	C	LA22
8052	10-20 WC 14856	BRACKET , hinge hook fairing, R.H. ...										1	—	C	LA22
		Attachments for 10-20 WC 14855 or 10-20 WC 14856, Bracket :—													
28D/12124	AS.1242/19E	Bolt, 1" BSF										2	—	C	
28M/1011475	A27/EP	Nut, 1" BSF										2	—	C	
	10-20 WC 14511	BRACKET , joint, L.H. (For spares use 10-20 WC 27469ND)										1	—	—	LA22
12271	10-20 WC 27469ND	BRACKET , joint, L.H. (Spares condition) ...										1	—	P	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES

WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Score or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
12272	10-20 WC 14512	BRACKET , joint, R.H. (For spares use 10-20 WC 27470ND)										1	—	—	LA22
	10-20 WC 27470ND	BRACKET , joint, R.H. (Spares condition) ...										1	—	P	LA23
	10-20 EC 4155	BRACKET , stay support, L.H., 18 SWG ...										1	L.72	LM	
	10-20 EC 4156	BRACKET , stay support, R.H., 18 SWG ...										1	L.72	LM	
28D/12517 28D/9706306 28M/9403520 28M/1007403	A25/17C	Attachments for 10-20 EC 4155 or 10-20 EC 4156, Bracket :—													
	A25/17E	Bolt, 2 BA ...										2	—	C	
	A27/CP	Bolt, 1/2" BSF ...										2	—	C	
	A27/ET	Nut, 2 BA ...										2	—	C	
16137 16139	10-20 WC 29275A	FAIRLEAD , top inboard, front face of spectacle beam, Port, assembly										1	—	—	LA23
	10-20 WC 29271ND	FAIRLEAD , bottom half ...										1	—	C	LA23
	10-20 WC 29277ND	FAIRLEAD , top half ...										1	—	C	LA23
	10-20 WC 29269A	FAIRLEAD , top inboard, rear face of spectacle beam, Port, assembly										1	—	—	LA22
16137 16138	10-20 WC 29271ND	FAIRLEAD , bottom half ...										1	—	C	LA22
	10-20 WC 29273ND	FAIRLEAD , top half ...										1	—	C	LA22
		Attachments for 10-20 WC 29275A or 10-20 WC 29269A, Fairlead :—													
		Bolt, 2 BA ...										2	—	C	
28D/9133013 28D/11890 28D/1013172	A25/5C	Bolt, 2 BA ...										1	—	C	
	AS.1246/5C	Bolt, 2 BA ...										1	—	C	
	AS.1242/5C	Bolt, 2 BA ...										1	—	C	
28D/9133011	10-20 E 2543	FLANGE , special breather casting attachment										4	L.65	—	LA22
	A25/2C	Attachments for 10-20 E 2543, Flange :—													
	10-20 E 5391ND	Bolt, 2 BA ...										16	—	C	LA23
		Shim, between Starboard forward flange and spectacle beam, max. thickness 0"·10										1	LA.3	LM	LA23
28W/9419475	SP.15/C	Washer ...										16	—	C	
13914	10-20 EC 9599A	LUG , inboard cowling panel attachment, L.H., assembly										1	—	C	LA23
	OR														
	10-20 EC 10185A	LUG , inboard cowling panel attachment, L.H., assembly (For spares use 10-20 EC 14029A/ND)										1	—	—	LA23
13915	10-20 EC 14029A/ND	LUG , inboard cowling panel attachment, L.H., assembly (Spares condition)										1	—		
	10-20 EC 9600A	LUG , inboard cowling panel attachment, R.H., assembly										1	—	C	LA23
	OR														
	10-20 EC 10186A	LUG , inboard cowling panel attachment, R.H., assembly (For spares use 10-20 EC 14030A/ND)										1	—	—	LA23
28M/9403520	10-20 EC 14030A/ND	LUG , inboard cowling panel attachment, R.H., assembly (Spares condition)										1	—		
		Spares for :—													
	10-20 EC 5547ND	BUSH ...										1	—	—	LA23
	A27/CP	NUT , 2 BA, for locking ring and seal retaining ring bolts										22	—	C	
28D/9133011 28M/11957	10-20 EC 5987	PLATE , adjustment, serrated, at lug, L.H. ...										1	DTD.166	—	LA23
	10-20 EC 5988	PLATE , adjustment, serrated, at lug, R.H. ...										1	DTD.166	—	LA23
	10-20 WC 27379ND	PLATE , nut, 3/16" BSF, 0"·6 × 0"·6 × 0"·25 thick										4	S.96	—	LA22
	10-20 WC 11191	PLATE , retaining, 20 SWG ...										1	L.73	LM	LA23
28D/9133011 28M/11957	A25/2C	Attachments for 10-20 WC 11191, Plate :—													
	AGS.2007/C/1	Bolt, 2 BA ...										2	—	C	
		Nut, 2 BA ...										2	—	C	

RESTRICTED

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 CE 4455A											1	—	—	LA22
16140	10-20 CE 4421											1	S.510	C	LA22
28R/13514	AS.103											1	—	C	LA22
	AS.2809/4/070												L.62	LM	
28D/1010030	A25/7C											1	—	C	
28M/10288	AGS.2001/C/1											1	—	C	
28W/9419475	SP.15/C											1	—	C	
26DV/7394	DHS.329/20											1	—	C	
28D/17607	A60/7J											1	—	C	
28M/14833	A58/JS											1	—	C	
28P/1007741	SP.9/C8											1	—	C	
28D/12517	A25/17C											1	—	C	
28D/11527	AS.1242/17C											1	—	C	
28M/9403520	A27/CP											2	—	C	
8048	10-20 E 1383											2	RA.2 or 9	C	LA22
8049	10-20 E 2463A											2	—	C	LA22
8050	10-20 E 2469A											2	—	C	LA22
8162	10-20 WC 3417											1	RA.2	C	LA23
	10-20 EC 8049ND											2	LB.2	LM	LA23
	10-20 WC 24259											1	S.110	—	LA22
8046	10-20 WC 14949											1	—	C	LA23
8047	10-20 WC 14950											1	—	C	LA23
	10-20 WC 31053A											1	—	—	LA24
	10-20 WC 31055A											1	—	—	LA24
	10-20 WC 20765A											1	—	—	LA24
	10-20 WC 20755A											1	—	—	LA24
	10-20 WC 28513A											1	—	—	LA24
	10-20 WC 20797A											1	—	—	LA24
	10-20 WC 13901											1	LFS.23 or LFS.26	LM	LA24
	10-20 WC 13883ND											1	DTD.762	LM	LA24
28M/12421	AGS.2018/C/1											1	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
28D/9133011 28M/9403520 28W/9419402	A25/2C A27/CP SP.13/C	Attachments for 10-20 WC 20765A or 10-20 WC 20755A, Bracket :—										2	—	C	
		Bolt, 2 BA										2	—	C	
		Nut, 2 BA										2	—	C	
		Washer										2	—	C	
28D/9133011 28M/9403520 28W/9419402	A25/2C A27/CP SP.13/C	Attachments for 10-20 WC 28513A, or 10-20 WC 20797A, Bracket :—										4	—	C	
		Bolt, 2 BA										4	—	C	
		Nut, 2 BA										4	—	C	
		Washer										4	—	C	
16146	10-20 WC 30693	HINGE , Port										1	S.510 or S.521	C	LA26
16147	10-20 WC 30694	HINGE , Starboard										1	S.510 or S.521	C	LA26
1092	DHS.365/2C	Attachments for 10-20 WC 30693 or 10-20 WC 30694, Hinge :—										4	—	C	LA26
28M/10230 16741	AGS.2009/E/1 10-20 WC 31379	Bolt, 2 BA										2	—	C	
	10-20 WC 28109ND	NUT , anchor, 1/2" BSF										2	—	C	
	10-20 WC 28105ND	PACKING , anchor nuts										2	L.72	C	LA26
	10-20 WC 28111ND	SEAL , aft (Make from Standard section J.337, Ref. No. 26FN/1431)										1	Rubber	LM	LA26
	10-20 WC 31781ND	SEAL , forward (Make from Standard section J.337, Ref. No. 26FN/1431)										1	Rubber	LM	LA26
	10-20 WC 28107ND	STRIP , seal retaining, aft (For spares use 10-20 WC 31781ND)										1	L.72	—	LA26
	10-20 WC 31787ND	STRIP , seal retaining, aft (Spares condition)										1	L.72	C	
	10-20 WC 24287	STRIP , seal retaining, forward (For spares use 10-20 WC 31787ND)										1	L.72	—	LA26
	—	STRIP , seal retaining, forward (Spares condition)										1	L.72	C	
8172	10-20 EC 8225	BRACKET , support, 18 SWG										1	L.72	LM	LA24
8173	10-20 EC 8223	BRACKET , support, inboard and outboard jet pipe trunnion rails, group										1	—	—	
8176	10-20 EC 5917	BRACKET , support, jet pipe trunnion, inboard forward rail										1	—	C	LA25
8177	10-20 EC 5918	BRACKET , support, jet pipe trunnion, out- board forward rail										1	—	C	LA25
8178	10-20 EC 2327	BRACKET , support, jet pipe trunnion, inboard rear rail, L.H.										1	—	C	LA25
8179	10-20 EC 2328	BRACKET , support, jet pipe trunnion, inboard rear rail, R.H.										1	—	C	LA25
	10-20 EC 8087	BRACKET , support, outboard, rear fairing, L.H.										1	—	C	LA25
	10-20 EC 8088	BRACKET , support, outboard, rear fairing, R.H.										1	—	C	LA25
11251	10-20 EC 9285ND	RAIL , inboard, jet pipe trunnion, L.H. (For spares use 10-20 EC 9285ND)										1	—	—	LA25
	10-20 EC 9286ND	RAIL , inboard, jet pipe trunnion, L.H. (Spares condition)										1	—	P	
8174	10-20 EC 2377	RAIL , inboard, jet pipe trunnion, R.H. (For spares use 10-20 EC 9286ND)										1	—	—	LA25
8175	10-20 EC 2378	RAIL , inboard, jet pipe trunnion, R.H. (Spares condition)										1	—	P	
		RAIL , outboard, jet pipe trunnion, L.H.										1	—	P	LA25
		RAIL , outboard, jet pipe trunnion, R.H.										1	—	P	LA25

MAIN PLANES

WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 EC 8727A	DOOR , toggle, rear fairing, assembly (For spares use 10-20 EC 9649A/ND)	8	—	—	LA22
15899	10-20 EC 9649A/ND	DOOR , toggle, rear fairing, assembly (Spares condition)	8	—	C	
28FP/802	DZUS EF.5/35A/DS	Spares for :— FASTENER	1	—	C	LA22
	—	DOORS , rear fixed fairing, Port and Starboard, group (Drg. Nos. 10-20 WC 28015A, 10-20 WC 28017A and 10-20 WC 31001)	1	—	—	
16127	10-20 WC 28015A	DOOR , ram air turbine, Port, assembly ...	1	—	P	LA26
16132	10-20 WC 28017A	DOOR , ram air turbine, Starboard, assembly	1	—	P	LA26
	10-20 WC 28187	Spares for :—				
	10-20 WC 28188	ANGLE , hinge attachment, Port, 16 SWG	1	L.72	—	LA26
	10-20 WC 30341A	ANGLE , hinge attachment, Starboard, 16 SWG	1	L.72	—	LA26
	10-20 WC 31427ND	BRACKET , up-lock, ram air turbine, L.H., assembly (For spares use 10-20 WC 31427ND)	1	DTD.298	—	LA26
16301	10-20 WC 31427ND	BRACKET , up-lock, ram air turbine, L.H., (Spares condition)	1	—	C	
	10-20 WC 30342A	BRACKET , up-lock, ram air turbine, R.H., assembly (For spares use 10-20 WC 31428ND)	1	DTD.298	—	LA26
16302	10-20 WC 31428ND	BRACKET , up-lock, ram air turbine, R.H., (Spares condition)	1	—	C	
28D/8308	AS.1242/3C	Attachments for 10-20 WC 30341A or 10-20 WC 30342A, Bracket :—				
28D/9133012	A25/3C	Bolt, 2 BA	2	—	C	
28M/1010997	A24/CT	Bolt, 2 BA	2	—	C	
28W/9419502	SP.13/C	Nut, 2 BA	4	—	C	
		Washer	4	—	C	
16130	10-20 WC 28019A	MECHANISM , door, operating, Port, assembly	1	—	P	LA26
16133	10-20 WC 28020A	MECHANISM , door operating, Starboard, assembly	1	—	P	LA26
	10-20 WC 28191	BEARING , Port	1	DTD.197	—	LA26
	10-20 WC 28192	BEARING , Starboard	1	DTD.197	—	LA26
16070	10-20 WC 28021	END , ball, threaded, $\frac{1}{4}$ " BSF	1	—	C	LA26
	10-20 WC 28189	HOUSING , Port	1	DTD.298	—	LA26
	10-20 WC 28190	HOUSING , Starboard	1	DTD.298	—	LA26
	10-20 WC 30111A/ND	PAD , bearing and disc, assembly	1	—	—	LA26
	10-20 WC 30107ND	DISC , ".04 thick x $\frac{3}{4}$ " dia. synthetic rubber, Shore hardness 30°	1	DTD.5509	—	LA26
	10-20 WC 28193	PAD , bearing	1	DTD.197	—	LA26
	10-20 WC 28197	PLATE , cover, Port	1	L.72	—	LA26
	10-20 WC 28198	PLATE , cover, Starboard	1	L.72	—	LA26
16131	10-20 WC 28195	SPRING	1	—	C	LA26
28D/8346	AS.1248/8C	Attachments for 10-20 WC 2809A or 10-20 WC 28020A, Mechanism :—				
28M/10288	AGS.2001/C/1	Bolt, 2 BA	4	—	C	
28W/9419454	SP.10/C	Nut, 2 BA	4	—	C	
		Washer	5	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
6389	DHS.365/1 1/2 C	Attachments for 10-20 WC 28015A or 10-20 WC 28017A, Door :—										7	—	C	LA26
28M/9403520	A27/CP	Bolt, 2 BA										7	—	C	
28W/9419402	SP.13/C	Nut, 2 BA										7	—	C	
		Washer										7	—	C	
	10-20 WC 31037A	MEMBER , support, aft, assembly (Mod. 830) (For spares use 10-20 WC 31799A/ND)										1	—	—	LA26
16815	10-20 WC 31799A/ND	MEMBER , support, aft, assembly (Spares condition) Spares for :—										1	—	C	
28M/9435067	AGS.2008/C/1	NUT , anchor, 2 BA										3	—	C	LA26
	10-20 WC 28141	PLATE , packing under anchor nuts, 16 SWG										3	L.72	LM	
28D/9436920	A25/1C	Attachments for 10-20 WC 31037A, Member :—										4	—	C	LA25
28M/9144673	AGS.2001/C/1	Bolt, 2 BA										4	—	C	
28W/9419402	SP.13/C	Nut, 2 BA										4	—	C	
		Washer										4	—	C	
	10-20 WC 28027A	MEMBER , support, forward, assembly (For spares use 10-20 WC 31797A/ND)										1	—	—	LA25
16814	10-20 WC 31797A/ND	MEMBER , support, forward, assembly (Spares condition) Spares for :—										1	—	C	
28M/9435067	AGS.2008/C/1	NUT , 2 BA										3	—	C	LA25
28M/9144673	AGS.2019/C/1	NUT , 2 BA										1	—	C	
	10-20 WC 28141	PLATE , packing under anchor nuts, 16 SWG										3	L.72	LM	
	10-20 WC 29189	PLATE , packing, under anchor nuts, 16 SWG										1	L.72	LM	
	10-20 WC 31257A	STIFFENER , aft centre, assembly (Mod. 972) (For spares use 10-20 WC 31495A/ND)										1	—	—	LA26
16740	10-20 WC 31495A/ND	STIFFENER , aft, centre, assembly (Spares condition) Spares for :—										1	—	C	
28M/10230	AGS.2009/E/1	NUT , anchor, 1/2" BSF										1	—	C	LA26
16741	10-20 WC 31379	PACKING , anchor nut										1	—	C	
1141	DHS.365/1C	Attachments for 10-20 WC 31257A, Stiffener :—										3	—	C	LA22
28D/1007982	AS.1248/1C	Bolt, 2 BA										2	—	C	
28M/1010997	A24/CT	Bolt, 2 BA										2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA										3	—	C	
28W/9419402	SP.13/C	Nut, 2 BA										5	—	C	LA22
		Washer										5	—	C	
	10-20 EC 2115A	FASTENER , toggle housing, rear fairing, Port, assembly										1	—	—	LA22
	10-20 EC 2117A	FASTENER , toggle housing, rear fairing, Star-board, assembly										1	—	—	
15357	DHS.1054	Spares for :— FASTENER , toggle, assembly...										1	—	C	LA22
		Spares for :—										1	—	C	
10162	DHS.463	ARM										1	—	C	LA22
26DV/2045	DHS.427	HOOK										1	—	C	
	DHS.1066	NUT , locking										1	—	C	LA22
2051	DHS.424	PEG , retaining										1	—	C	
2053	DHS.423	PIN , anchor, spring										1	—	C	LA22
9515	DHS.462	PIN , swivel										1	—	C	
2050	DHS.426	SPRING , torsion										1	—	C	LA22

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
28P/9476399	SP.4Y/D5	Attachments for DHS.1054, Fastener :—										2	—	C	
28P/9527619	SP.90/C7	Pin, shackle										2	—	C	
28W/9418920	SP.10/E	Pin, split (SP.9/C8)										QR	—	C	
		Washer (Fit as required)													
8181	10-20 EC 2099A	PLATE, fastener, assembly										2	—	C	LA22
11070	DHS.1006	PLATE, spring housing bracket, assembly										1	—	C	LA22
		Spares for :—													
28FP/1074	DZUS.S5/325/D12	SPRING, fastener										1	—	C	
	AS.2811/6/125	TUBE, distance, $\frac{3}{16}$ " o/d x 17 SWG x 1" 25										1	L.62	LM	
		long													
	10-20 WC 20833A	GUARD, arrester hook cable, assembly ...										1	—	—	LA24
8166	10-20 WC 20829	GUARD, cable, threaded 2 BA										1	—	C	LA24
		Attachments for 10-20 WC 20829, Guard :—													
28M/13324	A.29/CP	Nut, 2 BA										1	—	C	
28W/9419475	SP.15/C	Washer										1	—	C	
	10-20 WC 20835	GUARD, cable										1	L.65	LM	LA24
	—	LANDING, and panel, rear fixed cowling, group										1	—	—	
	10-20 WC 22521A	LANDING, panel, rear fixed cowling, assembly										1	—	—	LA25
		(For spares use 10-20 WC 27109A/ND)													
11967	10-20 WC 27109A/ND	LANDING, rear fixed cowling, assembly										1	—	C	
		(Spares condition)													
		Spares for :—													
	10-20 WC 23291ND	PACKING, $\frac{1}{16}$ " thick x $\frac{3}{8}$ " wide, Shore hard-										QR	Neoprene	LM	LA25
		ness 40°-50° (Secure with Boscoprene 2413)													
28FP/9429531	DZUS S4/225	SPRING, fastener										13	—	C	
28W/9419464	SP.13/A	WASHER										26	—	C	
8168	10-20 WC 22527A	PANEL, rear fixed cowling, assembly ...										1	—	P	LA25
		Spares for :—													
28FP/9001393	DZUS AJ4/35	FASTENER										13	—	C	
28M/10328	AGS.2002/C/1	NUT, 2 BA, spigot, retaining, inboard and										4	—	C	
		outboard													
8043	10-20 EC 2229A	PANEL, access rear fairing, assembly ...										2	—	C	LA25
		Spares for :—													
20807	10-20 EC 8295A	CHAIN, door retaining, assembly										1	—	C	LA25
29H/4114	—	CHAIN, chandelier, 8" long										1	—	C	
29H/—	—	RING, split, $\frac{3}{4}$ " dia.										2	—	—	
12026	DHS.180 Mk. 1/Z	TAG, chain retaining										1	—	C	LA25
28FP/802	DZUS EF.5/35A/DS	FASTENER										4	—	C	LA25
	—	PIPE, wheelcase breather and connection, group										1	—	—	
26FC/10289	DUNLOP DAS.185/20	CLIP, breather pipe retaining										6	—	C	LA25
		Attachments for DAS.185/20, Clip :—													
28D/9436920	A25/1C	Bolt, 2 BA										1	—	C	
28M/5808573	A27/CS	Nut, 2 BA										1	—	C	
28P/9527619	SP.90/C7	Pin, split (SP.9/C8)										1	—	C	
28W/9419402	SP.13/C	Washer										1	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
27F/3583	FLIGHT REFUELLING LTD. FRS.110/J/SER.5	CONNECTOR (For spares see AP.4515U, Vol. 3, Pt. 1)	2	—	C	LA25
28F/19144	AGS.2120/J 10-20 EC 2341A	NIPPLE PIPE , wheelcase breather, assembly Spares for :—	2 2	— —	C —	LA25
28F/11935	AGS.952/J	COLLAR , 1 1/2" BSP	1	—	C	
28F/5726	AGS.904/J	SLEEVE , outer, 1 1/2" BSP	1	—	C	
16739	10-20 WC 31269A	PLATE , cover, aft, rear fixed fairing, assembly (Mod. 972) Spares for :—	1	—	C	LA26
	10-20 WC 28133ND	SEALING , synthetic rubber, shore hardness 110°-120° Attachments for 10-20 WC 31269A, Plate :—	1	DHA.34	LM	LA26
28D/1214647	AS.3296/2C	Bolt, 2 BA	5	—	C	
20464	DHS.825/1 1/2 E	Bolt, 1/2" BSF	9	—	C	
28M/10328	AGS.2002/C/1	Nut, 2 BA	2	—	C	
28VV/9419454	SP.10/C	Washer	2	—	C	
	10-20 WC 28023A	PLATE , cover, forward, rear fixed fairing, assembly (For spares use 10-20 WC 31795A/ND)	1	—	—	LA22
16813	10-20 WC 31795A/ND	PLATE , cover, forward, rear fixed fairing, assembly (Spares condition) Attachments for 10-20 WC 28023A, Plate :—	1	—	C	
28D/1214646	AS.3296/1C	Bolt, 2 BA	8	—	C	
28D/1214648	AS.3296/3C	Bolt, 2 BA	8	—	C	
	10 EC 1199	PLATE , guide, inboard and outboard, toggle spigot	4	S.510 or S.84	—	LA22
	10-20 EC 2237	PLATE , reinforcing for access door, rear fairing, assembly Spares for :—	2	—	—	LA25
26FN/5269	DHS.453 10-20 EC 2241A/ND	COVER , drain hole PLATE , reinforcing and fastener, assembly (For spares use 10-20 EC 9355A/ND)	1 1	— —	C —	LA25 LA25
12121	10-20 EC 9355A/ND	PLATE , reinforcing and fastener, assembly (Spares condition) Spares for :—	1	—	P	
28FP/340	DZUS S5/300	SPRING , fastener	3	—	C	LA25
28VV/9419464	SP.13/A 10-20 WC 14739ND	WASHER SKIN , bottom, rear L.H. (Pre Mod. 752) (For spares use 10-20 WC 27683ND)	8 1	— —	C —	LA25
12298	10-20 WC 27683ND 10-20 WC 30151ND	SKIN , bottom, rear, L.H. (Spares condition) ... SKIN , bottom, rear L.H. (Mod. 752) (For spares use 10-20 WC 31373ND)	1 1	— —	P —	LA25
16170	10-20 WC 31373ND 10-20 WC 14740ND	SKIN , bottom, rear, L.H. (Spares condition) ... SKIN , bottom, rear, R.H. (Pre Mod. 752) (For spares use 10-20 WC 27684ND)	1 1	— —	P —	LA25

RESTRICTED

MAIN PLANES

WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
12299	10-20 WC 27684ND	SKIN, bottom rear, R.H. (Spares condition) ...										1	—	P	LA25
	10-20 WC 30152ND	SKIN, bottom rear, R.H. (Mod. 752) (For spares use 10-20 WC 31374ND)										1	—	—	
16171	10-20 WC 31374ND	SKIN, bottom rear, R.H. (Spares condition) ...										1	—	P	LA25
	10-20 WC 14737ND	SKIN, top rear, L.H., 22 SWG ...										1	L.72	—	
	10-20 WC 14738ND	SKIN, top rear, R.H., 22 SWG ...										1	L.72	—	LA25
	—	SKINS AND FILLETS, rear fixed fairing, group										1	—	—	LA22
	10-20 WC 22563A/ND	FILLET, bottom and reinforcing, L.H., assembly										1	—	—	
	10-20 WC 22564A/ND	FILLET, bottom and reinforcing, R.H., assembly										1	—	—	LA22
	10-20 WC 22555A/ND	FILLET, top and reinforcing, L.H., assembly										1	—	—	LA22
	10-20 WC 22556A/ND	FILLET, top and reinforcing, R.H., assembly										1	—	—	LA22
	10-20 WC 14735ND	SKIN, bottom forward, L.H., 22 SWG (For spares use 10-20 WC 27817ND)										1	L.72	—	LA25
12608	10-20 WC 27817ND	SKIN, bottom forward, L.H., 22 SWG (Spares condition)										1	L.72	C	LA25
	10-20 WC 14736ND	SKIN, bottom forward, R.H., 22 SWG (For spares use 10-20 WC 27818ND)										1	L.72	—	
12609	10-20 WC 27818ND	SKIN, bottom forward, R.H., 22 SWG (Spares condition)										1	L.72	C	LA25
	10-20 WC 22551A/ND	SKIN, top and reinforcing, L.H., assembly ...										1	—	—	
	10-20 WC 22552A/ND	SKIN, top and reinforcing, R.H., assembly ...										1	—	—	LA25
		Attachments for 10-20 WC 22563A/ND, 10-20 WC 22564A/ND, 10-20 WC 22555A/ND or 10-20 WC 22556A/ND, Fillet, and 10-20 WC 14735ND, 10-20 WC 27817ND, 10-20 WC 14736ND, 10-20 WC 27818ND, 10-20 WC 22551A/ND, or 10-20 WC 22552A/ND, Skin:—													
1092	DHS.365/2C	Bolt, 2 BA: ...										67	—	C	LA22
1792	DHS.365/3C	Bolt, 2 BA: ...										4	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA: ...										71	—	C	
28W/9419404	SP.16/C	Washer ...										71	—	C	
	10 EC 1853	SPIGOT, threaded, 2 BA, inboard and outboard toggle										4	S.1	—	LA22
28FP/1072	DZUS S4/250/D12	SPRING, fastener (Mod. 216) ...										2	—	C	LA25
	10-20 WC 30137ND	TAPE, bedding, at frame No. 5, 0"50 x $\frac{1}{16}$ " thick x 9"25 long (Make from Ref. No. 26FY/12690)										2	—	LM	
28W/9419454	SP.10/C	WASHER, at spigot nut ...										4	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 28035A	TUBE , release clamp mounting, assembly (For spares use 10-20 WC 31425A/ND)										1	—	—	LA24
16309	10-20 WC 31425A/ND	TUBE , release clamp mounting, assembly (Spares condition)										1	—	C	
		Attachments for 10-20 WC 28035A, Tube :—													
28D/12519	A25/3E	Bolt, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	8	—	C	
28M/12931	A27/ET	Nut, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	8	—	C	
16123	10-20 WC 28037	Shim	...	...	...	...	...	...	...	...	...	2	LA.3	C	LA24
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	4	—	C	
28W/9419487	SP.16/E	Washer (For two forward bolts)...	...	...	...	...	...	...	...	...	...	4	—	C	
26DL/15363	DHS.725/E/16	Washer, support, 16 SWG (Under head of rear bolt)	...	...	...	...	...	...	...	...	...	2	DTD.746	C	LA24
	10-20 D 767A	MOUNTING , hook damper, assembly (Mod. 216) (For spares use 10-20 D 787A/ND)										1	—	—	LA22
16308	10-20 D 787A/ND	MOUNTING , hook damper, assembly (Spares condition)										1	—	P	
	10-20 CE 4457	LABEL (23, 24, 31)										1	L.72	LM	LA22
	10-20 D 669	LUG , attachment, threaded $\frac{1}{4}$ " BSF										1	S.96	—	LA22
		Attachments for 10-20 D 669, Lug :—													
8187	10-20 D 679	Nut, special, tapped $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	C	LA22
28P/9429652	SP.9/E10	Pin, split, nut locking	...	...	...	...	...	...	...	...	...	1	—	C	
8188	10-20 D 677	Washer	...	...	...	...	...	...	...	...	...	1	—	C	LA22
	10-20 D 759A	MOUNTING , assembly										1	—	—	LA22
		Spares for :—													
8186	10-20 D 675	BUSH , lower (See Repair section PA)	...	...	...	...	...	...	...	...	...	1	DTD.197	C	LA22
8185	10-20 D 673	BUSH , upper (See Repair section PA)	...	...	...	...	...	...	...	...	...	1	DTD.197	C	LA22
		NIPPLE , lubrication and extension, group										1	—	—	
12825	10-20 D 743	EXTENSION , threaded, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	1	S.93	C	LA22
28N/9796	SP.21	NIPPLE , lubrication	...	...	...	...	...	...	...	...	...	1	—	C	
28R/13514	AS.103	PULLEY , ball bearing, 2" o/d	...	...	...	...	...	...	...	...	...	3	—	C	LA22
		Attachments for AS.103, Pulley :—													
28D/12829	A25/32J	Bolt, $\frac{1}{4}$ " BSF, pulley spindle	...	...	...	...	...	...	...	...	...	1	—	C	
28M/13289	A27/JC	Nut, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28P/1007741	SP.9/C8	Pin, split	...	...	...	...	...	...	...	...	...	1	—	C	
	DHS.329/"-40	Tube, distance, under nut, $\frac{3}{8}$ " i/d $\times$ 0"-40 long	...	...	...	...	...	...	...	...	...	1	DTD.423C	LM	
28W/9419477	SP.15/J	Washer	...	...	...	...	...	...	...	...	...	1	—	C	
	AS.2806/7/050	TUBE , distance, between pulley and mounting, $\frac{7}{16}$ " o/d $\times$ 22 SWG $\times$ 0"-50 long										1	T.35	LM	LA22
	AS.2809/5/205	TUBE , distance, cable guard, $\frac{5}{16}$ " o/d $\times$ 22 SWG $\times$ 2"-05 long										1	L.62	LM	LA22
		Attachments for AS.2809/5/205, Tube :—													
28D/12813	A.25/26E	Bolt, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28M/10290	AGS.2001/E/1	Nut, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	1	—	C	
		Attachments for 10-20 D 767A, Mounting :—													
28D/12813	A25/26E	Bolt, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28D/1011249	A25/28E	Bolt, $\frac{3}{8}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28D/14751	A25/21G	Bolt, $\frac{5}{16}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28D/15874	A25/36G	Bolt, $\frac{5}{16}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28D/15737	A25/47G	Bolt, $\frac{5}{16}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28M/12928	A27/EP	Nut, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28M/13375	A27/GP	Nut, $\frac{5}{16}$ " BSF	...	...	...	...	...	...	...	...	...	4	—	C	
28W/9418921	SP.13/E	Washer	...	...	...	...	...	...	...	...	...	2	—	C	
28W/9419403	SP.13/G	Washer	...	...	...	...	...	...	...	...	...	2	—	C	
28W/9419476	SP.15/C	Washer	...	...	...	...	...	...	...	...	...	2	—	C	

MAIN PLANES WING CENTRE SECTION

Part No.	Part Name	Description	QTY	Material Specification	Class of Store	Plate No.
28M/9403520	A27/CP	NUT , 2 BA, for bolts at main attachment bracket	4	—	C	
	AS.2808/8/050	SPACER , distance tube, $\frac{1}{2}$ " o/d $\times$ 17 SWG $\times$ "50 long	4	T.45	LM	
	AS.2808/10/050	SPACER , distance tube, $\frac{3}{8}$ " o/d $\times$ 17 SWG $\times$ "50 long	2	T.45	LM	
8258	10-20 WC 7865	STOP , arrester hook, at rib "O" and spectacle beam, Port	1	—	C	LA22
8259	10-20 WC 7866	STOP , arrester hook, at rib "O," and spectacle beam, Starboard	1	—	C	LA22
		Attachments for 10-20 WC 7865 or 10-20 WC 7866, Stop :—				
28D/9435058	A59/17J	Bolt, $\frac{3}{8}$ " BSF	1	—	C	
28D/20153	A59/20J	Bolt, $\frac{3}{8}$ " BSF	1	—	C	
28D/17027	A59/18N	Bolt, $\frac{1}{2}$ " BSF (Lock to DHS.514/D)	1	—	C	
28M/1011473	A27/JP	Nut, $\frac{3}{8}$ " BSF	2	—	C	
8260	10-20 WC 13279	Packing, under hook stop, "Attewell"	1	—	C	LA22
28W/9419466	SP.13/J	Washer	2	—	C	
28W/9419468	SP.13/N	Washer	1	—	C	
	10-20 WC 4325	TRUNNION , at spectacle beam main attachment bracket, tapped $\frac{3}{8}$ " BSF	2	S.96	—	LA22
		Attachments for 10-20 WC 4325, Trunnion :—				
28D/1011304	A25/15J	Bolt, $\frac{3}{8}$ " BSF (Lock to DHS.514/D)	1	—	C	
28W/9419466	SP.13/J	Washer	1	—	C	
	10-20 WC 4327	TRUNNION , at spectacle beam main attachment bracket, tapped $\frac{3}{8}$ " BSF	2	S.96	—	LA22
		Attachments for 10-20 WC 4327, Trunnion :—				
28D/13715	A25/15L	Bolt, $\frac{3}{8}$ " BSF (Lock to DHS.514/D)	1	—	C	
28W/9419467	SP.13/L	Washer	1	—	C	
	10-20 EC 4807A	COWLING , top, fixed, Port, assembly (For spares use 10-20 EC 9701A/ND)	1	—	—	LA27
14157	10-20 EC 9701A/ND	COWLING , top, fixed, Port, assembly (Spares condition)	1	—	P	
	10-20 EC 4808A	COWLING , top, fixed, Starboard, assembly (For spares use 10-20 EC 9702A/ND)	1	—	—	LA27
14158	10-20 EC 9702A/ND	COWLING , top, fixed, Starboard, assembly (Spares condition)	1	—	P	
		Spares for :—				
3275	10-20 EC 2881	BOLT , "U," toggle fastener attachment at formers and frames	3	—	C	LA27
		Attachments for 10-20 EC 2881, Bolt :—				
28M/1011467	A27/ES	Nut, $\frac{1}{2}$ " BSF	2	—	C	
28P/1007741	SP.9/C8	Pin, split	2	—	C	
28W/9418921	SP.13/E	Washer (Fit if required)	2	—	C	
	10-20 EC 4829A	BRACKET , and "U" bolt, Port, assembly	1	—	—	LA27
	10-20 EC 4830A	BRACKET , and "U" bolt, Starboard, assembly	1	—	—	LA27
3275	10-20 EC 2881	BOLT , "U" toggle fastener attachment	1	—	C	LA27
		Attachments for 10-20 EC 2881, Bolt :—				
28M/1011467	A27/ES	Nut, $\frac{1}{2}$ " BSF	2	—	C	
28P/1007741	SP.9/C8	Pin, split	2	—	C	
28W/9418921	SP.13/E	Washer	2	—	C	
	10-20 EC 4831	BRACKET , "U" bolt, Port (For spares use 10-20 EC 9705ND)	1	—	—	LA27
14159	10-20 EC 9705ND	BRACKET , "U" bolt, Port (Spares condition)	1	—	C	
	10-20 EC 4832	BRACKET , "U" bolt, Starboard (For spares use 10-20 EC 9706ND)	1	—	—	LA27
14160	10-20 EC 9706ND	BRACKET , "U" bolt, Starboard (Spares condition)	1	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No off	Part material quantity	Class of Spares List	Spares No.
		1 2 3 4 5 6 7 8 9 10				
13190	10-20 EC 8019A	DOOR, at cowl and flap shroud, L.H., assembly	1	—	P	LA27
13191	10-20 EC 8020A	DOOR, at cowl and flap shroud, R.H., assembly	1	—	P	LA27
		Spares for :—				
28FP/108	DZUS FJ4/35	FASTENER	4	—	C	LA27
	10-20 EC 8753A	DUCT, air intake, rear portion, Port, assembly ... (Mod. 46)	1	—	—	LA28
	10-20 EC 8754A	DUCT, air intake, rear portion, Starboard, assembly (Mod. 46)	1	—	—	LA28
7873	10-20 EC 8451A/ND	DUCT, air intake, removable portion, Port, assembly (Mod. 46)	1	—	P	LA28
7874	10-20 EC 8452A/ND	DUCT, air intake, removable portion, Starboard, assembly (Mod. 46)	1	—	P	LA28
		Spares for :—				
7875	10-20 EC 85	BOLT, trunnion, threaded, 3/8" BSF	3	—	C	LA28
	10-20 EC 8339	BRACKET, hinge, trunnion, air intake duct (Mod. 46)	4	—	C	LA28
18292	10-20 EC 77	BRACKET, joint, detachable air duct, L.H. ...	1	—	C	LA28
18293	10-20 EC 78	BRACKET, joint, detachable air duct, R.H. ...	1	—	C	LA28
		Attachments for 10-20 EC 77 or 10-20 EC 78, Bracket :—				
1792	DHS.365/3C	Bolt, 2 BA	4	—	C	
28D/15914	AS.3296/3B	Bolt, 4 BA	2	—	C	
28M/1006504	A27/BT	Nut, 4 BA	2	—	C	
28M/1006473	A27/CT	Nut, 2 BA	4	—	C	
7878	10-20 EC 83	CIRCLIP, trunnion bolt securing	1	—	C	LA28
7876	10-20 EC 87	CIRCLIP, trunnion bolt securing	3	—	C	LA28
7877	10-20 EC 79	TRUNNION, engine air duct	1	—	C	LA28
	10-20 EC 5529	TRUNNION, engine air duct	2	S.1	—	LA28
7879	10-20 EC 8449A/ND	DUCT, air intake, top and bottom fixed portion, Port, assembly (Mod. 46)	1	—	P	LA28
7880	10-20 EC 8450A/ND	DUCT, air intake, top and bottom fixed portion, Starboard, assembly (Mod. 46)	1	—	P	LA28
		Spares for :—				
28D/15331	AS.3296/1B	BOLT, 4 BA	5	—	C	
1141	DHS.365/1C	BOLT, 2 BA	41	—	C	
8057	10-20 EC 8341	BRACKET, hinge, trunnion, air intake duct, L.H. (Mod. 46)	2	—	C	LA28
8058	10-20 EC 8342	BRACKET, hinge, trunnion air intake duct, R.H. (Mod. 46)	2	—	C	LA28
18292	10-20 EC 77	BRACKET, joint, detachable air duct, L.H. ...	1	L.53	—	LA28
18293	10-20 EC 78	BRACKET, joint, detachable air duct, R.H. ...	1	—	C	LA28
		Attachments for 10-20 EC 77 or 10-20 EC 78, Bracket :—				
28D/15914	AS.3296/3B	Bolt, 4 BA	2	—	C	
1792	DHS.365/3C	Bolt, 2 BA	6	—	C	
28M/1006504	A27/BT	Nut, 4 BA	2	—	C	
28M/1006473	A27/CT	Nut, 2 BA	6	—	C	
7878	10-20 EC 83	CIRCLIP	1	—	C	LA28
28M/1006504	A27/BT	NUT, 4 BA	5	—	C	
28M/1006473	A27/CT	NUT, 2 BA	41	—	C	
8059	10-20 EC 5527	TRUNNION, engine air intake duct	2	—	C	LA28
8060	10-20 EC 81	TRUNNION, nut, engine air duct	1	—	C	LA28
28W/9419402	SP.13/C	WASHER	41	—	C	

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 E 5615A	FIREWALL, front, assembly (Mod. 216)										1	—	—	LA29
		Spares for:—													
	10-20 E 5591A	CLAMP, generator cables, assembly										2	—	—	LA29
		Spares for:—													
	10-20 E 5595A/ND	CLAMP, half, assembly										1	—	—	LA29
	10-20 E 4405ND	BLOCK										1	LFS.21, 23 or 26	LM	LA29
28M/10288	AGS.2001/C/1	NUT, 2 BA										1	—	C	
	10-20 E 5597A/ND	STIFFENER, brazed, assembly										1	—	—	LA29
	GKN.6240	ANCHOR, 2 BA (brazed to stiffener)										1	—	—	
28S/1011490	A32/C16	SCREW, 2 BA (brazed to stiffener)										1	—	C	
	10-20 E 5593ND	STIFFENER, (bare) 22 SWG										1	S.511	LM	LA29
	10-20 E 5596A/ND	CLAMP, half, assembly										1	—	—	LA29
	10-20 E 4406ND	BLOCK										1	LFS.21, 23 or 26	LM	LA29
28M/10288	AGS.2001/C/1	NUT, 2 BA										1	—	C	
	10-20 E 5598A/ND	STIFFENER, brazed, assembly										1	—	—	LA29
	GKN.6240	ANCHOR, 2 BA (brazed to stiffener)										1	—	—	
28S/1011490	A32/C16	SCREW, 2 BA										1	—	C	
	10-20 E 5594ND	STIFFENER, (bare) 22 SWG										1	S.511	LM	LA29
		Attachments for 10-20 E 5591A, Clamp:—													
28D/3436920	A25/1C	Bolt, 2 BA										2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA										2	—	C	
28W/9419402	SP.13/C	Washer										2	—	C	
	10-20 V 15A	CRADLE, water separator, assembly										2	—	—	LA29
	10-20 V 1395A/ND	CHANNEL, bearer, assembly										1	—	—	LA29
	10-20 V 17ND	CHANNEL, bearer (bare) 20 SWG										1	L.72	LM	LA29
	10-20 V 1307ND	WASHER, saddle, 16 SWG										1	L.72	LM	LA29
	—	STRAPS and trunnion, group										2	—	—	
28U/14400	AS.2426	SCREW, clamping										1	—	C	
	AS.2424/6½	STRAP, tank (bare)										1	L.72	LM	
	AS.2424/8½	STRAP, tank (bare)										1	L.72	LM	
		Attachments for AS.2424/6½ or AS.2424/8½, Strap:—													
28D/9419397	A25/12C	Bolt, 1 BA										1	—	C	
28M/9403520	A27/CP	Nut, 2 BA										1	—	C	
	AS.2299/1-03	Tube, distance										1	—	LM	
28W/9419402	SP.13/C	Washer										1	—	C	
	10-20 V 607ND	STRIP, rubbing (¼" thick × 1" wide × 4"-25 long)										1	DTD.762	LM	LA29
	10-20 V 609ND	STRIP, rubbing (⅜" thick × 1" wide × 6"-50 long)										1	DTD.762	LM	LA29
	10-20 V 611ND	STRIP, rubbing (⅜" thick × ⅝" wide × 4"-75 long)										2	DTD.762	LM	LA29
28U/14001	AS.2429	TRUNNION, drilled ⅜" × 1" long										1	—	C	
28U/13999	AS.2427	TRUNNION, tapped 2 BA, 1" long										1	—	C	
		Attachments for 10-20 V 15A, Cradle:—													
28D/9133011	A25/2C	Bolt, 2 BA										2	—	C	
28M/9403520	A27/CP	Nut, 2 BA										2	—	C	
28W/9419475	SP.15/C	Washer										2	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	—	DOUBLER , channel and strap, group ...										1	—	—	
	10-20 E 2579	CHANNEL , joint, front firewall (For spares use 10-20 E 5123ND)										1	—	—	LA29
11357	10-20 E 5123ND	CHANNEL , joint, front firewall (Spares condition)										1	—	C	
	10-20 E 2461	DOUBLER , front firewall (For spares use 10-20 E 5121ND)										1	—	—	LA29
11255	10-20 E 5121ND	DOUBLER , front firewall (Spares condition)										1	—	C	
15772	10-20 E 5653A	NUT , anchor, assembly ...										1	—	C	LA29
	10-20 E 2511ND	STRAP , joint at base front firewall, 16 SWG										1	L.72	LM	LA29
	10-20 E 3355	DOUBLER , front firewall, 20 SWG ...										1	L.72	LM	LA29
		Attachments for 10-20 E 3355, Doubler :—													
28D/9133011	A25/2C	Bolt, 2 BA ...										2	—	C	
28M/9403520	A27/CP	Nut, 2 BA ...										2	—	C	
28W/9419475	SP.15/C	Washer ...										2	—	C	
	—	ELBOW , connector and union adaptor, group ...										2	—	—	
7821	10-20 P 827	ELBOW , connector, fuel feed on front firewall, Port										1	—	C	LA29
7822	10-20 P 829	ELBOW , connector, fuel feed on front firewall, Starboard										1	—	C	LA29
		Attachments for 10-20 P 827 or 10-20 P 829, Elbow :—													
28D/12531	A25/3C	Bolt, 2 BA ...										5	—	C	
28M/9403520	A27/CP	Nut, 2 BA ...										5	—	C	
28W/9419475	SP.15/C	Washer ...										5	—	C	
26FN/3285	DHS.180.Mk. 3/X	TAG , wire, locking ...										1	—	C	
28F/12193	AGS.1105/K	UNION , adaptor ...										1	—	C	
28F/12087	AGS.1186/K	WASHER , sealing ...										1	—	C	
	—	ELECTRICAL COMPONENTS (See sub-section ECL)										—	—	—	
	10-20 E 3437	FAIRLEAD , half, front firewall, Port side ...										1	LFS.21 or 23	LM	LA29
	10-20 E 3439	FAIRLEAD , half, front firewall, Port side ...										1	LFS.21 or 23	LM	LA29
		Attachments for 10-20 E 3437 or 10-20 E 3439, Fairlead :—													
28D/1010658	A25/1B	Bolt, 4 BA ...										2	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA ...										2	—	C	
28W/9419474	SP.15/B	Washer ...										2	—	C	
	10-20 E 3475	FAIRLEAD , half, front firewall, Starboard side...										1	LFS.21 or 23	LM	LA29
	10-20 E 3477	FAIRLEAD , half, front firewall, Starboard side...										1	LFS.21 or 23	LM	LA29
		Attachments for 10-20 E 3475 or 10-20 E 3477, Fairlead :—													
28D/1010658	A25/1B	Bolt, 4 BA ...										2	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA ...										2	—	C	
28W/9419474	SP.15/B	Washer ...										2	—	C	
16034	10-20 E 5527	FAIRLEAD , front firewall, Port side (Mod. 216)										1	LFS.F547/1	C	LA29
16035	10-20 E 5529	FAIRLEAD , front firewall, Port side (Mod. 216)										1	LFS.F547/1	C	LA29
16036	10-20 E 5531	FAIRLEAD , front firewall, Port side (Mod. 216)										1	LFS.F547/1	C	LA29
		(in sets of three)													
		Attachments for 10-20 E 5527, 10-20 E 5529, or 10-20 E 5531, Fairlead :—													
28D/1010653	A25/1B	Bolt, 2 BA ...										5	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA ...										5	—	C	
28W/9419474	SP.15/B	Washer ...										5	—	C	

RESTRICTED

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 E 4523	FAIRLEAD, half, front firewall, Port side ...										1	LFS.21 or 23	LM	LA29
	10-20 E 4525	FAIRLEAD, half, front firewall, Port side ...										1	LFS.21 or 23	LM	LA29
		Attachments for 10-20 E 4523 or 10-20 E 4525, Fairlead :—													
28D/9419452	A25/3B	Bolt, 4 BA ...										2	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA ...										2	—	C	
28W/9419474	SP.15/B	Washer ...										2	—	C	
	10-20 E 5607A	FIREWALL, front, lower portion, assembly ...										1	—	—	LA29
		(Mod. 1328)													
		Spares for :—													
20689	10-20 E8357A	BRACKET, support, firewire termination fitting										2	—	C	LA29
		(Mod. 1422)													
19865	10-20 E 8281	PLATE, sole ...										2	—	C	LA29
13095	DHS.180 Mk. 3/Z	TAG, wire locking ...										2	—	C	LA29
	10-20 E 8379A/ND	FIREWALL, front, lower portion, Starboard, assembly (For spares use 10-20 E 8439A/ND)										1	—	—	LA29
20690	10-20 E 8439A/ND	FIREWALL, front, lower portion, Starboard, assembly (Mod. 1422)										1	—	P	
		(Spares condition)													
	10-20 E 8433A/ND	FIREWALL, front, lower portion, Port, assembly										1	—	—	LA29
		(For spares use 10-20 E 8435A/ND)													
20579	10-20 E 8435A/ND	FIREWALL, front, lower portion, Port, assembly										1	—	P	
		(Mod. 1422) (Spares condition)													
		Spares for :—													
	10-20 WC 13567A	BRACKET, attachment, assembly ...										2	—	—	LA29
7815	10-20 E 2313	BRACKET, shear panel locating, Port ...										1	—	C	LA29
7816	10-20 E 2311	BRACKET, shear panel locating, Starboard										1	—	C	LA29
	10-20 E 3317A	BRACKET, toggle, inboard, Port, assembly ...										1	—	—	LA29
	10-20 E 3318A	BRACKET, toggle, inboard, Starboard, assembly										1	—	—	LA29
		Spares for 10-20 E 3317A or 10-20 E 3318A, Bracket :—													
	10-20 E 3321ND	DOUBLER, 12 SWG ...										1	L.72	LM	LA29
28M/9434253	AGS.2007/B/1	NUT, 4 BA ...										2	—	C	
28M/12340	AGS.2007/C/2	NUT, 2 BA ...										21	—	C	
28M/9435067	AGS.2008/C/1	NUT, 2 BA ...										30	—	C	
28M/15251	AGS.2018/C/2	NUT, 2 BA ...										2	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 E 4853											1	—	—	LA29
15871	10-20 E 5719ND											1	—	C	
	10-20 E 4854											1	—	—	LA29
15872	10-20 E 5720ND											Z	—	C	
	10-20 CE 1895A											1	—	—	LA29
28D/1011300	A25/7J											1	—	C	
7818	10-20 CE 1889A											1	—	P	LA29
	10-20 CE 1893											1	LFS.23	LM	LA29
	10-20 CE 1897											1	LFS.23	LM	LA29
28D/9133011	A25/2C											1	—	C	
28M/10288	AGS.2001/C/1											1	—	C	
28W/9419402	SP.13/C											1	—	C	
	10-20 CE 1891											2	S.1	LM	LA29
28M/10288	AGS.2001/C/1											2	—	C	
28W/9419402	SP.13/C											2	—	C	
28R/13514	AS.103											2	—	C	LA29
	DHS.329/"/-30											2	DTD. 423C	LM	LA29
28D/9133011	A25/2C											3	—	C	
28M/9403520	A27/CP											3	—	C	
28W/9419402	SP.13/C											3	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
12	S10-20 E 3	FIREWALL , front removable top portion, Port (Special spares assembly, c/w attachments)	1	—	P	LA30
13	S10-20 E 4	FIREWALL , front removable top portion, Star- board (Special spares assembly, c/w attachments) NOTE:—When front firewall is required for Pre Mod. 913 air- craft, remove couplings, Part No. 10-20 S 15103 and fit a blank- ing plate 3" dia., made from 14 SWG, spec. S521, Ref. No. 30A/2720)	1	—	P	LA30
	10-20 E 3349A	FIREWALL , front, removable top portion, Port, assembly	1	—	—	LA30
	10-20 E 3351A	FIREWALL , front, removable top portion, Star- board, assembly Spares for:—	1	—	—	LA30
	10-20 E 3409ND	BLOCK , stop, toggle fastener	1	LFS.21	LM	LA30
20684	10-20 E 8393	BRACKET , anchorage, toggle fastener front firewall, Port (Mod. 1422)	1	—	C	LA30
20685	10-20 E 8395	BRACKET , anchorage, toggle fastener front firewall, Starboard (Mod. 1422)	1	—	C	LA30
20686	10-20 E 8371A	BRACKET , at toggle fastener, anchorage, assembly (Mod. 1422)	1	—	C	LA30
19865	10-20 E 8281	PLATE , sole	1	—	C	LA30
	10-20 E 3415	BRACKET , cowl door stay, 18 SWG	1	L.72	LM	LA30
	10-20 E 2885	BRACKET , cowl door stay, L.H., 18 SWG	1	L.72	LM	LA30
	10-20 E 2886	BRACKET , cowl door stay, R.H., 18 SWG	1	L.72	LM	LA30
20682	10-20 E 8361A	BRACKET , for firewire coupling unit, Port, assembly (Mod. 1422)	1	—	C	LA30
19866	10-20 E 8283	PLATE , sole	1	—	C	LA30
20683	10-20 E 8363A	BRACKET , for firewire coupling unit, Star- board, assembly (Mod. 1422)	1	—	C	LA30
19867	10-20 E 8284	PLATE , sole	1	—	C	LA30
	10-20 E 3347A	BRACKET , toggle fastener pick-up, front firewall, Port, assembly	1	—	—	LA30
	10-20 E 3348A	BRACKET , toggle fastener pick-up, front fire- wall, Starboard, assembly	1	—	—	LA30
7806	10-20 S 6271	COUPLING , elbow, L/E de-icing, aft face of firewall, Port	1	—	C	LA30
7809	10-20 V 1601	COUPLING , flange, de-icing, forward face of firewall, Port	1	—	C	LA30
7808	10-20 V 1599	COUPLING , flange, de-icing, forward face of firewall, Starboard	1	—	C	LA30
16859	10-20 S 20245	COUPLING , L/E de-icing, aft face of firewall, Starboard, assembly (Mod. 913) Spares for:—	1	—	C	LA30
19600	DHS.410/12	FLANGE , clamp	1	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Score or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
		Attachments for 10-20 S 6271, 10-20 V 1601, 10-20 V 1599 or 10-20 S 20245, Coupling :—													
28D/1008149	A25/2B	Bolt, 4 BA	...	...	...	...	...	...	...	...	...	1	—	C	
28D/9133012	A25/3C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	7	—	C	
28M/9403519	A27/BP	Nut, 4 BA	...	...	...	...	...	...	...	...	...	1	—	C	
28M/9403520	A27/CP	Nut, 2 BA	...	...	...	...	...	...	...	...	...	7	—	C	
28W/9419465	SP.13/B	Washer	...	...	...	...	...	...	...	...	...	2	—	C	
28W/9419402	SP.13/C	Washer	...	...	...	...	...	...	...	...	...	14	—	C	
16858	10-20 S 15103	COUPLING , flange, front firewall, top centre (Mod. 913)										2	—	C	LA30
		Attachments for 10-20 S 15103, Coupling :—													
28D/9133012	A25/3C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	6	—	C	
28M/9403520	A27/CP	Nut, 2 BA	...	...	...	...	...	...	...	...	...	6	—	C	
28W/9419402	SP.13/C	Washer	...	...	...	...	...	...	...	...	...	6	—	C	
	10-20 E 3401ND	DOUBLER , inboard edge, aft, L.H., 12 SWG										1	L.72	LM	LA30
	10-20 E 3402ND	DOUBLER , inboard edge, aft, R.H., 12 SWG										1	L.72	LM	LA30
	10-20 E 3403ND	DOUBLER , inboard edge, forward, L.H., 12 SWG										1	L.72	LM	LA30
	10-20 E 3404ND	DOUBLER , inboard edge, forward, R.H., 12 SWG										1	L.72	LM	LA30
	10-20 E 3411A	FASTENER , toggle, front firewall, inboard, assembly										1	—	—	LA30
7803	DHS.893	ARM , toggle										1	—	C	LA30
1060	DHS.892	HOOK , threaded, $\frac{1}{4}$ " BSF										1	—	C	LA30
28M/1007403	A27/ET	NUT , $\frac{1}{4}$ " BSF										1	—	C	
26DL/7795	DHS.424	PEG , retaining										1	—	C	
1062	DHS.898	PIN , spring anchor										1	—	C	
1064	DHS.897	PIN , swivel										1	—	C	
9607	~~7804~~ 10-20 E 4913	ROD , extension										1	—	C	LA30
1061	DHS.896	SPRING										1	—	C	
1063	DHS.894	SWIVEL										1	—	C	
		Attachments for 10-20 E 3411A, Fastener :—													
28P/895	SP.4Y/F5	Pin, shackle										2	—	C	
28P/1011031	SP.9/C10	Pin, split, shackle pin securing										2	—	C	
	10-20 E 3413A	FASTENER , toggle, front firewall, outboard, assembly										1	—	—	LA30
7803	DHS.893	ARM , toggle										1	—	C	LA30
1060	DHS.892	HOOK , threaded, $\frac{1}{4}$ " BSF										1	—	C	LA30
28M/1007403	A27/ET	NUT , $\frac{1}{4}$ " BSF										1	—	C	
26DL/7795	DHS.424	PEG , retaining										1	—	C	
1062	DHS.898	PIN , spring anchor										1	—	C	
1064	DHS.897	PIN , swivel										1	—	C	
7804	10 E 79	ROD , extension										1	—	C	LA30
1061	DHS.896	SPRING										1	—	C	
1063	DHS.894	SWIVEL										1	—	C	
		Attachments for 10-20 E 3413A, Fastener :—													
28D/1011019	A25/8C	Bolt, 2 BA										1	—	C	
28M/9403520	A257/CP	Nut, 2 BA										1	—	C	
28P/895	SP.4Y/F5	Pin, shackle										2	—	C	
28P/1011031	SP.9/C10	Pin, split, shackle pin securing										2	—	C	
	AS.2806/4/050	Tube, distance, 1" o/d x 22 SWG x 0"5 long										1	T.35	LM	
28W/9419475	SP.15/C	Washer										1	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Place No.
16856	10-20 E 8001	STIFFENER, front firewall, top centre, Port (Mod. 913)	1	—	C	LA30
16857	10-20 E 8002	STIFFENER, front firewall, top centre, Starboard (Mod. 913)	1	—	C	LA30
26DL/7354	10-20 E 4919ND DHS.180.Mk. 1/X	STRIP, rubbing, $\frac{3}{16}$ " thick ... TAG, locking, inboard toggle fastener ... Attachments for 10-20 E 3349A or 10-20 E 3351A, Firewall:—	1 1	LFS —	LM C	LA30
2248	DHS.358/5E	Bolt, $\frac{1}{2}$ " BSF ...	1	—	C	
2253	DHS.358/7E	Bolt, $\frac{1}{2}$ " BSF ...	2	—	C	
28M/12928	A27/EP	Nut, $\frac{1}{2}$ " BSF ...	3	—	C	
14484	10-20 E 5621ND 10-20 WC 8079	Shim, "Attewell" ... Socket, bolt, Port (For spares use 10-20 WC 26867ND)	QR 1	— —	C —	LA30 LA30
11196	10-20 WC 26867ND 10-20 WC 8080	Socket, bolt, Port (Spares condition) ... Socket, bolt, Starboard (For spares use 10-20 WC 26868ND)	1 1	— —	C —	C LA30
11197	10-20 WC 26868ND	Socket, bolt, Starboard (Spares condition) ...	1	—	C	
28W/9418921	SP.13/E	Washer ...	3	—	C	
28D/9436920	A25/1C	Attachments for 10-20 E 5615A, Firewall:— Bolt, 2 BA ...	20	—	C	
28D/9133011	A25/2C	Bolt, 2 BA ...	8	—	C	
28D/13461	AS.3297/2C	Bolt, 2 BA ...	4	—	C	
28D/1011254	A25/2G	Bolt, $\frac{5}{16}$ " BSF ...	4	—	C	
28M/9403520	A27/CP	Nut, 2 BA ...	32	—	C	
28M/1006939	A27/GP	Nut, $\frac{5}{16}$ " BSF ...	4	—	C	
28W/9419476	SP.15/C	Washer ...	4	—	C	
26DL/5269	DHS.771/C	Washer (Under A25/1C bolt head and nut) ...	40	—	C	
—	—	FIREWALL, rear, assembly ... (Drg. No. 10-20 E 4751A/2) Spares for:	1	—	—	LA31
10-20 E 4553	—	ANGLE, attachment, at rib "O," Port (For spares use 10-20 E 5131ND)	1	—	—	LA31
11361	10-20 E 5131ND	ANGLE, attachment, at rib "O," Port ... (Spares condition)	1	—	C	
10-20 E 4555	—	ANGLE, attachment, at rib "O," Starboard (For spares use 10-20 E 5133ND)	1	—	—	LA31
11362	10-20 E 5133ND	ANGLE, attachment, at rib "O," Starboard ... (Spares condition)	1	—	C	
10-20 E 4557	—	BRACKET, attachment, at rib "O," Port (For spares use 10-20 E 5135ND)	1	—	—	LA31
11363	10-20 E 5135ND	BRACKET, attachment, at rib "O," Port ... (Spares condition)	1	—	C	
10-20 E 4558	—	BRACKET, attachment, at rib "O," Starboard (For spares use 10-20 E 5136ND)	1	—	—	LA31
11364	10-20 E 5136ND	BRACKET, attachment, at rib "O," Starboard ... (Spares condition)	1	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Place No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 E 715	BRACKET , centre front, lower firewall, rib "O," (For spares use 10-20 E 5449ND)	1	—	—	LA31
13177	10-20 E 5449ND	BRACKET , centre front, lower firewall, rib "O," (Spares condition)	1	—	C	
		Attachments for 10-20 E 715, Bracket:—				
28D/1007975	AS.1242/1C	Bolt, 2 BA	2	—	C	
28D/9133011	A25/2C	Bolt, 2 BA	16	—	C	
1092	DHS.365/2C	Bolt, 2 BA	8	—	C	
28D/9133012	A25/3C	Bolt, 2 BA	20	—	C	
28D/1008145	A25/6E	Bolt, 1" BSF	2	—	C	
28M/9403520	A27/CP	Nut, 2 BA	46	—	C	
28M/12928	A27/EP	Nut, 1" BSF	2	—	C	
28W/9419454	SP.10/C	Washer	44	—	C	
28W/9418921	SP.13/E	Washer	2	—	C	
28W/9128924	SP14/C	Washer	38	—	C	
7863	10-20 E 2325	BRACKET , centre rear lower portion, rear firewall, rib "O"	1	—	C	LA31
		Attachments for 10-20 E 2325 Bracket:—				
1141	DHS.365/1C	Bolt, 2 BA	12	—	C	
28M/9403520	A27/CP	Nut, 2 BA	12	—	C	
28W/9419402	SP.13/C	Washer	12	—	C	
	10-20 E 4187A	BRACKET , rear firewall, rib "O," Port, assembly (For spares use 10-20 E 5161A/ND)	1	—	—	LA31
11961	10-20 E 5161A/ND	BRACKET , rear firewall, rib "O," Port, assembly (Spares condition)	1	—	P	
	10-20 E 4197A	BRACKET , rear firewall, rib "O," Starboard, assembly (For spares use 10-20 E 5165A/ND)	1	—	—	LA31
11960	10-20 E 5165A/ND	BRACKET , rear firewall, rib, "O," Starboard, assembly (Spares condition)	1	—	P	
	10-20 E 2131ND	BUSH , 1" o/d. x 0"-95 long	1	S.1	LM	LA31
		Attachments for 10-20 E 4187A or 10-20 E 4197A, Bracket:—				
28D/1011240	A25/5E	Bolt, 1" BSF	1	—	C	
28D/9435780	AS.3294/5E	Bolt, 1" BSF	1	—	C	
28M/12928	A27/EP	Nut, 1" BSF	2	—	C	
28W/9418921	SP13/E	Washer	1	—	C	
	10-20 E 2345	BUSH , top firewall, 1" o/d. x 0"-95 long	1	S.1	LM	LA31
	—	ELBOW and Flange, wheelcase breather outlet, front face of firewall, group	1	—	—	
7870	10-20 E 3251A	ELBOW , breather outlet, assembly	1	—	P	LA31
		Attachments for 10-20 E 3251A, Elbow:—				
28D/9133011	A25/2C	Bolt, 2 BA	4	—	C	
28M/9403520	A27/CP	Nut, 2 BA	4	—	C	
28W/9436805	SP.11/C	Washer	4	—	C	
28W/9418924	SP.14/C	Washer	4	—	C	
7869	10-20 E 3283	FLANGE , to wheelcase breather outlet, front face of firewall	1	—	C	LA31

RESTRICTED

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Place No.
		1 2 3 4 5 6 7 8 9 10				
7871	10-20 E 3249A	ELBOW , and Flange, wheelcase breather outlet, rear face of firewall, group	1	—	—	
28D/9133012	A25/3C	ELBOW , breather outlet, assembly ...	1	—	P	LA31
28M/9403520	A27/CP	Attachments for 10-20 E 3249A, Elbow :—				
28VV/9436805	SP.11/C	Bolt, 2 BA ...	4	—	C	
28VV/9128924	SP.14/C	Nut, 2 BA ...	4	—	C	
		Washer ...	4	—	C	
		Washer ...	4	—	C	
7872	10-20 E 2809	FLANGE , to wheelcase breather outlet, rear face of firewall	1	—	C	LA31
	10-20 E 4687A/2	FIREWALL , rear, lower portion, Port, assembly (For spares use 10-20 E 8209A/ND)	1	—	—	LA31
17579	10-20 E 8209A/ND	FIREWALL , rear, lower portion, Port, assembly (Spares condition)	1	—	P	
	10-20 E 8175	BRACKET , lower, front, outboard (Mod. 1147) (For spares use 10-20 E 8213ND)	1	—	—	LA31
18519	10-20 E 8213ND	BRACKET , lower, front, outboard (Spares condition)	1	—	C	
	10-20 E 8173	BRACKET , lower, rear, outboard (Mod. 1147) (For spares use 10-20 E 8211ND)	1	—	—	LA31
18520	10-20 E 8211ND	BRACKET , lower, rear, outboard (Spares condition)	1	—	C	
	10-20 E 4183	BRACKET , firewall attachment, rib No. 1 (For spares use 10-20 E 5417ND)	1	—	—	LA31
12594	10-20 E 5417ND	BRACKET , firewall attachment, rib No. 1 ... (Spares condition)	1	—	C	
28M/11957	AGS.2007/C/1	NUT , anchor, 2 BA ...	5	—	C	
28M/9418918	AGS.2012/C/11	NUT , anchor, 2 BA ...	10	—	C	
	10-20 E 2209ND	PACKING , lower centre, 0"01 thick ...	1	Zinc	LM	LA31
	10-20 E 2213ND	PACKING , lower centre, 0"01 thick ...	1	Zinc	LM	LA31
	10-20 E 2207ND	PACKING , lower inboard, 0"01 thick ...	1	Zinc	LM	LA31
	10-20 E 2211ND	PACKING , lower inboard, 0"01 thick ...	1	Zinc	LM	LA31
	10-20 E 8201A/ND	PLATE , nut, Port, assembly ...	1	—	—	LA31
	10-20 E 8097ND	PLATE , bare, 0"75 x 4"0, 16 SWG ...	1	L.72	LM	LA31
	10-20 E 8202A/ND	PLATE , nut, Starboard, assembly ...	1	—	—	LA31
	10-20 E 8098ND	PLATE , bare, 0"75 x 4"0, 16 SWG ...	1	L.72	LM	LA31
	10-20 E 8075ND	STRIP , capping, lower (Mod. 1147) (For spares use 10-20 E 8351ND)	1	—	—	LA31
	10-20 E 8077ND	STRIP , capping (Mod. 1147) (For spares use 10-20 E 8351ND)	1	—	—	LA31
20074	10-20 E 8351ND	STRIP , capping, lower (Spares condition) ...	1	—	C	
17327	10-20 WVC 40745ND	WASHER , 0"005-0"008 thick (Mod. 1147) ...	QR	Zinc	C	LA31
	10-20 E 4709A/2	FIREWALL , rear, lower portion, Starboard, assembly (For spares use 10-20 E 8227A/ND)	1	—	—	LA31
17580	10-20 E 8227A/ND	FIREWALL , rear, lower portion, Starboard, assembly (Spares condition)	1	—	P	
	10-20 E 8176	BRACKET , lower, front, outboard (Mod. 1147) (For spares use 10-20 E 8212ND)	1	—	—	LA31
18522	10-20 E 8212ND	BRACKET , lower, front, outboard (Spares condition)	1	—	C	
	10-20 E 8174	BRACKET , lower, rear, outboard (Mod. 1147) (For spares use 10-20 E 8210ND)	1	—	—	LA31
19768	10-20 E 8210ND	BRACKET , lower, rear, outboard (Spares condition)	1	—	C	
	10-20 E 4184	BRACKET , firewall attachment, rib No. 1 (For spares use 10-20 E 5418ND)	1	—	—	LA31
12595	10-20 E 5418ND	BRACKET , firewall attachment, rib No. 1 (Spares condition)	1	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
28M/11957	AGS.2007/C/1	NUT, anchor, 2 BA	3	—	C	
28W/9418918	AGS.2012/C/11	NUT, anchor, 2 BA	10	—	C	
	10-20 E 2209ND	PACKING, lower centre, 0"-01 thick	1	Zinc	LM	LA31
	10-20 E 2213ND	PACKING, lower centre, 0"-01 thick	1	Zinc	LM	LA31
	10-20 E 2207ND	PACKING, lower inboard, 0"-01 thick	1	Zinc	LM	LA31
	10-20 E 2211ND	PACKING, lower inboard, 0"-01 thick	1	Zinc	LM	LA31
	10-20 E 2315ND	PACKING, lower outboard, 0"-01 thick	1	Zinc	LM	LA31
	10-20 E 2317ND	PACKING, lower outboard, 0"-01 thick	1	Zinc	LM	LA31
	10-20 E 8081ND	STRIP, capping, lower (Mod. 1147) (For spares use 10-20 E 8353ND)	1	—	—	LA31
	10-20 E 8079ND	STRIP, capping, (Mod. 1147) (For spares use 10-20 E 8353ND)	1	—	—	LA31
20073	10-20 E 8353ND	STRIP, capping, lower (Spares condition)	1	—	C	
17327	10-20 WC 40745ND	WASHER, zinc, 0"-005—0"-008 thick (Mod. 1147) (Fit as required to fill gap of 0"-40 between nut plate and firewall)	QR	—	C	LA31
10	S10-20 E 1	FIREWALL, rear top portion, Port (Special spares assembly, complete with attachments)	1	—	P	LA32
11	S10-20 E 2	FIREWALL, rear top portion, Starboard (Special spares assembly, complete with attachments)	1	—	P	LA32
	10-20 E 5157A	FIREWALL, rear top portion, Port, assembly	1	—	—	LA32
	10-20 E 5158A	FIREWALL, rear top portion, Starboard, assembly	1	—	—	LA32
		Spares for :—				
7838	10-20 E 2047	BRACKET, top, detachable, rib O, inboard, Port	1	—	C	LA32
7839	10-20 E 2048	BRACKET, top, detachable, rib O, inboard, Starboard	1	—	C	LA32
		Attachments for 10-20 E 2047 or 10-20 E 2048, Bracket :—				
28D/9133011	A25/2C	Bolt, 2 BA	12	—	C	
7193	DHS.964/2C	Bolt, 2 BA	4	—	C	
28M/9403520	A27/CP	Nut, 2 BA	16	—	C	
28W/9419402	SP.13/C	Washer	16	—	C	
7842	10-20 E 2049	BRACKET, top, detachable, rib 1, outboard, Port	1	—	P	LA32
7843	10-20 E 2050	BRACKET, top, detachable, rib 1, outboard, Starboard	1	—	P	LA32
		Attachments for 10-20 E 2049 or 10-20 E 2050, Bracket :—				
28D/9133011	A25/2C	Bolt, 2 BA	12	—	C	
7193	DHS.964/2C	Bolt, 2 BA	4	—	C	
28M/9403520	A27/CP	Nut, 2 BA	16	—	C	
28W/9419402	SP.13/C	Washer	16	—	C	
19869	10-20 E 8291A	BRACKET, Port, assembly (Mod. 1422)	1	—	C	LA32
7846	10-20 E 2115A	DUCT, forward, Port, assembly	1	—	P	LA32
7847	10-20 E 2116A	DUCT, forward, Starboard, assembly	1	—	P	LA32
		Spares for :—				
28FP/740	ODDIE 936/B	FASTENER, female portion (Solid lock)	1	—	C	
7848	10-20 E 2117	FLANGE, ventilator duct attachment	1	—	C	LA32
28FP/890	DZUS R.6	RECEPTACLE (fastener)	3	—	C	

Sea Vixen Mk. 1

RESTRICTED

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES

WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
28M/9403520	A27/CP	Nut, 2 BA	...	...	...	...	...	...	...	...	...	25	—	C	
28M/1011475	A27/EP	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	40	—	C	
28VV/9419454	SP.10/C	Washer	...	...	...	...	...	...	...	...	...	12	—	C	
28VV/9436805	SP.11/C	Washer	...	...	...	...	...	...	...	...	...	13	—	C	
28VV/9128924	SP.14/C	Washer	...	...	...	...	...	...	...	...	...	25	—	C	
28VV/9418920	SP.10/E	Washer	...	...	...	...	...	...	...	...	...	6	—	C	
28VV/9436801	SP.11/E	Washer	...	...	...	...	...	...	...	...	...	8	—	C	
28VV/9418921	SP.13/E	Washer	...	...	...	...	...	...	...	...	...	8	—	C	
28VV/7000392	SP.14/E	Washer	...	...	...	...	...	...	...	...	...	56	—	C	
	—	PANEL AND ROOF , hydraulic trough, group ... (Drg. Nos. 10-20 E 4623 and 10-20 E 4624)										1	—	—	LA33
	10-20 EC 9435A	CHANNEL , attachment, Port, assembly ... (For spares use 10-20 EC 9613A/ND)										1	—	—	LA33
14152	10-20 EC 9613A/ND	CHANNEL , attachment, Port, assembly ... (Spares condition)										1	—	C	
	10-20 EC 9437A	CHANNEL , attachment, Starboard, assembly ... (For spares use 10-20 EC 9615A/ND)										1	—	—	LA33
14153	10-20 EC 9615A/ND	CHANNEL , attachment, Starboard, assembly ... (Spares condition)										1	—	C	
		Attachments for 10-20 EC 9435A or 10-20 EC 9437A. Channel :—													
28D/9436920	A25/1C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	2	—	C	
28D/1007975	AS.1242/1C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	...	...	...	...	...	...	...	...	...	2	—	C	
	10-20 E 4743	PANEL , roof, outboard, L.H. hydraulic trough, 24 SWG										1	Titanium to DHA.70	—	LA33
	10-20 E 4744	PANEL , roof, outboard, R.H., hydraulic trough, 24 SWG										1	Titanium to DHA.70	—	LA33
	10-20 E 3303A	ROOF , hydraulic trough, Port, assembly...										1	—	—	LA33
	10-20 E 3304A	ROOF , hydraulic trough, Starboard, assembly ... Spares for :—										1	—	—	LA33
28M/11957	AGS.2007/C/1	NUT , 2 BA										43	—	C	
	10-20 E 2133ND	STRIP , capping, centre, L.H. ... (For spares use 10-20 E 5423ND)										1	—	—	LA33
12592	10-20 E 5423ND	STRIP , capping, centre, L.H. (Spares condition)										1	—	C	
	10-20 E 2134ND	STRIP , capping, centre, R.H. ... (For spares use 10-20 E 5424ND)										1	—	—	LA33
12593	10-20 E 5424ND	STRIP , capping, centre, R.H. (Spares condition)										1	—	C	
	10-20 E 2449ND	STRIP , capping, outer, L.H. ... (For spares use 10-20 E 5421ND)										1	—	—	LA33
12590	10-20 E 5421ND	STRIP , capping, outer, L.H. (Spares condition)										1	—	C	
	10-20 E 2450ND	STRIP , capping, outer, R.H. ... (For spares use 10-20 E 5422ND)										1	—	—	LA33
12591	10-20 E 5422ND	STRIP , capping, outer, R.H. (Spares condition)										1	—	C	
	10-20 EC 4693A	PANEL , bottom, shear, Port, assembly ... (For spares use 10-20 EC 9699A/ND)										1	—	—	LA34

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
14155	10-20 EC 9699A/ND	PANEL, bottom, shear, Port, assembly ... (Spares condition)	1	—	P	
	10-20 EC 4694A	PANEL, bottom, shear, Starboard, assembly ... (For spares use 10-20 EC 9700A/ND)	1	—	—	LA34
14156	10-20 EC 9700A/ND	PANEL, bottom, shear, Starboard, assembly ... (Spares condition) Spares for :—	1	—	P	
	10-20 EC 5909A/ND	BRACKET, assembly (Starboard only) ...	1	—	—	LA34
	10-20 EC 5877ND	BRACKET, attachment (bare) 18 SWG ...	1	L.72	LM	LA34
28M/9435067	AGS.2008/C/1	NUT, 2 BA, anchor ...	2	—	C	
	10-20 EC 5911A/ND	BRACKET, assembly (Starboard only) ...	1	—	—	LA34
	10-20 EC 5879ND	BRACKET, attachment (bare) 18 SWG ...	1	L.72	LM	LA34
28M/9435067	AGS.2008/C/1	NUT, 2 BA, anchor ...	2	—	C	
	10-20 EC 8787A	BRACKET, electrical cable conduit attachment, assembly	2	—	—	LA34
	10-20 EC 8789ND	BRACKET (bare), 18 SWG ...	1	L.72	LM	LA34
28M/12421	AGS.2018/C/1	NUT, 2 BA, anchor ...	1	—	C	
	10-20 EC 9835A/ND	BRACKET, for ram air turbine pipe clips, assembly (Port only) (Mod. 216)	1	—	—	LA34
	10-20 EC 9833ND	BRACKET, bare, 20 SWG ...	1	L.72	LM	LA34
28M/9435067	AGS.2008/C/1	NUT, 2 BA, anchor ...	1	—	C	
	10-20 N 5351A	BRACKET, temperature control terminal block, assembly	2	—	—	LA34
	10-20 N 5353ND	BRACKET (bare), 20 SWG ...	1	L.72	LM	LA34
28M/9434253	AGS.2007/B/1	NUT, 4 BA, anchor ...	1	—	C	
26DV/9466	12 EC 1673	FAIRING, tapered, drain holes ...	5	—	C	LA34
8066	10-20 E 2965	OUTLET, drain, exhaust unit, inner ...	1	—	C	LA34
13523	10-20 E 5403	OUTLET, drain, exhaust unit outer ...	1	—	C	LA34
		Attachments for 10-20 E 2965 or 10-20 E 5403, Outlet :—				
28M/10297	AGS.2001/B/2	Nut, 2 BA ...	5	—	C	
28S/1005583	A37/B16	Screw, 4 BA ...	5	—	C	
13834	DHS.180 Mk. 2/Z	Tag, bonding ...	1	—	C	LA34
8065	10-20 EC 2515	PANEL, knock-out, fire access ...	1	—	C	LA34
19209	10-20 EC 9913ND	PLATE, retaining, 20 SWG (Mod. 777) ...	2	L.72	C	LA34
		Attachments for 10-20 EC 9913ND, Plate :—				
28D/8300	AS.1242/1B	Bolt, 4 BA ...	2	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA ...	2	—	C	
	—	STRINGERS (Make from standard section J.505, Ref. No. 26FY/8064)	—	—	—	
	—	STRINGERS (Make from standard section J.1020, Ref. No. 26FY/8063)	—	—	—	
	—	PANELS, centre skin, group (Drg. No. 10-20 EC 8857)	1	—	—	LA34
9105	10-20 EC 8841A	PANEL, access, assembly ...	2	—	C	LA34
		Attachments for 10-20 EC 8841A, Panel :—				
20076	DHS.825/2C	Bolt, 2 BA ...	14	—	C	

MAIN PLANES

WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 EC 9729A/ND	PANEL, skin, assembly (Pre Mod. 466) ... (For spares use 10-20 EC 9971A/ND)	1	—	—	LA34
	10-20 EC 9971A/ND	PANEL, skin, assembly (Pre Mod. 466) ... (Spares condition)	1	—	—	
	10-20 EC 9947A/ND	PANEL, skin, assembly (Mod. 466) (For spares use 10-20 EC 9995A/ND)	1	—	—	LA34
15323	10-20 EC 9995A/ND	PANEL, skin, assembly (Mod. 466) (Spares condition)	1	—	C	
		Attachments for 10-20 EC 9729A/ND or 10-20 EC 9947A/ND, Panel :—				
7193	DHS.964/2C	Bolt, 2 BA ...	6	—	C	
8073	DHS.964/2E	Bolt, 1" BSF ...	4	—	C	
28D/9798	AS.1248/3E	Bolt, 1" BSF ...	6	—	C	
28D/12473	AS.1248/4E	Bolt, 1" BSF ...	6	—	C	
28M/12928	A27/EP	Nut, 1" BSF ...	12	—	C	
28W/9418921	SP.13/E	Washer ...	12	—	C	
	10-20 EC 8149A/ND	PLATE, nut, L.H. assembly ...	1	—	—	LA34
	10-20 EC 8150A/ND	PLATE, nut, R.H. assembly ...	1	—	—	LA34
	G.K.N. 6240	ANCHOR, for 2 BA and 1" BSF nuts ...	10	—	—	
28M/10328	AGS.2002/C/1	NUT, 2 BA ...	6	—	C	
28M/7002430	AGS.2002/E/1	NUT, 1" BSF ...	4	—	C	
	10-20 EC 8151ND	PLATE, nut (bare) L.H. 22 SWG ...	1	S.510	LM	LA34
	10-20 EC 8152ND	PLATE, nut (bare) R.H. 22 SWG ...	1	S.510	LM	LA34
	—	SEALING, gearbox bay, group (Drg. No. 10-20 E 5525)	1	—	—	LA35
	10-20 E 2593A	DUCT, generator cooling, Port, assembly (For spares use 10-20 E 5425A/ND)	1	—	—	LA35
12949	10-20 E 5425A/ND	DUCT, generator cooling, Port, assembly (Spares condition)	1	—	P	
	10-20 E 2595A	DUCT, generator cooling, Starboard, assembly (For spares use 10-20 E 5427A/ND)	1	—	—	LA35
12950	10-20 E 5427A/ND	DUCT, generator cooling, Starboard, assembly (Spares condition)	1	—	P	
		Attachments for 10-20 E 2593A or 10-20 E 2595A, Duct :—				
28D/9133011	A25/2C	Bolt, 2 BA, firewall end ...	8	—	C	
28D/8308	AS.1242/3C	Bolt, 2 BA, generator end ...	8	—	C	
	10-20 E 4135	Gasket, firewall end, 1/2" thick ...	2	Langite	LM	LA35
28M/10288	AGS.2001/C/1	Nut, 2 BA ...	16	—	C	
9580	10-20 E 4129	Plate, bearing ...	1	—	C	LA35
28W/9419402	SP.13/C	Washer ...	16	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
7836	10-20 WC 13255A	PANEL, cable guard, Port. assembly										1	—	P	LA35
		Spares for :—													
28FP/236	DZUS AW.4/25	FASTENER										3	—	C	
28FP/237	DZUS AW.4/30	FASTENER										4	—	C	
28FP/9430915	DZUS GA.4/250	GROMMET										7	—	C	
	—	SEAL, fuel pipes gear box bay, details (Drg. No. 10-20 E 4141)										1	—	—	LA35
	10-20 E 4343A/ND	SEAL, fuel pipes, assembly (For spares use 10-20 E 5557A/ND)										1	—	—	LA35
14165	10-20 E 5557A/ND	SEAL, fuel pipes, assembly (Spares condition)...										1	—	C	
		Attachments for 10-20 E 4343A/ND, Seal :—													
28D/12259	AS.2923/1C	Bolt, 2 BA										12	—	C	
	10-20 E 5521A/ND	SEALS, c/w access panels, Port, assembly ...										1	—	—	LA35
	10-20 E 5523A/ND	SEALS, c/w access panels, Starboard, assembly ...										1	—	—	LA35
	10-20 E 4257A/ND	SEAL, forward, Port, assembly (For spares use 10-20 E 8265A/ND)										1	—	—	LA35
18403	10-20 E 8265A/ND	SEAL, forward, Port, assembly (Mod. 1188) (Spares condition)										1	—	P	
	10-20 E 4259A/ND	SEAL, forward, Starboard, assembly (For spares use 10-20 E 8267A/ND)										1	—	—	LA35
18404	10-20 E 8267A/ND	SEAL, forward, Starboard, assembly (Mod. 1188) (Spares condition)										1	—	P	
	10-20 E 4245A/ND	PANEL, access, Port, assembly (For spares use 10-20 E 5573A/ND)										1	—	—	LA35
14307	10-20 E 5573A/ND	PANEL, access, Port, assembly (Spares condition)										1	—	P	
	10-20 E 4281A/ND	PANEL, access, Starboard, assembly (For spares use 10-20 E 5575A/ND)										1	—	P	LA35
14308	10-20 E 5575A/ND	PANEL, access, Starboard, assembly (Spares condition)										1	—	P	
		Spares for :—													
28FP/663	DZUS AW.4/40	FASTENER										7	—	C	
28FP/9430915	DZUS GA.4/250	GROMMET, fastener										7	—	C	
28FP/9430916	DZUS S4/200	SPRING, fastener										7	—	C	
	10-20 E 4785A/1	SEAL, gear box, centre portion (pressed), Port, assembly (For spares use 10-20 E 8261A/ND)										1	—	—	LA35
18401	10-20 E 8261A/ND	SEAL, gear box, centre portion (pressed), Port, assembly (Mod. 1188) (Spares condition)										1	—	P	
	10-20 E 4787A/1	SEAL, gear box, centre portion (pressed), Starboard, assembly (For spares use 10-20 E 8263A/ND)										1	—	—	LA35
18402	10-20 E 8263A/ND	SEAL, gear box, centre portion (pressed), Starboard, assembly (Mod. 1188) (Spares condition)										1	—	P	
		Spares for :—													
7831	10-20 E 4643A	CLAMP, assembly										1	—	P	LA35
		Spares for :—													
28P/5210	AGS.1551/1	PIN, locking										1	—	C	
11624	10-20 E 5047A	GUARD, gear box drive shaft, Port, assembly										1	—	C	LA35
11623	10-20 E 5033	PLATE, capping, Starboard										1	—	C	LA35

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 E 5517A/ND											1	—	—	LA35
15261	10-20 E 5701A/ND											1	—	P	
	10-20 E 5519A/ND											1	—	—	LA35
15262	10-20 E 5703A/ND											1	—	P	
	10-20 E 4247A/ND											1	—	—	LA35
14305	10-20 E 5571A/ND											1	—	P	
	10-20 E 4248A/ND											1	—	—	LA35
14306	10-20 E 5572A/ND											1	—	P	
28FP/663	DZUS AW.4/40											6	—	C	
28FP/9430915	DZUS GA.4/250											6	—	C	
28FP/9430916	DZUS S4/200											6	—	C	
	—											1	—	—	
	10-20 WC 4829											1	—	—	LA36 LA37
13354	10-20 WC 28445ND											1	—	C	
	10-20 WC 4830											1	—	—	LA36 LA37
13355	10-20 WC 28446ND											1	—	C	
2248	DHS.358/5E											1	—	C	
28M/12928	A27/EP											1	—	C	
28W/9419405	SP.15/E											1	—	C	
	10-20 WC 4831											1	—	—	LA36
13352	10-20 WC 28447ND											1	—	C	
	10-20 WC 4832											1	—	—	LA36 LA37
13353	10-20 WC 28448ND											1	—	C	
10184	DHS.358/8G											1	—	C	
28M/1006939	A27/GP											1	—	C	
28W/9419476	10-20 WC 14971											1	L.72	LM	LA37
	SP.15/G											1	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 40743A	BRIDGE , UHF aerial bracket, at stn. 218"-5, assembly	1	—	—	LA37
	10-20 WC 40731A	BRIDGE , UHF aerial bracket, Port, assembly ... (For spares use 10-20 WC 41463A/ND)	1	—	—	LA37
18923	10-20 WC 41463A/ND	BRIDGE , UHF aerial bracket, Port, assembly ... (Spares condition)	1	—	C	
	10-20 WC 40732A	BRIDGE , UHF aerial bracket, Starboard, assembly (For spares use 10-20 WC 41464A/ND)	1	—	—	LA37
18924	10-20 WC 41464A/ND	BRIDGE , UHF aerial bracket, Starboard, assembly (Spares condition)	1	—	C	
		Attachments for 10-20 WC 40731A or 10-20 WC 40732A, Bridge :—				
28D/9133011	A25/2C	Bolt, 2 BA ...	4	—	C	
28D/1011245	A25/10E	Bolt, 1" BSF ...	3	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA ...	4	—	C	
28M/12928	A27/EP	Nut, 1" BSF ...	3	—	C	
	10-20 WC 40741ND	Packing, 14 SWG ...	1	L.72	LM	LA37
28W/9419402	SP.13/C	Washer ...	4	—	C	
28W/9419405	SP.15/E	Washer ...	3	—	C	
	10-20 WC 40199A	DIAPHRAGM , sealing, screwed to fairing former, forward, Port (For spares use 10-20 WC 40953A/ND)	1	—	—	LA36
17531	10-20 WC 40953A/ND	DIAPHRAGM , sealing, secured to fairing former, forward, Port (Spares condition) Spares for :—	1	—	P	
28M/11957	AGS.2007/C/1	NUT , anchor, 2 BA ...	2	—	C	
28M/12421	AGS.2018/C/1	NUT , anchor, 2 BA ...	1	—	C	
	10-20 WC 7673ND	PAD , felt, secured to inboard lower edge of diaphragm 4"-2 long x ".25 wide x $\frac{3}{16}$ " thick	1	DTD.590	LM	LA36
	10-20 WC 7583ND	STRIP , felt, secured to outboard lower edge of diaphragm 13"-5 long x ".25 wide x $\frac{3}{16}$ " thick	1	DTD.590	LM	LA36
17272	10-20 WC 40201	DIAPHRAGM , sealing, secured to fairing former, forward, Starboard Spares for :—	1	—	P	LA36
	10-20 WC 7673ND	PAD , felt, secured to inboard lower edge of diaphragm 4"-2 long x ".25 wide x $\frac{3}{16}$ " thick	1	DTD.590	LM	LA36
	10-20 WC 7583ND	STRIP , felt, secured to outboard lower edge of diaphragm 13"-5 long x ".25 wide x $\frac{3}{16}$ " thick	1	DTD.590	LM	LA36
	10-20 WC 40221A	FAIRING , top centre, complete with access door to tank No. 1 filler cap, Port, assembly (For spares use 10-20 WC 40959A/ND)	1	—	—	LA36
17573	10-20 WC 40959A/ND	FAIRING , top centre, complete with access door to tank No. 1 filler cap, Port, assembly (Spares condition)	1	—	P	
	10-20 WC 40222A	FAIRING , top centre, complete with access door to tank No. 1 filler cap, Starboard, assembly (For spares use 10-20 WC 40960A/ND)	1	—	—	LA36
17574	10-20 WC 40960A/ND	FAIRING , top centre, complete with access door to tank No. 1 filler cap, Starboard, assembly (Spares condition)	1	—	P	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
		Spares for :—													
	10-20 WC 11239	BRACKET , stay support, secured to front face of forward former, 18 SWG										1	L.72	LM	LA36
	10-20 WC 40779A	DOOR , filler cap access, tank No. 1, Port, assembly (For spares use 10-20 WC 40951A/ND)										1	—	—	LA36
17575	10-20 WC 40951A/ND	DOOR , filler cap access, tank No. 1, Port, assembly (Spares condition)										1	—	P	
	10-20 WC 40780A	DOOR , filler cap access, tank No. 1, Starboard, assembly (For spares use 10-20 WC 40952A/ND)										1	—	—	LA36
17576	10-20 WC 40952A/ND	DOOR , filler cap access, tank No. 1, Starboard, assembly (Spares condition)										1	—	P	
		Spares for :—													
10965	FAIREY AVIATION FS.440/D	FASTENER , thumb tab, Type 4										1	—	C	LA36
	10 WC 4559ND	HINGE , (Make from Ref. No. 28N/10361)										1	—	LM	LA36
	10 WC 5005ND	PACKING , hinge, 18 SWG										1	L.72	LM	LA36
	10-20 WC 11257ND	GUTTER , along forward upper edge of fairing, Port, 18 SWG										1	L.72	LM	LA36
	10-20 WC 11258ND	GUTTER , along forward upper edge of fairing, Starboard, 18 SWG										1	L.72	LM	LA36
5K/3390	AS.3360/B/3/B	LEAD , bonding, flexible										1	—	C	
10968	10-20 WC 7345A	PLATE , nut, secured to outboard end of rear former, Port										1	—	C	LA36
10969	10-20 WC 7346A	PLATE , nut, secured to outboard end of rear former, Starboard										1	—	C	LA37
															LA37
	10-20 WC 11233ND	PLATE , retaining, under flange of tank No. 1 fuel filler connection sump, Port, 20 SWG										1	L.72	LM	
	10-20 WC 11234ND	PLATE , retaining, under flange of tank No. 1 fuel filler connection sump, Starboard, 20 SWG										1	L.72	LM	LA37
10970	10-20 WC 7019	SOCKET , tank grounding, secured underneath fairing on aft side of filler cap access door aperture										1	L.64	C	LA36
		Attachments for 10-20 WC 7019, Socket :—													LA37
28D/8306	AS.1242/1C	Bolt , 2 BA										4	—	C	
28M/10288	AGS.2001/C/1	Nut , 2 BA										4	—	C	
28W/9419475	SP.15/C	Washer										4	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description 1 2 3 4 5 6 7 8 9 10	No. off	Material Specification	Class of Store or L.M.	Plate No.
	10-20 WC 40873A	SUMP , fuel filler connection, tank No. 1, Port, assembly (For spares use 10-20 WC 41091A/ND)	1	—	—	LA37
17577	10-20 WC 41091A/ND	SUMP , fuel filler connection, tank No. 1, Port, assembly (Spares condition)	1	—	P	
	10-20 WC 40874A	SUMP , fuel filler connection, tank No. 1, Starboard, assembly (For spares use 10-20 WC 41092A/ND)	1	—	—	LA37
17578	10-20 WC 41092A/ND	SUMP , fuel filler connection, tank No. 1, Starboard, assembly (Spares condition)	1	—	P	
	10 WC 11047	PLATE , latch, 14 SWG Attachments for 10 WC 11047, Plate :—	1	L.72	LM	LA37
28D/9130082	AS.1246/3B	Bolt, 4 BA	4	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	4	—	C	
	10 WC 11049	Spacer, "27" thick Attachments for 10-20 WC 40221A or 10-20 WC 40222A, Fairing :—	2	L.34	LM	LA37
28D/9436920	A25/1C	Bolt, 2 BA	1	—	C	
28D/9133011	A25/2C	Bolt, 2 BA	1	—	C	
1123	DHS.2001/2E	Bolt, $\frac{1}{4}$ " BSF	8	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	1	—	C	
2356	DHS.383/E	Nut, $\frac{1}{4}$ " BSF	8	—	C	
28W/9419475	SP.15/C	Washer	1	—	C	
10980	10-20 WC 22287A	GUTTER , corner, complete with drain pipe, at forward outboard edge of fairing, Port, assembly	1	—	C	LA36
10981	10-20 WC 22288A	GUTTER , corner, complete with drain pipe, at forward outboard edge of fairing, Starboard, assembly	1	—	C	LA36
10982	10-20 WC 11281	GUTTER , corner, at forward inboard edge of fairing, Port	1	—	C	LA36
10983	10-20 WC 21282	GUTTER , corner, at forward inboard edge of fairing, Starboard	1	—	C	LA36
17267	10-20 WC 40243A	PLATE , capping, UHF aerial bridge, assembly ...	1	—	C	LA36
10974	10-20 WC 24315	PLATE , sealing, between rib "O" and sealing diaphragm, Port, $\frac{1}{16}$ " thick, fibreglass	1	—	C	LA36
17270	10-20 WC 27315	PLATE , sealing, between rib "O" and sealing diaphragm, Starboard, $\frac{1}{16}$ " thick, fibreglass Attachments for 10-20 WC 24315 or 10-20 WC 27315, Plate :—	1	—	C	LA36
28D/14976	AS.4566/ $\frac{1}{2}$ C	Bolt, 2 BA	2	—	C	
28M/10281	AGS.2001/C/3	Nut, 2 BA	2	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Place No.
		1 2 3 4 5 6 7 8 9 10				
	—	FAIRINGS , wing-fold, bottom, Port, group (Drg. No. 10-20 WC 18205)	1	—	—	LA38
	—	FAIRINGS , wing-fold, bottom, Starboard, group (Drg. No. 10-20 WC 18205)	1	—	—	LA38
11765	10-20 WC 18202	BRACKET , attachment, for forward lower wing-fold fairing, at forward edge of front door, Port	1	—	C	LA38
11764	10-20 WC 18201	BRACKET , attachment, for forward lower wing-fold fairing, at forward edge of front door, Starboard	1	—	C	LA38
	10-20 N 2831A	BRACKET , attachment, electrical cable, at forward attachment bracket of forward lower wing-fold fairing, assembly	1	—	—	LA38
28M/9434252	10-20 N 2833ND AGS.2018/B/1	BRACKET , 18 SWG	1	L.72	LM	LA38
		NUT , anchor, 4 BA	1	—	C	
		Attachments for 10-20 WC 18202 or 10-20 WC 18201 and 10-20 N 2831A, Bracket :—				
28D/1010030	A25/7C	Bolt, 2 BA	1	—	C	
28D/9140645	A25/10C	Bolt, 2 BA	1	—	C	
28M/9403520	A27/CP	Nut, 2 BA	2	—	C	
28W/9419475	10-20 WC 24677ND SP.15/C	Packing, 12 SWG... ..	1	L.72	LM	LA38
		Washer	2	—	C	
	10-20 WC 18053	BRACKET , attachment, for lower centre wing-fold fairing, aft of forward hinged door, Port	1	L.72	—	LA38
	10-20 WC 18054	BRACKET , attachment, for lower centre wing-fold fairing, aft of forward hinged door, Starboard	1	L.72	—	LA38
		Attachments for 10-20 WC 18053 or 10-20 WC 18054, Bracket :—				
28D/9133011	A25/2C	Bolt, 2 BA	1	—	C	
28D/1200119	A25/4C	Bolt, 2 BA	1	—	C	
28M/9403520	A27/CP	Nut, 2 BA	2	—	C	
28W/9419475	SP.15/C	Washer	2	—	C	
11762	10-20 WC 18009A	COVER , removable, wing-fold fairing, rear, Port, assembly	1	—	P	LA38
11763	10-20 WC 18010A	COVER , removable, wing-fold fairing, rear, Starboard, assembly	1	—	P	LA38
		Spares for :—				
2729	DHS.365/3½C	BOLT , captive... ..	2	—	C	
	10-20 WE 3293	COLLAR , bolt retaining	2	L.64	LM	LA38
	10-20 WC 16341ND	SEAL , bonded (Make from standard section J.2193, Ref. No. 26FY/11702)	1	—	LM	LA38
	10-20 WC 16343ND	STIFFENER , edge, 18 SWG	1	L.72	LM	LA38
	10-20 WC 10743A	DOOR , hinged, wing-fold fairing, forward lower, Port, assembly (Pre Mod. 799) (For spares use 10-20 WC 28795A/ND)	1	—	—	LA38
13386	10-20 WC 28795A/ND	DOOR , hinged, wing-fold fairing, forward lower, Port, assembly (Pre Mod. 799) (Spares condition)	1	—	P	
16355	10-20 WC 30165A	DOOR , hinged, wing-fold fairing, forward, lower, Port, assembly (Mod. 799)	1	—	P	LA38

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 10744A	DOOR , hinged, wing-fold fairing, forward lower, Starboard, assembly (Pre Mod. 799) (For spares use 10-20 WC 28796A/ND)	1	—	—	LA38
13387	10-20 WC 28796A/ND	DOOR , hinged, wing-fold fairing, forward lower, Starboard, assembly (Pre Mod. 799) (Spares condition)	1	—	P	
16356	10-20 WC 30166A	DOOR , hinged, wing-fold fairing, forward lower, Starboard, assembly (Mod. 799) Spares for :—	1	—	P	LA38
4341	DHS.365/5C	BOLT , captive...	2	—	C	
	10-20 WC 3293	COLLAR , bolt retaining ...	2	L.64	LM	LA38
	10-20 WC 10745A	HINGE , assembly (Pre Mod. 799) (For spares use 10-20 WC 28483A/ND)	1	—	—	LA38
14182	10-20 WC 28483A/MD	HINGE , assembly (Pre Mod. 799) (Spares condition)	1	—	C	
16357	10-20 WC 30141	HINGE , assembly (Mod. 799) ...	1	—	C	LA38
	10-20 WC 16021ND	PACKING , under hinge, 16 SWG ...	1	L.72	LM	LA38
10356	10-20 WC 16027ND	SEAL , bonded, port ...	1	—	C	LA38
10354	10-20 WC 16028ND	SEAL , bonded, Starboard ...	1	—	C	LA38
10355	10-20 WC 16023ND	STIFFENER , edge, Port (Pre Mod. 799) ...	1	L.72	C	LA38
	10-20 WC 29921ND	STIFFENER , edge, Port, 10 SWG (Mod. 799) ...	1	L.72	LM	LA38
10353	10-20 WC 16024ND	STIFFENER , edge, Starboard (Pre Mod. 799) ...	1	—	C	LA38
	10-20 WC 29922ND	STIFFENER , edge, Starboard, 18 SWG (Mod. 799)	1	L.72	LM	LA38
		Attachments for 10-20 WC 10743A, 10-20 WC 30165A, 10-20 WC 10744A or 10-20 WC 30166A, Door :—				
1092	DHS.365/2C	Bolt, 2 BA ...	7	—	C	
28M/10328	AGS.2002/C/1	Nut, 2 BA ...	7	—	C	
28W/9419404	SP.16/C	Washer ...	7	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 18225A	FAIRING , wing-fold, forward lower, Port, assembly (For spares use 10-20 WC 29763A/ND)	1	—	—	LA38
14690	10-20 WC 29763A/ND	FAIRING , wing-fold, forward lower, Port, assembly (Spares condition)	1	—	P	
	10-20 WC 18226A	FAIRING , wing-fold, forward lower, Starboard, assembly (For spares use 10-20 WC 29764A/ND)	1	—	—	LA38
14691	10-20 WC 29764A/ND	FAIRING , wing-fold, forward lower, Starboard, assembly (Spares condition) Spares for :—	1	—	P	
	10-20 WC 16967	BLOCK , packing, under anchor nut, laminated fabric	1	LFS.21	LM	LA38
28M/9419400	AGS.2013/C/11	NUT , anchor, 2 BA	1	—	C	
	10-20 WC 16463BD	SEAL , bonded, Port (Make from standard section J2193, Ref. No. 26FY/11702)	1	—	LM	LA38
	10-20 WC 16464ND	SEAL , bonded, Starboard (Make from standard section J2193, Ref. No. 26FY/11702)	1	—	LM	LA38
	10-20 WC 1671ND	STIFFENER , edge, Port, ... (For spares use 10-20 WC 27929ND)	1	—	—	LA38
13363	10-20 WC 27929ND	STIFFENER , edge, Port, (Spares condition) ...	1	—	C	
	10-20 WC 16472ND	STIFFENER , edge, Starboard, ... (For spares use 10-20 WC 27930ND)	1	—	—	LA38
13364	10-20 WC 27930ND	STIFFENER , edge, Starboard, (Spares condition) Attachments for 10-20 WC 18225A or 10-20 WC 18226A, Fairing :—	1	—	C	
28D/8300	AS.1242/1B	Bolt, 4 BA	1	—	C	
28D/9140202	AS.1246/1C	Bolt, 2 BA	1	—	C	
28D/9140203	AS.1246/3C	Bolt, 2 BA	1	—	C	
28D/9133011	A25/2C	Bolt, 2 BA	2	—	C	
28D/1200119	A25/4C	Bolt, 2 BA	2	—	C	
1141	DHS.365/1C	Bolt, 2 BA	4	—	C	
1092	DHS.365/2C	Bolt, 2 BA	10	—	C	
28M/9403519	A27/BP	Nut, 2 BA	1	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	4	—	C	
28W/9419474	SP.15/B	Washer	1	—	C	
28W/9419475	SP.15/C	Washer	4	—	C	
	10-20 WC 18227A	FAIRING , wing-fold, centre lower, Port, assembly (For spares use 10-20 WC 29761A/ND)	1	—	—	LA38
14692	10-20 WC 29761A/ND	FAIRING , wing-fold, centre lower, Port, assembly (Spares condition)	1	—	P	
	10-20 WC 18228A	FAIRING , wing-fold, centre lower, Starboard, assembly (For spares use 10-20 WC 29762A/ND)	1	—	—	LA38

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description 1 2 3 4 5 6 7 8 9 10	No. off	Material Specification	Class of Store or L.M.	Plate No.
14693	10-20 WC 29762A/ND	FAIRING , wing-fold, centre lower, Starboard, assembly (Spares condition) Spares for :—	1	—	P	
28M/9419400	10-20 WC 16967	BLOCK , packing, under anchor nut, forward ...	1	LFS.21	LM	LA38
	10-20 WC 16495	BLOCK , packing, under anchor nut, rear ...	1	LFS.21	LM	LA38
	AGS.2013/C/11	NUT , anchor, 2 BA ...	2	—	C	
	10-20 WC 16465ND	SEAL , bonded, Port (Make from standard section J2193, Ref. No. 26FY/11702)	1	—	LM	LA38
	10-20 WC 16466ND	SEAL , bonded, Starboard (Make from standard section J2193, Ref. No. 26FY/11702)	1	—	LM	LA38
	10-20 WC 16473ND	STIFFENER , edge, Port, 18 SWG ...	1	L.72	LM	LA38
	10-20 WC 16474ND	STIFFENER , edge, Starboard, 18 SWG ...	1	L.72	LM	LA38
		Attachments for 10-20 WC 18227A or 10-20 WC 18228A, Fairing :—				
28D/9436920	A25/1C	Bolt, 2 BA ...	4	—	C	
28D/9133011	A25/2C	Bolt, 2 BA ...	1	—	C	
1092	DHS.365/2C	Bolt, 2 BA ...	13	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA ...	7	—	C	
28W/9419475	SP.15/C	Washer ...	7	—	C	
	10-20 WC 18229A	FAIRING , wing-fold, rear lower, Port, assembly (For spares use 10-20 WC 29759A/ND)	1	—	—	LA38
14694	10-20 WC 29759A/ND	FAIRING , wing-fold, rear lower, Port, assembly (Spares condition)	1	—	P	
	10-20 WC 18230A	FAIRING , wing-fold, rear lower, Starboard, assembly (For spares use 10-20 WC 29760A/ND)	1	—	—	LA38
14695	10-20 WC 29760A/ND	FAIRING , wing-fold, rear lower, Starboard, assembly (Spares condition) Spares for :—	1	—	P	
	10-20 WC 16467ND	SEAL , bonded Port (Make from standard section J.2193 Ref. No. 26FY/11702)	1	—	LM	LA38
	10-20 WC 16468ND	SEAL , bonded, Starboard (Make from standard section J.2193, Ref. No. 26FY/11702)	1	—	LM	LA38
	10-20 WC 16475ND	STIFFENER , edge, Port, 18 SWG ...	1	L.72	LM	LA38

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store on M	Plate No
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 16476ND	STIFFENER , edge, Starboard, 18 SWG Attachments for 10-20 WC 18229A or 10-20 WC 18230A, Fairing :—	1	L.72	LM	LA38
28D/9137409	AS.1246/2C	Bolt, 2 BA	2	—	C	
28D/9436920	A25/1C	Bolt, 2 BA	3	—	C	
1141	DHS.365/1C	Bolt, 2 BA	6	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	3	—	C	
28M/10328	AGS.2002/C/1	Nut, 2 BA	2	—	C	
28W/9419475	SP.15/C	Washer	3	—	C	
	—	FAIRING , wing-fold, top, Port, group (Drg. No. 10-20 WC 18017)	1	—	—	LA39
	—	FAIRINGS , wing-fold, top, Starboard, group (Drg. No. 10-20 WC 18017)	1	—	—	LA39
	10-20 WC 16755	BLOCK , spacing, between top forward wing-fold fairing and forward support bracket	1	LFS.21	—	
	10-20 WC 23971A	BRACKET , support, intermediate, top forward wing- fold fairing, Port, assembly	1	—	—	LA39
	10-20 WC 23972A	BRACKET , support, intermediate, top forward wing- fold fairing, Starboard, assembly Spares for :—	1	—	—	LA39
28M/10245	AGS.2014/C/11	NUT , anchor, 2 BA Attachments for 10-20 WC 23971A or 10-20 WC 23972A	1	—	C	
28W/9419475	SP.15/C	Washer	2	—	C	
	10-20 WC 24393A	BRACKET , support, rear, top forward wing-fold fairing, Port, assembly	1	—	—	LA39
	10-20 WC 24394A	BRACKET , support, rear, top forward wing-fold fairing, Starboard, assembly Spares for :—	1	—	—	LA39
28M/10245	AGS.2014/C/11	NUT , anchor, 2 BA Attachments for 10-20 WC 24393A or 10-20 WC 24394A, Bracket :—	1	—	C	
28D/9133013	A25/5C	Bolt, 2 BA	2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	2	—	C	
28W/9419475	SP.15/C	Washer	2	—	C	
	10-20 WC 16511	BRACKET , support, top centre wing-fold fairing, at fuel feed rotary joint, Port, 18 SWG	1	L.72	—	LA39
	10-20 WC 16512	BRACKET , support, top centre wing-fold fairing, at fuel feed rotary joint, Starboard, 18 SWG Attachments for 10-20 WC 16511 or 10-20 WC 16512, Bracket :—	1	L.72	—	LA39
28D/9133012	A25/3C	Bolt, 2 BA	2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	2	—	C	
28W/9419475	SP.15/C	Washer	2	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 24509A	BRACKET , support, intermediate, top centre wing-fold fairing, Port, assembly										1	—	—	LA39
	10-20 WC 24510A	BRACKET , support, intermediate, top centre wing-fold fairing, Starboard, assembly										1	—	—	LA39
28M/10245	AGS.2014/C/11	NUT , anchor, 2 BA										1	—	C	
		Attachments for 10-20 WC 24509A or 10-20 WC 24510A, Bracket :—													
28D/9133011	A25/2C	Bolt, 2 BA										2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA										2	—	C	
28W/9419475	SP.15/C	Washer										2	—	C	
	10-20 WC 24513A	BRACKET , support, top rear wing-fold fairing, Port, assembly										1	—	—	LA39
	10-20 WC 24514A	BRACKET , support, top rear wing-fold fairing, Starboard, assembly										1	—	—	LA39
28M/10245	AGS.2014/C/11	NUT , anchor, 2 BA										1	—	C	
		Attachments for 10-20 WC 24513A or 10-20 WC 24514A, Bracket :—													
28D/9133011	A25/2C	Bolt, 2 BA										2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA										2	—	C	
28W/9419475	SP.15/C	Washer										2	—	C	
	10-20 WC 16675	DOOR , fairing, wing folding gear, top wing-fold fairing, Port (For spares use 10-20 WC 29711ND)										1	—	—	LA39
	10-20 WC 16676	DOOR , fairing, wing folding gear, top wing-fold fairing, Starboard (For spares use 10-20 WC 29711ND)										1	—	—	LA39
16013	10-20 WC 29711ND	DOOR , fairing, wing folding gear, top wing-fold fairing, (Spares condition)										1	—	C	
		Attachments for 10-20 WC 16675 or 10-20 WC 16676, Door :—													
28D/9140645	A25/10C	Bolt, 2 BA										2	—	C	
28M/13124	A27/CT	Nut, 2 BA										2	—	C	
28W/9419475	SP.15/C	Washer										1	—	C	
28W/9419404	SP.16/C	Washer										1	—	C	
15269	10-20 WC 29111A	DOOR , hinged, forward, top wing-fold fairing, Port, assembly										1	—	P	LA39
15270	10-20 WC 29112A	DOOR , hinged, forward, top wing-fold fairing, Starboard, assembly										1	—	P	LA39
	10-20 WC 29255A	HINGE , door, Port (For spares use 10-20 WC 30837A/ND)										1	—	—	LA39
15752	10-20 WC 30837A/ND	HINGE , door, Port (Spares condition)										1	—	C	
	10-20 WC 29256A	HINGE , door, Starboard (For spares use 10-20 WC 30838A/ND)										1	—	—	LA39
15753	10-20 WC 30838A/ND	HINGE , door, Starboard (Spares condition)										1	—	C	
		Attachments for 10-20 WC 29255A or 10-20 WC 29256A, Hinge :—													
28D/1007975	AS.1242/1C	Bolt, 2 BA										3	—	C	
28M/13124	A27/CT	Nut, 2 BA										3	—	C	
26FN/3239	DHS.96	Washer, cup										3	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No
		1	2	3	4	5	6	7	8	9	10				
		Attachments for 10-20 WC 29111A or 10-20 WC 29112A, Door :—													
13568	DHS.365/11EE	Bolt, $\frac{1}{2}$ " BSF	...	...	...	...	...	...	...	...	...	1	S.96	C	LA39
13567	DHS.365/13 $\frac{1}{2}$ EE	Bolt, $\frac{1}{2}$ " BSF	...	...	...	...	...	...	...	...	...	1	S.96	C	LA39
9827	DHS.492/15 $\frac{1}{2}$ G	Bolt, $\frac{5}{8}$ " BSF	...	...	...	...	...	...	...	...	...	1	S.98	C	LA39
3009	DHS.492/18G	Bolt, $\frac{5}{8}$ " BSF	...	...	...	...	...	...	...	...	...	1	S.98	C	LA39
13566	DHS.492/19G	Bolt, $\frac{5}{8}$ " BSF	...	...	...	...	...	...	...	...	...	1	S.98	C	LA39
28M/1011467	A27/ES	Nut, $\frac{1}{2}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28M/13825	A24/GC	Nut, $\frac{5}{8}$ " BSF	...	...	...	...	...	...	...	...	...	3	—	C	
28P/1007741	SP.9/C8	Pin, split	...	...	...	...	...	...	...	...	...	5	—	C	
28W/9419455	SP.10/G	Washer	...	...	...	...	...	...	...	...	...	3	—	C	
8519	10-20 WC 17857	Washer, plate	...	...	...	...	...	...	...	...	...	1	L.64	C	LA39
15264	10-20 WC 29091A	DOOR, hinged, rear, top wing-fold fairing, Port, assembly										1	—	P	LA39
15265	10-20 WC 29092A	DOOR, hinged, rear, top wing-fold fairing, Starboard, assembly										1	—	P	LA39
		Spares for :—													
	10-20 WC 29249A	HINGE, door, Port (For spares use 10-20 WC 30835A/ND)										1	—	—	LA39
15754	10-20 WC 30835A/ND	HINGE, door, Port (Spares condition)										1	—	C	
	10-20 WC 29250A	HINGE, door, Starboard (For spares use 10-20 WC 30836A/ND)										1	—	—	LA39
15755	10-20 WC 30836A/ND	HINGE, door, Starboard (Spares condition)										1	—	C	
		Attachments for 10-20 WC 29091A or 10-20 WC 29092A, Door :—													
2256	DHS.358/9E	Bolt, $\frac{1}{2}$ " BSF	...	...	...	...	...	...	...	...	...	1	S.96	C	LA39
	10-20 WC 29281	Bolt, $\frac{1}{2}$ " BSF	...	...	...	...	...	...	...	...	...	1	S.96	—	LA39
	10-20 WC 29283	Bolt, $\frac{1}{2}$ " BSF	...	...	...	...	...	...	...	...	...	1	S.96	—	LA39
	10-20 WC 29285	Bolt, $\frac{1}{2}$ " BSF	...	...	...	...	...	...	...	...	...	1	S.96	—	LA39
28M/12931	A27/ET	Nut, $\frac{1}{2}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28M/13825	A24/GC	Nut, $\frac{5}{8}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28M/1011470	A27/GT	Nut, $\frac{1}{2}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28P/1007741	SP.9/C8	Pin, split	...	...	...	...	...	...	...	...	...	2	—	C	
28W/9419455	SP.10/G	Washer	...	...	...	...	...	...	...	...	...	2	—	C	
	10-20 WC 24641A	FAIRING, wing-fold, forward, top, Port, assembly (For spares use 10-20 WC 29757A/ND)										1	—	—	LA39
14730	10-20 WC 29757A/ND	FAIRING, wing-fold, forward, top, Port, assembly (Spares condition)										1	—	P	
	10-20 WC 24642A	FAIRING, wing-fold, forward, top, Starboard assembly (For spares use 10-20 WC 29758A/ND)										1	—	—	LA39
14731	10-20 WC 29758A/ND	FAIRING, wing-fold, forward, top, Starboard, assembly (Spares condition)										1	—	P	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	QTY	Material Specification	Class of Store or I.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
		Spares for:—				
9151	10-20 WC 25369	BRACKET , mounting, latch pin micro-switch, Port	1	—	C	LA39
9152	10-20 WC 25370	BRACKET , mounting, latch pin micro-switch, Starboard	1	—	C	LA39
		Attachments for 10-20 WC 25369 or 10-20 WC 25370. Bracket:—				
28D/9140202	AS.1246/1C	Bolt, 2 BA	2	—	C	
1141	DHS.365/1C	Bolt, 2 BA	2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	2	—	C	
	10-20 WC 30327ND	Packing, 1" x 7/8	1	LFS.21	LM	LA39
	10-20 WC 25523ND	SEAL , bonded, forward of front latch, Port	1	—	LM	LA39
	10-20 WC 25524ND	SEAL , bonded, forward of front latch, Starboard (Make from standard section J.2193, Ref. Nos. 26FY/11702)	1	—	LM	LA39
	10-20 WC 16543ND	SEAL , bonded, aft of front latch, Port	1	—	LM	LA39
	10-20 WC 16544ND	SEAL , bonded, aft of front latch, Starboard (Make from standard section J.2193, Ref. No. 26FY/11702)	1	—	LM	LA39
	10-20 WC 16751A/ND	SEAL , bonded, between seal aft of front latch and rear seal, Port	1	—	LM	LA39
	10-20 WC 16752A/ND	SEAL , bonded, between seal aft of front latch and rear seal, Starboard (Make from DHS.373/7, Ref. No. 26FY/7216 and standard section J.2194, Ref. No. 26FY/13802)	1	—	LM	LA39
	10-20 WC 25501ND	SEAL , bonded, rear, Port	1	—	LM	LA39
	10-20 WC 25502ND	SEAL , bonded, rear, Starboard (Make from standard section J.2191, Ref. No. 26FY/10775)	1	—	LM	LA39
	10-20 WC 16747ND	STIFFENER , edge, forward portion, Port, 18 SWG	1	L.72	LM	LA39
	10-20 WC 16748ND	STIFFENER , edge, forward portion, Starboard, 18 SWG	1	L.72	LM	LA39
	10-20 WC 16753ND	STIFFENER , edge, rear portion, Port, 18 SWG	1	L.72	LM	LY39
	10-20 WC 16754ND	STIFFENER , edge, rear portion, Starboard, 18 SWG	1	L.72	LM	LA39
		Attachments for 10-20 WC 24641A or 10-20 WC 24642A. Fairing:—				
6389	DHS.365/1C	Bolt, 2 BA	7	—	C	
1092	DHS.365/2C	Bolt, 2 BA	2	—	C	
4371	DHS.365/2C	Bolt, 2 BA	8	—	C	
19701	DHS.365/11C	Bolt, 2 BA	1	—	C	
	10-20 WC 24639A	FAIRING , wing-fold, centre, top, Port, assembly (For spares use 10-20 WC 29755A/ND)	1	—	—	LA39
14728	10-20 WC 29755A/ND	FAIRING , wing-fold, centre, top, Port, assembly (Spares condition)	1	—	P	
	10-20 WC 24640A	FAIRING , wing-fold, centre, top, Starboard, assembly, (For spares use 10-20 WC 29756A/ND)	1	—	—	LA39
14729	10-20 WC 29756A/ND	FAIRING , wing-fold, centre, top, Starboard, assembly, (Spares condition)	1	—	P	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
		Spares for :—				
	10-20 WC 25475ND	LANDING, front hinged door, Port, 16 SWG ...	1	L.72	LM	LA39
	10-20 WC 25476ND	LANDING, front hinged door, Starboard, 16 SWG	1	L.72	LM	LA39
	10-20 WC 29169ND	LANDING, rear hinged door, Port, 16 SWG ...	1	L.72	LM	LA39
	10-20 WC 29170ND	LANDING, rear hinged door, Starboard, 16 SWG	1	L.72	LM	LA39
28M 10245	AGS.2014 C.11	NUT, anchor, 2 BA ...	12	—	C	
	10-20 WC 30499ND	SEAL, bonded, front portion (Make from standard section J.2191, Ref. No. 26FY 10775)	1	—	LM	LA39
	10-20 WC 25503ND	SEAL, bonded, rear, portion, Port (Make from standard section J.2191, Ref. No. 26FY 10775)	1	—	LM	LA39
	10-20 WC 25504ND	SEAL, bonded, rear portion, Starboard (Make from standard section J.2191, Ref. No. 26FY 10775)	1	—	LM	LA39
		Attachments for 10-20 WC 24639A or 10-20 WC 24640A, Fairing :—				
28D.9436920	A25 1C	Bolt, 2 BA ...	4	—	C	
1092	DHS.365 2C	Bolt, 2 BA ...	2	—	C	
4371	DHS.365 2 1/2 C	Bolt, 2 BA ...	11	—	C	
28M 10328	AGS.2002 C.1	Nut, 2 BA ...	4	—	C	
28W.9419475	SP.15 C	Washer ...	4	—	C	
	10-20 WC 24637A	FAIRING, wing-fold, rear, top, Port, assembly (For spares use 10-20 WC 29753A:ND)	1	—	—	LA39
14726	10-20 WC 29753A:ND	FAIRING, wing-fold, rear, top, Port, assembly (Spares condition)	1	—	P	
	10-20 WC 24638A	FAIRING, wing-fold, rear, top, Starboard, assembly (For spares use 10-20 WC 29754A ND)	1	—	—	LA39
14727	10-20 WC 29754A:ND	FAIRING, wing-fold, rear, top, Starboard, assembly (Spares condition)	1	—	P	
		Spares for :—				
	10-20 WC 17441	ANGLE, support, 18 SWG ...	1	L.72	LM	LA39
28M 10245	AGS.2014 C.11	NUT, anchor, 2 BA ...	4	—	C	
	10-20 WC 25505ND	SEAL, bonded, Port ...	1	—	LM	LA39
	10-20 WC 25506ND	SEAL, bonded, Starboard (Make from standard section J.2191, Ref. No. 26FY 10775)	1	—	LM	LA39
	10-20 WC 25471ND	STIFFENER, Port, 16 SWG ...	1	L.72	LM	LA39
	10-20 WC 25472ND	STIFFENER, Starboard, 16 SWG ...	1	L.72	LM	LA39
		Attachments for 10-20 WC 24637A or 10-20 WC 24638A, Fairing :—				
28D 9436920	A25 1C	Bolt, 2 BA ...	1	—	C	
1141	DHS.365 1C	Bolt, 2 BA ...	1	—	C	
1792	DHS.365 3C	Bolt, 2 BA ...	2	—	C	
28D 1212859	AS.1248 4G	Bolt, 3/4" BSF ...	1	—	C	
28M/5808573	A27 CS	Nut, 2 BA ...	2	—	C	
28M 10328	AGS.2002 C.1	Nut, 2 BA ...	1	—	C	
28M/5808571	A27 GS	Nut, 3/4" BSF ...	1	—	C	
28P.9527619	SP.90/C7	Pin, split (SP.9/C8)	3	—	C	
28W.9419454	SP.10/C	Washer ...	2	—	C	
28W.9419403	SP.13 G	Washer ...	1	—	C	
28W.9419475	SP.15 C	Washer ...	1	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
13565	10-20 WC 27721A	ROD , connecting, forward hinged door, top wing-fold fairing	1	—	C	LA39
13560	10-20 WC 27749ND	Attachments for 10-20 WC 27721A, Rod :—				
2256	DHS.358/9E	Bolt, 1/2" BSF	1	—	C	LA39
28M/1011467	A27/ES	Bolt, 1/2" BSF	1	—	C	
28P/9527619	SP.90/C7	Nut, 1/2" BSF	2	—	C	
28W/9419405	SP.15/E	Pin, split (SP.9/C8)	2	—	C	
		Washer	3	—	C	
17374	10-20 WC 40463A	ROD , connecting, rear hinged door, top wing-fold fairing (Mod. 1139)	1	—	C	LA39
28M/13935	A58/ES	Attachments for 10-20 WC 40463A, Rod :—				
28M/1007403	A27/ET	Nut, 1/2" BSF	1	—	C	
28P/9527619	SP.90/C7	Nut, 1/2" BSF	1	—	C	
11720	10-20 WC 17061	Pin, split (SP.9/C8)	1	—	C	
12079	10-20 WC 25635	Stud, flanged, 1/2" BSF	1	—	C	LA39
28W/9418921	SP.13/E	Stud, flanged	1	—	C	LA39
28W/9419405	SP.15/E	Washer	1	—	C	
		Washer	1	—	C	
—	—	HOOK , catapult, Port and Starboard, group (Drg. No. 10-20 WC 15111)	1	—	—	LA40
	10-20 WC 28603	BRACKET , attachment, for main anchorage bolt of hook support post, Port (For spares use 10-20 WC 29959ND)	1	L.53	—	LA40
15102	10-20 WC 29959ND	BRACKET , attachment, for main anchorage bolt of hook support post, Port (Spares condition)	1	—	C	
	10-20 WC 28601	BRACKET , attachment, for main anchorage bolt of hook support post, Starboard (For spares use 10-20 WC 29957ND)	1	L.53	—	LA40
15101	10-20 WC 29957ND	BRACKET , attachment, for main anchorage bolt of hook support post, Starboard (Spares condition)	1	—	C	
28D/1011030	A25/2E	Attachments for 10-20 WC 28603 or 10-20 WC 28601, Bracket :—				
28D/1011238	A25/3E	Bolt, 1/2" BSF	7	—	C	
		Bolt, 1/2" BSF	17	—	C	
28D/1008151	A25/4E	Bolt, 1/2" BSF	20	—	C	
		Bolt, 1/2" BSF	7	—	C	
28D/1011240	A25/5E	Bolt, 1/2" BSF	8	—	C	
28M/1007403	A27/ET	Nut, 1/2" BSF	2	—	C	
		Nut, 1/2" BSF	33	—	C	
28W/9419405	SP.15/E	Washer	37	—	C	
		Washer	26	—	C	
28W/9419487	SP.16/E	Washer	29	—	C	
	10-20 WC 24635	Washer, support (Starboard only)	7	—	C	
		Washer, support (Starboard only)	1	L.72	LM	LA40

RESTRICTED

Page LA100
(Issued with A.L.69)

Sea Vixen Mk. 1

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 3727A	BRACKET , mounting, hook support post, Port, assembly (For spares use 10-20 WC 27831A/ND)	1	—	—	LA40
12474	10-20 WC 27831A/ND	BRACKET , mounting, hook support post, Port, assembly (Spares condition)	1	—	P	
	10-20 WC 3728A	BRACKET , mounting, hook support post, Starboard, assembly (For spares use 10-20 WC 27832A/ND)	1	—	—	LA40
12475	10-20 WC 27832A/ND	BRACKET , mounting, hook support post, Starboard, assembly (Spares condition)	1	—	P	
		Attachments for 10-20 WC 3727A or 10-20 WC 3728A, Bracket :—				
28D/1011258	A25/8G	Bolt, 1/4" BSF	2	—	C	
2740	DHS.358/4G	Bolt, 1/4" BSF	2	—	C	LA40
5196	DHS.492/6G	Bolt, 3/16" BSF	12	—	C	LA40
10042	DHS.492/26G	Bolt, 3/16" BSF	2	—	C	LA40
10040	10-20 WC 17457	Bolt, 1/4" BSF	8	—	C	LA40
28D/1011304	A25/15J	Bolt, 3/8" BSF	2	—	C	
28D/1212753	A25/16J	Bolt, 3/8" BSF	1	—	C	
28D/1212754	A25/17J	Bolt, 3/8" BSF	3	—	C	
8300	DHS.365/11J	Bolt, 3/8" BSF	2	—	C	LA40
	DHS.365/14J	Bolt, 3/8" BSF	1	S.96	—	LA40
28M/5808571	A27/GS	Nut, 3/8" BSF	4	—	C	
28M/1011470	A27/GT	Nut, 3/8" BSF	21	—	C	
28M/14877	A58/GT	Nut, 3/8" BSF	1	—	C	
28M/1007404	A27/JT	Nut, 3/8" BSF	9	—	C	
28P/9527619	SP.90/C7	Pip, split (SP.9/C8)	4	—	C	
28W/9419476	SP.15/G	Washer	14	—	C	
28W/9419488	SP.16/G	Washer	21	—	C	
28W/9419489	SP.16/J	Washer	3	—	C	
10041	10-20 WC 3001	Washer, bevelled	1	—	C	LA40
10043	10-20 WC 3003	Washer, bevelled	1	—	C	LA40

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
10029	10-20 WC 3261	HOOK , catapult										1	—	P	LA40
		Attachments for 10-20 WC 3261, Hook :—													
10032	10-20 WC 1717	Bolt, spigot										1	—	C	LA40
28M/1001476	A27/JS	Nut, $\frac{1}{8}$ " BSF										1	—	C	LA40
10030	10-20 WC 3289	Nut, $\frac{1}{8}$ " BSF										1	—	C	LA40
28P/9527619	SP.90/C7	Pin, split (SP.9/C8)										1	—	C	
28P/19160	SP.90/L20	Pin, split (SP.9/L24)										1	—	C	
10033	10-20 WC 1739	Plug										1	—	C	LA40
10031	10-20 WC 3287	Washer										1	—	C	LA40
	10-20 WC 23907A/ND	PLATE , anchor nut, assembly... ..										2	—	—	LA40
28M/9435561	AGS.2007/G/1	NUT , $\frac{1}{8}$ " BSF, anchor										2	—	C	
	10-20 WC 23919ND	PLATE , bare, 18 SWG										1	L.72	LM	
	10-20 WC 24041A/ND	PLATE , anchor, nut, assembly										1	—	—	LA40
28M/9435562	AGS.2007/J/1	NUT , $\frac{1}{8}$ " BSF, anchor										1	—	C	
	10-20 WC 24039ND	PLATE , bare, 18 SWG										1	L.73	LM	LA40
10045	10-20 WC 25359	PLATE , packing between mounting bracket and support post ("003 laminations cadmium plated steel)										1	—	C	LA40
	10-20 WC 1215	POST , support, Port										1	DTD.683	—	LA40
		(For spares use 10-20 WC 27725ND)													
12440	10-20 WC 27725ND	POST , support, Port (Spares condition)										1	—	P	
	10-20 WC 1216	POST , support, Starboard (For spares use 10-20 WC 27726ND)										1	DTD.683	—	LA40
12441	10-20 WC 27726ND	POST , support, Starboard (Spares condition)										1	—	P	
		Attachments for 10-20 WC 1215 or 10-20 WC 1216, Post :—													
26DL/15249	DHS.382/11E	Bolt, $\frac{1}{8}$ " BSF										2	—	C	LA40
5173	DHS.365/11E	Bolt, $\frac{1}{8}$ " BSF										2	—	C	LA40
28D/13582	A25/11G	Bolt, $\frac{1}{8}$ " BSF										1	—	C	
3232	DHS.365/11G	Bolt, $\frac{1}{8}$ " BSF										3	—	C	LA40
10035	10-20 WC 11945	Bolt, $\frac{1}{8}$ " BSF										1	—	C	LA40
28M/1007403	A27/ET	Nut, $\frac{1}{8}$ " BSF										4	—	C	
28M/1011470	A27/GT	Nut, $\frac{1}{8}$ " BSF										4	—	C	
28M/15814	A27/SC	Nut, $\frac{1}{8}$ " BSF										1	—	C	
28W/9419487	SP.16/E	Washer										4	—	C	
28W/9419488	SP.16/G	Washer										5	—	C	
10036	10-20 WC 11943	Washer										1	—	C	LA40
10037	10-20 WC 1713	Washer										1	—	C	LA40
	—	HOUSING , "Firebreak" inboard pylon, at nose rib No. 3, leading edge, Port and Starboard, group (Drg. Nos. 10-20 WC 24273, 10-20 WC 26451 and 10-20 WC 26453)										2	—	—	
28D/1007975	AS.1242/1C	BOLT , 2 BA, securing anchor plate										2	—	C	
4186	A25/2C/DHS.514/D	BOLT , 2 BA, securing locking plate... ..										1	—	C	LA41
11829	10-20 WC 26315	BOLT , securing serrated pad										2	—	C	LA41
11827	10-20 WC 26425	BOLT , securing serrated spigot										2	—	C	LA41
	10-20 WC 24029	BRACKET , strut attachment, Port (For spares use 10-20 WC 27825ND)										1	L.65	—	LA41
12461	10-20 WC 27825ND	BRACKET , strut attachment, Port (Spares condition)										1	—	C	
	10-20 WC 24030	BRACKET , strut attachment, Starboard (For spares use 10-20 WC 27826ND)										1	L.65	—	LA41
12462	10-20 WC 27826ND	BRACKET , strut attachment, Starboard (Spares condition)										1	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
		Attachments for 10-20 WC 24029 or 10-20 WC 24030, Bracket :—				
20171	10-20 WC 41721	Bolt, special	1	—	C	LA41
28D/7002427	A25/6G	Bolt, $\frac{3}{8}$ " BSF	5	—	C	
28M/	A58/ET	Nut, $\frac{1}{2}$ " BSF	1	—	C	
28M/1071470	A27/GT	Nut, $\frac{3}{8}$ " BSF	5	—	C	
28P/9527619	SP.90/C7	Pin, split (SP.9/C8)	1	—	C	
28W/9419403	SP.13/G	Washer	5	—	C	
28F/9429526	AGS.1186/6	Washer, sealing	5	—	C	
28W/9418921	SP.13/E	Washer	1	—	C	
9480	10-20 WC 9063	BUSH, flanged (See Repair Section PA)	1	—	C	LA41
14485	10-20 WC 29675	BUSH, serrated spigot	2	—	C	LA41
2070	10-20 A 27	ELBOW, "Firebreak" air supply, Port	1	—	C	LA41
2071	10-20 A 28	ELBOW, "Firebreak" air supply, Starboard	1	—	C	LA41
		Attachments for 10-20 A 27 or 10-20 A 28, Elbow :—				
14272	10-20 A 2627	Block, insulating, Port	1	—	C	LA41
14273	10-20 A 2628	Block, insulating, Starboard	1	—	C	LA41
28D/9133012	A25/5C	Bolt, 2 BA	2	—	C	
28D/9419397	A25/12C	Bolt, 2 BA	1	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	2	—	C	
28M/10328	AGS.2002/C/1	Nut, 2 BA	1	—	C	
27QA/275	DOWTY SP.900/B9	Ring, sealing	1	—	C	LA41
27QA/284	DOWTY SP.900/B18	Ring, sealing	1	—	C	LA41
28W/9419402	SP.13/C	Washer	3	—	C	
14271	10-20 A 2631ND	Washer, insulating block, lower	3	—	C	LA41
14274	10-20 A 2629	Washer, insulating block, upper	1	—	C	LA41
	—	FAIRLEAD, aileron control, group	1	—	—	
		(Drg. No. 10-20 CF 8625)				
		Spares for :—				
9712	10-20 CF 8585	BLOCK	1	—	C	LA41
28D/9425711	A25/10B	BOLT, 4 BA	1	—	C	
28D/1011014	A25/19B	BOLT, 4 BA	1	—	C	
8711	10-20 CF 8583	BRIDGE	1	—	C	LA51
28M/10287	AGS.2001/B/1	NUT, 4 BA	2	—	C	
	10-20 WC 26381A	HOUSING, pylon, Port, assembly (For spares use 10-20 WC 29297ND)	1	—	—	LA41
14511	10-20 WC 29297ND	HOUSING, pylon, Port, assembly (Spares condition)	1	—	P	
	10-20 WC 26382A	HOUSING, pylon, Starboard, assembly (For spares use 10-20 WC 29298ND)	1	—	—	LA41
14512	10-20 WC 29298ND	HOUSING, pylon, Starboard, assembly (Spares condition)	1	—	P	
		Attachments for 10-20 WC 26381A or 10-20 WC 26382A, Housing :—				
5109	10-20 WC 10263	Bolt, $\frac{1}{2}$ " BSF (lower)	1	—	C	LA41
5110	10-20 WC 10261	Bolt, $\frac{1}{2}$ " BSF (upper)	1	—	C	LA41
28M/13259	A27/NS	Nut, $\frac{1}{2}$ " BSF	2	—	C	
28P/19234	SP.90/E8	Pin, split (SP.9/E10)	2	—	C	
5111	10-20 WC 16975A	Plate, sealing, assembly	1	—	C	LA41
38F/9428453	AGS.1186/B	Seal, bonded	2	—	C	
5107	10-20 WC 10259	Shim (lower)	2	—	C	LA41
5108	10-20 WC 10257	Shim (upper)	2	—	C	LA41
28W/9419468	SP.13/N	Washer	2	—	C	

MAIN PLANES

WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
4232	10-20 WC 18465	MOUNTING , unit socket										1	—	C	LA41
		Attachments for 10-20 WC 18465, Mounting :—													
15177	10-20 WC 29581	Bolt, shouldered, 6 BA										4	—	C	LA41
	10-20 WC 29583ND	Packing, 18 SWG										1	L.72	—	LA41
19236	10-20 WC 29853	Plate, nut, 1/2" thick										2	—	C	LA41
11824	10-20 WC 26213	NUT , securing serrated spigot										2	—	C	LA41
11831	10-20 WC 26307	PAD , serrated, aft										1	—	C	LA41
11822	10-20 WC 26305	PAD , serrated, off-set, forward										1	—	C	LA41
11828	10-20 WC 26311A	PLATE , anchor, securing serrated pad, assembly										2	—	C	LA41
11830	10-20 WC 26367A	PLATE , locking, assembly										2	—	C	LA41
10996	10-20 WC 24269	SHIM , serrated pad										2	—	C	LA41
11826	10-20 WC 26209	SPIGOT , serrated, aft										1	—	C	LA41
11825	10-20 WC 26363	SPIGOT , serrated, off-set, forward										1	—	C	LA41
12840	10-20 WC 27623A	STRUT , assembly										1	—	P	LA41
		Attachments for 10-20 WC 27623A, Strut :—													
11011	10-20 WC 24245	Bolt, 1/2" BSF (lower)										1	—	C	LA41
11012	10-20 WC 24247	Bolt, 1/2" BSF (upper)										1	—	C	LA41
	10-20 WC 24243	Bush, at upper attachment, 0"-75 long										1	DTD.197	—	LA41
28M/14555	A58/NS	Nut, 1/2" BSF										2	—	C	
28P/19234	SP.90/E8	Pin, split (SP.9/E10)										2	—	C	
28W/9419468	SP.13/N	Washer										2	—	C	
28W/9419491	SP.16/N	Washer										2	—	C	
28W/9419501	SP.45/C	WASHER , spigot retaining bolt										1	—	C	
	10-20 WC 29855	WASHER , plate, socket mounting										2	S.521	—	LA41
	—	HOUSING , adjustable nose spigot, on rib No. 4, group (Drg. No. 10-20 G 57)										2	—	—	LA91
8275	10-20 WC 10019	BUSH , eccentric										1	—	C	LA91
		Attachments for 10-20 WC 10019, Bush :—													
8276	DHS.382/1 1/2 E/DHS.514/D	Bolt, 1/2" BSF										1	—	C	
16896	10-20 WC 10017	PLATE , serrated										1	—	C	LA91
		Attachments for 10-20 WC 10017, Plate :—													
28D/9516983	A26/4G	Bolt, 1/2" BSF (Lock to DHS.514/D)										4	—	C	
8277	DHS.382/1 1/2 G/DHS.514/D	Bolt, 1/2" BSF										1	—	C	
28W/9419476	SP.15/G	Washer										4	—	C	
	10-20 WC 24679A	LEADING-EDGE , ribs Nos. 2 to 4, Port, assembly (Mods. 2 and 181) (For spares use 10-20 WC 40903A/ND)										1	—	—	LA42 LA43
17522	10-20 WC 40903A/ND	LEADING-EDGE , ribs Nos. 2 to 4, Port, assembly (Mod. 1207) (Spares condition)										1	—	P	
	10-20 WC 25959A	LEADING-EDGE , ribs Nos. 2 to 4, Starboard, assembly (Mods. 2 and 181) (For spares use 10-20 WC 31657A/ND)										1	—	—	LA42
16738	10-20 WC 31657A/ND	LEADING-EDGE , ribs Nos. 2 to 4, Starboard, assembly (Mod. 958) (Spares condition)										1	—	P	
		Spares for :—													
28D/1202334	AS.1242/3E	BOLT , 1/2" BSF, door fastening										12	—	C	
	10-20 WC 17129A	BRACKET , angle, on aft inboard top skin stringer, assembly										1	—	—	LA43
	10-20 WC 17131ND	BRACKET , bare, 18 SWG										1	L.72	LM	LA43
28M/9144673	AGS.2019/C/1	NUT , anchor, 2 BA										1	—	C	
	10-20 WC 17133A	BRACKET , angle, on aft inboard top skin stringer, Starboard, assembly										1	—	—	LA43
	10-20 WC 17135ND	BRACKET , bare, 18 SWG										1	L.72	LM	LA43
28M/11957	AGS.2007/C/1	NUT , anchor, 2 BA										3	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 17125A	BRACKET , angle, on forward inboard top skin stringer, assembly	1	—	—	LA43
28M/9435067	10-20 WC 17127ND	BRACKET , bare, 18 SWG	1	L.72	LM	LA43
	AGS.2008/C/1	NUT , anchor, 2 BA	1	—	C	
	—	BRACKET , pressure reducing valve, Port, group (Mod. 2) (Drg. No. 10-20 WC 24687)	—	—	—	
	10-20 WC 25167A	BRACKET , mounting, assembly (For spares use 10-20 WC 30737A/ND)	1	—	—	LA43
15664	10-20 WC 30737A/ND	BRACKET , mounting, assembly (Spares condition) Attachments for 10-20 WC 25167A, Bracket :—	1	—	C	
28D/9436920	A25/1C	Bolt, 2 BA	1	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	1	—	C	
28W/9419475	SP.15/C	Washer	1	—	C	
28W/9419487	SP.16/E	Washer	2	—	C	
	10-20 WC 30095ND	PACKING , $\frac{3}{16}$ " thick	1	LFS	LM	LA43
16613	10-20 WC 30097ND	SHIM	1	—	C	LA43
14912	10-20 N 8955A	BRACKET , mounting, relay box, at leading edge diaphragm, between ribs Nos. 3C and 4, Port, assembly (Mod. 2)	1	—	C	LA129
		Attachments for 10-20 N 8955A, Bracket :—				
28D/9133011	A25/2C	Bolt, 2 BA	5	—	C	
28W/9419475	SP.15/C	Washer	5	—	C	
	10-20 N 15117A	BRACKET , mounting, wing-fold plug, on stringer between nose rib No. 3A and outboard pylon housing, Starboard only (Mod. 2)	1	—	—	LA44
	10-20 N 15115ND	BRACKET , bare, 22 SWG	1	L.72	LM	LA44
28M/12421	AGS.2018/C/1	NUT , anchor, 2 BA	4	—	C	
		Attachments for 10-20N 15117A, Bracket :—				
1199	DHS.358/1C	Bolt, 2 BA	4	—	C	
	10-20 N 9171A	BRACKET , on stringer between ribs Nos. 3C and 4, Port, assembly (Mod. 2)	1	—	—	LA129
	10-20 N 9169ND	BRACKET , bare, 18 SWG	1	L.72	LM	LA129
28M/9435067	AGS.2006/C/1	NUT , anchor, 2 BA	2	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 9883	CLEAT, at inboard intersection of nose riblet and diaphragm, Port, 16 SWG	1	L.72	LM	LA43
	10-20 WC 9884	CLEAT, at inboard intersection of nose riblet and diaphragm, Starboard, 16 SWG	1	L.72	LM	LA43
	10-20 WC 6397A	CLEAT, at outboard intersection of nose riblet and diaphragm, Port, assembly	1	—	—	LA43
	10-20 WC 6398A	CLEAT, at outboard intersection of nose riblet and diaphragm, Starboard, assembly	1	—	—	LA43
	10-20 WC 9887ND	CLEAT, bare, Port, 16 SWG	1	L.72	LM	LA43
	10-20 WC 9888ND	CLEAT, bare, Starboard, 16 SWG	1	L.72	LM	LA43
28M/9435106	AGS.2009/E/3	NUT, anchor, 1/2" BSF	3	—	C	
28M/9435294	AGS.2019/E/3	NUT, anchor, 1/2" BSF	1	—	C	
	10-20 WC 6419	CLEAT, at intersection of rib No. 3A and diaphragm, Starboard, 16 SWG	1	L.72	LM	LA43
4275	10-20 WC 6423A	COVER, handhole, Starboard, assembly	1	—	P	LA42
28D/1013177	AS.1242/2E	BOLT, 1/2" BSF	1	—	C	
	10-20 WC 9135ND	COVER, bare, 16 SWG	1	DTD.746	—	LA44
	10-20 WC 9137ND	MEMBER, edge, 12 SWG	1	DTD.746	—	LA44
28M/9435106	AGS.2009/E/3	NUT, anchor, 1/2" BSF	13	—	C	LA44
	10-20 WC 9139	PACKING, 16 SWG	1	L.72	LM	LA44
		Attachments for 10-20 WC 6423A, Cover :—				
28D/1202334	AS.1242/3E	Bolt, 1/2" BSF	12	—	C	
14898	10-20 WC 25093A	COVER, handhole, Port only, assembly (Mods. 2 and 181)	1	—	C	LA44
28D/1013177	AS.1242/2E	BOLT, 1/2" BSF	1	—	C	
28M/9435106	AGS.2009/E/3	NUT, anchor, 1/2" BSF	15	—	C	
	10-20 WC 9139	PACKING, 16 SWG	1	L.72	LM	LA44
		Attachments for 10-20 WC 25093A, Cover :—				
19906	DHS.823/3 1/2 E	Bolt, 1/2" BSF	14	—	C	
4272	10-20 WC 6425A	COVER, handhole, assembly	1	—	P	LA44
28D/1013177	AS.1242/2E	BOLT, 1/2" BSF	1	—	C	
	10-20 WC 9183ND	MEMBER, edge, 10 SWG	1	L.72	—	LA44
28M/9435106	AGS.2009/E/3	NUT, anchor, 1/2" BSF	13	—	C	LA44
	10-20 WC 10823ND	PACKING, 12 SWG	1	L.72	LM	LA44
	10-20 WC 9139	PACKING, 16 SWG	1	L.72	LM	LA44
	10-20 WC 9181ND	PLATE, cover, 16 SWG	1	DTD.746	LM	LA44
28D/1212825	AS.1242/4E	Attachments for 10-20 WC 6425A, Cover :—				
		Bolt, 1/2" BSF	12	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 24023A	DIAPHRAGM , between ribs Nos. 2 and 3, Port, assembly (For spares use 10-20 WC 27827A/ND)	1	—	—	LA43
12472	10-20 WC 27827A/ND	DIAPHRAGM , between ribs Nos. 2 and 3, Port, assembly (Spares condition)	1	—	C	
	10-20 WC 24024A	DIAPHRAGM , between ribs Nos. 2 and 3, Starboard, assembly (For spares use 10-20 WC 27828A/ND)	1	—	—	LA43
12473	10-20 WC 27828A/ND	DIAPHRAGM , between ribs Nos. 2 and 3, Starboard, assembly (Spares condition)	1	—	C	
	10-20 WC 6388A	DIAPHRAGM , between ribs Nos. 3 and 3A, Starboard, assembly (For spares use 10-20 WC 28590A/ND)	1	—	—	LA43
13736	10-20 WC 28590A/ND	DIAPHRAGM , between ribs Nos. 3 and 3A, Starboard, assembly (Spares condition)	1	—	C	
	10-20 WC 25027A	DIAPHRAGM , between ribs Nos. 3C and 4, Port, assembly (Mod. 2) (For spares use 10-20 WC 30735A/ND)	1	—	—	LA43
15663	10-20 WC 30735A/ND	DIAPHRAGM , between ribs Nos. 3C and 4, Port, assembly (Mod. 2) (Spares condition) Spares for :—	1	—	C	
	10-20 N 9167A	BRACKET , mounting, assembly	1	L.72	—	LA43
	10-20 N 9165ND	BRACKET , bare, 18 SWG	1	L.72	LM	LA43
28M/9435067	AGS.2008/C/1	NUT , anchor, 2 BA	3	—	C	
	10-20 WC 25025A	DIAPHRAGM , at rib No. 3, Port, assembly (Mod. 2) (For spares use 10-20 WC 31159A/ND)	1	—	—	LA43
16113	10-20 WC 31159A/ND	DIAPHRAGM , at rib No. 3, Port, assembly (Mod. 2) (Spares condition)	1	—	C	
	10-20 WC 24235A	DIAPHRAGM , between ribs Nos. 3A and 4, Starboard, assembly (For spares use 10-20 WC 28576A/ND)	1	—	—	LA43
13772	10-20 WC 28576A/ND	DIAPHRAGM , between ribs Nos. 3A and 4, Starboard, assembly (Spares condition) Spares for :—	1	—	C	
	10-20 WC 16901A	BRACKET , assembly, 18 SWG	1	L.72	LM	LA43
28M/11957	AGS.2007/C/1	NUT , anchor, 2 BA	2	—	C	
	10-20 WC 24893A	DOOR , Port, assembly (Mod. 2) (For spares use 10-20 WC 30733A/ND)	1	—	—	LA44
15662	10-20 WC 30733A/ND	DOOR , Port, assembly (Mod. 2) (Spares condition)	1	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
14777	10-20 WC 6428A	DOOR , Starboard, assembly (For spares use 10-20 WC 29896A/ND)	1	—	—	LA44
	10-20 WC 29896A/ND	DOOR , Starboard, assembly (Spares condition) ... Spares for :—	1	—	C	
	10-20 WC 10526ND	HINGE , Starboard (Make from Ref. No. 28N/10363, Part No. AS.1880) Attachments for 10-20 WC 10526ND, Hinge :—	1	—	LM	LA44
	2722 DHS.365/3EE	Bolt, 1" BSF ...	14	—	C	LA44
2227	DHS.983/E	Nut, 1" BSF ...	14	—	C	LA44
	10-20 WC 10519ND	Stiffener (Make from standard section J.2172) ...	1	—	LM	LA44
	10-20 WC 24897ND	HINGE , Port (Make from Ref. No. 28N/10363, Part No. AS.1880) (Mod. 2) Attachments for 10-20 WC 24897ND, Hinge :—	1	—	LM	LA44
17523	10-20 WC 40913ND	Bolt, 2 BA (Mod. 1207) ...	13	—	C	LA44
28M/9403520	A27/CP	Nut, 2 BA ...	13	—	C	
28W/9419475	SP.15/C	Washer ...	13	—	C	
17524	10-20 WC 40859ND	Washer, zinc (Fit between hinge and probe mounting (Mod. 1207))	1	—	C	LA44
		Attachments for 10-20 WC 6428A or 10-20 WC 24893A, Door :—				
28D/8324	AS.1242/3E	Bolt, 1" BSF ...	8	—	C	
	—	DUCT , inlet, heat exchanger, group (Drg. No. 10-20 WC 23841)	1	—	—	LA42
8194	10-20 WC 22099A/ND	DUCT , aft, Port, assembly ...	1	—	P	LA42
8195	10-20 WC 22100A/ND	DUCT , aft, Starboard, assembly ...	1	—	P	LA42
	10-20 WC 23845A/ND	DUCT , forward, Port, assembly (For spares use 10-20 WC 29783A/ND)	1	—	—	LA42
14708	10-20 WC 29783A/ND	DUCT , forward, Port, assembly (Spares condition)	1	—	P	
	10-20 WC 23846A/ND	DUCT , forward, Starboard, assembly (For spares use 10-20 WC 29784A/ND)	1	—	—	LA42
14709	10-20 WC 29784A/ND	DUCT , forward, Starboard, assembly ... (Spares condition)	1	—	P	
14899	10-20 WC 24927A	DUCT , outlet, Port and Starboard, assembly (Mod. 2) Attachments for 10-20 WC 24927A, Duct :—	2	—	P	LA42
28D/8308	AS.1242/3C	Bolt, 2 BA ...	10	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 24911	FITTING , stringer end, bottom skin, at inboard side of inboard pylon housing, Port of inboard pylon housing, Port (For spares use 10-20 WC 27247ND)										1	L.65	—	LA43
11976	10-20 WC 27247ND	FITTING , stringer end, bottom skin, at inboard side of inboard pylon housing, Port (Spares condition)										1	L.65	C	
	10-20 WC 24912	FITTING , stringer end, bottom skin, at inboard side of inboard pylon housing, Starboard (For spares use 10-20 WC 27248ND)										1	L.65	—	LA43
11977	10-20 WC 27248ND	FITTING , stringer end, bottom skin, at inboard side of inboard pylon housing, Starboard (Spares condition)										1	L.65	C	
28D/9133011 28M/10288	A25/2C	Attachments for 10-20 WC 24911 or 10-20 WC 24912, Fitting :—													
	AGS.2001/C/1	Bolt, 2 BA										6	—	C	
		Nut, 2 BA										6	—	C	
	10-20 WC 24909	FITTING , stringer end, bottom skin, at outboard side of inboard pylon housing, Port (For spares use 10-20 WC 27245ND)										1	L.65	—	LA43
11972	10-20 WC 27245ND	FITTING , stringer end, bottom skin, at outboard side of inboard pylon housing, Port (Spares condition)										1	L.65	C	
	10-20 WC 24910	FITTING , stringer end, bottom skin, at outboard side of inboard pylon housing, Starboard (For spares use 10-20 WC 27246ND)										1	L.65	—	LA43
11973	10-20 WC 27246ND	FITTING , stringer end, bottom skin, at outboard side of inboard pylon housing, Starboard (Spares condition)										1	L.65	C	
28D/1011238 28M/10320	A25/3E	Attachments for 10-20 WC 24909 or 10-20 WC 24910, Fitting :—													
	AGS.2002/E/3	Bolt, 1" BSF										3	—	C	
		Nut, 1" BSF										3	—	C	

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description 1 2 3 4 5 6 7 8 9 10	No. off	Material Specification	Class of Store or L.M.	Place No.
	10-20 WC 24905	FITTING , stringer end, top skin, at inboard side of inboard pylon housing, Port (For spares use 10-20 WC 27241ND)	1	L.65	—	LA43
11970	10-20 WC 27241ND	FITTING , stringer end, top skin, at inboard side of inboard pylon housing, Port (Spares condition)	1	L.65	C	
	10-20 WC 24906	FITTING , stringer end, top skin, at inboard side of inboard pylon housing, Starboard (For spares use 10-20WC 27242ND)	1	L.65	—	LA43
11971	10-20 WC 27242ND	FITTING , stringer end, top skin, at inboard side of inboard pylon housing, Starboard (Spares condition)	1	L.65	C	
28D/1011238 28M/10320	A25/3E AGS.2002/E/3	Attachments for 10-20 WC 24905 or 10-20 WC 24906, Fitting :— Bolt, 1/2" BSF Nut, 1/2" BSF	3 3	— —	C C	
	10-20 WC 24907	FITTING , stringer end, top skin, at outboard side of inboard pylon housing, Port (For spares use 10-20 WC 27243ND)	1	L.65	—	LA43
11974	10-20 WC 27243ND	FITTING , stringer end, top skin, at outboard side of inboard pylon housing, Port (Spares condition)	1	L.65	C	
	10-20 WC 24908	FITTING , stringer end, top skin, at outboard side of inboard pylon housing, Starboard (For spares use 10-20WC 27244ND)	1	L.65	—	LA43
11975	10-20 WC 27244ND	FITTING , stringer end, top skin, at outboard side of inboard pylon housing, Starboard (Spares condition)	1	L.65	C	
28D/9133011 28M/10288	A25/2C AGS.2001/C/1	Attachments for 10-20 WC 24907 or 10-20 WC 24908, Fitting :— Bolt, 2 BA Nut, 2 BA	6 6	— —	C C	
	10-20 WC 16853ND	MEMBER , sealing, bottom skin, wing-fold, rib No. 4 L/E, Port, 20 SWG	1	L.72	LM	LA42
	10-20 WC 16854ND	MEMBER , sealing, bottom skin, wing-fold, rib No. 4 L/E, Starboard, 20 SWG	1	L.72	LM	LA42
	10-20 WC 16851ND	MEMBER , sealing, top skin, wing-fold, rib No. 4 L/E, Port, 20 SWG	1	L.72	LM	LA42
	10-20 WC 16852ND	MEMBER , sealing, top skin, wing-fold, rib No. 4 L/E, Starboard, 20 SWG	1	L.72	LM	LA42

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description 1 2 3 4 5 6 7 8 9 10	No. off	Material Specification	Class of Store or L.M.	Place No.
	—	MOUNTING , probe, refuelling in flight, Port, group (Drg. No. 10-20 WC 24681) (Mod. 2)	1	—	—	
16602	10-20 WC 29835A	BLANK , probe, assembly (Mod. 655) ...	1	—	C	LA129
16603	10-20 WC 29839	Spares for :— NUT , reach ...	2	S.92 or S.93	C	LA129
	10-20 WC 31771ND	NUT , wing (Make from Part No. AGS.113/C, Ref. No. 28M/802)	2	—	LM	LA129
27QA/466	DOWTY SP.911A/5	RING , "O." sealing ...	1	—	C	LA129
	DHS.783/5/18	WASHER , 0"-50 o/d x 0"-191 x 18 SWG ...	2	L.72	LM	LA129
	10-20 WC 24923A	BRACKET , mounting, electromatic tap, assembly	1	—	—	LA129
	10-20 WC 24925ND	BRACKET , bare, 18 SWG ...	1	L.72	LM	LA129
28M/11957	AGS.2007/C/1	NUT , anchor, 2 BA ...	2	—	C	
28M/12421	AGS.2018/C/1	NUT , anchor, 2 BA ...	2	—	C	
14907	10-20 WC 24949A	CAP , probe mounting, assembly (Pre Mod. 1099)	1	—	C	LA129
16968	10-20 WC 40283A	CAP , probe mounting, assembly (Mod. 1099)	1	—	C	LA129
14903	10-20 WC 25271	COUPLING , flanged, heat exchanger ...	1	L.56 or L.64	C	LA129
		Attachments for 10-20 WC 25271, Coupling :—				
28D/9133012	A25/3C	Bolt, 2 BA ...	2	—	C	
28M/10328	AGS.2002/C/1	Nut, 2 BA ...	2	—	C	
28W/9419404	SP.16/C	Washer ...	2	—	C	
14906	10-20 WC 24921	COUPLING , fuel ...	1	DTD.735	C	LA129
		Attachments for 10-20 WC 24921, Coupling :—				
28M/10288	AGS.2001/C/1	Nut, 2 BA ...	12	—	C	
14905	10-20 WC 24975	Stud, 1"-18 long ...	4	S.92	C	LA129
16601	10-20 WC 29843	Stud, 1"-B1 long ...	2	S.92	C	LA129
	10-20 WC 24919	DIAPHRAGM (For spares use 10-20 WC 31227ND)	1	—	—	LA129
16152	10-20 WC 31227ND	DIAPHRAGM (Spares condition) ...	1	—	C	
		Attachments for 10-20 WC 24919, Diaphragm :—				
28D/16072	A61/3E	Bolt, 1" BSF ...	5	—	C	
28D/9434866	A61/4E	Bolt, 1" BSF ...	9	—	C	
2243	DHS.363/4E	Bolt, 1" BSF ...	5	—	C	LA129
28M/13376	A29/EP	Nut, 1" BSF ...	10	—	C	
2227	DHS.983/E	Nut, 1" BSF ...	9	—	C	LA129
28W/9419487	SP.16/E	Washer ...	19	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 31353A	MOUNTING , probe, assembly (Pre Mod. 1207) (For spares use 10-20 WC 40899A/ND)	1	—	—	LA129
17520	10-20 WC 40899A/ND	MOUNTING , probe, assembly (Spares condition)	1	—	C	
	10-20 WC 41119A	MOUNTING , probe, assembly (Mod. 1207) (For spares use 10-20 WC 41157A/ND)	1	—	—	LA129
17862	10-20 WC 41157A/ND	MOUNTING , probe, assembly (Spares condition)	1	—	C	
16737	10-20 WC 31199	Spares for :—				
28M/9435067	AGS.2008/C/1	BOLT , mushroom head, 2 BA ...	6	—	C	LA129
3808	DHS.869/E	NUT , anchor, 2 BA ...	6	—	C	
28P/9527619	SP.90/C7	NUT , anchor, 1/4" BSF ...	8	—	C	
	10-20 WC 40929	PIN , split (SP.9/C8) ...	6	—	C	
		RING , threaded (Mod. 1207) (For spares use 10-20 WC 40931ND)	1	S.93 or T.45	—	LA129
17521	10-20 WC 40931ND	RING , threaded (Spares condition) ...	1	—	C	
		Attachments for 10-20 WC 31353A or 10-20 WC 41119A, Mounting :—				
28D/1219750	A61/3E	Bolt, 1/2" BSF ...	8	—	C	
28D/9434866	A61/4E	Bolt, 1/2" BSF ...	3	—	C	
28D/1213065	AS.4566/4E	Bolt, 1/2" BSF ...	21	—	C	
2242	DHS.363/3E	Bolt, 1/2" BSF ...	12	—	C	LA129
2243	DHS.363/4E	Bolt, 1/2" BSF ...	3	—	C	LA129
2240	DHS.363/4EE	Bolt, 1/2" BSF ...	3	—	C	LA129
28M/13376	A29/EP	Nut, 1/2" BSF ...	16	—	C	
28M/10320	AGS.2002/E/3	Nut, 1/2" BSF ...	8	—	C	
2227	DHS.983/E	Nut, 1/2" BSF ...	18	—	C	LA129
28VV/9419405	SP.15/E	Washer ...	8	—	C	
28VV/9419487	SP.16/E	Washer ...	16	—	C	
	10-20 WC 24933A	RIB , nose, No. 3B, assembly (For spares use 10-20 WC 31161A/ND)	1	—	—	LA129
16115	10-20 WC 31161A/ND	RIB , nose, No. 3B, assembly (Mod. 655) ...	1	—	C	
		Spares for :—				
	10-20 WC 29821ND	SECTION , Burley rubber, 1/2" dia. x 0"-05 slot x 7"-0 long (Attach with Bostik "C")	1	—	LM	LA129
	10-20 WC 24935A	RIB , nose, No. 3C, assembly (For spares use 10-20 WC 31163A/ND)	1	—	—	LA129
16114	10-20 WC 31163A/ND	RIB , nose, No. 3C, assembly (Mod. 655) ...	1	—	C	
		Spares for :—				
	10-20 WC 29823ND	SECTION , Burley rubber, 1/2" dia. x 0"-50 slot x 10"-50 long (Halprene H21/26 may be used as an alternative) (Attach with Bostik "C")	1	—	LM	LA129
		Attachments for 10-20 WC 24933A or 10-20 WC 24935A, Rib (Pick-up at front spar) :—				
28D/1011255	A25/3G	Bolt, 5/16" BSF ...	2	—	C	
28M/10291	AGS.2001/G/1	Nut, 5/16" BSF ...	2	—	C	
28VV/9419488	SP.16/G	Washer ...	2	—	C	
16600	10-20 WC 29851	RING , cap, locking (Mod. 655) ...	1	—	C	LA129
27QA/580	DOWTY GD.1891/B52	RING , "O," sealing, diaphragm ...	1	—	C	LA129
27QA/398	DOWTY SP.910/8	RING , "O," sealing, bottom skin ...	1	—	C	LA129
16604	10-20 N 13917A	PANEL , at leading-edge diaphragm, between ribs Nos. 3C and 4, Port, assembly (Mod. 655)	1	—	C	LA129
	10-20 N 13919A	BRACKET , L.H., assembly ...	1	L.72	—	LA129
28M/9434252	AGS.2018/B/1	NUT , anchor, 4 BA ...	2	—	C	
28M/13774	AGS.2019/B/1	NUT , anchor, 4 BA ...	2	—	C	
	10-20 N 14035	PACKING , 16 SWG ...	1	L.72	—	LA129
	10-20 N 13923A	BRACKET , R.H., assembly ...	1	L.72	—	LA129
28M/9434252	AGS.2018/B/1	NUT , anchor, 4 BA ...	2	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 N 13927	BRACKET , mounting, 20 SWG										1	L.72	LM	LA129
28S/9992522	A32/B16	Attachments for 10-20 N 13927, Bracket :—													
28W/9419465	SP.13/B	Screw, 4 BA										4	—	C	
		Washer										4	—	C	
	10-20 N 20777ND	SECTION , Burley rubber, $\frac{1}{2}$ " o/d $\times$ 0".05 slot $\times$ 6".80 long (Make from Ref. No. 32C/600) (Attach with Bostik "C") (Halprene H21/26 may be used as an alternative)										1	—	LM	LA129
13628	10-20 WC 28879A	PANEL , pylon access, inboard, Port, assembly ...										1	—	P	LA44
13630	10-20 WC 28880A	PANEL , pylon access, inboard, Starboard, assembly										1	—	P	LA44
		Spares for :—													
	10-20 WC 26321A	CHAIN , assembly										1	—	—	LA44
	10-20 WC 26469ND	CHAIN , bare, $\frac{3}{8}$ " $\times$ 16 dual link, 4" long ...										1	Brass	—	LA44
	10-20 WC 26239	TAG , 20 SWG										1	S.511	LM	LA44
26FN/3374	DHS.180 Mk. 2/X	TAG , 22 SWG										1	—	C	LA44
13629	10-20 WC 28855A	PANEL , Port, assembly										1	—	C	LA44
13631	10-20 WC 28856A	PANEL , Starboard, assembly										1	—	C	LA44
		Spares for :—													
28FP/1352	DZUS F3 $\frac{1}{2}$ /T14/DS	FASTENER										4	—	C	LA44
28FP/1002561	DZUS GH.3 $\frac{1}{2}$	GROMMET										4	—	C	LA44
	10-20 WC 28861ND	LIP , Port, 16 SWG										1	DTD.746	LM	LA44
	10-20 WC 28862ND	LIP , Starboard, 16 SWG										1	DTD.746	LM	LA44
		Attachments for 10-20 WC 28879A or 10-20 WC 28880A, Panel													
28D/1212825	AS.1242/4E	Bolt, $\frac{1}{2}$ " BSF										1	—	C	
28D/1013178	AS.1242/5E	Bolt, $\frac{1}{2}$ " BSF										15	—	C	
28D/1013179	AS.1242/6E	Bolt, $\frac{1}{2}$ " BSF										2	—	C	
28M/10290	AGS.2001/E/1	Nut, $\frac{1}{2}$ " BSF										2	—	C	
28M/10282	AGS.2001/E/3	Nut, $\frac{1}{2}$ " BSF										17	—	C	
28W/9419405	SP.15/E	Washer										2	—	C	
13632	10-20 WC 28881A	PANEL , pylon access, outboard, Port, assembly ...										1	—	P	LA44
13634	10-20 WC 28882A	PANEL , pylon access, outboard, Starboard, assembly										1	—	P	LA44
		Spares for :—													
	10-20 WC 26321A	CHAIN , assembly										1	—	—	LA44
	10-20 WC 26469ND	CHAIN , bare, $\frac{3}{8}$ " $\times$ 16 dual link, 4".0 long ...										1	Brass	—	LA44
	10-20 WC 26239	TAG , 20 SWG										1	S.511	LM	LA44
26FN/3374	DHS.180 Mk. 2/X	TAG , 22 SWG										1	—	C	LA44
13633	10-20 WC 28857A	PANEL , Port, assembly										1	—	C	LA44
13635	10-20 WC 28858A	PANEL , Starboard, assembly										1	—	C	LA44
		Spares for :—													
28FP/1352	DZUS F3 $\frac{1}{2}$ /T14/DS	FASTENER										4	—	C	LA44
28FP/1002561	DZUS GH.3 $\frac{1}{2}$	GROMMET										4	—	C	LA44
	10-20 WC 28865ND	LIP , Port, 16 SWG										1	DTD.746	LM	LA44
	10-20 WC 28866ND	LIP , Starboard, 16 SWG										1	DTD.746	LM	LA44
		Attachments for 10-20 WC 28881A or 10-20 WC 28882A, Panel :—													
28D/1212825	AS.1242/4E	Bolt, $\frac{1}{2}$ " BSF										7	—	C	
28D/1013178	AS.1242/5E	Bolt, $\frac{1}{2}$ " BSF										11	—	C	
	10-20 WC 25849	PLATE , landing, door, bottom skin, Port, 10 SWG										1	L.73	—	LA42
	10-20 WC 25850	PLATE , landing, door, bottom skin, Starboard, 10 SWG										1	L.73	—	LA42
		Attachments for 10-20 WC 25849 or 10-20 WC 25850, Plate :—													
2721	DHS.365/2 $\frac{1}{2}$ EE	Bolt, $\frac{1}{2}$ " BSF										6	—	C	
2227	DHS.983/E	Nut, $\frac{1}{2}$ " BSF										6	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 6413	PLATE , landing, wing-fold fairing, bottom, skin, Port, assembly	1	—	LM	LA42
	10-20 WC 6414	PLATE , landing, wing-fold fairing, bottom, skin Starboard, assembly	1	—	LM	LA42
28M/9149400	AGS.2013/C/11	NUT , anchor, 2 BA	1	—	C	
	10-20 WC 17365ND	PLATE , bare, Port, 16 SWG	1	L.72	LM	LA42
	10-20 WC 17366ND	PLATE , bare, Starboard, 16 SWG	1	L.72	LM	LA42
	10-20 WC 31205A	PLATE , nut, anchor, assembly (Mod. 958)	2	—	—	LA42
28M/9435067	AGS.2028/C/1	NUT , anchor, 2 BA, "Nyloc"	4	—	C	
	10-20 WC 31393ND	PLATE , bare, 16 SWG	1	L.72	LM	LA42
		Attachments for 10-20 WC 31205A, Plate :—				
16737	10-20 WC 31199	Bolt, special, 2 BA	4	—	C	LA42
28P/9527619	SP.90/C7	Pin, split (SP.9/C8)	4	—	C	
	10-20 WC 6416A	RIB , nose, No. 3A, Starboard, assembly (For spares use 10-20 WC 28646A/ND)	1	—	—	LA43
13767	10-20 WC 28646A/ND	RIB , nose, No. 3A, Starboard, assembly (Spares condition) Spares for :—	1	—	C	
	10-20 WC 5235	BRACKET , stringer, attachment, 20 SWG ...	2	L.72	LM	LA43

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No
		1	2	3	4	5	6	7	8	9	10				
28M/13774	10-20 WC 23175A	BRACKET, terminal block mounting, Starboard, assembly										1	—	—	LA43
	10-20 WC 23275ND	BRACKET, bare, 16 SWG										1	L.72	LM	LA43
	AGS.2019/B/1	NUT, anchor, 4 BA										2	—	C	LA43
	10-20 WC 29813ND	SECTION, Burley rubber, Starboard only, 1/2" dia., .05 slot, 3"-0 long (Alternative Halprene H21/26, rubber) (Make from Ref. No. 32C/600)										1	BS.1155	LM	LA43
4283	DHS.901/1 1/2 GG	Attachments for 10-20 WC 6416A, Rib:—													
28M/10283	AGS.2001/G/3	Bolt, 3/8" BSF										2	—	C	
28VV/9419476	SP.15/G	Nut, 3/8" BSF										2	—	C	
		Washer										2	—	C	
	10-20 WC 6395	RIBLET, nose, No. 3, Port										1	L.73	—	LA43
		(For spares use 10-20 WC 26927ND)													
11237	10-20 WC 26927ND	RIBLET, nose, No. 3, Port (Spares condition)										1	—	C	
	10-20 WC 6396	RIBLET, nose, No. 3, Starboard										1	L.73	—	LA43
		(For spares use 10-20 WC 26928ND)													
11238	10-20 WC 26928ND	RIBLET, nose, No. 3, Starboard (Spares condition)										1	—	C	
	10-20 WC 24025	RIBLET, nose, No. 4, Port										1	L.73	—	LA43
		(For spares use 10-20 WC 27829ND)													
12463	10-20 WC 27829ND	RIBLET, nose, No. 4, Port (Spares condition)										1	—	C	
	10-20 WC 24026	RIBLET, nose, No. 4, Starboard										1	L.73	—	LA43
		(For spares use 10-20 WC 27830ND)													
12464	10-20 WC 27830ND	RIBLET, nose, No. 4, Starboard (Spares condition)										1	—	C	
	10-20 WC 25185ND	SKIN, Port (Mod. and 1812)										1	DTD.746	—	LA42
		(For spares use 10-20 WC 30949ND)													
16107	10-20 WC 30949ND	SKIN, Port (Spares condition)										1	—	C	
	10-20 WC 25961ND	SKIN, Starboard (Mod. 181)										1	DTD.746	—	LA42
		(For spares use 10-20 WC 31225ND)													
16305	10-20 WC 31225ND	SKIN, Starboard (Spares condition)										1	—	C	
	10-20 WC 6375ND	STRINGER, bottom skin, between nose rib 3A and outboard pylon housing, Starboard only (Make from standard Section J.2154, Ref. No. 26FY/2720)										1	DTD.746	LM	LA43

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
28M/10245	10-20 WC 10665ND	STRIP, packing, at edge of bottom skin, inboard, Port, 30 SWG										1	L.72	LM	LA42
	10-20 WC 10666ND	STRIP, packing, at edge of bottom skin, inboard, Starboard, 30 SWG										1	L.72	LM	LA42
	10-20 WC 27539ND	STRIP, packing, at edge of top skin, Port, 24 SWG										1	DTD.710	LM	LA42
	10-20 WC 27540ND	STRIP, packing, at edge of top skin, Starboard, 24 SWG										1	DTD.710	LM	LA42
	10-20 WC 27543ND	STRIP, packing, at edge of top skin, Port, 24 SWG										1	DTD.710	LM	LA42
	10-20 WC 27544ND	STRIP, packing, at edge of top skin, Starboard, 24 SWG										1	DTD.710	LM	LA42
	10-20 WC 28451ND	STRIP, reinforcing, on bottom skin, between nose rib 3A and forward edge of outboard hand hole, Starboard only (Make from standard Section J.2154, Ref. No. 26FY/2720)										1	DTD.746	LM	LA42
	—	TAB, sealing, top skin, wing-fold, rib No. 4, L/E, group										1	—	—	
	AGS.2014/C/11	NUT, anchor, 2 BA										1	—	C	
	10-20 WC 16855ND	TAB, 20 SWG										1	L.72	LM	LA42

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Place No
		1 2 3 4 5 6 7 8 9 10				
		Attachments for 10-20 WC 24679A, or 10-20 WC 25959A, Leading-edge, at front spar :—				
3413	DHS.365/3½E	Bolt, ½" BSF	76	S.96	C	
		Port (Mods. 2 and 181) ...	64	S.96	C	
26DV/5897	DHS.365/4E	Bolt, ½" BSF	2	S.96	C	
2726	DHS.365/4½E	Bolt, ½" BSF	11	S.96	C	
1793	DHS.365/5E	Bolt, ½" BSF	10	S.96	C	
3414	DHS.365/5½E	Bolt, ½" BSF	4	S.96	C	
1794	DHS.365/6E	Bolt, ½" BSF	2	S.96	C	
		Port (Mods. 2 and 181) ...	1	S.96	C	
3592	DHS.365/6½E	Bolt, ½" BSF	1	S.96	C	
2723	DHS.365/3½EE	Bolt, ½" BSF, Starboard only (Mods. 2 and 181) ...	1	S.96	C	
28M/12931	A27/ET	Nut, ½" BSF, Starboard only (Mods. 2 and 181) ...	1	—	C	
28M/10290	AGS.2001/E/1	Nut, ½" BSF	2	—	C	
		Port (Mods. 2 and 181) ...	2	—	C	
28M/10282	AGS.2001/E/3	Nut, ½" BSF	90	—	C	
		Port (Mods. 2 and 181) ...	81	—	C	
2227	DHS.983/E	Nut, ½" BSF	10	—	C	
3241	DHS.727/E/12	Washer, support, Starboard only (Mods. 2 and 181) ...	2	DTD.746	C	
28VV/9419405	SP.15/E	Washer	91	—	C	
		Port (Mods. 2 and 181) ...	93	—	C	
		at inboard pylon housing :—				
28D/1008151	A25/4E	Bolt, ½" BSF (nose riblet No. 3)	4	—	C	
26DV/5897	DHS.365/4E	Bolt, ½" BSF	5	S.96	C	
2726	DHS.365/4½E	Bolt, ½" BSF	6	S.96	C	
1793	DHS.365/5E	Bolt, ½" BSF	10	S.96	C	
3414	DHS.365/5½E	Bolt, ½" BSF	10	S.96	C	
3592	DHS.365/6½E	Bolt, ½" BSF	4	S.96	C	
3810	DHS.365/7E	Bolt, ½" BSF	4	S.96	C	
28D/8324	AS.1242/3E	Bolt, ½" BSF	4	—	C	
28M/10290	AGS.2001/E/1	Nut, ½" BSF	16	—	C	
28M/10282	AGS.2001/E/3	Nut, ½" BSF	20	—	C	
4284	10-20 WC 10045	Shim (nose riblet No. 3)	1	LA3	C	LA43
28VV/9419405	SP.15/E	Washer	39	—	C	

RESTRICTED

Page LA116
(Issued with A.L.66)

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
1653	DHS.365/2E	Bolt, $\frac{1}{4}$ "	BSF	...	...	...	...	...	...	...	...	2	—	C	
2724	DHS.365/2 $\frac{1}{2}$ E	Bolt, $\frac{1}{2}$ "	BSF	...	...	...	...	...	...	...	...	2	—	C	
2722	DHS.365/3EE	Bolt, $\frac{1}{2}$ "	BSF	...	...	...	...	...	...	...	...	14	—	C	
2723	DHS.365/3 $\frac{1}{2}$ EE	Bolt, $\frac{1}{2}$ "	BSF	...	...	...	...	...	...	...	...	18	—	C	
26DV/5897	DHS.365/4E	Bolt, $\frac{1}{2}$ "	BSF	...	...	...	...	...	...	...	...	10	—	C	
2726	DHS.365/4 $\frac{1}{2}$ E	Bolt, $\frac{1}{2}$ "	BSF	...	...	...	...	...	...	...	...	12	—	C	
1793	DHS.365/5E	Bolt, $\frac{1}{2}$ "	BSF	...	...	...	...	...	...	...	...	13	—	C	
2241	DHS.365/5EE	Bolt, $\frac{1}{2}$ "	BSF	...	...	...	...	...	...	...	...	3	—	C	
3414	DHS.365/5 $\frac{1}{2}$ E	Bolt, $\frac{1}{2}$ "	BSF	...	...	...	...	...	...	...	...	3	—	C	
28D/1011238	A25/3E	Bolt, $\frac{1}{2}$ "	BSF	...	...	...	...	...	...	...	...	4	—	C	
4400	DHS.365/3G	Bolt, $\frac{5}{16}$ "	BSF	...	...	...	...	...	...	...	...	2	—	C	
4904	DHS.365/3GG	Bolt, $\frac{5}{16}$ "	BSF	...	...	...	...	...	...	...	...	2	—	C	
4360	DHS.365/5GG	Bolt, $\frac{5}{16}$ "	BSF	...	...	...	...	...	...	...	...	4	—	C	
4382	DHS.365/5 $\frac{1}{2}$ GG	Bolt, $\frac{5}{16}$ "	BSF	...	...	...	...	...	...	...	...	1	—	C	
26FC/11711	DHS.365/6G	Bolt, $\frac{5}{16}$ "	BSF	...	...	...	...	...	...	...	...	2	—	C	
5610	DHS.365/6GG	Bolt, $\frac{5}{16}$ "	BSF	...	...	...	...	...	...	...	...	2	—	C	
2244	DHS.365/6 $\frac{1}{2}$ G	Bolt, $\frac{5}{16}$ "	BSF	...	...	...	...	...	...	...	...	1	—	C	
5609	DHS.365/6 $\frac{1}{2}$ GG	Bolt, $\frac{5}{16}$ "	BSF	...	...	...	...	...	...	...	...	1	—	C	
28M/10282	AGS.2001/E/3	Nut, $\frac{1}{2}$ "	BSF	...	...	...	...	...	...	...	...	4	—	C	
28M/7002430	AGS.2002/E/1	Nut, $\frac{1}{2}$ "	BSF	...	...	...	...	...	...	...	...	56	—	C	
28M/10291	AGS.2001/G/1	Nut, $\frac{1}{8}$ "	BSF	...	...	...	...	...	...	...	...	8	—	C	
28M/1007403	A27/ET	Nut, $\frac{1}{4}$ "	BSF	...	...	...	...	...	...	...	...	24	—	C	
28M/1006939	A27/GP	Nut, $\frac{5}{16}$ "	BSF	...	...	...	...	...	...	...	...	4	—	C	
28M/1011470	A27/GT	Nut, $\frac{5}{16}$ "	BSF	...	...	...	...	...	...	...	...	10	—	C	
28VV/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	54	—	C	
28VV/9419476	SP.15/G	Washer	...	...	...	...	...	...	...	...	...	8	—	C	
28VV/9419487	SP.16/E	Washer	...	...	...	...	...	...	...	...	...	2	—	C	

RESTRICTED

MAIN PLANES

WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 5279	MEMBER , diffusion, bottom centre, between ribs Nos. 3 and 4, Port (For spares use 10-20 WC 26923ND)										1	—	—	LA45
11353	10-20 WC 26923ND	MEMBER , diffusion, bottom centre, between ribs Nos. 3 and 4, Port (Spares condition)										1	—	P	
	10-20 WC 5280	MEMBER , diffusion, bottom centre, between ribs 3 and 4, Starboard (For spares use 10-20 WC 26924ND)										1	—	—	LA45
11354	10-20 WC 26924ND	MEMBER , diffusion, bottom centre, between ribs Nos. 3 and 4, Starboard (Spares condition)										1	—	P	
		Attachments for 10-20 WC 5279 or 10-20 WC 5280, Member:—													
4359	DHS.395/5EE	Bolt, sealed, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	32	—	C	
4345	DHS.395/5 $\frac{1}{2}$ GG	Bolt, sealed, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	6	—	C	
4347	DHS.395/6 $\frac{1}{2}$ GG	Bolt, sealed, $\frac{5}{16}$ " BSF	...	...	...	...	...	...	...	...	...	3	—	C	
4349	DHS.395/7 $\frac{1}{2}$ GG	Bolt, sealed, $\frac{5}{16}$ " BSF	...	...	...	...	...	...	...	...	...	3	—	C	
15522	DHS.395/8GG	Bolt, sealed, $\frac{5}{16}$ " BSF	...	...	...	...	...	...	...	...	...	3	—	C	
15523	DHS.395/8 $\frac{1}{2}$ GG	Bolt, sealed, $\frac{5}{16}$ " BSF	...	...	...	...	...	...	...	...	...	3	—	C	
2227	DHS.983/E	Nut, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	32	—	C	
2220	DHS.383/G	Nut, $\frac{5}{16}$ " BSF	...	...	...	...	...	...	...	...	...	18	—	C	
	10-20 WC 5387	MEMBER , diffusion, bottom front, between ribs Nos. 3 and 4, Port (For spares use 10-20 WC 26845ND)										1	—	—	LA45
11417	10-20 WC 26845ND	MEMBER , diffusion, bottom front, between ribs Nos. 3 and 4, Port (Spares condition)										1	—	P	
	10-20 WC 5388	MEMBER , diffusion, bottom front, between ribs Nos. 3 and 4, Starboard (For spares use 10-20 WC 26846ND)										1	—	—	LA45
11418	10-20 WC 26846ND	MEMBER , diffusion, bottom front, between ribs Nos. 3 and 4, Starboard (Spares condition)										1	—	P	
		Attachments for 10-20 WC 5387 or 10-20 WC 5388, Member:—													
4359	DHS.395/5EE	Bolt, sealed, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	14	—	C	
4352	DHS.395/5 $\frac{1}{2}$ EE	Bolt, sealed, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	18	—	C	
5970	DHS.395/5GG	Bolt, sealed, $\frac{5}{16}$ " BSF	...	...	...	...	...	...	...	...	...	9	—	C	
4354	DHS.395/6GG	Bolt, sealed, $\frac{5}{16}$ " BSF	...	...	...	...	...	...	...	...	...	3	—	C	
4348	DHS.395/7GG	Bolt, sealed, $\frac{5}{16}$ " BSF	...	...	...	...	...	...	...	...	...	3	—	C	
15522	DHS.395/8GG	Bolt, sealed, $\frac{5}{16}$ " BSF	...	...	...	...	...	...	...	...	...	3	—	C	
2227	DHS.983/E	Nut, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	32	—	C	
2220	DHS.383/G	Nut, $\frac{5}{16}$ " BSF	...	...	...	...	...	...	...	...	...	18	—	C	
28W/9419404	SP.16/C	Washer	...	...	...	...	...	...	...	...	...	14	—	C	
	10-20 WC 15603	MEMBER , diffusion, bottom rear, between ribs Nos. 2 and 4, Port (For spares use 10-20 WC 26685ND)										1	—	—	LA45
11423	10-20 WC 26685ND	MEMBER , diffusion, bottom rear, between ribs Nos. 2 and 4, Port (Spares condition)										1	—	P	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Draw- ing Ref.	Case File
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 15604	MEMBER , diffusion, bottom rear, between ribs Nos. 2 and 4, Starboard (For spares use 10-20 WC 26686ND	1	L.65	—	LA45
11424	10-20 WC 26686ND	MEMBER , diffusion bottom rear, between ribs Nos. 2 and 4, Starboard (Spares condition) Attachments for 10-20 WC 15603 or 10-20 WC 15604, Member:—	1	L.65	P	
14213	DHS.1001/4E	Bolt, $\frac{1}{4}$ " BSF	12	—	C	
15570	DHS.1063/4EE	Bolt, $\frac{1}{4}$ " BSF	6	—	C	
2241	DHS.365/5EE	Bolt, $\frac{1}{4}$ " BSF	8	—	C	
28D/12818	A25/9G	Bolt, $\frac{3}{16}$ " BSF	1	—	C	
28D/1011258	A25/8G	Bolt, $\frac{3}{16}$ " BSF	3	—	C	
3191	DHS.382/4G	Bolt, $\frac{3}{16}$ " BSF	10	—	C	
3774	DHS.382/4½G	Bolt, $\frac{3}{16}$ " BSF	3	—	C	
2471	DHS.382/6G	Bolt, $\frac{3}{16}$ " BSF	2	—	C	
5610	DHS.365/6GG	Bolt, $\frac{3}{16}$ " BSF	16	—	C	
5949	DHS.365/7GG	Bolt, $\frac{3}{16}$ " BSF	9	—	C	
5159	DHS.365/8GG	Bolt, $\frac{3}{16}$ " BSF	6	—	C	
5160	DHS.365/9GG	Bolt, $\frac{3}{16}$ " BSF	6	—	C	
3583	DHS.365/10GG	Bolt, $\frac{3}{16}$ " BSF	5	—	C	
2227	DHS.983/E	Nut, $\frac{1}{4}$ " BSF	26	—	C	
2220	DHS.383/G	Nut, $\frac{3}{16}$ " BSF	42	—	C	
28M/1011470	A27/GT	Nut, $\frac{3}{16}$ " BSF	19	—	C	
28W/9419476	SP.15/G	Washer	19	—	C	
28W/9419487	SP.16/E	Washer	14	—	C	
	10-20 WC 17977A/ND	MEMBER , diffusion, top centre, between ribs Nos. 3 and 4, Port, assembly	1	—	—	LA45
	10-20 WC 17978A/ND	MEMBER , diffusion, top centre, between ribs Nos. 3 and 4, Starboard, assembly	1	—	—	LA45
	10-20 WC 5299	MEMBER , diffusion, Port	1	DTD.363	—	LA45
	10-20 WC 5300	MEMBER , diffusion, Starboard	1	DTD.363	—	LA45
	10-20 WC 17641	SHACKLE , bracing strut, Port	1	L.65	—	LA45
	10-20 WC 17642	SHACKLE , bracing strut, Starboard	1	L.65	—	LA45
		Attachments for 10-20 WC 17641 or 10-20 WC 17642, Shackle:—				
28D/	A59/35G	Bolt, $\frac{1}{4}$ " BSF	1	—	—	
28M/1006939	A27/GP	Nut, $\frac{3}{16}$ " BSF	1	—	C	
		Attachments for 10-20 WC 17977A/ND or 10-20 WC 17978A/ND, Member:—				
28D/1008151	A25/4E	Bolt, $\frac{1}{4}$ " BSF	3	—	C	
28D/1011240	A25/5E	Bolt, $\frac{1}{4}$ " BSF	1	—	C	
28D/1008145	A25/6E	Bolt, $\frac{1}{4}$ " BSF	4	—	C	
5934	DHS.365/6EE	Bolt, $\frac{1}{4}$ " BSF	2	—	C	
1795	DHS.365/8E	Bolt, $\frac{1}{4}$ " BSF	3	—	C	
3578	DHS.365/9E	Bolt, $\frac{1}{4}$ " BSF	1	—	C	
2473	DHS.382/6E	Bolt, $\frac{1}{4}$ " BSF	7	—	C	
3593	DHS.382/7E	Bolt, $\frac{1}{4}$ " BSF	5	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No
		1	2	3	4	5	6	7	8	9	10				
4353	DHS.395/6EE	Bolt, sealed, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	7	—	C	
4354	DHS.395/6GG	Bolt, sealed, $\frac{1}{16}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
4347	DHS.395/6 $\frac{1}{2}$ GG	Bolt, sealed, $\frac{1}{16}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
4349	DHS.395/7 $\frac{1}{2}$ GG	Bolt, sealed, $\frac{1}{16}$ " BSF	...	...	...	...	...	...	...	...	...	4	—	C	
15523	DHS.395/8 $\frac{1}{2}$ GG	Bolt, sealed, $\frac{1}{16}$ " BSF	...	...	...	...	...	...	...	...	...	3	—	C	
3576	DHS.395/9G	Bolt, sealed, $\frac{1}{16}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
3574	DHS.395/11G	Bolt, sealed, $\frac{1}{16}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	C	
2227	DHS.983/E	Nut, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	19	L.65	C	
28M/13721	AGS.2021/E/1	Nut, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	4	—	C	
3190	DHS.983/G	Nut, $\frac{1}{16}$ " BSF	...	...	...	...	...	...	...	...	...	11	L.65	C	
28M/1006939	A27/GP	Nut, $\frac{1}{16}$ " BSF	...	...	...	...	...	...	...	...	...	3	—	C	
28M/12931	A27/ET	Nut, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	10	—	C	
26DL/5611	DHS.402/E	Seal	...	...	...	...	...	...	...	...	...	28	—	C	
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	10	—	C	
	10-20 WC 17975A/ND	MEMBER , diffusion, top front, between ribs 3 and 4, Port, assembly										1	—	—	LA45
	10-20 WC 17976A/ND	MEMBER , diffusion, top front, between ribs 3 and 4, Starboard, assembly										1	—	—	LA45
	10-20 WC 2937	MEMBER , diffusion, Port										1	DTD.363	—	LA45
	10-20 WC 2938	MEMBER , diffusion, Starboard										1	DTD.363	—	LA45
	10-20 WC 17639	SHACKLE , bracing strut, Port										1	L.65	—	LA45
	10-20 WC 17640	SHACKLE , bracing strut, Starboard										1	L.65	—	LA45
		Attachments for 10-20 WC 17639 or 10-20 WC 17640, Shackle :—													
28D/—	A59/35G	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	—	
28M/1006939	A27/GP	Nut, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	C	
		Attachments for 10-20 WC 17975A/ND or 10-20 WC 17976A/ND, Member :—													
28D/1008151	A25/4E	Bolt, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28D/1008145	A25/6E	Bolt, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	5	—	C	
2473	DHS.382/6E	Bolt, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	4	S.96	C	
3207	DHS.382/8E	Bolt, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	1	S.96	C	
5935	DHS.365/8EE	Bolt, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	1	S.96	C	
15505	DHS.365/9 $\frac{1}{2}$ EE	Bolt, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	1	S.96	C	
3575	DHS.365/9 $\frac{1}{2}$ G	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	2	S.96	C	
4352	DHS.395/5 $\frac{1}{2}$ EE	Bolt, sealed, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	12	—	C	
4345	DHS.395/5 $\frac{1}{2}$ GG	Bolt, sealed, $\frac{1}{16}$ " BSF	...	...	...	...	...	...	...	...	...	4	—	C	
4348	DHS.395/7GG	Bolt, sealed, $\frac{1}{16}$ " BSF	...	...	...	...	...	...	...	...	...	7	—	C	
3573	DHS.395/10G	Bolt, sealed, $\frac{1}{16}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
3574	DHS.395/11G	Bolt, sealed, $\frac{1}{16}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	C	
2227	DHS.983/E	Nut, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	17	L.65	C	
28M/13721	AGS.2021/E/1	Nut, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
3190	DHS.983/G	Nut, $\frac{1}{16}$ " BSF	...	...	...	...	...	...	...	...	...	14	L.65	C	
28M/15730	AGS.2021/G/1	Nut, $\frac{1}{16}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28M/12931	A27/ET	Nut, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	7	—	C	
26DL/5611	DHS.402/E	Seal	...	...	...	...	...	...	...	...	...	14	—	C	
2259	DHS.402/G	Seal	...	...	...	...	...	...	...	...	...	2	—	C	
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	7	—	C	

MAIN PLANES

WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 5447	MEMBER , diffusion, top rear, between ribs 3 and 4, Port										1	DTD.363	—	LA45
	10-20 WC 5448	MEMBER , diffusion, top rear, between ribs 3 and 4, Starboard										1	DTD.363	—	LA45
		Attachments for 10-20 WC 5447 or 10-20 WC 5448, Member :—													
3237	DHS.382/4½E	Bolt, 1"	BSF									6	S.96	C	
3235	DHS.382/5E	Bolt, 1"	BSF									9	S.96	C	
15527	DHS.1001/3½E	Bolt, 1"	BSF									7	L.65	C	
15354	DHS.1001/5E	Bolt, 1"	BSF									2	L.65	C	
2725	DHS.365/4½EE	Bolt, 1"	BSF									2	S.96	C	
2241	DHS.365/5EE	Bolt, 1"	BSF									3	S.96	C	
3590	DHS.365/5½EE	Bolt, 1"	BSF									4	S.96	C	
3587	DHS.365/10EE	Bolt, 1"	BSF									6	S.96	C	
15571	DHS.1063/4½EE	Bolt, 1"	BSF									2	L.65	C	
5609	DHS.365/6½GG	Bolt, 1"	BSF									1	S.96	C	
5159	DHS.365/8GG	Bolt, 1"	BSF									1	S.96	C	
9380	DHS.365/8½GG	Bolt, 1"	BSF									20	S.96	C	
5160	DHS.365/9GG	Bolt, 1"	BSF									1	S.96	C	
3584	DHS.365/9½GG	Bolt, 1"	BSF									1	S.96	C	
3583	DHS.365/10GG	Bolt, 1"	BSF									1	S.96	C	
3582	DHS.365/10½GG	Bolt, 1"	BSF									4	S.96	C	
3580	DHS.365/11½GG	Bolt, 1"	BSF									1	S.96	C	
3579	DHS.365/14GG	Bolt, 1"	BSF									4	S.96	C	
3581	DHS.365/20G	Bolt, 1"	BSF									4	S.96	C	
3194	DHS.382/5G	Bolt, 1"	BSF									4	S.96	C	
3200	DHS.382/5½G	Bolt, 1"	BSF									1	S.96	C	
3197	DHS.382/6½G	Bolt, 1"	BSF									10	S.96	C	
3589	DHS.382/9½G	Bolt, 1"	BSF									3	S.96	C	
2227	DHS.983/E	Nut, 1"	BSF									29	L.65	C	
2220	DHS.383/G	Nut, 1"	BSF									3	DTD.423C	C	
3150	DHS.983/G	Nut, 1"	BSF									36	L.65	C	
28M/1036939	A27/GP	Nut, 1"	BSF									4	—	C	
28M/12931	A27/ET	Nut, 1"	BSF									16	—	C	
28M/1011470	A27/GT	Nut, 1"	BSF									10	—	C	
28W/9419405	SP.15/E	Washer										16	—	C	
28W/9419476	SP.15/G	Washer										10	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	—	MOUNTINGS , flap mechanism, on rear spar between ribs No. 2 and 4, at flap tracks Nos. 2, 3 and 4, Port, group (Drg. No. 10-20 WC 5965)	1	—	—	LA47
	—	MOUNTINGS , flap mechanism, on rear spar between ribs Nos. 2 and 4, at flap tracks Nos. 2, 3 and 4, Starboard, group (Drg. No. 10-20 WC 5965)	1	—	—	LA47
16644	10-20 WC 30829A	BRACKET , mounting, chain adjuster, on rear face of rear spar, at rib No. 4, Port (Mod. 899)	1	—	C	LA47
16645	10-20 WC 30830A	BRACKET , mounting, chain adjuster, on rear face of rear spar, at rib No. 4, Starboard (Mod. 899)	1	—	C	LA47
		Attachments for 10-20 WC 30829A or 10-20 WC 30830A, Bracket :—				
28D/9133012	A25/3C	Bolt, 2 BA	6	—	C	
28M/9403520	A27/CP	Nut, 2 BA	4	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	1	—	C	
6002	10-20 WC 18185	BRACKET , mounting, gear box, flap track No. 2, on forward face of rear spar, between ribs No. 2 and No. 3, Port	1	DTD.298	C	LA47
6003	10-20 WC 18186	BRACKET , mounting, gear box, flap track No. 2, on forward face of rear spar, between ribs No. 2 and No. 3, Starboard	1	DTD.298	C	LA47
		Attachments for 10-20 WC 18185 or 10-20 WC 18186, Bracket :—				
28D/15710	A59/5E	Bolt, 1" BSF	2	—	C	
28D/15711	A59/6E	Bolt, 1" BSF	1	—	C	
28M/12928	A27/EP	Nut, 1" BSF	3	—	C	
28W/9419405	SP.15/E	Washer	3	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
19371	10-20 WC 41519A	BRACKET , mounting, torque shaft, complete with sprockets, at flap track No. 2, on forward face of rear spar, between ribs No. 3 and No. 3A, Port, assembly Mod. 1351) (Pre Mod. 1421)	1	—	C	LA47
	10-20 WC 41521A	BRACKET , mounting, torque shaft, complete with sprockets, at flap track No. 2, on forward face of rear spar, between ribs No. 3 and No. 3A, Port, assembly (Mod. 1421)	1	—	—	LA47
19372	10-20 WC 41520A	BRACKET , mounting, torque shaft, complete with sprockets, at flap track No. 2, on forward face of rear spar, between ribs No. 3 and No. 3A, Starboard, assembly (Mod. 1351) (Pre Mod. 1421)	1	—	C	LA47
	10-20 WC 41522A	BRACKET , mounting, torque shaft, complete with sprockets, at flap track No. 2, on forward face of rear spar, between ribs No. 3 and No. 3A, Starboard, assembly (Mod. 1421) Spares for :—	1	—	—	LA47
5998	10-20 CF 5451	BOLT , mounting, sprockets, $\frac{1}{2}$ " BSF	2	S.1	C	LA47
11725	10-20 CF 8297	BOLT , mounting, tapped head, upper chain guard bolt, $\frac{1}{2}$ " BSF	1	S.93	C	LA47
6000	10-20 CF 5453	BOLT , mounting, tapped head, lower chain guard bolt, $\frac{1}{2}$ " BSF Attachments for 10-20 CF 5451, 10-20 CF 8297, or 10-20 CF 5453, Bolt :—	1	S.1	C	LA47
28M/13376	A29/EP	Nut, $\frac{1}{2}$ " BSF	1	—	C	
28W/9419405	SP.15/E	Washer	1	—	C	
28D/9434865	A61/5E	BOLT , $\frac{1}{2}$ " BSF, upper and lower chain guard (Lock to DHS.514/D)	2	—	C	
6001	10-20 CF 5447A	SPROCKET , assembly (Pre Mod. 1421) Spares for :—	2	—	C	LA47
2A/9501380	—	BEARING , ball	1	—	C	
19378	10-20 CF 10271A	SPROCKET , assembly (Mod. 1421) Spares for :—	2	—	C	LA47
	HOFFMANN N.6279 WALKER & SCHOFIELD A26/Y	BEARING , ball	1	—	C	
		RING , retaining bearing	1	—	C	LA47
		Attachments for 10-20 CF 5447A or 10-20 CF 10271A, Sprocket :—				
28M/15400	A29/GS	Nut, $\frac{1}{2}$ " BSF	1	—	C	
28P/1007741	SP.9/C8 DHS.781/34/18	Pin, split	1	—	C	
	AS.2809/5/070	Washer	1	—	—	LA47
		TUBE , distance, on upper and lower chain guard bolts, $\frac{1}{4}$ " o/d x 22 SWG x 70 long Attachments for 10-20 WC 41519A, 10-20 WC 41521A, 10-20 WC 41520A or 10-20 WC 41522A, Bracket :—	2	L.62	LM	
28D/1011238	A25/3E	Bolt, $\frac{1}{4}$ " BSF	2	—	C	
28D/1011240	A25/5E	Bolt, $\frac{1}{4}$ " BSF	2	—	C	
28M/12928	A27/EP	Nut, $\frac{1}{2}$ " BSF	4	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Place No.
		1 2 3 4 5 6 7 8 9 10				
6005	10-20 WC 5723A	BRACKET , support, flap torque tubes, on forward face of rear spar, at rib No. 4, Port, assembly	1	—	C	LA47
6006	10-20 WC 5724A	BRACKET , support, flap torque tubes, on forward face of rear spar, at rib No. 4, Starboard, assembly	1	—	C	LA47
	10-20 WC 6035	BUSH , low speed shaft Attachments for 10-20 WC 5723A or 10-20 WC 5724A, Bracket :—	1	S.93	—	LA47
28D/1008145	A25/6E	Bolt, $\frac{1}{2}$ " BSF	2	—	C	
28D/1011242	A25/7E	Bolt, $\frac{1}{2}$ " BSF	4	—	C	
28D/12548	A25/17E	Bolt, $\frac{1}{2}$ " BSF	2	—	C	
5958	DHS.365/17E	Bolt, $\frac{1}{2}$ " BSF	1	—	C	
28M/12928	A27/EP	Nut, $\frac{1}{2}$ " BSF	9	—	C	
6004	10-20 WC 6033	HOUSING , bearing, low speed torque shaft, flap track No. 2, on mounting bracket on forward face of rear spar between ribs Nos. 2 and 3A Attachments for 10-20 WC 6033, Housing :—	1	DTD.298	C	LA47
11725	10-20 CF 8297	Bolt, $\frac{1}{2}$ " BSF	2	S.93	C	LA47
28M/1011467	A27/ES	Nut, $\frac{1}{2}$ " BSF	2	—	C	
28P/1007741	SP.9/C8	Pin, split	2	—	C	
	10-20 WC 17659ND	SHIM , rivetted to mounting bracket on rib No. 3, for flap track No. 2 gear box (maximum thickness 14 SWG)	1	L.72	LM	LA47
	—	PANEL , shear, under wing, stns. 182"-25 to 245"-4, Port and Starboard, group (Drg. Nos. 10-20 WC 25595, 10-20 WC 11141A, 10-20 WC 11142A, 10-20 WC 20595, 10-20 WC 20609, 10-20 WC 16121 and 10-20 WC 15641)	1	—	—	
	10-20 WC 12463A	ANGLE , landing, wing attachment, Port, assembly (For spares use 10-20 WC 27229 A/ND)	1	—	C	LA18
11996	10-20 WC 27299A/ND	ANGLE , landing, wing attachment, Port, assembly (Spares condition)	1	—	C	
	10-20 WC 12464A	ANGLE , landing, wing attachment, Starboard, assembly (For spares use 10-20 WC 27300A/ND)	1	—	—	LA18
11997	10-20 WC 27300A/ND	ANGLE , landing, wing attachment, Starboard, assembly (Spares condition) Attachments for 10-20 WC 12463A or 10-20 WC 12464A, Angle :—	1	—	C	
28D/1011030	A25/2E	Bolt, $\frac{1}{2}$ " BSF	47	—	C	
28D/1011238	A25/3E	Bolt, $\frac{1}{2}$ " BSF	11	—	C	
28D/1008151	A25/4E	Bolt, $\frac{1}{2}$ " BSF	4	—	C	
9294	DHS.358/2 $\frac{1}{2}$ G	Bolt, $\frac{1}{8}$ " BSF	10	S.96	C	
28M/12928	A27/EP	Nut, $\frac{1}{2}$ " BSF	39	—	C	
28M/13376	A29/EP	Nut, $\frac{1}{2}$ " BSF	23	—	C	
28M/1006939	A27/GP	Nut, $\frac{1}{8}$ " BSF	10	—	C	
28W/9418921	SP.13/E	Washer	39	—	C	
28W/9419405	SP.15/E	Washer	23	—	C	
28W/9419403	SP.13/G	Washer	10	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
5929	10-20 N 23671	BRACKET, cable duct clip, Port, 16 SWG (Mod. 1269)										1	L.72	LM	LA18
	10-20 N 23673	BRACKET, cable duct clip, Port, 16 SWG (Mod. 1269)										1	L.72	LM	LA18
	10-20 N 23675	BRACKET, cable duct clip, Port, 16 SWG (Mod. 1269)										1	L.72	LM	LA18
	10-20 WC 8803A	BRACKET, fork joint attachment, at main spar, Port, assembly										1	—	C	LA18
5930	10-20 WC 8804A	BRACKET, fork joint attachment, at main spar, Starboard, assembly										1	—	C	LA18
Attachments for 10-20 WC 8803A or 10-20 WC 8804A, Bracket :—															
28D/1011304	A25/15J	Bolt, $\frac{1}{8}$ " BSF										3	—	C	
28M/10292	AGS.2001/J/1	Nut, $\frac{1}{8}$ " BSF										3	—	C	
12935	10-20 WC 8335A	BRACKET, link attachment, at front spar, Port, assembly (For spares use 10-20 WC 27743A/ND)										1	—	—	LA18
	10-20 WC 27743A/ND	BRACKET, link attachment, at front spar, Port, assembly (Spares condition)										1	—	C	
	10-20 WC 8336A	BRACKET, link attachment, at front spar, Starboard, assembly (For spares use 10-20 WC 27744A/ND)										1	—	—	LA18
12936	10-20 WC 27744A/ND	BRACKET, link attachment, at front spar, Starboard, assembly (Spares condition)										1	—	C	
Attachments for 10-20 WC 8335A or 10-20 WC 8336A, Bracket :—															
7538	10-20 WC 23917	Bolt, $\frac{3}{16}$ " BSF										1	S.97	C	LA18
7536	10-20 WC 24737	Bolt, $\frac{3}{16}$ " BSF										2	S.97	C	LA18
16189	10-20 WC 29555	Bolt, $\frac{3}{16}$ " BSF										1	S.97	C	LA18
7537	10-20 WC 23023	Nut, $\frac{1}{8}$ " BSF										4	S.97	C	LA18
28W/9419478	SP.15/L	Washer										8	—	C	
11990	10-20 WC 8351A	BRACKET, shear panel door attachment to wing bracket, Port, assembly (For spares use 10-20 WC 27253A/ND)										1	—	—	LA18
	10-20 WC 27253A/ND	BRACKET, shear panel door attachment to wing bracket, Port, assembly (Spares condition)										1	—	C	
	10-20 WC 8352A	BRACKET, shear panel door attachment to wing bracket, Starboard, assembly (For spares use 10-20 WC 27254A/ND)										1	—	—	LA18
11991	10-20 WC 27254A/ND	BRACKET, shear panel door attachment to wing bracket, Starboard, assembly (Spares condition)										1	—	C	
Attachments for 10-20 WC 8351A or 10-20 WC 8352A, Bracket :—															
2346	DHS.358/2½C	Bolt, 2 BA										14	S.96	C	
9887	10-20 WC 12999	Bolt, shouldered, $\frac{1}{16}$ " BSF										1	S.98	C	LA18
28M/9403520	A27/CP	Nut, 2 BA										14	—	C	
28M/13122	A27/GS	Nut, $\frac{1}{16}$ " BSF										1	—	C	
28P/1007741	SP.9/C8	Pin, split										1	—	C	
28W/9419402	SP.13/C	Washer										14	—	C	
28W/9419403	SP.13/G	Washer										1	—	C	

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
9881	10-20 WC 12765	FAIRLEAD , at battery support bracket, Port ...	1	—	C	LA18
28D/7002428	A25/6C	Attachments for 10-20 WC 12765, Fairlead :—				
28M/9403520	A27/CP	Bolt, 2 BA ...	2	—	C	
28W/9419402	SP.13/C	Nut, 2 BA ...	2	—	C	
		Washer ...	2	—	C	
9882	10-20 WC 8339A	LINK , shear panel fork joint to wing bracket, assembly	1	—	C	LA18
		Attachments for 10-20 WC 8339A, Link :—				
9883	10-20 WC 11011	Bolt, shouldered, $\frac{7}{16}$ " BSF ...	1	—	C	LA18
9884	10-20 WC 11013	Bolt, shouldered, $\frac{7}{16}$ " BSF ...	1	—	C	LA18
28M/9129449	A27/LS	Nut, $\frac{7}{16}$ " BSF ...	2	—	C	
28P/19234	SP.90/E8	Pin, split (SP.9/E10) ...	2	—	C	
1652	DHS.775/L/2	Washer ...	2	—	C	
	10-20 WC 29651A	PANEL , shear, Port, assembly (Mod. 655) (For spares use 10-20 WC 30509A/ND)	1	—		LA18
15649	10-20 WC 30509A/ND	PANEL , shear, Port, assembly (Spares condition) ...	1	—	P	
	10-20 WC 29653A	PANEL , shear, Starboard, assembly (Mod. 655) (For spares use 10-20 WC 30510A/ND)	1	—		LA18
15650	10-20 WC 30510A/ND	PANEL , shear, Starboard, assembly (Spares condition) Spares for :—	1	—	P	
9108	10-20 S 11015A	BRACKET , alternator mounting, at station 237"-9, Port, assembly	1	—	P	LA18
		Attachments for 10-20 S 11015A, Bracket :—				
28D/9133011	A25/2C	Bolt, 2 BA ...	1	—	C	
28D/9133012	A25/3C	Bolt, 2 BA ...	1	—	C	
28M/9403520	A27/CP	Nut, 2 BA ...	2	—	C	
28W/9419402	SP.13/C	Washer ...	2	—	C	
	10-20 WC 20549A	BRACKET , clamp block, at station 188"-62, Starboard, assembly	1	—		LA18
	10-20 WC 24723ND	BRACKET , bare, 18 SWG ...	1	L.72	LM	LA18
28M/12421	AGS.2018/C/1	NUT , anchor, 2 BA ...	2	—	C	
16441	10-20 WC 24797A	BRACKET , clamp block, at station 233", Port, assembly	1	—	C	LA18
		Attachments for 10-20 WC 24797A, Bracket :—				
28D/1010030	A25/7C	Bolt, 2 BA ...	2	—	C	
28M/1006473	A27/CT	Nut, 2 BA ...	2	—	C	
28M/10328	AGS.2002/C/1	Nut, 2 BA ...	1	—	C	
28W/9419402	SP.13/C	Washer ...	5	—	C	
11281	10-20 WC 24079A	BRACKET , clamp block, at station 232"-26, Port, assembly	1	—	C	LA18
11280	10-20 WC 23349A	BRACKET , clamp block, at station 232"-26, Starboard, assembly	1	—	C	LA18
		Attachments for 10-20 WC 24079A or 10-20 WC 23349A, Bracket :—				
28M/1006473	A25/6½C	Bolt, 2 BA ...	2	—		
9286	A27/CT	Nut, 2 BA ...	2	—	C	
28W/9419402	10-20 WC 11379	Shim, "Attewell," $\frac{1}{8}$ " thick ...	QR	—	C	LA18
	SP.13/C	Washer ...	2	—	C	
13229	10-20 WC 25327A	BRACKET , clamp block, at station 187", Port, assembly	1	—	C	LA18
9285	10-20 WC 8397	BUSH , on attachment bracket, at station 232"-6	1	—	C	LA18
		CONNECTOR , external power supply (See sub-section EBU)	—	—	—	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Place No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 22913A	FORK , joint, wing and strut attachment, at station 184" 22, Port, assembly	1	—	—	LA18
	10-20 WC 22914A	FORK , joint, wing and strut attachment, at station 184" 22, Starboard, assembly	1	—	—	LA18
		Spares for :—				
9287	10-20 WC 8321	BUSH (See Repair section PA)	1	—	C	LA18
9288	10-20 WC 8325	BUSH	2	—	C	LA18
9289	10-20 WC 12297	BUSH	2	—	C	LA18
		Attachments for 10-20 WC 22913A or 10-20 WC 22914A, Fork :—				
2346	DHS.358/2½C	Bolt, 2 BA	3	—	C	
28D/1011240	A25/5E	Bolt, ½" BSF	1	—	C	
2341	DHS.358/6E	Bolt, ½" BSF	1	—	C	
28D/7002427	A25/6G	Bolt, ½" BSF	1	—	C	
9290	DHS.358/7G	Bolt, ½" BSF	1	—	C	
28D/1011299	A25/6J	Bolt, ½" BSF	3	—	C	
9291	DHS.358/7J	Bolt, ½" BSF	3	—	C	
28M/9403520	A27/CP	Nut, 2 BA	3	—	C	
28M/1011475	A27/EP	Nut, ½" BSF	2	—	C	
28M/1006939	A27/GP	Nut, ½" BSF	2	—	C	
28M/1011473	A27/JP	Nut, ½" BSF	6	—	C	
28W/9419402	SP.13/C	Washer	3	—	C	
28W/9418921	SP.13/E	Washer	2	—	C	
28W/9419403	SP.13/G	Washer	2	—	C	
28W/9419466	SP.13/J	Washer	6	—	C	
	10-20 WC 12443A	HINGE , at station 206", Port, assembly (For spares use 10-20 WC 27295A/ND)	1	—	—	LA18
11999	10-20 WC 27295A/ND	HINGE , at station 206", Port, assembly ... (Spares condition)	1	—	P	
	10-20 WC 12444A	HINGE , at station 206", Starboard, assembly (For spares use 10-20 WC 27296A/ND)	1	—	—	LA18
12000	10-20 WC 27296A/ND	HINGE , at station 206", Starboard, assembly ... (Spares condition)	1	—	P	
		Spares for :—				
28N/13512	HOFFMANN C.J.2	JOINT , self aligning	1	—	C	
		Attachments for 10-20 WC 12443A or 10-20 WC 12444A, Hinge :—				
28D/9133011	A25/2C	Bolt, 2 BA	4	—	C	
28D/9133012	A25/3C	Bolt, 2 BA	2	—	C	
28D/1200119	A25/4C	Bolt, 2 BA	7	—	C	
28D/7002428	A25/6C	Bolt, 2 BA	2	—	C	
28D/1013172	AS.1242/5C	Bolt, 2 BA	2	—	C	
28M/1006473	A27/CT	Nut, 2 BA	10	—	C	
28M/9403520	A27/CP	Nut, 2 BA	7	—	C	
9280	10-20 WC 11171	Shim, "Attewell," ⅜" thick	QR	—	C	LA18
28W/9419454	SP.10/C	Washer	7	—	C	
28W/9419402	SP.13/C	Washer	10	—	C	
28W/9419475	SP.15/C	Washer	7	—	C	

MAIN PLANES WING CENTRE SECTION

10-20 WC 12203A		HINGE , at station 223", port, assembly (For spares use 10-20 WC 27309A/ND)	1	—	—	LA18
11992 10-20 WC 27309A/ND		HINGE , at station 223", Port, assembly (Spares condition)	1	—	P	
10-20 WC 12204A		HINGE , at station 223", Starboard, assembly (For spares use 10-20 WC 27310A/ND)	1	—	—	LA18
11993 10-20 WC 27310A/ND		HINGE , at station 223", Starboard, assembly (Spares condition)	1	—	P	
Attachments for 10-20 WC 12203A or 10-20 WC 12204A, Hinge :—						
28D/9133011	A25/2C	Bolt, 2 BA	4	—	C	
28D/9133012	A25/3C	Bolt, 2 BA	2	—	C	
28D/1200119	A25/4C	Bolt, 2 BA	7	—	C	
28D/7002428	A25/6C	Bolt, 2 BA	2	—	C	
28D/1007976	AS.1242/4C	Bolt, 2 BA	2	—	C	
28M/1006473	A27/CT	Nut, 2 BA	10	—	C	
28M/9403520	A27/CP	Nut, 2 BA	7	—	C	
9280	10-20 WC 11171	Shim, "Attwell," $\frac{1}{32}$ " thick	QR	—	C	LA18
28VV/9419454	SP.10/C	Washer	7	—	C	
28VV/9419402	SP.13/C	Washer	17	—	C	
10-20 WC 12201A		HINGE , at station 240", Port, assembly (For spares use 10-20 WC 27305A/ND)	1	—	—	LA18
~~11994~~ 10-20 WC 27305A/ND		HINGE , at station 240", Port, assembly... (Spares condition)	1	—	P	
10-20 WC 12202A		HINGE , at station 240", Starboard, assembly (For spares use 10-20 WC 27306A/ND)	1	—	—	LA18
11995 10-20 WC 27306A/ND		HINGE , at station 240", Starboard, assembly (Spares condition)	1	—	P	
Spares for :—						
28N/13512	HOFFMANN C.I.2	JOINT , self aligning	1	—	C	
Attachments for 10-20 WC 12201A or 10-20 WC 12202A, Hinge :—						
28D/9133012	A25/3C	Bolt, 2 BA	7	—	C	
28D/1200119	A25/4C	Bolt, 2 BA	7	—	C	
~~28D/9133011~~ 28D/9133011	AS.1242/3C	Bolt, 2 BA	1	—	C	
28M/1006473	A27/CT	Nut, 2 BA	8	—	C	
28M/9403520	A27/CP	Nut, 2 BA	7	—	C	
2980	10-20 WC 11171	Shim, "Attwell," $\frac{1}{32}$ " thick	QR	—	C	LA18
28VV/9419454	SP.10/C	Washer	7	—	C	
28VV/9419402	SP.13/C	Washer	15	—	C	
10-20 WC 20485A		MOUNTING , clamp block, at hinge, station 206", Starboard, assembly	1	—	—	LA18
10-20 WC 20487ND		MOUNTING , bare, 20 SWG	1	L.72	LM	LA18
28M/9144673	AGS.2019/C/1	NUT , anchor, 2 BA	2	—	C	
Attachments for 10-20 WC 20485A, Mounting :—						
28D/9133011	A25/2C	Bolt, 2 BA	2	—	C	
28M/1006473	A27/CT	Nut, 2 BA	2	—	C	
28VV/9419475	SP.15/C	Washer	2	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 20493A	MOUNTING , clamp block, at hinge, station 223", Starboard, assembly										1	—	—	LA18
	10-20 WC 20495ND	MOUNTING , bare, 16 SWG ...										1	L.72	LM	LA18
28M/9144673	AGS.2019/C/1	NUT , anchor, 2 BA ...										2	—	C	
		Attachments for 10-20 WC 20493A, Mounting :—													
28D/9133011	A25/2C	Bolt; 2 BA ...										2	—	C	
28M/1106473	A27/CT	Nut; 2 BA ...										2	—	C	
28W/9419475	SP.15/C	Washer ...										2	—	C	
	10-20 WC 26819A	MOUNTING , clamp block, at station 214"-85, Starboard, assembly										1	—	—	LA18
	10-20 WC 26821ND	MOUNTING , bare, 20 SWG ...										1	L.72	LM	LA19
28M/9144673	AGS.2019/C/1	NUT , anchor, 2 BA ...										2	—	C	
		Attachments for 10-20 WC 26819A, Mounting :—													
28D/9133011	A25/2C	Bolt; 2 BA ...										2	—	C	
28M/1006473	A27/CT	Nut; 2 BA ...										2	—	C	
28W/9419475	SP.15/C	Washer ...										2	—	C	
	10-20 WC 21021A	MOUNTING , clamp block, between stations 206" and 214"-85, Port, assembly										1	—	—	LA18
	10-20 WC 21023ND	MOUNTING , bare, 22 SWG ...										1	L.72	LM	LA18
28M/9144673	AGS.2019/C/1	NUT , anchor, 2 BA ...										2	—	C	
	10-20 WC 28381A	MOUNTING , clamp block, between stations 214"-85 and 223", Port, assembly										1	—	—	LA18
	10-20 WC 28383ND	MOUNTING , bare, 20 SWG ...										1	L.72	LM	LA18
28M/9144673	AGS.2019/C/1	NUT , anchor, 2 BA ...										2	—	C	
	10-20 WC 20497A	MOUNTING , clamp block, an attachment bracket at station 232"-26, Starboard, assembly										1	—	—	LA18
	10-20 WC 20499ND	MOUNTING , bare, 16 SWG ...										1	L.72	LM	LA18
28M/9144673	AGS.2019/C/1	NUT , anchor, 2 BA ...										2	—	C	
		Attachments for 10-20 WC 20497A, Mounting :—													
28D/9133011	A25/2C	Bolt; 2 BA ...										2	—	C	
28M/1006473	A27/CT	Nut; 2 BA ...										2	—	C	
28W/9419475	SP.15/C	Washer ...										2	—	C	
17570	10-20 P 679A	OUTLET , drain, at station 234"-5, and at sealing member										2	—	C	LA18
	10-20 WC 11319ND	SEAL , rubber, at front edge of door (Make from standard section J.337 Ref. No. 26FN/1431)										1	—	LM	LA18

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
		Attachments for 10-20 WC 29651A or 10-20 WC 29653A, Panel :—													
1654	DHS.358/2C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	5	S.96	C	
28D/9434873	A59/17E	Bolt, 1" BSF, Port	...	...	...	...	...	...	...	...	...	2	—	C	
		Starboard	...	...	...	...	...	...	...	...	...	3	—	—	
28D/16917	A59/10G	Bolt, 1/4" BSF	...	...	...	...	...	...	...	...	...	1	—	C	
9888	10-20 WC 12997	Bolt, shouldered, 3/16" BSF	...	...	...	...	...	...	...	...	...	1	S.98	C	LA18
28M/10288	AGS.2001/C/1	Nut, 2 BA	...	...	...	...	...	...	...	...	...	5	—	C	
28M/12928	A27/EP	Nut, 1/4" BSF, Port	...	...	...	...	...	...	...	...	...	2	—	C	
		Starboard	...	...	...	...	...	...	...	...	...	3	—	—	
28M/1006939	A27/GP	Nut, 3/16" BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28M/13122	A27/GS	Nut, 3/16" BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28P/1007741	SP.9/C8	Pin, split	...	...	...	...	...	...	...	...	...	1	—	C	
26DV/6604	DHS.69/FF	Shim, washer	...	...	...	...	...	...	...	...	...	QR	—	C	
28W/9141860	SP.24/C	Washer	...	...	...	...	...	...	...	...	...	5	—	C	
28W/9418921	SP.13/E	Washer, Port	...	...	...	...	...	...	...	...	...	2	—	C	
		Starboard	...	...	...	...	...	...	...	...	...	3	—	—	
28W/9419403	SP.13/G	Washer	...	...	...	...	...	...	...	...	...	2	—	C	
9878	10-20 WC 12597A	STRUT, adjustable, at stn. 184"-22, Port, assembly										1	—	P	LA18
9879	10-20 WC 24651A	STRUT, adjustable, at stn. 184"-22, Starboard, assembly										1	—	P	LA18
		Spares for :—													
9880	10-20 WC 12759	PLATE, serrated										1	S.510	C	LA18
		Attachments for 10-20 WC 12597A or 10-20 WC 24651A, Strut :—													
28D/9434882	A59/17G	Bolt, 3/8" BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28D/9435053	A59/8J	Bolt, 1/2" BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28M/13122	A27/GS	Nut, 3/8" BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28M/1011476	A27/JS	Nut, 1/2" BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28P/1007741	SP.9/C8	Pin, split	...	...	...	...	...	...	...	...	...	2	—	C	
28W/9419403	SP.13/G	Washer	...	...	...	...	...	...	...	...	...	1	—	C	
28W/9419466	SP.13/J	Washer	...	...	...	...	...	...	...	...	...	1	—	C	
	—	PANEL, skin, bottom, between ribs Nos. 0 and 2, front spar to main spar, Port, group (including Drg. Nos. 10-20 WC 26651, 10-20 WC 26683, 10-20 WC 15641, 10-20 WC 6857 and 10-20 WC 16121)										1	—	—	LA48 LA49
	—	PANEL, skin, bottom, between ribs Nos. 0 and 2, front spar to main spar, Starboard, group (including Drg. Nos. 10-20 WC 26651, 10-20 WC 26683, 10-20 WC 15641, 10-20 WC 6857 and 10-20 WC 16121)										1	—	—	LA48 LA49
	10-20 S 9215A	BRACKET, clamp block, on reinforcing strip, at main spar, Port only, assembly										1	—	—	LA50
	10-20 S 9223ND	BRACKET, 18 SWG										1	L.72	LM	LA50
	10-20 S 9221ND	CHANNEL, 18 SWG										1	L.72	LM	LA50
28M/9144673	AGS.2019/C/1	NUT, anchor, 2 BA										2	—	C	
	10-20 S 9203A	BRACKET, clamp block, on reinforcing strip at main spar, Port only, assembly										1	—	—	LA50
	10-20 S 9209ND	CHANNEL, 18 SWG										2	L.72	LM	LA50
	10-20 S 9207ND	CHANNEL, 18 SWG										1	L.72	LM	LA50
	10-20 S 9205ND	CHANNEL, 18 SWG										1	L.72	LM	LA50

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 S 9327A	BRACKET, clamp block, on reinforcing strip at main spar, Starboard only, assembly	1	—	—	LA50
	10-20 S 9331ND	BRACKET, 18 SWG	1	L.72	LM	LA50
	10-20 S 10159ND	CHANNEL, 18 SWG	1	L.72	LM	LA50
	10-20 S 9333ND	STRIP, 14 SWG	1	L.72	LM	LA50
	10-20 S 9463A	BRACKET, clamp block, on reinforcing strip at main spar, Starboard only, assembly	1	—	—	LA50
	10-20 WC 30559	BRACKET, conduit support, on main spar, Starboard only (Mod. 249)	1	—	—	LA50
	10-20 WC 30557ND	BRACKET, bare, 18 SWG	1	S.510	LM	LA50
28M/12421	AGS.2018/C/1	NUT, anchor, 2 BA	1	—	C	—
	10-20 WC 14429A	BRACKET, pipe clip, at front spar, Port only, assembly	2	—	—	LA50
	10-20 WC 14453ND	BRACKET, bare, 20 SWG	1	L.72	LM	LA50
28M/9435967	AGS.2008/C/1	NUT, anchor, 2 BA	2	—	C	—
	10-20 WC 26741A	BRACKET, strut, at joint strap, between front spar and stringer No. 1, Port, assembly (For spares use 10-20 WC 29901A/ND)	1	—	—	LA51
14780	10-20 WC 29901A/ND	BRACKET, strut, at joint strap, between front spar and stringer No. 1, Port, assembly (Spares condition)	1	—	C	—
	10-20 WC 26742A	BRACKET, strut, at joint strap, between front spar and stringer No. 1, Starboard, assembly (For spares use 10-20 WC 29902A/ND)	1	—	—	LA51
14781	10-20 WC 29902A/ND	BRACKET, strut, at joint strap, between front spar and stringer No. 1, Starboard, assembly (Spares condition)	1	—	C	—
		Attachments for 10-20 WC 26741A or 10-20 WC 26742A, Bracket :—				
28D/16153	A59/2E	Bolt, 1/2" BSF	1	—	C	—
28D/15244	A59/3E	Bolt, 1/2" BSF	2	—	C	—
28D/15562	A59/4E	Bolt, 1/2" BSF	1	—	C	—
5197	DHS.492/4E	Bolt, 1/2" BSF	1	S.98	C	—
5951	DHS.492/5E	Bolt, 1/2" BSF	1	S.98	C	—
28M/13271	A24/EP	Nut, 1/2" BSF	6	—	C	—
28W/9419405	SP.15/E	Washer	6	—	C	—
	10-20 WC 26649A	CAPPING end, stringers Nos. 1 and 2, at joint strap, Port, assembly	2	—	—	LA51
	10-20 WC 26650A	CAPPING end, stringers Nos. 1 and 2, at joint strap, Starboard, assembly	2	—	—	LA51
		Attachments for 10-20 WC 26649A or 10-20 WC 26650A, Capping :—				
28D/12473	AS.1248/4E	Bolt, 1/2" BSF	3	—	C	—
28D/15710	A59/5E	Bolt, 1/2" BSF	2	—	C	—
28D/16614	A59/4G	Bolt, 3/8" BSF	4	—	C	—
28D/16541	A59/5G	Bolt, 3/8" BSF	5	—	C	—
28D/16586	A59/6G	Bolt, 3/8" BSF	4	—	C	—
5196	DHS.492/6G	Bolt, 3/8" BSF	2	S.98	C	—
28M/12928	A27/EP	Nut, 1/2" BSF	2	—	C	—
28M/1006939	A27/GP	Nut, 3/8" BSF	6	—	C	—
28M/14877	A58/GT	Nut, 3/8" BSF	9	—	C	—
5041	10-20 WC 6891	Packing, shim	1	LB.2	C	LA51
28W/9418921	SP.13/E	Washer	2	—	C	—
28W/9419476	SP.15/G	Washer	15	—	C	—

RESTRICTED

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 6889	CAPPING , end, stringers Nos. 1 and 2, Port ...	2	DTD.683	—	LA49
	10-20 WC 6890	CAPPING , end, stringers Nos. 1 and 2, Starboard Attachments for 10-20 WC 6889 or 10-20 WC 6890, Capping :—	2	DTD.683	—	LA49
28D/12473	AS.1248/4E	Bolt, $\frac{1}{4}$ " BSF ...	4	—	C	
1793	DHS.365/5E	Bolt, $\frac{1}{4}$ " BSF ...	1	S.96	C	
1794	DHS.365/6E	Bolt, $\frac{1}{4}$ " BSF ...	1	S.96	C	
3192	DHS.365/4G	Bolt, $\frac{1}{4}$ " BSF ...	4	S.96	C	
3195	DHS.365/5G	Bolt, $\frac{1}{4}$ " BSF ...	5	S.96	C	
26FC/11711	DHS.365/6G	Bolt, $\frac{1}{4}$ " BSF ...	6	S.96	C	
28M/12928	A27/EP	Nut, $\frac{1}{4}$ " BSF ...	2	—	C	
28M/1006939	A27/GP	Nut, $\frac{1}{4}$ " BSF ...	6	—	C	
28M/14877	A58/GT	Nut, $\frac{3}{8}$ " BSF ...	9	—	C	
5042	10-20 WC 6893	Packing, shim ...	1	LB.2	C	LA49
28VV/9419405	SP.15/E	Washer ...	2	—	C	
28VV/9419476	SP.15/G	Washer ...	15	—	C	
	10-20 WC 27347A	CHANNEL , tank lining support, between front spar and stringer No. 1, at rib No. 2, Port, assembly	1	—	—	LA49
	10-20 WC 27348A	CHANNEL , tank lining support, between front spar and stringer No. 1, at rib No. 2, Starboard, assembly	1	—	—	LA49
	10-20 WC 27345ND	CHANNEL , bare, 20 SWG ...	1	L.72	LM	LA49
	10-20 WC 27346ND	CHANNEL , bare, 20 SWG ...	1	L.72	LM	LA49
28M/11957	AGS.2007/C/1	NUT , anchor, 2 BA ...	6	—	C	
	10-20 WC 22601A	CHANNEL , tank lining support, between stringers Nos. 1 and 2, at rib Nos. 2, Port, assembly	1	—	—	LA49
	10-20 WC 22602A	CHANNEL , tank lining support, between stringers Nos. 1 and 2, at rib No. 2, Starboard, assembly	1	—	—	LA49
	10-20 WC 22595ND	CHANNEL , bare, Port, 20 SWG ...	1	L.72	LM	LA49
	10-20 WC 22596ND	CHANNEL , bare, Starboard, 20 SWG ...	1	L.72	LM	LA49
28M/11957	AGS.2007/C/1	NUT , anchor, 2 BA ...	7	—	C	
	10-20 WC 22603A	CHANNEL , tank lining support, between stringers Nos. 2 and 3, at rib No. 2, Port, assembly	1	—	—	LA49
	10-20 WC 22604A	CHANNEL , tank lining support, between stringers Nos. 2 and 3, at rib No. 2, Starboard, assembly	1	—	—	LA49
	10-20 WC 22957ND	CHANNEL , bare, Port, 20 SWG ...	1	L.72	LM	LA49
	10-20 WC 22958ND	CHANNEL , bare, Starboard, 20 SWG ...	1	L.72	LM	LA49
28M/11957	AGS.2007/C/1	NUT , anchor, 2 BA ...	8	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 10135A	CHANNEL, tank lining support, between stringers Nos. 3 and 5, at rib No. 2, Port, assembly	1	—	—	LA49
	10-20 WC 10136A	CHANNEL, tank lining support, between stringers Nos. 3 and 5, at rib No. 2, Starboard, assembly	1	—	—	LA49
	10-20 WC 10137ND	CHANNEL, bare, Port, 20 SWG	1	L.72	LM	LA49
	10-20 WC 10138ND	CHANNEL, bare, Starboard, 20 SWG	1	L.72	LM	LA49
28M/11957	AGS.2007/C/1	NUT, anchor, 2 BA	9	—	C	
	10-20 WC 10141A	CHANNEL, tank lining support, between stringer No. 5 and main spar, at rib No. 2, Port, assembly	1	—	—	LA49
	10-20 WC 10142A	CHANNEL, tank lining support, between stringer No. 5 and main spar, at rib No. 2, Starboard, assembly	1	—	—	LA49
	10-20 WC 22045ND	CHANNEL, bare, Port, 20 SWG	1	L.72	LM	LA49
	10-20 WC 22046ND	CHANNEL, bare, Starboard, 20 SWG	1	L.72	LM	LA49
28M/11957	AGS.2007/C/1	NUT, anchor, 2 BA	2	—	C	
	10-20 WC 25893ND	PAD, rubber, at retaining plate at front spar, shore hardness 40-45°	1	DHA.60	LM	LA51
	10-20 WC 31623A	PANEL, skin, Port, assembly (For spares use 10-20 WC 27999A/ND) (Mod.1008)	1	—	—	LA49
13175	10-20 WC 27999A/ND	PANEL, skin, Port, assembly (Spares condition)	1	—	P	
	10-20 WC 31624A	PANEL, skin, Starboard, assembly (For spares use 10-20 WC 28000A/ND) (Mod.1008)	1	—	—	LA49
13176	10-20 WC 28000A/ND	PANEL, skin, Starboard, assembly (Spares condition)	1	—	P	
8763	10-20 WC 22607	BOLT, 2 BA, at catapult hook	2	S.98	C	LA50
	10-20 WC 20881A	BRACKET, clamp block, at rib "OA," Port only, assembly	4	—	—	LA49
	10-20 WC 20883ND	BRACKET, bare, 22 SWG	1	L.72	LM	LA49
28M/9144673	AGS.2019/C/1	NUT, anchor, 2 BA	2	—	C	
	10-20 WC 25709A	BRACKET, clamp block, at front spar between ribs "O" and "OA," Port only, assembly	1	—	—	LA49

RESTRICTED

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Place No.
		1 2 3 4 5 6 7 8 9 10				
28M/9144673	10-20 WC 25713ND	BRACKET, bare, 18 SWG	1	L.72	LM	LA49
	AGS.2019/C/1	NUT, anchor, 2 BA	2	—	C	
	10-20 WC 24459A	BRACKET, clamp block, between ribs "O" and "OA," Port only, assembly	1	—	—	LA49
28M/9434251	10-20 WC 24461ND	BRACKET, bare, 20 SWG	1	L.72	LM	LA49
	AGS.2008/B/1	NUT, anchor, 4 BA	1	—	C	
	10-20 WC 25711A	BRACKET, clamp block and pipe clip, between ribs "O" and "OA," Port only, assembly	1	—	—	LA49
28M/9144673	10-20 WC 25715ND	BRACKET, bare, 16 SWG	1	L.72	LM	LA49
	AGS.2019/C/1	NUT, anchor, 2 BA	2	—	C	
	10-20 WC 27611ND	PACKING, 10 SWG (Mod. 358)	1	L.72	LM	LA49
	10-20 WC 22153A	BRACKET, hydraulic pipe clip, on main spar, between ribs "O" and "OA," Port only, assembly	1	—	—	LA49
28M/9144673	10-20 WC 22151ND	BRACKET, bare, 16 SWG	1	L.72	LM	LA49
	AGS.2019/C/1	NUT, anchor, 2 BA	1	—	C	
	10-20 WC 14493A	BRACKET, mounting, air brake selector, at main spar, Port only	1	—	—	LA49
28M/11957	10-20 WC 20661ND	BRACKET, bare, 18 SWG	1	L.72	LM	LA49
	AGS.2007/C/1	NUT, anchor, 2 BA	1	—	C	
28D/9133012	A25/3C	Attachments for 10-20 WC 14493A, Bracket:—				
4565	DHS.382/10G	Bolt, 2 BA	2	—	C	
5956	DHS.382/14G	Bolt, $\frac{3}{8}$ " BSF	1	—	C	
28M/11957	AGS.2007/C/1	Bolt, $\frac{3}{8}$ " BSF	1	—	C	
2220	DHS.383/G	Nut, 2 BA	2	—	C	
28W/9419476	10-20 WC 14495	Nut, $\frac{3}{8}$ " BSF	2	—	C	
	SP.15/G	Packing, tapered	1	L.72	LM	LA49
	10-20 WC 20395	Washer	2	—	C	
	10-20 WC 20397	Washer, profile, 16 SWG	1	L.72	LM	LA49
	10-20 WC 20399	Washer, profile, 16 SWG	1	L.72	LM	LA49
	10-20 WC 20401	Washer, profile, 16 SWG	1	L.72	LM	LA49
	10-20 WC 22055A	BRACKET, mounting, circuit breaker, bus bar and pneumatic pressure maintaining valve, between ribs "O" and "OA," Port only, assembly (For spares use 10-20 WC 27841A/ND)	1	—	—	LA49
12953	10-20 WC 27841A/ND	BRACKET, mounting, circuit breaker, bus bar and pneumatic pressure maintaining valve, between ribs "O" and "OA," Port only, assembly (Spares condition)	1	—	C	
28D/9133011	A25/2C	Attachments for 10-20 WC 22055A, Bracket:—				
28D/7002428	A25/6C	Bolt, 2 BA	1	—	C	
28M/9403520	A27/CP	Bolt, 2 BA	2	—	C	
28W/9419402	AS.2809/4/045	Nut, 2 BA	3	—	C	
	SP.13/C	Tube, distance, $\frac{1}{2}$ " o/d x 22 SWG x 0"-45 long	2	L.62	LM	
		Washer	3	—	C	
	10-20 WC 25553A	BRACKET, mounting, solenoid valve, on main spar, at rib "O," Port, assembly	1	—	—	LA49
	10-20 WC 25554A	BRACKET, mounting, solenoid valve, on main spar, at rib "O," Starboard, assembly	1	—	—	LA49
	10-20 WC 25555A/ND	BRACKET, Port, assembly	1	—	—	LA49
	10-20 WC 25556A/ND	BRACKET, Starboard, assembly	1	—	—	LA49
	10-20 WC 25557ND	BRACKET, bare, Port, 14 SWG	1	L.72	LM	LA49
	10-20 WC 25558ND	BRACKET, bare, Starboard, 14 SWG	1	L.72	LM	LA49
	10-20 WC 25567ND	WASHER, saddle, 16 SWG	4	L.72	LM	LA49
28M/11957	AGS.2007/C/1	NUT, anchor, 2 BA	2	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description 1 2 3 4 5 6 7 8 9 10	No. off	Material Specification	Class of Store or L.M.	Plate No.
	10-20 WC 18529	BRACKET , tank lining support, at inboard man-hole, Port	1	L.72	—	LA52
	10-20 WC 18530	BRACKET , tank lining support, at inboard man-hole, Starboard	1	L.72	—	LA52
		Attachments for 10-20 WC 18529 or 10-20 WC 18530, Bracket :—				
2339	DHS.358/5C	Bolt, 2 BA	5	—	C	
28D/1011238	A25/3E	Bolt, 1/2" BSF	4	—	C	
28D/1008151	A25/4E	Bolt, 1/2" BSF	4	—	C	
	DHS.492/3E	Bolt, 1/2" BSF	3	S.98	—	
5951	DHS.492/5E	Bolt, 1/2" BSF	1	—	C	
28M/9403520	A27/CP	Nut, 2 BA	5	—	C	
28M/1007403	A27/ET	Nut, 1/2" BSF	12	—	C	
	10-20 WC 9975	Plate, washer, profile, 10 SWVG, Port	1	L.72	LM	LA52
	10-20 WC 9976	Plate, washer, profile, 10 SWVG, Starboard	1	L.72	LM	LA52
28W/9419402	SP.13/C	Washer	5	—	C	
28W/9418921	SP.13/E	Washer	12	—	C	
	10-20 WC 18531	BRACKET , tank lining support, at inboard man-hole, Port	1	L.72	—	LA52
	10-20 WC 18532	BRACKET , tank lining support, at inboard man-hole, Starboard	1	L.72	—	LA52
		Attachments for 10-20 WC 18531 or 10-20 WC 18532, Bracket :—				
2364	DHS.901/2 1/2 E	Bolt, 1/2" BSF	2	—	C	
2227	DHS.983/E	Nut, 1/2" BSF	1	—	C	
		Port	2	—	C	
		Starboard	1	—	C	
28W/9419405	SP.15/E	Washer	2	—	C	
		Port	1	—	C	
		Starboard	2	—	C	
	10-20 WC 26749A/ND	CAPPING , end, stringer No. 3, Port, assembly	1	—	—	LA49
	10-20 WC 26750A/ND	CAPPING , end, stringer No. 3, Starboard, assembly	1	—	—	LA49
		Attachments for 10-20 WC 26749A/ND or 10-20 WC 26750A/ND, Capping :—				
28D/1212372	AS.1248/3E	Bolt, 1/2" BSF	4	—	C	
28D/1215684	A59/5E	Bolt, 1/2" BSF	1	—	C	
28D/1215685	A59/6E	Bolt, 1/2" BSF	1	—	C	
28D/9434877	A59/3G	Bolt, 1/2" BSF	3	—	C	
28D/1213605	A59/4G	Bolt, 1/2" BSF	2	—	C	
28D/1213606	A59/5G	Bolt, 1/2" BSF	5	—	C	
28D/1213607	A59/6G	Bolt, 1/2" BSF	5	—	C	
5198	DHS.492/4G	Bolt, 1/2" BSF	3	—	C	
5196	DHS.492/6G	Bolt, 1/2" BSF	2	—	C	
28M/1011475	A27/EP	Nut, 1/2" BSF	2	—	C	
28M/1006939	A27/GP	Nut, 1/2" BSF	19	—	C	
28M/1011470	A27/GT	Nut, 1/2" BSF	1	—	C	
5042	10-20 WC 6893	Packing, shim	1	—	C	LA49
28W/9419405	SP.15/E	Washer	2	—	C	
28W/9419403	SP.13/G	Washer	20	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 26747A/ND 10-20 WC 26748A/ND	CAPPING , end, stringer No. 5, Port, assembly CAPPING , end, stringer No. 5, Starboard, assembly Attachments for 10-20 WC 26747A/ND or 10-20 WC 26748A/ND, Capping :—										1 1	— —	— —	LA49 LA49
28D/9798	AS.1248/3E	Bolt, $\frac{1}{2}$ " BSF	...	...	...	...	...	...	...	...	...	4	—	C	LA49
28D/15710	A59/5E	Bolt, $\frac{1}{2}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28D/9434877	A59/3G	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	3	—	C	
28D/16614	A59/4G	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	3	—	C	
28D/16541	A59/5G	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28D/16586	A59/6G	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	4	—	C	
28D/16917	A59/10G	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	C	
5198	DHS.492/4G	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	C	
5196	DHS.492/6G	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	3	—	C	
28M/1011475	A27/EP	Nut, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28M/1006939	A27/GP	Nut, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	15	—	C	
28M/1011470	A27/GT	Nut, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	C	
5042	10-20 WC 6893	Packing, shim	...	...	...	...	...	...	...	...	...	1	—	C	
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	1	—	C	
28W/9419403	SP.13/G	Washer	...	...	...	...	...	...	...	...	...	16	—	C	
	10-20 WC 5737 10-20 WC 5738	CAPPING , stringer No. 5, Port ... CAPPING , stringer No. 5, Starboard ... Attachments for 10-20 WC 5737 or 10-20 WC 5738, Capping :—										1 1	— —	— —	LA49 LA49
28D/1011238	A25/3E	Bolt, $\frac{1}{2}$ " BSF	...	...	...	...	...	...	...	...	...	4	—	C	LA49
28D/15711	A59/6E	Bolt, $\frac{1}{2}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
2723	DHS.365/3 $\frac{1}{2}$ EE	Bolt, $\frac{1}{2}$ " BSF	...	...	...	...	...	...	...	...	...	4	—	C	
15527	DHS.1001/3 $\frac{1}{2}$ E	Bolt, $\frac{1}{2}$ " BSF	...	...	...	...	...	...	...	...	...	4	—	C	
26DL/15907	DHS.1001/3 $\frac{1}{2}$ EE	Bolt, $\frac{1}{2}$ " BSF	...	...	...	...	...	...	...	...	...	5	—	C	
28D/9434877	A59/3G	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	4	—	C	
28D/16614	A59/4G	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	6	—	C	
28D/16541	A59/5G	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	4	—	C	
28D/16586	A59/6G	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	4	—	C	
28M/1011475	A27/EP	Nut, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28M/10282	AGS.2001/E/3	Nut, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	13	—	C	
28M/1006939	A27/GP	Nut, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	10	—	C	
28M/14877	A58/GT	Nut, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	8	—	C	
	10-20 WC 9683	Plate, strap, Port	...	...	...	...	...	...	...	...	...	1	—	—	
	10-20 WC 9684	Plate, strap, Starboard	...	...	...	...	...	...	...	...	...	1	—	—	
	10-20 WC 21693ND	Shim	...	...	...	...	...	...	...	...	...	1	—	—	
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	15	—	C	
28W/9419476	SP.15/G	Washer	...	...	...	...	...	...	...	...	...	18	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 26801A	COVER, access, Port, assembly (For spares use 10-20 WC 29623A/ND)										1	—	—	LA49
14599	10-20 WC 29623A/ND	COVER, access, Port, assembly (Spares condition)										1	—	C	
	10-20 WC 26802A	COVER, access, Starboard, assembly (For spares use 10-20 WC 29624A/ND)										1	—	—	LA49
14600	10-20 WC 29624A/ND	COVER, access, Starboard, assembly (Spares condition)										1	—	C	
		Attachments for 10-20 WC 26801A or 10-20 WC 26802A, Cover :—													
28D/16614	A59/4G	Bolt, $\frac{1}{8}$ " BSF										21	—	C	
28M/7002431	AGS.2002/G/1	Nut, $\frac{1}{8}$ " BSF										4	—	C	
28W/9419476	SP.15/G	Washer										25	—	C	
5895	10-20 WC 16093	FERRULE, on bolt at catapult hook										2	—	C	LA50

RESTRICTED

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description 1 2 3 4 5 6 7 8 9 10	No of	Material Specification	Class of Store or L.M.	Plate No.
28M/14538	AGS.2019/G/1	NUT, anchor, $\frac{1}{16}$ " BSF, inboard manhole ...	1	—	C	
28M/9435561	AGS.2007/G/1	NUT, anchor, $\frac{1}{16}$ " BSF, inboard manhole ...	3	—	C	
28M/9435069	AGS.2008/G/1	NUT, anchor, $\frac{1}{16}$ " BSF, inboard manhole ...	2	—	C	
	10-20 WC 25943ND	NUT, anchor, $\frac{1}{16}$ " BSF, inboard manhole, Port (Make from Part No. AGS.2018/G/1, Ref. No. 28M/9435650)	1	—	LM	LA52
	10-20 WC 25944ND	NUT, anchor, $\frac{1}{16}$ " BSF, inboard manhole, Starboard (Make from Part No. AGS.2018/G/1, Ref. No. 28M/9435650)	1	—	LM	LA52
	10-20 WC 40081A/ND	NUT, anchor, inboard manhole, assembly (Mod. 1008)	1	—	—	LA52
28M/9435069	AGS.2008/G/1	NUT, anchor, $\frac{1}{16}$ " BSF ...	3	—	C	
	10-20 WC 9625ND	PACKING, 10 SWG ...	1	L.72	LM	LA52
16700	10-20 WC 40101	STUD, special, $\frac{1}{16}$ " BSF ...	1	—	C	LA52
	10-20 WC 31627A/ND	NUT, anchor, inboard manhole, assembly (Mod. 1008)	1	—	—	LA52
28M/9435070	AGS.2008/J/1	NUT, anchor, $\frac{1}{8}$ " BSF ...	7	—	C	
	10-20 WC 23079ND	PACKING, Port, 20 SWG ...	1	L.72	LM	LA52
	10-20 WC 23080ND	PACKING, Starboard, 20 SWG ...	1	L.72	LM	LA52
16701	10-20 WC 40099	STUD, special, $\frac{1}{8}$ " BSF ...	1	—	C	LA52

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 31629A/ND	NUT, anchor, inboard manhole, Port, assembly (Mod. 1008)	1	—	—	LA52
	10-20 WC 31630A/ND	NUT, anchor, inboard manhole, Starboard, assembly (Mod. 1008)	1	—	—	LA52
28M/9435070	AGS.2008/J/1	NUT, anchor, $\frac{3}{16}$ " BSF	14	—	C	
	10-20 WC 9629ND	PLATE, packing, Port, 14 SWG	1	L.72	LM	LA52
	10-20 WC 9630ND	PLATE, packing, Starboard, 18 SWG	1	L.72	LM	LA52
16702	10-20 WC 40097	STUD, special, $\frac{3}{16}$ " BSF	1	—	C	LA52
	10-20 WC 40071A/ND	NUT, anchor, inboard manhole, Port, assembly (Mod. 1008)	1	—	—	LA52
	10-20 WC 40073A/ND	NUT, anchor, inboard manhole, Starboard, assembly (Mod. 1008)	1	—	—	LA52
28M/9435069	AGS.2008/G/1	NUT, anchor, $\frac{5}{16}$ " BSF	5	—	C	
	10-20 WC 9623ND	PACKING, Port, 10 SWG	1	L.72	LM	LA52
	10-20 WC 9624ND	PACKING, Starboard, 10 SWG	1	L.72	LM	LA52
16700	10-20 WC 40101	STUD, special, $\frac{3}{16}$ " BSF	3	—	C	LA52
	10-20 WC 9381ND	PACKING, anchor, nut, inboard manhole, 14 SWG	1	L.72	LM	LA52
16703	10-20 WC 40103	STUD, special, $\frac{3}{16}$ " BSF, inboard manhole ...	1	—	C	LA52
16704	10-20 WC 40105	STUD, special, $\frac{5}{16}$ " BSF, inboard manhole ...	1	—	C	LA52

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
28M/9435069 5893	DHS.877/G10	PLATE, packing, anchor nut, inboard manhole, 10 SWG	2	L.72	LM	LA52
	10-20 WC 23277A/1	PLATE, nut, access cover, assembly ...	1	—	—	LA52
	AGS.2008/G/1	Spares for :—				
	10-20 WC 23849ND	NUT, anchor, $\frac{1}{16}$ " BSF ...	21	—	C	
	10-20 WC 10605	PLATE, bare, 18 SWG ...	1	L.72	LM	LA52
	10-20 WC 10397	STUD ...	4	—	C	LA52
		PLATE, strap, stringers 3 and 5, at joint strap at rib 2, Port	2	—	—	LA52
	10-20 WC 10398	PLATE, strap, stringers 3 and 5, at joint strap at rib 2, Starboard	2	—	—	LA52
	10-20 WC 10395	PLATE, strap, stringer 3, at joint strap at rib 2, Port	1	—	—	LA52
	10-20 WC 10396	PLATE, strap, stringer 3, at joint strap at rib 2, Starboard	1	—	—	LA52
	10-20 WC 9685	PLATE, strap, stringer 5, at joint strap at rib 2, Port	1	—	—	LA52
	10-20 WC 9686	PLATE, strap, stringer 5, at joint strap at rib 2, Starboard	1	—	—	LA53
		Attachments for 10-20 WC 10397, 10-20 WC 10398, 10-20 WC 10395, 10-20 WC 10396, 10-20 WC 9685 or 10-20 WC 9686, Plate :—				
	5954 DHS.492/6E	Bolt, $\frac{1}{16}$ " BSF ...	2	—	C	
	5198 DHS.492/4G	Bolt, $\frac{1}{16}$ " BSF ...	2	—	C	
	5200 DHS.492/5G	Bolt, $\frac{1}{16}$ " BSF ...	2	—	C	
	5196 DHS.492/6G	Bolt, $\frac{1}{16}$ " BSF ...	3	—	C	
	5953 DHS.492/7G	Bolt, $\frac{1}{16}$ " BSF ...	4	—	C	
28M/1011475	A27/EP	Nut, $\frac{1}{16}$ " BSF ...	2	—	C	
28M/1006939	A27/GP	Nut, $\frac{1}{16}$ " BSF ...	4	—	C	
28M/14877	A58/GT	Nut, $\frac{1}{16}$ " BSF ...	7	—	C	
28W/9419405	SP.15/E	Washer ...	2	—	C	
28W/9419476	SP.15/G	Washer ...	11	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
		Attachments for 10-20 WC 31623A or 10-20 WC 31624A, Panel :—													
		at diagonal rib :—													
14212	DHS.1063/2½E	Bolt, 1"	BSF									9	—	C	
15548	DHS.1063/3E	Bolt, 1"	BSF									4	—	C	
15549	DHS.1063/3½E	Bolt, 1"	BSF									3	—	C	
28M/13376	A29/EP	Nut, 1"	BSF									16	—	C	
28W/9419405	SP.15/E	Washer										16	—	C	
		at front spar :—													
1793	DHS.365/5E	Bolt, 1"	BSF									8	—	C	
3414	DHS.365/5½E	Bolt, 1"	BSF									10	—	C	
3199	DHS.382/5½E	Bolt, 1"	BSF									5	—	C	
3594	DHS.382/6½E	Bolt, 1"	BSF									1	—	C	
									Port						
									Starboard			2	—		
15354	DHS.1001/5E	Bolt, 1"	BSF						Port			9	—	C	
									Starboard			8	—		
17569	DHS.1001/5½E	Bolt, 1"	BSF									12	—	C	
5280	DHS.365/3½G	Bolt, 1"	BSF									15	—	C	
3192	DHS.365/4G	Bolt, 1"	BSF									4	—	C	
3234	DHS.365/4½G	Bolt, 1"	BSF									4	—	C	
3195	DHS.365/5G	Bolt, 1"	BSF									2	—	C	
2227	DHS.983/E	Nut, 1"	BSF						Port			26	—	C	
									Starboard			25	—	C	
28M/10282	AGS.2001/E/3	Nut, 1"	BSF									19	—	C	
28M/7002430	AGS.2002/E/1	Nut, 1"	BSF									2	—	C	
28M/10291	AGS.2001/G/1	Nut, 1"	BSF									15	—	C	
2220	DHS.383/G	Nut, 1"	BSF									10	—	C	
28W/9418921	SP.13/E	Washer										3	—	C	
		at main spar :—													
3414	DHS.365/5½E	Bolt, 1"	BSF									2	—	C	
1794	DHS.365/6E	Bolt, 1"	BSF									3	—	C	
3592	DHS.365/6½E	Bolt, 1"	BSF									1	—	C	
16607	DHS.365/10½E	Bolt, 1"	BSF									1	—	C	
15550	DHS.1063/4E	Bolt, 1"	BSF									2	—	C	
15355	DHS.1063/4½E	Bolt, 1"	BSF									2	—	C	
15552	DHS.1063/5E	Bolt, 1"	BSF									1	—	C	
15555	DHS.1063/7E	Bolt, 1"	BSF									1	—	C	
15556	DHS.1063/7½E	Bolt, 1"	BSF									1	—	C	
15557	DHS.1063/8E	Bolt, 1"	BSF									2	—	C	
15559	DHS.1063/9E	Bolt, 1"	BSF									1	—	C	
15565	DHS.1063/12E	Bolt, 1"	BSF									1	—	C	
28D/1213606	A59/5G	Bolt, 1"	BSF									5	—	C	
28D/1213607	A59/6G	Bolt, 1"	BSF									3	—	C	
28D/9434878	A59/7G	Bolt, 1"	BSF									5	—	C	
28D/1213609	A59/9G	Bolt, 1"	BSF									6	—	C	
28D/1213611	A59/12G	Bolt, 1"	BSF						Port			2	—	C	
									Starboard			1	—		
28D/9434880	A59/13G	Bolt, 1"	BSF						Port			5	—	C	
									Starboard			4	—		
	A59/14½G	Bolt, 1"	BSF (Starboard only)									1	—		
5177	DHS.365/7G	Bolt, 1"	BSF									4	—	C	
5187	DHS.365/12G	Bolt, 1"	BSF (Starboard only)									1	—	C	
4574	DHS.365/13G	Bolt, 1"	BSF (Starboard only)									1	—	C	
26DV/7543	DHS.382/7G	Bolt, 1"	BSF						Port			7	—	C	
									Starboard			8	—		

MAIN PLANES
SWING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
4562	DHS.382/9G	Bolt, $\frac{3}{16}$ " BSF	5	—	C	
5963	DHS.382/12G	Bolt, $\frac{3}{16}$ " BSF (Starboard only)	1	—	C	
5966	DHS.382/13G	Bolt, $\frac{3}{16}$ " BSF	3	—	C	
		Port				
		Starboard	2	—	C	
5956	DHS.382/14G	Bolt, $\frac{3}{16}$ " BSF	2	—	C	
		Port				
		Starboard	3	—	C	
8753	DHS.382/14½G	Bolt, $\frac{1}{8}$ " BSF (Starboard only)	1	—	C	
2211	DHS.492/8G	Bolt, $\frac{1}{8}$ " BSF	1	—	C	
2213	DHS.492/9G	Bolt, $\frac{1}{8}$ " BSF	2	—	C	
7639	DHS.492/11½G	Bolt, $\frac{1}{8}$ " BSF	4	—	C	
2202	DHS.492/13G	Bolt, $\frac{1}{8}$ " BSF	4	—	C	
3016	DHS.492/14½G	Bolt, $\frac{3}{8}$ " BSF	3	—	C	
3012	DHS.492/15G	Bolt, $\frac{1}{8}$ " BSF	2	—	C	
	DHS.492/17½G	Bolt, $\frac{1}{8}$ " BSF	4	S.98		
15541	DHS.1001/5½G	Bolt, $\frac{3}{8}$ " BSF	17	—	C	
		Port				
		Starboard	18	—	C	
28D/9435056	A59/13J	Bolt, $\frac{3}{8}$ " BSF	13	—	C	
28D/9435057	A59/14J	Bolt, $\frac{3}{8}$ " BSF	3	—	C	
5965	DHS.365/13J	Bolt, $\frac{3}{8}$ " BSF	2	—	C	
2227	DHS.983/E	Nut, $\frac{1}{4}$ " BSF	14	—	C	
28M/1006939	A27/GP	Nut, $\frac{1}{8}$ " BSF	17	—	C	
28M/10291	AGS.2001/G/1	Nut, $\frac{1}{8}$ " BSF	11	—	C	
28M/7002431	AGS.2002/G/1	Nut, $\frac{1}{8}$ " BSF	1	—	C	
2220	DHS.383/G	Nut, $\frac{1}{8}$ " BSF	43	—	C	
28M/1011470	A27/GT	Nut, $\frac{1}{8}$ " BSF	17	—	C	
28M/10292	AGS.2001/J/1	Nut, $\frac{3}{8}$ " BSF	18	—	C	
28W/9419476	SP.15/G	Washer	62	—	C	
28W/9419477	SP.15/J	Washer	13	—	C	
		at rib "OA" :—				
3240	DHS.382/2E	Bolt, $\frac{1}{2}$ " BSF	2	—	C	
3239	DHS.382/2½E	Bolt, $\frac{1}{2}$ " BSF	6	—	C	
		Port				
		Starboard	5	—	C	
3228	DHS.382/3E	Bolt, $\frac{1}{2}$ " BSF	1	—	C	
3198	DHS.382/3½E	Bolt, $\frac{1}{2}$ " BSF	1	—	C	
		Port				
		Starboard	2	—	C	
2227	DHS.983/E	Nut, $\frac{1}{4}$ " BSF	10	—	C	
		at rib 1 :—				
3192	DHS.365/4G	Bolt, $\frac{5}{16}$ " BSF	18	—	C	
3195	DHS.365/5G	Bolt, $\frac{5}{16}$ " BSF	7	—	C	
5200	DHS.492/5G	Bolt, $\frac{5}{16}$ " BSF	10	—	C	
28M/10291	AGS.2001/G/1	Nut, $\frac{5}{16}$ " BSF	35	—	C	
28W/9419488	SP.16/G	Washer	35	—	C	
		at rib 2 :—				
1657	DHS.356/3E	Bolt, $\frac{1}{2}$ " BSF	27	—	C	
4400	DHS.365/3G	Bolt, $\frac{5}{16}$ " BSF	27	—	C	
3192	DHS.365/4G	Bolt, $\frac{5}{16}$ " BSF	36	—	C	
3195	DHS.365/5G	Bolt, $\frac{5}{16}$ " BSF	32	—	C	
2205	DHS.365/5½G	Bolt, $\frac{5}{16}$ " BSF	1	—	C	
26FC/11711	DHS.365/6G	Bolt, $\frac{5}{16}$ " BSF	1	—	C	
5177	DHS.365/7G	Bolt, $\frac{5}{16}$ " BSF	1	—	C	
4563	DHS.365/7½G	Bolt, $\frac{5}{16}$ " BSF	1	—	C	
28M/1006939	A27/GP	Nut, $\frac{5}{16}$ " BSF	4	—	C	
28M/7002431	AGS.2002/G/1	Nut, $\frac{5}{16}$ " BSF	2	—	C	
28M/14536	A58/ET	Nut, $\frac{1}{2}$ " BSF	27	—	C	
28M/14877	A58/GT	Nut, $\frac{1}{2}$ " BSF	93	—	C	
28W/9419405	SP.15/E	Washer	27	—	C	
28W/9419476	SP.15/G	Washer	99	—	C	
	10-20 WC 27961	Washer, tapered	29	L.71	LM	LA50

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
8205	10-20 WC 23883A	PIPE, drain, Port, assembly	1	—	C	LA51
8206	10-20 WC 23884A	PIPE, drain, Starboard, assembly	1	—	C	LA51
	10-20 WC 10541	PLATE, reinforcing, drain valve, between stringers 1 and 2, Port	1	DTD.687	LM	LA51
	10-20 WC 10542	PLATE, reinforcing, drain valve, between stringers 1 and 2, Starboard	1	DTD.687	LM	LA51
		Attachments for 10-20 WC 10541 or 10-20 WC 10542, Plate :—				
28D/1007700	A26/3E	Bolt, $\frac{1}{2}$ " BSF	4	—	C	
28M/1007403	A27/ET	Nut, $\frac{1}{2}$ " BSF	4	—	C	
	10-20 WC 25229	PLATE, retaining, at front spar and joint strap, Port, 20 SWG	1	S.511	LM	LA51
	10-20 WC 25230	PLATE, retaining, at front spar and joint strap, Starboard, 20 SWG	1	S.511	LM	LA51
	10-20 WC 26483	STRAP, joint, at rib "O," Port (For spares use 10-20 WC 29127ND)	1	—	—	LA51
15895	10-20 WC 29127ND	STRAP, joint, at rib "O," Port (Spares condition)	1	—	C	
	10-20 WC 26484	STRAP, joint, at rib "O," Starboard (For spares use 10-20 WC 29128ND)	1	—	—	LA51
15896	10-20 WC 29128ND	STRAP, joint, at rib "O," Starboard (Spares condition)	1	—	C	
		Attachments for 10-20 WC 26483 and 10-20 WC 26484, Straps (per pair) :—				
28D/1215682	A59/3E	Bolt, $\frac{1}{2}$ " BSF Port	5	—	C	
		Starboard	4	—	C	
28D/1215683	A59/4E	Bolt, $\frac{1}{2}$ " BSF	12	—	C	
5197	DHS.492/4E	Bolt, $\frac{1}{2}$ " BSF	8	—	C	
5951	DHS.492/5E	Bolt, $\frac{1}{2}$ " BSF	4	—	C	
28D/1213605	A59/4G	Bolt, $\frac{1}{2}$ " BSF	12	—	C	
28D/1213606	A59/5G	Bolt, $\frac{1}{2}$ " BSF	26	—	C	
28D/1213607	A59/6G	Bolt, $\frac{1}{2}$ " BSF	14	—	C	
28D/9434878	A59/7G	Bolt, $\frac{1}{2}$ " BSF	12	—	C	
28D/1213609	A59/9G	Bolt, $\frac{1}{2}$ " BSF	4	—	C	
2211	DHS.492/8G	Bolt, $\frac{1}{2}$ " BSF	4	—	C	
2213	DHS.492/9G	Bolt, $\frac{1}{2}$ " BSF	6	—	C	
10189	10-20 WC 21015	Bolt, $\frac{1}{2}$ " BA	2	—	C	LA51
11640	10-20 WC 26671	Bolt, $\frac{1}{2}$ " BSF	18	—	C	LA51
11641	10-20 WC 26673	Bolt, $\frac{1}{2}$ " BSF	1	—	C	LA51
11639	10-20 WC 26675	Bolt, $\frac{1}{2}$ " BSF	1	—	C	LA51
11642	10-20 WC 26677	Bolt, $\frac{1}{2}$ " BSF	1	—	C	LA51
11643	10-20 WC 26679	Bolt, $\frac{3}{16}$ " BSF	1	—	C	LA51
11644	10-20 WC 26681	Bolt, $\frac{3}{16}$ " BSF	4	—	C	LA51
11638	10-20 WC 26719	Bolt, $\frac{3}{16}$ " BSF	4	—	C	LA51
11646	10-20 WC 26721	Bolt, $\frac{1}{2}$ " BSF	1	—	C	LA51

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
11645	10-20 WC 26723	Bolt, $\frac{3}{16}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	C	LA51
11647	10-20 WC 26725	Bolt, $\frac{3}{16}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	C	LA51
10190	10 WC 3729	Ferrule	...	...	...	...	...	...	...	...	...	2	—	C	LA51
28M/1006939	A27/GP	Nut, $\frac{3}{16}$ " BSF	...	...	...	...	...	...	...	...	...	54	—	C	LA51
5859	10-20 WC 7531	Nut, $\frac{1}{2}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	C	LA51
5913	10-20 WC 7533	Nut, $\frac{3}{16}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	LA51
5924	10-20 WC 7535	Nut, $\frac{3}{16}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	C	LA51
7507	10-20 WC 23251	Nut, $\frac{3}{16}$ " BSF	...	...	...	...	...	...	...	...	...	8	—	C	LA51
7508	10-20 WC 23253	Nut, $\frac{1}{2}$ " BSF	...	...	...	...	...	...	...	...	...	20	—	C	LA51
9768	10-20 WC 25291	Nut, $\frac{3}{16}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	C	LA51
28M/1007403	A27/ET	Nut, $\frac{1}{2}$ " BSF	...	...	...	...	...	...	...	...	Port	17	—	C	
											Starboard	16	—	C	
28M/1011470	A27/GT	Nut, $\frac{3}{16}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28P/19234	SP.90/EB	Pin, splie (SP.9/E10)	...	...	...	...	...	...	...	...	...	21	—	C	
28P/19157	SP.90/G10	Pin, splie (SP.9/G12)	...	...	...	...	...	...	...	...	...	12	—	C	
	10-20 WC 4845	Shim, packing, 16 SWG	...	...	...	...	...	...	...	...	...	2	S.510	LM	LA51
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	36	—	C	
28W/9419476	SP.15/G	Washer	...	...	...	...	...	...	...	...	...	54	—	C	
28W/1010403	SP.14/N	Washer	...	...	...	...	...	...	...	...	...	1	—	C	
5860	10-20 WC 11733	Washer	...	...	...	...	...	...	...	...	...	20	—	C	LA51
5912	10-20 WC 11735	Washer	...	...	...	...	...	...	...	...	...	9	—	C	LA51
5925	10-20 WC 11737	Washer	...	...	...	...	...	...	...	...	...	2	—	C	LA51
5926	10-20 WC 11739	Washer	...	...	...	...	...	...	...	...	...	1	—	C	LA51
7509	10-20 WC 23131	Washer	...	...	...	...	...	...	...	...	...	20	—	C	LA51
7506	10-20 WC 23133	Washer	...	...	...	...	...	...	...	...	...	9	—	C	LA51
8751	10-20 WC 23209ND	STRIP, reinforcing, at main spar, Port	...	...	...	...	...	...	...	...	...	1	—	C	LA50
8752	10-20 WC 23210ND	STRIP, reinforcing, at main spar, Starboard	...	...	...	...	...	...	...	...	...	1	—	C	LA50
	10-20 WC 25193	STUD, $\frac{3}{16}$ " BSF, aileron control pulley bracket attachment, at front spar and joint strap junction, Port only	...	...	...	...	...	...	...	...	...	1	S.96	—	LA50
	10-20 WC 25195	STUD, $\frac{3}{16}$ " BSF, aileron control pulley bracket attachment, at front spar and joint strap junction, Port only	...	...	...	...	...	...	...	...	...	2	S.96	—	LA50
	10-20 WC 25197	STUD, $\frac{1}{2}$ " BSF, aileron control pulley bracket attachment, at front spar and joint strap junction, Port only	...	...	...	...	...	...	...	...	...	1	S.96	—	LA50
	10-20 WC 25199	STUD, $\frac{3}{16}$ " BSF, aileron control pulley bracket attachment, at front spar and joint strap junction, Port only	...	...	...	...	...	...	...	...	...	2	S.96	—	LA50
	10-20 WC 25203	STUD, $\frac{1}{2}$ " BSF, aileron control pulley bracket attachment, at front spar and joint strap junction, Starboard only	...	...	...	...	...	...	...	...	...	1	S.96	—	LA50
	10-20 WC 25205	STUD, $\frac{1}{2}$ " BSF, aileron control pulley bracket attachment, at front spar and joint strap junction, Starboard only	...	...	...	...	...	...	...	...	...	2	S.96	—	LA50
	10-20 WC 27545	STUD, $\frac{3}{16}$ " BSF, aileron control pulley bracket attachment, at front spar and joint strap junction, Starboard only	...	...	...	...	...	...	...	...	...	1	S.96	—	LA50
		Attachments for 10-20 WC 25193, 10-20 WC 25195, 10-20 WC 25197, 10-20 WC 25199, 10-20 WC 25203, 10-20 WC 25205 or 10-20 WC 27545, Stud :—	...	...	...	...	...	...	...	...	...				
28M/1007403	A27/ET	Nut, $\frac{1}{2}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	1	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
17039	10-20 WC 9363A	PANEL , skin, between ribs 2 and 4, front spar to main spar, bottom, Port, assembly (For spares use 10-20 WC 40787A/ND)	1	—	—	LA48 LA53
	10-20 WC 40787A/ND	PANEL , skin, between ribs 2 and 4, front spar to main spar, bottom, Port, assembly (Mod. 1038) (Spares condition)	1	—	P	
	10-20 WC 9365A	PANEL , skin, between ribs 2 and 4, front spar to main spar, bottom, Starboard, assembly (For spares use 10-20 WC 40789A/ND)	1	—	—	LA48 LA53
17040	10-20 WC 40789A/ND	PANEL , skin, between ribs 2 and 4, front spar to main spar, bottom, Starboard, assembly (Mod. 1038) (Spares condition) Spares for :—	1	—	P	
	10-20 WC 10195	BEAM , support, Port	1	L.72	—	LA53
	10-20 WC 10196	BEAM , support, Starboard Attachments for 10-20 WC 10195 or 10-20 WC 10196. Beam :—	1	L.72	—	LA53
15578	DHS.1093/2½EE	Bolt, sealed, ½" BSF	4	—	C	
13824	DHS.1093/3½EE	Bolt, sealed, ½" BSF	2	—	C	
28M/13376	A29/EP	Nut, ½" BSF	6	—	C	
26FC/13560	DHS.729/E12	Washer, support	6	—	C	
4923	DHS.393/6E	Bolt, sealed, ½" BSF	21	—	C	
4356	DHS.395/3EE	Bolt, sealed, ½" BSF	26	—	C	
4358	DHS.395/4EE	Bolt, sealed, ½" BSF	21	—	C	
4359	DHS.395/5EE	BOLT , sealed, ½" BSF Port	32	—	C	
		Starboard	33	—	C	
5943	DHS.395/4G	BOLT , sealed, ⅝" BSF	18	—	C	
5942	DHS.395/5G	BOLT , sealed, ⅝" BSF	20	—	C	
4354	DHS.395/6GG	BOLT , sealed, ⅝" BSF Port	9	—	C	
		Starboard	10	—	C	
4348	DHS.395/7GG	BOLT , sealed, ⅝" BSF	20	—	C	
3794	DHS.395/8G	BOLT , sealed, ⅝" BSF	5	—	C	
	10-20 WC 9911	BRACKET , strut attachment, Port (For spares use 10-20 WC 26691ND)	1	—	—	LA53
11098	10-20 WC 26691ND	BRACKET , strut attachment, Port (Spares condition)	1	—	C	
	10-20 WC 9912	BRACKET , strut attachment, Starboard (For spares use 10-20 WC 26692ND)	1	—	—	LA53
11099	10-20 WC 26692ND	BRACKET , strut attachment, Starboard (Spares condition) Attachments for 10-20 WC 9911 or 10-20 WC 9912. Bracket :—	1	—	C	
28D/9133011	A25/2C	Bolt, 2 BA	2	—	C	
3806	DHS.395/5E	Bolt, sealed, ½" BSF	2	—	C	
28M/1011475	A27/EP	Nut, ½" BSF	2	—	C	
28M/1006473	A27/CT	Nut, 2 BA	2	—	C	
	10-20 WC 9349	CAP , stringer, Port (For spares use 10-20 WC 27235ND)	2	—	—	LA53
11978	13-20 WC 27235ND	CAP , stringer, Port (Spares condition)	2	—	C	

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 9350	CAP , stringer, Starboard (For spares use 10-20 WC 27236ND)	2	—	—	LA53
11979	10-20 WC 27236ND	CAP , stringer, Starboard (Spares condition)	2	—	C	
	10-20 WC 9351	CAP , stringer, Port	3	—	—	LA53
		(For spares use 10-20 WC 27237ND)				
11980	10-20 WC 27237ND	CAP , stringer, Port (Spares condition)	3	—	C	
	10-20 WC 9352	CAP , stringer, Starboard	3	—	—	LA53
		(For spares use 10-20 WC 27238ND)				
11981	10-20 WC 27238ND	CAP , stringer, Starboard (Spares condition)	3	—	C	
		Attachments for 10-20 WC 9349, 10-20 WC 9350, 10-20 WC 9351 or 10-20 WC 9352, Cap :—				
4171	A25/3C/DHS.514/D	Bolt, 2 BA	2	—	C	
5621	A25/4C/DHS.514/D	Bolt, 2 BA	2	—	C	
	10-20 WC 6461	Plate, nut	1	—	—	LA53
	10-20 WC 17655	Shim	1	—	—	LA53
28W/9419476	SP.15/G	Washer	4	—	C	
16805	10-20 P 8093A	DRAIN , water, assembly (Mod. 1038)	1	—	P	LA53
14278	10-20 P 3831	CAM , insert	1	—	C	LA53
5505	10-20 P 2311	HOUSING	1	—	C	LA53
28P/9527619	SP.90/C7	PIN , split, securing spindle (SP.9/C8)	1	—	C	
28S/1013561	A55/B4	SCREW , grub, 4 BA	1	—	C	
	10-20 P 8477ND	SHIM , $\frac{7}{16}$ o.d. $\times$ $\frac{1}{4}$ i.d. $\times$ $\frac{1}{16}$ ", Brass, Attewell	1	LB.2	LM	LA53
16806	10-20 P 8087A	SPINDLE , assembly	1	—	C	LA53
5503	10-20 P 2321	SPRING	1	—	C	LA53
		Attachments for 10-20 P 8093A, Drain :—				
5939	DHS.395 3C	Bolt, sealed, 2 BA	4	—	C	
28M/1006473	A27/CT	Nut, 2 BA	4	—	C	
27QA/393	DOWTY SP.910/3	Ring, sealing	4	—	C	
16846	10-20 P 8095A	DRAIN , water (vent) assembly (Mod. 1038)	1	—	C	LA53
14278	10-20 P 3831	CAM , insert	1	—	P	LA53
5501	10-20 P 2365	HOUSING	1	—	C	LA53
28P/1007741	SP.9/C8	PIN , split, securing spindle	1	—	C	
28S/1013561	A55/B4	SCREW , grub, 4 BA	1	—	C	
	10-20 P 8477ND	SHIM , $\frac{7}{16}$ o.d. $\times$ $\frac{1}{4}$ i.d. $\times$ $\frac{1}{16}$ ", Brass, Attewell	1	LB.2	LM	LA53
16806	10-20 P 8087A	SPINDLE , assembly	1	—	C	LA53
5503	10-20 P 2321	SPRING	1	—	C	LA53
		Attachments for 10-20 P 8095A, Drain :—				
5938	DHS.395/3C	Bolt, sealed, 2 BA	4	—	C	
28M/1006473	A27/CT	Nut, 2 BA	4	—	C	
27QA/413	DOWTY SP.910/23	Ring, sealing	1	—	C	
	10-20 P 1797	HOUSING , fuel pump locating plug	1	—	—	LA53
		Attachments for 10-20 P 1797, Housing :—				
15580	DHS.1093/4EE	Bolt, sealed, $\frac{1}{2}$ " BSF	6	—	C	
2227	DHS.983/E	Nut, $\frac{1}{2}$ " BSF	6	—	C	
3642	10 N 915	Ring, sealing	1	—	C	LA53

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
2227	DHS.983/E	NUT, 1" BSF	...	...	...	...	...	...	...	...	...	21	—	C	LA53
28M/1007403	A27/ET	NUT, 1" BSF	...	...	...	...	...	...	...	...	...	80	—	C	
28M/1011470	A27/GT	NUT, 1" BSF	...	...	...	...	...	...	...	...	...	63	—	C	
5880	10-20 P 2185A	PILLAR, mounting, fuel pump, No. 2 tank, assembly	...	...	...	...	...	...	...	...	...	1	—	C	
		Attachments for 10-20 P 2185A, Pillar :—	...	...	...	...	...	...	...	...	...				
4913	DHS.395/3½EE	Bolt, sealed, 1" BSF	...	...	...	...	...	...	...	...	...	2	—	C	LA53
28M/1007403	A27/ET	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
26DL/5611	DHS.402/E	Seal	...	...	...	...	...	...	...	...	...	2	—	C	
26FN/3275	DHS.69/DD	Washer, shim	...	...	...	...	...	...	...	...	...	2	—	C	
9148	10-20 P 1803A	PILLAR, mounting, fuel pump, No. 2 tank, Port, assembly	...	...	...	...	...	...	...	...	...	1	—	C	
9146	10-20 P 1793A	PILLAR, mounting, fuel pump, No. 2 tank, Starboard, assembly	...	...	...	...	...	...	...	...	...	1	—	C	LA53
		Attachments for 10-20 P 1803A or 10-20 P 1793A, Pillar :—	...	...	...	...	...	...	...	...	...				
11482	DHS.395/4½GG	Bolt, sealed, 1" BSF	...	...	...	...	...	...	...	...	...	2	—	C	LA53
28M/1011470	A27/GT	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
2259	DHS.402/G	Seal, bonded	...	...	...	...	...	...	...	...	...	2	—	C	
6754	DHS.69/GG	Washer, shim	...	...	...	...	...	...	...	...	...	2	—	C	
9147	10-20 P 1799A	PILLAR, mounting, fuel pump, No. 2 tank, Port, assembly	...	...	...	...	...	...	...	...	...	1	—	C	
		Attachments for 10-20 P 1799A, Pillar :—	...	...	...	...	...	...	...	...	...				
4348	DHS.395/7GG	Bolt, sealed, 1" BSF	...	...	...	...	...	...	...	...	...	2	—	C	LA53
28M/1011470	A27/GT	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
2259	DHS.402/G	Seal	...	...	...	...	...	...	...	...	...	2	—	C	
26FN/3263	DHS.69/EE	Washer, shim	...	...	...	...	...	...	...	...	...	2	—	C	
5883	10-20 P 2417A	PILLAR, mounting, fuel pump, No. 2 tank, Starboard, assembly	...	...	...	...	...	...	...	...	...	1	—	C	
		Attachments for 10-20 P 2417A, Pillar :—	...	...	...	...	...	...	...	...	...				
4913	DHS.395/3½EE	Bolt, sealed, 1" BSF	...	...	...	...	...	...	...	...	...	2	—	C	LA53
28M/1007403	A27/ET	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
26DL/5611	DHS.402/E	Seal	...	...	...	...	...	...	...	...	...	2	—	C	
26FN/3275	DHS.69/DD	Washer, shim	...	...	...	...	...	...	...	...	...	2	—	C	
26DL/5611	DHS.402/E	SEAL	...	...	...	...	...	...	...	...	...	26	—	C	
28W/9419405	SP.15/E	WASHER	...	...	...	...	...	...	...	...	...	54	—	C	LA53
28W/9419476	SP.15/G	WASHER	...	...	...	...	...	...	...	...	...	39	—	C	
28W/9419488	SP.16/E	WASHER	...	...	...	...	...	...	...	...	...	21	—	C	
28W/9419488	SP.16/G	WASHER	...	...	...	...	...	...	...	...	...	29	—	C	
		Attachments for 10-20 WC 9363A or 10-20 WC 9365A Panel :—	...	...	...	...	...	...	...	...	...				
		At front spar :—	...	...	...	...	...	...	...	...	...				
2736	DHS.365/4EE	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	41	—	C	LA53
4372	DHS.365/4GG	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	16	—	C	
2227	DHS.983/E	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	21	—	C	
3190	DHS.983/G	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	16	—	C	
28M/1007403	A27/ET	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	20	—	C	
28W/9419487	SP.16/E	Washer	...	...	...	...	...	...	...	...	...	41	—	C	LA53
28W/9419488	SP.16/G	Washer	...	...	...	...	...	...	...	...	...	16	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
		At main spar :—													
2725	DHS.365/4½EE	Bolt, ½"	BSF									14	—	C	
2241	DHS.365/5EE	Bolt, ½"	BSF									2	—	C	
3590	DHS.365/5½EE	Bolt, ½"	BSF									2	—	C	
5934	DHS.365/6EE	Bolt, ½"	BSF									2	—	C	
8383	DHS.365/6½EE	Bolt, ½"	BSF									2	—	C	
9384	DHS.365/7EE	Bolt, ½"	BSF									2	—	C	
9385	DHS.365/7½EE	Bolt, ½"	BSF									2	—	C	
5935	DHS.365/8EE	Bolt, ½"	BSF									2	—	C	
15503	DHS.365/8½EE	Bolt, ½"	BSF									2	—	C	
15504	DHS.365/9EE	Bolt, ½"	BSF									2	—	C	
15505	DHS.365/9½EE	Bolt, ½"	BSF									2	—	C	
3587	DHS.365/10EE	Bolt, ½"	BSF									2	—	C	
15506	DHS.365/10½EE	Bolt, ½"	BSF									2	—	C	
13568	DHS.365/11EE	Bolt, ½"	BSF									13	—	C	
13794	DHS.365/11½EE	Bolt, ½"	BSF									6	—	C	
13793	DHS.365/12EE	Bolt, ½"	BSF									5	—	C	
13567	DHS.365/13½EE	Bolt, ½"	BSF									2	—	C	
2227	DHS.983/E	Nut, ½"	BSF									64	—	C	
		At rib No. 2 :—													
1794	DHS.365/6E	Bolt, ½"	BSF									20	—	C	
26FC/11711	DHS.365/6G	Bolt, ½"	BSF									17	—	C	
2244	DHS.365/6½G	Bolt, ½"	BSF									1	—	C	
5175	DHS.365/10G	Bolt, ½"	BSF									16	—	C	
4357	DHS.395/3E	Bolt, sealed, ½"	BSF									1	—	C	
3796	DHS.395/4E	Bolt, sealed, ½"	BSF									1	—	C	
3806	DHS.395/5E	Bolt, sealed, ½"	BSF									1	—	C	
14464	DHS.901/4EE	Bolt, ½"	BSF									1	—	C	
2359	DHS.388/E	Grommet										4	—	C	
28M/1006939	A27/GP	Nut, ½"	BSF									17	—	C	
2227	DHS.983/E	Nut, ½"	BSF									23	—	C	
3190	DHS.983/G	Nut, ½"	BSF									17	—	C	
3236	DHS.422/E	Nut, capped, ½"	BSF									1	—	C	
26DL/5611	DHS.402/E	Seal										1	—	C	
28W/9419405	SP.15/E	Washer										20	—	C	
28W/9419476	SP.15/G	Washer										18	—	C	
5906	10 WC 1095	Washer, spherical										32	—	C	LA53
		At rib No. 3 :—													
5948	DHS.395/4GG	Bolt, sealed, ½"	BSF									17	—	C	
5549	DHS.393/4GG	Bolt, sealed, ½"	BSF									11	—	C	
2357	DHS.393/5½GG	Bolt, sealed, ½"	BSF									2	—	C	
2358	DHS.388/G	Grommet										2	—	C	
2220	DHS.383/G	Nut, ½"	BSF									19	—	C	
28M/1011470	A27/GT	Nut, ½"	BSF									11	—	C	
		At rib No. 3A (Drg. No. 10-20 WC 25885) :—													
3802	DHS.395/3½E	Bolt, sealed, ½"	BSF									2	—	C	
3780	DHS.395/4½E	Bolt, sealed, ½"	BSF									1	—	C	
3806	DHS.395/5E	Bolt, sealed, ½"	BSF									5	—	C	
	DHS.395/7½E	Bolt, sealed, ½"	BSF									5	—	C	
3576	DHS.395/9G	Bolt, sealed, ½"	BSF									5	—	C	
28M/1011475	A27/EP	Nut, ½"	BSF									8	—	C	
28M/1006939	A27/CP	Nut, ½"	BSF									10	—	C	
28W/9419405	SP.15/E	Washer										18	—	C	
28W/9419476	SP.15/G	Washer										10	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
15260	10-20 WC 29173A	PANEL, skin, rear bottom inboard, Port, assembly (Pre Mod. 961) (For spares use 10-20 WC 30249A/ND)	1	—	—	LA54
	10-20 WC 30249A/ND	PANEL, skin, rear bottom inboard, Port, assembly ... (Spares condition) Spares for :—	1	—	P	
	10-20 WC 31311A	PANEL, skin, rear bottom inboard, Port, assembly (Mod. 961) (For spares use 10-20 WC 31779A/ND)	1	—	—	LA54
16535	10-20 WC 31779A/ND	PANEL, skin, rear bottom inboard, Port, assembly (Spares condition) Spares for :—	1	—	P	
	10-20 WC 9935	BLOCK, blanking, at inboard end of stringer No. 8	1	LFS.23	—	LA54
	10-20 WC 9937	BLOCK, blanking, at outboard end of stringers, Nos. 9 and 10	2	LFS.23	—	LA54
	10-20 WC 9939	BLOCK, blanking, at outboard end of stringer No. 8 and inboard and outboard end of stringer No. 10 Attachments for 10-20 WC 9935, 10-20 WC 9937 or 10-20 WC 9939, Block :—	3	LFS.23	—	LA54
28S/9156114	PARKER KALON Type Z	Screw, No. 6 x 1/2", countersunk ...	1	—	C	
2721	DHS.365/2 1/2 EE	BOLT, 1/2" BSF, skin panel joint ...	39	—	C	
2736	DHS.365/4 EE	BOLT, 1/2" BSF, skin panel joint ...	10	—	C	
15567	DHS.1063/2 1/2 EE	BOLT, 1/2" BSF, skin panel joint ...	17	—	C	
2723	DHS.365/3 1/2 EE	BOLT, 1/2" BSF, skin panel joint ...	16	—	C	
28M/9435067	10-20 WC 14985A	BRACKET, mounting, drain tube, assembly	1	—	—	LA54
	10-20 WC 14987ND	BRACKET, bare (Make from standard section J.769)	1	DTD.764	LM	LA54
	AGS.2008/C/1	NUT, anchor, 2 BA ...	1	—	C	
28M/9435067	10-20 WC 30309A	BRACKET, mounting, electromatic tap, L.H., assembly (Mod. 961)	1	—	—	LA54
	10-20 WC 30311ND	ANGLE, L.H., 18 SWG ...	1	L.72	LM	LA54
	AGS.2008/C/1	NUT, anchor, 2 BA ...	2	—	C	
28M/9435067	10-20 WC 30310A	BRACKET, mounting electromatic tap, R.H., assembly (Mod. 961)	1	—	—	LA54
	10-20 WC 30312ND	ANGLE, R.H., 18 SWG ...	1	L.72	LM	LA54
	AGS.2008/C/1	NUT, anchor, 2 BA ...	2	—	C	
28E/17130	10-20 WC 14989	BRACKET, mounting, pressure switch, 20 SWG ...	1	L.72	LM	LA54
	AGS.2080/6	CLIP, "P," securing, drain tube ...	1	—	C	
		Attachments for AGS.2080/6 Clip :—				
28D/9436920	A25/1C	Bolt, 2 BA ...	1	—	C	
28M/9435067	10-20 WC 20425A	MOUNTING, clamp block, assembly ...	1	—	—	LA54
	10-20 WC 20423ND	MOUNTING, bare, 20 SWG ...	1	L.72	LM	LA54
	AGS.2008/C/1	NUT, anchor, 2 BA ...	2	—	C	
28M/15234	AGS.2019/C/3	NUT, anchor, 2 BA ...	1	—	C	
	10-20 WC 14779A	MOUNTING, clamp block, assembly ...	1	—	—	LA54
	10-20 WC 14781ND	MOUNTING, bare (Make from standard section J.851)	1	DTD.746	LM	LA54
28M/9144673	AGS.2019/C/1	NUT, anchor, 2 BA ...	2	—	C	
	10-20 WC 20409A	MOUNTING, clamp block, assembly ...	1	—	—	LA54
	10-20 WC 20407ND	MOUNTING, bare, 20 SWG ...	1	L.72	LM	LA54
28M/15582	AGS.2018/C/3	NUT, anchor, 2 BA ...	2	—	C	
	10-20 WC 21143A	MOUNTING, clamp block, assembly ...	1	—	—	LA54
	10-20 WC 21145ND	MOUNTING, bare, 20 SWG ...	1	L.72	LM	LA54
28M/11957	AGS.2007/C/1	NUT, anchor, 2 BA ...	1	—	C	
	AGS.2018/C/3	NUT, anchor, 2 BA ...	1	—	C	
	10-20 WC 20417A	MOUNTING, clamp block, assembly ...	1	—	—	LA54
28M/9453966	10-20 WC 20415ND	MOUNTING, bare, 20 SWG ...	1	L.72	LM	LA54
	AGS.2008/C/3	NUT, anchor, 2 BA ...	1	—	C	
	AGS.2019/C/3	NUT, anchor, 2 BA ...	1	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
28M/15234	10-20 WC 20413A	MOUNTING, clamp block, assembly										1	—	—	LA54
	10-20 WC 20411ND	MOUNTING, bare, 20 SWG										1	L.72	LM	LA54
	AGS.2019/C/3	NUT, anchor, 2 BA										2	—	C	—
	10-20 WC 20421A	MOUNTING, clamp block, assembly										1	—	—	LA54
28M/12050	10-20 WC 20419ND	MOUNTING, bare, 20 SWG										1	L.72	LM	LA54
	AGS.2007/C/3	NUT, anchor, 2 BA										2	—	C	—
	5270	10-20 WC 20431A	MOUNTING, cut-out valve, assembly									1	—	C	LA54
	2227	DHS.983/E	NUT, 1" BSF, skin panel joint									66	—	C	—
28M/1007403	A27/ET	NUT, 1" BSF, skin panel joint									16	—	C	—	
	10-20 WC 29179A/ND	PANEL, skin, inboard, assembly									1	—	—	LA54	
	10-20 WC 15283A	PANEL, skin, outboard, assembly									1	—	—	LA54	
	10-20 WC 15285ND	PLATE, reinforcing									1	DTD.687	—	LA54	
	10-20 WC 2961ND	STRAP, joint									1	DTD.746	—	LA54	
	10-20 WC 5887	STRINGER, No. 8									1	DTD.363	—	LA54	
	10-20 WC 5889	STRINGER, No. 9A									1	DTD.363	—	LA54	
	10-20 WC 5891	STRINGER, No. 10									1	DTD.363	—	LA54	
	10-20 S 7421A	TUBE, drain, assembly									1	—	—	LA54	
	10-20 S 7425ND	PLATE, anchor, 20 SWG									1	L.59	LM	LA55	
	10-20 S 7423ND	TUBE, drain, 3" o/d x 20 SWG									1	L.56	LM	LA54	
	28W/9419405	SP.15/E	WASHER, skin panel joint									16	—	C	—
		10-20 WC 5621A	PANEL, skin, rear bottom, inboard, Starboard, assembly (For spares use 10-20 WC 40751A/ND)									1	—	—	LA55
	16901	10-20 WC 40751A/ND	PANEL, skin, rear bottom, inboard, Starboard, assembly (Mod. 673) (Spares condition) Spares for :—									1	—	P	—
10-20 WC 9935		BLOCK, blanking, at inboard end of stringer, No. 8									1	LFS.23	—	LA55	
10-20 WC 9937		BLOCK, blanking, at outboard end of stringers, Nos. 8 and 9									2	LFS.23	—	LA55	
10-20 WC 9939		BLOCK, blanking, at inboard end of stringers, Nos. 9 and 10 and outboard end of stringer No. 8									3	LFS.23	—	LA55	
Attachments for 10-20 WC 9935, 10-20 WC 9937 or 10-20 WC 9939, Block :—															
PARKER KALON Type Z															
28S/9156114		Screw, No. 6 x 1/2", countersunk									1	—	C	—	
2721		DHS.365/2 1/2 EE	BOLT, 1/2" BSF, skin panel joint									39	—	C	—
2723		DHS.365/3 1/2 EE	BOLT, 1/2" BSF, skin panel joint									16	—	C	—
2736		DHS.365/4 EE	BOLT, 1/2" BSF, skin panel joint									10	—	C	—
15567	DHS.1063/2 1/2 EE	BOLT, 1/2" BSF, skin panel joint									17	—	C	—	
	10-20 WC 24425A	BRACKET, forward of stringer No. 9A, assembly									1	—	—	LA55	
	10-20 WC 24449ND	BRACKET, bare, 20 SWG									1	L.72	LM	LA65	
	AGS.2008/C/1	NUT, anchor, 2 BA									1	—	C	—	
	10-20 WC 14985A	BRACKET, mounting, drain tube, assembly									1	—	—	LA55	
	10-20 WC 14987ND	BRACKET, bare (Make from standard section J.769)									1	DTD.746	LM	LA55	
	AGS.2008/C/1	NUT, anchor, 2 BA									1	—	C	—	
	10-21 WC 14989	BRACKET, mounting, pressure switch, 20 SWG									1	L.72	LM	LA55	
	10-20 WC 14753A	BRACKET, pipe support, assembly									3	—	—	LA55	
	28M/9435067	10-20 WC 14751A/ND	BRACKET, bare, 18 SWG									1	L.72	LM	LA55
AGS.2008/C/1		NUT, anchor, 2 BA									1	—	C	—	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
28M/9435067	10-20 WC 14573A	BRACKET, pipe support, assembly										2	—	—	LA55
	10-20 WC 14571ND	BRACKET, bare, 20 SWG										1	L.72	LM	LA55
	AGS.2008/C/1	NUT, anchor, 2 BA										1	—	C	
	10-20 WC 21097A	BRACKET, "Z," aft of stringer No. 10, assembly										1	—	—	LA55
28M/11957 28E/17130	10-20 WC 21099ND	BRACKET, bare, 16 SWG										1	L.72	LM	LA55
	AGS.2007/C/1	NUT, anchor, 2 BA										2	—	C	
	AGS.2080/6	CLIP, "P," securing drain tube										1	—	C	
		Attachments for AGS.2080/6, Clip :—													
28D/9436920	A25/1C	Bolt, 2 BA										1	—	C	
28V/9419465	SP.13/B	Washer										1	—	C	
10644	10-20 WC 22993A	CONNECTOR, hose, between stringers Nos. 10 and 11, assembly (Pre Mod. 673)										1	—	C	LA55
16722	10-20 WC 31639	CONNECTOR, hose, two way, hydraulic overflow, between stringers Nos. 10 and 11 (Mod. 673)										1	—	C	LA65
10645	10-20 WC 22999	EXTRACTOR, at hose connector, 20 SWG (Pre Mod. 673)										1	—	C	LA55
	10-20 WC 14775A	MOUNTING, clamp block, assembly										1	—	—	LA55
	10-20 WC 14777ND	MOUNTING, bare (Made from standard section J.851)										1	DTD.746	LM	LA55
28M/9144673	AGS.2019/C/1	NUT, anchor, 2 BA										2	—	C	
28M/10230	AGS.2009/E/1	NUT, anchor, 1" BSF, at inspection cover										8	—	C	
2227	DHS.983/E	NUT, 1" BSF, skin panel joint										66	—	C	
28M/1007403	A27/ET	NUT, 1" BSF, skin panel joint										16	—	C	
	10-20 WC 2975A/ND	PANEL, skin, inboard, redux assembly										1	—	—	LA55
	10-20 WC 15284A	PANEL, skin, outboard, assembly										1	—	—	LA55
	10-20 WC 15286ND	PLATE, reinforcing										1	DTD.687	—	LA55
	10-20 WC 2962ND	STRAP, joint										1	DTD.746	—	LA55
	10-20 WC 5888	STRINGER, No. 8										1	DTD.363	—	LA55
	10-20 WC 5890	STRINGER, No. 9A										1	DTD.363	—	LA55
	10-20 WC 5892	STRINGER, No. 10										1	DTD.363	—	LA55
	10-20 WC 2968ND	STRINGER, No. 11 (Make from standard section J.869)										1	—	—	LA55
	10-20 S 7422A	TUBE, drain, assembly										1	—	—	LA55
	10-20 S 7425ND	PLATE, anchor, 20 SWG										1	L.59	LM	LA55
	10-20 S 7424ND	TUBE, drain, 1" o/d x 20 SWG										1	L.56	LM	LA55
28V/9419405	SP.15/E	WASHER, skin, panel joint										16	—	C	
		Attachments for 10-20 WC 29173A, 10-20 WC 31311A or 10-20 WC 5621A, Panel :—													
		At rear spar :—													
15528	DHS.1001/4½E	Bolt, 1" BSF										13	—	C	LA55
15356	DHS.1001/6E	Bolt, 1" BSF										5	—	C	LA55
15570	DHS.1063/4EE	Bolt, 1" BSF										24	—	C	LA55
15571	DHS.1063/4½EE	Bolt, 1" BSF										8	—	C	LA55
4372	DHS.365/4GG	Bolt, 1" BSF										10	—	C	LA55
15573	DHS.1063/4GG	Bolt, 1" BSF										9	—	C	LA55
2227	DHS.983/E	Nut, 1" BSF										50	—	C	LA55
3190	DHS.983/G	Nut, 1" BSF										9	—	C	LA55
28M/1011470	A27/GT	Nut, 1" BSF										10	—	C	
28V/9419487	SP.16/E	Washer										50	—	C	
28V/9419476	SP.15/G	Washer										10	—	C	
28V/9419488	SP.16/G	Washer										9	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
		At rear wheel well wall :—													
1653	DHS.365/2E	Bolt, 1/2"	BSF									23	—	C	LA55
1657	DHS.365/3E	Bolt, 1/2"	BSF									3	—	C	LA55
2736	DHS.365/4EE	Bolt, 1/2"	BSF									7	—	C	LA55
28D/1008151	A25/4E	Bolt, 1/2"	BSF									2	—	C	
4400	DHS.365/3G	Bolt, 5/16"	BSF									5	—	C	
5280	DHS.365/3 1/2 G	Bolt, 5/16"	BSF									3	—	C	LA55
3192	DHS.365/4G	Bolt, 5/16"	BSF									2	—	C	LA55
28D/1202771	A25/4G	Bolt, 5/16"	BSF									4	—	C	LA55
4372	DHS.365/4GG	Bolt, 5/16"	BSF									3	—	C	LA55
4360	DHS.365/5GG	Bolt, 5/16"	BSF									5	—	C	LA55
2205	DHS.365/5 1/2 G	Bolt, 5/16"	BSF									11	—	C	LA55
5610	DHS.365/6GG	Bolt, 5/16"	BSF									2	—	C	LA55
5949	DHS.365/7GG	Bolt, 5/16"	BSF									2	—	C	LA55
5174	DHS.365/8G	Bolt, 5/16"	BSF									4	—	C	LA55
28M/7002430	AGS.2002/E/1	Nut, 1/2"	BSF									9	—	C	
28M/1006939	A27/GP	Nut, 1/2"	BSF									11	—	C	
2220	DHS.383/G	Nut, 5/8"	BSF									12	—	C	LA55
28M/1007403	A27/ET	Nut, 1/2"	BSF									26	—	C	
28M/1011470	A27/GT	Nut, 1/2"	BSF									18	—	C	
28W/9419405	SP.15/E	Washer										26	—	C	
28W/9419487	SP.16/E	Washer										9	—	C	
28W/9419476	SP.15/G	Washer										29	—	C	
		At rib No. 1 :—													
4152	DHS.365/15C	Bolt, 2	BA									2	—	C	
2736	DHS.365/4EE	Bolt, 1/2"	BSF									7	—	C	LA55
2725	DHS.365/4 1/2 EE	Bolt, 1/2"	BSF									7	—	C	LA55
2241	DHS.365/5EE	Bolt, 1/2"	BSF									8	—	C	LA55
3590	DHS.365/5 1/2 EE	Bolt, 1/2"	BSF									5	—	C	LA55
5934	DHS.365/6EE	Bolt, 1/2"	BSF									6	—	C	LA55
8383	DHS.365/6 1/2 EE	Bolt, 1/2"	BSF									9	—	C	LA55
9384	DHS.365/7EE	Bolt, 1/2"	BSF									7	—	C	LA55
8384	DHS.984/E	Nut, 1/2"	BSF									43	—	C	LA55
28M/1006473	A27/CT	Nut, 2	BA									2	—	C	
28W/9419475	SP.15/C	Washer										2	—	C	
26DL/4216	DHS.69/C	Washer, shim										2	—	C	LA55
		At rib No. 2 :—													
4161	DHS.365/4 1/2 C	Bolt, 2	BA									21	—	C	
2725	DHS.365/4 1/2 EE	Bolt, 1/2"	BSF									5	—	C	LA55
28M/1006473	A27/CT	Nut, 2	BA									21	—	C	
28M/1007403	A27/ET	Nut, 1/2"	BSF									5	—	C	
28W/9419475	SP.15/C	Washer										21	—	C	
28W/9419405	SP.15/E	Washer										5	—	C	
		At rib No. 3 :—													
4360	DHS.365/5GG	Bolt, 5/16"	BSF									2	—	C	LA55
28D/1011256	A25/5G	Bolt, 5/16"	BSF									25	—	C	
28D/7002427	A25/6G	Bolt, 5/16"	BSF									17	—	C	
28D/1011257	A25/7G	Bolt, 5/16"	BSF									1	—	C	
28D/1011258	A25/8G	Bolt, 5/16"	BSF									4	—	C	
28D/12818	A25/9G	Bolt, 5/16"	BSF									1	—	C	
28M/7002431	AGS.2002/G/1	Nut, 5/16"	BSF									10	—	C	
28M/1011470	A27/GT	Nut, 5/16"	BSF									40	—	C	
28W/9419476	SP.15/G	Washer										19	—	C	
28W/9419488	SP.15/G	Washer										31	—	C	
		At rib No. 4 :—													
2348	DHS.358/4E	Bolt, 1/2"	BSF									22	—	C	LA55
2340	DHS.358/4 1/2 E	Bolt, 1/2"	BSF									5	—	C	LA55
2248	DHS.358/5E	Bolt, 1/2"	BSF									5	—	C	LA55
2247	DHS.358/5 1/2 E	Bolt, 1/2"	BSF									3	—	C	LA55
2722	DHS.365/3EE	Bolt, 1/2"	BSF									1	—	C	LA55
2736	DHS.365/4EE	Bolt, 1/2"	BSF									6	—	C	LA55
1793	DHS.365/5E	Bolt, 1/2"	BSF									6	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
4372	DHS.365/4GG	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	C	LA55
	DHS.365/16GG	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	2	S.96	—	LA55
28M/1011475	A27/EP	Nut, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	3	—	C	
28M/1007403	A27/ET	Nut, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	45	—	C	
28M/1011470	A27/GT	Nut, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	4	—	C	
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	39	—	C	
28W/9419487	SP.16/E	Washer	...	...	...	...	...	...	...	...	...	6	—	C	
28W/9419476	SP.15/C	Washer	...	...	...	...	...	...	...	...	...	2	—	C	
28W/9419488	SP.16/G	Washer	...	...	...	...	...	...	...	...	...	2	—	C	
—	—	PANEL , skin, rear top inboard, between ribs Nos. 1 to 4 and main spar to rear spar, Port, group (Drg. No. 10-20 WC 25119) (Mod. 2)										1	—	—	LA56
—	—	PANEL , skin, rear top inboard, between ribs 1 to 4 and main spar to rear spar, Starboard, group (Drg. No. 10-20 WC 6541) Spares for:—										1	—	—	LA57
3476	10-20 S 2421	BRACKET , adaptor, on rear diffusion member, Starboard only										1	—	C	LA57
	10-20 WC 24343	BRACKET , cable clip, 18 SWG ...										3	L.72	LM	LA56
	10-20 WC 16377	BRACKET , cable clip, 18 SWG ...										1	L.72	LM	LA56
	10-20 WC 15507A	BRACKET , cable clip, Port only, assembly										1	—	—	LA56
	10-20 WC 15509ND	BRACKET , bare, 18 SWG ...										1	L.72	LM	LA56
28M/13774	AGS.2019/B/1	NUT , anchor, 4 BA ...										2	—	C	
		Attachments for 10-20 WC 15507A, Bracket:—													
15631	DHS.1001/4EE	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	3	L.65	C	
2227	DHS.983/E	Nut, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	3	L.65	C	
	10-20 WC 15503A	BRACKET , cable clip, Starboard only, assembly ...										1	—	—	LA57
	10-20 WC 15505ND	BRACKET , bare, 20 SWG ...										1	L.72	LM	LA57
28M/9434252	AGS.2018/B/1	NUT , anchor, 4 BA ...										3	—	C	
	10-20 WC 15513A	BRACKET , cable clip, Starboard only, assembly ...										2	—	—	LA57
	10-20 WC 15515ND	BRACKET , bare, 18 SWG ...										1	L.72	LM	LA57
28M/9434253	AGS.2007/B/1	NUT , anchor, 4 BA ...										1	—	C	
	10-20 WC 15669A	BRACKET , cable clip, Starboard only, assembly ...										1	—	—	LA57
	10-20 WC 15671ND	BRACKET , bare, 18 SWG ...										1	L.72	LM	LA57
28M/9434252	AGS.2018/B/1	NUT , anchor, 4 BA ...										2	—	C	
	10-20 WC 21485A	BRACKET , clamp block, assembly ...										2	—	—	LA56
	10-20 WC 21487ND	BRACKET , bare, 20 SWG ...										1	L.72	LM	LA56
28M/9144673	AGS.2019/C/1	NUT , anchor, 2 BA ...										2	—	C	
	10-20 WC 4319A	BRACKET , clamp block, assembly ...										3	—	—	LA56
	10-20 WC 4355ND	BRACKET , bare, 18 SWG ...										1	L.72	LM	LA56
28M/9144673	AGS.2019/C/1	NUT , anchor, 2 BA ...										2	—	C	
	10-20 S 4117A	BRACKET , clamp block, Port only, assembly ...										1	—	—	LA56
	10-20 S 4115ND	BRACKET , bare, 18 SWG ...										1	L.72	LM	LA56
28M/11957	AGS.2007/C/1	NUT , anchor, 2 BA ...										2	—	C	
28M/9144673	AGS.2019/C/1	NUT , anchor, 2 BA ...										1	—	C	
	10-20 S 4113A	BRACKET , clamp block, Port, assembly ...										1	—	—	LA56
	10-20 S 4114A	BRACKET , clamp block, Starboard, assembly ...										1	—	—	LA57
	10-20 S 4111ND	BRACKET , bare, Port, 20 SWG ...										1	L.72	LM	LA57
	10-20 S 4112ND	BRACKET , bare, Starboard, 20 SWG ...										1	L.72	LM	LA57
28M/9418918	AGS.2012/C/11	NUT , anchor, 2 BA ...										1	—	C	
28M/9435067	AGS.2008/C/1	NUT , anchor, 2 BA ...										2	—	C	
	10-20 N 24057	BRACKET , mounting, cable clip, L.H., 16 SWG ...										1	L.72	LM	LA56
	10-20 N 24058	BRACKET , mounting, cable clip, R.H., 16 SWG ...										1	L.72	LM	LA57

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Score or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
7135	10-20 S 10157A/ND	BRACKET, mounting, expansion cylinder, Port, assembly										1	—	P	LA56
7136	10-20 S 10158A/ND	BRACKET, mounting, expansion cylinder, Starboard, assembly										1	—	P	LA57
		Attachments for 10-20 S 10157A/ND or 10-20 S 10158A/ND, Bracket :—													
28D/1008151	A25/4E	Bolt, 1/2" BSF										4	—	C	
28M/1011475	A27/EP	Nut, 1/2" BSF										4	—	C	
28W/9419405	SP.15/E	Washer										4	—	C	
	10-20 WC 13821A	BRACKET, mounting, expansion cylinder, Port, assembly										1	—	—	LA56
	10-20 WC 13822A	BRACKET, mounting, expansion cylinder, Starboard, assembly										1	—	—	LA57
	—	BRACKET, mounting, plug, at leading edge, between ribs Nos. 3A and 4, Starboard, group (Drg. No. 10-20 WC 25261)										1	—	—	
	10-20 N 8527A	BRACKET, mounting, plug, Starboard, assembly										1	—	—	LA64
		Attachments for 10-20 N 8527A, Bracket :—													
28D/14951	AS.4563/3C	Bolt, 2 BA										2	—	C	
28D/16285	AS.4563/3E	Bolt, 2 BA										2	—	C	
28M/9435067	AGS.2008/C/1	NUT, anchor, 2 BA										2	—	C	
28M/9435294	AGS.2019/E/3	NUT, anchor, 1/2" BSF										2	—	C	
28M/14538	AGS.2019/G/1	NUT, anchor, 1/2" BSF										2	—	C	
	10-20 WC 18423	BRACKET, stringer capping, stringer No. 10, at rib No. 3, Port (For spares use 10-20 WC 26707ND)										1	DTD.304	—	LA56
11104	10-20 WC 26707ND	BRACKET, stringer capping, stringer No. 10, at rib No. 3, Port (Spares condition)										1	—	C	
	10-20 WC 18424	BRACKET, stringer capping, stringer No. 10, at rib No. 3, Starboard (For spares use 10-20 WC 26708ND)										1	DTD.304	—	LA56
11105	10-20 WC 26708ND	BRACKET, stringer capping, stringer No. 10, at rib No. 3, Starboard (Spares condition)										1	—	C	
		Attachments for 10-20 WC 18423 or 10-20 WC 18424, Bracket :—													
28D/9133011	A25/2C	Bolt, 2 BA										3	—	C	
1092	DHS.365/2C	Bolt, 2 BA										3	—	C	
3237	DHS.382/4 1/2 E	Bolt, 1/2" BSF										1	—	C	
26DL/15993	DHS.1082/6 1/2 E	Bolt, 1/2" BSF										1	—	C	
2227	DHS.983/E	Nut, 1/2" BSF										1	—	C	
28M/10320	AGS.2002/E/3	Nut, 1/2" BSF										1	—	C	
28W/9418921	SP.13/E	Washer										1	—	C	
	DHS.783/13/26	Washer, 0"625 o/d x 0"265 i/d x 26 SWG maximum thickness .072										QR	L.72	LM	
	10-20 WC 10553	CAPPING, end, stringer 9, at rib 4, Port										1	DTD.687	—	LA56
	10-20 WC 10554	CAPPING, end, stringer 9, at rib 4, Starboard										1	DTD.687	—	LA57
	10-20 WC 10555	CAPPING, end, stringer 13, at rib 4, Port										1	DTD.687	—	LA56
	10-20 WC 10556	CAPPING, end, stringer 13, at rib 4, Starboard										1	DTD.687	—	LA57

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 N 14689	CLIP , saddle, securing cables, aft of main spar, inboard of rib No. 3, Port and Starboard, 18 SWG (Pre Mod. 963) (Drg. No. 10-20 WC 16569)										2	S.510	LM	LA56 LA57
3590	DHS.365/5½EE	Attachments for 10-20 N 14689, Clip :—										1	—	C	
2227	DHS.983/E	Bolt, ½" BSF										1	—	C	
		Nut, ½" BSF										1	—	C	
19344	10-20 N 15343	GUIDE , cable, between main spar and stringer No. 9, inboard of rib No. 3, Port (Mod. 963)										1	—	C	LA56
19345	10-20 N 15344	GUIDE , cable, between main spar and stringer No. 9, inboard of rib No. 3, Starboard (Mod. 963) (Drg. No. 10-20 WC 16569)										1	—	C	LA57
		Attachments for 10-20 N 15343 or 10-20 N 15344, Guide :—										1	—	C	
3590	DHS.365/5½EE	Bolt, ½" BSF										1	—	C	
2227	DHS.983/E	Nut, ½" BSF										1	—	C	
	10-20 WC 29241A	PANEL , skin, Port, assembly (For spares use 10-20 WC 30247A/ND)										1	—	—	LA56
15259	10-20 WC 30247A/ND	PANEL , skin, Port, assembly (Spares condition) ...										1	—	P	
	10-20 WC 10182A	PANEL , skin, Starboard, assembly (For spares use 10-20 WC 27708A/ND)										1	—	—	LA57
13666	10-20 WC 27708A/ND	PANEL , skin, Starboard, assembly (Spares condition)										1	—	P	
	10-20 WC 9935	BLOCK , blanking, at outboard end of stringer No. 13										1	LFS.23	—	LA56
	10-20 WC 9937	BLOCK , blanking, at inboard end of stringers Nos. 10, 11, 12, 13 and 16										6	LFS.23	—	LA56
	10-20 WC 9939	BLOCK , blanking, at inboard and outboard end of stringer No. 14 and outboard end of stringers Nos. 11, 12 and 16										5	LFS.23	—	LA56
	10-20 WC 29559	BLOCK , blanking, at outboard end of stringer No. 12										1	LFS.23	—	LA56
		Attachments for 10-20 WC 9935, 10-20 WC 9937, 10-20 WC 9939 or 10-20 WC 29559, Block :—													
28S/9156114	PARKER KALON Type Z	Screw, No. 6 x ½", countersunk ...										1	—	C	
	10-20 WC 23879	BRACKET , cable clip, 18 SWG ...										1	L.72	LM	LA56
	10-20 WC 22437	BRACKET , cable clip, Starboard only, 18 SWG										1	L.72	LM	LA57
	10-20 WC 14771A	BRACKET , clamp block, assembly ...										1	—	—	LA56
	10-20 WC 14773ND	BRACKET , bare, 20 SWG ...										1	DTD.746	LM	LA56
28M/9144673	AGS.2019/C/1	NUT , anchor, 2 BA ...										2	—	C	
	10-20 WC 21029A	BRACKET , clamp block, assembly ...										2	—	—	LA56
	10-20 WC 21031ND	BRACKET , bare, 20 SWG ...										1	L.72	LM	LA56
28M/11957	AGS.2007/C/1	NUT , anchor, 2 BA ...										2	—	C	
	10-20 WC 22277A	BRACKET , clamp block, assembly ...										1	—	—	LA56
	10-20 WC 22279ND	BRACKET , bare, 18 SWG ...										1	L.72	LM	LA56
28M/9435067	AGS.2008/C/1	NUT , anchor, 2 BA ...										2	—	C	
		Attachments for 10-20 WC 22277A, Bracket :—													
28D/9133011	A25/2C	Bolt, 2 BA ...										2	—	C	
28M/9403520	A27/CP	Nut, 2 BA ...										2	—	C	
28W/9419475	SP.15/C	Washer ...										2	—	C	
	10-20 WC 23343A	BRACKET , clamp block, assembly ...										1	—	—	LA56
	10-20 WC 23341ND	BRACKET , bare, 18 SWG ...										1	L.72	LM	LA56
28M/9434252	AGS.2018/B/1	NUT , anchor, 4 BA ...										1	—	C	
	10-20 WC 23345	BRACKET , clamp block, Port only, 16 SWG ...										1	L.72	LM	LA56
	10-20 WC 28453	BRACKET , switch and cable clip, Starboard only, 18 SWG										1	L.72	LM	LA65

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 14123A	MOUNTING , forward, accumulator, Starboard only, assembly	1	—	—	LA57
28M/14347	10-20 WC 14133ND	BRACKET , bare, 18 SWG	1	L.72	LM	LA57
	AGS.2019/E/1	NUT , anchor, $\frac{1}{2}$ " BSF	1	—	C	
	10-20 WC 14131ND	PACKING , 18 SWG	1	L.72	LM	LA57
		Attachments for 10-20 WC 14123A, Mounting :—				
28D/1214091	AS.1242/2C	Bolt, 2 BA	4	—	C	
28M/9403520	A27/CP	Nut, 2 BA	4	—	C	
28W/9419475	SP.15/C	Washer	4	—	C	
	10-20 WC 22507A	MOUNTING , forward, accumulator, Starboard only, assembly	1	—	—	LA57
28M/14347	10-20 WC 22509ND	BRACKET , bare, 18 SWG	1	L.72	LM	LA57
	AGS.2019/E/1	NUT , anchor, $\frac{1}{2}$ " BSF	1	—	C	
	10-20 WC 14131ND	PACKING , 18 SWG	1	L.72	LM	LA57
		Attachments for 10-20 WC 22507A, Mounting :—				
1092	DHS.365/2C	Bolt, 2 BA	3	—	C	
28M/9403520	A27/CP	Nut, 2 BA	3	—	C	
28W/9419402	SP.13/C	Washer	3	—	C	
	10-20 WC 20927ND	Washer, packing, 14 SWG	1	L.72	LM	LA57
	10-20 WC 14127A	MOUNTING , rear, accumulator, Starboard only, assembly	1	—	—	LA57
27Q/17155	10-20 WC 14137ND	BLOCK , facing	1	LFS.21	LM	LA57
	10-20 WC 14139ND	BLOCK , facing	1	LFS.21	LM	LA57
	10-20 WC 14403ND	BRACKET , bare, 20 SWG	1	L.72	LM	LA57
	DOWTY D2757/Y44	BUSH , rubber	1	—	C	LA57
28Q/16280	AS.155/409	RIVET	3	—	C	
		Attachments for 10-20 WC 14127A, Mounting :—				
4371	DHS.365/2 $\frac{1}{2}$ C	Bolt, 2 BA	4	—	C	
28M/9403520	A27/CP	Nut, 2 BA	4	—	C	
28W/9419402	SP.13/C	Washer	4	—	C	
	10-20 WC 20929ND	Washer, packing, 10 SWG	2	L.72	LM	LA57
	10-20 WC 14125A	MOUNTING , rear, accumulator, Starboard only, assembly	1	—	—	LA57
27Q/17155	10-20 WC 14139ND	BLOCK , facing	1	LFS.21	LM	LA57
	10-20 WC 14141ND	BRACKET , bare, 20 SWG	1	L.72	LM	LA57
	DOWTY D2757/Y44	BUSH , rubber	1	—	C	LA57
	AS.155/409	RIVET	3	—	C	
		Attachments for 10-20 WC 14125A, Mounting :—				
28D/1214091	AS.1242/2C	Bolt, 2 BA	4	—	C	
28M/9403520	A27/CP	Nut, 2 BA	4	—	C	
28W/9419475	SP.15/C	Washer	4	—	C	
		Attachments for 10-20 WC 29241A or 10-20 WC 10182A, Panel :— At rib No. 1 :—				
5733	DHS.358/9 $\frac{1}{2}$ C	Bolt, 2 BA	4	—	C	
5732	DHS.358/10 $\frac{1}{2}$ C	Bolt, 2 BA	4	—	C	
2724	DHS.365/2 $\frac{1}{2}$ E	Bolt, $\frac{1}{2}$ " BSF	5	—	C	
2723	DHS.365/3 $\frac{1}{2}$ EE	Bolt, $\frac{1}{2}$ " BSF	14	—	C	
2736	DHS.365/4EE	Bolt, $\frac{1}{2}$ " BSF	13	—	C	
2726	DHS.365/4 $\frac{1}{2}$ E	Bolt, $\frac{1}{2}$ " BSF	1	—	C	
2725	DHS.365/4 $\frac{1}{2}$ EE	Bolt, $\frac{1}{2}$ " BSF	8	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
1793	DHS.365/5E	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	1	—	C	
2241	DHS.365/5EE	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	3	—	C	
3414	DHS.365/5½E	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	1	—	C	
3590	DHS.365/5½EE	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	7	—	C	
8383	DHS.365/6½EE	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	1	—	C	
9384	DHS.365/7EE	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	1	—	C	
9385	DHS.365/7½EE	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	1	—	C	
5935	DHS.365/8EE	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	1	—	C	
15503	DHS.365/8½EE	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	1	—	C	
15506	DHS.365/10½EE	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	1	—	C	
13568	DHS.365/11EE	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	1	—	C	
13793	DHS.365/12EE	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	2	—	C	
4374	DHS.365/14½E	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	1	—	—	
28M/9403520	A27/CP	Nut, 2	BA	...	...	...	...	...	...	...	...	8	—	C	
2227	DHS.983/E	Nut, 1"	BSF	...	...	...	...	...	...	...	...	54	—	C	
28M/1011475	A27/EP	Nut, 1"	BSF	...	...	...	...	...	...	...	...	9	—	C	
	10-20 WC 16963	Packing, Port	...	...	...	...	...	...	...	...	...	1	LFS.21	LM	LA56
	10-20 WC 16964	Packing, Starboard	...	...	...	...	...	...	...	...	...	1	LFS.21	LM	LA57
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	9	—	C	
	10-20 WC 6905	Washer, taper	...	...	...	...	...	...	...	...	...	1	L.72	LM	LA56
	10-20 WC 6907	Washer, taper	...	...	...	...	...	...	...	...	...	1	L.72	LM	LA57
		At rib No. 2 :—													
1660	DHS.358/4C	Bolt, 2	BA	...	...	...	...	...	...	...	...	20	—	C	
2742	DHS.365/4C	Bolt, 2	BA	...	...	...	...	...	...	...	...	2	—	C	
2241	DHS.365/5EE	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	6	—	C	
28M/9403520	A27/CP	Nut, 2	BA	...	...	...	...	...	...	...	...	22	—	C	
28M/1007403	A27/ET	Nut, 1"	BSF	...	...	...	...	...	...	...	...	6	—	C	
28W/9419475	SP.15/C	Washer	...	...	...	...	...	...	...	...	...	20	—	C	
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	6	—	C	
28W/9419404	SP.16/C	Washer	...	...	...	...	...	...	...	...	...	2	—	C	
		At rib No. 3 :—													
28D/1011263	A25/20G	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	1	—	C	
5210	DHS.382/3½G	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	4	—	C	
3191	DHS.382/4G	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	1	—	C	
3200	DHS.382/5½G	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	3	—	C	
3197	DHS.382/6½G	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	2	—	C	
26DV/7543	DHS.382/7G	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	6	—	C	
3589	DHS.382/9½G	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	3	—	C	
14213	DHS.1001/4E	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	9	—	C	
15354	DHS.1001/5E	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	3	—	C	
15356	DHS.1001/6E	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	2	—	C	
	DHS.1001/6½E	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	3	L.65	C	
28M/1006939	A27/GP	Nut, 1"	BSF	...	...	...	...	...	...	...	...	1	—	C	
2220	DHS.383/G	Nut, 1"	BSF	...	...	...	...	...	...	...	...	19	—	C	
2227	DHS.983/E	Nut, 1"	BSF	...	...	...	...	...	...	...	...	17	—	C	
28W/9419476	SP.15/G	Washer	...	...	...	...	...	...	...	...	...	1	—	C	
		At rib No. 4 :—													
2348	DHS.358/4E	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	8	—	C	
2340	DHS.358/4½E	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	33	—	C	
2248	DHS.358/5E	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	5	—	C	
5201	DHS.492/5½E	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	4	—	C	
5954	DHS.492/6E	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	6	—	C	
8530	DHS.492/6½E	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	3	—	C	
4569	DHS.492/10E	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	1	—	C	
28M/1007403	A27/ET	Nut, 1"	BSF	...	...	...	...	...	...	...	...	60	—	C	
28M/1011470	A27/GT	Nut, 1"	BSF	...	...	...	...	...	...	...	...	8	—	C	
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	19	—	C	
28W/9419476	SP.15/G	Washer	...	...	...	...	...	...	...	...	...	8	—	C	
28W/9419487	SP.16/E	Washer	...	...	...	...	...	...	...	...	...	41	—	C	

RESTRICTED

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	QTY	Material Specification	Class of Store	Plate No.
		1 2 3 4 5 6 7 8 9				
		at rear spar :—				
2723	DHS.365/3½EE	Bolt, ½" BSF	28	—	C	
4372	DHS.365/4GG	Bolt, ½" BSF	18	—	C	
15538	DHS.1001/3½G	Bolt, ½" BSF	21	—	C	
2227	DHS.983/E	Nut, ½" BSF	28	—	C	
3190	DHS.983/G	Nut, ½" BSF	32	—	C	
28M/1011470	A27/GT	Nut, ½" BSF	7	—	C	
28W/9419476	SP.15/G	Washer	7	—	C	
		at undercarriage door mechanism support beam and stringer No. 9:—				
2722	DHS.365/3EE	Bolt, ½" BSF	14	—	C	
2723	DHS.365/3½EE	Bolt, ½" BSF	9	—	C	
2725	DHS.365/4½EE	Bolt, ½" BSF	2	—	C	
1793	DHS.365/5E	Bolt, ½" BSF	2	—	C	
28M/12928	A27/EP	Nut, ½" BSF	2	—	C	
2227	DHS.983/E	Nut, ½" BSF	25	—	C	
28W/9419405	SP.15/E	Washer	4	—	C	
		at wheel well wall :—				
2248	DHS.358/5E	Bolt, ½" BSF	2	—	C	
1653	DHS.365/2E	Bolt, ½" BSF	23	—	C	
1657	DHS.365/3E	Bolt, ½" BSF	7	—	C	
3413	DHS.365/3½E	Bolt, ½" BSF	3	—	C	
2736	DHS.365/4EE	Bolt, ½" BSF	1	—	C	
1794	DHS.365/6E	Bolt, ½" BSF	2	—	C	
5280	DHS.365/3½G	Bolt, ½" BSF	5	—	C	
4360	DHS.365/5GG	Bolt, ½" BSF	10	—	C	
4382	DHS.365/5½GG	Bolt, ½" BSF	16	—	C	
3228	DHS.382/3E	Bolt, ½" BSF	12	—	C	
3198	DHS.382/3½E	Bolt, ½" BSF	1	—	C	
2227	DHS.983/E	Nut, ½" BSF	13	—	C	
28M/12931	A27/ET	Nut, ½" BSF	38	—	C	
28M/1011470	A27/GT	Nut, ½" BSF	31	—	C	
28W/9419405	SP.15/E	Washer	38	—	C	
28W/9419476	SP.15/G	Washer	31	—	C	
7137	10-20 WC 21711A	PLATE, bolt, clamp block assembly, Port, and ...	1	—	C	LA56
		Starboard	2	—	C	LA57
7138	10-20 WC 21715A	PLATE, bolt, clamp block, Port only, assembly ...	1	—	C	LA56
	10-20 WC 25537	PLATE, packing, forward undercarriage side stay pick-up, Port	1	DHA.87	—	LA56
	10-20 WC 25538	PLATE, packing, forward undercarriage side stay pick-up, Starboard	1	DHA.87	—	LA57
		Attachments for 10-20 WC 25537 or 10-20 WC 25538, Plate :—				
26DV/5897	DHS.365/4E	Bolt, ½" BSF	2	—	C	
2241	DHS.365/5EE	Bolt, ½" BSF	1	—	C	
26DL/7717	DHS.382/9E	Bolt, ½" BSF	2	—	C	
14213	DHS.1001/4E	Bolt, ½" BSF	2	—	C	
15354	DHS.1001/5E	Bolt, ½" BSF	5	—	C	
2227	DHS.983/E	Nut, ½" BSF	12	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
28M/11957 28M/12421	—	PANEL , skin, top, between ribs Nos. 0 and 2, front spar to main spar, Port, group (including Drg. Nos. 10-20 WC 5395, 10-20 WC 26683 and 10-20 WC 2681)										1	—	—	LA58
	—	PANEL , skin, top, between ribs Nos. 0 and 2, front spar to main spar, Starboard, group (including Drg. Nos. 10-20 WC 5395, 10-20 WC 26683 and 10-20 WC 2681)										1	—	—	LA58
	10-20 WC 15217A	ANGLE , tank lining support, between front spar and stringer 1, inboard of rib No. 2, Port, assembly										1	—	—	LA58
	10-20 WC 15218A	ANGLE , tank lining support, between front spar and stringer 1, inboard of rib No. 2, Starboard, assembly										1	—	—	LA58
	10-20 WC 15219ND	ANGLE , bare, Port, 20 SWG										1	L.72	LM	LA58
	10-20 WC 15220ND	ANGLE , bare, Starboard, 20 SWG										1	L.72	LM	LA58
	AGS.2007/C/1	NUT , anchor, 2 BA										1	—	C	—
	AGS.2018/C/1	NUT , anchor, 2 BA										1	—	C	—
	10-20 WC 15205A	ANGLE , tank lining support, between stringers Nos. 1 and 2, inboard of rib No. 2, Port, assembly										1	—	—	LA58
	10-20 WC 15206A	ANGLE , tank lining support, between stringers Nos. 1 and 2, inboard of rib No. 2, Starboard, assembly										1	—	—	LA58
	10-20 WC 15207ND	ANGLE , bare, Port, 20 SWG										1	L.72	LM	LA58
	10-20 WC 15208ND	ANGLE , bare, Starboard, 20 SWG										1	L.72	LM	LA58
	11268 DHS.828/C/1	NUT , anchor, 2 BA										2	—	C	—
	10-20 WC 15201A	ANGLE , tank lining support, between stringers Nos. 2, 3, 4, 5 and 6, inboard of rib No. 2, Port, assembly										4	—	—	LA58
11268	10-20 WC 15202A	ANGLE , tank lining support, between stringers Nos. 2, 3, 4, 5 and 6, inboard of rib No. 2, Starboard, assembly										3	—	—	LA58
	10-20 WC 15203ND	ANGLE , bare, Port, 20 SWG										1	L.72	LM	LA58
	10-20 WC 15204ND	ANGLE , bare, Starboard, 20 SWG										1	L.72	LM	LA58
	DHS.828/C/1	NUT , anchor, 2 BA										2	—	C	—
	10-20 WC 15197A	ANGLE , tank lining support, between stringers Nos. 6 and 7, inboard of rib No. 2, Port, assembly										1	—	—	LA58

MAIN PLANES

WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Score or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
11268	10-20 WC 15198A	ANGLE, tank lining support, between stringers Nos. 6 and 7, inboard of rib No. 2, Starboard, assembly	1	—	—	LA58
	10-20 WC 15199ND	ANGLE, bare, Port, 20 SWG	1	L.72	LM	LA58
	10-20 WC 15200ND	ANGLE, bare, Starboard, 20 SWG	1	L.72	LM	LA58
	DHS.828/C/1	NUT, anchor, 2 BA	2	—	C	—
	10-20WC 15193A	ANGLE, tank lining support, between stringers Nos. 7 and 8, inboard of rib No. 2, Port, assembly	1	—	—	LA58
	10-20 WC 15194A	ANGLE, tank lining support, between stringers Nos. 7 and 8, inboard of rib No. 2, Starboard, assembly	1	—	—	LA58
	10-20 WC 15195ND	ANGLE, bare, Port, 20 SWG	1	L.72	LM	LA58
	10-20 WC 15196ND	ANGLE, bare, Starboard, 20 SWG	1	L.72	LM	LA58
	DHS.828/C/1	NUT, anchor, 2 BA	2	—	C	—
	10-20 WC 15189A	ANGLE, tank lining support, between stringer No. 8 and main spar, inboard of rib No. 2, Port, assembly	1	—	—	LA58
11268	10-20 WC 15190A	ANGLE, tank lining support, between stringer No. 8 and main spar, inboard of rib No. 2, Starboard, assembly	1	—	—	LA58
	10-20 WC 15191ND	ANGLE, bare, Port, 20 SWG	1	L.72	LM	LA58
	10-20 WC 15192ND	ANGLE, bare, Starboard, 20 SWG	1	L.72	LM	LA58
	DHS.828/C/1	NUT, anchor, 2 BA	2	—	C	—
	10-20 WC 40187A	BRACKET, air conditioning pipe clip, Starboard only, assembly (Mod. 335)	1	—	—	LA58
	10-20 WC 40189ND	BLOCK, packing, 0"-6 wide	1	LFS.21	LM	LA58
	10-20 WC 22231A	BRACKET, fairing sealing diaphragm, Port, assembly	1	—	—	LA58
	10-20 WC 22232A	BRACKET, fairing sealing diaphragm, Starboard, assembly	1	—	—	LA58
	10-20 WC 22229ND	BRACKET, bare, Port, 20 SWG	1	L.72	LM	LA58
	10-20 WC 22230ND	BRACKET, bare, Starboard, 20 SWG	1	L.72	LM	LA58
28M/11957	AGS.2007/C/1	NUT, anchor, 2 BA	1	—	C	—

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES

WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Score or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 6873	CAPPING , end, stringers Nos. 1 and 2, at joint strap, Port (For spares use 10-20 WC 26877ND)	2	DTD.683	—	LA58
11194	10-20 WC 26877ND	CAPPING , end, stringers Nos. 1 and 2, at joint strap, Port (Spares condition)	2	—	C	
	10-20 WC 6874	CAPPING , end, stringers Nos. 1 and 2, at joint strap, Starboard (For spares use 10-20 WC 26878ND)	1	DTD.683	—	LA58
11195	10-20 WC 26878ND	CAPPING , end, stringers Nos. 1 and 2, at joint strap, Starboard (Spares condition)	2	—	C	
		Attachments for 10-20 WC 6873 or 10-20 WC 6874, Capping :—				
28D/1212373	AS.1248/4E	Bolt, $\frac{1}{8}$ " BSF	3	—	C	
28D/1215685	A59/6E	Bolt, $\frac{1}{8}$ " BSF (at stringer No. 1)	1	—	C	
28D/1213605	A59/4G	Bolt, $\frac{1}{8}$ " BSF	2	—	C	
28D/1213606	A59/5G	Bolt, $\frac{1}{8}$ " BSF	1	—	C	
28D/1213607	A59/6G	Bolt, $\frac{1}{8}$ " BSF	4	—	C	
28D/1212341	A60/4G	Bolt, $\frac{1}{8}$ " BSF	4	—	C	
28D/1212342	A60/5G	Bolt, $\frac{1}{8}$ " BSF	2	—	C	
28M/1011475	A27/EP	Nut, $\frac{1}{8}$ " BSF	2	—	C	
28M/1006939	A27/GP	Nut, $\frac{1}{8}$ " BSF	5	—	C	
28M/14877	A58/GT	Nut, $\frac{1}{8}$ " BSF	10	—	C	
5041	10-20 WC 6891	Packing, shim	1	—	C	LA58
28W/9419405	SP.15/E	Washer	2	—	C	
28W/9419476	SP.15/G	Washer	13	—	C	
28W/9447767	SP.18/G	Washer	2	—	C	
	10-20 WC 6875	CAPPING , end, stringers Nos. 3 and 4, at joint strap, Port (For spares use 10-20 WC 26879ND)	2	DTD.683	—	LA58
11211	10-20 WC 26879ND	CAPPING , end, stringers Nos. 3 and 4, at joint strap, Port (Spares condition)	2	—	C	
	10-20 WC 6876	CAPPING , end, stringers Nos. 3 and 4, a joint strap, Starboard (For spares use 10-20 WC 26880ND)	2	DTD.683	—	LA58
11212	10-20 WC 26880ND	CAPPING , end, stringers Nos. 3 and 4, at joint strap Starboard (Spares condition)	2	—	C	

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Score or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
		Attachments for 10-20 WC 6875 or 10-20 WC 6876, Capping :-													
28D/1212373	AS.1248/4E	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	3	—	C	LA58
5196	DHS.492/6G	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28D/1215684	A59/5E	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28D/1213605	A59/4G	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28D/1213607	A59/6G	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	4	—	C	
28D/1213606	A59/5G	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28D/1212341	A60/4G	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	4	—	C	
28D/1212342	A60/5G	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28M/1011475	A27/EP	Nut, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28M/1006939	A27/GP	Nut, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	5	—	C	
28M/14877	A58/GT	Nut, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	10	—	C	
5041	10-20 WC 6891	Packing, shim	...	...	...	...	...	...	...	...	...	1	—	C	
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	2	—	C	
28W/9419476	SP.15/G	Washer	...	...	...	...	...	...	...	...	...	13	—	C	
28W/9419488	SP.16/G	Washer	...	...	...	...	...	...	...	...	...	2	—	C	
	10-20 WC 6877	CAPPING, end, stringers Nos. 5 and 6, at joint strap, Port (For spares use 10-20 WC 26881ND)										2	DTD.683	—	LA58
11192	10-20 WC 26881ND	CAPPING, end, stringers Nos. 5 and 6, at joint strap, Port (Spares condition)										2	—	C	
	10-20 WC 6878	CAPPING, end, stringers Nos. 5 and 6, at joint strap, Starboard (For spares use 10-20 WC 26882ND)										2	DTD.683	—	LA58
11193	10-20 WC 26882ND	CAPPING, end, stringers Nos. 5 and 6, at joint strap, Starboard (Spares condition)										2	—	C	
		Attachments for 10-20 WC 6877 or 10-20 WC 6878, Capping :-													
28D/1212373	AS.1248/4E	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	4	—	C	LA58
5196	DHS.492/6G	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28D/1215684	A59/5E	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28D/1213605	A59/4G	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28D/1213606	A59/5G	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	3	—	C	
28D/1213607	A59/6G	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	4	—	C	
28D/1212341	A60/4G	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	4	—	C	
28D/1212342	A60/5G	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28M/1011475	A27/EP	Nut, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28M/1006939	A27/GP	Nut, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	7	—	C	
28M/14877	A58/GT	Nut, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	10	—	C	
5042	10-20 WC 6893	Packing, shim	...	...	...	...	...	...	...	...	...	1	—	C	
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	2	—	C	
28W/9419476	SP.15/G	Washer	...	...	...	...	...	...	...	...	...	15	—	C	
28W/9419488	SP.16/G	Washer	...	...	...	...	...	...	...	...	...	2	—	C	

RESTRICTED

Page LA156
(Issued with A.L.75)

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 6879	CAPPING , end, stringers Nos. 7 and 8, at joint strap, Port (For spares use 10-20 WC 26931ND)	2	DTD.683	—	LA58
11241	10-20 WC 26931ND	CAPPING , end, stringers Nos. 7 and 8, at joint strap, Port (Spares condition)	2	—	C	
	10-20 WC 6880	CAPPING , end, stringers Nos. 7 and 8, at joint strap, Starboard (For spares use 10-20 WC 26932ND)	2	DTD.683	—	LA58
11242	10-20 WC 26932ND	CAPPING , end, stringers Nos. 7 and 8, at joint strap, Starboard (Spares condition)	2	—	C	
		Attachments for 10-20 WC 6879 or 10-20 WC 6880, Capping :—				
28D/1212373	AS.1248/4E	Bolt, $\frac{1}{8}$ " BSF	4	—	C	
5198	DHS.492/4G	Bolt, $\frac{1}{8}$ " BSF	2	—	C	
28D/1215684	A59/5E	Bolt, $\frac{1}{8}$ " BSF	2	—	C	
28D/1213605	A59/4G	Bolt, $\frac{1}{8}$ " BSF	2	—	C	
28D/1213606	A59/5G	Bolt, $\frac{1}{8}$ " BSF	2	—	C	
28D/1213607	A59/6G	Bolt, $\frac{1}{8}$ " BSF	5	—	C	
28D/1212341	A60/4G	Bolt, $\frac{1}{8}$ " BSF	2	—	C	
28D/1212342	A60/5G	Bolt, $\frac{1}{8}$ " BSF	2	—	C	
28D/1212343	A60/6G	Bolt, $\frac{1}{8}$ " BSF	2	—	C	
28M/1011475	A27/EP	Nut, $\frac{1}{8}$ " BSF	2	—	C	
28M/1006939	A27/GP	Nut, $\frac{1}{8}$ " BSF	6	—	C	
28M/14877	A58/GT	Nut, $\frac{1}{8}$ " BSF	11	—	C	
5042	10-20 WC 6893	Packing, shim	1	—	C	LA58
28W/9419405	SP.15/E	Washer	2	—	C	
28W/9419476	SP.15/G	Washer	15	—	C	
28W/9419488	SP.16/G	Washer	2	—	C	

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description 1 2 3 4 5 6 7 8 9 10	No. off	Material Specification	Class of Store or L.M.	Plate No.
	10-20 WC 6991A	PANEL, skin, Port, assembly (For spares use 10-20 WC 28209A/ND)	1	—	—	LA58
12942	10-20 WC 28209A/ND	PANEL, skin, Port, assembly (Spares condition) ...	1	—	P	
	10-20 WC 6992A	PANEL, skin, Starboard, assembly (For spares use 10-20 WC 28210A/ND)	1	—	—	LA58
12943	10-20 WC 28210A/ND	PANEL, skin, Starboard, assembly (Spares condition) Spares for :—	1	—	P	
	10-20 WC 17695	BEAM, aft strut support, Port ...	1	DTD.298	—	LA58
	10-20 WC 17696	BEAM, aft strut support, Starboard ...	1	DTD.298	—	LA58
	10-20 WC 17711	BEAM, forward strut support, Port ...	1	DTD.298	—	LA58
	10-20 WC 17712	BEAM, forward strut support, Starboard ...	1	DTD.298	—	LA58
		Attachments for 10-20 WC 17695, 10-20 WC 17696, 10-20 WC 17711 or 10-20 WC 17712, Beam :—				
2347	DHS.358/3½C	Bolt, 2 BA ...	4	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA ...	4	—	C	
28VV/9419402	SP.13/C	Washer ...	4	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Score or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 24319A	BRACKET, mounting, electric cable bridge, assembly	4	—	—	LA58
28M/9435067	10-20 WC 24321ND	BRACKET, bare, 18 SWG	1	L.72	LM	LA58
	AGS.2008/C/1	NUT, anchor, 2 BA	1	—	C	
	—	BRACKET, toggle fastener, inboard of rib No. 1, group	1	—	—	
4385	DHS.358/2½E	BOLT, 1" BSF	1	—	C	
4384	DHS.358/3½E	BOLT, 1" BSF	2	—	C	
4243	10-20 WC 11225	BRACKET	1	—	C	LA59
7533	10-20 WC 8859	PIN	1	—	C	LA59
28P/9527619	SP.90/C7	PIN, split (SP.9/C8)	1	—	C	
	10-20 WC 18375	PACKING, reinforcing plate, 14 SWG, Port	4	L.72	LM	LA59
		Starboard	2	L.72	LM	LA59
	10-20 WC 6985ND	PLATE, reinforcing, at filler neck in bag tank No. 1, 10 SWG	1	DTD.687	—	LA59
		Attachments for 10-20 WC 6985ND, Plate :—				
3239	DHS.382/2½E	Bolt, 1" BSF	8	—	C	
2227	DHS.983/E	Nut, 1" BSF	8	—	C	
	10-20 WC 6981ND	PLATE, reinforcing, in way of cut-off switch in bag tank No. 1	1	DTD.687	—	LA59
		Attachments for 10-20 WC 6981ND, Plate :—				
28D/9133012	A25/3C	Bolt, 2 BA	4	—	C	
3239	DHS.382/2½E	Bolt, 1" BSF	8	—	C	
2227	DHS.983/E	Nut, 1" BSF	8	—	C	
28M/1006473	A27/CT	Nut, 2 BA	4	—	C	
28W/9419475	SP.15/C	Washer	4	—	C	

RESTRICTED

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Score or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 14711ND	PLATE , reinforcing in way of hot air branch pipe, Port										1	DTD.687	—	LA59
	10-20 WC 14712ND	PLATE , reinforcing in way of hot air branch pipe, Starboard										1	DTD.687	—	LA59
		Attachments for 10-20 WC 14711ND or 10-20 WC 14712ND Plate :—													
28D/9133012	A25/3C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	7	—	C	
3228	DHS.382/3E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	3	S.96	C	
2227	DHS.983/E	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	3	L.65	C	
28M/1006473	A27/CT	Nut, 2 BA	...	...	...	...	...	...	...	...	...	7	—	C	
	10-20 WC 6983ND	PLATE , reinforcing in way of vent pipe, Port only										1	DTD.687	—	LA59
		Attachments for 10-20 WC 6983ND, Plate :—													
28D/9133012	A25/3C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	4	—	C	
3239	DHS.382/2½E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	8	S.96	C	
2227	DHS.983/E	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	8	L.65	C	
28M/1006473	A27/CT	Nut, 2 BA	...	...	...	...	...	...	...	...	...	4	—	C	
28W/9419475	SP.15/C	Washer	...	...	...	...	...	...	...	...	...	4	—	C	
	10-20 WC 6897ND	PLATE , reinforcing, in way of vent pipe, Port										1	DTD.687	—	LA59
	10-20 WC 6898ND	PLATE , reinforcing, in way of vent pipe, Starboard										1	DTD.687	—	LA59
		Attachments for 10-20 WC 6897ND or 10-20 WC 6898ND, Plate :—													
3239	DHS.382/2½E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	2	S.96	C	
3237	DHS.382/4½E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	3	S.96	C	
28D/15562	A59/4E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28D/15711	A59/6E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28D/16541	A59/5G	Bolt, 1½" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28D/16586	A59/6G	Bolt, 1½" BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28D/15533	A60/5G	Bolt, 1½" BSF	...	...	...	...	...	...	...	...	...	3	—	C	
2227	DHS.983/E	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	2	L.65	C	
28M/12928	A27/EP	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28M/1006930	A27/GP	Nut, 1½" BSF	...	...	...	...	...	...	...	...	...	3	—	C	
28M/12931	A27/ET	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	3	—	C	
28M/14877	A58/GT	Nut, 1½" BSF	...	...	...	...	...	...	...	...	...	3	—	C	
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	7	—	C	
28W/9419476	SP.15/G	Washer	...	...	...	...	...	...	...	...	...	6	—	C	
	10-20 WC 24043ND	PLATE , stiffener, at reinforcing plate, Port only, 24 SWG										1	DTD.746	LM	LA59
	10-20 WC 5251	RING , joint, hot air pipe										1	L.65	—	LA59
	10-20 WC 5253	RING , reinforcing, hot air pipe, Port										1	L.65	—	LA59
	10-20 WC 5254	RING , reinforcing, hot air pipe, Starboard										1	L.65	—	LA59
		Attachments for 10-20 WC 5253 or 10-20 WC 5254 Ring :—													
28D/9133012	A25/3C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	3	—	C	
3228	DHS.382/3E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	4	S.96	C	
2227	DHS.983/E	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	4	L.65	C	
28M/1006473	A27/CT	Nut, 2 BA	...	...	...	...	...	...	...	...	...	3	—	C	
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	4	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	QTY	Part No.	QTY	Part No.	QTY
		1 2 3 4 5 6 7 8 9 10					
	10-20 WC 18077	RING, packing, reinforcing plate in way of cut-off switch, 10 SWG	1	L72	LM	LA59	
	10-20 PT 23A	RING, sealing, cut-off switch, assembly ...	1	—	—	LA59	
		Attachments for 10-20 WC 6991A or 10-20 WC 6992A, Panel :— at diagonal rib (Drg. No. 10-20 WC 5947 and 10-20 WC 5948) :—					
14212	DHS.1063/2½E	Bolt, ½" BSF	5	—	C		
15548	DHS.1063/3E	Bolt, ½" BSF	4	—	C		
15549	DHS.1063/3½E	Bolt, ½" BSF	5	—	C		
28M/13376	A29/EP	Nut, ½" BSF	14	—	C		
28W/9419405	SP.15/E	Washer	14	—	C		
		at front spar (Drg. No. 10-20 WC 16121) :—					
1793	DHS.365/5E	Bolt, ½" BSF	4	—	C		
3237	DHS.382/4½E	Bolt, ½" BSF	15	—	C		
3235	DHS.382/5E	Bolt, ½" BSF	2	—	C		
15527	DHS.1001/3½E	Bolt, ½" BSF	10	—	C		
14213	DHS.1001/4E	Bolt, ½" BSF	5	—	C		
15528	DHS.1001/4½E	Bolt, ½" BSF	4	—	C		
11929	DHS.1082/5E	Bolt, ½" BSF	5	—	C		
3234	DHS.365/4½G	Bolt, ½" BSF	22	—	C		
2227	DHS.983/E	Nut, ½" BSF	36	—	C		
28M/10282	AGS.2001/E/3	Nut, ½" BSF	5	—	C		
28M/7002430	AGS.2002/E/1	Nut, ½" BSF	4	—	C		
2220	DHS.383/G	Nut, ½" BSF	9	—	C		
28M/10291	AGS.2001/G/1	Nut, ½" BSF	4	—	C		
28M/10283	AGS.2001/G/3	Nut, ½" BSF	9	—	C		
28W/9418921	SP.13/E	Washer	4	—	C		
28W/9419405	SP.15/E	Washer	5	—	C		
		at main spar and joint strap between ribs Nos. 1 and 2 (Drg. Nos. 10-20 WC 15641, 10-20 WC 6143 and 10-20 WC 6451) :—					
2722	DHS.365/3EE	Bolt, ½" BSF	15	—	C		
2723	DHS.365/3½EE	Bolt, ½" BSF	2	—	C		
3413	DHS.365/3½E	Bolt, ½" BSF	4	—	C		
26DV/5897	DHS.365/4E	Bolt, ½" BSF	6	—	C		
2726	DHS.365/4½E	Bolt, ½" BSF	4	—	C		
1793	DHS.365/5E	Bolt, ½" BSF	3	—	C		
3414	DHS.365/5½E	Bolt, ½" BSF	4	—	C		
1794	DHS.365/6E	Bolt, ½" BSF	2	—	C		
3592	DHS.365/6½E	Bolt, ½" BSF	2	—	C		
3810	DHS.365/7E	Bolt, ½" BSF	3	—	C		
5422	DHS.365/7½E	Bolt, ½" BSF	2	—	C		
1795	DHS.365/8E	Bolt, ½" BSF	3	—	C		
5184	DHS.365/8½E	Bolt, ½" BSF	1	—	C		
5185	DHS.365/9½E	Bolt, ½" BSF	1	—	C		
5173	DHS.365/11E	Bolt, ½" BSF	1	—	C		
26FC/11711	DHS.365/6G	Bolt, ½" BSF	3	—	C		
2244	DHS.365/6½G	Bolt, ½" BSF	3	—	C		

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Score or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
5174	DHS.365/8G	Bolt, $\frac{3}{16}$ "	BSF	...	...	...	...	...	...	...	...	4	—	C	LA59 LA59
2355	DHS.365/10 $\frac{1}{2}$ G	Bolt, $\frac{1}{8}$ "	BSF	...	...	...	...	...	...	...	...	10	—	C	
2471	DHS.382/6G	Bolt, $\frac{5}{16}$ "	BSF	...	...	...	...	...	...	...	...	8	—	C	
2472	DHS.382/8G	Bolt, $\frac{1}{8}$ "	BSF	...	...	...	...	...	...	...	...	3	—	C	
4394	DHS.382/10 $\frac{1}{2}$ G	Bolt, $\frac{1}{8}$ "	BSF	...	...	...	...	...	...	...	...	5	—	C	
12392	DHS.987/8G	Bolt, $\frac{1}{8}$ "	BSF	...	...	...	...	...	...	...	...	2	—	C	
15540	DHS.1001/4 $\frac{1}{2}$ G	Bolt, $\frac{1}{8}$ "	BSF	...	...	...	...	...	...	...	...	17	—	C	
28D/16974	A59/8G	Bolt, $\frac{1}{8}$ "	BSF	...	...	...	...	...	...	...	...	7	—	C	
28D/9434879	A59/11G	Bolt, $\frac{1}{8}$ "	BSF	...	...	...	...	...	...	...	...	33	—	C	
6347	10-20 WC 21759	Bolt, $\frac{1}{8}$ " and 2 BA threads	...	...	...	...	...	...	...	...	...	1	—	C	
6348	10-20 WC 21761	Bolt, $\frac{1}{8}$ " and 2 BA threads	...	...	...	...	...	...	...	...	...	1	—	C	
2227	DHS.983/E	Nut, $\frac{1}{8}$ "	BSF	...	...	...	...	...	...	...	...	53	—	C	
2220	DHS.383/G	Nut, $\frac{1}{8}$ "	BSF	...	...	...	...	...	...	...	...	46	—	C	
28M/10291	AGS.2001/G/1	Nut, $\frac{1}{8}$ "	BSF	...	...	...	...	...	...	...	...	43	—	C	
28M/1011470	A27/GT	Nut, $\frac{1}{8}$ "	BSF	...	...	...	...	...	...	...	...	8	—	C	
28W/9419476	SP.15/G	Washer	...	...	...	...	...	...	...	...	...	73	—	C	
(at rib No. 1, Drg. Nos. 10-20 WC 5947, 10-20 WC 5948 and 10-20 WC 6541) :-															
4152	DHS.365/15C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	2	—	C	LA59 LA59
4386	DHS.365/17C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	1	—	C	
4387	DHS.365/18 $\frac{1}{2}$ C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	1	—	C	
4388	DHS.365/19C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	1	—	C	
4389	DHS.365/22C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	1	—	C	
4390	DHS.365/24 $\frac{1}{2}$ C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	1	—	C	
4391	DHS.365/26 $\frac{1}{2}$ C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	1	—	C	
1657	DHS.365/3E	Bolt, $\frac{1}{8}$ "	BSF	...	...	...	...	...	...	...	...	20	—	C	
3413	DHS.365/3 $\frac{1}{2}$ E	Bolt, $\frac{1}{8}$ "	BSF	...	...	...	...	...	...	...	...	9	—	C	
26DV/5897	DHS.365/4E	Bolt, $\frac{1}{8}$ "	BSF	...	...	...	...	...	...	...	...	6	—	C	
3192	DHS.365/4G	Bolt, $\frac{1}{8}$ "	BSF	...	...	...	...	...	...	...	...	49	—	C	
28M/1011475	A27/EP	Nut, $\frac{1}{8}$ "	BSF	...	...	...	...	...	...	...	...	29	—	C	
28M/9403520	A27/CP	Nut, 2 BA	...	...	...	...	...	...	...	...	...	8	—	C	
28M/10288	AS.2001/C/1	Nut, 2 BA	...	...	...	...	...	...	...	...	...	2	—	C	
28M/10290	AGS.2001/E/1	Nut, $\frac{1}{8}$ "	BSF	...	...	...	...	...	...	...	...	6	—	C	
28M/10291	AGS.2001/G/1	Nut, $\frac{1}{8}$ "	BSF	...	...	...	...	...	...	...	...	49	—	C	
28W/9419475	SP.15/C	Washer	...	...	...	...	...	...	...	...	...	8	—	C	
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	35	—	C	
28W/9419476	SP.15/G	Washer	...	...	...	...	...	...	...	...	...	49	—	C	
(at rib No. 0, see " top centre line joint strap ")															
(at rib No. 2, Drg. Nos. 10-20 WC 2681 and 10-20 WC 6541) :-															
2729	DHS.365/3 $\frac{1}{2}$ C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	5	—	C	LA59 LA59
1653	DHS.365/2E	Bolt, $\frac{1}{8}$ "	BSF	...	...	...	...	...	...	...	...	3	—	C	
2722	DHS.365/EE	Bolt, $\frac{1}{8}$ "	BSF	...	...	...	...	...	...	...	...	3	—	C	
2723	DHS.365/3 $\frac{1}{2}$ EE	Bolt, $\frac{1}{8}$ "	BSF	...	...	...	...	...	...	...	...	1	—	C	
1793	DHS.365/5E	Bolt, $\frac{1}{8}$ "	BSF	...	...	...	...	...	...	...	...	20	—	C	
4400	DHS.365/3G	Bolt, $\frac{5}{16}$ "	BSF	...	...	...	...	...	...	...	...	50	—	C	
3192	DHS.365/4G	Bolt, $\frac{5}{16}$ "	BSF	...	...	...	...	...	...	...	...	33	—	C	
3195	DHS.365/5G	Bolt, $\frac{5}{16}$ "	BSF	...	...	...	...	...	...	...	...	14	—	C	
26FC/11711	DHS.365/5 $\frac{1}{2}$ G	Bolt, $\frac{5}{16}$ "	BSF	...	...	...	...	...	...	...	...	1	—	C	
4563	DHS.365/6G	Bolt, $\frac{5}{16}$ "	BSF	...	...	...	...	...	...	...	...	16	—	C	
3239	DHS.382/2 $\frac{1}{2}$ E	Bolt, $\frac{1}{4}$ "	BSF	...	...	...	...	...	...	...	...	24	—	C	
3228	DHS.382/3E	Bolt, $\frac{1}{4}$ "	BSF	...	...	...	...	...	...	...	...	8	—	C	
3198	DHS.382/3 $\frac{1}{2}$ E	Bolt, $\frac{1}{4}$ "	BSF	...	...	...	...	...	...	...	...	26	—	C	
2474	DHS.382/4E	Bolt, $\frac{1}{4}$ "	BSF	...	...	...	...	...	...	...	...	8	—	C	
	DHS.492/9 $\frac{1}{2}$ E	Bolt, $\frac{1}{4}$ "	BSF	...	...	...	...	...	...	...	...	16	—	C	
5200	DHS.492/5G	Bolt, $\frac{1}{4}$ "	BSF	...	...	...	...	...	...	...	...	16	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
5199	DHS.492/5½G	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	88	—	C	LA58
5196	DHS.492/6G	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	16	—	C	
5205	DHS.395/10E	Bolt, sealed, ½" BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28M/9403520	A27/CP	Nut, 2 BA	...	...	...	...	...	...	...	...	...	5	—	C	
2227	DHS.983/E	Nut, ½" BSF	...	...	...	...	...	...	...	...	...	16	—	C	
28M/10290	AGS.2001/E/1	Nut, ½" BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28M/12928	A27/EP	Nut, ½" BSF	...	...	...	...	...	...	...	...	...	19	—	C	
11942	10-20 WC 27033	Nut, special, ½" BSF	...	...	...	...	...	...	...	...	...	32	—	C	
3190	DHS.983/G	Nut, ½" BSF	...	...	...	...	...	...	...	...	...	14	—	C	
28M/10291	AGS.2001/G/1	Nut, ½" BSF	...	...	...	...	...	...	...	...	...	8	—	C	
28M/1006939	A27/GP	Nut, ½" BSF	...	...	...	...	...	...	...	...	...	217	—	C	LA58
	10-20 WC 15349	Plate, strap, Port	...	...	...	...	...	...	...	...	...	3	DHA.380	—	
	10-20 WC 15350	Plate, strap, Starboard	...	...	...	...	...	...	...	...	...	3	DHA.380	—	
	10-20 WC 17383	Plate, strap, Port	...	...	...	...	...	...	...	...	...	3	DHA.380	—	
	10-20 WC 17384	Plate, strap, Starboard	...	...	...	...	...	...	...	...	...	3	DHA.380	—	
	10-20 WC 17385	Plate, strap, Port	...	...	...	...	...	...	...	...	...	5	DHA.380	—	
	10-20 WC 17386	Plate, strap, Starboard	...	...	...	...	...	...	...	...	...	5	DHA.380	—	
	10-20 WC 17387	Plate, strap, Port	...	...	...	...	...	...	...	...	...	5	DHA.380	—	
	10-20 WC 17388	Plate, strap, Starboard	...	...	...	...	...	...	...	...	...	5	DHA.380	—	
26DL/5611	DHS.402/E	Seal	...	...	...	...	...	...	...	...	...	1	—	C	LA59
28W/9419404	SP.16/C	Washer	...	...	...	...	...	...	...	...	...	3	—	C	
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	3	—	C	
28W/9419476	SP.15/G	Washer	...	...	...	...	...	...	...	...	...	156	—	C	
	10-20 WC 4399	STRAP, joint, at rib No. 0, Port (For spares use 10-20 WC 26911ND)	...	...	...	...	...	...	...	...	...	1	—	—	
11226	10-20 WC 26911ND	STRAP, joint, at rib No. 0, Port (Spares condition)	...	...	...	...	...	...	...	...	...	1	—	C	
	10-20 WC 4400	STRAP, joint, at rib No. 0, Starboard (For spares use 10-20 WC 26912ND)	...	...	...	...	...	...	...	...	...	1	—	—	
11227	10-20 WC 26912ND	STRAP, joint, at rib No. 0, Starboard (Spares condition)	...	...	...	...	...	...	...	...	...	1	—	C	
		Attachments for 10-20 WC 4399 or 10-20 WC 4400, Strap:—	...	...	...	...	...	...	...	...	...				
28D/1011238	A25/3E	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	3	—	C	LA59
28D/15244	A59/3E	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	7	—	C	
28D/15562	A59/4E	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	9	—	C	
5197	DHS.492/4E	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	8	—	C	
28D/19780	A59/2G	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28D/9434877	A59/3G	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28D/16541	A59/5G	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	12	—	C	
28D/16586	A59/6G	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	6	—	C	
28D/1011255	A25/3G	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	13	—	C	
5198	DHS.492/4G	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	9	—	C	
5196	DHS.492/6G	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	3	—	C	LA59
5953	DHS.492/7G	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	3	—	C	
5858	10-20 WC 13291	Bolt, ½" BSF (per pair)	...	...	...	...	...	...	...	...	...	6	—	C	
7510	10-20 WC 23015	Bolt, ½" BSF (per pair)	...	...	...	...	...	...	...	...	...	24	—	C	
11751	10-20 WC 24969	Bolt, shouldered, ½" and ⅝" BSF, at main spar, Port only	...	...	...	...	...	...	...	...	...	1	—	C	
28M/1011475	A27/EP	Nut, ½" BSF	...	...	...	...	...	...	...	...	...	27	—	C	
28M/1006939	A27/GP	Nut, ½" BSF	...	...	...	...	...	...	...	...	...	38	—	C	
5859	10-20 WC 7531	Nut, ½" BSF (per pair)	...	...	...	...	...	...	...	...	...	6	—	C	
7511	10-20 WC 23127	Nut, ½" BSF (per pair)	...	...	...	...	...	...	...	...	...	24	—	C	
28M/14877	A58/GT	Nut, ½" BSF	...	...	...	...	...	...	...	...	...	11	—	C	
28P/9429652	SP.9/E10	Pin, split (per pair)	...	...	...	...	...	...	...	...	...	30	—	C	LA59
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	24	—	C	
28W/9419487	SP.16/E	Washer	...	...	...	...	...	...	...	...	...	3	—	C	
28W/9419476	SP.15/G	Washer	...	...	...	...	...	...	...	...	...	49	—	C	
5857	10-20 WC 11731	Washer (per pair)	...	...	...	...	...	...	...	...	...	24	—	C	
5860	10-20 WC 11733	Washer (per pair)	...	...	...	...	...	...	...	...	...	6	—	C	
7512	10-20 WC 23125	Washer (per pair)	...	...	...	...	...	...	...	...	...	24	—	C	

RESTRICTED

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 28829A	PANEL , skin, top, between ribs Nos. 2 and 4, front spar to main spar, Port, assembly (For spares use 10-20 WC 30201A/ND)	1	—	—	LA60
15255	10-20 WC 30201A/ND	PANEL , skin, between ribs Nos. 2 and 4, front spar to main spar, top, Port, assembly (Spares condition)	1	—	P	
	10-20 WC 28830A	PANEL , skin, between ribs Nos. 2 and 4, top, Starboard, assembly (For spares use 10-20 WC 30202A/ND)	1	—	—	LA60
15256	10-20 WC 30202A/ND	PANEL , skin, between ribs Nos. 2 and 4, top, Starboard, assembly (Spares condition)	1	—	P	
		Spares for:—				
4922	DHS.395/5E	BOLT , sealed, $\frac{1}{4}$ " BSF ...	21	—	C	
4357	DHS.395/3E	BOLT , sealed, $\frac{1}{4}$ " BSF ...	8	—	C	
4356	DHS.395/3EE	BOLT , sealed, $\frac{1}{4}$ " BSF ...	18	—	C	
4358	DHS.395/4EE	BOLT , sealed, $\frac{1}{4}$ " BSF ...	16	—	C	
4909	DHS.395/4 $\frac{1}{2}$ EE	BOLT , sealed, $\frac{1}{4}$ " BSF ...	4	—	C	
4359	DHS.395/5EE	BOLT , sealed, $\frac{1}{4}$ " BSF ...	31	—	C	
4352	DHS.395/5 $\frac{1}{2}$ EE	BOLT , sealed, $\frac{1}{4}$ " BSF ...	11	—	C	
4353	DHS.395/6EE	BOLT , sealed, $\frac{1}{4}$ " BSF ...	11	—	C	
4346	DHS.395/6 $\frac{1}{2}$ EE	BOLT , sealed, $\frac{1}{4}$ " BSF ...	7	—	C	
11482	DHS.395/4 $\frac{1}{2}$ GG	BOLT , sealed, $\frac{3}{16}$ " BSF ...	8	—	C	
5970	DHS.395/5GG	BOLT , sealed, $\frac{3}{16}$ " BSF ...	4	—	C	
4345	DHS.395/5 $\frac{1}{2}$ GG	BOLT , sealed, $\frac{3}{16}$ " BSF ...	6	—	C	
4354	DHS.395/6GG	BOLT , sealed, $\frac{3}{16}$ " BSF ...	10	—	C	
4347	DHS.395/6 $\frac{1}{2}$ GG	BOLT , sealed, $\frac{3}{16}$ " BSF ...	22	—	C	
4348	DHS.395/7GG	BOLT , sealed, $\frac{3}{16}$ " BSF ...	10	—	C	
4349	DHS.395/7 $\frac{1}{2}$ GG	BOLT , sealed, $\frac{3}{16}$ " BSF ...	9	—	C	
4350	DHS.395/9GG	BOLT , sealed, $\frac{3}{16}$ " BSF ...	5	—	C	
	HESTAIR					
	J.59-M.41	CAP , filler, assembly ...	1	—	—	LA60
	HESTAIR					
6407	J.59-M.45	BASE ...	1	—	C	LA60
	—	CABLE , retaining ...	1	—	LM	LA60
	HESTAIR					
6408	J.59-M.47	CAP , filler, assembly ...	1	—	P	LA60
		Spares for:—				
	AS.2594	LEVER ...	1	DTD.423	—	LA60
	AS.2595	LEVER ...	1	DTD.423	—	LA60
6387	AS.3375	PIN ...	1	—	C	LA60
	AS.3037	PIN ...	1	S.1	—	LA60
6388	AS.3371	SPRING ...	1	—	C	LA60
	AS.3394	LINK , retaining ...	1	DTD.215	LM	LA60
	HESTAIR					
	J.59-M.49	PIN , cable retaining ...	1	DTD.423	—	LA60
6385	AS.5364	RING , filler sealing ...	1	—	C	LA60
6406	J.59-M.11	RING , skin sealing ...	1	DHA.60/2	C	LA60
6386	AS.6322	SOCKET , bonding ...	1	—	C	LA60
		Attachments for J.59-M.41, Cap:—				
		Bolt, 2 BA ...	12	—	C	
28D/10168	AS.1242/11C OR HESTAIR J.59-M.63	CAP , filler, assembly ...	1	—	—	LA60

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	1	2	3	4	5	6	7	8	9	10	QTY	UNIT	REMARKS	LA60
6407	HESTAIR J.59-M.45	BASE	...	...	...	...	...	...	...	...	...	1	—	C	LA60
	—	CABLE, retaining	...	...	...	...	...	...	...	...	...	1	—	LM	LA60
6408	HESTAIR J.59-M.47	CAP, filler, assembly	...	...	...	...	...	...	...	...	...	1	—	P	LA60
		Spares for :—													
	AS.2594	LEVER	...	...	...	...	...	...	...	...	...	1	DTD.423	—	LA60
	AS.2595	LEVER	...	...	...	...	...	...	...	...	...	1	DTD.423	—	LA60
6387	AS.3375	PIN	...	...	...	...	...	...	...	...	...	1	—	C	LA60
	AS.3037	PIN	...	...	...	...	...	...	...	...	...	1	S.1	C	LA60
6388	AS.3371	SPRING	...	...	...	...	...	...	...	...	...	1	—	C	LA60
	AS.3394	LINK, retaining	...	...	...	...	...	...	...	...	...	1	DTD.215	LM	LA60
	HESTAIR J.59-M.65	PIN, cable retaining	...	...	...	...	...	...	...	...	...	1	DTD.423	—	LA60
6385	AS.5364	RING, filler, sealing	...	...	...	...	...	...	...	...	...	1	—	C	LA60
6406	HESTAIR J.59-M.11	RING, skin, sealing	...	...	...	...	...	...	...	...	...	1	—	C	LA60
6386	AS.6322	SOCKET, bonding	...	...	...	...	...	...	...	...	...	1	—	C	LA60
		Attachments for Hestair J.59-M.63, Cap :—													
28D/10168	AS.1242/11C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	12	—	C	
	10-20 WC 9353	CAPPING, end, stringers Nos. 1 and 2, Port	...	...	...	...	...	...	...	...	...	2	DHA.77	—	LA60
	10-20 WC 9354	CAPPING, end, stringers Nos. 1 and 2, Starboard	...	...	...	...	...	...	...	...	...	2	DHA.77	—	LA60
		Attachments for 10-20 WC 9353 or 10-20 WC 9354, Capping :—													
4343	A25/3G/DHS.514/D	Bolt, 5/16" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
4344	A25/4G/DHS.514/D	Bolt, 5/16" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
4353	DHS.395/6EE	Bolt, 1/2" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
11482	DHS.395/4 1/2 GG	Bolt, 5/16" BSF	...	...	...	...	...	...	...	...	...	4	—	C	
5970	DHS.395/5GG	Bolt, 5/16" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
4345	DHS.395/5 1/2 GG	Bolt, 5/16" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
4347	DHS.395/6 1/2 GG	Bolt, 5/16" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
4348	DHS.395/7GG	Bolt, 5/16" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
4349	DHS.395/7 1/2 GG	Bolt, 5/16" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
4350	DHS.395/9GG	Bolt, 5/16" BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28M/12931	A27/ET	Nut, 1/2" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28M/1011470	A27/ET	Nut, 1/2" BSF	...	...	...	...	...	...	...	...	...	19	—	C	
	10-20 WC 6461	Plate, nut	...	...	...	...	...	...	...	...	...	1	S.92	—	LA60
	10-20 WC 17655	Shim (Fit between cap and stringer)	...	...	...	...	...	...	...	...	...	1	LA.3	—	LA60
28W/9419487	SP.16/E	Washer	...	...	...	...	...	...	...	...	...	2	—	C	
28W/9419488	SP.16/G	Washer	...	...	...	...	...	...	...	...	...	19	—	C	
	10-20 WC 9039	CAPPING, end, stringer No. 3, Port	...	...	...	...	...	...	...	...	...	1	DHA.77	—	LA60
	10-20 WC 9040	CAPPING, end, stringer No. 3, Starboard	...	...	...	...	...	...	...	...	...	1	DHA.77	—	LA60
		Attachments for 10-20 WC 9039 or 10-20 WC 9040, Capping :—													
	10-20 WC 15539	Block, tapped	...	...	...	...	...	...	...	...	...	1	L.65	—	LA60
4909	DHS.395/4 1/2 EE	Bolt, 1/2" BSF	...	...	...	...	...	...	...	...	...	4	—	C	
4359	DHS.395/5EE	Bolt, 1/2" BSF	...	...	...	...	...	...	...	...	...	4	—	C	
4352	DHS.395/5 1/2 EE	Bolt, 1/2" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
4353	DHS.395/6EE	Bolt, 1/2" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
	DHS.201/2EE/DHS.514/D	Bolt, 1/2" BSF	...	...	...	...	...	...	...	...	...	3	—	C	
4354	DHS.395/6GG	Bolt, 5/16" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
4347	DHS.395/6 1/2 GG	Bolt, 5/16" BSF	...	...	...	...	...	...	...	...	...	4	—	C	
4349	DHS.395/7 1/2 GG	Bolt, 5/16" BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28M/12931	A27/ET	Nut, 1/2" BSF	...	...	...	...	...	...	...	...	...	15	—	C	
28M/1011470	A27/GT	Nut, 1/2" BSF	...	...	...	...	...	...	...	...	...	7	—	C	
	10-20 WC 17651	Shim (Fit between cap and stringer)	...	...	...	...	...	...	...	...	...	1	LA.3	—	LA60
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	3	—	C	

RESTRICTED

MAIN PLANES WING CENTRE SECTION

28W/9419487	SP.16/E	Washer	...	...	...	...	...	12	—	C	
28W/9419488	SP.16/G	Washer	...	...	...	...	...	7	—	C	
	10-20 WC 28913	CAPPING , end, stringer No. 4, Port (For spares use 10-20 WC 30205ND)						1	—	—	LA60
15234	10-20 WC 30205ND	CAPPING , end, stringer No. 4, Port (Spares condition)						1	—	C	
	10-20 WC 28914	CAPPING , end, stringer No. 4, Starboard (For spares use 10-20 WC 30206ND)						1	—	—	LA60
15235	10-20 WC 30206ND	CAPPING , end, stringer No. 4, Starboard (Spares condition)						1	—	C	
Attachments for 10-20 WC 28913 or 10-20 WC 28914, Capping :—											
	10-20 WC 15539	Block, tapped $\frac{1}{4}$ " BSF	...	...	...	...	...	1	L.65	—	LA60
4359	DHS.395/5EE	Bolt, $\frac{1}{4}$ " BSF	...	...	...	...	...	4	—	C	
4352	DHS.395/5 $\frac{1}{2}$ EE	Bolt, $\frac{1}{4}$ " BSF	...	...	...	...	...	3	—	C	
4353	DHS.395/6EE	Bolt, $\frac{1}{4}$ " BSF	...	...	...	...	...	3	—	C	
9799	DHS.901/3EE	Bolt, $\frac{1}{4}$ " BSF (Lock to DHS.514/D)	...	...	...	...	...	3	—	C	
4354	DHS.395/6GG	Bolt, $\frac{5}{16}$ " BSF	...	...	...	...	...	1	—	C	
4347	DHS.395/6 $\frac{1}{2}$ GG	Bolt, $\frac{5}{16}$ " BSF	...	...	...	...	...	3	—	C	
4348	DHS.395/7GG	Bolt, $\frac{5}{16}$ " BSF	...	...	...	...	...	2	—	C	
4350	DHS.395/9GG	Bolt, $\frac{5}{16}$ " BSF	...	...	...	...	...	1	—	C	
28M/12931	A27/ET	Nut, $\frac{1}{4}$ " BSF	...	...	...	...	...	10	—	C	
28M/1011470	A27/GT	Nut, $\frac{5}{16}$ " BSF	...	...	...	...	...	7	—	C	
	10-20 WC 17651	Shim (Fit between cap and stringer)	...	...	...	...	...	1	LA.3	—	LA60
28W/9419405	SP.15/E	Washer	...	...	...	...	...	3	—	C	
28W/9419487	SP.16/E	Washer	...	...	...	...	...	10	—	C	
28W/9419488	SP.16/G	Washer	...	...	...	...	...	7	—	C	
	10-20 WC 9041	CAPPING , end, stringer No. 5, Port						1	DHA.77	—	LA60
	10-20 WC 9042	CAPPING , end, stringer No. 5, Starboard						1	DHA.77	—	LA60
Attachments for 10-20 WC 9041 or 10-20 WC 9042, Capping :—											
	10-20 WC 15539	Block, tapped, $\frac{1}{4}$ " BSF	...	...	...	...	...	1	L.65	—	LA60
4359	DHS.395/5EE	Bolt, $\frac{1}{4}$ " BSF	...	...	...	...	...	4	—	C	
4352	DHS.395/5 $\frac{1}{2}$ EE	Bolt, $\frac{1}{4}$ " BSF	...	...	...	...	...	2	—	C	
4353	DHS.395/6EE	Bolt, $\frac{1}{4}$ " BSF	...	...	...	...	...	2	—	C	
	DHS.201/2EE/ DHS.514/D	Bolt, $\frac{1}{4}$ " BSF	...	...	...	...	...	2	—	C	
13557	10-20 WC 27329	Bolt, shear, special	...	...	...	...	...	1	—	C	LA60
4354	DHS.395/6GG	Bolt, $\frac{5}{16}$ " BSF	...	...	...	...	...	2	—	C	
4347	DHS.395/6 $\frac{1}{2}$ GG	Bolt, $\frac{5}{16}$ " BSF	...	...	...	...	...	4	—	C	
4349	DHS.395/7 $\frac{1}{2}$ GG	Bolt, $\frac{5}{16}$ " BSF	...	...	...	...	...	1	—	C	
28M/12931	A27/ET	Nut, $\frac{1}{4}$ " BSF	...	...	...	...	...	8	—	C	
28M/1011470	A27/GT	Nut, $\frac{5}{16}$ " BSF	...	...	...	...	...	7	—	C	
	10-20 WC 17651	Shim (Fit between cap and stringer)	...	...	...	...	...	1	LA.3	—	LA60
28W/9419405	SP.15/E	Washer	...	...	...	...	...	3	—	C	
28W/9419487	SP.16/E	Washer	...	...	...	...	...	8	—	C	
28W/9419488	SP.16/G	Washer	...	...	...	...	...	7	—	C	
	10-20 WC 28915	CAPPING , end, stringer No. 6, Port (For spares use 10-20 WC 30203ND)						1	—	—	LA60
15232	10-20 WC 30203ND	CAPPING , end, stringer No. 6, Port (Spares condition)						1	—	C	
	10-20 WC 28916	CAPPING , end, stringer No. 6, Starboard (For spares use 10-20 WC 30204ND)						1	—	—	LA60
15233	10-20 WC 30204ND	CAPPING , end, stringer No. 6, Starboard (Spares condition)						1	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
		Attachments for 10-20 WC 28915 or 10-20 WC 28916,													
		Capping :—													
	10-20 WC 15539	Block, tapped, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	1	L.65	—	LA60
4359	DHS.395/5EE	Bolt, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	C	
4352	DHS.395/5 $\frac{1}{2}$ EE	Bolt, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
4353	DHS.395/6EE	Bolt, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
4346	DHS.395/6 $\frac{1}{2}$ EE	Bolt, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	C	
9799	DHS.901/3EE	Bolt, $\frac{1}{4}$ " BSF (Lock to DHS.514/D)	...	...	...	...	...	...	...	...	...	3	—	C	
4354	DHS.395/6GG	Bolt, $\frac{3}{16}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	C	
4347	DHS.395/6 $\frac{1}{2}$ GG	Bolt, $\frac{3}{16}$ " BSF	...	...	...	...	...	...	...	...	...	3	—	C	
4348	DHS.395/7GG	Bolt, $\frac{3}{16}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
4350	DHS.395/9GG	Bolt, $\frac{3}{16}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28M/12931	A27/ET	Nut, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	5	—	C	
28M/1011470	A27/GT	Nut, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	7	—	C	
	10-20 WC 17653	Shim (Fit between cap and stringer)	...	...	...	...	...	...	...	...	...	1	LA.3	—	LA60
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	4	—	C	
28W/9419487	SP.16/E	Washer	...	...	...	...	...	...	...	...	...	5	—	C	
28W/9419488	SP.16/G	Washer	...	...	...	...	...	...	...	...	...	7	—	C	
	10-20 WC 9355	CAPPING, end, stringer No. 7, Port	...	...	...	...	...	...	...	...	...	1	DHA.77	—	LA60
	10-20 WC 9356	CAPPING, end, stringer No. 7, Starboard	...	...	...	...	...	...	...	...	...	1	DHA.77	—	LA60
		Attachments for 10-20 WC 9355 or 10-20 WC 9356,													
		Capping :—													
4346	DHS.395/6 $\frac{1}{2}$ EE	Bolt, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
4343	A25/3G/DHS.514/D	Bolt, $\frac{3}{16}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
4344	A25/4G/DHS.514/D	Bolt, $\frac{3}{16}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
4345	DHS.395/5 $\frac{1}{2}$ GG	Bolt, $\frac{3}{16}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
4347	DHS.395/6 $\frac{1}{2}$ GG	Bolt, $\frac{3}{16}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
4348	DHS.395/7GG	Bolt, $\frac{3}{16}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
4349	DHS.395/7 $\frac{1}{2}$ GG	Bolt, $\frac{3}{16}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
4350	DHS.395/9GG	Bolt, $\frac{3}{16}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28M/12931	A27/ET	Nut, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28M/1011470	A27/GT	Nut, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	9	—	C	
	10-20 WC 6461	Place, nut	...	...	...	...	...	...	...	...	...	1	S.92	—	LA60
	10-20 WC 17655	Shim (Fit between cap and stringer)	...	...	...	...	...	...	...	...	...	1	LA.3	—	LA60
28W/9419476	SP.15/G	Washer	...	...	...	...	...	...	...	...	...	4	—	C	
28W/9419487	SP.16/E	Washer	...	...	...	...	...	...	...	...	...	2	—	C	
28W/9419488	SP.16/G	Washer	...	...	...	...	...	...	...	...	...	9	—	C	
	10-20 WC 9043	CAPPING, end, stringer No. 8, Port	...	...	...	...	...	...	...	...	...	1	DHA.77	—	LA60
	10-20 WC 9044	CAPPING, end, stringer No. 8, Starboard	...	...	...	...	...	...	...	...	...	1	DHA.77	—	LA60
		Attachments for 10-20 WC 9043 or 10-20 WC 9044,													
		Capping :—													
	10-20 WC 15539	Block, tapped, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	1	L.65	—	LA60
4352	DHS.395/5 $\frac{1}{2}$ EE	Bolt, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
4353	DHS.395/6EE	Bolt, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
	DHS.201/2EE/DHS.514/D	Bolt, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	3	—	C	
4354	DHS.395/6EE	Bolt, $\frac{3}{16}$ " BSF	...	...	...	...	...	...	...	...	...	4	—	C	
4347	DHS.395/6 $\frac{1}{2}$ GG	Bolt, $\frac{3}{16}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
4349	DHS.395/7 $\frac{1}{2}$ GG	Bolt, $\frac{3}{16}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28M/12931	A27/ET	Nut, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	4	—	C	
28M/1011470	A27/GT	Nut, $\frac{3}{8}$ " BSF	...	...	...	...	...	...	...	...	...	7	—	C	
28W/9419487	SP.16/E	Washer	...	...	...	...	...	...	...	...	...	7	—	C	
28W/9419488	SP.16/G	Washer	...	...	...	...	...	...	...	...	...	7	—	C	
2227	DHS.983/E	NUT, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	21	—	C	
28M/12931	A27/ET	NUT, $\frac{1}{4}$ " BSF	...	...	...	...	...	...	...	...	...	8	—	C	
26DL/5611	DHS.402/E	SEAL, bonded	...	...	...	...	...	...	...	...	...	29	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
		Attachments for 10-20 WC 28892A or 10-20 WC 28830A, Panel				
		at front spar :—				
2723	DHS.365/3 $\frac{1}{2}$ EE	Bolt, $\frac{1}{2}$ " BSF ...	13	—	C	
2736	DHS.365/4EE	Bolt, $\frac{1}{2}$ " BSF ...	1	—	C	
4361	DHS.365/3 $\frac{1}{2}$ GG	Bolt, $\frac{1}{2}$ " BSF ...	29	—	C	
2227	DHS.983/E	Nut, $\frac{1}{2}$ " BSF ...	12	—	C	
3190	DHS.983/G	Nut, $\frac{1}{2}$ " BSF ...	27	—	C	
28M/12931	A27/ET	Nut, $\frac{1}{2}$ " BSF ...	2	—	C	
28M/1011470	A27/GT	Nut, $\frac{1}{2}$ " BSF ...	2	—	C	
28W/9419405	SP.15/E	Washer ...	2	—	C	
28W/9419476	SP.15/G	Washer ...	2	—	C	
		at main spar :—				
2729	DHS.365/3 $\frac{1}{2}$ C	Bolt, 2 BA ...	5	—	C	
2348	DHS.358/4E	Bolt, $\frac{1}{2}$ " BSF ...	10	—	C	
2340	DHS.358/4 $\frac{1}{2}$ E	Bolt, $\frac{1}{2}$ " BSF ...	12	—	C	
2721	DHS.365/2 $\frac{1}{2}$ EE	Bolt, $\frac{1}{2}$ " BSF ...	23	—	C	
2722	DHS.365/3EE	Bolt, $\frac{1}{2}$ " BSF ...	21	—	C	
2723	DHS.365/3 $\frac{1}{2}$ EE	Bolt, $\frac{1}{2}$ " BSF ...	4	—	C	
2241	DHS.365/5EE	Bolt, $\frac{1}{2}$ " BSF ...	1	—	C	
9384	DHS.365/7EE	Bolt, $\frac{1}{2}$ " BSF ...	3	—	C	
9385	DHS.365/7 $\frac{1}{2}$ EE	Bolt, $\frac{1}{2}$ " BSF ...	2	—	C	
15508	DHS.365/4 $\frac{1}{2}$ GG	Bolt, $\frac{1}{2}$ " BSF ...	9	—	C	
4360	DHS.365/5GG	Bolt, $\frac{1}{2}$ " BSF ...	5	—	C	
5609	DHS.365/6 $\frac{1}{2}$ GG	Bolt, $\frac{1}{2}$ " BSF ...	2	—	C	
4366	DHS.365/7J	Bolt, $\frac{1}{2}$ " BSF ...	8	—	C	
3199	DHS.382/5 $\frac{1}{2}$ E	Bolt, $\frac{1}{2}$ " BSF ...	2	—	C	
3594	DHS.382/6 $\frac{1}{2}$ E	Bolt, $\frac{1}{2}$ " BSF ...	2	—	C	
3593	DHS.382/7E	Bolt, $\frac{1}{2}$ " BSF ...	2	—	C	
2227	DHS.983/E	Nut, $\frac{1}{2}$ " BSF ...	76	—	C	
28M/9403520	A27/CP	Nut, 2 BA ...	5	—	C	
28M/12931	A27/ET	Nut, $\frac{1}{2}$ " BSF ...	34	—	C	
28M/1011470	A27/GT	Nut, $\frac{1}{2}$ " BSF ...	16	—	C	
28M/1007404	A27/JT	Nut, $\frac{3}{8}$ " BSF ...	8	—	C	
28W/9419475	SP.15/C	Washer ...	5	—	C	
28W/9419476	SP.15/G	Washer ...	16	—	C	
28W/9419477	SP.15/J	Washer ...	8	—	C	
28W/9419487	SP.16/E	Washer ...	22	—	C	
		at rib No. 3 :—				
28D/1011256	A25/5G	Bolt, $\frac{7}{16}$ " BSF ...	6	—	C	
4236	10-20 WC 17591	Bolt, $\frac{1}{2}$ " BSF ...	5	S.98	C	
28M/1011470	A27/GT	Nut, $\frac{1}{2}$ " BSF ...	11	—	C	
2259	DHS.402/G	Seal ...	11	—	C	
28W/9419476	SP.15/C	Washer ...	6	—	C	
28W/9419488	SP.16/G	Washer ...	5	—	C	
		at rib No. 3A (Drg. No. 10-20 WC 25885) :—				
3796	DHS.395/4E	Bolt, sealed, $\frac{1}{2}$ " BSF ...	9	—	C	
3780	DHS.295/4 $\frac{1}{2}$ E	Bolt, sealed, $\frac{1}{2}$ " BSF ...	10	—	C	
3799	DHS.395/7G	Bolt, sealed, $\frac{3}{16}$ " BSF ...	4	—	C	
3800	DHS.395/7 $\frac{1}{2}$ G	Bolt, sealed, $\frac{7}{16}$ " BSF ...	4	—	C	
28M/12928	A27/EP	Nut, $\frac{1}{2}$ " BSF ...	19	—	C	
28M/1006939	A27/GP	Nut, $\frac{1}{2}$ " BSF ...	8	—	C	
28W/9419405	SP.15/E	Washer ...	19	—	C	
28W/9419476	SP.15/G	Washer ...	8	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	—	PIPES, engine wheelcase breather outlet ... (See sub-section MM)	—	—	—	
11340	10-20 WC 10285	PLATE, reinforcing, stub boom, top skin panels, Port (For spares use 10-20 WC 26689ND)	1	—	—	LA61
	10-20 WC 26689ND	PLATE, reinforcing, stub boom, top skin panels, Port (Spares condition)	1	—	C	
	10-20 WC 10286	PLATE, reinforcing, stub boom, top skin panels, Star- board (For spares use 10-20 WC 26690ND)	1	—	—	LA61
11341	10-20 WC 26690ND	PLATE, reinforcing, stub boom, top skin panels, Star- board (Spares condition)	1	—	C	
		Attachments for 10-20 WC 10285 or 10-20 WC 10286, Plate (Drg. Nos. 10-20 WC 16567, 10-20 WC 16569 and 10-20 WC 10679 —				
5073	10-20 WC 17589	Bolt, $\frac{1}{8}$ " BSF	5	—	C	LA61
28D/1008145	A25/6E	Bolt, $\frac{1}{8}$ " BSF	8	—	C	
28D/7002427	A25/6G	Bolt, $\frac{1}{8}$ " BSF	8	—	C	
28D/1011257	A25/7G	Bolt, $\frac{1}{8}$ " BSF	4	—	C	
2340	DHS.358/4½E	Bolt, $\frac{1}{8}$ " BSF	4	—	C	
2724	DHS.365/2½E	Bolt, $\frac{1}{8}$ " BSF	28	—	C	
3413	DHS.365/3½E	Bolt, $\frac{1}{8}$ " BSF	5	—	C	
26DV/5897	DHS.365/4E	Bolt, $\frac{1}{8}$ " BSF	4	—	C	
2726	DHS.365/4½E	Bolt, $\frac{1}{8}$ " BSF	15	—	C	
2725	DHS.365/4½EE	Bolt, $\frac{1}{8}$ " BSF	2	—	C	
1793	DHS.365/5E	Bolt, $\frac{1}{8}$ " BSF	5	—	C	
2241	DHS.365/5EE	Bolt, $\frac{1}{8}$ " BSF	5	—	C	
1794	DHS.365/6E	Bolt, $\frac{1}{8}$ " BSF	1	—	C	
3810	DHS.365/7E	Bolt, $\frac{1}{8}$ " BSF	2	—	C	
9384	DHS.365/7EE	Bolt, $\frac{1}{8}$ " BSF	2	—	C	
1795	DHS.365/8E	Bolt, $\frac{1}{8}$ " BSF	1	—	C	
3578	DHS.365/9E	Bolt, $\frac{1}{8}$ " BSF	2	—	C	
4360	DHS.365/5GG	Bolt, $\frac{3}{16}$ " BSF	4	—	C	
3228	DHS.382/3E	Bolt, $\frac{1}{8}$ " BSF	29	—	C	
2474	DHS.382/4E	Bolt, $\frac{1}{8}$ " BSF	6	—	C	
2473	DHS.382/6E	Bolt, $\frac{1}{8}$ " BSF	11	—	C	
3594	DHS.382/6½E	Bolt, $\frac{1}{8}$ " BSF	7	—	C	
3593	DHS.382/7E	Bolt, $\frac{1}{8}$ " BSF	5	—	C	
3204	DHS.382/7½E	Bolt, $\frac{1}{8}$ " BSF	4	—	C	
3207	DHS.382/8E	Bolt, $\frac{1}{8}$ " BSF	1	—	C	
3205	DHS.382/8½E	Bolt, $\frac{1}{8}$ " BSF	2	—	C	
3774	DHS.382/4½G	Bolt, $\frac{3}{16}$ " BSF	18	—	C	
5207	DHS.382/4½J	Bolt, $\frac{3}{16}$ " BSF	4	—	C	
15006	DHS.1001/3E	Bolt, $\frac{1}{8}$ " BSF	5	—	C	
14213	DHS.1001/4E	Bolt, $\frac{1}{8}$ " BSF	4	—	C	
15528	DHS.1001/4½E	Bolt, $\frac{1}{8}$ " BSF	5	—	C	
15354	DHS.1001/5E	Bolt, $\frac{1}{8}$ " BSF	4	—	C	
15569	DHS.1063/3½EE	Bolt, $\frac{1}{8}$ " BSF	2	—	C	
5165	DHS.395/6G	Bolt, sealed, $\frac{1}{16}$ " BSF	1	—	C	
5206	DHS.398/6½GG	Bolt, sealed, $\frac{3}{16}$ " BSF	3	—	C	
15580	DHS.1093/4EE	Bolt, sealed, $\frac{1}{8}$ " BSF	1	—	C	
2227	DHS.983/E	Nut, $\frac{1}{2}$ " BSF	122	—	C	

RESTRICTED

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
28M/10290	AGS.2001/E/1	Nut, 1/2"	BSF	...	...	...	...	...	...	...	...	2	—	C	
28M/13721	AGS.2021/E/1	Nut, 1/2"	BSF	...	...	...	...	...	...	...	...	9	—	C	
28M/10282	AGS.2001/E/3	Nut, 1/2"	BSF	...	...	...	...	...	...	...	...	16	—	C	
28M/15650	AGS.2021/E/3	Nut, 1/2"	BSF	...	...	...	...	...	...	...	...	13	—	C	
28M/1006939	A27/GP	Nut, 1/8"	BSF	...	...	...	...	...	...	...	...	1	—	C	
2220	DHS.383/G	Nut, 3/16"	BSF	...	...	...	...	...	...	...	...	25	—	C	
5208	DHS.983/J	Nut, 3/8"	BSF	...	...	...	...	...	...	...	...	4	—	C	
28M/1007403	A27/ET	Nut, 1/2"	BSF	...	...	...	...	...	...	...	...	6	—	C	
28M/1011470	A27/GT	Nut, 1/8"	BSF	...	...	...	...	...	...	...	...	24	—	C	
26DL/5611	DHS.402/E	Seal	...	...	...	...	...	...	...	...	...	52	—	C	
2259	DHS.402/G	Seal	...	...	...	...	...	...	...	...	...	17	—	C	
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	7	—	C	
28W/9419476	SP.15/G	Washer	...	...	...	...	...	...	...	...	...	23	—	C	
28W/9419488	SP.16/G	Washer	...	...	...	...	...	...	...	...	...	1	—	C	
—	—	RAIL , supports and mounting, for automatic pilot amplifier, in Port wheel well bay, group (Drg. No. 10-20 WC 27057)										1	—	—	LA62
	10-20 WC 27087ND	CLEAT , at inboard rail support, front end, 20 SWG										1	L.72	LM	LA62
	10-20 WC 27083ND	CLEAT , at inboard rail support, rear end, 20 SWG										1	L.72	LM	LA62
	10-20 WC 27089ND	CLEAT , at outboard rail support, front end, 20 SWG										1	L.72	LM	LA62
	10-20 WC 27085ND	CLEAT , at outboard rail support, rear end, 20 SWG										1	L.72	LM	LA62
	NEWMARK LTD.														
6T/4016	S1077/3	MOUNTING , rail, assembly										1	—	P	LA62
	NEWMARK LTD.														
6T/4107	S1077/4	MOUNTING , rail, assembly										1	—	P	LA62
		Attachments for Ref. No. 6T/4016 or 6T/4017, Mounting :—													
28D/1214091	AS.1242/2C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	14	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	...	...	...	...	...	...	...	...	...	14	—	C	
1790	DHS.726/C16	Washer, support	...	...	...	...	...	...	...	...	...	14	—	C	
	10-20 WC 29117A/ND	PIN , "Pip," and chain, assembly										2	—	—	LA62
20807	10-20 EC 8295A	CHAIN , assembly										1	—	C	LA62
29H/4114	—	CHAIN , chandelier, 8" long										1	—	C	
29H/—	—	RING , split, 3/8" dia.										2	S. Steel	C	
12026	DHS.180 Mk. 1/Z	TAG , chain										1	—	C	LA62
	AVDEL LTD.														
28FP/1048017	5134/413	PIN , "Pip," quick release with handle										1	—	C	LA62
	10-20 WC 27037A	SUPPORT , amplifier rail, inboard, assembly (For spares use 10-20 WC 30443A/ND)										1	—	—	LA62
15900	10-20 WC 30443A/ND	SUPPORT , amplifier rail, inboard, assembly (Spares condition)										1	—	P	
		Spares for :—													
14112	10-20 WC 27117	CATCH										1	—	C	
		Attachments for 10-20 WC 27117, Catch :—													
28D/9133014	A25/13C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	1	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	...	...	...	...	...	...	...	...	...	1	—	C	
	AS.2809/6/060	Tube, distance, 3/8" o/d x 22 SWG x 0"60 long	...	...	...	...	...	...	...	...	...	1	L.62	LM	
	AS.2811/5/030	Tube, distance, 5/16" o/d x 17 SWG x 0"30 long	...	...	...	...	...	...	...	...	...	1	L.62	LM	
	AS.2811/5/086	Tube, distance, 5/16" o/d x 17 SWG x 0"86 long	...	...	...	...	...	...	...	...	...	1	L.62	LM	
28W/9419402	SP.13/C	Washer	...	...	...	...	...	...	...	...	...	1	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Score or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
15461	10-20 WC 27039A	SUPPORT , amplifier rail, outboard, assembly (For spares use 10-20 WC 30445A/ND)	1	—	—	LA62
	10-20 WC 30445A/ND	SUPPORT , amplifier rail, outboard, assembly (Spares condition)	1	—	P	
	—	RIB , "O." group (Drg. Nos. 10-20 WC 20285 and 10-20 WC 26683)	1	—	—	
9974	10-20 N 8079	BOLT , pillar, terminal block mounting, on Port side of top boom, at diagonal member	1	—	C	LA64
28M/9403320	A27/CP	Attachments for 10-20 N 8079, Bolt :—				
28W/9419402	SP.13/C	Nut, 2 BA	1	—	C	
		Washer	1	—	C	
9975	10-20 N 8081	BOLT , stud, fuse block mounting, on Starboard side of top boom, at diagonal member	1	—	C	LA64
28M/9403520	A27/CP	Attachments for 10-20 N 8081, Bolt :—				
28W/9419402	SP.13/C	Nut, 2 BA	1	—	C	
		Washer	1	—	C	
12651	10-20 WC 27813	BRACKET , hinge, aft, inboard top cowling door between spars, at top boom joint strap, Port	1	—	C	LA64
12652	10-20 WC 27814	BRACKET , hinge, aft, inboard top cowling door between spars, at top boom joint strap, Starboard	1	—	C	LA64
		Attachments for 10-20 WC 27813 and 10-20 WC 27814, Bracket (per pair) :—				
28D/1011245	A25/10E	Bolt, 1/2" BSF	4	—	C	
2284	DHS.358/5E	Bolt, 1/2" BSF	4	—	C	
28M/1011475	A27/EP	Nut, 1/2" BSF	8	—	C	
28W/9419405	10-20 WC 27861ND	Shim (Fit as required)	QR	LA.3	—	
	SP.15/E	Washer	8	—	C	
	10-20 WC 22429	BRACKET , hinge, aft, inboard top cowling door forward of front firewall, Port (For spares use 10-20 WC 29615ND)	1	—	—	LA64
14597	10-20 WC 29615ND	BRACKET , hinge, aft, inboard top cowling door forward of front firewall, Port (Spares condition)	1	—	C	
	10-20 WC 22431	BRACKET , hinge, aft, inboard top cowling door forward of front firewall, Starboard (For spares use 10-20 WC 29617ND)	1	—	—	LA64
14598	10-20 WC 29617ND	BRACKET , hinge, aft, inboard top cowling door forward of front firewall, Starboard (Spares condition)	1	—	C	
		Attachments for 10-20 WC 22429 and 10-20 WC 22431, Brackets (per pair) :—				
28D/1011242	A25/7E	Bolt, 1/2" BSF	2	—	C	
26DV/5897	DHS.365/4E	Bolt, 1/2" BSF	4	—	C	
28M/1007403	A27/ET	Nut, 1/2" BSF	6	—	C	
28W/9419405	SP.15/E	Washer	6	—	C	

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Place No.
		1 2 3 4 5 6 7 8 9 10				
10187	10-20 WC 22433	BRACKET , hinge, forward, inboard top cowling door forward of front firewall, Port	1	DTD.304	C	LA64
10188	10-20 WC 22434	BRACKET , hinge, forward, inboard top cowling door forward of front firewall, Starboard	1	DTD.304	C	LA64
		Attachments for 10-20 WC 22433 or 10-20 WC 22434, Bracket (per pair) :-				
28D/1011245	A25/10E	Bolt, 1/2" BSF	2	—	C	
2341	DHS.358/6E	Bolt, 1/2" BSF	4	S.96	C	
28M/12928	A27/EP	Nut, 1/2" BSF	4	—	C	
28M/12931	A27/ET	Nut, 1/2" BSF	2	—	C	
28W/9418920	SP.10/E	Washer	2	—	C	
28W/9419405	SP.15/E	Washer	4	—	C	
	10-20 WC 8669A	CAPPING , top boom, aft portion, assembly (For spares use 10-20 WC 27759A/ND)	1	—	—	LA66
12938	10-20 WC 27759A/ND	CAPPING , top boom, aft portion, assembly (Spares condition) Spares for :-	1	—	P	
8670	10-20 WC 12299	EXTRACTOR , flap ram box	1	L.61	C	LA66
28FP/740	ODDIE 936/B	FASTENER , "Solidlock," female	18	—	C	LA66
	10-20 WC 24967	FLANGE , locating	1	L.65	—	LA63
	10-20 WC 23893	PLATE , packing	18	L.72	LM	LA66
	10-20 WC 8667A/1	CAPPING , top boom, forward portion, assembly (For spares use 10-20 WC 27757A/ND)	1	—	—	LA63
12937	10-20 WC 27757A/ND	CAPPING , top boom, forward portion, assembly (Spares condition) Spares for :-	1	—	P	
28FP/740	ODDIE 936/B	FASTENER , "Solidlock," female	14	—	C	LA66
	10-20 WC 24967	FLANGE , locating	1	L.65	—	LA63
	10-20 WC 23893	PLATE , packing	14	L.72	LM	LA66
8668	10-20 WC 12817	PLATE , spring	1	DTD.187	C	LA63
	—	DRAIN , fuel tank bay, tank No. 1, at rib "O" forward portion, group (Drg. No. 10-20 WC 25601)	1	—	—	
16723	10-20 WC 31145A	BLOCK , and pipe, L.H. assembly (Mod. 941)	1	—	C	LA64
16724	10-20 WC 31146A	BLOCK , and pipe, R.H. assembly (Mod. 941)	1	—	C	LA64
17601	10-20 WC 40937A/ND	PLATE , landing, joint top boom cappings (Mod. 1208)	1	—	C	LA63
	10-20 WC 29645A/ND	RIB , "O," aft portion between front firewall and spectacle beam, less capping on top boom, assembly (Mods. 216 and 270) (Ref. Drg. No. 10-20 WC 29643A)	1	—	—	LA63
	10-20 WC 29641A/ND	RIB , "O," aft portion between front firewall and spectacle beam, less capping on top boom, assembly (Mod. 216, Pre Mod. 270) (Ref. Drg. No. 10-20 WC 29639A)	1	—	—	LA63

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.			
							1	2	3
	10-20 WC 21209A	Spares for :— ANCHOR , holdback lever, Port, assembly (For spares use 10-20 WC 27223A/ND)	1	—	—	LA66			
11983	10-20 WC 27223A/ND	ANCHOR , holdback lever, Port, assembly (Spares condition)	1	—	C				
	10-20 WC 21211A	ANCHOR , holdback lever, Starboard, assembly (For spares use 10-20 WC 27225A/ND)	1	—	—	LA66			
11984	10-20 WC 27225A/ND	ANCHOR , holdback lever, Starboard, assembly (Spares condition)	1	—	C				
	10-20 S 3293A	BOX , sealing, hose couplings, on diaphragm, assembly	1	—	—	LA66			
8660	10-20 S 3295A/ND	Spares for :— COVER , assembly	1	—	C	LA66			
28D/14666	A26/13C	Attachments for 10-20 S 3295A/ND, Cover :— Bolt, 2 BA	2	—	C				
	—	BOX , stowage and channel reinforcing holdback lever, group (Drg. No. 10-20 WC 13741)	1	—	—				
28D/1011029	A25/1E	BOLT , 1" BSF (Lock to DHS.514/D)	2	—	C				
	10-20 WC 13423	BOX , stowage, holdback lever (For spares use 10-20 WC 26999ND)	1	—	—	LA66			
11383	10-20 WC 26999ND	BOX , stowage, holdback lever (Spares condition)	1	—	C				
9016	10-20 WC 13421	CHANNEL , reinforcing, stowage box, L.H. ...	1	L.73	C	LA66			
9017	10-20 WC 13422	CHANNEL , reinforcing, stowage box, R.H.	1	L.73	C	LA66			
28W/9419405	SP.15/E	WASHER	2	—	C				
8122	10-20 WC 21885	BRACKET , alternator mounting, aft, on bottom boom, forward of front firewall	1	DTD.298	C	LA63			
13144	10-20 WC 28443	BRACKET , alternator mounting, front, on bottom boom, forward of front firewall	1	DTD.298	C	LA63			
		Attachments for 10-20 WC 21885 or 10-20 WC 28443, Bracket :—							
28D/12533	A25/5C	Bolt, 2 BA	6	—	C				
28M/9403520	A27/CP	Nut, 2 BA	6	—	C				
28W/9419454	SP.10/C	Washer	6	—	C				
	10-20 WC 24413A	BRACKET , attachment, bottom shear panel frame, Port, assembly (Mod. 46) (For spares use 10-20 WC 27229A/ND)	1	—	—	LA66			
11962	10-20 WC 27229A/ND	BRACKET , attachment, bottom shear panel frame, Port, assembly (Spares condition)	1	—	C				

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 24411A	BRACKET , attachment, bottom shear panel frame, Starboard, assembly (Mod. 46) (For spares use 10-20 WC 27147A/ND)	1	—	—	LA66
11953	10-20 WC 27147A/ND	BRACKET , attachment, bottom shear panel frame, Starboard, assembly (Spares condition) Attachments for 10-20 WC 24411A or 10-20 WC 24413A, Bracket (per pair) :—	1		C	
28D/1011246	A25/11E	Bolt, $\frac{1}{2}$ " BSF	4	—	C	
28D/1213746	A30/20E	Bolt, $\frac{1}{2}$ " BSF	1	—	C	
28D/1213749	A30/23E	Bolt, $\frac{1}{2}$ " BSF	1	—	C	
28D/13366	A30/23G	Bolt, $\frac{1}{8}$ " BSF	4	—	C	
28M/1007403	A27/ET	Nut, $\frac{1}{2}$ " BSF	4	—	C	
28M/1011475	A27/EP	Nut, $\frac{1}{2}$ " BSF	1	—	C	
28M/1011470	A27/GT	Nut, $\frac{1}{8}$ " BSF	2	—	C	
28M/1006939	A27/GP	Nut, $\frac{1}{8}$ " BSF	2	—	C	
8139	10-20 WC 15557	Shim	2	—	C	LA66
	10-20 WC 22383ND	Tube, bearing	4	T.35	LM	LA66
28W/9419487	SP.16/E	Washer	2	—	C	
28W/9419488	SP.16/G	Washer	4	—	C	
	10-20 WC 15351A	BRACKET , cowling strut, at stiffener No. 3, Port (For spares use 10-20 WC 27699A/ND)	1	—	—	LA63
12974	10-20 WC 27699A/ND	BRACKET , cowling strut, at stiffener No. 3, Port (Spares condition)	1	—	C	
	10-20 WC 15353A	BRACKET , cowling strut, at stiffener No. 3, Starboard (For spares use 10-20 WC 27701A/ND)	1	—	—	LA63
12973	10-20 WC 27701A/ND	BRACKET , cowling strut, at stiffener No. 3, Starboard (Spares condition) Attachments for 10-20 WC 15351A or 10-20 WC 15353A, Bracket (per pair) :—	1	—	C	
28D/9473905	A26/4E	Bolt, $\frac{1}{2}$ " BSF	4	—	C	
28M/1011475	A27/EP	Nut, $\frac{1}{2}$ " BSF	4	—	C	
28W/7000392	SP.14/E	Washer	4	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 14521	BRACKET , flap jack pivot (Post Mods. 216, 270 and 46) (For spares use 10-20 WC 27697ND)	1	DTD.304	—	LA66
12954	10-20 WC 27697ND	BRACKET , flap jack pivot (Spares condition) ... Attachments for 10-20 WC 14521, Bracket :—	1	—	C	
28D/1007700	A26/3E	Bolt, $\frac{1}{2}$ " BSF ...	4	—	C	
28D/9516983	A26/4G	Bolt, $\frac{1}{8}$ " BSF ...	4	—	D	
28D/1214472	AS.3297/3C	Bolt, 2 BA ...	4	—	C	
28M/1011475	A27/EP	Nut, $\frac{1}{2}$ " BSF ...	4	—	C	
28M/1006939	A27/GP	Nut, $\frac{1}{8}$ " BSF ...	4	—	C	
28M/1006473	A27/CT	Nut, 2 BA ...	4	—	C	
28V/9419402	SP.13/C	Washer ...	4	—	C	
	10-20 WC 12807	BRACKET , pipe support, at stiffener No. 1, assembly (For spares use 10-20 WC 28485ND)	1	—	—	LA63
13409	10-20 WC 28485ND	BRACKET , pipe support, at stiffener No. 1, assembly (Spares condition) Attachments for 10-20 WC 12807, Bracket :—	1	—	C	
28D/9140652	A26/1C	Bolt, 2 BA ...	4	—	C	
28M/1010996	A24/CP	Nut, 2 BA ...	4	—	C	
28V/9128924	SP.15/C	Washer ...	4	—	C	
	10-20 N 5271A	BRACKET , support, electrical equipment, on forward portion of top boom, assembly (For spares use 10-20 N 11133A/ND)	2	—	—	LA63
11387	10-20 N 11133A/ND	BRACKET , support, electrical equipment, on forward portion of top boom, assembly (Spares condition)	2	—	P	
	10-20 N 5275A	BRACKET , support, electrical equipment, on forward portion of top boom, assembly (For spares use 10-20 N 11135A/ND)	2	—	—	LA63
11386	10-20 N 11135A/ND	BRACKET , support, electrical equipment, on forward portion of top boom, assembly (Spares condition)	2	—	P	
	10-20 N 5267A	BRACKET , support, electrical equipment, on forward portion of top boom, assembly (For spares use 10-20 N 11131A/ND)	2	—	—	LA63
11388	10-20 N 11131A/ND	BRACKET , support, electrical equipment, on forward portion of top boom, assembly (Spares condition)	2	—	P	
	10-20 N 5263A	BRACKET , support, electrical equipment, on forward portion of top boom, assembly (For spares use 10-20 N 11129A/ND)	2	—	—	LA63
11389	10-20 N 11129A/ND	BRACKET , support, electrical equipment, on forward portion of top boom, assembly (Spares condition)	2	—	P	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	—	GUARD , gear box shaft, group (Drg. No. 10-20 E 1113A)	1	—	—	
16675	10-20 E 4323A	BRACKET , guard, Port, assembly ...	1	—	C	LA63
16676	10-20 E 4324A	BRACKET , guard, Starboard, assembly ...	1	—	C	LA63
		Attachments for 10-20 E 4323A or 10-20 E 4324A, Bracket (per pair) :—				
28D/9133012	A25/3C	Bolt, 2 BA ...	4	—	C	
28M/9403520	A27/CP	Nut, 2 BA ...	4	—	C	
28W/9419475	SP.15/C	Washer ...	4	—	C	
20807	10-20 EC 8295A	CHAIN , quick release pin, assembly ...	2	—	C	LA63
29H/4114	—	CHAIN , chandelier, 8" long ...	QR	—	C	
29H/—	—	RING , split, 3/4" dia. ...	2	S. Steel	C	
12026	DHS.180 Mk. 1/Z	TAG ...	1	—	C	LA63
	10-20 E 1121	PIN , quick release (Make from Aviation Developments, Part No. 5134/411, Ref. No. 28FP/826)	1	—	LM	LA63
8129	10-20 E 1117A	RING , plate, assembly ...	2	—	C	LA63
		Attachments for 10-20 E 1117A, Ring :—				
28P/9429529	SP.4Y/D17	Pin, shackle ...	1	—	C	
28P/9527619	SP.90/C7	Pin, splice (SP.9/C8) ...	1	—	C	
8118	10-20 E 4215ND	GUARD , throttle cable, between front engine mounting post and stiffener No. 3, Starboard side (Drg. No. 10-20 E 4213)	1	—	C	LA65
		Attachments for 10-20 E 4215ND, Guard :—				
28D/1010658	A25/1B	Bolt, 4 BA ...	3	—	C	
28M/9403519	A27/BP	Nut, 4 BA ...	3	—	C	
28W/9419465	SP.13/B	Washer ...	3	—	C	
	—	GUARD , throttle cable, between front firewall and stiffener No. 1, Starboard side, group (Drg. No. 10-20 E 4199)	1	—	—	
8115	10-20 E 4345A/ND	GUARD , assembly ...	1	—	C	LA65
		Spares for :—				
28FP/9144248	DZUS A4/25	FASTENER ...	2	—	C	LA65
28FP/9430915	DZUS GA4/250	GROMMET ...	2	—	C	LA65
28FP/1071	DZUS S4/255/D12	SPRING ...	2	—	C	LA65
	—	GUARD , throttle cable, between stiffeners 1 and 2, Starboard side, group (Drg. No. 10-20 E 4203)	1	—	—	
	10-20 E 4367A/ND	ANGLE , attachment, assembly ...	1	—	—	LA65
		Spares for :—				
28FP/1070	DZUS S4/200/D12	SPRING ...	2	—	C	LA65

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Place No.
		1 2 3 4 5 6 7 8 9 10				
8117	10-20 E 4211ND	GUARD , throttle cable, between stiffeners No. 2 and front engine mounting post, Starboard side (Drg. No. 10-20 E 4209)	1	—	C	LA65
28D/1010658	A25/1B	Attachments for 10-20 E 4211ND, Guard :—	3	—	C	
28M/9403519	A27/BP	Bolt, 4 BA	3	—	C	
28W/9419465	SP.13/B	Nut, 4 BA	3	—	C	
		Washer	3	—	C	
8119	10-20 E 4219ND	GUARD , throttle cable, between stiffeners 3 and 4, Starboard side (Drg. No. 10-20 E 4217)	1	—	C	LA65
28D/1010658	A25/1B	Attachments for 10-20 E 4219ND, Guard :—	2	—	C	
28M/9403519	A27/BP	Bolt, 4 BA	2	—	C	
28W/9419465	SP.13/B	Nut, 4 BA	2	—	C	
		Washer	2	—	C	
8120	10-20 E 4223ND	GUARD , throttle cable, between stiffener No. 4 and pulley mounting, Starboard side (Drg. No. 10-20 E 4221)	1	—	C	LA65
28D/1010658	A25/1B	Attachments for 10-20 E 4223ND, Guard :—	4	—	C	
28M/9403519	A27/BP	Bolt, 4 BA	4	—	C	
28W/9419465	SP.13/B	Nut, 4 BA	4	—	C	
		Washer	4	—	C	
	10-20 WC 4899A	HOUSING , arrester hook attachment, assembly	1	—	—	LA66
		Spares for :—				
18851	10-20 WC 40843	BUSH (Mod. 1206)	2	—	C	LA66
28D/1213408	A30/18G	Attachments for 10-20 WC 4899A, Housing :—	2	—	C	
28D/1213774	A30/18J	Bolt, $\frac{1}{16}$ " BSF	4	—	C	
28D/1213369	A30/18L	Bolt, $\frac{1}{16}$ " BSF	4	—	C	
28M/1006939	A27/GP	Nut, $\frac{1}{16}$ " BSF	2	—	C	
28M/1011473	A27/JP	Nut, $\frac{1}{16}$ " BSF	4	—	C	
28M/13553	A27/LP	Nut, $\frac{1}{16}$ " BSF	4	—	C	
28W/9419488	SP.16/G	Washer	2	—	C	
28W/9419489	SP.16/J	Washer	4	—	C	
28W/9419490	SP.16/L	Washer	4	—	C	
15015	10-20 WC 29833A	HOUSING , bearing, flap servo mechanism, on off-set web, assembly	1	—	C	LA66
		Spares for :—				
2A/9500415	SKEFKO CBS.4	BEARING , ball (3110-99-950-0415)	1	—	C	LA66
28D/9436770	A26/2C	Attachments for 10-20 WC 29833A, Housing :—	1	—	C	
28D/1011466	A26/3C	Bolt, 2 BA	2	—	C	
28M/1010996	A24/CP	Nut, 2 BA	3	—	C	
28W/9128924	SP.14/C	Washer	2	—	C	

RESTRICTED

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	Qty.	Mounting Specification	Class of Store or LM	Place No.
		1 2 3 4 5 6 7 8 9 10				
8662	10-20 WC 12235A	HOUSING , bearing, flap servo mechanism, on Port side, assembly Spares for:—	1	—	C	LA66
2A/9500418	HOFFMANN T.13	BEARING , torque tube	1	—	C	LA66
8663	10-20 WC 3361	WASHER , felt	1	—	C	LA66
		Attachments for 10-20 WC 12235A, Housing:—				
28D/9436770	A26/2C	Bolt, 2 BA	1	—	C	
28D/1011466	A26/3C	Bolt, 2 BA	2	—	C	
28M/1010996	A24/CP	Nut, 2 BA	3	—	C	
28W/9128929	SP.14/C	Washer	1	—	C	
2741	DHS.69/HH	Washer, shim (Fit if required)	QR	—	C	
	10-20 WC 3465A/ND	HOUSING , cable drum spindle, assembly Spares for:—	1	—	—	LA66
2A/9500426	SKEFKO TTS 16½	BEARING , ball	2	—	C	LA66
2146	10 WC 5001A	BEARING , needle roller, assembly	1	—	C	LA66
28N/2001698	AGS.2030/108	CIRCLIP	1	—	C	
	10 WC 4993	RING , retaining	1	\$510	—	LA66
7041	10 WC 4995	RING , sealing	1	—	C	LA66
	10-20 EM 623A	MEMBER , horizontal, engine mounting, assembly (For spares use 10-20 EM 625ND)	1	—	—	LA63 LA65
15118	10-20 EM 625ND	MEMBER , horizontal, engine mounting (Spares condition)	1	—	P	
		Attachments for 10-20 EM 623A, Member:—				
28D/9436770	A26/2C	Bolt, 2 BA	13	—	C	
28D/9447006	A26/2E	Bolt, ½" BSF	4	—	C	
28D/9435050	A26/3G	Bolt, ⅝" BSF	4	—	C	
28M/9403520	A27/CP	Nut, 2 BA	13	—	C	
28M/12928	A27/EP	Nut, ½" BSF	4	—	C	
28M/1006939	A27/GP	Nut, ⅝" BSF	4	—	C	
28W/9436801	SP.11/E	Washer	4	—	C	
28W/9436800	SP.11/G	Washer	4	—	C	
28W/9419402	SP.13/C	Washer	11	—	C	
	10-20 WC 12319A	MOUNTING , hook spring strut, assembly (For spares use 10-20 WC 27275A/ND)	1	—	—	LA66
11985	10-20 WC 27275A/ND	MOUNTING , hook spring strut, assembly (Spares condition)	1	—	C	
		Attachments for 10-20 WC 12319A, Mounting:—				
28D/1200119	A25/2½C	Bolt, 2 BA	6	—	—	
28M/1006473	A25/4C	Bolt, 2 BA	2	—	C	
28W/9419402	A27/CT	Nut, 2 BA	8	—	C	
	SP.13/C	Washer	8	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	—	MOUNTING , multiple pulley, group ... (Drg. No. 10-20 WC 15375) Spares for :—										1	—	—	
28D/1010025	A25/24C	BOLT , 2 BA, cable guard at lower pulley ... (Lock to DHS.514/D)										1	—	C	
	10-20 WC 28777A/ND	MOUNTING , assembly (Mod. 216) ... Spares for :—										1	—	—	LA63
28D/9133013	A25/5C	BOLT , 2 BA, attachment at stiffener ...										1	—	C	
28D/1017157	A25/25C	BOLT , 2 BA, cable guard, attachment ... (Lock to DHS.514/D)										5	—	C	
28D/13653	A26/26J	BOLT , $\frac{3}{8}$ " BSF, pulley spindle ... (Lock to DHS.514/D)										3	—	C	
	10-20 WC 28755	LABEL (31, 24, 23) at centre pulleys, 20 SWG										1	L.16	LM	LA63
	10-20 WC 13653	LABEL (7, 8), at lower pulleys, 24 SWG ...										1	L.16	LM	LA63
	10-20 WC 13649	LABEL (19, 20), at upper pulleys, 24 SWG										1	L.16	LM	LA63
28M/12340	AGS.2007/C/2	NUT , anchor, 2 BA, fire proofing attach- ment										1	—	C	
28M/10288	AGS.2001/C/1	NUT , 2 BA, attachment at stiffener...										1	—	C	
28R/13514	AS.103	PULLEY ...										7	—	C	
	AS.2808/5/280	TUBE , cable guard, $\frac{5}{8}$ " o/d $\times$ 17 SWG $\times$ 2"-80 long										5	T.35	LM	LA63
	AS.2808/8/065	TUBE , distance, centre pulleys, $\frac{1}{2}$ " o/d $\times$ 17 SWG $\times$ 0"-65 long										1	T.35	LM	LA63
	AS.2808/8/135	TUBE , distance, lower pulleys, $\frac{1}{2}$ " o/d $\times$ 17 SWG $\times$ 1"-35 long										1	T.35	LM	LA63
	AS.2808/8/040	TUBE , distance, upper pulleys, $\frac{1}{2}$ " o/d $\times$ 17 SWG $\times$ 0"-40 long										1	T.35	LM	LA63
8127	10-20 WC 15371	TUBE , distance, threaded, at centre pulleys										1	—	C	LA63
8128	10-20 WC 15373	TUBE , distance, threaded, at lower pulleys										1	—	C	LA63
8126	10-20 WC 15369	TUBE , distance, threaded, at upper pulleys										1	—	C	LA63
28W/9419477	SP.15/J	WASHER , between lower pulleys ...										1	—	C	
	AS.2808/5/270	TUBE , cable guard at lower pulley, $\frac{5}{8}$ " o/d $\times$ 17 SWG $\times$ 2"-70 long										1	T.35	LM	LA63
8112	10-20 CE 37A	MOUNTING , Starboard chrotle terminal pulley, assembly Spares for :—										1	—	P	LA65
28M/9435067	AGS.2008/C/1	NUT , anchor, 2 BA ...										1	—	C	
8113	10-20 CE 31	STUD , $\frac{1}{8}$ " BSF ... Attachments for 10-20 CE 31, Stud :—										1	—	C	LA65
28M/1011470	A27/GT	Nut, $\frac{1}{8}$ " BSF ...										1	—	C	
28W/9419476	SP.15/G	Washer ...										1	—	C	
8114	10-20 CE 33	STUD , $\frac{1}{8}$ " BSF ... Attachments for 10-20 CE 33, Stud :—										1	—	C	LA65
28M/1007403	A27/ET	Nut, $\frac{1}{8}$ " BSF ...										1	—	C	
28W/9419405	SP.15/E	Washer ...										1	—	C	
		Attachments for 10-20 CE 37A, Mounting :—													
28D/13043	A26/3E	Bolt, $\frac{1}{2}$ " BSF ...										4	—	C	
28M/1007403	A27/ET	Nut, $\frac{1}{2}$ " BSF ...										4	—	C	
28W/7000392	SP.14/E	Washer ...										4	—	C	
8142	10-20 WC 22491	NUT , cover on screwed flange at flap jack knuckle pin access hole										1	—	C	LA66
	10-20 WC 21983ND	PAD , rubbing, on stiffener No. 4, Starboard ...										1	LFS.23	LM	LA65

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
11575	10-20 WC 25969A	PANEL , access, assembly	1	—	P	LA66
28D/9133011	A25/2C	Attachments for 10-20 WC 25969A, Panel :—				
13920	DHS.1059/2K	Bolt, 2 BA	10	—	C	
11574	DHS.1059/4K	Bolt, anchor, 2 BA	6	—	C	
28M/10288	AGS.2001/C/1	Bolt, anchor, 2 BA	2	—	C	
28VV/9419402	SP.13/C	Nut, 2 BA	8	—	C	
		Washer	8	—	C	
	10-20 WC 23365A	PANEL , fireproofing, forward of front engine mounting post, on Port side, assembly Spares for :—	1	—	—	LA63
28N/9486470	AS.1877/35	HINGE	1	—	C	
	10-20 WC 24037A/ND	PANEL , lower half, assembly	1	—	—	LA63
	10-20 WC 24825ND	PANEL , bare, 24 SWG	1	DHA.70	LM	LA63
	10-20 WC 26067ND	PANEL , blister, 24 SWG	1	DHA.70	LM	LA63
	10-20 WC 24033ND	PANEL , upper half (For spares use 10-20 WC 29157ND)	1	—	—	LA63
14311	10-20 WC 29157ND	PANEL , upper half (Spares condition) ...	1	—	C	
28D/12259	AS.2923/1/2C	Attachments for 10-20 WC 23365A, Panel :—				
		Bolt, 2 BA	5	—	C	
	10-20 WC 12637	PANEL , fireproofing, forward of front engine mounting post (For spares use 10-20 WC 28425ND)	1	—	—	LA63
12985	10-20 WC 28425ND	PANEL , fireproofing, forward of front engine mounting post (Spares condition)	1	—	P	
28D/12259	AS.2923/1/2C	Attachments for 10-20 WC 12637, Panel :—				
		Bolt, 2 BA	4	—	C	
	—	PLATE , earth, on bottom boom, forward of front firewall, group (See sub-section EBT)	—	—	—	
18917	10-20 WC 41469	PLATE , packing, elbow joint at stn. 279"-50 (Mod. 1327) (Drg. No. 10-20 WC 22191)	1	—	C	LA63
	10-20 WC 22005A	POST , forward engine mounting, Port, assembly (For spares use 10-20 WC 27349A/ND)	1	—	—	LA62 LA65
12095	10-20 WC 27349A/ND	POST , forward engine mounting, Port, assembly (Spares condition)	1	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 22007A	POST , forward engine mounting, Starboard, assembly (For spares use 10-20 WC 27351A, ND)	1	—	—	LA63
12096	10-20 WC 27351A/ND	POST , forward engine mounting, Starboard, assembly (Spares condition) Attachments for 10-20 WC 22005A or 10-20 WC 22007A, Post (per pair) at bottom boom :—	1	—	C	
28D/9473905	A26/4E	Bolt, 1" BSF	2	—	C	
28D/9436822	A26/10C	Bolt, 2 BA	2	—	C	
28D/15663	A26/11C	Bolt, 2 BA	2	—	C	
28M/13271	A24/EP	Nut, 1" BSF	2	—	C	
28M/9403520	A27/CP	Nut, 2 BA	4	—	C	
28W/9128924	SP.14/C	Washer	4	—	C	
		at top boom and web :—				
28D/1200119	A25/4C	Bolt, 2 BA	1	—	C	
28D/7002428	A25/6C	Bolt, 2 BA	3	—	C	
2455	DHS.365/6C	Bolt, 2 BA	3	—	C	
28D/1008145	A25/6E	Bolt, 1" BSF	1	—	C	
1794	DHS.365/6E	Bolt, 1" BSF	1	—	C	
28D/9473905	A26/4E	Bolt, 1" BSF	8	—	C	
	10-20 WC 23101	Bracket	1	L.65	—	LA63 LA65
28M/10288	AGS.2001/C/1	Nut, 2 BA	7	—	C	
28M/1011475	A27/EP	Nut, 1" BSF	10	—	C	
20465	10-20 WC 41491	Plate, locking	1	—	C	LA63
28W/9436801	SP.11/E	Washer	8	—	C	
	—	SHIELD , fireproofing, at bottom boom, between rear firewall and diaphragm, group (Drg. No. 10-20 WC 22541) Spares for :—	1	—	—	
8132	10-20 WC 23267	SHIELD , aft, Port	1	—	P	LA63
8133	10-20 WC 23269	SHIELD , aft, Starboard	1	—	P	LA63
8130	10-20 WC 23271	SHIELD , forward, Port	1	—	P	LA63
8131	10-20 WC 23273	SHIELD , forward, Starboard	1	—	P	LA63
		Attachments for 10-20 WC 23267, 10-20 WC 23269, 10-20 WC 23271 or 10-20 WC 23273, Shield :—				
28D/12259	AS.2923/1C	Bolt, 2 BA	2	—	C	
	—	SHIELD , fireproofing, at top boom, between firewalls, group (Drg. No. 10-20 WC 13383) Spares for :—	1	—	—	
8150	10-20 WC 12685A	BRACKET , attachment, assembly	3	—	C	LA67
	10-20 WC 28779A	BRACKET , support, at forward engine mounting post, Port, assembly (Mod. 216) (For spares use 10-20 WC 21423A/ND)	1	—	—	LA67
16307	10-20 WC 31423A/ND	BRACKET , support, at forward engine mounting post, Port, assembly (Spares condition)	1	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 26365A	BRACKET , support, at forward engine mounting post, Starboard, assembly (For spares use 10-20 WC 29125A/ND)	1	—	—	LA67
14183	10-20 WC 29125A/ND	BRACKET , support, at forward engine mounting post, Starboard, assembly (Spares condition)	1	—	P	
	10-20 WC 13963	FAIRLEAD , control cable, on support bracket at stiffeners Nos. 1 and 2	2	LFS.21	LM	LA67
11923	10-20 WC 26309	FERRULE , electrical cable, on support brackets at stiffeners Nos. 1, 2 and 3	3	—	C	LA67
28D/1010658	A25/1B	Attachments for 10-20 WC 26309, Ferrules :—				
28M/10287	AGS.2001/B/1	Bolt, 4 BA	2	—	C	
		Nut, 4 BA	2	—	C	
12694	10-20 WC 14459	FERRULE , electrical cable, on support bracket at stiffener No. 4	2	—	C	LA67
	10-20 WC 25589A	PANEL , access, assembly (For spares use 10-20 WC 29129A/ND)	1	—	—	LA67
14184	10-20 WC 29129A/ND	PANEL , access, assembly (Spares condition) ...	1	—	P	
28D/1214418	AS.2923/1C	Attachments for 10-20 WC 25589A, Panel :—				
		Bolt, 2 BA	2	—	C	
	10-20 WC 12673A	SHIELD , aft, Port, assembly (For spares use 10-20 WC 40935A/ND)	1	—	—	LA67
17602	10-20 WC 40935A/ND	SHIELD , aft, Port, assembly (Spares condition) (Mod. 1208)	1	—	P	
		Attachments for 10-20 WC 12673A, Shield :—				
28D/1214418	AS.2923/1C	Bolt, 2 BA	5	—	C	
	10-20 WC 21197A	SHIELD , aft, Starboard, assembly (For spares use 10-20 WC 27807A/ND)	1	—	—	LA67
12947	10-20 WC 27807A/ND	SHIELD , aft, Starboard, assembly (Spares condition)	1	—	P	
		Attachments for 10-20 WC 21197A, Shield :—				
5617	A.25/1C/DHS.514/D	Bolt, 2 BA (Alternative 521/A25/1C)	1	—	C	
28D/1214418	AS.2923/1C	Bolt, 2 BA	3	—	C	
28D/9140652	A26/1C	Bolt, 2 BA	2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	2	—	C	
28W/9128924	SP.14/C	Washer	2	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 21199A	SHIELD , centre, Starboard, assembly (For spares use 10-20 WC 27809A/ND)	1	—	—	LA67
12948	10-20 WC 27809A/ND	SHIELD , centre, Starboard, assembly (Spares condition)	1	—	P	
5617	A25/1/2C/DHS.514/D	Attachments for 10-20 WC 21199A, Shield :—	1	—	C	
28D/1214418	AS.2923/1/2C	Bolt, 2 BA (Alternative S21/A25/1/2C) ...	3	—	C	
	10-20 WC 12701A	SHIELD , forward, Port, assembly (For spares use 10-20 WC 28869A/ND)	1	—	—	LA67
14042	10-20 WC 28869A/ND	SHIELD , forward, Port, assembly ...	1	—	P	
		(Spares condition)				
28D/1214418	AS.2923/1/2C	Attachments for 10-20 WC 12701A, Shield :—	5	—	C	
		Bolt, 2 BA ...				
	10-20 WC 21201A	SHIELD , forward, Starboard, assembly (For spares use 10-20 WC 27811A/ND)	1	—	—	LA67
12946	10-20 WC 27811A/ND	SHIELD , forward, Starboard, assembly ...	1	—	P	
		(Spares condition)				
28D/1214418	AS.2923/1/2C	Attachments for 10-20 WC 21201A, Shield :—	8	—	C	
		Bolt, 2 BA ...				
	—	SHIELD , fireproofing, at top boom, between rear firewall and spectacle beam, group (Drg. No. 10-20 WC 13797)	1	—	—	
		Spares for :—				
8150	10-20 WC 12685A	BRACKET , attachment, at stiffener No. 7, assembly	1	—	C	LA67
	10-20 WC 14951	FAIRLEAD , on aft face of engine mounting post	1	LFS.21	LM	LA67
	10-20 WC 14961	FAIRLEAD , on support bracket at stiffener No. 8	1	LFS.21	LM	LA67
SK/—	SP.95/A10	GROMMET , on support bracket at stiffener No. 9 and flap pulley post (Alternative DHS.1790/A10)	2	—	C	
8161	10-20 WC 14997	PANEL , access ...	1	—	P	LA67
28D/1214418	AS.2923/1/2C	Attachments for 10-20 WC 14997, Panel :—	4	—	C	
		Bolt, 2 BA ...				
	10-20 WC 22373A	SHIELD , aft, Port, assembly (For spares use 10-20 WC 28875A/ND)	1	—	—	LA67
14562	10-20 WC 28875A/ND	SHIELD , aft, Port, assembly (Spares condition)	1	—	P	
		Attachments for 10-20 WC 22373A, Shield :—				
28D/1214418	AS.2923/1/2C	Bolt, 2 BA ...	8	—	C	
	10-20 WC 14881A	SHIELD , aft, Starboard, assembly (For spares use 10-20 WC 29665A/ND)	1	—	—	LA67

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
14662	10-20 WC 29665A/ND	SHIELD , aft, Starboard, assembly (Spares condition)										1	—	P	LA67
28D/12259	AS.2923/1/2C	Attachments for 10-20 WC 14881A, Shield :— Bolt, 2 BA										4	—	C	
	10-20 WC 13679A	SHIELD , forward, Port, assembly (For spares use 10-20 WC 28873A/ND)										1	—	—	
14561	10-20 WC 28873A/ND	SHIELD , forward, Port, assembly (Spares condition)										1	—	P	
28D/9140652	A26/1C	Attachments for 10-20 WC 13679A, Shield :— Bolt, 2 BA										1	—	C	
28D/12259	AS.2923/1/2C	Bolt, 2 BA										4	—	C	
28M/1010996	A24/CP	Nut, 2 BA										1	—	C	
28W/9128924	SP.14/C	Washer										2	—	C	
	10-20 WC 13671A	SHIELD , forward, Starboard, assembly (For spares use 10-20 WC 28871A/ND)										1	—	—	
14560	10-20 WC 28871A/ND	SHIELD , forward, Starboard, assembly (Spares condition)										1	—	P	
28D/12259	AS.2923/1/2C	Attachments for 10-20 WC 13671A, Shield :— Bolt, 2 BA										4	—	C	LA63
8665	10-20 CE 2257	SPINDLE , mounting, spring strut pulley and air shut of valve pulley										2	—	C	
28M/13412	A24/JS	Attachments for 10-20 CE 2257, Spindle :— Nut, 1/2" BSF										1	—	C	
28P/9429652	SP.9/E10	Pin, split										1	—	C	
28W/1007698	SP.14/J	Washer										1	—	C	
8658	10-20 WC 15599	STRIP , packing, between port engine mounting post and web										1	—	C	LA63
8659	10-20 WC 15597	STRIP , packing, between port engine mounting post and web, immediately above and below web chord										2	—	C	
	AS.2809/4/200	TUBE , distance, at hold back lever stowage box 1/4" o/d x 22 SWG x 2'-00 long										1	L.62	LM	LA63
28D/1011023	A25/20C	Attachments for AS.2809/4/200, Tube :— Bolt, 2 BA										1	—	C	
28M/1006473	A27/CT	Nut, 2 BA										1	—	C	
28W/9419475	SP.15/C	Washer										1	—	C	
8127	10-20 WC 15371	TUBE , distance, threaded, at rear engine mounting post, Port side										1	—	C	
	10-20 WC 25965A	WEB , off-set, assembly										1	—	—	LA66

MAIN PLANES WING CENTRE SECTION

Ref. No.

	10-20 WC 3585	RIB, "O," forward portion, between main spar and front spar (For spares use 10-20 WC 28211A/ND)	1	—	—	LA64
12984	10-20 WC 28211A/ND	RIB, "O," forward portion, between main spar and front spar (Spares condition) Spares for :—	1	—	P	
	10-20 WC 13277	ANGLE, attachment, earth station 9, at top member, Port	1	L.72	LM	LA64
	10-20 WC 13275	ANGLE, attachment, earth station 9, at top member, Starboard Attachments for 10-20 WC 13277 and 10-20 WC 13275, Angles (per pair) :—	1	L.72	LM	LA64
2473	DHS.382/6E	Bolt, 1/2" BSF	3	—	C	
2227	DHS.983/E	Nut, 1/2" BSF	3	—	C	
28W/9419405	SP.15/E	Washer	3	—	C	
	10-20 WC 25215ND	ANGLE, lining attachment, bottom, Port, 20 SWG	1	L.72	—	LA64
	10-20 WC 25216ND	ANGLE, lining attachment, bottom, Starboard, 20 SWG	1	L.72	—	LA64
	10-20 WC 25217ND	ANGLE, lining attachment, top, Port, 20 SWG	1	L.72	—	LA64
	10-20 WC 25218ND	ANGLE, lining attachment, top, Starboard, 20 SWG	1	L.72	—	LA64
4249	10-20 WC 12181A	BEARING, spherical, air brake jack pick-up, assembly Attachments for 10-20 WC 12181A, Bearing :—	1	—	C	LA64
28N/2001693	AGS.2030/48	Circlip	1	—	C	
	10-20 WC 11049	BRACKET, hinge, centre and forward, inboard top cowling door between spars, Port (For spares use 10-20 WC 26465ND)	2	—	—	LA64
10711	10-20 WC 26465ND	BRACKET, hinge, centre and forward, inboard top cowling door between spars, Port (Spares condition)	2	—	C	
	10-20 WC 753	BRACKET, hinge, centre and forward, inboard top cowling door between spars, Starboard (For spares use 10-20 WC 26983ND)	2	—	—	LA64
11257	10-20 WC 26983ND	BRACKET, hinge, centre and forward, inboard top cowling door between spars, Starboard (Spares condition) Attachments for 10-20 WC 11049 and 10 WC 753, Brackets (per pair) :—	2	—	C	
28D/1010031	A25/8E	Bolt, 1/2" BSF	3	—	C	
28M/1007403	A27/ET	Nut, 1/2" BSF	3	—	C	
14079	10-20 A 2177A	BRACKET, mounting, L.A.B.S. accelerometer, on Port side of top member, assembly Attachments for 10-20 A 2177A, Bracket :—	1	—	C	LA64
28D/7002428	A25/6C	Bolt, 2" BA	4	—	C	
	10-20 A 2179	Bush	4	S.92	—	LA64
28M/9403520	A27/CP	Nut, 2 BA	4	—	C	
28W/9419454	SP.10/C	Washer	4	—	C	
26DL/4216	DHS.69/C	Washer, shim	4	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
7498	10-20 WC 23099	BUSH, fuel bay cowling door sling pick-up ... (See Repair section PA)	1	—	C	LA64
	---	ELECTRICAL COMPONENTS ... (See sub-section EBV)	—	—	—	—
	10-20 WC 11053A/ND	LINING, bag tank, c/w angles, Port, assembly...	1	—	—	LA64
	10-20 WC 11054A/ND	LINING, bag tank, c/w angles, Starboard, assembly	1	—	—	LA64
	10-20 WC 4623A/ND	LINING, less angles, Port, assembly, 28 SWG	1	L.72	—	LA64
	10-20 WC 4624A/ND	LINING, less angles, Starboard, assembly, 28 SWG	1	L.72	—	LA64
	10-20 WC 12669ND	PIECE, packing, between top boom and capping plate, 2"0 x 6"9 x 18 SWG	1	L.72	LM	LA64
16583	10-20 WC 31031A	PLATE, capping, top skin, assembly ... Spares for:—	1	—	C	LA64
16584	10-20 WC 31029A	END, gutter, Port, assembly ...	1	—	C	LA64
16585	10-20 WC 31030A	END, outer, Starboard, assembly ...	1	—	C	LA64
28D/13697	AS.3297/3C	Attachments for 10-20 WC 31031A, Plate:—	8	—	C	—
28M/1006473	A27/CT	Bolt, 2 BA ...	8	—	C	—
	10-20 WC 4843	PLATE, packing, strut attachment, 16 SWG ...	2	S.510	LM	LA64
4245	10-20 WC 16187	SOCKET, bag tank lining ...	26	—	C	LA64
4401	DHS.782/34/22	WASHER, bag tank lining socket...	26	—	C	LA64
	—	STRAP, "Firebreak" and radar hydraulic alternator control units, at diagonal member, group	2	—	—	—
28D/7002428	A25/6C	BOLT, 2 BA ...	4	—	C	—
9972	10-20 WC 21477	EYE-END ...	2	—	C	LA64
28M/1010996	A24/CP	NUT, 2 BA ...	4	—	C	—
28S/1011481	A31/C48	SCREW ...	2	—	C	—
11877	10-20 WC 26519A	STRAP, front, assembly ...	1	—	C	LA64
11876	10-20 WC 26517A	STRAP, rear, assembly ...	1	—	C	LA64
	AS.2808/5/055	TUBE, distance, $\frac{1}{8}$ " o.d x 17 SWG x 0"55 long	4	T.35	LM	—
28W/9419402	SP.13/C	WASHER ...	4	—	C	—
	10-20 WC 4423	STRAP, joint, between aft and forward portions of rib "O," Port (For spares use 10-20 WC 29123ND)	1	—	—	LA64
14180	10-20 WC 29123ND	STRAP, joint, between aft and forward portions of rib "O," Port (Spares condition)	1	—	C	—
	10-20 WC 4424	STRAP, joint, between aft and forward portions of rib "O," Starboard (For spares use 10-20 WC 29124ND)	1	—	—	LA64
14181	10-20 WC 29124ND	STRAP, joint, between aft and forward portion of rib "O," Starboard (Spares condition)	1	—	C	—
		Attachments for 10-20 WC 4423 and 10-20 WC 4424, Straps (per pair):—				
28D/1010031	A25/8E	Bolt, $\frac{1}{2}$ " BSF ...	10	—	C	—
28D/1011244	A25/9E	Bolt, $\frac{1}{2}$ " BSF ...	6	—	C	—
28D/1010132	A25/12E	Bolt, $\frac{1}{2}$ " BSF ...	1	—	C	—
28D/12818	A25/9G	Bolt, $\frac{1}{2}$ " BSF ...	4	—	C	—
28D/1011260	A25/12G	Bolt, $\frac{1}{2}$ " BSF ...	1	—	C	—
2348	DHS.358/4E	Bolt, $\frac{1}{2}$ " BSF ...	6	—	C	—
2248	DHS.358/5E	Bolt, $\frac{1}{2}$ " BSF ...	4	—	C	—
2341	DHS.358/6E	Bolt, $\frac{1}{2}$ " BSF ...	4	—	C	—
26DL/5460	DHS.358/5G	Bolt, $\frac{1}{2}$ " BSF ...	2	—	C	—
1657	DHS.365/3E	Bolt, $\frac{1}{2}$ " BSF ...	8	—	C	—
28M/1011475	A27/EP	Nut, $\frac{1}{2}$ " BSF ...	36	—	C	—
28M/1006939	A27/GP	Nut, $\frac{1}{2}$ " BSF ...	7	—	C	—
28W/9419405	SP.15/E	Washer ...	36	—	C	—
28W/9419476	SP.15/G	Washer ...	7	—	C	—

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Score or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 4449A	STRUT , bracing, between forward and aft portions of rib "O," assembly (For spares use 10-20 WC 29613A/ND)	1	—	—	LA64
14570	10-20 WC 29613A/ND	STRUT , bracing, between forward and aft portions of rib "O," assembly (Spares condition) Spares for :—	1	—	P	
	10-20 WC 4427A	FORK-END , assembly Spares for :—	1	—	—	LA64
10176	10-20 WC 4431	BUSH , (See Repair section PA)	2	S.96	C	LA64
	10-20 WC 4529A	FORK-END , assembly Spares for :—	1	—	—	LA64
10177	10-20 WC 4433	BUSH (See Repair section PA)	2	S.96	C	LA64
10178	10-20 WC 4437	Attachments for 10-20 WC 4449A, Strut :— Bolt, 1" BSF	1	S.96	C	LA64
10180	10-20 WC 4651	Bolt, 1" BSF	1	S.97	C	LA64
10179	10-20 WC 4435	Nut, 1" BSF	1	S.96	C	LA64
10181	10-20 WC 3107	Nut, 1" BSF	1	S.1	C	LA64
28P/1011084	SP.9/H14	Pin, split	1	—	C	
28P/12721	SP.9/H.16	Pin, split	1	—	C	
28W/9419496	10-20 WC 4817ND	Washer	1	L.64	LM	LA64
	SP.16/W	Washer	1	—	C	
	—	RIB , No. "OA," Port and Starboard, group (Drg. No. 10-20 WC 8525)	1	—	—	LA68
	10-20 WC 8691	ANGLE , attachment, top joint member, Port, 10 SWG (For spares use 10-20 WC 26687ND)	1	L.73	—	LA70
11342	10-20 WC 26687ND	ANGLE , attachment, top joint member, Port, 10 SWG (Spares condition)	1	L.73	C	LA70
	10-20 WC 8692	ANGLE , attachment, top joint member, Starboard, 10 SWG (For spares use 10-20 WC 26688ND)	1	L.73	—	LA70
11343	10-20 WC 26688ND	ANGLE , attachment, top joint member, Starboard, 10 SWG (Spares condition) Attachments for 10-20 WC 8691 or 10-20 WC 8692, Angle :—	1	L.73	C	LA70
28D/1008151	A25/4E	Bolt, 1" BSF	2	—	C	
3228	DHS.382/3E	Bolt, 1" BSF	2	—	C	
3199	DHS.382/5½E	Bolt, 1" BSF	1	—	C	
6756	DHS.382/3G	Bolt, 1" BSF	2	—	C	
3191	DHS.382/4G	Bolt, 1" BSF	8	—	C	
28M/12928	A27/EP	Nut, 1" BSF	2	—	C	
2227	DHS.983/E	Nut, 1" BSF	3	—	C	
3190	DHS.983/G	Nut, 1" BSF	10	—	C	
28W/9419405	SP.15/E	Washer	1	—	C	
28W/9419487	SP.16/E	Washer	1	—	C	

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
3431	10 WC 3937	BOLT , socket, $\frac{1}{4}$ " BSF, at top and bottom angle brackets										2	—	C	LA69
28M/1011475	A27/EP	Attachments for 10 WC 3937, Bolt :—										1	—	C	
28W/9419487	SP.16/E	Nut, $\frac{1}{4}$ " BSF										1	—	C	
		Washer										1	—	C	
	10-20 WC 3191A	BRACKET , angle, aft of forward stringer cut-out, bottom half rib, Port, assembly										1	—	LM	LA68
	10-20 WC 3192A	BRACKET , angle, aft of forward stringer cut-out, bottom half rib, Starboard, assembly										1	—	LM	LA68
		Attachments for 10-20 WC 3191A or 10-20 WC 3192A, Bracket :—													
28D/9133011	A25/2C	Bolt, 2 BA										1	—	C	
28M/9403520	A27/CP	Nut, 2 BA										1	—	C	
28W/9419454	SP.10/C	Washer										1	—	C	
	10 WC 6015A	BRACKET , angle, aft of second stringer cut-out, top half rib, Port, assembly										1	L.72	LM	LA68
	10 WC 6016A	BRACKET , angle, aft of second stringer cut-out, top half rib, Starboard, assembly										1	L.72	LM	LA68
		Attachments for 10 WC 6015A or 10 WC 6016A, Bracket :—													
28D/9133011	A25/2C	Bolt, 2 BA										1	—	C	
28M/9403520	A27/CP	Nut, 2 BA										1	—	C	
28W/9419454	SP.10/C	Washer										1	—	C	
3429	10-20 WC 8901	BRACKET , tie rod, on bottom flange, Port										1	—	C	LA69
3430	10-20 WC 8902	BRACKET , tie rod, on bottom flange, Starboard										1	—	C	LA69
		Attachments for 10-20 WC 8901 or 10-20 WC 8902, Bracket :—													
28D/1013282	AS.1242/5G	Bolt, $\frac{5}{16}$ " BSF										2	—	C	
28D/1212747	AS.1242/6G	Bolt, $\frac{5}{16}$ " BSF										2	—	C	
28M/1006939	A27/GP	Nut, $\frac{5}{16}$ " BSF										2	—	C	
28M/10291	AGS.2001/G/1	Nut, $\frac{5}{16}$ " BSF										2	—	C	
	—	COVER , access, at front spar, group										1	—	—	
	10-20 WC 779A	COVER , assembly										2	—	—	LA68
		Attachments for 10-20 WC 779A, Cover :—													
28D/1011030	A25/2E	Bolt, $\frac{1}{2}$ " BSF										13	—	C	
28D/1011238	A25/3E	Bolt, $\frac{1}{2}$ " BSF										2	—	C	
28D/1212371	AS.1248/2E	Bolt, $\frac{1}{2}$ " BSF										20	—	C	
28D/1212372	AS.1248/3E	Bolt, $\frac{1}{2}$ " BSF										14	—	C	
28M/10230	AGS.2009/E/1	Nut, $\frac{1}{2}$ " BSF, anchor, at stiffener										14	—	C	
	10-20 WC 26005ND	NUT , $\frac{1}{2}$ " BSF, anchor, at front spar end of stiffeners (Make from Ref. No. 28M/14347, Part No. AGS.2019/E/1)										1	—	LM	LA68
28M/16868	AGS.2017/E/11/1"	NUT , floating strip cover attachment, rear										1	—	C	
	10-20 WC 1301ND	PACKING , under strip nuts, 3"0 x 7" x 16 SWG										1	L.72	LM	LA68

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Place No.
		1 2 3 4 5 6 7 8 9 10				
3427	10-20 WC 8463	FITTING , support, top half rib, forward of rear Attachment, Port	1	—	C	LA68
3428	10-20 WC 8464	FITTING , support, top half rib, forward of rear attachment, Starboard Attachment for 10-20 WC 8463 or 10-20 WC 8464, Fitting :—	1	—	C	LA68
4344	A25/4G/DHS.514/D	Bolt, $\frac{5}{16}$ " BSF (Alternative S21/A25/4G)	2	—	C	
	10-20 WC 8687A	MEMBER , top joint, Port, assembly (For spares use 10-20 WC 29899A/ND)	1	—	—	LA68
14778	10-20 WC 29899A/ND	MEMBER , top joint, Port, assembly... .. (Spares condition)	1	—	C	
	10-20 WC 8688A	MEMBER , top joint, Starboard, assembly (For spares use 10-20 WC 29900A/ND)	1	—	—	LA68
14779	10-20 WC 29900A/ND)	MEMBER , top joint, Starboard, assembly (Spares condition) Spares for :—	1	—	C	
3437	10-20 WC 8497	BOLT , socket, $\frac{5}{16}$ " BSF, at end post Attachments for 10-20 WC 8497, Bolt :—	1	—	C	LA70
28M/1006939	A27/GP	Nut, $\frac{5}{16}$ " BSF	1	—	C	
28W/9419488	SP.16/G	Washer	1	—	C	
3443	10-20 WC 13067	BOLT , "U," $\frac{1}{2}$ " BSF Attachments for 10-20 WC 13067, Bolt :—	3	—	C	LA70
28M/1011467	A27/ES	Nut, $\frac{1}{2}$ " BSF	6	—	C	
28P/9527619	SP.90/C7	Pin, spliic (SP.9/C8)	6	—	C	
	10-20 WC 11235	BRACKET , attachment, aft of rear "U" bolt bracket, Port, 20 SWG	1	L.72	LM	LA70
	10-20 WC 11236	BRACKET , attachment, aft of rear "U" bolt bracket, Starboard, 20 SWG	1	L.72	LM	LA70
3435	10-20 WC 8527	BRACKET , end post, Port	1	—	C	LA70
3436	10-20 WC 8528	BRACKET , end post, Starboard Attachments for 10-20 WC 8527 or 10-20 WC 8528, Bracket :—	1	—	C	LA70
28D/9133011	A25/2C	Bolt, 2 BA	1	—	C	
28D/1213231	A61/20E	Bolt, $\frac{1}{2}$ " BSF	1	—	C	
28M/9403520	A27/CP	Nut, 2 BA	1	—	C	
28M/13376	A29/EP	Nut, $\frac{1}{2}$ " BSF	1	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
11209	10-20 WC 8679	BRACKET , mounting, centre "U" bolt, Port (For spares use 10-20 WC 26883ND)	1	—	—	LA70
	10-20 WC 26883ND	BRACKET , mounting, centre "U" bolt, Port ... (Spares condition)	1	—	C	
	10-20 WC 8680	BRACKET , mounting, centre "U" bolt, Starboard (For spares use 10-20 WC 26884ND)	1	—	—	LA70
11210	10-20 WC 26884ND	BRACKET , mounting, centre "U" bolt, Starboard (Spares condition)	1	—	C	
3438	10-20 WC 8529	BRACKET , mounting, forward "U" bolt ...	1	—	C	LA70
	10-20 WC 8697	BRACKET , mounting, rear "U" bolt, Port (For spares use 10-20 WC 26885ND)	1	—	—	LA70
11198	10-20 WC 26885ND	BRACKET , mounting, rear "U" bolt, Port ... (Spares condition)	1	—	C	
	10-20 WC 8698	BRACKET , mounting, forward "U" bolt, Starboard (For spares use 10-20 WC 26886ND)	1	—	—	LA70
11199	10-20 WC 26886ND	BRACKET , mounting, forward "U" bolt, Starboard (Spares condition)	1	—	C	
3434	10-20 WC 8587	BUSH , at forging on top joint member (See Repair section PA)	1	—	C	LA70
	10-20 WC 11977	GUTTER , Port, 18 SWG ...	1	L.59	LM	LA70
	10-20 WC 11978	GUTTER , Starboard, 18 SWG ...	1	L.59	LM	LA70
	10-20 WC 22669ND	MEMBER , top, bare, Port, 12 SWG ...	1	L.73	—	LA68
	10-20 WC 22670ND	MEMBER , top, bare, Starboard, 12 SWG ...	1	L.73	—	LA68
	10-20 WC 14489ND	PLATE , reinforcing, inner, Port, 12 SWG ...	1	L.73	LM	LA70
	10-20 WC 14490ND	PLATE , reinforcing, inner, Starboard, 12 SWG ...	1	L.72	LM	LA70
	10-20 WC 14491ND	PLATE , reinforcing, outer, Port, 12 SWG ...	1	L.73	LM	LA70
	10-20 WC 14492ND	PLATE , reinforcing, outer, Starboard, 12 SWG ...	1	L.73	LM	LA70
		Attachments for 10-20 WC 14489ND, 10-20 WC 14490ND, 10-20 WC 14491ND, or 10-20 WC 14492ND, Plate :—				
28D/8307	AS.1242/2C	Bolt, 2 BA ...	1	—	C	
28D/8308	AS.1242/3C	Bolt, 2 BA ...	8	—	C	
28M/9403520	A27/CP	Nut, 2 BA ...	9	—	C	
28W/9419475	SP.15/C	Washer ...	9	—	C	
		Attachments for 10-20 WC 8687A, or 10-20 WC 8688A, Member :—				
28D/1008151	A25/4E	Bolt, 1" BSF ...	12	—	C	
28D/1011240	A26/5E	Bolt, 1" BSF ...	2	—	C	
28D/1011256	A25/5G	Bolt, 1" BSF ...	2	—	C	
28D/7002427	A25/6G	Bolt, 1" BSF ...	4	—	C	
28D/1011257	A25/7G	Bolt, 1" BSF ...	2	—	C	
3239	DHS.382/2½E	Bolt, 1" BSF ...	4	—	C	
3228	DHS.382/3E	Bolt, 1" BSF ...	2	—	C	
2474	DHS.382/4E	Bolt, 1" BSF ...	4	—	C	
3199	DHS.382/5½E	Bolt, 1" BSF ...	1	—	C	
15526	DHS.1001/2½E	Bolt, 1" BSF ...	8	—	C	
6756	DHS.382/3G	Bolt, 1" BSF ...	2	—	C	

MAIN PLANES

WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
3191	DHS.382/4G	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	8	—	C	
28M/1011475	A27/EP	Nut, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	10	—	C	
28M/13375	A27/GP	Nut, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	8	—	C	
28M/10290	AGS.2001/E/1	Nut, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	4	—	C	
2227	DHS.983/E	Nut, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	9	—	C	
3190	DHS.983/G	Nut, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	10	—	C	
	10-20 WC 3319ND	Packing, piece, Port, 18 SWG	...	...	...	...	...	...	...	...	...	1	L.73	LM	LA68
	10-20 WC 3320ND	Packing, piece, Starboard, 18 SWG	...	...	...	...	...	...	...	...	...	1	L.73	LM	LA68
5582	10-20 WC 11211	Packing, piece, at centre "U" bolt	...	...	...	...	...	...	...	...	...	2	—	C	LA70
5583	10-20 WC 11193	Packing, piece, at rear "U" bolt	...	...	...	...	...	...	...	...	...	2	—	C	LA70
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	9	—	C	
28W/9419487	SP.16/E	Washer	...	...	...	...	...	...	...	...	...	5	—	C	
28W/9419476	SP.15/G	Washer	...	...	...	...	...	...	...	...	...	4	—	C	
	10-20 WC 777	PLATE, tie, at rear of access cover (For spares use 10-20 WC 27227ND)	...	...	...	...	...	...	...	...	...	1	—	—	LA68
11998	10-20 WC 27227ND	PLATE, tie, at rear of access cover (Spares condition)	...	...	...	...	...	...	...	...	...	1	—	C	
		Attachments for 10-20 WC 777, Plate :—	...	...	...	...	...	...	...	...	...				
3240	DHS.382/2E	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
2227	DHS.983/E	Nut, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
	10-20 WC 41833A/ND	RIB, No. OA, Port, assembly, (Mod. 1287)	...	...	...	...	...	...	...	...	...	1	—	—	LA68
	10-20 WC 41834A/ND	RIB, No. OA, Starboard, assembly (Mod. 1287)	...	...	...	...	...	...	...	...	...	1	—	—	LA68
		Spares for :—	...	...	...	...	...	...	...	...	...				
	10-20 WC 8787	BRACKET, rib attachment, bottom, Port (For spares use 10-20 WC 27605ND)	...	...	...	...	...	...	...	...	...	1	—	—	LA68
12294	10-20 WC 27605ND	BRACKET, rib attachment, bottom, Port (Spares condition)	...	...	...	...	...	...	...	...	...	1	—	C	
	10-20 WC 8788	BRACKET, rib attachment, bottom, Starboard (For spares use 10-20 WC 27606ND)	...	...	...	...	...	...	...	...	...	1	—	—	LA68
12295	10-20 WC 27606ND	BRACKET, rib attachment, bottom, Starboard (Spares condition)	...	...	...	...	...	...	...	...	...	1	—	C	
		Attachments for 10-20 WC 8787 or 10-20 WC 8788, Bracket :—	...	...	...	...	...	...	...	...	...				
28D/1011030	A25/2E	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28D/1011238	A25/3E	Bolt, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	3	—	C	
28M/1011475	A27/EP	Nut, $\frac{1}{8}$ " BSF	...	...	...	...	...	...	...	...	...	4	—	C	
	10-20 WC 20375	BRACKET, rib attachment, top, Port (For spares use 10-20 WC 26573ND)	...	...	...	...	...	...	...	...	...	1	—	—	LA68
11086	10-20 WC 26573ND	BRACKET, rib attachment, top, Port (Spares condition)	...	...	...	...	...	...	...	...	...	1	—	C	

MAIN PLANES

WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.	
		1	2	3	4	5	6	7	8	9	10					
11087	10-20 WC 20376	BRACKET, rib attachment, top, Starboard ... (For spares use 10-20 WC 26574ND)										1	—	—	LA68	
	10-20 WC 26574ND	BRACKET, rib attachment, top, Starboard (Spares condition) Attachments for 10-20 WC 20375 or 10-20 WC 20376, Bracket :—										1	—	C	LA68	
	28D/1011238	A25/3E	Bolt, 1/2" BSF ...									3	—	C		
	28D/1008151	A25/4E	Bolt, 1/2" BSF ...									2	—	C		
	1147	DHS.358/3E	Bolt, 1/2" BSF ...									1	—	C		
	28M/1011475	A27/EP	Nut, 1/2" BSF ...									6	—	C		
	28W/9419405	SP.15/E	Washer ...									5	—	C		
		10-20 WC 41749A	RIB, web, bottom half, Port, assembly (Mod. 1287) (For spares use 10-20 WC 41821A/ND)										1	—	—	LA68
	19981	10-20 WC 41821A/ND	RIB, web, bottom half, Port, assembly ... (Spares condition)										1	—	C	LA69
		10-20 WC 41750A	RIB, web, bottom half, Starboard, assembly (Mod. 1287) (For spares use 10-20 WC 41822A/ND)										1	—	—	LA68 LA69
19983	10-20 WC 41822A/ND	RIB, web, bottom half, Starboard, assembly ... (Spares conditions) Spares for :—										1	—	C		
	10-20 WC 4637	ANGLE, at web flange, forward, Port, 12 SWG										1	L.73	—	LA69	
	10-20 WC 4638	ANGLE, at web flange, forward, Starboard, 12 SWG										1	L.73	—	LA69	
	10-20 WC 4635	ANGLE, at web flange, rear, Port, 12 SWG ...										1	L.73	—	LA69	
	10-20 WC 4636	ANGLE, at web flange, rear, Starboard, 12 SWG										1	L.73	—	LA69	
	10-20 WC 8915A	BRACKET, at access hole, Port, assembly ...										1	—	—	LA68	
	10-20 WC 8916A	BRACKET, at access hole, Starboard, assembly										1	—	—	LA68	
	10-20 WC 7217ND	ANGLE, forward, Port, 14 SWG ...										1	L.73	—	LA68	
	10-20 WC 7218ND	ANGLE, forward, Starboard, 14 SWG ...										1	L.73	—	LA68	
	10-20 WC 7219ND	ANGLE, rear, Port, 14 SWG ...										1	L.73	—	LA68	
	10-20 WC 7220ND	ANGLE, rear, Starboard, 14 SWG ...										1	L.73	—	LA68	
	10-20 WC 8917ND	BRACKET, bare, Port, 16 SWG ...										1	L.73	—	LA68	
	10-20 WC 8918ND	BRACKET, bare, Starboard, 16 SWG ... Attachments for 10-20 WC 8915A or 10-20 WC 8916A, Bracket :—										1	L.73	—	LA68	
2364	DHS.901/2 1/2 E	Bolt, 1/2" BSF ...									1	—	C			
3220	DHS.901/2 1/2 G	Bolt, 1/2" BSF ...									1	—	C			
	AS.4565/2 1/2 E	Bolt, 1/2" BSF ...									2	—	—			
	AS.4566/1 1/2 E	Bolt, 1/2" BSF ...									1	—	—			
2227	DHS.983/E	Nut, 1/2" BSF ...									4	—	C			
2220	DHS.383/G	Nut, 1/2" BSF ...									1	—	C			
28VV/9419405	SP.15/E	Washer ...									4	—	C			
28W/9419476	SP.15 G	Washer ...									1	—	C			

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place Nos.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 14367ND											1	L.73	—	LA68
	10-20 WC 14369ND											1	L.73	—	LA68
4245	10-20 WC 16187											1	—	C	LA68
4401	DHS.782/34/22											1	—	C	LA68
	10-20 WC 41747A											1	—	—	LA68
															LA70
19980	10-20 WC 41819A/ND											1	—	P	LA68
															LA70
	10-20 WC 41748A											1	—	—	LA68
															LA70
19982	10-20 WC 41820A/ND											1	—	C	
	10-20 WC 4303											1	L.73	—	LA70
	10-20 WC 4304											1	L.73	—	LA70
28D/9133011	A25/2C											4	—	C	
28M/9403520	A27/CP											4	—	C	
28W/9419475	SP.15/C											4	—	C	
	10-20 WC 8867											1	L.73	—	LA70
28D/9133011	A25/2C											4	—	C	
28M/9403520	A27/CP											4	—	C	
28W/9419475	SP.15/C											4	—	C	
	10-20 WC 9375ND											1	LFS.21	—	LA68
	10-20 WC 14363ND											1	L.73	—	LA70
	10-20 WC 14364ND											1	L.73	—	LA70
28M/11957	AGS.2007/C/1											5	—	C	
28M/12050	AGS.2007/C/3											14	—	C	
28M/14521	AGS.2007/E/3											3	—	C	
	10-20 WC 8875ND											1	L.72	—	LA70
	10-20 WC 8265ND											1	L.72	—	LA70

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 14393ND											1	L.73	—	LA68
	10-20 WC 14394ND											1	L.73	—	LA68
	10-20 WC 11367ND											1	L.73	—	LA70
	10-20 WC 11368ND											1	L.72	—	LA70
		Attachments for 10-20 WC 41833A/ND or 10-20 WC 41834A/ND, Rib :—													
28D/1011262	A25/18G	Bolt, $\frac{5}{16}$ " BSF										1	—	C	
28D/13621	A25/22J	Bolt, $\frac{3}{8}$ " BSF										1	—	C	
28M/1006939	A27/GP	Nut, $\frac{5}{16}$ " BSF										1	—	C	
28M/1011473	A27/JF	Nut, $\frac{3}{8}$ " BSF										1	—	C	
28VV/9419476	SP.15/G	Washer										1	—	C	
28VV/9419477	SP.15/J	Washer										1	—	C	
	—	RIB, No. 1, front spar to spectacle beam, Port and Starboard, group										1	—	—	
	10-20 WC 5947	RIB, No. 1, forward portion and diagonal rib, Port, assembly										1	—	—	LA71
	10-20 WC 5948	RIB, No. 1, forward portion and diagonal rib, Starboard, assembly										1	—	—	LA71
		Spares for :—													
	10-20 WC 5941A	ANGLE, mounting, at forward edge of access panel, forward of main spar, Port, assembly										1	—	—	LA71
	10-20 WC 5942A	ANGLE, mounting, at forward edge of access panel, forward of main spar, Starboard, assembly										1	—	—	LA71
		Spares for :—													
28M/9993192	AGS.2009/C/1	NUT, anchor, 2 BA										8	—	C	
28D/15614	AS.4563/2E	BOLT, $\frac{1}{2}$ " BSF, each side of doubler plate through rib joint plate at forward edge of access Panel, Port and Starboard										2	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 5631	BOOM, rib No. 1, skin landing, forward upper, Port (Pre Mod. 1056)										1	DTD.363	—	LA71
	10-20 WC 31747	BOOM, rib No. 1, skin landing, forward upper, Port (Mod. 1056)										1	DHA.78	—	LA71
	10-20 WC 5632	BOOM, rib No. 1, skin landing, forward upper, Starboard (Pre Mod. 1056)										1	DTD.363	—	LA71
	10-20 WC 31748	BOOM, rib No. 1, skin landing, forward upper, Starboard (Mod. 1056)										1	DHA.78	—	LA71
		Attachments for 10-20 WC 5631, 10-20 WC 31747, 10-20 WC 5632 or 10-20 WC 31748, Boom :—													
3237	DHS.382/4½E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	23	—	C	
3199	DHS.382/5½E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	3	—	C	
3200	DHS.382/5½G	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	10	—	C	
2471	DHS.382/6G	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	1	—	C	
2356	DHS.383/E	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	26	—	C	
2220	DHS.383/G	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	11	—	C	
	10-20 WC 21329	BOOM, rib No. 1, skin landing, forward lower, Port (Pre Mod. 1056) (For spares use 10-20 WC 28565ND)										1	—	—	LA71
13657	10-20 WC 28565ND	BOOM, rib No. 1, skin landing, forward lower, Port (Pre Mod. 1056) (Spares condition)										1	—	P	
	10-20 WC 31745	BOOM, rib No. 1, skin landing, forward lower, Port (Mod. 1056) (For spares use 10-20 WC 40701A/ND)										1	—	—	LA71
16984	10-20 WC 40701A/ND	BOOM, rib No. 1, skin landing, forward lower, Port (Spares condition) (Mod. 1056)										1	—	P	
	10-20 WC 21330	BOOM, rib No. 1, skin landing, forward lower, Starboard (Pre Mod. 1056) (For spares use 10-20 WC 28566ND)										1	—	—	LA71
13658	10-20 WC 28566ND	BOOM, rib No. 1, skin landing, forward lower, Starboard (Pre Mod. 1056) (Spares condition)										1	—	P	
	10-20 WC 31746	BOOM, rib No. 1, skin landing, forward lower, Starboard (Mod. 1056) (For spares use 10-20 WC 40702A/ND)										1	—	—	LA71
16985	10-20 WC 40702A/ND	BOOM, rib No. 1, skin landing, forward lower, Starboard (Mod. 1056) (Spares condition)										1	—	P	
		Attachments for 10-20 WC 21329, 10-20 WC 31745, 10-20 WC 21330 or 10-20 WC 31746, Boom :—													
3237	DHS.382/4½E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	23	—	C	
3235	DHS.382/5E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	3	—	C	
3194	DHS.382/5G	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	4	—	C	
3197	DHS.382/6½G	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	5	—	C	
26DV/7543	DHS.382/7G	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	1	—	C	
2356	DHS.383/E	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	26	—	C	
2220	DHS.383/G	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	10	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 17115A	BRACKET , attachment at front spar for diagonal rib, upper outboard, Port and Starboard, assembly (For spares use 10-20 WC 28639A/ND)	1	—	—	LA71
13663	10-20 WC 28639A/ND	BRACKET , attachment at front spar for diagonal rib, upper outboard, Port and lower Starboard, assembly (Spares condition)	1	—	P	
	10-20 WC 17116A	BRACKET , attachment at front spar for diagonal rib, lower outboard, Port and upper Starboard, assembly (For spares use 10-20 WC 28640A/ND)	1	—	—	LA71
13664	10-20 WC 28640A/ND	BRACKET , attachment at front spar for diagonal rib, lower outboard, Port and upper Starboard, assembly (Spares condition) Spares for :—	1	—	P	
3158	10-20 WC 17183	NUT , anchor Attachments for 10-20 WC 17115A, or 10-20 WC 17116A, Bracket :—	1	—	C	LA71
28D/1011238	A25/3E	Bolt, $\frac{1}{8}$ " BSF	3	—	C	
28D/1011240	A25/5E	Bolt, $\frac{1}{8}$ " BSF	1	—	C	
28D/1008145	A25/6E	Bolt, $\frac{1}{8}$ " BSF	4	—	C	
28D/1011259	A25/10G	Bolt, $\frac{1}{8}$ " BSF	1	—	C	
28M/7002430	AGS.2002/E/1	Nut, $\frac{1}{8}$ " BSF	3	—	C	
28M/12931	A27/ET	Nut, $\frac{1}{8}$ " BSF	5	—	C	
28M/1006939	A27/GP	Nut, $\frac{1}{8}$ " BSF	1	—	C	
28W/9419405	SP.15/E	Washer	8	—	C	
28W/9419403	SP.13/G	Washer	1	—	C	
	10-20 WC 17113A	BRACKET , attachment at front spar for diagonal rib, inboard upper Port and lower Starboard, assembly (For spares use 10-20 WC 28635A/ND)	1	—	—	LA71
13739	10-20 WC 28635A/ND	BRACKET , attachment at front spar for diagonal rib, inboard, upper Port and lower Starboard, assembly (Spares condition)	1	—	P	
	10-20 WC 17114A	BRACKET , attachment at front spar for diagonal rib, inboard, lower Port and upper Starboard (For spares use 10-20 WC 28636A/ND)	1	—	—	LA71
13740	10-20 WC 28636A/ND	BRACKET , attachment at front spar for diagonal rib, inboard, lower Port and upper Starboard (Spares condition) Spares for :—	1	—	P	
	10-20 WC 27193	NUT , anchor (Made from Part No. 10-20 WC 17183, Ref. No. 26FY/3158)	1	S.92	LM	LA71

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Score or L.M.	Plate No
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 27194	NUT , anchor (Make from Part No. 10-20 WC 17183 Ref. No. 26FY/3158) Attachments for 10-20 WC 17113A or 10-20 WC 17114A, Bracket :—										1	S.92	LM	LA71
28D/1011238	A25/3E	Bolt, 1/2"	BSF	...	...	...	...	...	...	...	...	3	—	C	
28D/1011240	A25/5E	Bolt, 1/2"	BSF	...	...	...	...	...	...	...	...	1	—	C	
28D/1008145	A25/6E	Bolt, 1/2"	BSF	...	...	...	...	...	...	...	...	1	—	C	
28M/12931	A27/ET	Nut, 1/2"	BSF	...	...	...	...	...	...	...	...	2	—	C	
28M/7002430	AGS.2002/E/1	Nut, 1/2"	BSF	...	...	...	...	...	...	...	...	3	—	C	
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	5	—	C	
3166	10-20 WC 27110A	BRACKET , attachment at front spar, lower out-board Port and upper outboard Starboard, assembly (1st 15A/C, Pre Mod. 10/11213)										1	—	P	LA71
3167	10-20 WC 17112A	BRACKET , attachment at front spar, lower inboard Port and upper outboard Starboard, assembly (1st 15A/C, Pre Mod. 10-11213) Spares for :—										1	—	P	LA71
3158	10-20 WC 17183	NUT , anchor Attachments for 10-20 WC 17110A or 10-20 WC 17112A, Bracket :—										1	—	C	LA71
28D/1011240	A25/5E	Bolt, 1/2"	BSF	...	...	...	...	...	...	...	...	4	—	C	
28D/1008145	A25/6E	Bolt, 1/2"	BSF	...	...	...	...	...	...	...	...	1	—	C	
28D/1011242	A25/7E	Bolt, 1/2"	BSF	...	...	...	...	...	...	...	...	4	—	C	
28M/12931	A27/ET	Nut, 1/2"	BSF	...	...	...	...	...	...	...	...	8	—	C	
28M/12928	A27/EP	Nut, 1/2"	BSF	...	...	...	...	...	...	...	...	1	—	C	
28W/9418921	SP.13/E	Washer	...	...	...	...	...	...	...	...	...	1	—	C	
	10-20 WC 23856A	BRACKET , attachment at front spar, lower out-board Port and upper outboard, Starboard, assembly (For spares use 10-20 WC 28638A/ND) (Mod. 10/11213, 16th and subsequent A/C)										1	—	—	LA71
13706	10-20 WC 28638A/ND	BRACKET , attachment at front spar, lower out-board, Port and upper outboard Starboard, assembly (Spares condition) (Mod. 10/11213, 16th and subsequent A/C)										1	—	P	
	10-20 WC 23862A	BRACKET , attachment at front spar, lower in-board, Port and upper inboard, Starboard, assembly (For spares use 10-20 WC 28642A/ND) (Mod. 10/11213, 16th and subsequent A/C)										1	—	—	LA71

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Score or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
13704	10-20 WC 28642A/ND	BRACKET , attachment, at front spar, lower inboard, Port and upper inboard, Starboard assembly (Spares condition) (Mod. 10/11213, 16th and subsequent A/C) Spares for :—										1	—	P	
3158	10-20 WC 17183	NUT , anchor Attachments for 10-20 WC 23856A or 10-20 WC 23862A. Bracket :—										1	—	C	LA71
28D/1011240	A25/5E	Bolt, $\frac{1}{4}$ " BSF										4	—	C	
28D/1008145	A25/6E	Bolt, $\frac{1}{4}$ " BSF										1	—	C	
28D/1011242	A25/7E	Bolt, $\frac{1}{4}$ " BSF										4	—	C	
28M/12931	A27/ET	Nut, $\frac{1}{4}$ " BSF										8	—	C	
28M/12928	A27/EP	Nut, $\frac{1}{4}$ " BSF										1	—	C	
28VV/9418921	SP.13/E	Washer										1	—	C	
3164	10-20 WC 17109A	BRACKET , attachment, at front spar, upper outboard, Port and lower outboard, Starboard, assembly (Pre Mod. 10/11213 1st 15A/C.)										—	—	P	LA71
3165	10-20 WC 17111A	BRACKET , attachment, at front spar, upper inboard, Port and lower inboard, Starboard assembly (Pre Mod. 10/11213 1st 15A/C.) Attachments for 10-20 WC 17109A, or 10-20 WC 17111A. Bracket :—										1	—	P	LA71
28D/1011240	A25/5E	Bolt, $\frac{1}{4}$ " BSF										4	—	C	
28D/1008145	A25/6E	Bolt, $\frac{1}{4}$ " BSF										1	—	C	
28D/1011242	A25/7E	Bolt, $\frac{1}{4}$ " BSF										4	—	C	
28M/12931	A27/ET	Nut, $\frac{1}{4}$ " BSF										8	—	C	
28M/12928	A27/EP	Nut, $\frac{1}{4}$ " BSF										1	—	C	
28W/9418921	SP.13/E	Washer										1	—	C	
	10-20 WC 23855A	BRACKET , attachment, at front spar, upper outboard, Port and lower outboard, Starboard, assembly (For spares use 10-20 WC 28637A/ND) (Mod. 10/11213, 16th and subsequent A/C)										1	—	—	LA71
13705	10-20 WC 28637A/ND	BRACKET , attachment, at front spar, upper outboard, Port and lower outboard, Starboard, assembly (Spares condition) (Mod. 10/11213, 16th and subsequent A/C)										1	—	P	
	10-20 WC 23861A	BRACKET , attachment, at front spar, upper inboard, Port and lower inboard, Starboard, assembly (For spares use 10-20 WC 28641A/ND) (Mod. 10/11213, 16th and subsequent A/C)										1	—	—	LA71

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748	749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850	851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867	868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	987	988	989	990	991	992	993	994	995	996	997	998	999	1000	1001	1002	1003	1004	1005	1006	1007	1008	1009	1010	1011	1012	1013	1014	1015	1016	1017	1018	1019	1020	1021	1022	1023	1024	1025	1026	1027	1028	1029	1030	1031	1032	1033	1034	1035	1036	1037	1038	1039	1040	1041	1042	1043	1044	1045	1046	1047	1048	1049	1050	1051	1052	1053	1054	1055	1056	1057	1058	1059	1060	1061	1062	1063	1064	1065	1066	1067	1068	1069	1070	1071	1072	1073	1074	1075	1076	1077	1078	1079	1080	1081	1082	1083	1084	1085	1086	1087	1088	1089	1090	1091	1092	1093	1094	1095	1096	1097	1098	1099	1100	1101	1102	1103	1104	1105	1106	1107	1108	1109	1110	1111	1112	1113	1114	1115	1116	1117	1118	1119	1120	1121	1122	1123	1124	1125	1126	1127	1128	1129	1130	1131	1132	1133	1134	1135	1136	1137	1138	1139	1140	1141	1142	1143	1144	1145	1146	1147	1148	1149	1150	1151	1152	1153	1154	1155	1156	1157	1158	1159	1160	1161	1162	1163	1164	1165	1166	1167	1168	1169	1170	1171	1172	1173	1174	1175	1176	1177	1178	1179	1180	1181	1182	1183	1184	1185	1186	1187	1188	1189	1190	1191	1192	1193	1194	1195	1196	1197	1198	1199	1200	1201	1202	1203	1204	1205	1206	1207	1208	1209	1210	1211	1212	1213	1214	1215	1216	1217	1218	1219	1220	1221	1222	1223	1224	1225	1226	1227	1228	1229	1230	1231	1232	1233	1234	1235	1236	1237	1238	1239	1240	1241	1242	1243	1244	1245	1246	1247	1248	1249	1250	1251	1252	1253	1254	1255	1256	1257	1258	1259	1260	1261	1262	1263	1264	1265	1266	1267	1268	1269	1270	1271	1272	1273	1274	1275	1276	1277	1278	1279	1280	1281	1282	1283	1284	1285	1286	1287	1288	1289	1290	1291	1292	1293	1294	1295	1296	1297	1298	1299	1300	1301	1302	1303	1304	1305	1306	1307	1308	1309	1310	1311	1312	1313	1314	1315	1316	1317	1318	1319	1320	1321	1322	1323	1324	1325	1326	1327	1328	1329	1330	1331	1332	1333	1334	1335	1336	1337	1338	1339	1340	1341	1342	1343	1344	1345	1346	1347	1348	1349	1350	1351	1352	1353	1354	1355	1356	1357	1358	1359	1360	1361	1362	1363	1364	1365	1366	1367	1368	1369	1370	1371	1372	1373	1374	1375	1376	1377	1378	1379	1380	1381	1382	1383	1384	1385	1386	1387	1388	1389	1390	1391	1392	1393	1394	1395	1396	1397	1398	1399	1400	1401	1402	1403	1404	1405	1406	1407	1408	1409	1410	1411	1412	1413	1414	1415	1416	1417	1418	1419	1420	1421	1422	1423	1424	1425	1426	1427	1428	1429	1430	1431	1432	1433	1434	1435	1436	1437	1438	1439	1440	1441	1442	1443	1444	1445	1446	1447	1448	1449	1450	1451	1452	1453	1454	1455	1456	1457	1458	1459	1460	1461	1462	1463	1464	1465	1466	1467	1468	1469	1470	1471	1472	1473</

MAIN PLANES WING CENTRE SECTION

10-20 WC 10151A		PANEL , access, forward of main spar, Starboard, assembly	1	—	—	LA71
		Attachments for 10-20 WC 10151A, Panel :—				
28D/1013177	AS.1242/2E	Bolt, $\frac{1}{2}$ " BSF	14	—	—	C
28D/8324	AS.1242/3E	Bolt, $\frac{1}{2}$ " BSF	23	—	—	C
28D/8325	AS.1242/4E	Bolt, $\frac{1}{2}$ " BSF	2	—	—	C
10-20 WC 6359		PLATE , doubler, on outboard face of rib web joint, at front edge of access panel forward of main spar, Port and Starboard	2	—	—	LA71
		Attachments for 10-20 WC 6359, Plate :—				
28D/9435064	AS.4563/4E	Bolt, $\frac{1}{2}$ " BSF	10	—	—	C
28M/13376	A29/EP	Nut, $\frac{1}{2}$ " BSF	10	—	—	C
28W/9419487	SP.16/E	Washer	10	—	—	C
10-20 WC 5935A		PLATE , joint, on inboard face of web plate, forward of access panel, Port, assembly	1	—	—	LA71
10-20 WC 5936A		PLATE , joint, on inboard face of web plate, forward of access panel, Starboard, assembly	1	—	—	LA71
		Spares for :—				
28M/10226	AGS.2009/C/3	NUT , anchor, 2 BA	4	—	—	C
10-20 WC 5937A		PLATE , web, rib No. 1, forward upper half, Port, assembly	1	—	—	LA71
10-20 WC 5938A		PLATE , web, rib No. 1, forward upper half, Starboard, assembly	1	—	—	LA71
		Spares for :—				
28M/9435560	AGS.2007/E/1	NUT , anchor, $\frac{1}{2}$ " BSF	6	—	—	C
28M/17088	AGS.2023/C/3	NUT , anchor, 2 BA, capped	1	—	—	C
28M/12050	AGS.2007/C/3	NUT , anchor, 2 BA	2	—	—	C
28M/15337	AGS.2020/E/1	NUT , anchor, $\frac{1}{2}$ " BSF	2	—	—	C
10-20 WC 17463A/ND		RIB , diagonal, lower, Port, assembly (Less forward attachment angles) (For spares use 10-20 WC 30869A/ND)	1	—	—	LA71
16267	10-20 WC 30869A/ND	RIB , diagonal, lower, Port, assembly (Less forward attachment angles) (Spares condition)	1	—	—	P
10-20 WC 17464A/ND		RIB , diagonal, lower, Starboard assembly (Less forward attachment angles) (For spares use 10-20 WC 30870A/ND)	1	—	—	LA71
16268	10-20 WC 30870A/ND	RIB , diagonal, lower, Starboard assembly (Less forward attachment angles) (Spares condition)	1	—	—	P
		Attachments for 10-20 WC 17463A/ND or 10-20 WC 17464A/ND, Rib :—				
28D/1008145	A25/6E	Bolt, $\frac{1}{2}$ " BSF	2	—	—	C
28D/15711	A59/6E	Bolt, $\frac{1}{2}$ " BSF	1	—	—	C
28D/9435782	AS.4598/2E	Bolt, $\frac{1}{2}$ " BSF	2	—	—	C
28D/15811	AS.4598/3E	Bolt, $\frac{1}{2}$ " BSF	1	—	—	C
28M/7002430	AGS.2002/E/1	Nut, $\frac{1}{2}$ " BSF	2	—	—	C
28W/9419405	SP.15/E	Washer	4	—	—	C
28W/9419487	SP.16/E	Washer	2	—	—	C

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 17461A/ND	RIB , diagonal, upper, Port, assembly (Less forward attachment angles) (For spares use 10-20 WC 30867A/ND)										1	—	—	LA71
16265	10-20 WC 30867A/ND	RIB , diagonal, upper, Port, assembly (Less forward attachment angles) (Spares condition)										1	—	P	
	10-20 WC 17462A/ND	RIB , diagonal, upper, Starboard, assembly (Less forward attachment angles) (For spares use 10-20 WC 30868A/ND)										1	—	—	LA71
16266	10-20 WC 30868A/ND	RIB , diagonal, upper, Starboard, assembly (Less forward attachment angles) (Spares condition)										1	—	P	
		Attachments for 10-20 WC 17461A/ND or 10-20 WC 17462A/ND, Rib:—													
28D/1011240	A25/5E	Bolt, 1/2" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28D/15711	A59/6E	Bolt, 1/2" BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28D/9435782	AS.4598/2E	Bolt, 1/2" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28D/15811	AS.4598/3E	Bolt, 1/2" BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28M/7002430	AGS.2002/E/1	Nut, 1/2" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	4	—	C	
28W/9419487	SP.16/E	Washer	...	...	...	...	...	...	...	...	...	2	—	C	
	10-20 WC 5951	STIFFENER , on inboard face of lower web plate, forward of main spar, Port										1	L.73	—	LA71
	10-20 WC 5952	STIFFENER , on inboard face of lower web plate, forward of main spar, Starboard										1	L.73	—	LA71
3172	10-20 WC 11931A	TIE-ROD , on upper inboard face of rib at main spar, assembly, Port and Starboard										1	—	P	LA71
		Spares for:—													
	10-20 WC 7245ND	FORK-END										1	S.96	—	LA71
	10-20 WC 8857	PIN , shackle										1	S.98	—	LA71
28P/1202460	SP.9/C4	PIN , split										1	—	C	
	10-20 WC 7247ND	TRUNNION										1	S.96	—	LA71
		Attachments for 10-20 WC 11931A, Tie-rod:—													
28P/840	SP.4Y/B14	Pin, shackle	...	...	...	...	...	...	...	...	...	1	—	C	
28P/1202460	SP.9/C4	Pin, split	...	...	...	...	...	...	...	...	...	1	—	C	
28W/9419487	SP.16/E	WASHER , for bolts each side of doubler plate, through rib joint plate at forward edge of access panels, Port and Starboard										2	—	C	
	10-20 WC 5939	WEB , half, lower portion forward of main spar, Port, assembly										1	—	—	LA71
	10-20 WC 5940	WEB , half, lower portion forward of main spar, Starboard, assembly										1	—	—	LA71
		Spares for:—													
28M/12050	AGS.2007/C/3	NUT , anchor, 2 BA										4	—	C	
28M/17088	AGS.2023/C/3	NUT , anchor, 2 BA, capped										1	—	C	
28M/9435560	AGS.2007/E/1	NUT , anchor, 1/2" BSF										6	—	C	
28M/15337	AGS.2020/E/1	NUT , anchor, 1/2" BSF										2	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 23881A	RIB, No. 1, aft of main spar, Port, assembly ...										1	—	—	LA72
		(Mod. 1275)													
	10-20 WC 23882A	RIB, No. 1, aft of main spar, Starboard, assembly										1	—	—	LA72
		(Mod. 1275)													
20218	10-20 WC 41779A	BRACKET, toggle, lower, Port, assembly stn. 252-1										1	—	P	LA73
20219	10-20 WC 41780A	BRACKET, toggle, lower, Starboard, assembly,										1	—	P	LA73
		stn. 252-1													
20220	10-20 WC 41781A	BRACKET, toggle, lower, Port, assembly, stn.										1	—	P	LA73
		270-15													
20221	10-20 WC 41782A	BRACKET, toggle, lower, Starboard, assembly,										1	—	P	LA73
		stn. 270-15													
20222	10-20 WC 41783A	BRACKET, toggle, lower, Port, assembly, stn.										1	—	P	LA73
		280-8													
20223	10-20 WC 41784A	BRACKET, toggle, lower, Starboard, assembly,										1	—	P	LA73
		stn. 280-8													
20224	10-20 WC 41785A	BRACKET, toggle, lower, Port, assembly, stn 302-0										1	—	P	LA73
20225	10-20 WC 41786A	BRACKET, toggle, lower, Starboard, assembly,										1	—	P	LA73
		stn. 302-0													
		Spares for :—													
19660	10-20 EC 14057A	FASTENER, toggle, assembly ...										1	—	C	LA73
19663	10-20 EC 14053A	END, fork, assembly ...										1	—	C	LA73
19662	10-20 EC 14061	HOOK ...										1	—	C	LA73
		Attachments for 10-20 EC 14061, Hook :—													
28M/1011470	A27/GT	Net, lock ...										1	—	C	
19661	10-20 EC 14103	SWIVEL ...										1	—	C	LA73
		Attachments for 10-20 EC 14103, Swivel :—													
28P/	SP.113/B10	Pin ...										1	—	C	
28P/17193	SP.113/E10	Pin, ...										1	—	C	
28P/9527619	SP.90/C7	Pin, split (SP.9/C8) ...										2	—	C	
		Attachments for 10-20 EC 14057A, Fastener :—													
5629	A27/EP/DHS.514/D	Nut (Lock to: DHS.514/D) ...										2	—	C	
26FC/6726	DHS.69/D	Shim, "Attewell" ...										QR	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
		Attachments for 10-20 WC 41779A, 10-20 WC 41780A, 10-20 WC 41781A, 10-20 WC 41782A, 10-20 WC 41783A, 10-20 WC 41784A, 10-20 WC 41785A or 10-20 WC 41786A. Bracket :—													
28D/9133012	A25 3C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	8	—	C	
28D/1011238	A25/3E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28D/1008151	A25/4E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28D/1011240	A25/5E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28D/1011242	A25/7E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	9	—	C	
28D/10473	AS1248/6E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28M/9403520	A27/CP	Nut, 2 BA	...	...	...	...	...	...	...	...	...	8	—	C	
28M/1011475	A27/EP	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	16	—	C	
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	4	—	C	
28W/9419404	SP.16/C	Washer	...	...	...	...	...	...	...	...	...	8	—	C	
	10-20 WC 17023	Washer, support, 14 SWG	...	...	...	...	...	...	...	...	...	4	L.72	LM	LA73
	10-20 WC 25755	Washer, support, 6 SWG	...	...	...	...	...	...	...	...	...	8	L.73	LM	LA73
3279	10-20 WC 11965A	BRACKET, "U" bolt, upper, Port, assembly	...	...	...	...	...	...	...	...	...	1	—	P	LA73
3280	10-20 WC 11966A	BRACKET, "U" bolt, upper, Starboard, assembly	...	...	...	...	...	...	...	...	...	1	—	P	LA73
		Spares for :—													
3281	10-20 EC 2891	BOLT "U"	...	...	...	...	...	...	...	...	...	1	—	C	LA73
		Attachments for 10-20 EC 2891, Bolt :—													
28M/1011475	A27/EP	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28W/9418921	SP.13/E	Washer	...	...	...	...	...	...	...	...	...	2	—	C	
		Attachments for 10-20 WC 11965A or 10-20 WC 11966A, Bracket :—													
28D/1008145	A25/6E	Bolt, 1" BSF (lower)	...	...	...	...	...	...	...	...	...	2	—	C	
28D/1011242	A25/7E	Bolt, 1" BSF (upper)	...	...	...	...	...	...	...	...	...	2	—	C	
28M/1011475	A27/EP	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	4	—	C	
28W/9419405	SP.15/E	Washer (upper bolts)	...	...	...	...	...	...	...	...	...	2	—	C	
	10-20 WC 17025	Washer, support L.H. (lower bolts) 14 SWG	...	...	...	...	...	...	...	...	...	2	L.72	LM	LA73
	10-20 WC 17023	Washer, support R.H. (lower bolts) 14 SWG	...	...	...	...	...	...	...	...	...	2	L.72	LM	LA73
3282	10-20 WC 11967A	BRACKET, "U" bolt, upper, Port, assembly	...	...	...	...	...	...	...	...	...	1	—	P	LA73
3283	10-20 WC 11968A	BRACKET, "U" bolt, upper, Starboard, assembly	...	...	...	...	...	...	...	...	...	1	—	P	LA73
		Spares for :—													
3281	10-20 EC 2891	BOLT "U"	...	...	...	...	...	...	...	...	...	1	—	C	LA73
		Attachments for 10-20 EC 2891, Bolt :—													
28M/1011475	A27/EP	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28W/9418921	SP.13/E	Washer	...	...	...	...	...	...	...	...	...	2	—	C	
		Attachments for 10-20 WC 11967A or 10-20 WC 11968A, Bracket :—													
28D/1011240	A25/5E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28D/1011242	A25/7E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28M/1011475	A27/EP	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	4	—	C	
	10-20 WC 17023	Washer, support (lower bolts) 14 SWG	...	...	...	...	...	...	...	...	...	4	L.72	LM	LA73

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
3284	10-20 WC 11969A	BRACKET, "U" bolt, upper, Port, assembly ...										1	—	P	LA73
3285	10-20 WC 11970A	BRACKET, "U" bolt, upper, Starboard, assembly										1	—	P	LA73
		Spares for :—													
3281	10-20 EC 2891	BOLT, "U"										1	—	C	LA73
		Attachments for 10-20 EC 2891, Bolt :—													
28M/1011475	A27/EP	Nut, 1/2" BSF										2	—	C	
28W/9418921	SP.13/E	Washer										2	—	C	
		Attachments for 10-20 WC 11969A or 10-20 WC 11970A, Bracket :—													
28D/1008151	A25/4E	Bolt, 1/2" BSF										2	—	C	
28D/1011242	A25/7E	Bolt, 1/2" BSF										2	—	C	
28M/1011475	A27/EP	Nut, 1/2" BSF										4	—	C	
28W/9419405	SP.15/E	Washer										2	—	C	
	10-20 WC 25755	Washer, support (lower bolts) 6 SWG										2	L.73	LM	LA73
3286	10-20 WC 11971A	BRACKET, "U" bolt, upper, Port, assembly ...										1	—	P	LA73
3287	10-20 WC 11972A	BRACKET, "U" bolt, upper, Starboard, assembly										1	—	P	LA73
		Spares for :—													
3281	10-20 EC 2891	BOLT, "U"										1	—	C	LA73
		Attachments for 10-20 EC 2891, Bolt :—													
28M/1011475	A27/EP	Nut, 1/2" BSF										2	—	C	
28W/9418921	SP.13/E	Washer										2	—	C	
		Attachments for 10-20 WC 11971A or 10-20 WC 11972A, Bracket :—													
28D/1011240	A25/5E	Bolt, 1/2" BSF (lower)										2	—	C	
28D/1011242	A25/7E	Bolt, 1/2" BSF (upper)										2	—	C	
28M/1011475	A27/EP	Nut, 1/2" BSF										4	—	C	
	10-20 WC 17023	Washer, support, 14 SWG										4	L.72	LM	LA73
3288	10-20 WC 11973A	BRACKET, "U" bolt, upper, Port, assembly ...										1	—	P	LA73
3289	10-20 WC 11974A	BRACKET, "U" bolt, upper, Starboard, assembly										1	—	P	LA73
		Spares for :—													
3281	10-20 EC 2891	BOLT, "U"										1	—	C	LA73
		Attachments for 10-20 EC 2891, Bolt :—													
28M/1011475	A27/EP	Nut, 1/2" BSF										2	—	C	
28W/9418921	SP.13/E	Washer										2	—	C	
		Attachments for 10-20 WC 11973A or 10-20 WC 11974A, Bracket :—													
28D/1008151	A25/4E	Bolt, 1/2" BSF (lower)										2	—	C	
28D/1011242	A25/7E	Bolt, 1/2" BSF (upper)										2	—	C	
28M/1011475	A27/EP	Nut, 1/2" BSF										4	—	C	
	10-20 WC 17023	Washer, support (rear bolts) 14 SWG										2	L.72	LM	LA73
16864	10-20 WC 40011	CLAMP, cradle, on rib, at stn. 285"1, Port (Mod. 913)										1	—	C	
		Attachments for 10-20 WC 40011, Clamp :—													
28D/9133011	A25/2C	Bolt, 2 BA										4	—	C	
3239	DHS.382/21E	Bolt, 1/2" BSF										1	—	C	
28M/9403520	A27/CP	Nut, 2 BA										4	—	C	
28M/1007403	A27/ET	Nut, 1/2" BSF										1	—	C	
28W/9419402	SP.13/C	Washer										4	—	C	
1790	DHS.726/C16	Washer, saddle										QR	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
16865	10-20 WC 40017	CLAMP , cradle, on rib, at stn. 302"-0, Starboard (Mod. 913) Attachments for 10-20 WC 40017, Clamp :— Bolt, 2 BA 4 Bolt, 1" BSF 2 Nut, 2 BA 4 Nut, 1" BSF 2 Washer 4 Washer, saddle QR	1	—	C	LA73
28D/9133012	A25/3C					
3228	DHS.382/3E				C	
28M/9403520	A27/CP				C	
28M/1007403	A27/ET				C	
28W/9419402	SP.13/C				C	
1790	DHS.726/C16				C	
—	—	RIB , No. 1, details, main spar to station 368"-2, Port (Pre Mod. 270) (Drg. No. 10-20 WC 6903)	1	—	—	LA72
—	—	RIB , No. 1, details, main spar to station 338"-2, Starboard (Pre Mod. 270) (Drg. No. 10-20 WC 6904)	1	—	—	LA72
—	—	RIB , No. 1, details, main spar to station 338"-2, Port (Mod. 270) (Drg. No. 10-20 WC 26625)	1	—	—	LA72
—	—	RIB , No. 1, details, main spar to station 338"-2, Starboard (Mod. 270) (Drg. No. 10-20 WC 26626)	1	—	—	LA72
10-20 WC 9787		ANGLE , attachment, for front firewall, lower, Port, 24 SWG	1	DHA.67	LM	LA76
10-20 WC 9788		ANGLE , attachment, for front firewall, lower, Starboard, 24 SWG	1	DHA.67	LM	LA76
10-20 WC 9785		ANGLE , attachment, for front firewall, upper, Port, 24 SWG	1	DHA.67	LM	LA76
10-20 WC 9786		ANGLE , attachment, for front firewall, upper, Starboard, 24 SWG	1	DHA.67	LM	LA76
10-20 WC 14757ND		ANGLE , attachment, front stiffener No. 3, Starboard	1	—	—	LA74
10-20 WC 14759ND		ANGLE , attachment, rear stiffener No. 3, Starboard	1	—	—	LA74
10-20 WC 9523A		ANGLE , attachment, rear wheel well wall, Port, assembly	1	—	—	LA72
10-20 WC 9524A		ANGLE , attachment, rear wheel well wall, Starboard, assembly Spares for :—	1	—	—	LA72
10-20 WC 10619		BLOCK , packing, .110" thick, Port	1	DHA.362	—	LA72
10-20 WC 10620		BLOCK , packing, .110", thick, Starboard	1	DHA.362	—	LA72
		Attachments for 10-20 WC 9523A or 10-20 WC 9524A, Angle :— Bolt, 1" BSF 23 Nut, 1" BSF 23 Washer 23	23 23 23	— — —	C C C	
3240	DHS.382/2E					
28M/1007403	A27/ET					
28W/9418920	SP.10/E					
10-20 WC 9527		ANGLE , corner, at upper edge of rear wheel well wall attachment, L.H.	1	DHA.67	—	LA72
10-20 WC 9528		ANGLE , corner, at upper edge of rear wheel well wall attachment, R.H. Attachments for 10-20 WC 9527 or 10-20 WC 9528, Angle :— Bolt, 1" BSF 3 Nut, 1" BSF 3 Washer 3	1 3 3 3	DHA.67 — — —	— C C C	LA72
3237	DHS.382/4½E					
28M/1007403	A27/ET					
28W/9418921	SP.13/E					

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
28M/11957 28M/12421	10-20 WC 20677A	BLOCK, clamp mounting, Port, assembly ...	1	—	—	LA72
	10-20 WC 20679ND	BLOCK, bare, 20 SWVG ...	1	L.72	LM	LA72
	AGS.2007/C/1	NUT, anchor, double ...	1	—	C	
	AGS.2018/C/1	NUT, anchor, single ...	2	—	C	
	10-20 WC 9821	BLOCK, packing, for stiffener No. 4, Port and Starboard	2	L.72	LM	LA72
	10-20 WC 6971	BOOM, lower, Port (For spares use 10-20 WC 41427ND)	1	—	—	LA72
18828	10-20 WC 41427ND	BOOM, lower, Port (Spares condition) (Mod. 1295)	1	—	P	
	10-20 WC 6972	BOOM, lower, Starboard (For spares use 10-20 WC 41428ND)	1	—	—	LA72
18829	10-20 WC 41428ND	BOOM, lower, Starboard (Spares condition) (Mod. 1295)	1	—	P	
	10-20 WC 6969	BOOM, upper, Port ...	1	DTD.363	—	LA72
	10-20 WC 6970	BOOM, upper, Starboard ...	1	DTD.363	—	LA72
20687	10-20 E 8367A	BRACKET, firewire termination, on inboard face of rib, Port, assembly (Mod. 1422)	1	—	C	LA73
19868	10-20 E 8289	PLATE, sole ...	1	—	C	LA73
20688	10-20 E 8383A	BRACKET, firewire termination, on inboard face of rib, Starboard, assembly (Mod. 1422)	1	—	C	LA73
19871	10-20 E 8287	PLATE, sole ...	1	—	C	LA73
	10-20 WC 21397	BRACKET, angle, support for door jack, forward stiffener, Port	1	DHA.67	—	LA75
	10-20 WC 24985A	BRACKET, drain tank mounting, assembly, Starboard	1	—	—	LA74
	10-20 WC 24987ND	BRACKET, bare, 20 SWVG ...	1	S.521	LM	LA74
28M/9435067	AGS.2008/C/1	NUT, 2 BA, double anchor ...	4	—	C	
28M/9144673	AGS.2019/C/1	NUT, 2 BA, single anchor ...	4	—	C	
	10-20 WC 20441A	BRACKET, fire extinguisher mounting at forward door jack stiffener, Port, assembly	1	—	—	LA75
	10-20 WC 20515ND	FLANGE ...	1	S.511	LM	LA75
	10-20 WC 20513ND	WEB, 18 SWVG ...	1	S.510	LM	LA75
28D/1213334	AS.2923/1C	Attachments for 10-20 WC 20441A, Bracket :—				
28M/10288	AGS.2001/C/1	Bolt, 2 BA ...	2	—	C	
		Nut, 2 BA ...	2	—	C	
	10-20 WC 20725A	BRACKET, fire extinguisher mounting at forward door jack stiffener, Starboard, assembly	1	—	—	LA76

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 21467ND	ANGLE, 18 SWG										1	S.510	LM	LA76
	10-20 WC 21471ND	PLATE, reinforcing, 18 SWG										1	S.510	LM	LA76
	10-20 WC 21469ND	WEB, 18 SWG										1	S.510	LM	LA76
		Attachments for 10-20 WC 20725A, Bracket :-													
28D/9133011	A25/2C	Bolt, 2 BA										2	—	C	
28M/1006473	A27/CT	Nut, 2 BA										2	—	C	
28W/9419402	SP.13/C	Washer										2	—	C	
	10-20 WC 14577A	BRACKET, forward of stringer No. 9A, inboard, Starboard, assembly										1	—	—	LA72
	10-20 WC 14575ND	BRACKET, bare, 22 SWG										1	L.72	LM	LA72
28M/9435067	AGS.2008/C/1	NUT, 2 BA, double anchor										1	—	C	
3185	10-20 EM 309A	BRACKET, front engine mounting, forward, Port, assembly										1	—	C	LA74
3186	10-20 EM 310A	BRACKET, front engine mounting, forward, Starboard, assembly										1	—	C	LA74
18405	10-20 EM 665A	BRACKET, front engine mounting, rear, Port, assembly (Mod. 1188)										1	—	C	LA74
18406	10-20 EM 666A	BRACKET, front engine mounting, rear, Starboard, assembly (Mod. 1188)										1	—	C	LA74
		Attachments for 10-20 EM 309A, 10-20 EM 310A, 10-20 EM 665A or 10-20 EM 666A, Bracket :-													
28D/1011240	A25/SE	Bolt, 1" BSF										1	—	C	
28D/1008145	A25/6E	Bolt, 1" BSF										1	—	C	
28M/1011475	A27/EP	Nut, 1" BSF										2	—	C	
28W/9419487	SP.16/E	Washer										2	—	C	
8031	10-20 WC 18187A	BRACKET, hinge, for undercarriage door, forward, Port, assembly										1	—	P	LA75
8032	10-20 WC 18188A	BRACKET, hinge, for undercarriage door, forward, Starboard, assembly										1	—	P	LA75
		Spares for :-													
5122	10-20 WC 10991	BUSH } See Repair										1	—	C	LA75
5121	10-20 WC 10989	BUSH } Section PA										1	—	C	LA75
		Attachments for 10-20 WC 18187A or 10-20 WC 18188A, Bracket :-													
28D/9133012	A25/3C	Bolt, 2 BA										4	—	C	
28M/1006473	A27/CT	Nut, 2 BA										4	—	C	
	10-20 WC 24835ND	Shim (Max. thickness ".030)										QR	DTD.166	—	LA75
26DL/4216	DHS.69/C	Shim										2	—	C	
28W/9419475	SP.15/C	Washer										2	—	C	
28W/9419404	SP.16/C	Washer										2	—	C	

RESTRICTED

MAIN PLANES

WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Score or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 S 12505A											1	—	—	LA73
	10-20 S 12507ND											1	L.72	LM	LA73
	10-20 S 12527ND											1	L.72	LM	LA73
28D/1200119	A25/4C											1	—	C	
28D/9133011	A25/2C											2	—	C	
28M/1006473	A27/CT											3	—	C	
28W/9419475	SP.15/C											3	—	C	
	10-20 S 14011A											1	—	—	LA73
	10-20 S 14013ND											1	L.72	LM	LA73
	10-20 S 11699ND											1	L.72	LM	LA73
28D/9133011	A25/2C											2	—	C	
28D/1008151	A25/4E											1	—	C	
28M/1006473	A27/CT											2	—	C	
28M/1007403	A27/ET											1	—	C	
26DL/15368	DHS.728/E/16											1	—	C	
	10-20 WC 22067A											2	—	—	LA74
	10-20 WC 22137ND											2	L.72	LM	LA74
28M/11957	AGS.2007/C/1											2	—	C	
	10-20 WC 25581A											1	—	—	LA74
	10-20 WC 25583A											1	—	—	LA74
	10-20 WC 14113A											1	—	—	LA72
	10-20 WC 22635A											1	—	—	LA72
	10-20 WC 31485											1	DTD.298	—	LA75
	OR														
	10-20 WC 18311											1	DTD.298	—	LA75
13768	10-20 WC 28649ND											1	—	C	
	10-20 WC 18313											1	DTD.298	—	LA75

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
13769	10-20 WC 28653ND	BRACKET , support, for undercarriage door hinge, forward, Starboard (Mod. 46) Spares condition) Attachments for 10-20 WC 31485, 10-20 WC 18311 or 10-20 WC 18313, Bracket :—										1	—	C	
28D/9133012	A25/3C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	2	—	C	
28D/1200119	A25/4C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	5	—	C	
28D/9133014	A25/13C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	1	—	C	
28D/9140647	A25/14C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	1	—	C	
28D/1011025	A25/24C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	1	—	C	
28D/1011027	A25/27C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	1	—	C	
28D/1011240	A25/5E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	4	—	C	
28M/9403520	A27/CP	Nut, 2 BA	...	...	...	...	...	...	...	...	...	6	—	C	
28M/1006473	A27/CT	Nut, 2 BA	...	...	...	...	...	...	...	...	...	5	—	C	
28M/1011475	A27/EP	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	4	—	C	
26DL/4216	DHS.69/C	Shim, washer (Mod. 46 only)	...	...	...	...	...	...	...	...	...	4	—	C	
28W/9419475	SP.15/C	Washer	...	...	...	...	...	...	...	...	...	6	—	C	
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	4	—	C	
28W/9419404	SP.16/C	Washer	...	...	...	...	...	...	...	...	...	5	—	C	
3177	10-20 WC 9335A	BRACKET , toggle, at front firewall datum, Port, assembly										1	—	P	LA73
3178	10-20 WC 9336A	BRACKET , toggle, at front firewall datum, Starboard, assembly Spares for :—										1	—	P	LA73
28P/874	SP.4Y/D16	PIN , shackle Attachments for SP4Y/D16, Pin :—										1	—	C	
28P/1007741	SP.9/C8	Pin, split	...	...	...	...	...	...	...	...	...	1	—	C	
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	1	—	C	
		Attachments for 10-20 WC 9335A or 10-20 WC 9336A, Bracket :—													
28D/1011240	A25/5E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28M/12928	A27/EP	Nut, 1" BSF (Port)	...	...	...	...	...	...	...	...	...	1	—	C	
28M/12928	A27/EP	Nut, 1" BSF (Starboard)	...	...	...	...	...	...	...	...	...	2	—	C	
5854	10-20 WC 21331	Stud, 1" BSF	...	...	...	...	...	...	...	...	...	1	—	C	LA73
28W/9419405	SP.15/E	Washer (Port)	...	...	...	...	...	...	...	...	...	1	—	C	
28W/9419405	SP.15/E	Washer (Starboard)	...	...	...	...	...	...	...	...	...	2	—	C	
3250	10-20 WC 18191A	BRACKET , undercarriage door rear hinge, Port, assembly (Mod. 46)										1	—	P	LA72
3251	10-20 WC 18192A	BRACKET , undercarriage door rear hinge, Starboard, assembly (Mod. 46) Spares for :—										1	—	P	LA72
3252	10-20 WC 9565	BUSH (See Repair section PA)										1	—	C	LA72

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
3253	10-20 WC 9567	BUSH (See Repair section PA) Attachments for 10-20 WC 18191A, or 10-20 WC 18192A, Bracket :—										1	—	C	LA72
28D/1011240	A25/5E	Bolt, 1/2" BSF										3	—	C	
28D/1013178	AS.1242/5E	Bolt, 1/2" BSF										1	—	C	
28M/1011475	A27/EP	Nut, 1/2" BSF										4	—	C	
8033	10-20 WC 23851	Shim										1	—	C	LA72
8034	10-20 WC 23853	Shim										1	—	C	LA72
28W/9418921	SP.13/E	Washer										5	—	C	
	10-20 WC 13723	BUSH , flanged, undercarriage and wing-fold selector mounting, Starboard, 1/2" i/d x 0".55 long										2	L.65	—	LA74
	10-20 WC 9537	CHANNEL , above cut-out, forward of rear engine mounting, Port, 18 SWG										1	DHA.67	—	LA73
	10-20 WC 9538	CHANNEL , above cut-out, forward of rear engine mounting, Starboard 18 SWG										1	DHA.67	—	LA73
		Attachments for 10-20 WC 9537 or 10-20 WC 9538, Channel :—													
3228	DHS.382/3E	Bolt, 1/2" BSF										5	—	C	
3198	DHS.382/3 1/2 E	Bolt, 1/2" BSF										2	—	C	
3474	DHS.382/4E	Bolt, 1/2" BSF										9	—	C	
3235	DHS.382/5E	Bolt, 1/2" BSF										7	—	C	
28M/1007403	A27/ET	Nut, 1/2" BSF										26	—	C	
28W/9418921	SP.13/E	Washer										26	—	C	
	10-20 WC 20629A	CHANNEL , top, between stiffeners fore and aft of door jack stiffeners, Port, assembly (For spares use 10-20 WC 28591A/ND)										1	—	—	LA75
15076	10-20 WC 28591A/ND	CHANNEL , top, between stiffeners fore and aft of door jack stiffeners, Port, assembly (Spares condition)										1	—	C	
		Spares for :—													
	10-20 WC 21617A	PLATE , nut, assembly										1	—	—	LA75
	G.K.N.6240	ANCHOR , for 1/2" BSF nut										1	—	—	
28M/10290	AGS.2001/E/1	NUT , 1/2" BSF										1	—	C	
	10-20 WC 7983	CHANNEL , bottom, between stiffeners fore and aft of door jack stiffeners, Port side only										1	—	—	LA75
	10-20 WC 6943	CLEAT , engine mounting post, forward upper and rear lower L.H., forward lower and rear upper R.H., 18 SWG										4	DHA.67	LM	LA72

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 6944											4	DHA.67	LM	LA72
	10-20 WC 9965											1	L.73	LM	LA75
	10-20 WC 2727A											1	—	—	LA72
13378	10-20 WC 27889A/ND											1	—	P	
	10-20 WC 2728A											1	—	—	LA72
13379	10-20 WC 27890A/ND											1	—	P	
28D/1011238	A25/3E											1	—	C	
28D/1008151	A25/4E											1	—	C	
28M/1011475	A27/EP											2	—	C	
28W/9418921	SP.13/E											2	—	C	
	10-20 WC 13361											1	Alumn.	LM	LA74
	10-20 WC 13355A											1	—	—	LA74
28D/1011336	A26/4B											2	—	C	
28W/9419474	10-20 WC 22637											1	L.64	LM	LA74
	SP.15/B											2	—	C	
	10-20 Z 5961											1	—	—	LA74
28M/9993192	AGS.2009/C/1											10	—	C	
15410	10-20 CE 4575A											1	—	C	LA74
	10-20 CE 8045A											1	—	—	LA74
	10-20 CE 8047ND											1	L.72	LM	LA74
28M/9435067	AGS.2008/C/1											1	—	C	
28FP/1074	DZUS S5/325/D12											1	—	C	
28M/10288	AGS.2001/C/1											3	—	C	
28S/1012954	AS.2992/5C											5	—	C	
28W/9419402	SP.13/C											5	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
15412	10-20 CE 4587A	PLATE , cover, cable forward, Starboard, assembly										1	—	P	LA74
		Spares for :—													
	10-20 CE 8045A	BRACKET , angle, assembly										1	—	—	LA74
	10-20 CE 8047ND	ANGLE , 18 SWG										1	L.72	LM	LA74
28M/9435067	AGS.2008/C/1	NUT , anchor, 2 BA										1	—	C	
28FP/1074	DZUS 55/325/D12	SPRING										1	—	C	
		Attachments for 10-20 CE 4587A, Plate :—													
28D/9436920	A25/1C	Bolt, 2 BA										2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA										5	—	C	
28S/1012945	AS.2992/5C	Screw, 2 BA										3	—	C	
28VV/9419402	SP.13/C	Washer										5	—	C	
	10-20 WC 17193A	PLATE , edge, along lower boom between under-carriage door hinge brackets, Port, assembly, 13 and 18 SWG										1	L.72	LM	LA72
	10-20 WC 17194A	PLATE , edge, along lower boom between under-carriage door hinge brackets, Starboard, assembly, 13 and 18 SWG										1	L.72	LM	LA72
		Attachments for 10-20 WC 17193A or 10-20 WC 17194A, Plate :—													
3245	DHS.363/8½E	Bolt, ½" BSF										4	—	C	
3248	DHS.363/9½E	Bolt, ½" BSF										1	—	C	
3244	DHS.363/10E	Bolt, ½" BSF										2	—	C	
3249	DHS.365/10E	Bolt, ½" BSF										1	—	C	
3247	DHS.363/12E	Bolt, ½" BSF										1	—	C	
3246	DHS.363/14E	Bolt, ½" BSF										1	—	C	
3243	DHS.363/15E	Bolt, ½" BSF										2	—	C	
3242	DHS.363/16E	Bolt, ½" BSF										1	—	C	
28D/1214034	AS.1242/12C	Bolt, 2 BA										2	—	C	
28D/1214035	AS.1242/13C	Bolt, 2 BA										2	—	C	
28M/9403520	A27/CP	Nut, 2 BA										4	—	C	
2227	DHS.983/E	Nut, ½" BSF										10	—	C	
28M/13376	A29/EP	Nut, ½" BSF										1	—	C	
28M/1011475	A27/EP	Nut, ½" BSF										1	—	C	
28M/10290	AGS.2001/E/1	Nut, ½" BSF										1	—	C	
	10-20 WC 9533ND	Washer, packing, forward of front engine mounting post, 14 SWG										1	L.72	LM	LA72
	10-20 WC 9535ND	Washer, packing, aft of front engine mounting post, 14 SWG										1	L.72	LM	LA72
	10-20 WC 21393ND	PLATE , gusset, cowling bracket stiffener attachment, Starboard										1	DHA.67	—	LA76
	10-20 WC 21391ND	PLATE , gusset, cowling bracket stiffener attachment, Starboard										1	DHA.67	—	LA76
15411	10-20 CE 4595A	PLATE , intermediate, back, Starboard, assembly										1	—	P	LA74
		Spares for :—													
	10-20 CE 4519A	BRACKET , angle, assembly										1	—	—	LA74
	10-20 CE 4523ND	ANGLE , 18 SWG										1	L.72	LM	LA74
28M/9435067	AGS.2008/C/1	NUT , anchor, 2 BA										1	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
28FP/1074	DZUS S5/325/D12											1	—	C	
28D/9436920	A25/1C											2	—	C	
28M/10288	AGS.2001/C/1											2	—	C	
28W/9419402	SP.13/C											2	—	C	
	10-20 WC 21399ND											1	DHA.67	—	LA76
	10-20 WC 2073ND											1	L.73	LM	LA76
	10-20 WC 9473											1	DHA.67	—	LA72
	10-20 WC 9474											1	DHA.67	—	LA72
8028	10-20 CE 2717											1	—	C	LA74
28M/5808571	A27/GS											1	—	C	
28P/9527619	SP.90/C7											1	—	C	
28W/9419403	SP.13/G											1	—	C	
8027	10-20 CE 2903											1	—	C	LA74
28M/5808571	A27/GS											1	—	C	
28P/9527619	SP.90/C7											1	—	C	
28W/9419403	SP.13/G											1	—	C	
	10-20 WC 9521											1	DHA.67	—	LA72
	10-20 WC 9522											1	DHA.67	—	LA72
28D/1011238	A25/3E											1	—	C	
28M/1011475	A27/EP											1	—	C	
28W/9418921	SP.13/E											1	—	C	
	10-20 WC 20721											1	L.73	LM	LA76
	10-20 WC 20719											1	—	—	LA76
	10-20 WC 17443											1	L.73	LM	LA73
	10-20 WC 17444											1	L.73	LM	LA73
28D/9133012	A25/3C											2	—	C	
28M/9403520	A27/CP											2	—	C	
1791	DHS.727/C/12											2	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
17041	10-20 WC 31455A OR 10-20 WC 14953A	STIFFENER , door jack, rear, Port, assembly (For spares use 10-20 WC 40791A/ND)										1	—	—	LA75
		STIFFENER , door jack, rear, Port, assembly (For spares use 10-20 WC 28553A/ND)										1	—	—	LA75
	10-20 WC 40791A/ND	STIFFENER , door jack, rear, Port, assembly ... (Spares condition)										1	—	C	
	13410 10-20 WC 28553A/ND	STIFFENER , door jack, rear, Port, assembly ... (Spares condition)										1	—	C	
28M/12421	10-20 WC 27063	BLOCK , packing, 3"35 x "80 x "235 ...										1	LFS.26	LM	LA75
	10-20 WC 20289A	BRACKET , cleat mounting, lower, assembly										1	—	—	LA75
	10-20 WC 20291ND	BRACKET , bare, 18 SWG ...										1	L.72	LM	LA75
	AGS.2018/C/1	NUT , anchor, 2 BA ...										1	—	C	
28M/15251	10-20 WC 14887A	BRACKET , cleat mounting, upper, assembly										1	—	—	LA75
	AGS.2018/C/2	NUT , anchor, 2 BA ...										2	—	C	
	10-20 WC 14915	PLATE , reinforcing ...										1	DHA.67	—	LA75
	10-20 WC 20505A/1	STIFFENER , door jack, rear, Starboard, assembly (For spares use 10-20 WC 31375A/ND)										1	—	—	LA76
16300	10-20 WC 31375A/ND	STIFFENER , door jack, rear, Starboard, assembly (Spares condition)										1	—	C	
		Spares for :—													
	10-20 WC 22071	BRACKET , attachment, forward cover plate. 20 SWG										1	L.72	LM	LA76
	10-20 WC 28919A	BRACKET , cleat mounting ...										2	—	—	LA76
28M/12421	10-20 WC 20511ND	BRACKET , bare, 20 SWG ...										1	L.72	LM	LA76
	AGS.2018/C/1	NUT , anchor, 2 BA ...										1	—	C	
	10-20 WC 28217ND	PACKING , 1"0 x "59 x 6 SWG ...										1	L.72	LM	LA76
	10-20 WC 10537	FAIRLEAD Attachments for 10-20 WC 10537, Fairlead :—										1	LFS.21	—	LA76
28D/9133012	A25/3C	Bolt, 2 BA ...										2	—	C	
28M/9403520	A27/CP	Nut, 2 BA ...										2	—	C	
28M/12421	AGS.2018/C/1	NUT , anchor, 2 BA ...										2	—	C	
	10-20 WC 20631	STIFFENER , foot, for stiffener attachment on outboard face of rib, Port										1	DHA.67	—	LA76
	10-20 WC 20632	STIFFENER , foot, for stiffener attachment on outboard face of rib, Starboard										1	DHA.67	—	LA76
	10-20 WC 20633	STIFFENER , foot, for stiffener attachment on outboard face of rib, lower, Port										1	DHA.67	—	LA76
	10-20 WC 20634	STIFFENER , foot, for stiffener attachment on outboard face of rib, lower, Starboard										1	DHA.67	—	LA76
		STIFFENER , foot, for stiffener No. 4, top, Port and Starboard, assembly										2	—	—	LA72
		Attachments for 10-20 WC 9573A, Stiffener :—													
	3228 DHS.382/3E	Bolt, 1" BSF ...										2	—	C	
28M/12931	A27/ET	Nut, 1" BSF ...										2	—	C	
28W/9418921	SP.13/E	Washer ...										2	—	C	

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 14111A	STIFFENER , foot, for stiffener No. 4, lower Port, and Starboard, assembly										2	—	—	LA72
	10-20 WC 6949A	STIFFENER , foot, for stiffeners No. 5, 6 and 7, Port upper and Starboard lower, assembly (16 and 18 SWG)										3	L.73	LM	LA72
	10-20 WC 6950A	STIFFENER , foot, for stiffeners No. 5, 6, and 7 Port lower and Starboard upper, assembly (16 and 18 SWG)										3	L.73	LM	LA72
	10-20 WC 9531	STIFFENER , foot, upper, for stiffeners No. 2, 3 and 4, Port and Starboard										6	—	—	LA72
28D/1011244	A25/9E	Attachments for 10-20 WC 9531, Stiffener :—										1	—	C	
28M/12928	A27/EP	Bolt, 1/2" BSF ...										1	—	C	
28W/9418921	SP.13/E	Nut, 1/2" BSF ...										1	—	C	
		Washer ...										1	—	C	
	10-20 WC 9489A	STIFFENER , forward engine mounting on out-board face of rib, Port, assembly										1	—	—	LA72
		Spares for :—													
	10-20 WC 20553A	MOUNTING , hydraulic, for pipe clamp, assembly										1	—	—	LA72
	10-20 WC 20551ND	ANGLE , bare, 18 SWG ...										1	L.72	LM	LA72
28M/12421	AGS.2018/C/1	NUT , 2 BA ...										2	—	C	
28D/1008151	A25/4E	Attachments for 10-20 WC 9489A, Stiffener :—										2	—	C	
28D/1011240	A25/5E	Bolt, 1/2" BSF ...										2	—	C	
28M/12928	A27/EP	Nut, 1/2" BSF ...										4	—	C	
28W/9418921	SP.13/E	Washer ...										4	—	C	
3241	DHS.727/E12	Washer, support (at bottom bolt) ...										2	—	C	LA74
3187	10-20 WC 15287	Washer, support (at top bolt) ...										1	—	C	
	10-20 WC 10969A	STIFFENER , forward engine mounting, on out-board face of rib, Starboard, assembly										1	—	—	LA74
		Spares for :—													
	10-20 WC 21379A	BRACKET , clamp, block mounting, assembly										1	—	—	LA74
28M/12421	AGS.2018/C/1	BRACKET , bare, 18 SWG ...										1	L.72	LM	LA74
28M/11957	AGS.2007/C/1	NUT , anchor, 2 BA ...										2	—	C	
	10-20 WC 10981	NUT , anchor, 2 BA ...										1	—	C	
	10-20 WC 10979	FAIRLEAD , front, 1/2" thick ...										1	LFS.26	LM	LA74
		FAIRLEAD , rear, 1/2" thick ...										1	LFS.26	LM	LA74
		Attachments for 10-20 WC 10981 or 10-20 WC 10979, Fairlead :—													
28D/13283	A28/2C	Bolt, 2 BA ...										2	—	C	
	10-20 WC 10977ND	REINFORCING , 18 SWG ...										1	DHA.67	—	LA74
28D/1008151	A25/4E	Attachments for 10-20 WC 10969A, Stiffener :—										2	—	C	
28D/1011240	A25/5E	Bolt, 1/2" BSF ...										2	—	C	
28M/12928	A27/EP	Nut, 1/2" BSF ...										4	—	C	
28W/9418921	SP.13/E	Washer ...										4	—	C	
3241	DHS.727/E12	Washer, support (at bottom bolt) ...										2	—	C	LA74
3187	10-20 WC 15287	Washer, support (at top bolt) ...										1	—	C	LA74

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
28M/12421	10-20 WC 9477A	STIFFENER , No. 2, Port, assembly ...										1	—	—	LA75
		Spares for :—													
	10-20 WC 15215ND	ANGLE , support ...										1	—	—	LA75
	10-20 WC 22953A	ANGLE , support, vent pipe, assembly ...										1	—	—	LA75
	10-20 WC 22951ND	ANGLE , bare, 22 SWG ...										1	L.72	LM	LA75
	AGS.2018/C/1	NUT , anchor, 2 BA ...										2	—	C	
	10-20 WC 31351ND	PACKING , 0"90 x 0"90 x 0"30 thick ...										1	LFS.21 or 23	LM	LA75
	10-20 WC 20365	BRACKET , support, hydraulics ...										1	—	—	LA75
	10-20 WC 9481ND	CHANNEL , front, L.H. (Make from standard section J.2158)										1	—	—	LA75
	10-20 WC 9482ND	CHANNEL , front R.H. (Make from standard section J.2158)										1	—	—	LA75
28M/12050	AGS.2007/C/3	NUT , 2 BA, double anchor ...										1	—	C	
	10-20 WC 9479ND	STIFFENER (Make from standard section J.2170)										1	—	—	LA75
3228 28M/12931 28VV/9418921	DHS.382/3E	Attachments for 10-20 WC 9477A, Stiffener :—													
	A27/ET	Bolt, 1" BSF ...										2	—	C	
	SP.13/E	Nut, 1" BSF ...										2	—	C	
		Washer ...										2	—	C	
3228 28M/12931 28VV/9418921	10-20 WC 22399A	STIFFENER , No. 2, Starboard, assembly ...										1	—	—	LA76
		Attachments for 10-20 WC 22399A, Stiffener :—													
	DHS.382/3E	Bolt, 1" BSF ...										2	—	C	
	A27/ET	Nut, 1" BSF ...										2	—	C	
	SP.13/E	Washer ...										2	—	C	
3228 28M/12931 28VV/9418921	10-20 WC 14197A	STIFFENER , No. 3, Port, assembly ...										1	—	—	LA72
	10-20 WC 14198A	STIFFENER , No. 3, Starboard, assembly ...										1	—	—	LA72
		Attachments for 10-20 WC 14197A or 10-20 WC 14198A, Stiffener :—													
	DHS.382/3E	Bolt, 1" BSF ...										2	—	C	
	A27/ET	Nut, 1" BSF ...										2	—	C	
	SP.13/E	Washer ...										2	—	C	
	10-20 WC 14199A	STIFFENER , No. 4, Port, assembly ...										1	—	—	LA72
	10-20 WC 14200A	STIFFENER , No. 4, Starboard, assembly ...										1	—	—	LA72
	10-20 WC 9497A	STIFFENER , No. 5, Port, assembly ...										1	—	—	LA72
A.L.58 A.L.59	10-20 WC 9498A	STIFFENER , No. 5, Starboard, assembly ...										1	—	—	LA72
	10-20 WC 9955ND	CHANNEL , forward lower, L.H. ...										1	—	—	LA72
	10-20 WC 9956ND	CHANNEL , forward lower, R.H. ...										1	—	—	LA72

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
		Spares for :—													
	10-20 WC 9499ND	STIFFENER , bare, L.H.										1	—	—	LA72
	10-20 WC 9500ND	STIFFENER , bare, R.H.										1	—	—	LA72
		Attachments for 10-20 WC 9497A or 10-20 WC 9498A, Stiffener :—													
3228	DHS.382/3E	Bolt, 1" BSF										2	—	C	
28M/1007403	A27/ET	Nut, 1" BSF										2	—	C	
28W/9418921	SP.13/E	Washer										2	—	C	
	10-20 WC 9505A	STIFFENER , No. 6, Port, assembly										1	—	—	LA72
	10-20 WC 9506A	STIFFENER , No. 6, Starboard, assembly										1	—	—	LA72
	10-20 WC 20429A	BRACKET , clamp block mounting, assembly										1	—	—	LA72
	10-20 WC 20427ND	BRACKET , bare, 18 SWG										1	L.72	LM	LA72
28M/12050	AGS.2007/C/3	NUT , anchor, 2 BA										1	—	C	
	10-20 WC 23339A	BRACKET , clamp block support, assembly										1	—	—	LA72
	10-20 WC 23337ND	BRACKET , bare, 18 SWG										1	L.72	LM	LA72
28M/9434252	AGS.2018/B/1	NUT , anchor, 4 BA										2	—	C	
	10-20 WC 9507ND	STIFFENER , bare, L.H.										1	—	—	LA72
	10-20 WC 9508ND	STIFFENER , bare, R.H.										1	—	—	LA72
		Attachments for 10-20 WC 9505A or 10-20 WC 9506A, Stiffener :—													
3228	DHS.382/3E	Bolt, 1" BSF										4	—	C	
28M/1007403	A27/ET	Nut, 1" BSF										4	—	C	
28W/9418921	SP.13/E	Washer										4	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
28M/12050	10-20 WC 9513A	STIFFENER, No. 7, Port, assembly										1	—	—	LA72
	10-20 WC 9514A	STIFFENER, No. 7, Starboard, assembly										1	—	—	LA72
	10-20 WC 20429A	BRACKET, clamp block mounting, assembly										1	—	—	LA72
	10-20 WC 20427ND	BRACKET, bare, 18 SWG										1	L.72	LM	LA72
	AGS.2007/C/3	NUT, anchor, 2 BA										1	—	C	LA72
	10-20 WC 9515ND	STIFFENER, bare, L.H.										1	—	—	LA72
	10-20 WC 9516ND	STIFFENER, bare, R.H.										1	—	—	LA72
		Attachments for 10-20 WC 9513A or 10-20 WC 9514A, Stiffener :—													
3228	DHS.382/3E	Bolt, 1/2" BSF										1	—	C	
28M/1007403	A27/ET	Nut, 1/2" BSF										1	—	C	
28W/9418921	SP.13/E	Washer										1	—	C	
	10-20 WC 14555	STIFFENER, on outboard face of rib, at front firewall datum, Port, assembly										1	DHA.67	—	LA75
	10-20 WC 14557A	STIFFENER, on outboard face of rib, at front firewall datum, Starboard, assembly										1	—	—	LA76
		Spares for :—													
	10-20 WC 15039ND	STRIP, rubbing, 2"0 x "50 x 1/16"										1	LFS.21	LM	LA76
	10-20 WC 21395	STIFFENER, support, fire extinguisher mounting bracket between forward door jack stiffener and stiffener front firewall datum, Starboard										1	DHA.67	—	LA76

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 10819	STRAP, above cut-out forward of rear engine mounting, Port										1	—	—	LA73
	10-20 WC 10820	STRAP, above cut-out forward of rear engine mounting, Starboard										1	—	—	LA73
		Attachments for 10-20 WC 10819 or 10-20 WC 10820, Strap :—													
28D/12520	A25/4E	Bolt, 1/4"	BSF	...	...	...	...	...	...	...	...	1	—	C	
28D/12542	A25/5E	Bolt, 1/4"	BSF	...	...	...	...	...	...	...	...	1	—	C	
2474	DHS.382/4E	Bolt, 3/8"	BSF	...	...	...	...	...	...	...	...	9	—	C	
3237	DHS.382/4 1/2 E	Bolt, 1/2"	BSF	...	...	...	...	...	...	...	...	8	—	C	
3235	DHS.382/5E	Bolt, 1/4"	BSF	...	...	...	...	...	...	...	...	7	—	C	
3199	DHS.382/5 1/2 E	Bolt, 1/4"	BSF	...	...	...	...	...	...	...	...	2	—	C	
28M/12928	A27/EP	Nut, 1/4"	BSF	...	...	...	...	...	...	...	...	1	—	C	
28M/12931	A27/ET	Nut, 1/4"	BSF	...	...	...	...	...	...	...	...	27	—	C	
28W/9418921	SP.13/E	Washer	...	...	...	...	...	...	...	...	...	28	—	C	
	10-20 WC 14143	STRIP, packing, for stiffener No. 3, lower reinforcing bracket, 12 SWG										1	L.72	LM	LA72
	10-20 WC 9529ND	WASHER, packing, under forward engine mounting post, Port and Starboard, 14 SWG										2	L.72	LM	LA72
	10-20 WC 6905	WASHER, tapered, under forward lower cleat of forward engine mounting post, Port and Starboard, 14 SWG										2	L.72	LM	LA72
	10-20 WC 6907	WASHER, tapered, under rear lower cleat of forward engine mounting post, Port and Starboard, 14 SWG										2	L.72	LM	LA72

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 29279A											1	—	—	LA75
	10-20 WC 9545											1	L.73	—	LA75
	10-20 WC 9541											1	L.73	—	LA75
	10-20 WC 16883											1	DHA.67	—	LA75
	10-20 WC 17003											1	L.72	—	LA75
	10-20 WC 9539											1	DHA.67	—	LA75

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
8764	10-20 WC 25729	FAIRLEAD										1	—	C	LA75
28D/9140638	A25/4B	Attachments for 10-20 WC 25729, Fairlead :—													
28M/10287	AGS.2001/B/1	Bolt, 4 BA										3	—	C	
28W/9419465	SP.13/B	Nut, 4 BA										3	—	C	
		Washer										3	—	C	
28M/10231	AGS.2009/C/2	NUT , anchor, 2 BA										10	—	C	
	10-20 WC 26091ND	RING , reinforcing										1	DHA.69	—	LA75
		Attachments for 10-20 WC 29279A, Web :—													
3239	DHS.382/2½E	Bolt, 1" BSF										4	—	C	
3198	DHS.382/3½E	Bolt, 1" BSF										8	—	C	
2474	DHS.382/4E	Bolt, 1" BSF										10	—	C	
28D/9133012	A25/3C	Bolt, 2 BA										6	—	C	
28D/1011238	A25/3E	Bolt, 1" BSF										4	—	C	
28M/1006473	A27/CT	Nut, 2 BA										6	—	C	
28M/12931	A27/ET	Nut, 1" BSF										26	—	C	
28W/9419475	SP.15/C	Washer										6	—	C	
28W/9419405	SP.15/E	Washer										26	—	C	
	10-20 WC 25989A	WEB , between main spar and rear wheel well wall, Port, assembly (Mod. 270)										1	—	—	LA75
	10-20 WC 25997A	WEB , between main spar and rear wheel well wall, Starboard, assembly (Mod. 270)										1	—	—	LA76
	10-20 WC 9545	ANGLE , inner skin support, forward lower, Port										1	—	—	LA75
	10-20 WC 9546	ANGLE , inner skin support, forward lower, Starboard										1	—	—	LA76
	10-20 WC 9541	ANGLE , inner skin support, forward upper, Port										1	—	—	LA75
	10-20 WC 9542	ANGLE , inner skin support, forward upper, Starboard										1	—	—	LA76
	10-20 WC 16883	ANGLE , skin support, lower, Port										1	—	—	LA75
	10-20 WC 16884	ANGLE , skin support, lower, Starboard										1	—	—	LA76
	10-20 WC 17003	ANGLE , skin support lower, Port										1	—	—	LA75
	10-20 WC 17004	ANGLE , skin support lower, Starboard										1	—	—	LA76
	10-20 WC 9539	ANGLE , skin support upper, Port										1	—	—	LA75
	10-20 WC 9540	ANGLE , skin support upper, Starboard										1	—	—	LA76
	10-20 WC 25993ND	DOUBLER , Port, 15 SWG										1	DHA.69	—	LA75
	10-20 WC 26003ND	DOUBLER , Starboard, 15 SWG										1	DHA.69	—	LA76
		Attachments for 10-20 WC 25993ND or 10-20 WC 26003ND, Doubler :—													
28D/9133011	A25/2C	Bolt, 2 BA										4	—	C	
28M/9403520	A27/CP	Nut, 2 BA										4	—	C	
28W/9419402	SP.13/C	Washer										4	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.		1	2	3	4	5	6	7	8	9	10				
8764	10-20 WC 25729	FAIRLEAD , Port, only	...	...	...	...	...	...	...	...	...	...	1	—	C	LA75
		Attachments for 10-20 WC 25729, Fairlead :—														
28D/9140638	A25/4B	Bolt , 4 BA	...	...	...	...	...	...	...	...	...	...	3	—	C	
28M/10287	AGS.2001/B/1	Nut , 4 BA	...	...	...	...	...	...	...	...	...	...	3	—	C	
28W/9419465	SP.13/B	Washer	...	...	...	...	...	...	...	...	...	...	3	—	C	
28M/10231	AGS.2009/C/2	NUT , anchor, 2 BA (Port)	...	...	...	...	...	...	...	...	...	...	10	—	C	
28M/9993192	AGS.2009/C/1	NUT , anchor, 2 BA (Starboard)	...	...	...	...	...	...	...	...	...	...	2	—	C	
28M/12421	AGS.2018/C/1	NUT , anchor, 2 BA (Starboard)	...	...	...	...	...	...	...	...	...	...	2	—	C	
	10-20 WC 26641ND	RING , reinforcing	...	...	...	...	...	...	...	...	...	...	1	DHA.69	—	LA75
	10-20 WC 25991ND	WEB , bare, Port, 15 SWG	...	...	...	...	...	...	...	...	...	...	1	DHA.69	—	LA75
	10-20 WC 25999ND	WEB , bare, Starboard, 15 SWG	...	...	...	...	...	...	...	...	...	...	1	DHA.69	—	LA76
		Attachments for 10-20 WC 25989A or 10-20 WC 25997A, Web :—														
3239	DHS.382/2½E	Bolt , ½" BSF	...	...	...	...	...	...	...	...	...	...	4	—	C	
3198	DHS.382/3½E	Bolt , ½" BSF	...	...	...	...	...	...	...	...	...	...	8	—	C	
2474	DHS.382/4E	Bolt , ½" BSF	...	...	...	...	...	...	...	...	...	...	10	—	C	
28D/1011238	A25/3E	Bolt , ½" BSF	...	...	...	...	...	...	...	...	...	...	4	—	C	
28D/9133012	A25/3C	Bolt , 2 BA	...	...	...	...	...	...	...	...	...	...	10	—	C	
28M/12931	A27/ET	Nut , ½" BSF	...	...	...	...	...	...	...	...	...	...	22	—	C	
28M/1006473	A27/CT	Nut , 2 BA	...	...	...	...	...	...	...	...	...	...	10	—	C	
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	...	22	—	C	
28W/9419475	SP.15/C	Washer	...	...	...	...	...	...	...	...	...	...	10	—	C	
3254	10-20 WC 9471A	WEB , rib, between rear wheel well wall and forward flap track diaphragm, Port, assembly (Pre Mod. 270)											1	—	P	LA72
3255	10-20 WC 9472A	WEB , rib, between rear wheel well wall and forward flap track diaphragm, Starboard, assembly (Pre Mod. 270)											1	—	P	LA72
	10-20 WC 26933A	WEB , rib, between rear wheel well wall and forward flap track diaphragm, Port, assembly (Mod. 270) (For spares use 10-20 WC 29627A/ND)											1	—	—	LA72
14685	10-20 WC 29627A/ND	WEB , rib, between rear wheel well wall and forward flap track diaphragm, Port, assembly (Mod. 270) (Spares condition)											1	—	P	
	10-20 WC 26934A	WEB , rib, between rear wheel well wall and forward flap track diaphragm, Starboard, assembly (Mod. 270) (For spares use 10-20 WC 29628A/ND)											1	—	—	LA72
14686	10-20 WC 29628A/ND	WEB , rib, between rear wheel well wall and forward flap track diaphragm, Starboard, assembly (Mod. 270) (Spares condition)											1	—	P	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
		Attachments for 10-20 WC 9471A, 10-20 WC 9472A, 10-20 WC 26933A or 10-20 WC 26934A, Web :—													
3228	DHS.382/3E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	5	—	C	
3198	DHS.382/3½E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	7	—	C	
2474	DHS.382/4E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28D/9133012	A25/3C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	10	—	C	
28M/9403520	A27/CP	Nut, 2 BA	...	...	...	...	...	...	...	...	...	10	—	C	
28M/12931	A27/ET	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	14	—	C	
28W/9419475	SP.15/C	Washer	...	...	...	...	...	...	...	...	...	10	—	C	
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	14	—	C	
	10-20 WC 9569	WEDGE , packing, along lower boom between undercarriage door hinge brackets, Port										1	LFS.23	—	LA72
	10-20 WC 9570	WEDGE , packing, along lower boom between undercarriage door hinge brackets, Starboard										1	LFS.23	—	LA72
	—	RIB , No. 1, rear portion and engine mounting, group Drg. Nos. 10-20 WC 9921, 10-20 WC 9922, 10-20 WC 2425 and 10-20 WC 2426										1	—	—	
	10-20 WC 21857	ANGLE , attachment for rear firewall, Port										1	—	—	LA73
	10-20 WC 21858	ANGLE , attachment for rear firewall, Starboard										1	—	—	LA73
	10-20 WC 25323	ANGLE , attachment for rear spar, Port										1	—	—	LA73
	10-20 WC 25324	ANGLE , attachment for rear spar, Starboard										1	—	—	LA73
		Attachments for 10-20 WC 25323 or 10-20 WC 25324, Angle :—													
28D/9133012	A25/3C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	1	—	C	
28D/1011238	A25/3E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	12	—	C	
28M/1006473	A27/CT	Nut, 2 BA	...	...	...	...	...	...	...	...	...	1	—	C	
28M/12931	A27/ET	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	12	—	C	
28W/9419402	SP.13/C	Washer	...	...	...	...	...	...	...	...	...	1	—	C	
28W/9418921	SP.13/E	Washer	...	...	...	...	...	...	...	...	...	12	—	C	
	10-20 WC 15147	ANGLE , attachment, on inboard face of rib, Port										1	—	—	LA73
	10-20 WC 15148	ANGLE , attachment, on inboard face of rib, Starboard										1	—	—	LA73
		Attachments for 10-20 WC 15147 or 10-20 WC 15148, Angle :—													
28D/1011030	A25/2E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	5	—	C	
28D/1011240	A25/5E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28M/12931	A27/ET	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	6	—	C	
28W/9418921	SP.13/E	Washer	...	...	...	...	...	...	...	...	...	6	—	C	
	10-20 WC 2735	ANGLE , doubler attachment, at forward intermediate flap track diaphragm, Port (For spares use 10-20WC30575ND)										1	—	—	LA77
15669	10-20 WC 30575ND	ANGLE , doubler attachment, at forward intermediate flap track diaphragm, Port (Spares condition)										1	—	C	
	10-20 WC 2736	ANGLE , doubler attachment, at forward intermediate flap track diaphragm, Starboard (For spares use 10-20 WC 30576ND)										1	—	—	LA77
15670	10-20 WC 30576ND	ANGLE , doubler attachment, at forward intermediate flap track diaphragm, Starboard (Spares condition)										1	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 5765											1	L.72	LM	LA73
	10-20 WC 5766											1	L.72	LM	LA73
	10-20 WC 14533A											1	—	—	LA77
13773	10-20 WC 28659A/ND											1	—	P	
	10-20 WC 14534A											1	—	—	LA77
13774	10-20 WC 28660A/ND											1	—	P	
	10-20 WC 17477											2	S.92	—	LA77
	10-20 WC 17479											1	S.1	—	LA77
3270	10-20 CF 5057											1	S.96	C	LA77
28M/12931	A27/ET											1	—	C	
28D/9133012	A25/3C											13	—	C	
1792	DHS.365/3C											3	—	C	
1793	DHS.365/SE											2	—	C	
28M/13124	A27/CT											16	—	C	
28M/12928	A27/EP											2	—	C	
28W/9419475	SP.15/C											16	—	C	
28W/9419405	SP.15/E											2	—	C	
9035	10-20 EC 8779A											1	—	P	LA73
9036	10-20 EC 8780A											1	—	P	LA73
3275	10-20 EC 2881											1	—	C	LA73
28M/13534	A27/EC											2	—	C	
28P/1007741	SP.9/C8											2	—	C	
28W/9418921	SP.13/E											2	—	C	

RESTRICTED

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
		Attachments for 10-20 EC 8779A or 8780A, Bracket :-													
28D/12533	A25/5C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	2	—	C	
28D/1011240	A25/5E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28M/9403520	A27/CP	Nut, 2 BA	...	...	...	...	...	...	...	...	...	2	—	C	
28M/12928	A27/EP	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28W/9419402	SP.13/C	Washer	...	...	...	...	...	...	...	...	...	2	—	C	
28W/9418921	SP.13/E	Washer	...	...	...	...	...	...	...	...	...	2	—	C	
3716	10-20 EC 8331A	BRACKET, "U," bolt, assembly, Port										1	—	P	LA73
3717	10-20 EC 8332A	BRACKET, "U," bolt, assembly, Starboard										1	—	P	LA73
		Spares for :-													
3275	10-20 EC 2881	BOLT "U"										1	—	C	LA73
		Attachments for 10-20 EC 2881, Bolt :-													
28M/13534	A27/EC	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28P/1007741	SP.9/C8	Pin, split	...	...	...	...	...	...	...	...	...	2	—	C	
28W/9418921	SP.13/E	Washer	...	...	...	...	...	...	...	...	...	2	—	C	
		Attachments for 10-20 EC 8331A or 10-20 EC 8332A, Bracket :-													
28D/12533	A25/5C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	2	—	C	
28D/7002428	A25/6C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	1	—	C	
28D/1010030	A25/7C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	1	—	C	
28M/9403520	A27/CP	Nut, 2 BA	...	...	...	...	...	...	...	...	...	4	—	C	
28W/9419402	SP.13/C	Washer	...	...	...	...	...	...	...	...	...	4	—	C	
3265	10-20 CF 3599	CLAMP, fairlead tube, Port and Starboard										1	—	C	LA77
		Attachments for 10-20 CF 3599, Clamp :-													
28D/12548	A25/17E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28W/9418920	SP.10/E	Washer	...	...	...	...	...	...	...	...	...	1	—	C	
	10-20 WC 2729A	DIAPHRAGM, flap track, forward intermediate, Port (For spares use 10-20 WC 27935A/ND)										1	—	—	LA77
13376	10-20 WC 27935A/ND	DIAPHRAGM, flap track, forward intermediate, Port (Spares condition)										1	—	C	
	10-20 WC 2730A	DIAPHRAGM, flap track, forward intermediate, Starboard (For spares use 10-20 WC 27936A/ND)										1	—	—	LA77
13377	10-20 WC 27936A/ND	DIAPHRAGM, flap track, forward intermediate, Starboard (Spares condition)										1	—	C	
	10-20 WC 2731A	DIAPHRAGM, flap track, rear intermediate, Port (For spares use 10-20 WC 27923A/ND)										1	—	—	LA77
13700	10-20 WC 27923A/ND	DIAPHRAGM, flap track, rear intermediate, Port (Spares condition)										1	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.											Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10					
	10-20 WC 2732A											DIAPHRAGM, flap track, rear intermediate, Starboard (For spares use 10-20 WC 27924A/ND)	1	—	—	LA77
13701	10-20 WC 27924A/ND											DIAPHRAGM, flap track, rear intermediate, Starboard (Spares condition)	1	—	C	
	10-20 WC 2733A											DIAPHRAGM, flap track, rear, Port (For spares use 10-20 WC 27925A/ND)	1	—	—	LA77
13380	10-20 WC 27925A/ND											DIAPHRAGM, flap track, rear, Port ... (Spares condition)	1	—	C	
	10-20 WC 2734A											DIAPHRAGM, flap track, rear, Starboard (For spares use 10-20 WC 27926A/ND)	1	—	—	LA77
13381	10-20 WC 27926A/ND											DIAPHRAGM, flap track, rear, Starboard ... (Spares condition)	1	—	C	
	10-20 WC 7785A											MOUNTING, engine rear, Port, assembly (For spares use 10-20 WC 29167A/ND)	1	—	—	LA73
14501	10-20 WC 29167A/ND											MOUNTING, engine rear, Port, assembly ... (Spares condition)	1	—	P	
	10-20 WC 7786A											MOUNTING, engine rear, Starboard, assembly (For spares use 10-20 WC 29168A/ND)	1	—	—	LA73
14502	10-20 WC 29168A/ND											MOUNTING, engine rear, Starboard, assembly (Spares condition) Spares for :—	1	—	P	
	10-20 WC 7547											BRACKET, mounting, L.H.	1	—	—	LA73
	10-20 WC 7548											BRACKET, mounting, R.H.	1	—	—	LA73
	10-20 WC 6349											CHANNEL, upper L.H. and lower R.H. ...	1	—	—	LA73
	10-20 WC 6350											CHANNEL, upper R.H. and lower L.H. ... Attachments for 10-20 WC 6349 or 10-20 WC 6350, Channel (per pair) :—	1	—	—	LA73
28D/13113	A30/3E											Bolt, 1/2" BSF	4	—	C	
28D/9435002	A57/5N											Bolt, 1/2" BSF	4	—	C	
28M/14344	A58/NT											Nut, 1/2" BSF	4	—	C	
28M/12931	A27/ET											Nut, 1/2" BSF	4	—	C	
28W/9419479	SP.15/N											Washer	4	—	C	
28W/9419405	SP.15/E											Washer	4	—	C	
	10-20 WC 6345											PLATE, spreader, centre	1	DHA.67	—	LA73
	10-20 WC 6347											PLATE, spreader, inner	1	DHA.67	—	LA73

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
	—	RIB, No. 2, Port and Starboard, group										1	—	—	
	—	BRACKET, corner, rib No. 2 to front spar and wing fold lock pulley mounting studs, group (Drg. No. 10-20 WC 10657)										1	—	—	
	10-20 WC 28905A	BRACKET, corner, rib No. 2 to front spar, Port, assembly (For spares use 10-20 WC 30571A/ND)										1	—	—	LA78
15665	10-20 WC 30571A/ND	BRACKET, corner, rib No. 2 to front spar, Port, assembly (Spares condition)										1	—	C	
	10-20 WC 28906A	BRACKET, corner, rib No. 2 to front spar, Starboard, assembly (For spares use 10-20 WC 30572A/ND)										1	—	—	LA78
15666	10-20 WC 30572A/ND	BRACKET, corner, rib No. 2 to front spar, Starboard, assembly (Spares condition)										1	—	C	
	10-20 WC 28907A	BRACKET, corner, rib No. 2 to front spar, Port, assembly (For spares use 10-20 WC 30573A/ND)										1	—	—	LA78
15667	10-20 WC 30573A/ND	BRACKET, corner, rib No. 2 to front spar, Port, assembly (Spares condition)										1	—	C	
	10-20 WC 28908A	BRACKET, corner, rib No. 2 to front spar, Starboard, assembly (For spares use 10-20 WC 30574A/ND)										1	—	—	LA78
15668	10-20 WC 30574A/ND	BRACKET, corner, rib No. 2 to front spar, Starboard, assembly (Spares condition)										1	—	C	
		Attachments for 10-20 WC 28905A, 10-20 WC 28906A, 10-20 WC 28907A or 10-20 WC 28908A, Bracket :—													
	DHS.1082/3G	Bolt, $\frac{1}{8}$ " BSF										2	S.96	C	LA78
3190	DHS.983/G	Nut, $\frac{1}{8}$ " BSF										2	L.65	C	LA78
2259	DHS.402/G	Seal, bonded										2	—	C	LA78
14637	10-20 WC 28909	STUD, pulley mounting, lower										1	S.96	C	LA78
		Attachments for 10-20 WC 28909, Stud :—													
28M/1011470	A27/GT	Nut, $\frac{1}{8}$ " BSF										1	—	C	
28W/9419488	SP.16/G	Washer										1	—	C	
	DHS.783/61/16	Washer										1	L.72	—	LA78
14638	10-20 WC 28911	STUD, pulley mounting, upper										1	S.96	C	LA78
		Attachments for 10-20 WC 28911, Stud :—													
28M/1011470	A27/GT	Nut, $\frac{1}{8}$ " BSF										1	—	C	
28W/9419476	SP.15/G	Washer										1	—	C	
5902	10-20 WC 14795	FOOT, stiffener, Port (Mod. 46)										8	DTD.423	C	LA78
5903	10-20 WC 14796	FOOT, stiffener, Starboard (Mod. 46)										8	DTD.423	C	LA78
5904	10-20 WC 20023	FOOT, stiffener, Port (Mod. 46)										8	DTD.423	C	LA78
5905	10-20 WC 20024	FOOT, stiffener, Starboard (Mod. 46)										8	DTD.423	C	LA78
		Attachments for 10-20 WC 14795, 10-20 WC 14796, 10-20 WC 20023 or 10-20 WC 20024, Foot :—													
3228	DHS.382/3E	Bolt, $\frac{1}{4}$ " BSF, special										3	S.96	C	LA78
2474	DHS.382/4E	Bolt, $\frac{1}{4}$ " BSF, special										3	S.96	C	LA78
2227	DHS.983/E	Nut, $\frac{1}{4}$ " BSF, special										6	L.65	C	LA78
~~Also~~ 3142	~~10-20 WC 5303A~~	~~RIB, No. 2, between front and main spars, Port, assembly (Pre Mod. 2)~~										~~1~~	~~—~~	~~P~~	~~LA78~~
14892	10-20 WC 24327A	RIB, No. 2, between front and main spars, Port, assembly (Mod. 2)										1	—	P	LA78

RESTRICTED

MAIN PLANES

WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
3143	10-20 WC 5304A	RIB , No. 2, between front and main spars, Starboard, assembly Attachments for 10-20 WC 24327A or 10-20 WC 5304A, Rib :—	1	—	P	LA78
28D/1215687	A59/8E	Bolt, $\frac{1}{4}$ " BSF	7	—	C	
28D/1213589	A59/9E	Bolt, $\frac{1}{4}$ " BSF	2	—	C	
28D/9434873	A59/17E	Bolt, $\frac{1}{4}$ " BSF	1	—	C	
28D/1213598	A59/21E	Bolt, $\frac{1}{4}$ " BSF	1	—	C	
28D/9435051	A59/19G	Bolt, $\frac{1}{8}$ " BSF	1	—	C	
28D/1213439	A59/22G	Bolt, $\frac{1}{8}$ " BSF	1	—	C	
3236	DHS.422/E	Nut, capped	9	—	C	LA78
26DL/5611	DHS.402/E	Washer, sealing	11	—	C	LA78
2259	DHS.402/G	Washer, sealing	2	—	C	LA78
2727	DHS.901/2E	Bolt, $\frac{3}{8}$ " BSF	11	—	C	LA78
3222	DHS.901/3 $\frac{1}{2}$ E	Bolt, $\frac{1}{2}$ " BSF	2	—	C	LA78
28D/1212343	A60/6G	Bolt, $\frac{1}{8}$ " BSF	10	—	C	
2227	DHS.983/E	Nut, $\frac{1}{4}$ " BSF	13	—	C	LA78
28M/1006939	A27/GP	Nut, $\frac{1}{8}$ " BSF	10	—	C	
	10-20 WC 15027A	RIB , arch, No. 2, between main spar and rear wheel well wall, Port, assembly (For spares use 10-20 WC 27627A/ND)	1	—	—	LA78 LA79
12292	10-20 WC 27627A/ND	RIB , arch, No. 2, between main spar and rear wheel well wall, Port, assembly (Spares condition)	1	—	P	
	10-20 WC 15029A	RIB , arch, No. 2, between main spar and rear wheel well wall, Starboard, assembly (For spares use 10-20 WC 27635A/ND)	1	—	—	LA78 LA79
12293	10-20 WC 27635A/ND	RIB , arch, No. 2, between main spar and rear wheel well wall, Starboard, assembly (Spares condition)	1	—	P	
5846	10-20 WC 22059	BLOCK , connecting, hydraulic pipes, Port	1	—	C	LA79
5847	10-20 WC 22061	BLOCK , connecting, hydraulic pipes, Starboard	1	—	C	LA79
		Attachments for 10-20 WC 22059 or 10-20 WC 22061, Block :—				
28D/9133012	A25/3C	Bolt, 2 BA (Starboard side) ...	3	—	C	
28D/9133012	A25/3C	Bolt, 2 BA (Port side) ...	2	—	C	
28D/9709461	AS.1242/3C	Bolt, 2 BA (Port side) ...	1	—	C	
28M/10328	AGS.2002/C/1	Nut, 2 BA ...	3	—	C	
28W/9419475	SP.15/C	Washer ...	3	—	C	
	10-29 WC 18517	BRACKET , anchor, forward door lock operating mechanism spring, 18 SWG	2	S.510	LM	LA79
5156	10-20 U 611A	BRACKET , door lock operating mechanism, Port, assembly	1	—	P	LA79

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
5157	10-20 U 612A	BRACKET , door lock operating mechanism, Starboard, assembly	1	—	P	LA79
5158	10-20 U 635	Spares for :— BUSH (See Repair section PA)	2	—	C	LA79
28D/1200119	A25/4C	Attachments for 10-20 U 611A or 10-20 U 612A, Bracket :—	2	—	C	LA79
2742	DHS.365/4C	Bolt, 2 BA	4	—	C	
28M/1006473	A27/CT	Bolt, 2 BA	6	—	C	
28W/9419402	SP.13/C	Nut, 2 BA	4	—	C	
28W/9419404	SP.16/C	Washer	2	—	C	
	10-20 WC 22041ND	CHANNEL , reinforcing, Port, inboard	1	L.73	—	LA79
	10-20 WC 22043ND	CHANNEL , reinforcing, Starboard, inboard	1	L.73	—	LA79
	10-20 WC 22079ND	CHANNEL , reinforcing, Port, outboard	1	L.73	—	LA79
	10-20 WC 22081ND	CHANNEL , reinforcing, Starboard, outboard	1	L.73	—	LA79
		Attachments for 10-20 WC 15027A or 10-20 WC 15029A, Rib :—				
3198	DHS.382/3½E	Bolt, ½" BSF	2	—	C	LA79
3237	DHS.382/4½E	Bolt, ½" BSF	2	—	C	LA79
2227	DHS.983/E	Nut, ½" BSF	4	—	C	LA79
26DL/15368	DHS.728/E16	Washer, support	2	—	C	LA79
	10-20 WC 17435	Washer, support, 16 SWG	2	L.72	LM	LA79
	10-20 WC 17433	Washer, support, 16 SWG	2	L.72	LM	LA79
	10-20 WC 29207A	RIB , No.2, between rear wheel well wall and rear spar, Port, assembly (For spares use 10-20 WC 30447A/ND)	1	—	—	LA78 LA79
15462	10-20 WC 30447A/ND	RIB , No.2, between rear wheel well wall and rear spar, Port, assembly (Spares condition)	1	—	P	
	10-20 WC 16101A	RIB , No.2, between rear wheel well wall and rear spar, Starboard, assembly (For spares use 10-20 WC 28386A/ND)	1	—	—	LA78 LA79
12990	10-20 WC 28386A/ND	RIB , No.2, between rear wheel well wall and rear spar, Starboard, assembly (Spares condition)	1	—	P	
	10-20 WC 26359ND	ANGLE , Port, 16 SWG	1	L.73	—	LA79
	10-20 WC 26360ND	ANGLE , Starboard, 16 SWG	1	L.73	—	LA79
	10-20 WC 15791	BOOM , lower, Port	1	—	—	LA79
	10-20 WC 15792	BOOM , lower, Starboard	1	—	—	LA79
	10-20 WC 15789	BOOM , upper, Port	1	—	—	LA79
	10-20 WC 15790	BOOM , upper, Starboard	1	—	—	LA79

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 26047A/ND											1	—	—	LA79
	10-20 WC 26049A/ND											1	—	—	LA79
	10-20 WC 23043ND											1	DTD.762	LM	LA79
	10-20 WC 30185A/ND											1	—	—	LA79
	10-20 WC 18495ND											1	DTD.762	LM	LA79
28U/9482591	AS.2426											1	—	C	
	10-20 WC 30183ND											2	L.72	LM	LA79
28U/13999	AS.2427											1	—	C	LA79
28U/14001	AS.2429											1	—	C	LA79
28P/9706359	SP.4Y/H19											1	—	C	
28P/19234	SP.90/E8											1	—	C	
28W/9419466	SP.13/J											1	—	C	
28D/1013284	AS.1248/2C											5	—	C	
28M/10288	AGS.2001/C/1											5	—	C	
28W/9419402	SP.13/C											5	—	C	
	10-20 WC 22949A											1	—	—	LA79
	10-20 WC 23105A/ND											1	—	—	LA79
28M/11957	AGS.2007/C/1											3	—	C	
28M/12421	AGS.2018/C/1											2	—	C	
3155	10-20 WC 16977											1	—	C	LA79
3151	10-20 WC 16937A											1	—	P	LA79
3152	10-20 WC 16939A											1	—	P	LA79
	10-20 WC 16043ND											1	Neo-K-Tex	—	LA79
	10-20 WC 16947ND											1	Neo-K-Tex	—	LA79
3153	10-20 WC 16949											1	—	C	LA79
3154	10-20 WC 16951											1	—	C	LA79
28N/5555	AGS.899/8											1	—	C	
28P/1099	SP.4Y/H17											1	—	C	
28P/19233	SP.90/E6											1	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
28D/1013284 28M/10288 28W/9419402	AS.1248/2C AGS.2001/C/1 SP.13/C	Attachments for 10-20 WC 22949A, Cradle :—										5	—	C	
		Bolt, 2 BA										5	—	C	
		Nut, 2 BA										5	—	C	
		Washer										5	—	C	
	10-20 WC 16423A	CRADLE, hydraulic reservoir, rear inboard, Starboard assembly only										1	—	—	LA79
		Spares for :—													
3155	10-20 WC 16977	SCREW, clamping, for straps										1	—	C	LA79
3151	10-20 WC 16937A	STRAP, retaining, upper, assembly										1	—	P	LA79
3152	10-20 WC 16939A	STRAP, retaining, lower, assembly										1	—	P	LA79
	10-20 WC 16943ND	PAD, upper strap, $\frac{1}{8}$ " thick										1	Neo-K-Tex	—	LA79
	10-20 WC 16947ND	PAD, lower strap, $\frac{1}{8}$ " thick										1	Neo-K-Tex	—	LA79
3153	10-20 WC 16949	TRUNNION, plain (Upper strap)										1	—	C	LA79
3154	10-20 WC 16951	TRUNNION, tapped, 2 BA (Lower strap)										1	—	C	LA79
		Attachments for 10-20 WC 16937A or 10-20 WC 16939A, Strap :—													
28N/5555	AGS.899/8	Collar										1	—	C	
28P/1099	SP.4Y/H17	Pin, shackle										1	—	C	
28P/19233	SP.90/E6	Pin, split (SP.9/E8)										1	—	C	
	10-20 WC 15979A	MOUNTING, header tank, rear outboard, Port, assembly										1	—	—	LA79
	10-20 WC 15980A	MOUNTING, header tank, rear outboard, Starboard, assembly										1	—	—	LA79
		Spares for :—													
27Q/17155	DOWTY D.2757Y/44	BUSH, rubber										2	—	C	LA79
3169	10-20 WC 15983	SOCKET, flanged										2	—	C	LA79
		Attachments for 10-20 WC 15983, Socket :—													
28D/9133011	A25/2C	Bolt, 2 BA										2	—	C	
28M/9403520	A27/CP	Nut, 2 BA										2	—	C	
28W/9419404	SP.16/C	Washer										2	—	C	
28M/11957	AGS.2007/C/1	NUT, 2 BA, double anchor, rib web plate, Port										2	—	C	
28M/9418918	AGS.2012/C/11	NUT, 2 BA, floating anchor, rib web plate, Port										2	—	C	
	—	RIB, No. 3, Port and Starboard, group...										1	—	—	
19889	10-20 WC 41693A/ND	RIB, No. 3, front spar to main spar, Port, c/w boom, assembly (Spares condition) (Mod. 1458)										1	—	P	LA80

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
19888	10-20 WC 41713A/ND	RIB, No. 3, front spar to main spar, Starboard, c/w boom, assembly (Spares condition) (Mod. 1458) Spares for :—										1	—	P	LA80
	10-20 WC 41591	BOOM, lower, main spar to rear spar, Port (Mod. 1458)										1	DTD.363	—	LA81
	10-20 WC 41592	BOOM, lower, main spar to rear spar, Starboard (Mod. 1458) (These booms are supplied loose as matched components of rib No. 3, front spar to main spar, spares assembly) (See also Page LA243) Attachments for 10-20 WC 41591 or 10-20 WC 41592 to forward portion of boom :—										1	DTD.363	—	LA81 LA82
3074	10 WC 4835	Bolt, shouldered, $\frac{7}{16}$ " BSF										6	—	C	LA81
3095	10-20 WC 18157	Bolt, shouldered, $\frac{5}{16}$ " BSF										1	—	C	LA81
3096	10-20 WC 18159	Bolt, shouldered, $\frac{5}{16}$ " BSF										2	—	C	LA81
3097	10-20 WC 18161	Bolt, shouldered, $\frac{5}{16}$ " BSF										1	—	C	LA81
28M/12984	A24/LT	Nut, $\frac{7}{16}$ " BSF										6	—	C	
28M/1011470	A27/GT	Nut, $\frac{5}{16}$ " BSF										4	—	C	
8513	10-20 WC 22535ND	Shim, 2" x 1" x 3" 60 (to be fitted between mating surfaces of booms)										QR	—	C	LA81
28W/9419467	SP.13/L	Washer										6	—	C	
28W/9419455	SP.10/G	Washer										4	—	C	
14893	10-20 WC 24365A	RIB, No. 3, front spar to main spar, Port, assembly										1	—	P	LA80
13554	10-20 WC 2950A/1	RIB, No. 3, front spar to main spar, Starboard, assembly Spares for :—										1	—	P	LA80
	10-20 WC 5367	ANGLE, attachment aft, lower, Port (Make from standard section J.2116)										1	—	—	LA80
	10-20 WC 5368	ANGLE, attachment aft, lower, Starboard (Make from standard section J.2116) Attachments for 10-20 WC 5367 or 10-20 WC 5368, Angle :—										1	—	—	LA80
15537	DHS.1001/3G	Bolt, $\frac{5}{16}$ " BSF										5	—	C	
15536	DHS.1001/2½G	Bolt, $\frac{5}{16}$ " BSF										1	—	C	
2220	DHS.383/G	Nut, $\frac{5}{16}$ " BSF										6	—	C	
	10-20 WC 5365	ANGLE, attachment aft, upper, Port (Make from standard section J.2116)										1	—	—	LA80
	10-20 WC 5366	ANGLE, attachment aft, upper, Starboard (Make from standard section J.2116) Attachments for 10-20 WC 5365 or 10-20 WC 5366, Angle :—										1	—	—	LA80
15535	DHS.1001/2G	Bolt, $\frac{5}{16}$ " BSF										7	—	C	
15537	DHS.1001/3G	Bolt, $\frac{5}{16}$ " BSF										7	—	C	
15538	DHS.1001/3½G	Bolt, $\frac{5}{16}$ " BSF										3	—	C	
3190	DHS.983/G	Nut, $\frac{5}{16}$ " BSF										10	—	C	
2220	DHS.383/G	Nut, $\frac{5}{16}$ " BSF										6	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 5369	ANGLE , attachment, forward end, Port (Make from standard section J.766)										1	—	LM	LA80
	10-20 WC 5370	ANGLE , attachment, forward end, Starboard (Make from standard section J.766)										1	—	LM	LA80
		Attachments for 10-20 WC 5369 or 10-20 WC 5370, Angle :—													
15007	DHS.382/2½G	Bolt, ⅝"	BSF	...	...	...	...	...	...	...	...	13	—	C	
	DHS.1001/6½G	Bolt, ⅝"	BSF	...	...	...	...	...	...	...	...	2	—	—	
3774	DHS.382/4½G	Bolt, ⅝"	BSF	...	...	...	...	...	...	...	...	2	—	C	
3190	DHS.983/G	Nut, ⅝"	BSF	...	...	...	...	...	...	...	...	17	—	C	
	10-20 WC 41581	BOOM , lower, Port, front spar to main spar (Mod. 1458)										1	—	—	LA80
	10-20 WC 41582	BOOM , lower, Starboard, front spar to main spar (Mod. 1458)										1	—	—	LA80
		Attachments for 10-20 WC 41581 or 10-20 WC 41582, Boom (To web plates) :—													
	DHS.382/5½GG	Bolt, ⅝"	BSF	...	...	...	...	...	...	...	...	12	—	—	
											Starboard	21	—	—	
3197	DHS.382/6½G	Bolt, ⅝"	BSF	...	...	...	...	...	...	...	Starboard	2	—	C	
2236	DHS.901/6G	Bolt, ⅝"	BSF	...	...	...	...	...	...	...	Port	9	—	C	
7632	DHS.901/7G	Bolt, ⅝"	BSF	...	...	...	...	...	...	...	Port	2	—	C	
26DL/15917	DHS.1001/5GG	Bolt, ⅝"	BSF	...	...	...	...	...	...	...	...	35	—	C	
15542	DHS.1001/6G	Bolt, ⅝"	BSF	...	...	...	...	...	...	...	...	6	—	C	
	DHS.1001/8G	Bolt, ⅝"	BSF	...	...	...	...	...	...	...	...	2	—	—	
3190	DHS.983/G	Nut, ⅝"	BSF	...	...	...	...	...	...	...	...	66	—	C	
	10-20 WC 15409A	BRACKET , mounting for liquidometer, inboard, 22 SWG										2	L.72	—	LA80
	10-20 WC 15413A	BRACKET , mounting, for liquidometer, out-board, 22 SWG										2	L.72	—	LA80
	10-20 P 8365	BRACKET , on inboard tie plate for refuelling pipe, strut Port only, 14 SWG (Mod. 1140)										1	L.72	LM	LA80
		Attachments for 10-20 P 8365, Bracket :—													
15541	DHS.1001/5½G	Bolt, ⅝"	BSF	...	...	...	...	...	...	...	...	2	—	C	
3190	DHS.983/G	Nut, ⅝"	BSF	...	...	...	...	...	...	...	...	2	—	C	
17223	10-20 P 8363	Washer, packing										2	—	C	
	10-20 WC 5259	FORMER , lower portion, main spar to front spar, Port										1	DTD.380	—	LA80
	10-20 WC 5260	FORMER , lower, portion main spar to front spar, Starboard										1	DTD.380	—	LA80
		Attachments for 10-20 WC 5259 or 10-20 WC 5260, Former :—													
17569	DHS.1001/5½E	Bolt, ⅝"	BSF	...	...	...	...	...	...	...	...	36	—	C	
15541	DHS.1001/5½G	Bolt, ⅝"	BSF	...	...	...	...	...	...	...	...	16	—	C	
2227	DHS.983/E	Nut, ⅝"	BSF	...	...	...	...	...	...	...	...	36	—	C	
3190	DHS.983/G	Nut, ⅝"	BSF	...	...	...	...	...	...	...	...	16	—	C	
	10-20 WC 16095ND	FORMER , upper portion, Port										1	—	—	LA80
	10-20 WC 16096ND	FORMER , upper portion, Starboard										1	—	—	LA80
		Attachments for 10-20 WC 16095ND or 10-20 WC 16096ND, Former :—													
5210	DHS.382/3½G	Bolt, ⅝"	BSF	...	...	...	...	...	...	...	...	21	—	C	
											Port	12	—	C	
3226	DHS.901/4G	Bolt, ⅝"	BSF	...	...	...	...	...	...	...	Port	9	—	C	
15535	DHS.1001/2G	Bolt, ⅝"	BSF	...	...	...	...	...	...	...	...	25	—	C	
15536	DHS.1001/2½G	Bolt, ⅝"	BSF	...	...	...	...	...	...	...	...	4	—	C	
15545	DHS.1001/2½GG	Bolt, ⅝"	BSF	...	...	...	...	...	...	...	...	6	—	C	
15538	DHS.1001/3½G	Bolt, ⅝"	BSF	...	...	...	...	...	...	...	...	3	—	C	
2220	DHS.383/G	Nut, ⅝"	BSF	...	...	...	...	...	...	...	...	21	—	C	
											Port	12	—	C	
3190	DHS.983/G	Nut, ⅝"	BSF	...	...	...	...	...	...	...	...	44	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
28M/11957	AGS.2007/C/1	NUT, 2 BA, on aft web plate										14	—	C	
28M/12050	AGS.2007/C/3	NUT, 2 BA, on aft stiffener										2	—	C	
	10-20 WC 5363	PLATE, reinforcing, aft of rear stiffener, 14 SWG										1	DTD.687	LM	LA80
	10-20 WC 17811ND	PLATE, reinforcing, on outboard face of rib, 14 SWG										1	DTD.687	LM	LA80
	10-20 WC 26487	PLATE, reinforcing, on aft web plate, Port, 16 SWG										1	L.72	LM	LA80
	10-20 WC 26488	PLATE, reinforcing, on aft web plate, Starboard, 16 SWG										1	L.72	—	LA80
	10-20 WC 41731	PLATE, tie, at rib web joint, inboard, Port ... (Mod. 1458)										1	DTD.683	—	LA80
	10-20 WC 41732	PLATE, tie, at rib web joint, inboard, Starboard (Mod. 1458)										1	DTD.683	—	LA80
	10-20 WC 2951	PLATE, tie, at rib web joint, outboard, Port										1	DTD.5024	—	LA80
	10-20 WC 2952	PLATE, tie, at rib web joint, outboard, Starboard										1	DTD.5024	—	LA80
		Attachments for 10-20 WC 41731, 10-20 WC 41732, 10-20 WC 2951 or 10-20 WC 2952, Plate (Per pair) :—													
15539	DHS.1001/4G	Bolt, $\frac{1}{8}$ " BSF Port										21	—	C	
		Bolt, $\frac{1}{8}$ " BSF Port										19	—	C	
15541	DHS.1001/5 $\frac{1}{2}$ G	Bolt, $\frac{1}{8}$ " BSF Port										2	—	C	
		Bolt, $\frac{1}{8}$ " BSF Port										6	—	C	
15542	DHS.1001/6G	Bolt, $\frac{1}{8}$ " BSF										4	—	C	
3190	DHS.983/G	Nut, $\frac{1}{8}$ " BSF										27	—	C	
	10-20 WC 5361ND	RING, reinforcing, on aft rib web, 14 SWG ...										1	DTD.687	—	LA80
	10-20 WC 24369ND	WEB, rib, bare, forward, Port, 10 SWG ...										1	DTD.687	—	LA80
	10-20 WC 27833ND	WEB, rib, bare, aft, Port, 14 SWG ...										1	DTD.687	—	LA80
		Attachments for 10-20 WC 24365A, or 10-20 WC 2950A/1, Rib :—													
3219	DHS.901/3G	Bolt, $\frac{1}{8}$ " BSF										10	—	C	LA80
11929	DHS.1082/5E	Bolt, $\frac{1}{8}$ " BSF										13	—	C	LA80
19393	DHS.1082/7E	Bolt, $\frac{1}{8}$ " BSF										4	—	C	LA80
28D/16586	A59/6G	Bolt, $\frac{1}{8}$ " BSF										19	—	C	
28D/16974	A59/8G	Bolt, $\frac{1}{8}$ " BSF										5	—	C	
20056	10-20 WC 41765	Ferrule, special										1	—	C	
2220	DHS.383/G	Nut, $\frac{1}{8}$ " BSF										35	—	C	LA80
2227	DHS.983/E	Nut, $\frac{1}{8}$ " BSF										17	—	C	LA80
28M/1011470	A27/GT	Nut, $\frac{1}{8}$ " BSF										2	—	C	
	10-20 WC 22481	Nut, $\frac{3}{8}$ " BSF, special										1	—	—	
4936	10-20 WC 16973A	Plate, sealing, assembly										1	—	C	LA80
26DL/5611	DHS.402/E	Seal, bonded										17	—	C	LA80
2259	DHS.402/G	Seal, bonded										34	—	C	LA80
	—	RIB, No. 3, centre portion, main spar to rear wheel well wall, group (Drg. No. 10-20 WC 5675)										1	—	—	LA81
	10-20 WC 41737A/ND	RIB, No. 3, centre portion, main spar to rear wheel well wall sub-assembly, Port										1	—	—	LA81
	10-20 WC 41739A/ND	RIB, No. 3, centre portion, main spar to rear wheel well wall sub-assembly, Starboard										1	—	—	LA81
	10-20 WC 27313	BOOM, centre portion, Port (For spares use 10-20 WC 29299ND)										1	—	—	LA81
14513	10-20 WC 29299ND	BOOM, centre portion, Port (Spares condition)										1	—	C	
	10-20 WC 27314	BOOM, centre portion, Starboard (For spares use 10-20 WC 29300ND)										1	—	—	LA81
14514	10-20 WC 29300ND	BOOM, centre portion, Starboard (Spares condition)										1	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Score or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 5449	BRACKET, attachment, forward end at main spar, Port										1	DTD.5024	—	LA81
	10-20 WC 5450	BRACKET, attachment, forward end at main spar, Starboard										1	DTD.5024	—	LA81
	10-20 WC 5451	BRACKET, attachment, lower, at main spar, Port										1	DTD.5024	—	LA81
	10-20 WC 5452	BRACKET, attachment, lower, at main spar, Starboard										1	DTD.5024	—	LA81
		Attachments for 10-20 WC 5449, 10-20 WC 5450, 10-20 WC 5451, or 10-20 WC 5452, Bracket :—													
3058	10-20 WC 17423	Bolt, special, threaded, $\frac{3}{8}$ " BSF										2	—	C	LA81
28M/13273	A24/JF	Nut, $\frac{3}{8}$ " BSF										2	—	C	
	10-20 WC 41593	BRACKET, mounting, re-circulating pipe, Port, 18 SWG (Mod. 1458)										1	L.72	LM	LA81
	10-20 WC 41595	BRACKET, mounting, re-circulating pipe, Starboard, 18 SWG (Mod. 1458)										1	L.72	LM	LA81
19884	10-20 WC 41651A	BRACKET, bell crank lever door lock operating Port, assembly (Mod. 1458)										1	—	P	LA81
19885	10-20 WC 41652A	BRACKET, bell crank lever, door lock operating Starboard, assembly (Mod. 1458)										1	—	P	LA81
		Spares for :—													
3100	10-20 WC 9391	BUSH, flanged (See Repair section PA) ...										2	—	C	LA81
		Attachments for 10-20 WC 23941A or 10-20 WC 23942A, Bracket :—													
28D/1213555	A60/10G	Bolt, $\frac{1}{8}$ " BSF										1	—	C	
3218	DHS.382/7 $\frac{1}{2}$ G	Bolt, $\frac{1}{8}$ " BSF										2	—	C	
28M/14537	A58/GS	Nut, $\frac{1}{8}$ " BSF										1	—	C	
3190	DHS.983/G	Nut, $\frac{1}{8}$ " BSF										2	—	C	
28P/9527619	SP.90/C7	Pin, split (SP.9/C8)										1	—	C	
26FN/3263	DHS.69/EE	Washer, shim										1	—	C	
3091	10-20 U 1015A	BRACKET, hook, door lock mechanism, front, outboard, Port, assembly										1	—	P	LA81
3092	10-20 U 1016A	BRACKET, hook, door lock mechanism, front, outboard, Starboard, assembly										1	—	P	LA81
		Spares for :—													
3094	10-20 U 619	BUSH, flanged (See Repair section PA) ...										1	—	C	LA81
3093	10-20 U 621	BUSH, flanged (See Repair section PA) ...										1	—	C	LA81
		Attachments for 10-20 U 1015A or 10-20 U 1016A, Bracket :—													
3095	10-20 WC 18157	Bolt, $\frac{1}{8}$ " BSF										2	—	C	LA81
3096	10-20 WC 18159	Bolt, $\frac{1}{8}$ " BSF										2	—	C	LA81
28M/1011470	A27/GT	Nut, $\frac{1}{8}$ " BSF										4	—	C	
28VV/9419455	SP.10/G	Washer										4	—	C	
	10-20 WC 29181A	BRACKET, forward, undercarriage side stay pick-up, Port (For spares use 10-20 WC 30567A/ND)										1	—	—	LA81
15675	10-20 WC 30567A/ND	BRACKET, forward, undercarriage side stay pick-up, Port (Spares condition)										1	—	—	

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 29182A	BRACKET, forward, undercarriage side stay pick-up, Starboard (For spares use 10-20 WC 30568A/ND)										1	—	—	LA81
15676	10-20 WC 30568A/ND	BRACKET, forward, undercarriage side stay pick-up, Starboard (Spares condition) Spares for :—										1	—	—	
3068	10-20 WC 2335	BUSH (See Repair section PA) ... Attachments for 10-20 WC 29181A, or 10-20 WC 29182A, Bracket :—										1	—	C	LA81
28D/18161	A60/21J	Bolt, $\frac{3}{8}$ " BSF										1	—	C	
10052	DHS.358/5 $\frac{1}{2}$ G	Bolt, $\frac{5}{16}$ " BSF										1	—	C	
8521	DHS.358/9 $\frac{1}{4}$ G	Bolt, $\frac{9}{16}$ " BSF										1	—	C	
8229	DHS.358/11G	Bolt, $\frac{11}{16}$ " BSF										1	—	C	
10332	DHS.358/20J	Bolt, $\frac{3}{8}$ " BSF										1	—	C	
4563	DHS.365/7 $\frac{1}{4}$ G	Bolt, $\frac{5}{16}$ " BSF										1	—	C	
3194	DHS.382/5G	Bolt, $\frac{1}{8}$ " BSF										2	—	C	
3200	DHS.382/5 $\frac{1}{2}$ G	Bolt, $\frac{5}{16}$ " BSF										1	—	C	
	DHS.382/8 $\frac{1}{2}$ G	Bolt, $\frac{1}{8}$ " BSF										1	—	C	
2472	DHS.382/8G	Bolt, $\frac{1}{8}$ " BSF										2	—	C	
4565	DHS.382/10G	Bolt, $\frac{1}{8}$ " BSF										3	—	C	
3214	DHS.382/11 $\frac{1}{2}$ G	Bolt, $\frac{1}{8}$ " BSF										1	—	C	
3213	DHS.382/16G	Bolt, $\frac{5}{16}$ " BSF										1	—	C	
13619	10-20 WC 27947	Bolt, special threaded, $\frac{3}{8}$ " BSF										1	—	C	LA81
28M/13273	A24/JJ	Nut, $\frac{3}{8}$ " BSF										1	—	C	
28M/1011473	A27/JJ	Nut, $\frac{3}{8}$ " BSF										1	—	C	
28M/14440	A58/JT	Nut, $\frac{3}{8}$ " BSF										2	—	C	
3190	DHS.983/G	Nut, $\frac{1}{8}$ " BSF										4	—	C	
3190	DHS.983/G	Nut, $\frac{1}{8}$ " BSF										10	—	C	
28W/9419466	SP.13/J	Washer										2	—	C	
28W/9419477	SP.15/J	Washer										1	—	C	
28W/9419489	SP.16/J	Washer (Shape to fit)										1	—	C	
3069	10-20 WC 6561ND	Washer, packing										2	—	C	LA81
	10-20 WC 5005A	BRACKET, mounting, undercarriage reverse motion lever, Port, assembly (For spares use 10-20 WC 27415A/ND)										1	—	—	LA81
12116	10-20 WC 27415A/ND	BRACKET, mounting, undercarriage reverse motion lever, Port, assembly (Spares condition)										1	—	P	
	10-20 WC 5006A	BRACKET, mounting, undercarriage reverse motion lever, Starboard, assembly (For spares use 10-20 WC 27416A/ND)										1	—	—	LA81

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
12117	10-20 WC 27416A/ND	BRACKET , mounting, undercarriage reverse motion lever, Starboard, assembly (Spares condition) Spares for :—										1	—	P	
3088	10-20 U 881	BUSH , flanged (See Repair section PA) ... Attachments for 10-20 WC 5005A, 10-20 WC 5006A, 10-20 WC 27415A/ND or 10-20 WC 27416A/ND, Bracket :—										2	—	C	LA81
3207	DHS.382/8E	Bolt, $\frac{1}{8}$ " BSF ...										1	—	C	
3206	DHS.382/12 $\frac{1}{2}$ E	Bolt, $\frac{1}{8}$ " BSF ...										1	—	C	
5190	DHS.365/11 $\frac{1}{2}$ G	Bolt, $\frac{3}{16}$ " BSF ...										1	—	C	
2472	DHS.382/8G	Bolt, $\frac{3}{16}$ " BSF ...										2	—	C	
3214	DHS.382/11 $\frac{1}{2}$ G	Bolt, $\frac{3}{16}$ " BSF ...										1	—	C	
3213	DHS.382/16G	Bolt, $\frac{3}{16}$ " BSF ...										1	—	C	
2227	DHS.983/E	Nut, $\frac{1}{8}$ " BSF ...										2	—	C	
3190	DHS.983/G	Nut, $\frac{3}{16}$ " BSF ...										5	—	C	
	10-20 WC 18389A	BRACKET , undercarriage jack pick-up, Port, assembly (For spares use 10-20 WC 26569A/ND)										1	—	—	LA81
11084	10-20 WC 26569A/ND	BRACKET , undercarriage jack pick-up, Port, assembly (Spares condition)										1	—	P	LA81
	10-20 WC 18390A	BRACKET , undercarriage jack pick-up, Starboard assembly (For spares use 10-20 WC 26570A/ND)										1	—	—	LA81
11085	10-20 WC 26570A/ND	BRACKET , undercarriage jack pick-up, Starboard, assembly (Spares condition) Spares for :—										1	—	P	LA81
9487	10-20 WC 2713	BUSH , flanged (See Repair section PA) ... Attachments for 10-20 WC 18389A or 10-20 WC 18390A, Bracket :—										2	—	C	LA81
3198	DHS.382/3 $\frac{1}{2}$ E	Bolt, $\frac{1}{8}$ " BSF ...										10	—	C	
3199	DHS.382/5 $\frac{1}{2}$ E	Bolt, $\frac{1}{8}$ " BSF ...										2	—	C	
3203	DHS.481/25 $\frac{1}{2}$ G	Bolt, $\frac{3}{16}$ " BSF ...										2	—	C	
13930	DHS.481/26G	Bolt, $\frac{3}{16}$ " BSF ...										1	—	C	
2356	DHS.383/E	Nut, $\frac{1}{8}$ " BSF ...										12	—	C	
28M/13272	A24/GP	Nut, $\frac{3}{16}$ " BSF ...										2	—	C	
28M/15258	A24/GT	Nut, $\frac{3}{16}$ " BSF ...										1	—	C	
28M/1007403	A27/ET	Nut, $\frac{1}{8}$ " BSF ...										2	—	C	
	10-20 WC 27941ND	Shim, "Attewell" (Max. ".08) ...										QR	LA.3	—	LA81
3075	10-20 WC 17791	Stud, threaded, $\frac{1}{8}$ " BSF and 2 BA ...										2	—	C	LA81
28W/9419403	SP.13/G	Washer ...										2	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 15727A											1	—	—	LA81
12093	10-20 WC 26557A/ND											1	—	P	
	10-20 WC 15728A											1	—	—	LA81
12094	10-20 WC 26558A/ND											1	—	P	
	10-20 WC 24831A											1	—	—	
19886	10-20 WC 41707A/ND											1	—	P	LA81
	10-20 WC 24832A											1	—	—	
19887	10-20 WC 41708A/ND											1	—	P	LA81
3078	10-20 U 565											1	—	C	LA81
3080	10-20 U 567											1	—	C	LA81
15170	10-20 WC 29547											2	—	C	LA81
3079	10-20 U 561											1	—	C	LA81
28S/9995325	A33/B8											1	—	C	
28S/9435716	A33/B12											1	—	C	
3081	10-20 U 553											1	—	C	LA81
28S/9995325	A33/B8											2	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Score or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
		Attachments for 10-20 WC 15727A, 10-20 WC 15728A, 10-20 WC 24831A or 10-20 WC 24832A, Bracket :—													
2247	DHS.358/5½E	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	1	—	C	
8521	DHS.358/9½G	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	1	—	C	
8229	DHS.358/11G	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	1	—	C	
3199	DHS.382/5½E	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
3594	DHS.382/6½E	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	1	—	C	
2472	DHS.382/8G	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	5	—	C	
4564	DHS.382/19E	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28M/14877	A58/GP	Nut, ½" BSF	...	...	...	...	...	...	...	...	...	1	—	C	
2227	DHS.983/E	Nut, ½" BSF	...	...	...	...	...	...	...	...	...	8	—	C	
3190	DHS.983/G	Nut, ½" BSF	...	...	...	...	...	...	...	...	...	1	—	C	
4418	10-20 U 1171	Shim, "Attewell"	...	...	...	...	...	...	...	...	...	1	—	C	LA81
	10-20 WC 17505A	MOUNTING , undercarriage door operating lever, at intersection of rib and main spar, Port, assembly (For spares use 10-20 WC 28419A/ND) (Pre Mod. 646)										1	—	—	LA81
12993	10-20 WC 28419A/ND	MOUNTING , undercarriage door operating lever, at intersection of rib and main spar, Port, assembly (Spares condition) (Pre Mod. 646)										1	—	P	
	10-20 WC 17506A	MOUNTING , undercarriage door operating lever, at intersection of rib and main spar, Starboard, assembly (For spares use 10-20 WC 28420A/ND) (Pre Mod. 646)										1	—	—	LA81
12994	10-20 WC 28420A/ND	MOUNTING , undercarriage door operating lever, at intersection of rib and main spar, Starboard, assembly (Spares condition) (Pre Mod. 646)										1	—	P	
	10-20 WC 29185A	MOUNTING , undercarriage door operating lever, at intersection of rib and main spar, Port, assembly (For spares use 10-20 WC 30565A/ND) (Mod. 646)										1	—	—	LA81
15673	10-20 WC 30565A/ND	MOUNTING , undercarriage door operating lever, at intersection of rib and main spar, Port, assembly (Spares condition) (Mod. 646)										1	—	P	
	10-20 WC 29186A	MOUNTING , undercarriage door operating lever, at intersection of rib and main spar, Starboard, assembly (For spares use 10-20 WC 30566A/ND) (Mod. 646)										1	—	—	LA81

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
15674	10-20 WC 30566A/ND	MOUNTING , undercarriage door operating lever, at intersection of rib and main spar, Starboard, assembly (Spares condition) (Mod. 646) Spares for :—										1	—	P	
3085	10-20 WC 5009	BUSH , flanged (See Repair section PA) ...										2	—	C	LA81
3081	10-20 U 553	NUT , captive ...										2	—	C	LA81
		Attachments for 10-20 U 553, Nut :—													
28S/9419438	A33/B10	Screw, 4 BA ...										2	—	C	
		Attachments for 10-20 WC 17505A, 10-20 WC 17506A, 10-20 WC 29185A, or 10-20 WC 29186A, Mounting :—													
28D/17849	A60/6G	Bolt, $\frac{1}{8}$ " BSF ...										1	—	C	
28D/5177	DHS.365/7G	Bolt, $\frac{1}{8}$ " BSF ...										1	—	C	
28D/1011260	A25/12G	Bolt, $\frac{1}{8}$ " BSF ...										1	—	C	
28D/1006942	A25/13G	Bolt, 2 BA ...										2	—	C	
28D/1212201	A57/9G	Bolt, $\frac{1}{8}$ " BSF ...										1	—	C	
28D/1212200	A57/10G	Bolt, $\frac{1}{8}$ " BSF ...										1	—	C	
28D/16647	A57/10J	Bolt, $\frac{1}{8}$ " BSF ...										1	—	C	
28M/9403520	A27/CP	Nut, 2 BA ...										2	—	C	
28M/1006939	A27/GP	Nut, $\frac{1}{8}$ " BSF ...										3	—	C	
28M/14877	A58/GT	Nut, $\frac{1}{8}$ " BSF ...										2	—	C	
28M/14440	A58/JT	Nut, $\frac{1}{8}$ " BSF ...										1	—	C	
28VV/9419455	SP.10/G	Washer ...										2	—	C	
28VV/9419456	SP.10/J	Washer ...										1	—	C	
28VV/9419475	SP.15/C	Washer ...										2	—	C	
28VV/9419476	SP.15/G	Washer ...										3	—	C	
28F/9429526	AGS.1186/6	Washer, sealing ...										2	—	C	
	10-20 WC 28221	PLATE , strut, at undercarriage pick-up bracket, lower, Port (For spares use 10-20 WC 29661ND)										1	DTD.363	—	LA81
14669	10-20 WC 29661ND	PLATE , strut, at undercarriage pick-up bracket, lower, Port (Spares condition)										1	—	C	
	10-20 WC 28222	PLATE , strut, at undercarriage pick-up bracket, lower, Starboard (For spares use 10-20 WC 29662ND)										1	DTD.363	—	LA81
14670	10-20 WC 29662ND	PLATE , strut, at undercarriage pick-up bracket, lower, Starboard (Spares condition)										1	—	C	
	10-20 WC 28219	PLATE , strut, at undercarriage pick-up bracket, upper, Port (For spares use 10-20 WC 29659ND)										1	DTD.363	—	LA81
14721	10-20 WC 29659ND	PLATE , strut, at undercarriage pick-up bracket, upper, Port (Spares condition)										1	—	C	
	10-20 WC 28220	PLATE , strut, at undercarriage pick-up bracket, upper, Starboard (For spares use 10-20 WC 29660ND)										1	DTD.363	—	LA81
14722	10-20 WC 29660ND	PLATE , strut, at undercarriage pick-up bracket, upper, Starboard (Spares condition)										1	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
3055	10-20 WC 5517A	PLATE, washer, between rear upper attachment angle and main spar, assembly										1	—	C	LA81
3056	10-20 WC 5511A	PLATE, washer, between rear lower attachment angle and main spar, assembly										1	—	C	LA81
4415	10-20 WC 17009	RING, sealing, between rib support boom and main spar										1	—	C	LA81
3089	10-20 U 591	SHIM, packing, under forward attachment lug of undercarriage reverse motion lever mounting bracket										1	—	C	LA81
3090	10-20 U 593	SHIM, packing, under rear attachment lug of undercarriage reverse motion lever mounting bracket										1	—	C	LA81
3059	10-20 WC 15787	SPIGOT, at: forward end, Port										2	—	C	LA81
15328	10-20 WC 30179	SPIGOT, at: forward end, Starboard										1	—	C	LA81
		Attachments for 10-20 WC 15787 or 10-20 WC 30179, Spigot :—													
3190	DHS.983/G	Nut, $\frac{1}{8}$ " BSF										2	—	C	
	10-20 WC 25717	WASHER, packing, on inboard face of web plate										1	L.65	—	LA81
	10-20 WC 27945ND	WASHER, throat, for cell wall bracket, attachment (0"-80 o/d $\times$ $\frac{3}{4}$ " i/d $\times$ 0"-38 thick)										1	L.65	—	LA81
	10-20 WC 5503	WEB, bare, Port (For spares use 10-20 WC 27747ND)										1	DTD.687	—	LA81
12602	10-20 WC 27747ND	WEB, bare, Port (Spares condition)										1	—	C	
	10-20 WC 5504	WEB, bare, Starboard (For spares use 10-20 WC 27748ND)										1	DTD.687	—	LA81
12603	10-20 WC 27748ND	WEB, bare, Starboard (Spares condition)										1	—	C	
		Attachments for 10-20 WC 5503 or 10-20 WC 5504, Web to 10-20 WC 27313, 10-20 WC 27314, 10-20 WC 41591 or 10-20 WC 41592 Boom and 10-20 WC 27381 or 10-20 WC 27382, Post :—													
2342	DHS.358/7½E	Bolt, $\frac{1}{2}$ " BSF										1	—	C	
3208	DHS.363/5½E	Bolt, $\frac{1}{2}$ " BSF										2	—	C	
1657	DHS.365/3E	Bolt, $\frac{1}{2}$ " BSF										5	—	C	
1793	DHS.365/5E	Bolt, $\frac{1}{2}$ " BSF										1	—	C	
3192	DHS.365/4G	Bolt, $\frac{1}{2}$ " BSF										7	—	C	
3195	DHS.365/5G	Bolt, $\frac{1}{2}$ " BSF										2	—	C	
26FC/11711	DHS.365/6G	Bolt, $\frac{1}{2}$ " BSF										2	—	C	
3228	DHS.382/3E	Bolt, $\frac{1}{2}$ " BSF										5	—	C	
2474	DHS.382/4E	Bolt, $\frac{1}{2}$ " BSF										2	—	C	
3235	DHS.382/5E	Bolt, $\frac{1}{2}$ " BSF										2	—	C	
3191	DHS.382/4G	Bolt, $\frac{1}{2}$ " BSF										13	—	C	
3197	DHS.382/6½G	Bolt, $\frac{1}{2}$ " BSF										3	—	C	
3194	DHS.382/5G	Bolt, $\frac{1}{2}$ " BSF										10	—	C	
2471	DHS.382/6G	Bolt, $\frac{1}{2}$ " BSF										12	—	C	
3204	DHS.382/7½E	Bolt, $\frac{1}{2}$ " BSF										5	—	C	
3205	DHS.382/8½E	Bolt, $\frac{1}{2}$ " BSF										1	—	C	
2220	DHS.383/G	Nut, $\frac{1}{8}$ " BSF										37	—	C	
2227	DHS.983/E	Nut, $\frac{1}{8}$ " BSF										22	—	C	
3190	DHS.983/G	Nut, $\frac{1}{8}$ " BSF										14	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 5551A/2	RIB, No. 3, rear wheel well wall to rear spar, Port, assembly (Mod. 255)										1	—	—	LA82
	10-20 WC 5552A/2	RIB, No. 3, rear wheel well wall to rear spar, Starboard, assembly (Mod. 255)										1	—	—	LA82
	10-20 WC 5549	ANGLE, stiffening, at aft end of rib, Port										1	L.73	—	LA82
	10-20 WC 5550	ANGLE, stiffening, at aft end of rib, Starboard										1	L.73	—	LA82
		Attachments for 10-20 WC 5549 or 10-20 WC 5550, Angle :—													
15535	DHS.1001/2G	Bolt, $\frac{3}{8}$ " BSF										9	—	C	
15537	DHS.1001/3G	Bolt, $\frac{3}{8}$ " BSF										1	—	C	
2220	DHS.383/G	Nut, $\frac{3}{8}$ " BSF										10	—	C	
	10-20 WC 41895	ANGLE, mounting, gear box, track 2, Port (Mod. 1458)										1	—	LM	
	10-20 WC 41896	ANGLE, mounting, gear box, track 2, Starboard (Mod. 1458)										1	—	LM	
		Attachments for 10-20 WC 41895 or 10-20 WC 41896, Angle :—													
28D/1011257	A25/7G	Bolt, $\frac{3}{8}$ " BSF										1	—	C	
28D/1011259	A25/10G	Bolt, $\frac{3}{8}$ " BSF										1	—	C	
28M/1006939	A27/GP	Nut, $\frac{3}{8}$ " BSF										2	—	C	
26DL/15372	DHS.729/G12	Washer, support										2	—	C	
28W/9419403	SP.13/G	Washer										2	—	C	
	—	BOOM, lower, main spar to rear spar, Port (Drg. No. 10-20 WC 2557, Ref. only, see Page LA233)										—	—	—	LA81 LA82
	—	BOOM, lower, main spar to rear spar, Starboard (Drg. No. 10-20 WC 2558, Ref. only, see Page LA233)										—	—	—	LA81 LA82
	—	BRACKETS and Stiffeners for accumulator mountings group (Drgs. No. 10-20 WC 41683 and 10-20 WC 41684) (Mod. 1458)										1	—	—	
	10-20 S 10235A/ND	BRACKET, accumulator mounting, Port, assembly (12th and subs. a/c) (For spares use 10-20 S 13197A/ND)										1	—	—	LA82
12931	10-20 S 13197A/ND	BRACKET, accumulator mounting, Port, assembly (12th and subs. a/c) (Spares condition)										1	—	P	
	10-20 S 10236A/ND	BRACKET, accumulator mounting, Starboard, assembly (12th and subs. a/c) (For spares use 10-20 S 13198A/ND)										1	—	—	LA82
12932	10-20 S 13198A/ND	BRACKET, accumulator mounting, Starboard, assembly (12th and subs. a/c) (Spares condition)										1	—	P	
		Spares for :—													
27Q/17155	DOWTY D2757.Y.44	BUSH, rubber										2	—	C	LA82
		Attachments for 10-20 S 10235A/ND or 10-20 S 10236A/ND, Bracket :—													
3235	DHS.382/5E	Bolt, $\frac{1}{2}$ " BSF										2	—	C	
3199	DHS.382/5½E	Bolt, $\frac{1}{2}$ " BSF										2	—	C	
28M/1011475	A27/EP	Nut, $\frac{1}{2}$ " BSF										4	—	C	
	10-20 WC 24199ND	STIFFENER, main accumulator mounting bracket, Port, 16 SWG (12th and subs. a/c)										1	L.73	LM	LA82
	10-20 WC 24200ND	STIFFENER, main accumulator mounting bracket, Starboard, 16 SWG (12th and subs. a/c)										1	L.73	LM	LA82
		Attachments for 10-20 WC 24199ND or 10-20 WC 24200ND, Stiffener :—													
3199	DHS.382/5½E	Bolt, $\frac{1}{2}$ " BSF										2	—	C	
28M/1011475	A27/EP	Nut, $\frac{1}{2}$ " BSF										2	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Score or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
10865	10-20 WC 20159	FAIRLEAD , on gear box mounting, track No. 2 at rib No. 3 (Drg. Nos. 10-20 WC 17489A and 10-20 WC 17490A)										1	—	P	LA82
28D/9419452	A25/3B	Attachments for 10-20 WC 20159, Fairlead :—										2	—	C	
28M/10287	AGS.2001/B/1	Bolt, 4 BA										2	—	C	
28W/9419465	SP.13/B	Nut, 4 BA										2	—	C	
		Washer										2	—	C	
	10-20 WC 5143	FORMER , lower, Port (For spares use 10-20 WC 27789ND)										1	L.65	—	LA82
12442	10-20 WC 27789ND	FORMER , lower, Port (Spares condition) ...										1	—	C	
	10-20 WC 5144	FORMER , lower, Starboard										1	L.65	—	LA82
		(For spares use 10-20 WC 27790ND)													
12443	10-20 WC 27790ND	FORMER , lower, Starboard (Spares condition) ...										1	—	C	
		Attachments for 10-20 WC 5143 or 10-20 WC 5144, Former :—													
2471	DHS.382/6G	Bolt, 1/8" BSF										1	—	C	
3774	DHS.382/4 1/2 G	Bolt, 3/8" BSF										35	—	C	
3200	DHS.382/5 1/2 G	Bolt, 3/8" BSF										13	—	C	
26DV/7543	DHS.382/7G	Bolt, 3/8" BSF										3	—	C	
2220	DHS.383/G	Nut, 3/8" BSF										53	—	C	
	—	MOUNTINGS , jack, wingfold, Port and Starboard, group (Drg. Nos. 10-20 WC 5553 (Pre Mod. 255) and 10-20 WC 26349 (Mod. 255) (Mod. 1458)										1	—	—	
	10-20 WC 5905	BRACKET , fitted between rear jack post mountings, upper (For spares use 10-20 WC 25779ND)										2	L.65	—	LA82
3112	10-20 WC 25779ND	BRACKET , fitted between rear jack post mountings, upper (Spares condition)										1	—	C	
		Attachments for 10-20 WC 5905, Bracket :—													
3206	DHS.382/12 1/2 E	Bolt, 1/2" BSF (Mod. 255)										1	—	C	
17145	DHS.382/14 1/2 E	Bolt, 1/2" BSF (Mod. 255)										1	—	C	
15007	DHS.382/2 1/2 G	Bolt, 3/8" BSF (Pre Mod. 255)										2	—	C	
5210	DHS.382/3 1/2 G	Bolt, 3/8" BSF (Mod. 255)										2	—	C	
15526	DHS.1001/2 1/2 E	Bolt, 1/2" BSF (Pre Mod. 255)										2	—	C	
2227	DHS.983/E	Nut, 1/2" BSF (Pre Mod. 255)										2	—	C	
3190	DHS.983/G	Nut, 1/2" BSF										2	—	C	
28M/1007403	A27/ET	Nut, 1/2" BSF (Mod. 255)										2	—	C	
	10-20 WC 5907	BRACKET , fitted between rear jack post mountings, lower, Port (For spares use 10-20 WC 25781ND)										1	L.65	—	LA82
3113	10-20 WC 25781ND	BRACKET , fitted between rear jack post mountings, lower, Port (Spares condition)										1	—	C	
	10-20 WC 5908	BRACKET , fitted between rear jack post mountings, lower, Starboard (For spares use 10-20 WC 25782ND)										1	L.65	—	LA82
3114	10-20 WC 25782ND	BRACKET , fitted between rear jack post mountings, lower, Starboard (Spares condition)										1	—	C	
		Attachments for 10-20 WC 5907 or 10-20 WC 5908, Bracket :—													
17145	DHS.382/14 1/2 E	Bolt, 1/2" BSF (Mod. 255)										2	—	C	
15510	DHS.382/15E	Bolt, 1/2" BSF (Pre Mod. 255)										2	—	C	
5210	DHS.382/3 1/2 G	Bolt, 3/8" BSF (Mod. 255)										2	—	C	
15517	DHS.382/15G	Bolt, 3/8" BSF (Pre Mod. 255)										2	—	C	
2227	DHS.983/E	Nut, 1/2" BSF (Pre Mod. 255)										2	—	C	
28M/1007403	A27/ET	Nut, 1/2" BSF (Mod. 255)										2	—	C	
3190	DHS.983/G	Nut, 1/2" BSF										2	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
3115	10-20 WC 6967	BRACKET , fitted between forward jack mounting posts, upper										2	—	C	LA82
		Attachments for 10-20 WC 6967, Bracket :—													
3240	DHS.382/2E	Bolt, $\frac{1}{2}$ " BSF (Mod. 255) ...										2	—	C	
15166	DHS.1001/2E	Bolt, $\frac{1}{2}$ " BSF (Pre Mod. 255) ...										2	—	C	
3197	DHS.382/6½G	Bolt, $\frac{1}{2}$ " BSF (Mod. 255) ...										1	—	C	
28D/1011257	A25/7G	Bolt, $\frac{1}{2}$ " BSF (Pre Mod. 255) ...										1	—	C	
2227	DHS.983/E	Nut, $\frac{1}{2}$ " BSF ...										2	—	C	
3190	DHS.983/G	Nut, $\frac{1}{2}$ " BSF (Mod. 255) ...										1	—	C	
28M/1006939	A27/GP	Nut, $\frac{1}{2}$ " BSF (Pre Mod. 255) ...										1	—	C	
28W/1007697	SP.14/G	Washer (Pre Mod. 255) ...										1	—	C	
	10-20 WC 5913	BRACKET , fitted between forward jack mounting posts, lower, Port (For spares use 10-20 WC 25783ND)										1	L.65	—	LA82
3116	10-20 WC 25783ND	BRACKET , fitted between forward jack mounting posts, lower, Port (Spares condition)										1	—	C	
	10-20 WC 5914	BRACKET , fitted between forward jack mounting posts, lower, Starboard (For spares use 10-20 WC 25784ND)										1	L.65	—	LA82
3117	10-20 WC 25784ND	BRACKET , fitted between forward jack mounting posts, lower, Starboard (Spares condition)										1	—	C	
		Attachments for 10-20 WC 5913 or 10-20 WC 5914, Bracket :—													
17145	DHS.382/14½E	Bolt, $\frac{1}{2}$ " BSF (Mod. 255) ...										2	—	C	
15510	DHS.382/15E	Bolt, $\frac{1}{2}$ " BSF (Pre Mod. 255) ...										1	—	C	
15530	DHS.1001/15E	Bolt, $\frac{1}{2}$ " BSF (Mod. 255) ...										1	—	C	
15007	DHS.382/2½G	Bolt, $\frac{1}{2}$ " BSF (Pre Mod. 255) ...										2	—	C	
5210	DHS.382/3½G	Bolt, $\frac{1}{2}$ " BSF (Mod. 255) ...										2	—	C	
2227	DHS.983/E	Nut, $\frac{1}{2}$ " BSF ...										2	—	C	
3190	DHS.983/G	Nut, $\frac{1}{2}$ " BSF ...										2	—	C	
3118	10-20 WC 5393	BRACKET , pivot bolt, jack, wingfold, forward and rear										4	—	C	LA82
		Attachments for 10-20 WC 5393, Bracket :—													
28D/17770	A60/15E	Bolt, $\frac{1}{2}$ " BSF (Pre Mod. 255) ...										4	—	C	
28D/18677	A60/17E	Bolt, $\frac{1}{2}$ " BSF (Pre Mod. 255) fwd. post										1	—	C	
		rear post										2	—	C	
17145	DHS.382/14½E	Bolt, $\frac{1}{2}$ " BSF (Mod. 255) ...										4	—	C	
17146	DHS.382/16½E	Bolt, $\frac{1}{2}$ " BSF (Mod. 255) fwd. post										1	—	C	
		rear post										2	—	C	
12648	10-20 WC 27331	Bolt, special, $\frac{1}{2}$ " BSF and 2 BA, fwd. post										1	—	C	
28M/1011475	A27/EP	Nut, $\frac{1}{2}$ " BSF (Fit at special bolt, Part No. 10-20 WC 27331)										1	—	C	
28M/1011467	A27/ES	Nut, $\frac{1}{2}$ " BSF (Pre Mod. 255) fwd. post										3	—	C	
		rear post										6	—	C	
28M/1007403	A27/ET	Nut, $\frac{1}{2}$ " BSF (Mod. 255) fwd. post										3	—	C	
		rear post										6	—	C	
28P/9527619	SP.90/C7	Pin, split (Pre Mod. 255) (SP.9/C8)										4	—	C	
28W/9419487	SP.16/E	Washer (Pre Mod. 255) ...										4	—	C	
20309	10-20 WC 41919A	BRACKET , mounting, control main accumulator, on inboard face at rib No. 3, at wing-fold jack posts, Port (Mod. 1458)										1	—	C	LA82
20310	10-20 WC 41920A	BRACKET , mounting, control main accumulator, on inboard face of rib No. 3, at wingfold jack posts, Starboard (Mod. 1458)										1	—	C	LA82
		Spares for :—													

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES

WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 13835ND											1	DTD.762	LM	LA82
28M/11957	AGS.2007/C/1											1	—	C	
28M/9144673	AGS.2019/C/1											1	—	C	
28D/15710	A59/5E											4	—	C	
28D/15562	A59/4E											2	—	C	
28M/12931	A27/ET											6	—	C	
28W/9418921	SP.13/E											6	—	C	
	10-20 WC 25953											4	L.65	—	LA82
13388	10-20 WC 28401ND											4	—	C	
	10-20 WC 27249											4	L.65	—	LA82
17159	10-20 WC 40805ND											4	—	C	
	10-20 WC 25955											4	L.65	—	LA82
14585	10-20 WC 29235ND											4	—	C	
	10-20 WC 27251											4	L.65	—	LA82
17160	10-20 WC 40807ND											4	—	C	
	10-20 WC 5623											1	L.73	—	LA82
3105	10-20 WC 25759ND											1	—	C	
17161	10-20 WC 26325											1	—	C	LA82
	10-20 WC 5624											1	L.73	—	LA82
3168	10-20 WC 25760ND											1	—	C	
17162	10-20 WC 26326											1	—	C	LA82
3240	DHS.382/2E											11	—	C	
3239	DHS.382/2½E											7	—	C	
3198	DHS.382/3½E											2	—	C	
17145	DHS.382/14½E											1	—	C	
5210	DHS.382/3½G											1	—	C	
3191	DHS.382/4G											2	—	C	
3194	DHS.382/5G											1	—	C	
2227	DHS.983/E											8	—	C	
												12	—	C	
3190	DHS.983/G											5	—	C	

RESTRICTED

MAIN PLANES

WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 5625											1	L.73	—	LA82
3106	10-20 WC 25761ND											1	L.73	C	
17163	10-20 WC 26327											1	L.73	C	LA82
	10-20 WC 5626											1	L.73	—	LA82
3107	10-20 WC 25762ND											1	L.73	C	
17164	10-20 WC 26328											1	L.73	C	LA82
3240	DHS.382/2E											11	—	C	
3239	DHS.382/2½E											7	—	C	
2474	DHS.382/4E											2	—	C	
3235	DHS.382/5E											1	—	C	
17145	DHS.382/14½E											1	—	C	
3192	DHS.365/4G											1	—	C	
2471	DHS.382/6G											1	—	C	
2227	DHS.983/E											10	—	C	
												12	—	C	
3190	DHS.983/G											2	—	C	
	10-20 WC 5627											1	L.73	—	LA82
3108	10-20 WC 25763ND											1	L.73	C	
17165	10-20 WC 26329											1	L.73	C	LA82
	10-20 WC 5628											1	L.73	—	LA82
3109	10-20 WC 25764ND											1	L.73	C	
17166	10-20 WC 26330											1	L.73	C	LA82
3240	DHS.382/2E											7	—	C	
3198	DHS.382/3½E											9	—	C	
6756	DHS.382/3G											2	—	C	
5210	DHS.382/3½G											1	—	C	
3194	DHS.382/5G											1	—	C	
2227	DHS.983/E											9	—	C	
3190	DHS.983/G											3	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 5629											1	L.73	—	LA82
3110	10-20 WC 25765ND											1	L.73	C	
17167	10-20 WC 26331											1	L.73	C	LA82
	10-20 WC 5630											1	L.73	—	LA82
3111	10-20 WC 25766ND											1	L.73	C	
17168	10-20 WC 26332											1	L.73	C	LA82
3240	DHS.382/2E											5	—	C	
3239	DHS.382/2½E											9	—	C	
2474	DHS.382/4E											2	—	C	
6756	DHS.382/3G											1	—	C	
5210	DHS.382/3½G											1	—	C	
3191	DHS.382/4G											1	—	C	
3197	DHS.382/6½G											1	—	C	
2227	DHS.983/E											8	—	C	
3190	DHS.983/G											9	—	C	
	AS.2811/6/075											4	—	C	
												6	L.62	LM	
15529	DHS.1001/12½E											1	—	C	
2227	DHS.983/E											1	—	C	
	AS.2811/6/081											8	L.62	LM	
28D/17770	A60/15E											1	—	C	
17146	DHS.382/16½/E											1	—	C	
2227	DHS.983/E											1	—	C	
28M/1011467	A27/ES											1	—	C	
28P/1007741	SP.9/C8											1	—	C	
28W/9419405	SP.15/E											1	—	C	
	AS.2811/6/085											2	L.62	LM	
15529	DHS.1001/12½E											1	—	C	
2227	DHS.983/E											1	—	C	
	AS.2811/6/105											16	L.62	LM	
15529	DHS.1001/12½E											1	—	C	
2227	DHS.983/E											1	—	C	

RESTRICTED

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or E.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 6085	PLATE, packing, for gear-box mounting track, centre and upper										1	L.73	—	LA82
	10-20 WC 5297	POST, support, lower, Port (For spares use 10-20 WC 26589ND)										1	DTD.683	—	LA82
11079	10-20 WC 26589ND	POST, support, lower, Port (Spares condition) ...										1	—	C	
	10-20 WC 5298	POST, support, lower, Starboard (For spares use 10-20 WC 26590ND)										1	DTD.683	—	LA82
11080	10-20 WC 26590ND	POST, support, lower, Starboard (Spares condition)										1	—	C	
		Attachments for 10-20 WC 5297 or 10-20 WC 5298, Post :—													
3774	DHS.382/4½G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	5	—	C	
3200	DHS.382/5½G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	4	—	C	
2220	DHS.383/G	Nut, ½"	BSF	...	...	...	...	...	...	...	...	9	—	C	
	10-20 WC 27381	POST, support, upper, Port										1	DTD.683	—	LA82
	10-20 WC 27382	POST, support, upper, Starboard										1	DTD.683	—	LA82
		Attachments for 10-20 WC 27381 or 10-20 WC 27382, Post :—													
28D/17026	A59/23J	Bolt, ¾"	BSF	...	...	...	...	...	...	...	...	4	—	C	
5210	DHS.382/3½G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	13	—	C	
3774	DHS.382/4½G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	3	—	C	
28M/13273	A24/JP	Nut, ¾"	BSF	...	...	...	...	...	...	...	...	4	—	C	
3190	DHS.983/G	Nut, ½"	BSF	...	...	...	...	...	...	...	...	16	—	C	
	10-20 WC 9003	WEB, rib (bare), Port										1	DTD.5050	—	LA82
	10-20 WC 9005	WEB, rib (bare), Starboard										1	DTD.5050 to DHA.380	—	LA82
		Attachments for 10-20 WC 9003 or 10-20 WC 9005, Web :—													
3240	DHS.382/2E	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	5	—	C	
3228	DHS.382/3E	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	2	—	C	
3198	DHS.382/3½E	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	1	—	C	
3235	DHS.382/5E	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	5	—	C	
15516	DHS.382/2G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	2	—	C	
15007	DHS.382/2½G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	2	—	C	
6756	DHS.382/3G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	15	—	C	
5210	DHS.382/3½G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	13	—	C	
3774	DHS.382/4½G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	13	—	C	
3194	DHS.382/5G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	8	—	C	
3200	DHS.382/5½G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	23	—	C	
2471	DHS.382/6G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	25	—	C	
26DV/7543	DHS.382/7G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	10	—	C	
2472	DHS.382/8G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	2	—	C	
15166	DHS.1001/2E	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	7	—	C	
15526	DHS.1001/2½E	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	2	—	C	
15354	DHS.1001/5E	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	5	—	C	
17569	DHS.1001/5½E	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	3	—	C	
15535	DHS.1001/2G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	9	—	C	
15537	DHS.1001/3G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	1	—	C	
2220	DHS.383/G	Nut, ½"	BSF	...	...	...	...	...	...	...	...	55	—	C	
2227	DHS.983/E	Nut, ½"	BSF	...	...	...	...	...	...	...	...	30	—	C	
3190	DHS.983/G	Nut, ½"	BSF	...	...	...	...	...	...	...	...	68	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	—	RIB, No. 3A, group (Org. No. 10-20 WC 25885) ... (Mod. 2)										1	—	—	LA83
	10-20 WC 27551A/ND	RIB, No. 3A, Port, assembly (Mod. 2) (For spares use 10-20 WC 30569A/ND)										1	—	—	LA83
15671	10-20 WC 30569A/ND	RIB, No. 3A, Port, assembly (Mod. 2) (Spares condition)										1	—	P	
	10-20 WC 27552A/ND	RIB, No. 3A, Starboard, assembly (Mod. 2) (For spares use 10-20 WC 30570A/ND)										1	—	—	LA83
15672	10-20 WC 30570A/ND	RIB, No. 3A, Starboard, assembly (Mod. 2) (Spares condition)										1	—	P	
	10-20 WC 14643A	ANGLE, attachment, at aft end or rear mounting, L.H., assembly										1	—	—	LA83
	10-20 WC 14644A	ANGLE, attachment, at aft end of rear mounting, R.H., assembly										1	—	—	LA83
		Attachments for 10-20 WC 14643A or 10-20 WC 14644A, Angle :—													
2364	DHS.901/2½E	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	3	—	C	LA83
3198	DHS.382/3½E	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	1	—	C	LA83
26FW/1060	DHS.202/E	Nut, ½" BSF	...	...	...	...	...	...	...	...	...	3	—	C	LA83
28M/1007403	A27/ET	Nut, ½" BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	4	—	C	
14895	10-20 WC 25231	ANGLE, attachment, on forward mounting, L.H. (Mod. 2)										1	—	C	LA83

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 14666A	ANGLE , attachment on forward mounting, R.H., assembly										1	—	—	LA83
		Attachments for 10-20 WC 25231 or 10-20 WC 14666A. Angle :—													
2474	DHS.382/4E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	1	—	C	LA83
15166	DHS.1001/2E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	3	—	C	LA83
28M/12931	A27/ET	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	1	—	C	
2227	DHS.983/E	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	3	—	C	LA83
28V/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	4	—	C	
	10-20 WC 17669	BRACKET , support, inboard at aft end of front strut mounting, L.H.										1	L.53	—	LA83
	10-20 WC 17670	BRACKET , support, inboard at aft end of front strut, mounting, R.H.										1	L.53	—	LA83
	10-20 WC 17671	BRACKET , support, outboard at front end of rear strut mounting, L.H.										1	L.59	—	LA83
	10-20 WC 17672	BRACKET , support, outboard, at front end of rear strut mounting, R.H.										1	L.53	—	LA83
	10-20 WC 17667	BRACKET , support, outboard, at aft end of front strut mounting, L.H.										1	L.53	—	LA83
	10-20 WC 17668	BRACKET , support, outboard, at aft end of front strut mounting, R.H.										1	L.53	—	LA83
	10-20 WC 17673	BRACKET , support, inboard, at front end of rear strut mounting, L.H.										1	L.53	—	LA83
	10-20 WC 17674	BRACKET , support, inboard, at front end of rear strut mounting, R.H.										1	L.53	—	LA83
		Attachments for 10-20 WC 17669, 10-20 WC 17670, 10-20 WC 17671, 10-20 WC 17672, 10-20 WC 17667, 10-20 WC 17668, 10-20 WC 17673 or 10-20 WC 17674, Bracket :—													
28D/7002428	A25/6C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	2	—	C	
28M/9403520	A27/CP	Nut, 2 BA	...	...	...	...	...	...	...	...	...	2	—	C	
28V/9419475	SP.15/C	Washer	...	...	...	...	...	...	...	...	...	2	—	C	
	10-20 WC 16137A	FORMER , L.H., assembly										1	—	—	LA83
	10-20 WC 16138A	FORMER , R.H., assembly										1	—	—	LA83
		Spares for :—													
	10-20 WC 16149	BRACKET , skin, attachment, L.H.										1	L.53	—	LA83
	10-20 WC 16150	BRACKET , skin, attachment, R.H.										1	L.53	—	LA83
		Attachments for 10-20 WC 16149 or 10-20 WC 16150, Bracket :—													
28D/16002	A61/2E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
28M/13376	A29/EP	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	2	—	C	
	10-20 WC 17603	MOUNTING , for forward struts										1	DTD.5020	—	LA83
	10-20 WC 17605	MOUNTING , for rear struts										1	DTD.5020	—	LA83
	10-20 WC 17713A	STRUT , front diagonal, assembly										1	—	—	LA83
	10-20 WC 17715A	STRUT , front vertical, assembly (Pre Mod. 1140)										1	—	—	LA83
	10-20 WC 17723A	STRUT , rear diagonal, assembly										1	—	—	LA83

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 17721A	STRUT , rear vertical, assembly	1	—	—	LA83
	10-20 WC 3889	Spares for :— FORK-END	2	L.65	—	LA83
		Attachments for 10-20 WC 17713A, 10-20 WC 17715A, 10-20 WC 17723A or 10-20 WC 17721A, Strut :—				
28D/18802	A59/9L	Bolt, $\frac{7}{16}$ " BSF	2	—	C	
28M/13553	A27/LP	Nut, $\frac{7}{16}$ " BSF	2	—	C	
28VV/9419490	SP.16/L	Washer	2	—	C	
2334	10-20 WC 17717A	STRUT , front intermediate diagonal, assembly ...	1	—	C	LA83
2336	10-20 WC 17719A	STRUT , rear intermediate diagonal, assembly ...	1	—	C	LA83
2335	10-20 WC 17725A	STRUT , horizontal, assembly	1	—	C	LA83
		Spares for :— FORK-END	2	L.65	—	LA83
	10-20 WE 3889	Attachments for 10-20 WC 17717A, 10-20 WC 17719A or 10-20 WC 17725A, Strut :—				
28D/18802	A59/9L	Bolt, $\frac{7}{16}$ " BSF	2	—	C	
28M/13452	A29/LS	Nut, $\frac{7}{16}$ " BSF	2	—	C	
28P/5413	AGS.1551 Mk. 3	Pin, locking	2	—	C	
28VV/9419490	SP.16/L	Washer	2	—	C	
	10-20 WC 25233	WASHER , packing for front angle plate, 18 SWG (Mod. 2) Attachments for 10-20 WC 27551A/ND or 10-20 WC 27552A/ND, Rib :—	1	L.72	—	LA83
15526	DHS.109/2½E	Bolt, $\frac{1}{2}$ " BSF	4	—	C	LA83
15006	DHS.1001/3E	Bolt, $\frac{1}{2}$ " BSF	4	—	C	LA83
3239	DHS.382/2½E	Bolt, $\frac{1}{2}$ " BSF	4	—	C	LA83
28M/12931	A27/ET	Nut, $\frac{1}{2}$ " BSF	4	—	C	
2227	DHS.983/E	Nut, $\frac{1}{2}$ " BSF	8	—	C	LA83
28W/9419405	SP.15/E	Washer	12	—	C	

RESTRICTED

MAIN PLANES

WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
156	S10-20 WC 17	RIB No. 4, Port, special spares assembly ...										1	—	P	LA84
157	S10-20 WC 18	RIB No. 4, Starboard, special spares assembly ...										1	—	P	LA84
		Note:—The following parts are included in this assembly:—													
		Forward inboard hinge													
		Rear inboard hinge													
		Front hinge post													
		Rear hinge post													
		Centre bottom latch													
		Front bottom latch													
		Rear bottom latch													
		Link support post, aft													
		Link support post, forward													
		Top latch													
		Front latch post													
		U/c fairing front hinge													
		U/c fairing rear hinge													
		U/c to wing pick-up (at main spar)													
		Rocker lever mounting arm													
		Rear wheel well wall, ribs 3 to 4													
		(less: Web, u/c side-stay bracket, top and bottom booms and u/c rear pick-up bracket)													
		Rib 4 (bare)													
		Note:—The following parts are not included in this assembly:—													
		Bellcrank lever mounting													
		Pylon housing													
		Rear bottom latch pin guide													
	—	RIB No. 4, Port, group (Drg. No. 10-20 WC 15049/1)										1	—	—	LA84
	—	RIB No. 4, Starboard, group ... (Drg. No. 10-20 WC 15049/1)										1	—	—	LA84
5061	10-20 P 917	ADAPTER, fuel vent, Port										1	L.53	C	LA89
5062	10-20 P 918	ADAPTER, fuel vent, Starboard										1	L.53	C	LA89
		Attachments for 10-20 P 917 or 10-20 P 918, Adapter:—													
28D/17616	A60/6E	Bolt, 1" BSF										5	—	C	
28D/15532	A60/8E	Bolt, 1" BSF										2	—	C	
3207	DHS.382/8E	Bolt, 1" BSF										6	S.96	C	
28M/12931	A27/ET	Nut, 1" BSF										13	—	C	
	10-20 P 919	Plate, packing										1	L.72	LM	LA89
5063	10-20 P 951	Shim, laminated										1	RLA	C	LA89
7513	10-20 S 9171	ADAPTER, pipe, hydraulic brakes, on inboard face, Port										1	DTD.423	C	LA89
7514	10-20 S 9172	ADAPTER, pipe, hydraulic brakes, on inboard face, Starboard										1	DTD.423	C	LA89
		Attachments for 10-20 S 9171 or 10-20 S 9172, Adapter:—													
28D/12537	A25/14C	Bolt, 2 BA										2	—	C	
28M/9403520	A27/CP	Nut, 2 BA										2	—	C	
	10-20 WC 24331	Packing, 16 SWG										1	L.72	LM	LA89
28W/9419475	SP.15/C	Washer										2	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
7515	10-20 S 9361A	ADAPTER , pipe, hydraulic brakes, on inboard face, Port, assembly										1	—	C	LA89
7516	10-20 S 9362A	ADAPTER , pipe, hydraulic brakes, on inboard face, Starboard, assembly										1	—	C	LA89
		Attachments for 10-20 S 9361A or 10-20 S 9362A, Adapter :—													
28D/1011238	A25/3E	Bolt, 1" BSF										2	—	C	
28M/12931	A27/ET	Nut, 1" BSF										2	—	C	
28W/9419405	SP.15/E	Washer										2	—	C	
17050	10-20 WC 21223	ANGLE , edge, bottom, Port										1	DTD.166	C	LA90
	10-20 WC 21225	ANGLE , edge, doubling, bottom, Port										1	DTD.166	—	LA90
17051	10-20 WC 21224	ANGLE , edge, bottom, Starboard										1	DTD.166	C	LA90
	10-20 WC 21226	ANGLE , edge, doubling, bottom, Starboard										1	DTD.166	—	LA90
		Attachments for 10-20 WC 21223 and 10-20 WC 21225 or 10-20 WC 21224 and 10-20 WC 21226, Angle (per pair):—													
3228	DHS.382/3E	Bolt, 1" BSF										13	—	C	
3235	DHS.382/5E	Bolt, 1" BSF										6	—	C	
2722	DHS.365/3EE	Bolt, 1" BSF										4	—	C	
28M/12931	A27/ET	Nut, 1" BSF										23	—	C	
28W/9419405	SP.15/E	Washer										23	—	C	
17048	10-20 WC 21219	ANGLE , edge, top, Port										1	DTD.166	C	LA90
	10-20 WC 21221	ANGLE , edge, doubling, top, Port										1	DTD.166	—	LA90
17049	10-20 WC 21220	ANGLE , edge, top, Starboard										1	DTD.166	C	LA90
	10-20 WC 21222	ANGLE , edge, doubling, top, Starboard										1	DTD.166	—	LA90
		Attachments for 10-20 WC 21219 and 10-20 WC 21221 or 10-20 WC 21220 and 10-20 WC 21222, Angle (per pair):—													
3228	DHS.382/3E	Bolt, 1" BSF										17	—	C	
3235	DHS.382/5E	Bolt, 1" BSF										6	—	C	
28M/12931	A27/ET	Nut, 1" BSF										23	—	C	
28W/9419405	SP.15/E	Washer										23	—	C	
	10-20 WC 6547A	ARM , rocker lever mounting, Port, assembly (For spares use 10-20 WC 40909A/ND)										1	—	—	LA87
17617	10-20 WC 40909A/ND	ARM , rocker lever mounting, Port, assembly (Spares condition) (Mod. 1213)										1	—	P	
	10-20 WC 6548A	ARM , rocker lever mounting, Starboard, assembly (For spares use 10-20 WC 40910A/ND)										1	—	—	LA87
17618	10-20 WC 40910A/ND	ARM , rocker lever mounting, Starboard, assembly (Spares condition) (Mod. 1213)										1	—	P	
		Spares for :—													
2A/9500422	SKEFKO TTS121	BEARING , ball										1	—	C	LA87
26DV/6823	12-20 U 139A/1	BEARING , needle roller, assembly										1	—	C	LA87
2096	10-20 WC 6551	STUD										1	S.96	C	LA87
		Attachments for 10-20 WC 6551, Stud :—													
28M/13028	A27/JT	Nut, 1/2" BSF										1	—	C	
28W/9419456	SP.10/J	Washer										1	—	C	
2095	10-20 WC 9859	TUBE , distance										1	L.55	C	LA87
		Attachments for 10-20 WC 6547A or 10-20 WC 6548A, Arm :—													
28D/12643	A25/9J	Bolt, 1/2" BSF										3	—	C	
28D/1011304	A25/15J	Bolt, 1/2" BSF										1	—	C	
6755	DHS.382/6J	Bolt, 1/2" BSF										2	S.96	C	
28M/13028	A27/JT	Nut, 1/2" BSF										4	—	C	
5208	DHS.983/J	Nut, 1/2" BSF										2	DTD.423	C	
28W/9419466	SP.13/J	Washer										6	—	C	

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 23255	BLOCK, sealing, at aft hinge, Port (For spares use 10-20 WC 26899ND)	1	—	—	LA90
11347	10-20 WC 26899ND	BLOCK, sealing, at aft hinge, Port (Spares condition)	1	—	C	
	10-20 WC 23256	BLOCK, sealing, at aft hinge, Starboard (For spares use 10-20 WC 26900ND)	1	—	—	LA90
11348	10-20 WC 26900ND	BLOCK, sealing, at aft hinge, Starboard (Spares condition)	1	—	C	
	10-20 WC 21597	BLOCK, sealing, at aft latch, Port (For spares use 10-20 WC 26575ND)	1	—	—	LA90
11912	10-20 WC 26575ND	BLOCK, sealing, at aft latch, Port (Spares condition)	1	—	C	
	10-20 WC 21598	BLOCK, sealing, at aft latch, Starboard (For spares use 10-20 WC 26576ND)	1	—	—	LA90
11913	10-20 WC 26576ND	BLOCK, sealing, at aft latch, Starboard (Spares condition)	1	—	C	
	10-20 WC 23259	BLOCK, sealing, at centre latch, Port (For spares use 10-20 WC 26903ND)	1	—	—	LA90
11351	10-20 WC 26903ND	BLOCK, sealing, at centre latch, Port (Spares condition)	1	—	C	
	10-20 WC 23260	BLOCK, sealing, at centre latch, Starboard (For spares use 10-20 WC 26904ND)	1	—	—	LA90
11352	10-20 WC 26904ND	BLOCK, sealing, at centre latch, Starboard (Spares condition)	1	—	C	
	10-20 WC 23257	BLOCK, sealing, at forward bottom latch, Port (For spares use 10-20 WC 26901ND)	1	—	—	LA90
11349	10-20 WC 26901ND	BLOCK, sealing, at forward bottom latch, Port (Spares condition)	1	—	C	
	10-20 WC 23258	BLOCK, sealing, at forward bottom latch, Starboard (For spares use 10-20 WC 26902ND)	1	—	—	LA90
11350	10-20 WC 26902ND	BLOCK, sealing, at forward bottom latch, Starboard (Spares condition)	1	—	C	
	10-20 WC 17617	BLOCK, sealing, at forward hinge, Port (For spares use 10-20 WC 26567ND)	1	—	—	LA90
11910	10-20 WC 26567ND	BLOCK, sealing, at forward hinge, Port (Spares condition)	1	—	C	
	10-20 WC 17618	BLOCK, sealing, at forward hinge, Starboard (For spares use 10-20 WC 26568ND)	1	—	—	LA90
11911	10-20 WC 26568ND	BLOCK, sealing, at forward hinge, Starboard (Spares condition)	1	—	C	
	10-20 WC 17615	BLOCK, sealing, at upper latch bracket, Port (For spares use 10-20 WC 26565ND)	1	—	—	LA90
11908	10-20 WC 26565ND	BLOCK, sealing, at upper latch bracket, Port (Spares condition)	1	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 17616	BLOCK, sealing, at upper latch bracket, Starboard (For spares use 10-20 WC 26566ND)										1	—	—	LA90
11909	10-20 WC 26566ND	BLOCK, sealing, at upper latch bracket, Starboard (Spares condition)										1	—	C	
28D/1011242	A25/7E	BOLT, 3/8" BSF (Main spar to rib No. 4) ...										3	—	C	
28D/1011256	A25/5G	BOLT, 3/8" BSF (Main spar to rib No. 4) ...										4	—	C	
28D/1006583	A25/5J	BOLT, 3/8" BSF (Main spar to rib No. 4) ...										3	—	C	
	—	BOOM, bottom and top, Port and Starboard assembly (See page LA358)										—	—	—	LA128
	10-20 S 13119	BRACKET, A.S.I. pipes, forward of front spar datum, Port										1	L.72	LM	LA86
	10-20 S 13120	BRACKET, A.S.I. pipes, forward of front spar datum, Starboard										1	L.72	LM	LA86
		Attachments for 10-20 S 13119 or 10-20 S 13120, Bracket :—													
28D/9133013	A25/5C	Bolt, 2 BA ...										2	—	C	
28M/10328	AGS.2002/C/1	Nut, 2 BA ...										2	—	C	
28W/9419475	SP.15/C	Washer ...										2	—	C	
	10-20 WC 25405A	BRACKET, bottom wing-fold fairing, Port, assembly, 18 SWG										1	L.72	LM	LA87
	10-20 WC 25406A	BRACKET, bottom wing-fold fairing, Starboard, assembly, 18 SWG										1	L.72	LM	LA87
		Attachments for 10-20 WC 25405A or 10-20 WC 25406A, Bracket :—													
28D/9133011	A25/2C	Bolt, 2 BA ...										2	—	C	
28M/1006473	A27/CT	Nut, 2 BA ...										2	—	C	
	10-20 WC 21229	Washer, throat, 14 SWG ...										1	L.72	LM	LA87
	10-20 WC 9105	BRACKET, clamp block, aft of front hinge datum, 18 SWG, Port										1	L.72	LM	LA87
	10-20 WC 9106	BRACKET, clamp block, aft of front hinge datum, 18 SWG, Starboard										1	L.72	LM	LA87
		Attachments for 10-20 WC 9105 or 10-20 WC 9106, Bracket :—													
28D/12892	A25/11J	Bolt, 3/8" BSF ...										3	—	C	
28M/1007404	A27/JT	Nut, 3/8" BSF ...										3	—	C	
28W/9419466	SP.13/J	Washer ...										3	—	C	
10786	10-20 WC 24557A	BRACKET, top wing-fold, fairing, Port, assembly										1	—	C	LA86
10787	10-20 WC 24558A	BRACKET, top wing-fold fairing, Starboard, assembly										1	—	C	LA86
		Spares for :—													
	10-20 WC 15513A	BRACKET, cable clip, assembly ...										1	—	—	LA86
	10-20 WC 15515ND	BRACKET, bare, 18 SWG ...										1	L.72	LM	LA86
28M/9434253	AGS.2007/B/1	NUT, anchor, 4 BA ...										1	—	C	
	10-20 WC 18211	BRACKET, hinge, wing-fold cable support, Port, 16 SWG										1	L.72	LM	LA86
	10-20 WC 18212	BRACKET, hinge, wing-fold cable support, Starboard, 16 SWG										1	L.72	LM	LA86
28M/10245	AGS.2014/C/11	NUT, anchor, 2 BA ...										1	—	C	
	10-20 WC 18059ND	PACKING ...										1	LFS.21	LM	LA86
		Attachments for 10-20 WC 24557A or 10-20 WC 24558A, Bracket :—													
28D/1200119	A25/4C	Bolt, 2 BA ...										3	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA ...										3	—	C	

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 21421A	BRACKET , guide, front upper latch pin, Port, assembly	1	—	—	LA85
	10-20 WC 21419ND	BRACKET , bare, Port (For spares use 10-20 WC 40801ND)	1	—	—	LA85
17178	10-20 WC 40801ND	BRACKET , bare, Port (Spares condition)	1	—	C	
	10-20 WC 21422A	BRACKET , guide, front upper latch pin, Starboard, assembly	1	—	—	LA85
	10-20 WC 21420ND	BRACKET , bare, Starboard (For spares use 10-20 WC 40802ND)	1	—	—	LA85
17179	10-20 WC 40802ND	BRACKET , bare, Starboard (Spares condition)	1	—	C	
28D/1007975	AS.1242/1C	BOLT , 2 BA, bush retaining	1	—	C	
28D/9142406	AS.1248/3C	BOLT , 2 BA	1	—	C	
2072	10-20 WC 5661	BUSH , flanged	1	—	C	LA85
16900	DHS.418/2/E/390	BUSH , plain	1	—	C	LA85
28N/9156370	SP.21	NIPPLE , lubrication	1	—	C	
28M/1006473	A27/CT	NUT , 2 BA	1	—	C	
		Attachments for 10-20 WC 21421A or 10-20 WC 21422A, Bracket :—				
28D/1008145	A25/6E	Bolt, 1/2" BSF	1	—	C	
2073	10-20 WC 15017	Bolt, special, 1/2" BSF	1	—	C	LA85
28M/1011475	A27/EP	Nut, 1/2" BSF	1	—	C	
28M/1011467	A27/ES	Nut, 1/2" BSF	1	—	C	
28P/19157	SP.90/G10	Pin, split (SP.9/G12)	1	—	C	
16205	10-20 WC 29553ND	Shim, "Attewell" (Fit if required)	2	—	C	LA85
26FC/6726	DHS.69/D	Shim, washer	1	—	C	LA85
17595	10-20 WC 40869ND	Washer, zinc, .005-.008 thick (Mod. 1134)	2	—	C	LA85
17323	10-20 WC 40723ND	Washer, zinc, .005-.008 thick (Mod. 1134)	2	—	C	LA85
	10-20 WC 41839A	BRACKET , angle, wing-fold cable support, Port, 14 SWG	1	L.72	LM	LA86
	10-20 WC 41840A	BRACKET , angle, wing-fold cable support, Starboard, 14 SWG	1	L.72	LM	LA86
		Attachments for 10-20 WC 41839A or 10-20 WC 41840A, Bracket :—				
28D/1011238	A25/3E	Bolt, 1/2" BSF	4	—	C	
28M/1007403	A27/ET	Nut, lock 1/2" BSF	4	—	C	
26DL/5611	DHS.402/E	Seal, bonded	4	—	C	LA86
28V/9418921	SP.13/E	Washer	4	—	C	
	—	BRACKET , main undercarriage rear pick-up, Port and Starboard, assembly (See page LA358)	—	—	—	LA128
	10-20 N 2377A	BRACKET , "P" clip, forward of front latch post, assembly	2	—	—	LA86
	10-20 N 2379ND	BRACKET , bare, 18 SWG	1	L.72	LM	LA86
28M 9434251	AGS.2008/B/1	NUT , anchor, 4 BA	1	—	C	
		Attachments for 10-20 N 2377A, Bracket :—				
28D/1010658	A25/1B	Bolt, 4 BA	2	—	C	
28M/9403519	A27/BP	Nut, 4 BA	2	—	C	
	10-20 WC 17469A	BRACKET , pulley, latch pin manual lock cables, at front spar, assembly Spares for :—	1	—	—	LA85

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 17475											2	L.64	LM	LA85
28D/9435710	A25/11C											1	—	C	
28M/5808573	A27/CS											1	—	C	
28W/9419475	SP.13/E											1	—	C	
28R/13502	AS.111											2	—	C	LA85
28M/13935	A58/ES											1	—	C	
28P/9527619	SP.90/C7											1	—	C	
28W/9418921	SP.13/E											2	—	C	
28W/9418921	SP.13/E											1	—	C	
	10-20 WC 17473											1	S.96	—	LA85
26DV/7618	DHS.94/4/80											1	—	C	LA85
5622	A25/6C/DHS.514/D											2	—	C	
28D/1010030	A25/7C											1	—	C	
28M/1006473	A27/CT											1	—	C	
28P/9527619	SP.90/C7											1	—	C	
15477	10-20 WC 29945											1	—	C	LA85
	10-20 WC 16955											1	DTD.298	—	LA85
28D/1011238	A25/3E											1	—	C	
28D/1011246	A25/11E											2	—	C	
28D/13046	A25/19E											1	—	C	
2227	DHS.983/E											3	—	C	
	10-20 WC 26751ND											1	L.73	LM	LA85
26DL/5611	DHS.402/E											3	—	C	
28W/9416316	SP.41/E											1	—	C	
	10-20 WC 23381A											1	—	—	LA87
11378	10-20 WC 27003A/ND											1	—	C	LA87
	10-20 WC 23382A											1	—	—	LA87
11379	10-20 WC 27004A/ND											1	—	C	LA87
28D/1006942	A25/13G											1	—	C	
28D/12718	A25/12J											4	—	C	
28M/1011470	A27/GT											1	—	C	
28M/1007404	A27/JT											4	—	C	
28W/9419403	SP.13/G											1	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 15149	BRACKET, support, vent rotary joint, Port ...										1	L.72	—	LA89
	10-20 WC 15150	BRACKET, support, vent rotary joint, Starboard										1	L.72	—	LA89
		Attachments for 10-20 WC 15149 or 10-20 WC 15150, Bracket :—													
28D/12542	A25/5E	Bolt, 1" BSF ...										2	—	C	
28M/12928	A27/EP	Nut, 1" BSF ...										2	—	C	
28W/9418921	SP.13/E	Washer ...										2	—	C	
	—	BRACKET, support, undercarriage side stay pick-up, Port and Starboard, assembly (See page LA359)										—	—	—	LA128
	10-20 WC 16357A	BRACKET, wingfold fairing, bottom aft, Port, assembly (For spares use 10-20 WC 26561A/ND)										1	—	—	LA88
11082	10-20 WC 26561A/ND	BRACKET, wingfold, fairing, bottom aft, Port, assembly (Spares condition)										1	—	C	
	10-20 WC 16358A	BRACKET, wingfold fairing, bottom aft, Starboard, assembly (For spares use 10-20 WC 26562A/ND)										1	—	—	LA88
11083	10-20 WC 26562A/ND	BRACKET, wingfold fairing, bottom aft, Starboard, assembly (Spares condition)										1	—	C	
	10-20 WC 16351A	BRACKET, wingfold fairing, bottom forward, Port, assembly (For spares use 10-20 WC 26697A/ND)										1	—	—	LA85
11107	10-20 WC 26697A/ND	BRACKET, wingfold fairing, bottom forward, Port, assembly (Spares condition)										1	—	C	
	10-20 WC 16352A	BRACKET, wingfold fairing, bottom forward, Starboard, assembly (For spares use 10-20 WC 26698A/ND)										1	—	—	LA85
11108	10-20 WC 26698A/ND	BRACKET, wingfold, fairing, bottom forward, Starboard, assembly (Spares condition)										1	—	C	
17612	10-20 WC 40917A	GUIDE, latch pin, rear bottom Port, assembly (Mod. 1213)										1	—	P	LA88
17613	10-20 WC 40918A	GUIDE, latch pin, rear bottom, Starboard, assembly (Mod. 1213)										1	—	P	LA88
		Spares for :—													
10552	10-20 WC 25089	ADAPTOR, lubrication nipple ...										1	L.65	C	LA88
3035	10-20 WC 5155	BUSH (See Repair section PA)										2	DTD.197	C	LA88
3048	DHS.419/1/E".60	BUSH										1	DTD.197	C	
2063	10-20 WC 5149	BUSH, front pin, Port ...										1	DTD.197	C	LA88
2064	10-20 WC 5150	BUSH, front pin, Starboard ...										1	DTD.197	C	LA88
2065	10-20 WC 5151	BUSH, rear pin ...										1	DTD.197	C	LA88
28N/9796	SP.21	NIPPLE, lubrication ...										1	—	C	
28S/1200053	A33/C16	SCREW, 2 BA, bush retaining ...										2	—	C	
2062	10-20 WC 5153	SPIGOT ...										1	S.96	C	LA88
		Attachments for 10-20 WC 5153, Spigot :—													
28D/	AS.1244/13B	Bolt, 4 BA ...										1	—	—	
28M/10327	AGS.2002/B/1	Nut, 4 BA ...										1	—	C	
28W/9429528	SP.9/C8	Pin, splic ...										1	—	C	
15477	10-20 WC 29945	Plate, nut ...										1	S.514	C	LA88
	AS.2810/4/034	Tube, distance, 1/2" o/d x 20 SWVG x 0".34 long										1	L.62	LM	
17324	10-20 WC 40715ND	Washer, zinc, ".005-.008 thick (Mod. 1134)										1	—	C	LA88

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Score or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
6345	10-20 WC 22255	STOP										1	S.96	C	LA88
		Attachments for 10-20 WC 5145A or 10-20 WC 5146A, Guide :—													
5069	10-20 WC 21699	Bolt:										1	S.96	C	LA88
12846	10-20 WC 26627	Bolt:										1	S.96	C	LA88
5066	10-20 WC 21695	Bolt:										1	S.96	C	LA88
13791	DHS.481/30G	Bolt, $\frac{1}{8}$ " BSF										2	S.98	C	
28M/13375	A27/GP	Nut, $\frac{1}{8}$ " BSF										5	—	C	
28W/9419403	SP.13/G	Washer										3	—	C	
17322	10-20 WC 40719ND	Washer, zinc, ".005-.008 thick (Mod. 1134) ...										5	—	C	LA88
17327	10-20 WC 40745ND	Washer, zinc, ".005-.008 thick (Mod. 1134) ...										3	—	C	LA88
	10-20 WC 23935A	HINGE , forward, inboard, Port, assembly ...										1	—	—	LA87
	10-20 WC 23936A	HINGE , forward, inboard, Starboard, assembly ...										1	—	—	LA87
2078	10-20 WC 16781	BUSH } (See Repair section "PA")										1	S.97	C	LA87
2079	10-20 WC 16783	BUSH }										1	S.97	C	LA87
	10-20 WC 15585	HINGE , Port (For spares use 10-20 WC 27511ND) ...										1	S.97	—	LA87
12280	10-20 WC 27511ND	HINGE , Port (Spares condition)										1	S.97	C	
	10-20 WC 15586	HINGE , Starboard (For spares use 10-20 WC 27512ND) ...										1	S.97	—	LA87
12281	10-20 WC 27512ND	HINGE , Starboard (Spares condition)										1	S.97	C	
		Attachments for 10-20 WC 23935A or 10-20 WC 23936A, Hinge :—													
2701	DHS.481/11G	Bolt, $\frac{1}{8}$ " BSF										2	S.98	C	
2200	DHS.481/11 $\frac{1}{2}$ G	Bolt, $\frac{1}{8}$ " BSF										3	S.98	C	
2210	DHS.481/12G	Bolt, $\frac{1}{8}$ " BSF										3	S.98	C	
3007	DHS.481/12 $\frac{1}{2}$ G	Bolt, $\frac{1}{8}$ " BSF										2	S.98	C	
3008	DHS.481/13G	Bolt, $\frac{1}{8}$ " BSF										3	S.98	C	
3014	DHS.481/13 $\frac{1}{2}$ G	Bolt, $\frac{1}{8}$ " BSF										5	S.98	C	
9827	DHS.492/15 $\frac{1}{2}$ G	Bolt, $\frac{1}{8}$ " BSF										1	S.98	C	
3009	DHS.492/18G	Bolt, $\frac{1}{8}$ " BSF										1	S.98	C	
13566	DHS.492/19G	Bolt, $\frac{1}{8}$ " BSF										1	S.98	C	
3013	DHS.492/20J	Bolt, $\frac{1}{8}$ " BSF										2	S.98	C	
2059	10-20 WC 15021	Bolt, $\frac{1}{8}$ " BSF										1	S.98	C	LA88
28M/15730	AGS.2021/G/1	Nut, $\frac{1}{8}$ " BSF										18	—	C	
28M/13825	A24/GC	Nut, $\frac{1}{8}$ " BSF										3	—	C	
28M/13785	A24/JC	Nut, $\frac{1}{8}$ " BSF										2	—	C	
28M/13145	A27/QS	Nut, $\frac{1}{8}$ " BSF										1	—	C	
28P/1007741	SP.9/C8	Pin, split										5	—	C	
28P/9429653	SP.9/G12	Pin, split										1	—	C	
18236	FIREPROOF TANKS LTD. FT/C/11102/16	Seal, Hy-clad (Mod. 1224)										QR	—	—	
16205	10-20 WC 29551ND	Shim, "Atterwell" (Fit if required)										2	LA.3	C	LA87
28W/9419455	SP.10/G	Washer										3	—	C	
28W/9419456	SP.10/J	Washer										2	—	C	
8519	10-20 WC 17875	Washer, plate										1	L.64	C	
2331	10-20 WC 5807A	Washer, plate										6	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 23937A	HINGE , rear, inboard, Port, assembly ...	1	—	—	LA88
	10-20 WC 23938A	HINGE , rear, inboard, Starboard, assembly ...	1	—	—	LA88
2078	10-20 WC 16781	BUSH (See Repair section PA)	1	—	C	LA88
2079	10-20 WC 16783	BUSH (See Repair section PA)	1	—	C	LA88
	10-20 WC 15587	HINGE , Port (For spares use 10-20 WC 27513ND)	1	S.97	—	LA88
12278	10-20 WC 27513ND	HINGE , Port (Spares condition)	1	—	C	
	10-20 WC 15588	HINGE , Starboard (For spares use 10-20 WC 27514ND)	1	S.97	—	LA88
12279	10-20 WC 27514ND	HINGE , Starboard (Spares condition)	1	—	C	
		Attachments for 10-20 WC 23937A or 10-20 WC 23938A, Hinge :—				
3230	DHS.365/15½G	Bolt, ½" BSF (Pre Mod. 584)	1	—	C	
19743	10-20 WC 29283	Bolt, ½" BSF (Mod. 584) (See Repair section PA)	1	S.96	C	
5178	DHS.365/16½G	Bolt, ½" BSF (Pre Mod. 584)	1	—	C	
19744	10-20 WC 29285	Bolt, ½" BSF (Mod. 584) (See Repair section PA)	1	S.96	C	
10549	DHS.365/19G	Bolt, ½" BSF	1	—	C	
3008	DHS.481/13G	Bolt, ½" BSF	3	—	C	
3020	DHS.481/14G	Bolt, ½" BSF	18	—	C	
3013	DHS.492/20J	Bolt, ¾" BSF	2	—	C	
2059	10-20 WC 15021	Bolt, ¾" BSF	1	—	C	LA88
28M/13825	A24/GC	Nut, ½" BSF	3	—	C	
28M/1006939	A27/GP	Nut, ½" BSF	21	—	C	
28M/13785	A24/JC	Nut, ¾" BSF	2	—	C	
28M/13145	A27/QS	Nut, ¾" BSF	1	—	C	
28P/19157	SP.90/G10	Pin, split (SP.9/G12)	1	—	C	
28P/9527619	SP.90/C7	Pin, split (SP.9/C8)	5	—	C	
16205	10-20 WC 29551ND	Shim, "Attewell" (Fit if required)	2	—	C	LA88
28W/9419455	SP.10/G	Washer	2	—	C	
28W/9419476	SP.15/G	Washer	21	—	C	
2997	10-20 WC 17883	Washer	1	—	C	
14360	DHS.781/15/26	Washer, shim	2	—	C	
5047	10-20 WC 21217A	HINGE , undercarriage fairing, front, Port, assembly	1	—	C	LA89
5048	10-20 WC 21218A	HINGE , undercarriage fairing, front, Starboard, assembly	1	—	C	LA89
		Spares for :—				
5049	10-20 WC 17483	BUSH (See Repair section PA)	2	—	C	LA89
	10-20 WC 17283A	HINGE , undercarriage fairing rear, Port, assembly (For spares use 10-20 WC 27423A/ND)	1	—	—	LA89
12119	10-20 WC 27423A/ND	HINGE , undercarriage fairing rear, Port, assembly (Spares condition)	1	—	C	
	10-20 WC 17284A	HINGE , undercarriage fairing, rear, Starboard, assembly (For spares use 10-20 WC 27424A/ND)	1	—	—	LA89

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
12120	10-20 WC 27424A/ND	HINGE , undercarriage fairing rear, Starboard, assembly (Spares condition) Spares for :—	1	—	C	
5202	DHS.419/2/J/".38	BUSH (See Repair section PA)	1	—	C	LA89
3047	DHS.419/2/J/".58	BUSH	1	—	C	LA89
	—	HOUSING , pylon, group ... (Drg. No. 10-20 WC 26453)	1	—	—	LA91
28D/1202771	A25/4G	BOLT , 1/8" BSF, housing attachment ...	7	—	C	
11829	10-20 WC 26315	BOLT , securing serrated pad ...	2	—	C	LA91
11827	10-20 WC 26425	BOLT , securing serrated spigot ...	2	—	C	LA91
15177	10-20 WC 29581	BOLT , securing socket mounting ...	4	S.96	C	LA91
28D/1007975	AS.1242/1C	BOLT , 2 BA, securing anchor plate ...	2	—	C	
4186	A25/2C/DHS/514/D	BOLT , 2 BA, securing locking plate ... (Alternative S21/A25/2C)	2	—	C	
14485	10-20 WC 29675	BUSH , aft, serrated spigot ...	1	—	C	LA91
9480	10-20 WC 9063	BUSH , flanged (See Repair section PA)	1	—	C	LA91
14486	10-20 WC 29677	BUSH , forward off-set serrated spigot ...	1	—	C	LA91
2070	10-20 A 27	ELBOW , "Firestreak" air supply, Port ...	1	—	C	LA91
2071	10-20 A 28	ELBOW , "Firestreak" air supply, Starboard Attachments for 10-20 A 27 or 10-29 A 28, Elbow :—	1	—	C	LA91
14272	10-20 A 2627	Block, insulating, Port ...	1	—	C	LA91
14273	10-20 A 2628	Block, insulating, Starboard ...	1	—	C	LA91
28D/9133013	A25/5C	Bolt, 2 BA ...	2	—	C	
28D/9419397	A25/12C	Bolt, 2 BA ...	1	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA ...	2	—	C	
28M/10328	AGS.2002/C/1	Nut, 2 BA ...	1	—	C	
27QA/275	DOWTY SP.900/B9	Ring, sealing ...	1	—	C	
27QA/284	DOWTY SP.900/B18	Ring, sealing ...	1	—	C	
28W/9419402	SP.13/C	Washer ...	3	—	C	
14271	10-20 A 2631ND	Washer, insulating block, lower ...	3	—	C	LA91
14274	10-20 A 2629	Washer, insulating block, upper ...	1	—	C	LA91
	10-20 WC26375	HOUSING , pylon, bare, Port (For spares use 10-20 WC 28487ND)	1	DTD.304	—	LA84
14342	10-20 WC 28487ND	HOUSING , pylon, bare, Port (Spares condition)	1	—	P	
	10-20 WC 26376	HOUSING , pylon, bare, Starboard (For spares use 10-20 WC 28488ND)	1	DTD.304	—	LA84
14343	10-20 WC 28488ND	HOUSING , pylon, bare, Starboard ... (Spares condition)	1	—	P	
4232	10-20 WC 18465	MOUNTING , unit socket ... Attachments for 10-20 WC 18465, Mounting :—	1	—	C	LA91
15177	10-20 WC 29581	Bolt, shouldered, 6 BA ...	4	—	C	LA91
	10-20 WC 29583ND	Packing, 18 SWG ...	1	L.72	—	LA91
19236	10-20 WC 29853	Plate, nut ...	2	S.510	C	LA91

RESTRICTED

MAIN PLANES

WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
28M/1011470	A27/GT	NUT, $\frac{3}{16}$ " BSF, housing attachment	7	—	C	
11824	10-20 WC 26213	NUT, securing serrated spigot	2	—	C	LA91
	10-20 WC 29583ND	PACKING, between socket mounting and housing (Fit if required), 18 SWG	1	L.72	—	LA91
11831	10-20 WC 26307	PAD, serrated, aft	1	—	C	LA91
11822	10-20 WC 26305	PAD, serrated, off-set, forward	1	—	C	LA91
11828	10-20 WC 26311A	PLATE, anchor, securing serrated pad, assembly	1	—	C	LA91
11830	10-20 WC 26367A	PLATE, locking, assembly	2	—	C	LA91
19236	10-20 WC 29853	PLATE, nut, socket mounting	2	—	C	LA91
10996	10-20 WC 24269	SHIM, serrated pad	2	—	C	LA91
11826	10-20 WC 26209	SPIGOT, serrated, aft	1	—	C	LA91
11833	10-20 WC 26211	SPIGOT, serrated, off-set, forward	1	—	C	LA91
28W/9419403	SP.13/G	WASHER, housing attachment	7	—	C	
28W/9419501	SP.45/C	WASHER, spigot retaining bolt, Port	1	—	C	
28W/9419409	SP.43/C	WASHER, spigot retaining bolt, Starboard	1	—	C	
	10-20 WC 29855	WASHER, plate, socket mounting	2	S.521	—	LA91
	10-20 WC 15591	LATCH, centre bottom, Port (For spares use 10-20 WC 27731ND)	1	S.97	—	LA87
12434	10-20 WC 27731ND	LATCH, centre bottom, Port (Spares condition)	1	—	C	
	10-20 WC 15592	LATCH, centre bottom, Starboard (For spares use 10-20 WC 27732ND)	1	S.97	—	LA87
12435	10-20 WC 27732ND	LATCH, centre bottom, Starboard (Spares condition)	1	—	C	
		Attachments for 10-20 WC 15591 or 10-20 WC 15592, Latch :—				
2207	DHS.481/9½G	Bolt, $\frac{5}{16}$ " BSF	4	—	C	
2208	DHS.481/10G	Bolt, $\frac{5}{16}$ " BSF	3	—	C	
2209	DHS.481/10½G	Bolt, $\frac{5}{16}$ " BSF	3	—	C	
2201	DHS.481/11G	Bolt, $\frac{5}{16}$ " BSF	3	—	C	
2200	DHS.481/11½G	Bolt, $\frac{5}{16}$ " BSF	1	—	C	
2210	DHS.481/12G	Bolt, $\frac{5}{16}$ " BSF	4	—	C	
2202	DHS.492/13G	Bolt, $\frac{5}{16}$ " BSF	1	—	C	
2203	DHS.492/14G	Bolt, $\frac{5}{16}$ " BSF	1	—	C	
4566	DHS.492/16G	Bolt, $\frac{5}{16}$ " BSF	2	—	C	
2212	DHS.492/17½J	Bolt, $\frac{5}{16}$ " BSF	2	—	C	
28M/13825	A24/GC	Nut, $\frac{5}{16}$ " BSF	4	—	C	
28M/13785	A24/JC	Nut, $\frac{5}{16}$ " BSF	2	—	C	
28M/15730	AGS.2021/G/1	Nut, $\frac{5}{16}$ " BSF	18	—	C	
28P/1007741	SP.9/C8	Pin, split	6	—	C	
	FIREPROOF TANKS					
18236	FT/C/11102/16	Seal, Hy-clad (Mod. 1224)	QR	—	C	
28W/9419455	SP.10/G	Washer	4	—	C	
	10-20 WC 17871	Washer	2	L.64	—	
2331	10-20 WC 5807A	Washer, plate, assembly	6	—	C	
14360	DHS.781/15/26	Washer, shim	2	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 15589	LATCH, front bottom inboard, Port (For spares use 10-20 WC 27729ND)										1	—	—	LA85
12604	10-20 WC 27729ND	LATCH, front bottom inboard, Port (Spares condition)										1	—	C	
	10-20 WC 15590	LATCH, front bottom inboard, Starboard (For spares use 10-20 WC 27730ND)										1	—	—	LA85
12605	10-20 WC 27730ND	LATCH, front bottom inboard, Starboard (Spares condition)										1	—	C	
		Attachments for 10-20 WC 15589 or 10-20 WC 15590, Latch :—													
2207	DHS.481/9½G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	1	—	C	
2208	DHS.481/10G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	3	—	C	
2209	DHS.481/10½G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	3	—	C	
2201	DHS.481/11G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	3	—	C	
2200	DHS.481/11½G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	1	—	C	
2210	DHS.481/12G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	4	—	C	
2202	DHS.492/13G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	3	—	C	
2203	DHS.492/14G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	1	—	C	
4566	DHS.492/16G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	1	—	C	
	DHS.492/17½J	Bolt, ¾"	BSF	...	...	...	...	...	...	...	...	2	—	C	
28M/13825	A24/GC	Nut, ¾"	BSF	...	...	...	...	...	...	...	...	5	—	C	
28M/13785	A24/JC	Nut, ¾"	BSF	...	...	...	...	...	...	...	...	2	—	C	
28M/15730	AGS.2021/G/1	Nut, ¾"	BSF	...	...	...	...	...	...	...	...	15	—	C	
28P/1007741	SP.9/C8	Pin, split	...	...	...	...	...	...	...	...	...	7	—	C	
	FIREPROOF TANKS														
18236	FT/C/11102/16	Seal, Hy-clad (Mod. 1224)										QR	—	C	
28W/9419455	SP.10/G	Washer										5	—	C	
	10-20 WC 17873	Washer										1	L.64	C	
2330	10-20 WC 5809A	Washer, plate, assembly										5	—	C	
14360	DHS.781/15/26	Washer, shim										2	—	C	
	10-20 WC 15593	LATCH, rear bottom inboard, Port (For spares use 10-20 WC 27853ND)										1	—	—	LA88
12975	10-20 WC 27853ND	LATCH, rear bottom inboard, Port (Spares condition)										1	—	C	
	10-20 WC 15594	LATCH, rear bottom inboard, Starboard (For spares use 10-20 WC 27854ND)										1	—	—	LA88
12976	10-20 WC 27854ND	LATCH, rear bottom inboard, Starboard (Spares condition)										1	—	C	
		Attachments for 10-20 WC 15593 or 10-20 WC 15594, Latch :—													
2201	DHS.431/11G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	16	—	C	
2200	DHS.481/11½G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	1	—	C	
3014	DHS.481/13½G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	1	—	C	
4576	DHS.481/15½G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	1	—	C	
2214	DHS.492/10G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	2	—	C	
2202	DHS.492/13G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	2	—	C	
2203	DHS.492/14G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	1	—	C	
2204	DHS.492/18J	Bolt, ¾"	BSF	...	...	...	...	...	...	...	...	1	—	C	
2060	10-20 WC 16219	Bolt, jury undercarriage pick-up point										1	—	C	
2061	10-20 WC 16221	Bolt, jury undercarriage pick-up point (See Repair section PA)										1	—	C	
28M/13825	A24/GC	Nut, ¾"	BSF	...	...	...	...	...	...	...	...	4	—	C	
28M/13122	A27/GS	Nut, ¾"	BSF	...	...	...	...	...	...	...	...	1	—	C	
28M/1006939	A27/GP	Nut, ¾"	BSF	...	...	...	...	...	...	...	...	21	—	C	
28M/13785	A24/JC	Nut, ¾"	BSF	...	...	...	...	...	...	...	...	1	—	C	
28P/1007741	SP.9/C8	Pin, split	...	...	...	...	...	...	...	...	...	4	—	C	
	10-20 WC 18521	Strip, locking, 16 SWG										1	S.84	LM	
28W/9419455	SP.10/G	Washer										2	—	C	
28W/9419476	SP.15/G	Washer										2	—	C	
14360	DHS.781/26	Washer, shim										1	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 23933A	LATCH, top inboard, Port, assembly ...										1	—	—	LA85
	10-20 WC 23934A	LATCH, top inboard, Starboard, assembly ...										1	—	—	LA85
2075	10-20 WC 16785	BUSH } (See Repair section PA)										1	S.97	C	LA85
2077	10-20 WC 16787											1	S.97	C	LA85
	10-20 WC 15583	LATCH, Port (For spares use 10-20 WC 28417ND)										1	S.97	—	LA85
12991	10-20 WC 28417ND	LATCH, Port (Spares condition) ...										1	S.97	C	
	10-20 WC 15584	LATCH, Starboard (For spares use 10-20 WC 28418ND)										1	S.97	—	LA85
12992	10-20 WC 28418ND	LATCH, Starboard (Spares condition) ...										1	S.97	C	
9126	10-20 WC 25117	RING, bush retaining ...										1	S.96	C	
28S/9419438	A33/B10	SCREW, 4 BA ...										1	—	C	LA85
		Attachments for 10-20 WC 23933A or 10-20 WC 23934A, Latch :-													
2201	DHS.481/11G	Bolt, $\frac{5}{16}$ " BSF ...										1	S.98	C	
2200	DHS.481/11½G	Bolt, $\frac{5}{16}$ " BSF ...										1	S.98	C	
2210	DHS.481/12G	Bolt, $\frac{5}{16}$ " BSF ...										4	S.98	C	
3007	DHS.481/12½G	Bolt, $\frac{5}{16}$ " BSF ...										4	S.98	C	
3008	DHS.481/13G	Bolt, $\frac{5}{16}$ " BSF ...										5	S.98	C	
3011	DHS.492/15E	Bolt, $\frac{1}{2}$ " BSF ...										1	S.98	C	
3010	DHS.492/16½E	Bolt, $\frac{1}{2}$ " BSF ...										1	S.98	C	
3012	DHS.492/15G	Bolt, $\frac{5}{16}$ " BSF ...										1	S.98	C	
3009	DHS.492/18G	Bolt, $\frac{5}{16}$ " BSF ...										1	S.98	C	
3013	DHS.492/20J	Bolt, $\frac{3}{4}$ " BSF ...										2	S.98	C	
28M/13280	A24/EC	Nut, $\frac{1}{2}$ " BSF ...										2	—	C	
28M/13825	A24/GC	Nut, $\frac{1}{2}$ " BSF ...										2	—	C	
28M/15730	AGS.2021/G/1	Nut, $\frac{1}{2}$ " BSF ...										15	—	C	
28M/13785	A24/JC	Nut, $\frac{3}{8}$ " BSF ...										2	—	C	
28P/1007741	SP.9/C8	Pin, split ...										6	—	C	
	FIREPROOF TANKS														
18236	FT/C/11102/16	Seal, Hy-clad (Mod. 1224) ...										QR	—	C	
28W/9418920	SP.10/E	Washer ...										2	—	C	
28W/9419455	SP.10/G	Washer ...										2	—	C	
28W/9419456	SP.10/J	Washer ...										2	—	C	
2995	10-20 WC 17869	Washer ...										1	S.64	C	
2330	10-20 WC 5809A	Washer, plate ...										5	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	Qty.	Material	Class of Surface	Remarks
		1 2 3 4 5 6 7 8 9 10				
	—	MOUNTING , bellcrank lever, group (Drg. No. 10-20 WC 17185)	1	—	—	
	10-20 WC 16795	ANGLE , strut support, Port (For spares use 10-20 WC 27783ND)	1	—	—	LA88
12425	10-20 WC 27783ND	ANGLE , strut support, Port (Spares condition)	1	—	C	
	10-20 WC 16796	ANGLE , strut support, Starboard (For spares use 10-20 WC 27784ND)	1	—	—	LA88
12426	10-20 WC 27784ND	ANGLE , strut support, Starboard (Spares condition)	1	—	C	
10784	10-20 WC 6051A	PLATE , bearing, Port, assembly...	1	—	C	LA88
10785	10-20 WC 6052A	PLATE , bearing, Starboard, assembly ...	1	—	C	LA88
		Attachments for 10-20 WC 6051A or 10-20 WC 6052A, Plate :—				
28D/1200119	A25/4C	Bolt, 2 BA ...	8	—	C	
28M/1010997	A24/CT	Nut, 2 BA ...	8	—	C	
	10-20 WC 30329A	STIFFENER , web, Port, assembly (For spares use 10-20 WC 31569A/ND) (Mod. 832)	1	—	—	LA88
16316	10-20 WC 31569A/ND	STIFFENER , web, Port, assembly (Spares condition) (Mod. 832)	1	—	C	
	10-20 WC 30330A	STIFFENER , web, Starboard, assembly (For spares use 10-20 WC 31570A/ND) (Mod. 832)	1	—	—	LA88
16317	10-20 WC 31570A/ND	STIFFENER , web, Starboard, assembly (Spares condition) (Mod. 832)	1	—	C	
		Attachments for 10-20 WC 30329A or 10-20 WC 30330, Stiffener :—				
28D/9133012	A25/3C	Bolt, 2 BA ...	3	—	C	
28D/9133013	A25/5C	Bolt, 2 BA ...	1	—	C	
28M/1006473	A27/CT	Nut, 2 BA ...	4	—	C	
28W/9419402	SP.13/C	Washer ...	4	—	C	
	10-20 WC 6053	STRUT , support, Port (For spares use 10-20 WC 27741ND)	1	—	—	LA88
12432	10-20 WC 27741ND	STRUT , support, Port (Spares condition)	1	—	C	
	10-20 WC 6054	STRUT , support, Starboard (For spares use 10-20 WC 27742ND)	1	—	—	LA88
12433	10-20 WC 27742ND	STRUT , support, Starboard (Spares condition)	1	—	C	
		Attachments for 10-20 WC 6053 or 10-20 WC 6054, Strut :—				
28D/1008151	A25/4E	Bolt, 1" BSF ...	2	—	C	
28D/1011246	A25/11E	Bolt, 1" BSF ...	1	—	C	
28M/1011467	A27/E5	Nut, 1" BSF ...	1	—	C	
28M/9638	AGS.2003/E/1	Nut, 1" BSF ...	2	—	C	
28P/1007741	SP.9/C8	Pin, split ...	1	—	C	
28W/9418921	SP.13/E	Washer ...	1	—	C	
17323	10-20 WC 40723ND	Washer, zinc, "005-"008 thick (Mod. 1134) ...	2	—	C	LA88
28M/12931	A27/ET	NUT , 1" BSF (Main spar to rib No. 4) ...	4	—	C	
28M/1011470	A27/GT	NUT , 1" BSF (Main spar to rib No. 4) ...	3	—	C	
28M/1007404	A27/JT	NUT , 1" BSF (Main spar to rib No. 4) ...	3	—	C	

RESTRICTED

MAIN PLANES

WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	—	PICK-UP , main undercarriage to wing, front, Port and Starboard (See page LA325)										—	—	—	LA112
	10-20 WC 10739	POST , front hinge, inboard, Port ...										1	DTD.683	—	LA87
	10-20 WC 10740	POST , front hinge, inboard, Starboard ...										1	DTD.683	—	LA87
		Attachments for 10-20 WC 10739 or 10-20 WC 10740, Post:—													
28D/1008151	A25/4E	Bolt, 1/2" BSF ...										25	—	C	
3796	DHS.395/4E	Bolt, sealed, 1/2" BSF ...										1	—	C	
28M/12931	A27/ET	Nut, 1/2" BSF ...										26	—	C	
16215	10-20 WC 30541ND	Packing (Fit between post and lever mounting) ...										1	LA.3	C	LA87
26DL/5611	DHS.402/E	Seal, bonded ...										25	—	C	LA86
	10-20 WC 17611	Shim ...										1	LB.2	—	LA87
28W/9419487	SP.16/E	Washer ...										26	—	C	
	10-20 WC 21423	POST , front latch, inboard, Port ...										1	DTD.5024	—	LA85
	10-20 WC 21424	POST , front latch, inboard, Starboard ...										1	DTD.5024	—	LA85
		Attachments for 10-20 WC 21423 or 10-20 WC 21424, Post:—													
28D/1011238	A25/3E	Bolt, 1/2" BSF ...										4	—	C	
11928	DHS.1082/3E	Bolt, 1/2" BSF ...										18	S.96	C	
28M/12931	A27/ET	Nut, 1/2" BSF ...										4	—	C	
2227	DHS.983/E	Nut, 1/2" BSF ...										18	L.65	C	
28DL/5611	DHS.402/E	Seal, bonded ...										22	—	C	
	10-20 WC 17611	Shim ...										1	LB.2	—	LA85
28W/9418921	SP.13/E	Washer ...										22	—	C	
	10-20 WC 16037	POST , link support, aft, Port (For spares use 10-20 WC 29989ND)										1	DTD.683	—	LA89
17057	10-20 WC 29989ND	POST , link support, aft, Port (Spares condition)										1	—	C	
	10-20 WC 16038	POST , link support, aft, Starboard (For spares use 10-20 WC 29990ND)										1	DTD.683	—	LA89
16809	10-20 WC 29990ND	POST , link support, aft, Starboard (Spares condition)										1	—	C	
		Attachments for 10-20 WC 16037 and 10-20 WC 16038, Post:—													
28D/1011242	A25/7E	Bolt, 1/2" BSF ...										1	—	C	
28D/1011257	A25/7G	Bolt, 1/2" BSF ...										1	—	C	
28D/17175	A60/4E	Bolt, 1/2" BSF ...										5	—	—	
3235	DHS.382/5E	Bolt, 1/2" BSF ...										15	S.96	C	
3593	DHS.382/7E	Bolt, 1/2" BSF ...										1	S.96	C	
2255	DHS.358/8 1/2 E	Bolt, 1/2" BSF ...										2	S.96	C	
2256	DHS.358/9E	Bolt, 1/2" BSF ...										2	S.96	C	
10052	DHS.358/5 1/2 G	Bolt, 1/2" BSF ...										2	S.96	C	
2344	DHS.358/6G	Bolt, 1/2" BSF ...										2	S.96	C	
3786	DHS.358/7 1/2 G	Bolt, 1/2" BSF ...										4	S.96	C	
8521	DHS.358/9 1/2 G	Bolt, 1/2" BSF ...										2	S.96	C	
2355	DHS.358/10 1/2 G	Bolt, 1/2" BSF ...										2	S.96	C	
28M/1011470	A27/GT	Nut, 1/2" BSF ...										12	—	C	
28M/12931	A27/ET	Nut, 1/2" BSF ...										30	—	C	
9168	10-20 WC 25705ND	Shim ...										1	LA.2	C	LA89
	10-20 WC 25235ND	Shim ...										1	LA.3	—	LA89
12847	10-20 WC 26493ND	Shim ...										1	LA.2	C	LA89
	10-20 WC 25237ND	Shim ...										1	LA.3	—	LA89
28W/9419405	SP.15/E	Washer ...										25	—	C	
28W/9419476	SP.15/G	Washer ...										9	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 16035	POST, link support, forward, Port (For spares use 10-20 WC 29987ND)										1	DTD.683	—	LA89
17056	10-20 WC 29987ND	POST, link support, forward, Port (Spares condition)										1	—	C	
	10-20 WC 16036	POST, link support, forward, Starboard (For spares use 10-20 WC 29988ND)										1	DTD.683	—	LA89
16808	10-20 WC 29988ND	POST, link support, forward, Starboard (Spares condition)										1	—	C	
		Attachments for 10-20 WC 16035 or 10-20 WC 16036, Post:—													
28D/1008145	A25/6E	Bolt, 1"	BSF									4	—	C	
28D/1011242	A25/7E	Bolt, 1"	BSF									4	—	C	
28D/1011247	A25/13E	Bolt, 1"	BSF									3	—	C	
28D/17175	A60/4E	Bolt, 1"	BSF									5	—	C	
3207	DHS.382/8E	Bolt, 1"	BSF									8	S.96	C	
2255	DHS.358/8½E	Bolt, 1"	BSF									2	S.96	C	
2256	DHS.358/9E	Bolt, 1"	BSF									2	S.96	C	
10052	DHS.358/5½G	Bolt, 1"	BSF									2	S.96	C	
2344	DHS.358/6G	Bolt, 1"	BSF									2	S.96	C	
3786	DHS.358/7½G	Bolt, 1"	BSF									4	S.96	C	
8521	DHS.358/9½G	Bolt, 1"	BSF									2	S.96	C	
2355	DHS.358/10½G	Bolt, 1"	BSF									2	S.96	C	
28M/1011470	A27/GT	Nut, 1"	BSF									8	—	C	
28M/12931	A27/ET	Nut, 1"	BSF									32	—	C	
9167	10-20 WC 25707ND	Shim										1	LA.2	C	LA89
9168	10-20 WC 25705ND	Shim										1	LA.2	C	LA89
	10-20 WC 25235ND	Shim										1	LA.3	—	LA89
	10-20 WC 25237ND	Shim										1	LA.3	—	LA89
28W/9418921	SP.13/E	Washer										4	—	C	
28W/9419405	SP.15/E	Washer										16	—	C	
28W/9419476	SP.15/G	Washer										8	—	C	
	10-20 WC 10741	POST, rear hinge, inboard, Port										1	DTD.5024	—	LA88
	10-20 WC 10742	POST, rear hinge, inboard, Starboard										1	DTD.5024	—	LA88
		Attachments for 10-20 WC 10741 or 10-20 WC 10742, Post:—													
2348	DHS.358/4E	Bolt, 1"	BSF									5	S.96	C	
2474	DHS.382/4E	Bolt, 1"	BSF									13	S.96	C	
28D/1202771	A25/4G	Bolt, 1"	BSF									4	—	C	
2227	DHS.983/E	Nut, 1"	BSF									18	L.65	C	
28M/1011470	A27/GT	Nut, 1"	BSF									4	—	C	
	10-20 WC 17613	Shim										1	LB.2	—	LA88
28W/9419405	SP.15/E	Washer										18	—	C	
28W/9419476	SP.15/G	Washer										4	—	C	
9164	10-20 WC 25839ND	SHIM, undercarriage fairing hinge										1	LA.2	C	LA89
9165	10-20 WC 25841ND	SHIM, undercarriage fairing hinge										1	LA.2	C	LA89
9166	10-20 WC 25843ND	SHIM, undercarriage fairing hinge										1	LA.2	C	LA89

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 18499ND	STRIP, sealing, at front spar (For spares use 10-20 WC 27419ND)										1	—	—	LA90
12118	10-20 WC 27419ND	STRIP, sealing, at front spar (Spares condition)										1	—	C	
	15006 DHS.1001/3E	Attachments for 10-20 WC 18499ND, Strip :—													
	2359 DHS.388/E	Bolt, 1" BSF										4	—	C	
	2227 DHS.983/E	Grommet										4	—	C	
26DL/5611	DHS.402/E	Nut, 1" BSF										4	—	C	
		Seal, bonded										4	—	C	
	10-20 WC 21939ND	STRIP, sealing, at main spar, Port (For spares use 10-20 WC 26913ND)										1	—	—	LA90
11228	10-20 WC 26913ND	STRIP, sealing, at main spar, Port (Spares condition)										1	—	C	
	10-20 WC 21940ND	STRIP, sealing, at main spar, Starboard (For spares use 10-20 WC 26914ND)										1	—	—	LA90
11229	10-20 WC 26914ND	STRIP, sealing, at main spar, Starboard (Spares condition)										1	—	C	
		Attachments for 10-20 WC 21939ND or 10-20 WC 21940ND, Strip :—													
	15006 DHS.1001/3E	Bolt, 1" BSF										2	—	C	
	14213 DHS.1001/4E	Bolt, 1" BSF										2	—	C	
	2359 DHS.388/E	Grommet										5	—	C	
	2227 DHS.983/E	Nut, 1" BSF										4	—	C	
26DL/5611	DHS.402/E	Seal, bonded										4	—	C	
	—	SUPPORT, wing fold cables, group (Drg. No. 10-20 N 2827)										1	—	—	LA86
28D/1008151	A25/4E	BOLT, 1" BSF										7	—	C	
28D/15459	A57/4E	BOLT, 1" BSF										1	—	C	
11769	10-20 WC 15883A	BRACKET, radiused support, assembly										1	—	P	LA86
16286	10-20 WC 30245A	BRACKET, vertical support, assembly (Mod. 655)										1	—	P	LA86
		Spares for :—													
	10-20 WC 15901	BRACKET, angle, 18 SWG										2	L.72	LM	LA86
	10-20 WC 30177ND	BRACKET, guide										1	LFS.21	LM	LA86
5K/1009087	SP.40/A10	GROMMET										2	—	C	
	10-20 WC 15889	PLATE, guide, 18 SWG										1	L.72	LM	LA86
	10-20 WC 15895	STRIP, rubbing, lower, 1/8" thick										1	LFS.21	LM	LA86
	10-20 WC 15893	STRIP, rubbing, upper, 1/8" thick										1	LFS.21	LM	LA86
11768	10-20 WC 15875A	BRACKET, vertical support, assembly										1	—	P	LA86
		Spares for :—													
	10-20 WC 17453	BRACKET, angle, 18 SWG										1	L.72	LM	LA86
5K/1009087	SP.40/A10	GROMMET										1	—	C	
	10-20 WC 15891	PLATE, guide, 18 SWG										1	L.72	LM	LA86
	10-20 WC 17459	STRIP, rubbing, 1/8" thick										1	LFS.21	LM	LA86
11767	10-20 WC 15899	BUSH										8	—	C	LA86
28M/1011467	A27/ES	NUT, 1" BSF										7	—	C	
28M/13935	A58/ES	NUT, 1" BSF										1	—	C	
28P/9527619	SP.90/C7	PIN, split (SP.9/C8)										8	—	C	
28VV/9418920	SP.10/E	WASHER										8	—	C	
28VV/9418921	SP.13/E	WASHER										8	—	C	
	—	WALL, rear wheel well, between ribs Nos. 3 and 4, Port and Starboard (See page LA357)										—	—	—	LA128
28W/9419466	SP.13/J	WASHER (Main spar to rib No. 4)										3	—	C	
	—	WEB, Port and Starboard, assembly (See Page LA360)										—	—	—	LA128

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	—	RIB , nose, No. 2, Port and Starboard group (Drg. No. 10-20 WC 10657)	1	—	—	
	10-20 WC 16953	ANGLE , shear, nose rib to rib 2 attachment, Port, 12 SWG	1	L.73	LM	LA92
	10-20 WC 16954	ANGLE , shear, nose rib to rib 2 attachment, Starboard, 12 SWG	1	L.73	LM	LA92
		Attachments for 10-20 WC 16953 or 10-20 WC 16954, Angle :—				
1123	DHS.201/2E OR	Bolt, $\frac{1}{2}$ " BSF (Pre Mod. 476)	9	—	C	
15166	DHS.1001/2E	Bolt, $\frac{1}{2}$ " BSF (Mod. 476)	9	—	C	
1664	DHS.201/2 $\frac{1}{2}$ E OR	Bolt, $\frac{1}{2}$ " BSF (Pre Mod. 476)	1	—	C	
15526	DHS.1001/2 $\frac{1}{2}$ E	Bolt, $\frac{1}{2}$ " BSF (Mod. 476)	1	L.65	C	
26DV/7310	DHS.202/E OR	Nut, $\frac{1}{2}$ " BSF (Pre Mod. 476)	10	—	C	
2227	DHS.983/E	Nut, $\frac{1}{2}$ " BSF (Pre Mod. 476)	10	—	C	
28VV/9419405	SP.15/E	Washer	10	—	C	
	10-20 WC 9607A	RIB , nose, Port, assembly (For spares use 10-20 WC 27129A/ND)	1	—	—	LA92
11947	10-20 WC 27129A/ND	RIB , nose, Port, assembly (Spares condition) Spares for :—	1	—	P	
	10-20 WC 9615	ANGLE , leading edge attachment, 16 SWG (For spares use 10-20 WC 26921ND)	1	DTD.746	—	LA92
11233	10-20 WC 26921ND	ANGLE , leading edge attachment 16 SWG (Spares condition)	1	—	C	
	10-20 WC 9613ND	ANGLE , lower, 16 SWG	1	DTD.746	—	LA92
	10-20 WC 9611ND	ANGLE , upper, 16 SWG	1	DTD.746	—	LA92
28M/10213	AGS.2008/E/3	NUT , anchor, $\frac{1}{2}$ " BSF	4	—	C	
28M/9435106	AGS.2009/E/3	NUT , anchor, $\frac{1}{2}$ " BSF	26	—	C	
28M/—	AGS.2020/E/3	NUT , anchor, $\frac{1}{2}$ " BSF	2	—	C	
	10-20 WC 27821	NUT , anchor, $\frac{1}{2}$ " BSF	2	DTD.423	LM	LA92
	10-20 WC 9617ND	PLATE , reinforcing, 20 SWG	1	DTD.746	LM	LA92
	10-20 WC 10963ND	STRAP , joint, 16 SWG	1	L.73	LM	LA92
		Attachments for 10-20 WC 9607A, Rib :—				
28D/17849	A60/6G	Bolt, $\frac{5}{16}$ " BSF	6	—	C	
28D/—	A60/6 $\frac{1}{2}$ G	Bolt, $\frac{5}{16}$ " BSF	4	—	C	
28M/1006939	A27/GP	Nut, $\frac{5}{16}$ " BSF	10	—	C	
	10-20 WC 9608A	RIB , nose, Starboard, assembly (For spares use 10-20 WC 27130A/ND)	1	—	—	LA92
11948	10-20 WC 27130A/ND	RIB , nose, Starboard, assembly (Spares condition) Spares for :—	1	—	P	
	10-20 WC 9616	ANGLE , leading edge attachment (For spares use 10-20 WC 26922ND)	1	DTD.746	—	LA92

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
11234	10-20 WC 26922ND	ANGLE, leading edge attachment (Spares condition)	1	—	C	LA92
	10-20 WC 9614ND	ANGLE, lower, 16 SWG	1	DTD.746	—	
	10-20 WC 9612ND	ANGLE, upper, 16 SWG	1	DTD.746	—	LA92
28M/10213	AGS.2008/E/3	NUT, anchor, 1" BSF	4	—	C	LA92
28M/9435106	AGS.2009/E/3	NUT, anchor, 1" BSF	26	—	C	
28M/—	AGS.2020/E/3	NUT, anchor, 1" BSF	2	—	C	LA92
	10-20 WC 27821	NUT, anchor, 1" BSF	2	DTD.423	LM	
	10-20 WC 9618ND	PLATE, reinforcing, 20 SWG	1	DTD.746	LM	LA92
	10-20 WC 10964ND	STRAP, joint, 16 SWG	1	L.73	LM	LA92
		Attachments for 10-20 WC 9608A, Rib :—				
1123	DHS.201/2E	Bolt, 1" BSF (Pre Mod. 476)	9	—	C	LA93
	OR					
15166	DHS.1001/2E	Bolt, 1" BSF (Mod. 476)	9	—	C	LA93
1664	DHS.201/2½E	Bolt, 1" BSF (Pre Mod. 476)	1	—	C	
	OR					
15526	DHS.1001/2½E	Bolt, 1" BSF (Mod. 476)	1	—	C	LA93
26DV/7310	DHS.202/E	Nut, 1" BSF (Pre Mod. 476)	10	—	C	
	OR					
2227	DHS.983/E	Nut, 1" BSF (Mod. 476)	10	—	C	LA93
28W/9419405	SP.15/E	Washer	10	—	C	
	—	RODS, tie, stub boom front former to rib No. 3, Port and Starboard, group (Drg. No. 10-20 WC 5895)	1	—	—	LA93
	10-20 N 5121	BRACKET, clamp support, on outboard tie rod, Port, 22 SWG	1	L.72	—	LA93
	10-20 N 5122	BRACKET, clamp support, on outboard tie rod, Starboard, 22 SWG	1	L.72	—	LA93
	10-20 WC 18485	ROD, tie, inboard	1	DTD.363	—	LA93
	10-20 WC 18487	ROD, tie, outboard	1	DTD.363	—	LA93
		Attachments for 10-20 WC 18485 or 10-20 WC 18487, Rod :—				
28D/9435001	A60/11L	Bolt, ½" BSF	2	—	C	LA94
28M/15199	A58/LS	Nut, ½" BSF	2	—	C	
28P/15199	SP.90/E8	Pin, split (SP.9/E10)	2	—	C	LA94
28W/9419467	SP.13/L	Washer, at outboard tie rod	2	—	C	
28W/9419490	SP.16/L	Washer	2	—	C	LA94
	—	SEALING, integral tanks, between ribs No. 2 and 4, Port and Starboard, group (Drg. No. 10-20 WC 6543)	1	—	—	
14249	10-20 WC 27955A/ND	SEALING, at centre latch, Port, assembly ...	1	—	C	LA94
14250	10-20 WC 27956A/ND	SEALING, at centre latch, Starboard, assembly ...	1	—	C	LA94

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
4924	6 WC 2415	MOULDING	rubber	corner	sealing	...	...	...	...	...	...	2	—	C	LA94
4666	10-20 WC 10199	MOULDING	rubber	corner	sealing	...	...	...	...	...	...	4	—	C	LA94
4667	10-20 WC 10203	STRIP	sealing	tapered	rubber	...	...	...	...	...	...	4	—	C	LA94
	10-20 WC 18443ND	STRIP	sealing	rubber	(Make from standard section	Ref. No. 26FY/7963)	...	...	...	...	...	1	—	LM	LA94
	10-20 WC 18445ND	STRIP	sealing	rubber	(Make from standard section	Ref. No. 26FY/7963)	...	...	...	...	...	1	—	LM	LA94
14247	10-20 WC 27953A/ND	SEALING	at front	latch	Port	assembly	...	...	...	...	...	1	—	C	LA94
14248	10-20 WC 27954A/ND	SEALING	at front	latch	Starboard	assembly	...	...	...	...	...	1	—	C	LA94
4924	6 WC 2415	MOULDING	rubber	corner	sealing	...	...	...	...	...	...	4	—	C	LA94
4666	10-20 WC 10199	MOULDING	rubber	corner	sealing	...	...	...	...	...	...	2	—	C	LA94
4667	10-20 WC 10203	STRIP	sealing	tapered	rubber	...	...	...	...	...	...	4	—	C	LA94
	10-20 WC 18441ND	STRIP	sealing	rubber	(Make from standard section	Ref. No. 26FY/7963)	...	...	...	...	...	1	—	LM	LA94
	10-20 WC 18445ND	STRIP	sealing	rubber	(Make from standard section	Ref. No. 26FY/7963)	...	...	...	...	...	1	—	LM	LA94
14251	10-20 WC 27957A/ND	SEALING	front	spar	at rib No. 2	assembly	...	...	...	...	...	1	—	C	LA95
4666	10-20 WC 10199	MOULDING	rubber	corner	sealing	...	...	...	...	...	...	2	—	C	LA95
	10-20 WC 18437ND	STRIP	sealing	rubber	(Make from standard section	Ref. No. 26FY/7963)	...	...	...	...	...	1	—	LM	LA95
14252	10-20 WC 27959A/ND	SEALING	main	spar	at rib No. 2	assembly	...	...	...	...	...	1	—	C	LA95
4924	6 WC 2415	MOULDING	rubber	corner	sealing	...	...	...	...	...	...	2	—	C	LA95
	10-20 WC 18439ND	STRIP	sealing	rubber	(Make from standard section	Ref. No. 26FY/7963)	...	...	...	...	...	1	—	LM	LA95
4668	10-20 WC 10201	STRIP	sealing	moulded	rubber	at hinges on latch	fittings	Port	...	...	...	4	—	—	LA94
4669	10-20 WC 10202	STRIP	sealing	moulded	rubber	at hinges on latch	fittings	Starboard	...	...	...	4	—	—	LA94
	—	SEALING	integral	tanks	bottom	skin	at rib No. 2	Port and Starboard	group	(Drg. No. 10-20 WC 6857)	...	1	—	—	—
5897	10-20 WC 10755	CLAMP	sealing	strip	at front	spar	Port	...	...	...	...	1	—	C	LA95
5898	10-20 WC 10756	CLAMP	sealing	strip	at front	spar	Starboard	...	...	...	...	1	—	C	LA95
		Attachments for 10-20 WC 10755 or 10-20 WC 10756. Clamp :—													
4357	DHS.395/3E	Bolt	sealed	1"	BSF	...	...	...	...	...	...	1	—	C	—
3796	DHS.395/4E	Bolt	sealed	1"	BSF	...	...	...	...	...	...	1	—	C	—
3806	DHS.395/5E	Bolt	sealed	1"	BSF	...	...	...	...	...	...	1	—	C	—
2227	DHS.983/E	Nut	1"	BSF	...	...	...	...	...	...	...	3	—	C	—
2359	DHS.388/E	Washer	sealing	...	...	...	...	...	...	...	...	3	—	C	—

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.			
							1	2	3
11384	10-20 WC 18425ND	CLAMP, sealing strip, at front spar, Port ... (For spares use 10-20 WC 26997ND)	1	—	—	LA95			
	10-20 WC 26997ND	CLAMP, sealing strip, at front spar, Port ... (Spares condition)	1	—	C	LA95			
	10-20 WC 18426ND	CLAMP, sealing strip, at front spar, Starboard ... (For spares use 10-20 WC 26998ND)	1	—	—	LA95			
	10-20 WC 26998ND	CLAMP, sealing strip, at front spar, Starboard ... (Spares condition)	1	—	C	LA95			
26DL/5611	3198 DHS.382/3½E	Bolt, ½" BSF	5	S.96	C				
	14464 DHS.901/4EE	Bolt, ½" BSF	4	DTD.363	C				
	3236 DHS.422/E	Nut, capped, ½" BSF	4	DTD.364 or 323	C				
	2227 DHS.983/E	Nut, ¼" BSF	5	L.65	C				
	DHS.402/E	Seal, bonded	9	—	C				
	2359 DHS.388/E	Washer, sealing	9	—	C				
	5900 10-20 WC 15387	CLAMP, sealing strip, at main spar, Port ...	1	L.53	C	LA95			
	5901 10-20 WC 15388	CLAMP, sealing strip, at main spar, Starboard ... Attachments for 10-20 WC 15387 or 10-20 WC 15388, Clamp :—	1	L.53	C	LA95			
	3802 DHS.395/3½E	Bolt, sealed, ½" BSF	1	—	C				
	3780 DHS.395/4½E	Bolt, sealed, ½" BSF	1	—	C				
	3798 DHS.395/5½E	Bolt, sealed, ½" BSF	1	—	C				
	2227 DHS.983/E	Nut, ¼" BSF	3	L.65	C				
	2359 DHS.388/E	Washer, sealed	3	—	C				
	—	SEALING, integral tanks, bottom skin, at rib No. 4, Port and Starboard, group (Drg. No. 10-20 WC 15947)	1	—	—				
	10-20 WC 10209	CLAMP, sealing strip, along front edge of diffusion member, at centre latch, Port	1	L.53	—	LA94			
	10-20 WC 10210	CLAMP, sealing strip, along front edge of diffusion member, at centre latch, Starboard Attachments for 10-20 WC 10209 or 10-20 WC 10210, Clamp :—	1	L.53	—	LA94			
	15575 DHS.1093/4E	Bolt, sealed, ¼" BSF	2	—	C				
	2227 DHS.983/E	Nut, ¼" BSF	2	L.65	C				
	2359 DHS.388/E	Washer, sealing	2	—	C				
	10-20 WC 10211	CLAMP, sealing strip, along front edge of forward diffusing member, Port	1	L.53	—	LA94			
10-20 WC 10212	CLAMP, sealing strip, along front edge of forward diffusing member, Starboard Attachments for 10-20 WC 10211 or 10-20 WC 10212, Clamp :—	1	L.53	—	LA94				
15575	DHS.1093/4E	Bolt, sealed, ¼" BSF	3	—	C				
	2227 DHS.983/E	Nut, ¼" BSF	3	L.65	C				
	2359 DHS.388/E	Washer, sealing	3	—	C				

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Score or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 10801	CLAMP , sealing strip, along front edge of main spar, Port										1	L.53	—	LA94
	10-20 WC 10802	CLAMP , sealing strip, along front edge of main spar, Starboard										1	L.53	—	LA94
		Attachments for 10-20 WC 10801 or 10-20 WC 10802, Clamp :—													
13823	DHS.1093/4½EE	Bolt, sealed, ¼" BSF										2	—	C	
2227	DHS.983/E	Nut, ¼" BSF										2	L.65	C	
2359	DHS.388/E	Washer, sealing										2	—	C	
	10-20 WC 17901	CLAMP , sealing strip, at front lower latch, Port										1	DTD.298	—	LA94
	10-20 WC 17902	CLAMP , sealing strip, at front lower latch, Starboard										1	DTD.298	—	LA94
		Attachments for 10-20 WC 17901 or 10-20 WC 17902, Clamp :—													
15354	DHS.1001/5E	Bolt, ¼" BSF										5	L.65	C	
2227	DHS.983/E	Nut, ¼" BSF										5	L.65	C	
26DL/5611	DHS.402/E	Seal, bonded										5	—	C	
2359	DHS.388/E	Washer, sealing										5	—	C	
	10-20 WC 10775	CLAMP , sealing strip, at front inboard edge of lower latch, Port										1	L.53	—	LA94
	10-20 WC 10776	CLAMP , sealing strip, at front inboard edge of lower latch, Starboard										1	L.53	—	LA94
		Attachments for 10-20 WC 10775 or 10-20 WC 10776, Clamp :—													
13823	DHS.1093/4½EE	Bolt, sealed, ¼" BSF										2	—	C	
2227	DHS.983/E	Nut, ¼" BSF										2	L.65	C	
2359	DHS.388/E	Washer, sealing										3	—	C	
	10-20 WC 10765	CLAMP , sealing strip, at front spar, Port										1	L.53	—	LA94
	10-20 WC 10766	CLAMP , sealing strip, at front spar, Starboard										1	L.53	—	LA94
		Attachments for 10-20 WC 10765 or 10-20 WC 10766, Clamp :—													
15354	DHS.1001/5E	Bolt, ¼" BSF										1	L.65	C	
2227	DHS.983/E	Nut, ¼" BSF										1	L.65	C	
26DL/5611	DHS.402/E	Seal, bonded										1	—	C	
2359	DHS.388/E	Washer, sealing										1	—	C	
	10-20 WC 17903	CLAMP , sealing strip, at intermediate latch, Port										1	DTD.298	—	LA94
	10-20 WC 17904	CLAMP , sealing strip, at intermediate latch, Starboard										1	DTD.298	—	LA94
		Attachments for 10-20 WC 17903 or 10-20 WC 17904, Clamp :—													
15354	DHS.1001/5E	Bolt, ¼" BSF										5	L.65	C	
2227	DHS.983/E	Nut, ¼" BSF										5	L.65	C	
26DL/5611	DHS.402/E	Seal, bonded										5	—	C	
2359	DHS.388/E	Washer, sealing										5	—	C	
	10-20 WC 22659	CLAMP , sealing strip, along rear edge of diffusion member, at centre latch, Port										1	L.53	—	LA94
	10-20 WC 22660	CLAMP , sealing strip, along rear edge of diffusion member, at centre latch, Starboard										1	L.53	—	LA94
		Attachments for 10-20 WC 22659 or 10-20 WC 22660, Clamp :—													
15575	DHS.1093/4E	Bolt, sealed, ¼" BSF										4	—	C	
2227	DHS.983/E	Nut, ¼" BSF										4	L.65	C	
2359	DHS.388/E	Washer, sealing										4	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 22657	CLAMP , sealing strip, along rear edge of diffusion member, at front lower latch, Port										1	L.53	—	LA94
	10-20 WC 22658	CLAMP , sealing strip, along rear edge of diffusion member, at front lower latch, Starboard										1	L.53	—	LA94
		Attachments for 10-20 WC 22657 or 10-20 WC 22658, Clamp :—													
15575	DHS.1093/4E	Bolt, sealed, $\frac{1}{4}$ " BSF										4	—	C	
2227	DHS.983/E	Nut, $\frac{1}{4}$ " BSF										4	—	C	
2359	DHS.388/E	Washer, sealing										4	—	C	
	10-20 WC 10769	CLAMP , sealing strip, at rear inboard edge of centre latch, Port										1	L.53	—	LA94
	10-20 WC 10770	CLAMP , sealing strip, at rear inboard edge of centre latch, Starboard										1	L.53	—	LA94
	10-20 WC 25631	CLAMP , sealing strip, at rear inboard edge of front lower latch, Port										1	L.53	—	LA94
	10-20 WC 25632	CLAMP , sealing strip, at rear inboard edge of front lower latch, Starboard										1	L.53	—	LA94
		Attachments for 10-20 WC 10769, 10-20 WC 10770, 10-20 WC 25631 or 10-20 WC 25632, Clamp :—													
13823	DHS.1093/4 $\frac{1}{2}$ EE	Bolt, sealed, $\frac{1}{4}$ " BSF										2	—	C	
2227	DHS.983/E	Nut, $\frac{1}{4}$ " BSF										2	—	C	
2359	DHS.388/E	Washer, sealing										3	—	C	
	10-20 WC 25633	CLAMP , sealing strip, forward of front lower latch, Port										1	L.53	—	LA94
	10-20 WC 25634	CLAMP , sealing strip, forward of front lower latch, Starboard										1	L.53	—	LA94
		Attachments for 10-20 WC 25633 or 10-20 WC 25634, Clamp :—													
13823	DHS.1093/4 $\frac{1}{2}$ EE	Bolt, sealed, $\frac{1}{4}$ " BSF										2	—	C	
2227	DHS.983/E	Nut, $\frac{1}{4}$ " BSF										2	—	C	
2359	DHS.388/E	Washer, sealing										2	—	C	
	—	SEALING , integral tanks, top skin, at rib No. 2, Port and Starboard, group (Drg. No. 10-20 WC 2681)										1	—	—	
5045	10-20 WC 15385	CLAMP , sealing strip, at front spar, Port										1	—	C	LA95
5046	10-20 WC 15386	CLAMP , sealing strip, at front spar, Starboard										1	—	C	LA95
		Attachments for 10-20 WC 15385 or 10-20 WC 15386, Clamp :—													
4358	DHS.395/4EE	Bolt, sealed, $\frac{1}{4}$ " BSF										1	—	C	
4359	DHS.395/5EE	Bolt, sealed, $\frac{1}{4}$ " BSF										1	—	C	
4353	DHS.395/6EE	Bolt, sealed, $\frac{1}{4}$ " BSF										1	—	C	
2227	DHS.983/E	Nut, $\frac{1}{4}$ " BSF										3	—	C	
2359	DHS.388/E	Washer, sealing										3	—	C	
5043	10-20 WC 10751	CLAMP , sealing strip, at main spar, Port										1	—	C	LA95
5044	10-20 WC 10752	CLAMP , sealing strip, at main spar, Starboard										1	—	C	LA95
		Attachments for 10-20 WC 10751 or 10-20 WC 10752, Clamp :—													
3796	DHS.395/4E	Bolt, sealed, $\frac{1}{4}$ " BSF										1	—	C	
3806	DHS.395/5E	Bolt, sealed, $\frac{1}{4}$ " BSF										1	—	C	
3797	DHS.395/6E	Bolt, sealed, $\frac{1}{4}$ " BSF										1	—	C	
2227	DHS.983/E	Nut, $\frac{1}{4}$ " BSF										3	—	C	
2359	DHS.388/E	Washer, sealing										3	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	—	SEALING , integral tanks, top skin, at rib No. 4, Port and Starboard, group (Drg. Nos. 10-20 WC 16833 (Pre Mod. 287) and 10-20 WC 28957 (Mod. 287)	1	—	—	
3448	10-20 WC 16387	CLAMP , sealing strip, at forward edge of front diffusing member, Port	1	—	C	LA95
3449	10-20 WC 16388	CLAMP , sealing strip, at forward edge of front diffusing member, Starboard	1	—	C	LA95
		Attachments for 10-20 WC 16387 or 10-20 WC 16388, Clamp :—				
15580	DHS.1093/4EE	Bolt, sealed, 1/4" BSF	3	—	C	
2227	DHS.983/E	Nut, 1/4" BSF	2	—	C	
2359	DHS.388/E	Washer, sealing	3	—	C	
3462	10-20 WC 16395	CLAMP , sealing strip, at forward edge of front hinge, Port	1	—	C	LA95
3436	10-20 WC 16396	CLAMP , sealing strip, at forward edge of front hinge, Starboard	1	—	C	LA95
		Attachments for 10-20 WC 16395 or 10-20 WC 16396, Clamp :—				
13823	DHS.1093/4EE	Bolt, sealed, 1/4" BSF	2	—	C	
2227	DHS.983/E	Nut, 1/4" BSF	2	—	C	
2359	DHS.388/E	Washer, sealing	2	—	C	
3466	10-20 WC 16425	CLAMP , sealing strip, at front edge of main spar, Port	1	—	C	LA95
3467	10-20 WC 16426	CLAMP , sealing strip, at front edge of main spar, Starboard	1	—	C	LA95
		Attachments for 10-20 WC 16425 or 10-20 WC 16426, Clamp :—				
13823	DHS.1093/4EE	Bolt, sealed, 1/4" BSF	2	—	C	
2227	DHS.983/E	Nut, 1/4" BSF	2	—	C	
2359	DHS.388/E	Washer, sealing	2	—	C	
3452	10-20 WC 16389	CLAMP , sealing strip, at front edge of rear diffusion member, Port	1	—	C	LA95
3453	10-20 WC 16390	CLAMP , sealing strip, at front edge of rear diffusion member, Starboard	1	—	C	LA95
		Attachments for 10-20 WC 16389 or 10-20 WC 16390, Clamp :—				
15580	DHS.1093/4EE	Bolt, sealed, 1/4" BSF	3	—	C	
2227	DHS.983/E	Nut, 1/4" BSF	3	—	C	
2359	DHS.388/E	Washer, sealing	3	—	C	
3446	10-20 WC 17361	CLAMP , sealing strip, at front hinge, Port	1	—	C	LA95
3447	10-20 WC 17362	CLAMP , sealing strip, at front hinge, Starboard	1	—	C	LA95
		Attachments for 10-20 WC 17361 or 10-20 WC 17362, Clamp :—				
28D/1008145	A25/6E	Bolt, 1/4" BSF	4	—	C	
28D/1011242	A25/7E	Bolt, 1/4" BSF	1	—	C	
28M/1007403	A27/ET	Nut, 1/4" BSF	5	—	C	
28V/9419405	SP.15/E	Washer	5	—	C	
2359	DHS.388/E	Washer, sealing	6	—	C	

MAIN PLANES

WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
3456	10-20 WC 16383	CLAMP, sealing strip, at front spar, Port ...										1	L.53	C	LA95
3457	10-20 WC 16384	CLAMP, sealing strip, at front spar, Starboard ...										1	L.53	C	LA95
		Attachments for 10-20 WC 16383 or 10-20 WC 16384, Clamp :-													
28D/12520	A25/4E	Bolt, 1" BSF ...										1	—	C	
15580	DHS.1093/4EE	Bolt, sealed, 1" BSF ...										1	—	C	
13823	DHS.1093/4EE	Bolt, sealed, 1" BSF ...										1	—	C	
28M/12931	A27/ET	Nut, 1" BSF ...										1	—	C	
2227	DHS.983/E	Nut, 1" BSF ...										2	L.65	C	
26DL/5611	DHS.402/E	Seal, bonded ...										1	—	C	
28W/9419487	SP.16/E	Washer ...										1	—	C	
2359	DHS.388/E	Washer, sealing ...										3	—	C	
	10-20 WC 16393	CLAMP, sealing strip, along rear edge of diffusing member, at front hinge, Port (For spares use 10-20 WC 26703ND)										1	L.53	—	LA95
11102	10-20 WC 26703ND	CLAMP, sealing strip, along rear edge of diffusing member, at front hinge, Starboard (Spares condition)										1	L.53	C	
	10-20 WC 16394	CLAMP, sealing strip, along rear edge of diffusing member, at front hinge, Starboard (For spare use 10-20 WC 26704ND)										1	L.53	—	LA95
11103	10-20 WC 26704ND	CLAMP, sealing strip, along rear edge of diffusing member, at front hinge, Starboard (Spares condition)										1	L.53	C	
		Attachments for 10-20 WC 16393 or 10-20 WC 16394, Clamp :-													
15580	DHS.1093/4EE	Bolt, sealed, 1" BSF ...										5	—	C	
2227	DHS.983/E	Nut, 1" BSF ...										5	L.65	C	
2359	DHS.388/E	Washer, sealing ...										5	—	C	
	10-20 WC 16391	CLAMP, sealing strip, along rear edge of front diffusing member, Port (For spares use 10-20 WC 26701ND)										1	L.53	—	LA95
11100	10-20 WC 26701ND	CLAMP, sealing strip, along rear edge of front diffusing member, Port (Spares condition)										1	L.52	C	
	10-20 WC 16392	CLAMP, sealing strip, along rear edge of front diffusing member, Starboard (For spares use 10-20 WC 26702ND)										1	L.53	—	LA95
11101	10-20 WC 26702ND	CLAMP, sealing strip, along rear edge of front diffusing member, Starboard (Spares condition)										1	L.53	C	
		Attachments for 10-20 WC 16291 or 10-20 WC 16392, Clamp :-													
15580	DHS.1093/4EE	Bolt, sealed, 1" BSF ...										5	—	C	
2227	DHS.983/E	Nut, 1" BSF ...										5	L.65	C	
2359	DHS.388/E	Washer, sealing ...										5	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES

WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
3464	10-20 WC 17369	CLAMP, sealing strip, at rear edge of front hinge, Port										1	L.53	C	LA95
3465	10-20 WC 17370	CLAMP, sealing strip, at rear edge of front hinge, Starboard										1	L.53	C	LA95
		Attachments for 10-20 WC 17369 or 10-20 WC 17370, Clamp :—													
13823	DHS.1093/4½EE	Bolt, sealed, ½" BSF										2	—	C	
2227	DHS.983/E	Nut, ½" BSF										2	L.65	C	
2359	DHS.388/E	Washer, sealing										2	—	C	
	10-20 WC 17371	CLAMP, sealing strip, at rear of top latch, Port ...										1	L.53	—	LA95
		(For spares use 10-20 WC 26705ND)													
11109	10-20 WC 26705ND	CLAMP, sealing strip, at rear of top latch, Port ...										1	L.53	C	
		(Spares condition)													
	10-20 WC 17372	CLAMP, sealing strip, at rear of top latch, Starboard										1	L.53	—	LA95
		(For spares use 10-20 WC 26706ND)													
11110	10-20 WC 26706ND	CLAMP, sealing strip, at rear of top latch, Starboard										1	L.53	C	
		(Spares condition)													
		Attachments for 10-20 WC 17371 or 10-20 WC 17372, Clamp :—													
13823	DHS.1093/4½EE	Bolt, sealed, ½" BSF										2	—	C	
2227	DHS.983/E	Nut, ½" BSF										2	L.65	C	
2359	DHS.388/E	Washer, sealing										2	—	C	
15178	10-20 WC 29647	CLAMP, sealing strip, at top latch, Port ...										1	DTD.298	C	LA95
15179	10-20 WC 29648	CLAMP, sealing strip, at top latch, Starboard ...										1	DTD.298	C	LA95
		Attachments for 10-20 WC 29647 or 10-20 WC 29648, Clamp :—													
28D/12543	A25/6E	Bolt, ½" BSF										5	—	C	
28M/12931	A27/ET	Nut, ½" BSF										5	—	C	
28W/9419405	SP.15/E	Washer										5	—	C	
2359	DHS.388/E	Washer, sealing										5	—	C	
3458	10-20 WC 16385	CLAMP, sealing strip, forward of top latch, Port...										1	L.53	C	LA95
3459	10-20 WC 16386	CLAMP, sealing strip, forward of top latch, Starboard										1	L.53	C	LA95
		Attachments for 10-20 WC 16385 or or 10-20 WC 16386, Clamp :—													
13823	DHS.1093/4½EE	Bolt, sealed, ½" BSF										3	—	C	
2227	DHS.983/E	Nut, ½" BSF										3	L.65	C	
2359	DHS.388/E	Washer, sealing										3	—	C	
14947	10-20 WC 28891ND	WASHER, cone										3	—	C	LA95
14948	10-20 WC 27405ND	WASHER, cone										3	—	C	LA95
		Note :—These washers are to be fitted in redundant countersunk holes forward and aft of front hinge													
	—	SHROUD, centre flap, Port and Starboard, group (Drg. Nos. 10-20 WC 5967 and 10-20 WC 17033)										1	—	—	
	10-20 WC 17069	ANGLE, attachment, outboard rib to top skin at rear spar, Port, 18 SWG										1	L.73	LM	LA96
	10-20 WC 17070	ANGLE, attachment, outboard rib to top skin at rear spar, Starboard, 18 SWG										1	L.73	LM	LA96
		Attachments for 10-20 WC 17069 or 10-20 WC 17070, Angle :—													
1655	DHS.358/3C	Bolt, 2 BA										2	S.96	C	
28M/13124	A27/CT	Nut, 2 BA										2	—	C	
28W/9419402	SP.13/C	Washer										2	—	C	

RESTRICTED

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 17067	ANGLE, attachment, outboard rib to bottom skin at rear spar, Port, 18 SWG	1	L.73	LM	LA96
	10-20 WC 17068	ANGLE, attachment, outboard rib to bottom skin at rear spar, Starboard, 18 SWG	1	L.73	LM	LA96
	10-20 WC 16709	ANGLE, extension, aft, flap shroud to rib No. 4, Port, 20 SWG	1	L.73	LM	LA96
	10-20 WC 16710	ANGLE, extension, aft, flap shroud to rib No. 4, Starboard, 20 SWG	1	L.73	LM	LA96
	10-20 WC 16299	ANGLE, extension, intermediate aft, flap shroud to rib No. 4, Port, 20 SWG	1	L.73	LM	LA36
	10-20 WC 16300	ANGLE, extension, intermediate aft, flap shroud to rib No. 4, Starboard, 20 SWG	1	L.73	LM	LA96
	10-20 WC 16711	ANGLE, extension, intermediate forward, flap shroud to rib No. 4, Port, 20 SWG	1	L.73	LM	LA96
	10-20 WC 16712	ANGLE, extension, intermediate forward flap shroud to rib No. 4, Starboard, 20 SWG	1	L.73	LM	LA96
	10-20 WC 16707	ANGLE, extension, forward, flap shroud to rib No. 4, Port, 20 SWG	1	L.73	LM	LA96
	10-20 WC 16708	ANGLE, extension, forward, flap shroud to rib No. 4, Starboard, 20 SWG	1	L.73	LM	LA96
	10-20 WC 17309	ANGLE, inner, upper wing-fold fairing to forward face of rib No. 4, trailing edge, Port, 18 SWG	1	L.72	LM	LA100
	10-20 WC 17310	ANGLE, inner, upper wing-fold fairing to forward face of rib No. 4, trailing edge, Starboard, 18 SWG	1	L.72	LM	LA100
	10-20 WC 18243	ANGLE, outer, lower wing-fold fairing to forward face of rib No. 4, trailing edge, Port, 18 SWG	1	L.72	LM	LA100
	10-20 WC 18244	ANGLE, outer, lower wing-fold fairing to forward face of rib No. 4, trailing edge, Starboard, 18 SWG	1	L.72	LM	LA100
	10-20 WC 18239	ANGLE, lower, rib No. 4 to wing-fold fairing, 14 SWG	1	L.72	LM	LA100
3226	DHS.901/4G OR DHS.1001/4G	Attachments for 10-20 WC 18239, Angle :- Bolt, $\frac{1}{8}$ " BSF (Pre Mod. 440)	2	DTD.363	C	
3190	DHS.983/G	Bolt, $\frac{1}{8}$ " BSF (Mod. 440) Nut, $\frac{1}{8}$ " BSF	2 2	L.65 L.65	— C	
	10-20 WC 15033	ANGLE, rib No. 4, to rear spar, 10 SWG	1	DTD.687	LM	LA100
3220	DHS.901/2 $\frac{1}{2}$ G OR DHS.1001/2 $\frac{1}{2}$ G	Attachments for 10-20 WC 15033, Angle :- Bolt, $\frac{1}{8}$ " BSF (Pre Mod. 440)	11	DTD.363	C	
3223	DHS.901/3 $\frac{1}{2}$ G OR DHS.382/3 $\frac{1}{2}$ G	Bolt, $\frac{1}{8}$ " BSF (Mod. 440) Bolt, $\frac{1}{8}$ " BSF (Pre Mod. 440)	11 2	L.65 DTD.363	— C	
5210	DHS.382/3 $\frac{1}{2}$ G	Bolt, $\frac{3}{8}$ " BSF (Mod. 440)	2	L.65	C	
3226	DHS.901/4G OR DHS.1001/4G	Bolt, $\frac{1}{8}$ " BSF (Pre Mod. 440)	2	DTD.363	C	
3190	DHS.983/G	Bolt, $\frac{1}{8}$ " BSF (Mod. 440) Nut, $\frac{1}{8}$ " BSF	2 15	L.65 L.65	— C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 17307	ANGLE , upper, rib No. 4 to wing-fold fairing at inter-section of rear spar and rib No. 4, 14 SWG										1	L.72	LM	LA100
3226	DHS.901/4G OR DHS.1001/4G	Attachments for 10-20 WC 17307, Angle :—										5	DTD.363	C	
3190	DHS.983/G	Bolt, $\frac{3}{16}$ " BSF (Pre Mod. 440)										5	L.65	—	
		Bolt, $\frac{1}{4}$ " BSF (Mod. 440)										5	L.65	C	
		Nut, $\frac{3}{16}$ " BSF										5	L.65	C	
	10-20 WC 28545A	BRACKET , mounting hand pump, assembly ...										1	—	—	LA101
	10-20 WC 22339ND	ANGLE , 18 SWG										1	L.72	LM	LA101
		Attachments for 10-20 WC 22339ND, Angle :—													
28D/9436920	A25/1C	Bolt, 2 BA										2	—	C	
28M/12929	A27/CP	Nut, 2 BA										2	—	C	
	10-20 WC 28547ND	BRACKET , bare, 18 SWG										1	L.72	LM	LA101
		Attachments for 10-20 WC 28545A, Bracket :—													
28D/9436920	A25/1C	Bolt, 2 BA										2	—	C	
28M/12929	A27/CP	Nut, 2 BA										2	—	C	
28W/9419402	SP.13/C	Washer										2	—	C	
	10-20 WC 16999	COVER , plate, on rib No. 4, attachment web, 18 SWG										1	L.72	LM	LA100
		Attachments for 10-20 WC 16999, Cover :—													
28D/9133011	A25/2C	Bolt, 2 BA										16	—	C	
	10-20 WC 17085A	DIAPHRAGM , rib No. 4, forward, Port, assembly										1	—	C	LA99
		(For spares use 10-20 WC 27713A/ND)													
13398	10-20 WC 27713A/ND	DIAPHRAGM , rib No. 4, forward, Port, assembly										1	—	C	
		(Spares condition)													
	10-20 WC 17086A	DIAPHRAGM , rib No. 4, forward, Starboard,										1	—	—	LA99
		assembly (For spares use 10-20 WC 27714A/ND)													
13399	10-20 WC 27714A/ND	DIAPHRAGM , rib No. 4 forward, Starboard,										1	—	C	
		assembly (Spares condition)													
	10-20 WC 16651A	DIAPHRAGM , rib No. 4, rear, Port, assembly ...										1	—	—	LA99
	10-20 WC 16652A	DIAPHRAGM , rib No. 4, rear, Starboard, assembly										1	—	—	LA99
	10-20 WC 17531ND	DIAPHRAGM , bare, Port, 20 SWG										1	L.73	LM	LA99
	10-20 WC 17532ND	DIAPHRAGM , bare, Starboard, 20 SWG										1	L.73	LM	LA99
28M/11957	AGS.2007/C/1	NUT , anchor, 2 BA										3	—	C	
		Attachments for 10-20 WC 16651A or 10-20 WC 16652A, Diaphragm :—													
28D/9436920	A25/1C	Bolt, 2 BA										3	—	C	
28W/9419475	SP.15/C	Washer										3	—	C	

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
6049	10-20 WC 16527A	~~DOOR, access, bottom skin, Port, assembly~~ (Pre Mod. 655)										1		C	LA97
	10-20 WC 29861A	DOOR, access, bottom skin, Port (For spares use 10-20 WC 31497A/ND) (Mod. 655)										1	—	—	LA97
16252	10-20 WC 31497A/ND	DOOR, access, bottom skin, Port ... (Spares condition)										1	—	C	
	10-20 WC 31139A	DOOR, at bottom skin, Starboard, assembly (Mod. 649) (For spares use 10-20 WC 31499A/ND)										1	—	—	LA97
16625	10-20 WC 31499A/ND	DOOR, at bottom skin, Starboard, assembly ... (Spares condition) Spares for :—										1	—	C	
28FP/1007	DZUS TCF5/20K	FASTENER ...										3	—	C	LA97
15915	10-20 WC 30253	GROMMET, spring steel (Mod. 747) ...										3	—	C	LA97
	10-20 WC 16727A	HINGE, assembly (Make from Part No AS.1878, Ref. No. 28N/10786)										1	—	LM	LA97
16624	10-20 WC 30343	LABEL, Starboard door only, "Hydraulic priming" (Mod. 649)										1	—	C	LA97
	10-20 WC 30251	LABEL, Starboard door only, "Warning . . .", 24 SWG										1	Comm. Alumn.	—	LA97
	10-20 WC 16535ND	STRIP, packing, hinge, 12"5 x 0"8 x 18 SWG										1	L.72	LM	LA97
	10-20 WC 16971A	HOUSING, bearing, high and low speed flap operating shafts, inboard, Port, assembly (For spares use 10-20 WC 28567A/ND)										1	—	—	LA99
13781	10-20 WC 28567A/ND	HOUSING, bearing, high and low speed flap operating shafts, inboard, Port, assembly (Spares condition)										1	—	P	
	10-20 WC 16972A	HOUSING, bearing, high and low speed flap operating shafts, inboard, Starboard, assembly (For spares use 10-20 WC 28568A/ND)										1	—	—	LA99
13782	10-20 WC 28568A/ND	HOUSING, bearing, high and low speed flap operating shafts, inboard, Starboard, assembly (Spares condition) Spares for :—										1	—	P	
2A/9500441	—	BEARING, ball ...										1	—	C	
2A/9500444	—	BEARING, ball ...										1	—	C	
		Attachments for 10-20 WC 16971A or 10-20 WC 16972A, Housing :—													
28D/9133011	A25/2C	Bolt, 2 BA ...										4	—	C	
28D/12531	A25/3C	Bolt, 2 BA ...										1	—	C	
1654	DHS.358/2C	Bolt, 2 BA ...										1	—	C	
28M/9403520	A27/CP	Nut, 2 BA ...										6	—	C	
28W/9419402	SP.13/C	Washer ...										6	—	C	
	10-20 WC 24689A	HOUSING, bearing, high and low speed flap operating shafts, outboard, Port, assembly (For spares use 10-20 WC 27767ND)										1	—	—	LA99
12465	10-20 WC 27767ND	HOUSING, bearing, high and low speed flap operating shafts, outboard, Port, assembly (Spares condition)										1	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 24690A	HOUSING , bearing, high and low speed flap operating shafts, outboard, Starboard, assembly (For spares use 10-20 WC 27768ND)										1	—	—	LA99
12466	10-20 WC 27768ND	HOUSING , bearing, high and low speed flap operating shafts, outboard, Starboard, assembly (Spares condition)										1	—	C	
		Attachments for 10-20 WC 24689A or 10-20 WC 24690A, Housing :—													
28D/12531	A25/3C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	4	—	C	
28D/1200119	A25/4C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	3	—	C	
28M/9403520	A27/CP	Nut, 2 BA	...	...	...	...	...	...	...	...	...	7	—	C	
28W/9419402	SP.13/C	Washer	...	...	...	...	...	...	...	...	...	7	—	C	
	10-20 WC 16741	LANDING , access door, inboard, Port, 18 SWG										1	L.73	LM	LA97
	10-20 WC 16742	LANDING , access door, inboard, Starboard, 18 SWG										1	L.73	LM	LA97
	10-20 WC 16739	LANDING , access door, outboard, Port, 20 SWG										1	L.73	LM	LA97
	10-20 WC 16740	LANDING , access, door, outboard, Starboard, 20 SWG										1	L.73	LM	LA97
	10-20 WC 27383	LINK , attachment, to rib 4, lower Port and upper Starboard (For spares use 10-20 WC 30199ND)										2	L.65	—	LA100
15245	10-20 WC 30199ND	LINK , attachment, to rib 4, lower Port and upper Starboard (Spares condition)										2	L.65	C	
	10-20 WC 27384	LINK , attachment, to rib 4, lower Starboard and upper Port (For spares use 10-20 WC 30200ND)										2	L.65	—	LA100
15246	10-20 WC 30200ND	LINK , attachment, to rib 4, lower Starboard and upper Port (Spares condition)										2	L.65	C	
		Attachments for 10-20 WC 27383 or 10-20 WC 27384, Link :—													
		at upper attachment :—													
2344	DHS.358/6G	Bolt, 1/2" BSF	...	...	...	...	...	...	...	...	...	2	S.96	C	
2205	DHS.365/5 1/2 G	Bolt, 3/8" BSF	...	...	...	...	...	...	...	...	...	1	DTD.363	C	
3190	DHS.983/G	Nut, 1/2" BSF	...	...	...	...	...	...	...	...	...	3	L.65	C	
		at lower attachment :—													
6359	DHS.358/3 1/2 G	Bolt, 3/8" BSF	...	...	...	...	...	...	...	...	...	2	S.96	C	
2740	DHS.358/4G	Bolt, 1/2" BSF	...	...	...	...	...	...	...	...	...	1	S.96	C	
3190	DHS.983/G	Nut, 1/2" BSF	...	...	...	...	...	...	...	...	...	3	L.65	C	
	10-20 WC 16653A	MEMBER , edge, along aft end of lower access door aperture, Port, assembly (For spares use 10-20 WC 29161A/ND)										1	—	—	LA97
14313	10-20 WC 29161A/ND	MEMBER , edge, along aft end of lower access door aperture, Port, assembly (Spares condition)										1	—	C	
		Spares for :—													
28FP/1002	DZUS UTC/5	RECEPTACLE , fastener										3	—	C	LA97
	10-20 WC 16654A	MEMBER , edge, along aft end of lower access door aperture, Starboard, assembly (For spares use 10-20 WC 29162A/ND)										1	—	—	LA97

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES WING CENTRE SECTION

(Issued with

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
14314	10-20 WC 29162A/ND	MEMBER, edge, along aft end of lower access door, aperture, Starboard, assembly (Spares condition) Spares for :—	1	—	C	
28FP/1002	DZUS UTC/5	RECEPTACLE, fastener	3	—	C	LA97
	10-20 WC 16735ND	PACKING, access door hinge, at rear spar, Port, 20 SWG	1	L.73	LM	LA97
	10-20 WC 16736ND	PACKING, access door hinge, at rear spar, Starboard, 20 SWG	1	L.73	LM	LA97
	10-20 WC 17097	PLATE, reinforcing, at bearing housing on outboard rib, Port, 20 SWG	1	L.73	LM	LA96
	10-20 WC 17098	PLATE, reinforcing, at bearing housing on outboard rib, Starboard, 20 SWG	1	L.73	LM	LA96
	10-20 WC 22289ND	PLATE, packing, under inboard access door landing, 13 SWG	1	L.73	LM	LA97
	10-20 WC 17065ND	PLATE, packing, under upper and lower attachment angles at inboard rib, 10 SWG	2	L.72	LM	LA96
	10-20 WC 23423A	RIB, No. 4, trailing edge, Port, assembly ... (Mod. 46) (For spares use 10-20 WC 29621A/ND)	1	—	—	LA98
	14718	10-20 WC 29621A/ND	RIB, No. 4, trailing edge, Port, assembly ... (Mod. 46) (Spares condition)	1	—	P
	10-20 WC 23424A	RIB, No. 4, trailing edge, Starboard, assembly ... (Mod. 46) (For spares use 10-20 WC 29622A/ND)	1	—	—	LA98
14719	10-20 WC 29622A/ND	RIB, No. 4, trailing edge, Starboard, assembly ... (Mod. 46) (Spares condition)	1	—	P	
	10-20 WC 5819	ANGLE, stiffening, forward, 18 SWG ...	1	L.73	LM	LA99
	10-20 WC 5817	ANGLE, stiffening, forward intermediate, 18 SWG	1	L.73	LM	LA99
	10-20 WC 5815	ANGLE, stiffening, rear intermediate, 18 SWG ...	1	L.73	LM	LA99
	10-20 WC 5813	ANGLE, stiffening, rear, Port, 18 SWG ...	1	L.73	LM	LA99
	10-20 WC 5814	ANGLE, stiffening, rear, Starboard, 18 SWG ...	1	L.73	LM	LA99
4152 28M/9403520 28W/9419475	DHS.365/15C	Attachments for 10-20 WC 5815, 10-20 WC 5813 or 10-20 WC 5814, Angle :—				
	A27/CP	Bolt, 2 BA	2	—	C	
	SP.15/C	Nut, 2 BA	2	—	C	
		Washer	2	—	C	

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 15089	BRACKET , at aft end of stiffener, L.H., 20 SWG	1	L.72	LM	LA98
	10-20 WC 15090	BRACKET , at aft end of edge stiffener, R.H., 20 SWG	1	L.72	LM	LA98
	10-20 WC 27547A	BRACKET , hinge, Port, assembly (Mod. 46) (For spares use 10-20 WC 30739A/ND)	1	—	—	LA98
15936	10-20 WC 30739A/ND	BRACKET , hinge, Port, assembly (Mod. 46) ... (Spares condition)	1	—	C	
	10-20 WC 27548A	BRACKET , hinge, Starboard, assembly (Mod. 46) (For spares use 10-20 WC 30740A/ND)	1	—	—	LA98
15937	10-20 WC 30740A/ND	BRACKET , hinge, Starboard, assembly (Mod. 46) (Spares condition)	1	—	C	
13092	DHS.419/2/C/".300	Spares for :— BUSH Attachments for 10-20 WC 27547A or 10-20 WC 27548A, Bracket :—	1	—	C	LA98
28D/1007976	AS.1242/4C	Bolt; 2 BA	1	—	C	
28D/9133012	A25/3C	Bolt; 2 BA	1	—	C	
28D/9140647	A25/14C	Bolt; 2 BA	2	—	C	
28M/1006473	A27/CT	Nut; 2 BA	2	—	C	
28M/9403520	A27/CP	Nut; 2 BA	2	—	C	
15018	10-20 WC 29579ND	Shim, "Attewell"	1	—	C	LA98
28W/9419402	SP.13/C	Washer	1	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 24345	BRACKET , support, at trailing edge, Port, 18 SWG										1	L.72	LM	LA98
	10-20 WC 24346	BRACKET , support, at trailing edge, Starboard, 18 SWG										1	L.72	LM	LA98
	10-20 WC 5837	BRACKET , tie, at aft end of edge stiffener, Port, 20 SWG										1	L.73	LM	LA98
	10-20 WC 5838	BRACKET , tie, at aft end of edge stiffener, Starboard, 20 SWG										1	L.73	LM	LA98
28E/14211	AS.5418/12	CLIP , "P" for fairlead tube										1	—	C	
		Attachments for AS.5418/12, Clip :—													
28D/9436920	A25/1C	Bolt , 2 BA										1	—	C	
28M/10288	AGS.2001/C/1	Nut , 2 BA										1	—	C	
	10-20 WC 5775A	COVER , detachable, on inboard rib, Port, assembly										1	—	—	LA99
	10-20 WC 5776A	COVER , detachable, on inboard rib, Starboard, assembly										1	—	—	LA99
	10-20 WC 16713	ANGLE , attachment, Port, 20 SWG										1	L.73	LM	LA99
	10-20 WC 16714	ANGLE , attachment, Starboard, 20 SWG										1	L.73	LM	LA99
	10-20 WC 18127ND	COVER , bare, 18 SWG										1	L.73	LM	LA99
		Attachments for 10-20 WC 5775A or 10-20 WC 5776A, Cover :—													
28D/9436920	A25/1C	Bolt , 2 BA										9	—	C	
28D/9133012	A25/3C	Bolt , 2 BA										2	—	C	
	10-20 WC 5975A	FAIRING , Port, assembly (For spares use 10-20 WC 28805A/ND)										1	—	—	LA98
13783	10-20 WC 28805A/ND	FAIRING , Port, assembly (Spares condition) ...										1	—	C	
	10-20 WC 5976A	FAIRING , Starboard, assembly (For spares use 10-20 WC 28806A/ND)										1	—	—	LA98
13784	10-20 WC 28806A/ND	FAIRING , Starboard, assembly (Spares condition)										1	—	C	
6043	10-20 WC 5971	GUARD , chain										1	—	C	LA98
	10-20 WC 5797	MEMBER , edge, on forward edge of inner rib, Port, 20 SWG										1	L.73	LM	LA98
	10-20 WC 5798	MEMBER , edge, on forward edge of inner rib, Starboard, 20 SWG										1	L.73	LM	LA98
28M/11957	AGS.2007/C/1	NUT , anchor, 2 BA at cover plate and detachable cover landings										22	—	C	
28M/12421	AGS.2018/C/1	NUT , anchor, 2 BA, at detachable cover landing ...										1	—	C	
	10-20 WC 15103	PANEL , skin, along lower edge of rib, Port, 18 SWG										1	L.73	LM	LA98
	10-20 WC 15104	PANEL , skin, along lower edge of rib, Starboard, 18 SWG										1	L.73	LM	LA98
	10-20 WC 22973A	PLATE , attachment, forward, upper Port and lower Starboard, assembly (For spares use 10-20 WC 29165A/ND)										1	—	—	LA100
14499	10-20 WC 29165A/ND	PLATE , attachment, forward, upper Port and lower Starboard, assembly (Spares condition)										1	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
14500	10-20 WC 22974A	PLATE, attachment, forward, lower Port and upper Starboard, assembly (For spares use 10-20 WC 29166A/ND)	1	—	—	LA100
	10-20 WC 29166A/ND	PLATE, attachment, forward, lower Port and upper Starboard, assembly (Spares condition)	1	—	C	
		Attachments for 10-20 WC 22973A or 10-20 WC 22974A, Plate :—				
		at lower position :—				
	1654 DHS.358/2C	Bolt, 2 BA	2	—	C	
	3815 DHS.358/4½C	Bolt, 2 BA	5	—	C	
	28M/1010996 A24/CP	Nut, 2 BA	2	—	C	
	28M/9403520 A27/CP	Nut, 2 BA	2	—	C	
		at upper position :—				
	1654 DHS.358/2C	Bolt, 2 BA	5	—	C	
6047	28M/1010996 A24/CP	Nut, 2 BA	2	—	C	
	10-20 WC 18281	PLATE, bearing, cover plate landing, 20 SWG	1	L.73	LM	LA98
	10-20 WC 5779	PLATE, bolt, at rear intermediate stiffening angle, 14 SWG	1	L.73	LM	LA98
	10-20 WC 5781	PLATE, bolt, at rear stiffening angle, 14 SWG	1	L.73	LM	LA98
	10-20 WC 18573A	PLATE, cover, on outboard rib, Port, assembly	1	—	C	LA98
	10-20 WC 18574A	PLATE, cover, on outboard rib, Starboard, assembly	1	—	C	LA98
		Spares for :—				
	10-20 WC 18577ND	BRACKET, 16 SWG	1	S.84	LM	LA98
		Attachments for 10-20 WC 18573A or 10-20 WC 18574A, Plate :—				
	1092 DHS.365/2C	Bolt, 2 BA	6	—	C	
6389	DHS.365/1½C	Bolt, 2 BA	6	—	C	
	10-20 WC 5755A	RIB, inboard web, Port, assembly	1	—	—	LA99
	10-20 WC 5756A	RIB, inboard web, Starboard, assembly	1	—	—	LA99
	10-20 WC 5757	RIB, outboard web, Port, 20 SWG	1	L.73	—	LA98
	10-20 WC 5758	RIB, outboard web, Starboard, 20 SWG	1	L.73	—	LA98
	10-20 WC 5783	SPACER, block, between rib webs at rear intermediate stiffening angle, Port	1	L.64	LM	LA98
	10-20 WC 5784	SPACER, block, between rib webs at rear intermediate stiffening angle, Starboard	1	L.64	LM	LA98
	10-20 WC 5785	SPACER, block, between rib webs at rear stiffening angle, Port	1	L.64	LM	LA98
	10-20 WC 5786	SPACER, block, between rib webs at rear stiffening angle, Starboard	1	L.64	LM	LA98
	10-20 WC 5839	SPACER, on outer face of outboard rib web, forward end, 8 SWG	1	L.72	L.	LA98

RESTRICTED

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 15031	SPACER , on outer face of outboard rib web, aft end Attachments for 10-20 WC 5839 or 10-20 WC 15031, Spacer :—	1	L.64	LM	LA98
28D/14967	AS.4563/2C	Bolt, 2 BA	4	—	C	
6044	10-20 WC 15389	Shim, "Attewell"	1	LA.3	C	LA98
	10-20 WC 5793A	STIFFENER , No. 1, Port, assembly	1	—	—	LA98
	10-20 WC 5794A	STIFFENER , No. 1, Starboard, assembly	1	—	—	LA98
28M/12421	AGS.2018/C/1	NUT , anchor, 2 BA	1	—	C	
	DHS.878/C/18	PLATE , packing, 18 SWG	1	L.72	LM	
	10-20 WC 5845ND	STIFFENER , bare, Port, 20 SWG	1	L.73	LM	LA98
	10-20 WC 5846ND	STIFFENER , bare, Starboard, 20 SWG	1	L.73	LM	LA98
		Attachments for 10-20 WC 5793A or 10-20 WC 5794A, Stiffener :—				
2347	DHS.358/3 $\frac{1}{2}$ C	Bolt, 2 BA	1	—	C	
	10-20 WC 5791	STIFFENER , No. 2, Port, 20 SWG	1	L.73	LM	LA98
	10-20 WC 5792	STIFFENER , No. 2, Starboard, 20 SWG	1	L.73	LM	LA98
	10-20 WC 5789	STIFFENER , No. 3, Port, 20 SWG	1	L.73	LM	LA98
	10-20 WC 5790	STIFFENER , No. 3, Starboard, 20 SWG	1	L.73	LM	LA98
	10-20 WC 5787	STIFFENER , No. 4, Port, 20 SWG	1	L.73	LM	LA99
	10-20 WC 5788	STIFFENER , No. 4, Starboard, 20 SWG	1	L.73	LM	LA99
	10-20 WC 5799	STIFFENER , along lower edge of inboard rib web, Port, 18 SWG	1	L.73	LM	LA99
	10-20 WC 5800	STIFFENER , along lower edge of inboard rib web, Starboard, 18 SWG	1	L.73	LM	LA99
	10-20 WC 5795	STIFFENER , horizontal, Port, 20 SWG	1	L.73	LM	LA99
	10-20 WC 5796	STIFFENER , horizontal, Starboard, 20 SWG	1	L.73	LM	LA99
	10-20 WC 5821	STIFFENER , on inboard face of inboard rib web, Port (Make from standard section X21C) (Ref. No. 26FY/4579)	1	—	LM	LA99
	10-20 WC 5822	STIFFENER , on inner face of inboard rib web, Starboard (Make from standard section X21C) (Ref. No. 26FY/4579)	1	—	LM	LA99
	10-20 WC 5983ND	STRIP , reinforcing, under fairing, Port, 18 SWG	1	L.73	LM	LA98
	10-20 WC 5984ND	STRIP , reinforcing, under inner fairing, Starboard, 18 SWG	1	L.73	LM	LA98
	10-20 WC 5981ND	STRIP , reinforcing, under outer fairing, Port, 18 SWG	1	L.73	LM	LA98
	10-20 WC 5982ND	STRIP , reinforcing, under outer fairing, Starboard, 18 SWG	1	L.73	LM	LA98
	10-20 WC 21033	TRACK , flap, Port (For spares use 10-20 WC 27873ND)	1	—	—	LA98
13358	10-20 WC 27873ND	TRACK , flap, Port (Spares condition)	1	—	C	
	10-20 WC 21034	TRACK , flap, Starboard (For spares use 10-20 WC 27874ND)	1	—	—	LA98
13359	10-20 WC 27874ND	TRACK , flap, Starboard (Spares condition)	1	—	C	
		Attachments for 10-20 WC 5801A, 10-20 WC 23423A, 10-20 WC 5802A or 10-20 WC 23424A, Rib :—				
3219	DHS.901/3G	Bolt, $\frac{1}{8}$ " BSF (Pre Mod. 440)	4	DTD.363	C	
15537	DHS.1001/3G	Bolt, $\frac{1}{8}$ " BSF (Mod. 440)	4	L.65	C	
3190	DHS.983/G	Nut, $\frac{1}{8}$ "	4	L.65	B	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.	
		1	2	3	4	5	6	7	8	9	10					
19364	10-20 WC 24507A	SHROUD , skin and ribs, top, Port, assembly (Mod. 2) (For spares see 10-20 WC 41525A/ND)										1	—	—	LA96	
	10-20 WC 41525A/ND	SHROUD , skin and ribs, top, Port, assembly (Mod. 1253) (Spares condition) Spares for :—										1	—	P		
	10-20 WC 16249	ANGLE , attachment, inboard buffer lever, intercostal to inner rib, 20 SWG										1	L.72	LM	LA96	
	10-20 WC 16321	ANGLE , attachment, for stiffener aft of refuelling unit at inner rib, 20 SWG										1	L.72	LM	LA96	
	10-20 WC 22667	ANGLE , attachment, for stiffener aft of refuelling unit at outer rib, 20 SWG										1	L.72	LM	LA96	
	10-20 WC 16325	ANGLE , attachment, for stiffener on inboard face of inner rib, 20 SWG										1	L.72	LM	LA96	
	10-20 WC 16251A	BEAM , buffer lever, assembly										1	—	—	LA96 LA101	
	10-20 WC 16253	ANGLE , attachment, 18 SWG										1	L.72	LM	LA101	
	10-20 WC 16255ND	BEAM , bare, 20 SWG										1	L.73	LM	LA101	
	10-20 WC 17521ND	PLATE , bearing, 8 SWG										1	L.73	LM	LA101	
	10-20 WE 3407	BLOCK , bridge, for flap buffer lever, adjustment bolt Attachments for 10-20 WE 3407, Block :—										1	DTD.363	—	LA101	
	28D/1011024	A25/21C	Bolt, 2 BA										2	—	C	
	28M/9403520	A27/CP	Nut, 2 BA										2	—	C	
	28W/9419404	SP.16/C	Washer										2	—	C	
13667	10-20 WC 31363	BLOCK , packing, aft centre flap shroud										1	LFS.21	LM	LA96	
	10-20 WC 31364	BLOCK , packing, aft, centre flap shroud										1	LFS.21	LM	LA96	
	10-20 WC 23207	BRACKET , mounting, refuelling unit (Mod. 2) (For spares use 10-20 WC 28647ND)										1	—	—	LA96	
	10-20 WC 28647ND	BRACKET , mounting, refuelling unit (Mod. 2) (Spares condition)										1	—	C		
	10-20 WE 2761	BRACKET , stringer attachment on outboard face of inner rib, 20 SWG										1	L.72	LM	LA96	

RESTRICTED

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Score or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
28M/9434253	10-20 WC 11823	BRACKET, stringer attachment on rear outboard face of inner rib, 20 SWG										1	L.72	LM	LA96
	10-20 N 13837A	BRACKET, switch mounting, assembly (Mod. 655)										1	—	—	LA96
	10-20 N 13839ND	BRACKET, bare, 20 SWG										1	L.72	—	LA96
	AGS.2007/B/1	NUT, anchor, 4 BA										2	—	C	
	10-20 WC 21119	GUSSET, at forward inboard edge of refuelling unit mounting bracket, 20 SWG										1	L.72	LM	LA96
	10-20 WC 21121	GUSSET, at rear inboard edge of refuelling unit mounting bracket, 20 SWG										1	L.72	LM	LA96
	2647 10-20 WE 4409	LEVER, buffer										1	—	C	LA96
	28D/12571 A25/21E	Attachments for 10-20 WE 4409, Lever :—										1	—	C	
	28M/1011467 A27/ES	Bolt, 1/2" BSF										1	—	C	
	28P/9527619 SP.90/C7	Nut, 1/2" BSF										1	—	C	
28W/9418921 28W/9419466	10-20 WE 4433ND	Pin, split (SP.9/C8)										1	—	C	
	SP.13/E	Tube, distance, 3/8" o/d x 16 SWG x 1"-687—1"-695 long										1	T.50	LM	LA101
	SP.13/J	Washer										1	—	C	
		Washer										6	—	C	
	10-20 WE 3403	LUG, attachment, for lever spring										1	L.72	LM	LA101
	10-20 WC 23117	MEMBER, side, at refuelling unit mounting bracket, forward (For spares use 10-20 WC 27871ND)										1	L.72	—	LA96
	13389 10-20 WC 27871ND	MEMBER, side, at refuelling unit mounting bracket, forward (Spares condition)										1	—	C	
	10-20 WC 23115	MEMBER, side, at refuelling unit, mounting bracket, rear (For spares use 10-20 WC 28661ND)										1	L.72	—	LA96
	13370 10-20 WC 28661ND	MEMBER, side, at refuelling unit, mounting bracket, rear (Spares condition)										1	—	C	
	10-20 WE 2861	PLATE, gusset, at buffer lever, 22 SWG										1	L.72	LM	LA96
6021 28M/11957	10-20 WE 3395	PLATE, gusset, at buffer lever intercostal ribs, 20 SWG										1	L.72	LM	LA96
	10-20 WC 31687	PLATE, gusset, at intersection of stiffeners and inner rib										1	L.72	LM	LA96
	10-20 WC 16297	RIB, centre, buffer lever intercostal, 20 SWG										1	L.73	LM	LA96
	10-20 WC 16301A	RIB, inboard, assembly										1	—	—	LA96
	10-20 WC 16311ND	Spares for :—													
	10-20 WC 16935	ANGLE, reinforcing, 22 SWG										1	L.72	LM	LA96
	AGS.2007/C/1	BLOCK, trailing edge										1	—	C	LA96
	10-20 WC 16315ND	NUT, anchor, 2 BA										3	—	C	
	10-20 WC 16295	PLATE, doubler, 18 SWG										1	L.73	LM	LA96
		RIB, inboard, buffer lever intercostal, 20 SWG										1	L.73	LM	LA96

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 16305											1	—	—	LA96
16980	10-20 WC 31831A/ND											1	—	P	
	10-20 WC 17083ND											1	L.72	LM	LA96
	10-20 WC 16327ND											1	L.72	LM	LA96
	10-20 WC 16319ND											1	L.72	LM	LA96
2633	10 WC 7369											1	—	C	LA96
	10-20 WC 17511											1	L.73	LM	LA96
	10-20 WC 17509ND											1	L.73	LM	LA96
12918	10-20 WC 27849											1	—	C	LA99
2648	10-20 WE 3961											1	—	C	LA101
28M/1007403	A27/ET											1	—	C	
	10-20 WC 16073ND											1	L.73	LM	LA96
	10-20 WC 29929A											1	—	—	LA96
20088	10-20 WC 41827A/ND											1	—	P	
	10-20 WC 16039											1	L.72	LM	LA101
2646	10-20 WE 2987A											1	—	P	LA101
28M/9993192	AGS.2009/C/1											2	—	C	
20084	DHS.825/1C											2	—	C	
	10-20 WC 16077A											1	—	—	LA96
2633	10-20 WC 7369											1	—	C	LA96
	10-20 WC 16075ND											1	L.73	LM	LA96
	10-20 WC 16081A											1	—	—	LA96

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
2649	10-20 WE 3405	SPRING, buffer lever										1	—	C	LA101
	10-20 WC 16271	STIFFENER, aft of refuelling unit mounting bracket (For spares use 10-20 WC 27929ND)										1	L.72	—	LA96
13363	10-20 WC 27929ND	STIFFENER, aft of refuelling unit mounting bracket (Spares condition)										1	—	C	
	10-20 WE 16263A	STIFFENER, immediately forward of inboard buffer lever intercostal rib, assembly (For spares use 10-20 WC 27927A/ND)										1	—	—	LA96
13382	10-20 WC 27927A/ND	STIFFENER, immediately forward of inboard buffer lever intercostal rib, assembly (Spares condition)										1	—	C	
	10-20 WC 41483	STRIP, trailing edge (Mod. 1253) (For spares use 10-20 WC 41523ND)										1	—	—	LA96
19365	10-20 WC 41523ND	STRIP, trailing edge (Spares condition)										1	—	C	
28D/9133011	A25/2C	Attachments for 10-20 WC 24507A, Shroud :—										1	—	C	
28D/9133012	A25/3C	Bolt, 2 BA										1	—	C	
28D/1200119	A25/4C	Bolt, 2 BA										1	—	C	
1655	DHS.358/3C	Bolt, 2 BA										1	—	C	
28M/9403520	A27/CP	Bolt, 2 BA										4	—	C	
28M/1006473	A27/CT	Nut, 2 BA										2	—	C	
28W/9419402	SP.13/C	Nut, 2 BA										5	—	C	
		Washer										7	—	C	
	10-20 WC 16237A	SHROUD, skin and ribs, top, Starboard, assembly (For spares use 10-20 WC 41527A/ND)										1	—	—	LA96
19362	10-20 WC 41527A/ND	SHROUD, skin and ribs, top, Starboard, assembly (Mod. 1253) (Spares condition)										1	—	P	
	10-20 WC 16250	ANGLE, attachment, inboard buffer lever intercostal to inner rib, 20 SWG										1	L.72	LM	LA96
	10-20 WC 16322	ANGLE, attachment, for stiffener aft of refuelling unit at inner rib, 20 SWG										1	L.72	LM	LA96
	10-20 WC 22668	ANGLE, attachment, for stiffener aft of refuelling unit at outer rib, 20 SWG										1	L.72	LM	LA96
	10-20 WC 16325	ANGLE, attachment, for stiffener on inboard face of inner rib, 20 SWG										1	L.72	LM	LA96

RESTRICTED

MAIN PLANES

WING CENTRE SECTION

Sea Vixen Mk. 1

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 16252A	BEAM , buffer lever, assembly										1	—	—	LA96
	10-20 WC 16254	ANGLE , attachment, 18 SWG										1	L.72	LM	LA101
	10-20 WC 16256ND	BEAM , bare, 20 SWG										1	L.73	LM	LA101
	10-20 WC 17521ND	PLATE , bearing, 8 SWG										1	L.73	LM	LA101
	10-20 WC 3407	BLOCK , bridge, for flap buffer lever adjustment bolt										1	DTD.363	—	LA101
		Attachments for 10-20 WE 3407, Block :—													
28D/1011024	A25/21C	Bolt, 2 BA										2	—	C	
28M/9403520	A27/CP	Nut, 2 BA										2	—	C	
28W/9419404	SP.16/C	Washer										2	—	C	
	10-20 WC 31364	BLOCK , packing, aft, centre flap shroud ...										1	LFS.21	LM	LA96
	10-20 WC 31366	BLOCK , packing, aft, centre flap shroud ...										1	LFS.21	LM	LA96
	10-20 WC 16277A	BRACKET , mounting, aft of access door, assembly (For spares use 10-20 WC 28561A/ND)										1	—	—	LA101
13413	10-20 WC 28561A/ND	BRACKET , mounting, aft of access door, assembly (Spares condition)										1	—	P	
		Spares for :—													
28M/11957	AGS.2007/C/1	NUT , anchor, 2 BA										2	—	C	
	10-20 WC 16276	BRACKET , mounting, refuelling unit, 14 SWG...										1	L.72	LM	LA96
	10-20 WC 22119A	BRACKET , mounting, immediately aft of access door, assembly (For spares use 10-20 WC 28557A/ND)										1	—	—	LA101
13404	10-20 WC 28557A/ND	BRACKET , mounting, immediately aft of access door, assembly (Spares condition)										1	—	P	
		Spares for :—													
28M/11957	AGS.2007/C/1	NUT , anchor, 2 BA										3	—	C	
	10-20 WC 11825	BRACKET , stringer attachment on inner face of outboard rib, 20 SWG										1	L.73	LM	LA96
	10-20 WE 2761	BRACKET , stringer attachment on outboard face of inner rib, 20 SWG										1	L.72	LM	LA96
	10-20 WC 11823	BRACKET , stringer attachment on rear outboard face of inner rib, 20 SWG										1	L.72	LM	LA96
	—	DOOR , access, group (Drg. No. 10-20 WC 21727)										1	—	—	
	10-20 WC 22233A/ND	BRACKET , mounting, for hydraulic pipes, assembly										1	—	—	LA102

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
28FP/802	10-20 WC 21735ND											1	L.72	LM	LA102
	10-20 WC 21739ND											1	L.72	LM	LA102
	10-20 WC 21737ND											1	L.72	LM	LA102
	10-20 WC 22235A/ND											1	—	—	LA102
	10-20 WC 21729ND											1	L.72	LM	LA102
	DZUS EF5/35A/DS											2	—	C	
	10-20 WC 22543ND											1	—	LM	LA102
28M/10288 28FP/1073	10-20 WC 21733ND											1	L.72	LM	LA102
	10-20 WC 22237A/ND											1	—	—	LA102
	10-20 WC 21741ND											1	L.72	LM	LA102
	AGS.2001/C/1											4	—	C	
	DZUS S5/300/D12											2	—	C	LA102
	10-20 WC 23225ND											1	L.72	LM	LA102
	10-20 WC 21120											1	L.72	LM	LA96
2647	10-20 WE 4409											1	—	C	LA96
28D/12571	A25/21E											1	—	C	
28M/1011467	A27/ES											1	—	C	
28P/9527619	SP.90/C7											1	—	C	
	10-20 WE 4433ND											1	T.50	LM	LA101
28VV/9418921	SP.13/E											1	—	C	
28VV/9419466	SP.13/J											6	—	C	
	10-20 WE 3404											1	L.72	LM	LA101
	10-20 WC 23119											1	L.72	—	LA96
13360	10-20 WC 27893ND											1	—	C	
	10-20 WC 23137A											1	—	—	LA101
14706	10-20 WC 27875A/ND											1	—	C	
	10-20 WC 16259											1	L.72	LM	LA101

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Score or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 22117	PLATE, gusset, along inner rib at access door, 20 SWG										1	L.72	LM	LA96
	10-20 WE 2862	PLATE, gusset, at buffer lever, 22 SWG										1	L.72	LM	LA96
	10-20 WE 3396	PLATE, gusset, at buffer lever intercostal ribs, 20 SWG										1	L.72	LM	LA96
	10-20 WC 16298	RIB, centre, buffer level intercostal, 20 SWG										1	L.73	LM	LA96
	10-20 WC 16303A	RIB, inboard, assembly										1	—	—	LA96
		Spares for :—													
	10-20 WC 16313ND	ANGLE, reinforcing, 22 SWG										1	L.72	LM	LA96
6022	10-20 WC 16936	BLOCK, trailing edge										1	—	C	LA96
28M/11957	AGS.2007/C/1	NUT, anchor, 2 BA										3	—	C	
	10-20 WC 16315ND	PLATE, doubler, 18 SWG										1	L.73	LM	LA96
	10-20 WC 16296	RIB, inboard, buffer lever intercostal, 20 SWG										1	L.73	LM	LA96
	10-20 WC 16307	RIB, outboard, assembly (For spares use 10-20 WC 31833A/ND)										1	—	—	LA96
16981	10-20 WC 31833A/ND	RIB, outboard, assembly (Spares condition)										1	—	P	
		Spares for :—													
	10-20 WC 17084ND	ANGLE, reinforcing, forward lower, 22 SWG										1	L.72	LM	LA96
	10-20 WC 16328ND	ANGLE, reinforcing, rear lower, 22 SWG										1	L.72	LM	LA96
	10-20 WC 16320ND	ANGLE, reinforcing, upper, 22 SWG										1	L.72	LM	LA96
2635	10 WC 7370	BLOCK, trailing edge										1	—	C	LA96
	10-20 WC 17512	BRACKET, angle, 18 SWG										1	L.73	LM	LA96
	10-20 WC 17509ND	PLATE, bearing, 20 SWG										1	L.73	LM	LA96
12919	10-20 WC 27850	STIFFENER, centre flap shroud (Mod. 467)										1	—	C	LA99
2648	10-20 WE 3961	SCREW, special, buffer lever adjustment										1	—	C	LA101
		Attachments for 10-20 WE 3961, Screw :—													
28M/1007403	A27/ET	Nut, 1" BSF										1	—	C	
	10-20 WC 16229ND	SKIN, lower, 22 SWG										1	L.73	LM	LA96
	10-20 WC 16227A	SKIN, upper, assembly (For spares use 10-20 WC 41831A/ND)										1	—	—	LA102
20087	10-20 WC 41831A/ND	SKIN, upper, assembly (Spares condition) (Mod. 1282)										1	—	P	
		Spares for :—													
	10-20 WC 16040	BRACKET, stirrup, for buffer lever beam, forward of access panel, 20 SWG										1	L.72	LM	LA101

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
2646	10-20 WE 2987A	PANEL, access assembly										1	—	P	LA101
		Spares for :—													
28M/9993192	AGS.2009/C/1	NUT, anchor, 2 BA										2	—	C	
		Attachments for 10-20 WE 2987A, Panel :—													
20084	DHS.825/1C	Bolt, 2 BA										2	—	C	
	10-20 WC 16078A	RIB, end, inboard, assembly										1	—	—	LA96
2635	10 WC 7370	BLOCK										1	—	C	LA96
	10-20 WC 16076ND	RIB, bare, 22 SWG										1	L.73	LM	LA96
2649	10-20 WE 3405	SPRING, buffer, lever 18 SWG										1	—	C	LA101
	10-20 WC 16272	STIFFENER, aft of refuelling unit mounting bracket (For spares use 10-20 WC 27930ND)										1	L.72	—	LA96
13364	10-20 WC 27930ND	STIFFENER, aft of refuelling unit mounting bracket (Spares condition)										1	—	C	
	10-20 WC 16264A	STIFFENER, immediately forward of inboard buffer lever intercoastal rib, assembly (For spares use 10-20 WC 27928A/ND)										1	—	—	LA96
13383	10-20 WC 27928A/ND	STIFFENER, immediately forward of inboard buffer lever intercoastal rib, assembly (Spares condition)										1	—	C	
	10-20 WC 41484	STRIP, trailing edge (Mod. 1253) (For spares use 10-20 WC 41524ND)										1	—	—	LA96
19363	10-20 WC 41524ND	STRIP, trailing edge (Spares condition)										1	—	C	
		Attachments for 10-20 WC 16237A, Shroud :—													
28D/9133011	A25/2C	Bolt, 2 BA										1	—	C	
28D/9133012	A25/3C	Bolt, 2 BA										1	—	C	
28D/1200119	A25/4C	Bolt, 2 BA										1	—	C	
	1655 DHS.358/3C	Bolt, 2 BA										4	—	C	
28M/9403520	A27/CP	Nut, 2 BA										2	—	C	
28M/1006473	A27/CT	Nut, 2 BA										5	—	C	
28W/9419402	SP.13/C	Washer										7	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 16763A/1	SKIN, bottom, Port, assembly (For spares use 10-20 WC 27931A/ND)										1	—	—	LA97
14573	10-20 WC 27931A/ND	SKIN, bottom, Port, assembly (Spares condition)										1	—	C	LA97
	10-20 WC 16764A/1	SKIN, bottom, Starboard, assembly (For spares use 10-20 WC 27932A/ND)										1	—	—	
14574	10-20 WC 27932A/ND	SKIN, bottom, Starboard, assembly (Spares condition)										1	—	C	LA97
		Spares for :—													
28M/11957	AGS.2007/C/1	NUT, anchor, 2 BA										16	—	C	LA97
	10-20 WC 17063	PLATE, cover, 14 SWG										2	L.73	LM	
26FN/3285	DHS.180 Mk. 3/X	TAG, bonding										1	—	C	LA100
	10-20 WC 17039A	WEB, attachment between rib 4 and trailing edge rib 4, Port, assembly										1	—	—	
	10-20 WC 17040A	WEB, attachment between rib 4 and trailing edge rib 4, Starboard, assembly										1	—	—	LA100
28M/9993192	AGS.2009/C1	NUT, anchor, 2 BA										16	—	C	LA100
	10-20 WC 17799ND	STIFFENER, 18 SWG										1	L.72	LM	
	10-20 WC 17037ND	WEB, bare, Port, 18 SWG										1	L.72	LM	LA100
	10-20 WC 17038ND	WEB, bare, Starboard, 18 SWG										1	L.72	LM	LA100
	—	SHROUD, inner flap, Port and Starboard, group (Drg. Nos. 10-20 WC 5969, 10-20 WC 10681, 10-20 WC 6995)										1	—	—	LA103
	10-20 WC 2109A	FORK-END, for attachment of shroud to rear diaphragm, Port, assembly										1	—	—	
	10-20 WC 2110A	FORK-END, for attachment of shroud to rear diaphragm, Starboard, assembly										1	—	—	LA103
		Attachments for 10-20 WC 2109A or 10-20 WC 2110A, Fork-end :—													
28D/1200119	A25/4C	Bolt, 2 BA										2	—	C	LA103
28D/1011244	A25/9E	Bolt, 1/4" BSF										2	—	C	
28D/1011245	A25/10E	Bolt, 1/4" BSF										2	—	C	
28D/1011246	A25/11E	Bolt, 1/4" BSF										2	—	C	
28D/1010132	A25/12E	Bolt, 1/4" BSF										2	—	C	
28D/19333	A30/12L	Bolt, 1/8" BSF										1	—	—	
28M/1006473	A27/CT	Nut, 1 BA										2	—	C	
28M/1007403	A27/ET	Nut, 1/8" BSF										8	—	C	
28M/9129449	A27/LS	Nut, 1/8" BSF										1	—	C	
28P/19234	SP.90/E8	Pin, split (SP.9/E10)										1	—	C	
8106	10-20 WC 2323	Shim, " Actewell "										1	—	C	LA103
8107	10-20 WC 10727	Shim, " Actewell "										1	—	C	
28W/9419475	SP.15/C	Washer										2	—	C	LA103
28W/9419478	SP.15/L	Washer										1	—	C	

MAIN PLANES

WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 15939	MEMBER, reinforcing, bottom skin, at rib No. 1, Port, 18 SWG										1	L.72	—	LA103
	10-20 WC 15940	MEMBER, reinforcing, bottom skin, at rib No. 1, Starboard, 18 SWG										1	L.72	—	LA103
	10-20 WC 23325	PLATE, lap, upper, Port (For spares use 10-20 WC 26995ND)										1	L.65	—	LA103
11392	10-20 WC 26995ND	PLATE, lap, upper, Port (Spares condition) ...										1	—	C	
	10-20 WC 23326	PLATE, lap, upper, Starboard (For spares use 10-20 WC 26996ND)										1	—	—	LA103
11393	10-20 WC 26996ND	PLATE, lap, upper, Starboard (Spares condition) ...										1	—	C	
	10-20 WC 23327	PLATE, lap, lower, Port (For spares use 10-20 WC 26993ND)										1	—	—	LA103
11390	10-20 WC 26993ND	PLATE, lap, lower, Port (Spares condition) ...										1	—	C	
	10-20 WC 23328	PLATE, lap, lower, Starboard (For spares use 10-20 WC 26944ND)										1	—	—	LA103
11391	10-20 WC 26994ND	PLATE, lap, lower, Starboard (Spares condition) ...										1	—	C	
8750	10-20 WC 24427	PLUG, sling hole blanking, at rib No. 1 ...										1	—	C	LA103
	10-20 WC 6005A/1	SHROUD, inner flap, Port, assembly (For spares use 10-20 WC 41829A/ND)										1	—	—	LA103
20085	10-20 WC 41829A/ND	SHROUD, inner flap, Port, assembly ... (Spares condition :—)										1	—	P	
	10-20 WC 6006A/1	SHROUD, inner flap, Starboard, assembly (For spares use 10-20 WC 41830A/ND)										1	—	—	LA103
20086	10-20 WC 41830A/ND	SHROUD, inner flap, Starboard, assembly ... (Spares condition)										1	—	P	
	10-20 WC 2151A	BEAM, flap hook, inner, Port, assembly ...										1	—	—	LA103
	10-20 WC 2152A	BEAM, flap hook, inner, Starboard, assembly ...										1	—	—	LA103
	10-20 WC 9221A	BEAM, flap hook, outer, Port, assembly ...										1	—	—	LA103
	10-20 WC 9222A	BEAM, flap hook, outer, Starboard, assembly ...										1	—	—	LA103
	10-20 WC 15513A	BRACKET, angle, at inboard end of stiffeners 1 and 2, 20 SWG, assembly										3	L.72	LM	LA103
		Spares for :—													
28M/9434253	AGS.2007/B/1	NUT, 4 BA, anchor ...										1	—	C	
	10-20 WC 16815A/ND	BRACKET, angle, at No. 3 inboard stiffener, assembly										1	—	—	LA103
	10-20 WC 16487ND	BRACKET, angle, bare, 18 SWG ...										1	L.72	LM	LA103
28M/9434253	AGS.2007/B/1	NUT, 4 BA, anchor ...										1	—	C	
	10-20 N 361	BRACKET, angle, at No. 4 inboard stiffener, Port, 20 SWG										1	L.72	LM	LA103

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 N 362	BRACKET , angle, at No. 4 inboard stiffener, Starboard, 20 SWG										1	L.72	LM	LA103
	10-20 WC 10701A	BRACKET , mounting, at rib No. 1, assembly ...										1	—	—	LA103
	10-20 WC 10703ND	BRACKET , bare, 20 SWG ...										1	L.72	LM	LA103
28M/9434252	AGS.2018/B/1	NUT , 4 BA; anchor ...										2	—	C	
	10-20 WC 10705A	BRACKET , mounting, at rib No. 1A, assembly										1	—	—	LA103
	10-20 WC 10707ND	BRACKET , bare, 20 SWG ...										1	L.72	LM	LA103
28M/9434252	AGS.2018/B/1	NUT , 4 BA; anchor ...										2	—	C	
	10-20 WC 10689A	BRACKET , mounting, at rib No. 1A, Port, assembly										1	—	—	LA103
	10-20 WC 10691ND	BRACKET , bare, 18 SWG ...										1	L.72	LM	LA103
28M/9434253	AGS.2007/B/1	NUT , 4 BA; anchor ...										1	—	C	
28M/9434252	AGS.2018/B/1	NUT , 4 BA; anchor ...										1	—	C	
	10-20 WC 10690A	BRACKET , mounting, at rib No. 1A, Starboard, assembly										1	—	—	LA103
	10-20 WC 10692ND	BRACKET , bare, 18 SWG ...										1	L.72	LM	LA103
28M/9434253	AGS.2007/B/1	NUT , 4 BA; anchor ...										1	—	C	
28M/9434252	AGS.2018/B/1	NUT , 4 BA; anchor ...										1	—	C	
	10-20 WC 10693A	BRACKET , mounting, at rib No. 1, Port, assembly										1	—	—	LA103
	10-20 WC 22077A/ND	BRACKET , mounting, welded, assembly ...										1	—	LM	LA103
	10-20 WC 10695ND	ANGLE , 18 SWG ...										1	L.59	LM	LA103
	10-20 WC 10699ND	TUBE , drip, $\frac{7}{16}$ " o/d x $2\frac{1}{2}$ " long x 18 SWG										1	L.67	LM	LA103
28M/9434253	AGS.2007/B/1	NUT , 4 BA; anchor ...										1	—	C	
28M/9434252	AGS.2018/B/1	NUT , 4 BA; anchor ...										1	—	C	
	10-20 WC 10694/A	BRACKET , mounting, at rib No. 1, Starboard, assembly										1	—	—	LA103
	10-20 WC 22078A/ND	BRACKET , mounting, welded, assembly ...										1	—	LM	LA103
	10-20 WC 10696ND	ANGLE , 18 SWG ...										1	L.59	LM	LA103
	10-20 WC 10699ND	TUBE , drip, $\frac{7}{16}$ " o/d x $2\frac{1}{2}$ " long x 18 SWG										1	L.67	LM	LA108
28M/9434253	AGS.2007/B/1	NUT , 4 BA; anchor ...										1	—	C	
28M/9434252	AGS.2018/B/1	NUT , 4 BA; anchor ...										1	—	C	
8092	10-20 WC 10709A	COVER , access, in bottom skin, assembly										1	—	C	LA103
		Spares for :—													
28M/11957	AGS.2007/C/1	NUT , 2 BA; anchor ...										1	—	C	
28M/9993192	AGS.2009/C/1	NUT , 2 BA; anchor ...										6	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
28S/1010635	AS.2996/7C	SCREW, 1 BA										1	—	C	
		Attachments for 10-20 WC 10709A, Cover :—													
28D/13128	AS.3294/2C	Bolt, 2 BA										6	—	C	
	10-20 WC 10859A	DIAPHRAGM, trailing edge, Port, assembly ...										1	—	—	LA103
		Spares for :—													
	10-20 WC 16505	BRACKET, conduit attachment, 20 SWG ...										1	L.72	LM	LA103
	10-20 WC 10860A	DIAPHRAGM, trailing edge, Starboard, assembly										1	—	—	LA103
		Spares for :—													
	10-20 WC 16506	BRACKET, conduit attachment, 20 SWG ...										1	L.72	LM	LA103
15437	10-20 WC 29939A	DOOR, access refuelling panel, Port, assembly										1	—	C	LA108
		(Mod. 692)													
15438	10-20 WC 29940A	DOOR, access refuelling panel, Starboard, assembly										1	—	C	LA103
		(Mod. 692)													
		Spares for :—													
28FP/71	DZUS F4/30	FASTENER										2	—	C	LA103
28FP/9483371	DZUS GF4/150	GROMMET										2	—	C	LA103
	10-20 WC 14917ND	HINGE, 4" 50 long										1	—	LM	LA103
		(Make from Ref. No. 28N/16453)													
	10-20 WC 10723ND	STRIP, reinforcing, under hinge, 18 SWG ...										1	L.72	LM	LA103
	10-20 WC 2237	FITTING, kink, at intersection of trailing edge										1	L.53	—	LA103
		diaphragm and rib No. 1, upper,													
		Port													
	10-20 WC 2238	FITTING, kink, at intersection of trailing edge										1	L.53	—	LA103
		diaphragm and rib No. 1, upper,													
		Starboard													
15656	10-20 WC 2239	FITTING, kink, at intersection of trailing edge										1	—	C	LA103
		diaphragm and rib No. 1, lower,													
		Port													
	10-20 WC 2240	FITTING, kink, at intersection of trailing edge										1	L.53	—	LA103
		diaphragm and rib No. 1, lower,													
		Starboard													
8082	10-20 WC 10861ND	MEMBER, trailing edge, Port										1	—	C	LA103
8083	10-20 WC 10862ND	MEMBER, trailing edge, Starboard										1	—	C	LA103
	—	MOUNTING, roller, trunnion and cover, at flap										2	—	—	
		hook beam, inboard and outboard													
		group													
	10-20 WC 18357A	COVER, assembly										1	—	—	LA103
		Spares for :—													
28M/9993192	AGS.2009/C/1	NUT, 1 BA, anchor										2	—	C	
		Attachments for 10-20 WC 18357A, Cover :—													
20084	DHS.825/1C	Bolt, 1 BA										2	—	C	
8085	10 WC 3803A	MOUNTING, roller, assembly										1	—	C	LA103
		Attachments for 10 WC 3803A, Mounting :—													
28D/9453970	A25/15C	Bolt, 2 BA										1	—	C	
28M/5808573	A27/CS	Nut, 2 BA										1	—	C	
28P/9486478	SP.90/C5	Pin, split, inboard mounting (SP.9/C6) ...										1	—	C	
28P/9527619	SP.90/C7	Pin, split, at outboard mounting (SP.9/C8) ...										1	—	C	
28M/1007403	A27/ET	NUT, 1" BSF, at adjusting screws										2	—	C	LA103
8088	10 WC 3817	SCREW, 1" BSF, adjusting, at inboard roller										1	—	C	
		mounting													
8089	10 WC 3819	SCREW, 1" BSF, adjusting, at outboard roller										1	—	C	LA103
		mounting													

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
8087	10 WC 3821											2	—	C	LA103
8086	10 WC 3815											1	—	C	LA103
28M/1011467	A27/ES											1	—	C	
28P/9527619	SP.90/C7											1	—	C	
28W/9418921	SP.13/E											1	—	C	
	AS.2811/6/125											1	L.62	LM	
	AS.2811/6/030											1	L.62	LM	
28P/9527619	SP.90/C7											1	—	C	
	10-20 WC 18353ND											1	LFS.21	LM	LA103
	10-20 WC 10851A											1	—	—	LA103
	10-20 WC 10852A											1	—	—	LA103
28M/11957	AGS.2007/C/1											3	—	C	
	10-20 WC 10853											1	DTD.710	—	LA103
	10-20 WC 10854											1	DTD.710	—	LA103
	10-20 WC 23329A											1	—	—	LA103
	10-20 WC 23330A											1	—	—	LA103
28M/9434253	AGS.2007/B/1											2	—	C	
	10-20 WC 31339A/ND											1	—	—	LA103
	10-20 WC 31301ND											1	L.72	LM	LA103
28D/1010658	A25/1B											2	—	C	
28M/10287	AGS.2001/B/1											2	—	C	
	10-20 WC 31761ND											1	L.73	LM	LA103
28W/9419474	SP.15/B											1	—	C	
	10-20 WC 10965A											1	—	—	LA103
	10-20 WC 10966A											1	—	—	LA103
	10-20 WC 2313											1	LFS.21	LM	LA103
	10-20 WC 10863A											1	—	—	LA103
	10-20 WC 10864A											1	—	—	LA103
	10-20 WC 2315											1	LFS.21	LM	LA103

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
28M/9434253	AGS.2007/B/1	NUT , 4 BA, anchor	1	—	C	
	10-20 WC 5731A	RIB , No. 2, rear portion, assembly	1	—	—	LA103
		Spares for :—				
	10-20 WC 2317	BLOCK , trailing edge	1	LFS.23	LM	LA103
	10-20 WC 5729A	RIB , No. 3, rear portion, assembly	1	—	—	LA103
		Spares for :—				
	10-20 WC 2311	BLOCK , trailing edge	1	LFS.23	LM	LA103
	10-20 WC 10877ND	SKIN , bottom, centre portion, Port, 22 SWG ...	1	DTD.710	LM	LA103
	10-20 WC 10878ND	SKIN , bottom, centre portion, Starboard, 22 SWG	1	DTD.710	LM	LA103
	10-20 WC 24977A/ND	SKIN , bottom, reduced, Port, assembly (For spares use 10-20 WC 31661A/ND)	1	—	—	LA103
16653	10-20 WC 31661A/ND	SKIN , bottom, reduced, Port, assembly	1	—	C	
		(Spares condition)				
16654	10-20 WC 24978A/ND	SKIN , bottom, reduced, Starboard, assembly (For spares use 10-20 WC 31662A/ND)	1	—	—	LA103
		(Spares condition)				
16654	10-20 WC 31662A/ND	SKIN , bottom, reduced, Starboard, assembly ...	1	—	C	
		(Spares condition)				
15226	10-20 WC 10875A/ND	SKIN , bottom, rear portion, reduced, Port, assembly (For spares use 10-20 WC 30033A/ND)	1	—	—	LA103
		(Spares condition)				
15226	10-20 WC 30033A/ND	SKIN , bottom, rear portion, reduced, Port, assembly (Spares condition)	1	—	C	
		(Spares condition)				
15227	10-20 WC 10876A/ND	SKIN , bottom, rear portion, reduced, Starboard, assembly (For spares use 10-20 WC 30034A/ND)	1	—	—	LA103
		(Spares condition)				
15227	10-20 WC 30034A/ND	SKIN , bottom, rear portion, reduced, Starboard, assembly (Spares condition)	1	—	C	
		(Spares condition)				
15224	10-20 WC 24163A/ND	SKIN , top, reduced, Port, assembly (For spares use 10-20 WC 29965A/ND)	1	—	—	LA103
		(Spares condition)				
15224	10-20 WC 29965A/ND	SKIN , top, reduced, Port, assembly	1	—	C	
		(Spares condition)				
15225	10-20 WC 24164A/ND	SKIN , top, reduced, Starboard, assembly (For spares use 10-20 WC 29966A/ND)	1	—	—	LA103
		(Spares condition)				
15225	10-20 WC 29966A/ND	SKIN , top, reduced, Starboard, assembly ...	1	—	C	
		(Spares condition)				
1664	10-20 WC 10841ND	STIFFENER , No. 1, Port (Make from standard section J.802 Ref. No. 26FY/8084)	1	—	LM	LA103
		(Spares condition)				
26DV/7302	10-20 WC 10842ND	STIFFENER , No. 1, Starboard (Make from standard section J.802 Ref. No. 26FY/8084)	1	—	LM	LA103
		(Spares condition)				
26DV/7302	10-20 WC 10843ND	STIFFENER , No. 2, Port (Make from standard section J.802 Ref. No. 26FY/8084)	1	—	LM	LA103
		(Spares condition)				
26DV/7302	10-20 WC 10844ND	STIFFENER , No. 2, Starboard (Make from standard section J.802 Ref. No. 26FY/8084)	1	—	LM	LA103
		(Spares condition)				
		Attachments for 10-20 WC 6005A/1 or 10-20 WC 6006A/1, Shroud :—				
1664	DHS.201/2½E	Bolt, ½" BSF	4	—	C	
	DHS.201/3E	Bolt, ½" BSF	6	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
28D/9435779	AS.3294/4E	Bolt, 1" BSF	12	—	C	
28D/9435780	AS.3294/5E	Bolt, 1" BSF	4	—	C	
26DV/7310	DHS.202/E	Nut, 1" BSF	10	—	C	
28M/7002430	AGS.2002/E/1	Nut, 1" BSF	16	—	C	
28W/9419405	SP.15/E	Washer	26	—	C	
1649	DHS.770/E	Washer, cup	16	—	C	
	—	TRACK , flap, No. 1, at rib No. 1, group ... (Drg. No. 10-20 WC 6307)	1	—	—	
	10 CF 2699	CLAMP , for fairlead tubes ...	2	LFS.23	LM	LA104
		Attachments for 10 CF 2699, Clamp :—				
28D/9140544	A25/9C	Bolt, 2 BA	2	—	C	
28M/10328	AGS.2002/C/1	Nut, 2 BA	2	—	C	
8101	10 CF 2701	FAIRLEAD , at inboard end of fairlead tubes ...	2	—	C	LA104
		Attachments for 10 CF 2701, Fairlead :—				
28D/1010030	A25/7C	Bolt, 2 BA	2	—	C	
28M/10328	AGS.2002/C/1	Nut, 2 BA	2	—	C	
8099	10 CF 2705	FAIRLEAD , tube, flap operating chain, front portion	1	—	C	LA104
8100	10 CF 2703	FAIRLEAD , tube, flap operating chain, rear portion	1	—	C	LA104
	10-20 WC 27857A	TRACK , flap, No. 1, Port, assembly (For spares use 10-20 WC 29611A/ND)	1	—	—	LA104
14568	10-20 WC 29611A/ND	TRACK , flap, No. 1, Port, assembly ... (Spares condition)	1	—	P	
	10-20 WC 27858A	TRACK , flap, No. 1, Starboard, assembly (For spares use 10-20 WC 29612A/ND)	1	—	—	LA104
14569	10-20 WC 29612A/ND	TRACK , flap, No. 1, Starboard, assembly ... (Spares condition)	1	—	P	
		Spares for :—				
8097	10 WC 2725	BRACKET , track mounting, Port	4	—	C	LA104
8098	10 WC 2726	BRACKET , track mounting, Starboard	4	—	C	LA104
		Attachments for 10 WC 2725 or 10 WC 2726, Bracket :—				
28D/9133011	A25/2C	Bolt, 2 BA	4	—	C	
28D/1214091	AS.1242/2C	Bolt, 2 BA	2	—	C	
28M/9403520	A27/CP	Nut, 2 BA	6	—	C	
28W/9419475	SP.15/C	Washer	6	—	C	
		Attachments for 10-20 WC 27857A or 10-20 WC 27858A, Track :—				
28D/9709461	AS.1242/3C	Bolt, 2 BA	10	—	C	
28M/1006473	A27/CT	Nut, 2 BA	10	—	C	
	—	SKINS , lining, rib "O" to rib "OA," between front and main spars, Port and Starboard, group (10-20 WC 9051)	1	—	—	LA105
	10-20 WC 6695A	COVER-PANEL , access, at cut-off switch, top lining skin, forward portion, Port and Starboard, assembly	2	—	—	LA105
		Attachments for 10-20 WC 6695A, Cover :—				
28D/1007981	AS.1248/1C	Bolt, 2 BA	9	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Score or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
28D/1007981	10-20 WC 31323	COVER-PANEL, access, at fuel transfer pipe, bag tank No. 1, Port	1	—	—	LA105
	10-20 WC 31324	COVER-PANEL, access, at fuel transfer pipe, bag tank No. 1, Starboard	1	—	—	LA105
	AS.1248/3C	Attachments for 10-20 WC 31323 or 10-20 WC 31324, Cover :—				
		Bolt, 2 BA	5	—	C	
	10-20 WC 9869A	COVER-PANEL, access, at rear inter-tank vent, tank No. 1, Port, assembly	1	—	—	LA105
	10-20 WC 9870A	COVER-PANEL, access, at rear inter-tank vent, tank No. 1, Starboard, assembly	1	—	—	LA105
	10-20 WC 15435A	POCKET, Port, assembly	1	—	—	LA105
	10-20 WC 15436A	POCKET, Starboard assembly	1	—	—	LA105
	AS.1248/3C	Attachments for 10-20 WC 9369A or 10-20 WC 9870A, Cover :—				
		Bolt, 2 BA	11	—	C	
28M/11957	10-20 WC 9291A	PANEL, end lining, bottom, at main spar, bag tank No. 1, Port, assembly	1	—	—	LA105
	10-20 WC 9292A	PANEL, end lining, bottom, at main spar, bag tank No. 1, Starboard, assembly	1	—	—	LA105
	AGS.2007/C/1	Spares for :—				
		NUT, anchor, 2 BA	2	—	C	
	10-20 WC 9289A	PANEL, end-lining, top, at main spar, bag tank No. 1, Port, assembly	1	—	—	LA105
	10-20 WC 9290A	PANEL, end lining, top, at main spar, bag tank No. 1, Starboard, assembly	1	—	—	LA105
	AGS.2007/C/1	Spares for :—				
		NUT, anchor, 2 BA	8	—	C	
	27QA/465	RING, sealing, "O." at sump casting secured to bottom lining skin, forward portion, Port and Starboard	2	—	C	LA105
	10-20 WC 9285A	SKIN, lining, bottom, centre portion, bag tank No. 1, Port, assembly	1	—	—	LA105
28M/11957	10-20 WC 9286A	SKIN, lining, bottom, centre portion, bag tank No. 1, Starboard, assembly	1	—	—	LA105
	AGS.2007/C/1	Spares for :—				
		NUT, anchor, 2 BA	3	—	C	
	10-20 WC 9283A	SKIN, lining, bottom, forward portion, bag tank No. 1, Port, assembly	1	—	—	LA105
	10-20 WC 9284A	SKIN, lining, bottom, forward portion, bag tank No. 1, Starboard, assembly	1	—	—	LA105
	10-20 WC 9313A	POCKET, assembly	4	—	—	LA105

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 40217A	SKIN, lining bottom, rear portion, bag tank No. 1, Port, assembly (Mod. 1066)										1	—	—	LA105
	10-20 WC 40218A	SKIN, lining, bottom, rear portion, bag tank No. 1, Starboard, assembly (Mod. 1066)										1	—	—	LA105
	10-20 WC 9279A	SKIN, lining, top, forward portion, bag tank No. 1, Port, assembly										1	—	—	LA105
	10-20 WC 9280A	SKIN, lining, top, forward portion, bag tank No. 1, Starboard, assembly										1	—	—	LA105
11268	DHS.828/C/1	NUT, anchor, 2 BA										9	—	C	
28M/11957	AGS.2007/C/1	NUT, anchor, 2 BA										1	—	C	
	10-20 WC 9313A	POCKET, assembly										4	—	—	LA105
	10-20 WC 9319A	POCKET, assembly										2	—	—	LA105
	10-20 WC 18061A	POCKET, assembly										1	—	—	LA105
		Attachments for 10-20 WC 9279A or 10-20 WC 9280A, Skin :—													
28D/9133011	A25/2C	Bolt, 2 BA										2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA										2	—	C	
28W/9419402	SP.13/C	Washer										2	—	C	
	10-20 WC 9281A	SKIN, lining, top, rear portion, bag tank No. 1, Port, assembly										1	—	—	LA105
	10-20 WC 9282A	SKIN, lining, top, rear portion, bag tank No. 1, Starboard, assembly										1	—	—	LA105
		Spares for :—													
28M/11957	AGS.2007/C/1	NUT, anchor, 2 BA										5	—	C	
	10-20 WC 9313A	POCKET, assembly										5	—	—	LA105
	10-20 WC 9319A	POCKET, assembly										3	—	—	LA105
		Attachments for 10-20 WC 9281A or 10-20 WC 9282A, Skin :—													
28D/9133011	A25/2C	Bolt, 2 BA										3	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA										3	—	C	
28W/9419402	SP.13/C	Washer										3	—	C	
13323	10-20 WC 26633	SOCKET, secured to bag tank protection angle, at end lining panels, Port and Starboard										8	—	C	LA105
13928	10-20 P 3149A/1	SUMP, casting, in bottom lining skin forward portion, Port and Starboard, assembly										2	—	C	LA105
13322	DHS.782/21/22	WASHER, under socket secured to bag tank protection angle, at end lining panels, Port and Starboard										8	—	C	LA105
	—	SKINS, lining, tank No. 1A, between front and main spars, Port and Starboard, group (10-20 WC 10299)										1	—	—	
	10-20 WC 15213 OR 10-20 WC 31759 10-20 WC 15214 OR 10-20 WC 31760	BRACKET, mounting, vent pipe on forward upper lining skin of tank No. 1A, Port, 22 SWG										1	L.72	LM	LA106
		BRACKET, mounting, vent pipe, on forward upper lining skin of tank No. 1A, Starboard, 22 SWG										1	L.72	LM	LA106
		Attachments for 10-20 WC 15213, 10-20 WC 31759, 10-20 WC 15214 or 10-20 WC 31760, Bracket :—													
28D/8308	AS.1242/3C	Bolt, 2 BA										4	—	C	
	10-20 WC 15267ND	Packing, "60 wide x "95 long x 14 SWG ...										4	L.72	LM	LA106

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 15263A	DIAPHRAGM, at front spar, mounting tank No. 1A, lining skins, Port, assembly										1	—	—	LA106
	10-20 WC 15264A	DIAPHRAGM, at front spar, mounting tank No. 1A, lining skins, Starboard, assembly										1	—	—	LA106
11268	DHS.828/C/1	NUT, anchor, 2 BA										31	—	C	LA106
4245	10-20 WC 16187	SOCKET Attachments for 10-20 WC 15263A or 10-20 WC 15264A, Diaphragm :—										2	—	C	
28D/1007981	AS.1248/1/2C	Bolt, 2 BA										6	—	C	LA106
28W/9419454	SP.10/C	Washer										2	—	C	
	10-20 WC 15179A	DIAPHRAGM, at main spar, mounting tank No. 1A, lining skins, Port, assembly										1	—	—	LA106
	10-20 WC 15180A	DIAPHRAGM, at main spar, mounting tank No. 1A, lining skins, Starboard, assembly										1	—	—	LA106
11268	DHS.828/C/1	NUT, anchor, 2 BA										7	—	C	LA106
4245	10-20 WC 16187	SOCKET Attachments for 10-20 WC 15179A or 10-20 WC 15180A, Diaphragm :—										3	—	C	
28D/1007981	AS.1248/1/2C	Bolt, 2 BA										9	—	C	LA106
28D/9142406	AS.1248/3C	Bolt, 2 BA										4	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA										4	—	C	LA106
	10-20 WC 15235A	LINING, arch, tank No. 1A, forward, Port, assembly										1	—	—	LA106
	10-20 WC 15236A	LINING, arch, tank No. 1A, forward, Starboard, assembly										1	—	—	LA106
4245	10-20 WC 16187	SOCKET Attachments for 10-20 WC 15235A or 10-20 WC 15236A, Lining :—										6	—	C	LA106
28D/1007981	AS.1248/1/2C	Bolt, 2 BA										14	—	C	LA106
	10-20 WC 15231A	LINING, arch, tank No. 1A, forward intermediate, Port, assembly										1	—	—	LA106
	10-20 WC 15232A	LINING, arch, tank No. 1A, forward intermediate, Starboard, assembly										1	—	—	LA106
4245	10-20 WC 16187	SOCKET Attachments for 10-20 WC 15231A or 10-20 WC 15232A, Lining :—										3	—	C	LA106
28D/1007981	AS.1248/1/2C	Bolt, 2 BA										6	—	C	LA106

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
4245	10-20 WC 15239A	LINING, arch, tank No. 1A, rear intermediate, Port, assembly										1	—	—	LA106
	10-20 WC 15240A	LINING, arch, tank No. 1A, rear intermediate, Starboard, assembly										1	—	—	LA106
	10-20 WC 16187	SOCKET										2	—	C	LA106
	AS.1248/1C	Attachments for 10-20 WC 15239A or 10-20 WC 15240A, Lining :—										6	—	C	
		Bolt, 2 BA										6	—	C	
	10-20 WC 24573A	LINING, arch, tank No. 1A, rear, Port, assembly (Mod. 2) (For spares use 10-20 WC 30741A/ND)										1	—	—	LA106
	10-20 WC 30741A/ND	LINING, arch, tank No. 1A, rear, Port, assembly (Mod. 2) (Spares condition)										1	—	C	
	10-20 WC 15256A	LINING, arch, tank No. 1A, rear, Starboard, assembly										1	—	—	LA106
	10-20 WC 16187	SOCKET										4	—	C	LA106
	AS.1248/1C	Attachments for 10-20 WC 24573A or 10-20 WC 15256A, Lining :—										12	—	C	
		Bolt, 2 BA										12	—	C	
28D/1007981	10-20 WC 10065A	SHROUD, along lower boom of rib No. 1, mounting lining skins of tank No. 1A, Port, assembly										1	—	—	LA107
	10-20 WC 10066A	SHROUD, along lower boom of rib No. 1, mounting lining skins of tank No. 1A, Starboard, assembly										1	—	—	LA107
	10-20 WC 25275	BRACKET, sealing, Port, 22 SWG										1	L.72	LM	LA107
	10-20 WC 25276	BRACKET, sealing, Starboard, 22 SWG										1	L.72	LM	LA107
	10-20 WC 16187	SOCKET										1	—	C	LA107
	AS.1248/1C	Attachments for 10-20 WC 10065A or 10-20 WC 10066A, Shroud :—										4	—	C	
		Bolt, 2 BA										4	—	C	
	10-20 WC 10901A	SHROUD, along upper boom of rib No. 1, mounting lining skins of tank No. 1A, Port, assembly										1	—	—	LA106
	10-20 WC 10902A	SHROUD, along upper boom of rib No. 1, mounting lining skins of tank No. 1A, Starboard, assembly										1	—	—	LA106
	10-20 WC 25275	BRACKET, sealing, Port, 22 SWG										1	L.72	LM	LA106

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
28M/13279	10-20 WC 25276	BRACKET , sealing, Starboard, 22 SWG ...	1	L.72	LM	LA106
11268	AGS.2019/C/1	NUT , anchor, 2 BA ...	1	—	C	
4245	DHS.828/C/1	NUT , anchor, 2 BA ...	9	—	C	
	10-20 WC 16187	SOCKET ...	2	L.72	C	LA106
		Attachments for 10-20 WC 10901A or 10-20 WC 10902A, Shroud :—				
28D/1007982	AS.1248/1C	Bolt, 2 BA ...	2	—	C	
	10-20 WC 10089A/2	SKIN , lining, dished, tank No. 1A, Port, assembly (For spares use 10-20 WC 40759A/ND)	1	—	—	LA107
17073	10-20 WC 40759A/ND	SKIN , lining, dished, tank No. 1A, Port, assembly (Spares condition)	1	—	P	
	10-20 WC 10090A/2	SKIN , lining, dished, tank No. 1A, Starboard, assembly (For spares use 10-20 WC 40760A/ND)	1	—	—	LA107
17074	10-20 WC 40760A/ND	SKIN , lining, dished, tank No. 1A, Starboard, assembly (Spares condition)	1	—	P	
		Spares for :—				
9994	10-20 WC 20377	BUSH , flanged ...	48	S.110	C	LA107
28M/12153	AGS.2007/B/1	NUT , anchor, 4 BA ...	20	—	C	
28M/11957	AGS.2007/C/1	NUT , anchor, 2 BA ...	9	—	C	
28M/9435067	AGS.2008/C/1	NUT , anchor, 2 BA ...	48	—	C	
		Attachments for 10-20 WC 10089A/2 or 10-20 WC 10090A/2, Skin :—				
28D/9128739	AS.1248/1B	Bolt, 4 BA ...	20	—	C	
28D/1007981	AS.1248/1C	Bolt, 2 BA ...	13	—	C	
28D/9428	AS.1248/9C	Bolt, 2 BA ...	1	—	C	
28D/8347	AS.1248/10C	Bolt, 2 BA ...	1	—	C	
28D/10471	AS.1248/11C	Bolt, 2 BA ...	1	—	C	
28D/10472	AS.1248/12C	Bolt, 2 BA ...	1	—	C	
28W/9419401	SP.10/B	Washer ...	20	—	C	
	10-20 WC 18289	SKIN , lining, tank No. 1A, forward lower, outboard, Port, 22 SWG	1	L.72	—	LA107
	10-20 WC 18290	SKIN , lining, tank No. 1A, forward lower, outboard, Starboard, 22 SWG	1	L.72	—	LA107
		Attachments for 10-20 WC 18289 or 10-20 WC 18290, Skin :—				
28D/1007981	AS.1248/1C	Bolt, 2 BA ...	30	—	C	
	10-20 WC 15243A	SKIN , lining, tank No. 1A, lower, forward inner, Port, assembly	1	—	—	LA107
	10-20 WC 15244A	SKIN , lining, tank No. 1A, lower, forward inner, Starboard, assembly	1	—	—	LA107
		Spares for :—				
28M/11957	AGS.2007/C/1	NUT , anchor, 2 BA ...	3	—	C	
	10-20 WC 15247ND	PACKING , under anchor nuts, 24 SWG ...	1	L.72	LM	LA107
		Attachments for 10-20 WC 15243A or 10-20 WC 15244A, Skin :—				
28D/1007981	AS.1248/1C	Bolt, 2 BA ...	19	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Place No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 15249A	SKIN, lining, tank No. 1A, forward upper, Port, assembly	1	—	—	LA106
	10-20 WC 15250A	SKIN, lining, tank No. 1A, forward upper, Starboard, assembly	1	—	—	LA106
11268	DHS.828/C/1	Spares for :—				
	10-20 WC 15185A	NUT, anchor, 2 BA	7	—	C	
		POCKET, assembly (For spares use 10-20 WC 27001A/ND)	6	—	—	LA106
11382	10-20 WC 27001A/ND	POCKET, assembly (Spares condition)	6	—	C	
		Attachments for 10-20 WC 15249A or 10-20 WC 15250A, Skin :—				
28D/8306	AS.1242/1C	Bolt, 2 BA	6	—	C	
28D/1007981	AS.1248/1C	Bolt, 2 BA	21	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	6	—	C	
28W/9419454	SP.10/C	Washer	6	—	C	
	10-20 WC 40215A	SKIN, lining, tank No. 1A, rear lower, Port, assembly (Mod. 1066)	1	—	—	LA107
	10-20 WC 40216A	SKIN, lining, tank No. 1A, rear lower, Starboard, assembly (Mod. 1066)	1	—	—	LA107
		Spares for :—				
28M/11957	AGS.2007/C/1	NUT, anchor, 2 BA	5	—	C	
28M/12421	AGS.2018/C/1	NUT, anchor, 2 BA	1	—	C	
		Attachments for 10-20 WC 40215A or 10-20 WC 40216A, Skin :—				
28D/9128739	AS.1248/1B	Bolt, 4 BA	9	—	C	
28D/1007981	AS.1248/1C	Bolt, 2 BA	18	—	C	
28W/9419401	SP.10/B	Washer	9	—	C	
	10-20 WC 15221A	SKIN, lining, tank No. 1A, rear upper, Port, assembly	1	—	—	LA106
	10-20 WC 15222A	SKIN, lining, tank No. 1A, rear upper, Starboard, assembly	1	—	—	LA106
		Spares for :—				
	10-20 WC 15185A	POCKET, assembly (For spares use 10-20 WC 27001A/ND)	3	—	—	LA106
11382	10-20 WC 27001A/ND	POCKET, assembly (Spares condition)	3	—	C	
		Attachments for 10-20 WC 15221A or 10-20 WC 15222A, Skin :—				
28D/8306	AS.1242/1C	Bolt, 2 BA	3	—	C	
28D/1007981	AS.1248/1C	Bolt, 2 BA	18	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	3	—	C	
28W/9419454	SP.10/C	Washer	3	—	C	

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 2821A/1	SPAR, front, between ribs Nos. 0 and 2, Port, assembly										1	—	—	LA108
	10-20 WC 2822A/1	SPAR, front, between ribs Nos. 0 and 2, Starboard, assembly										1	—	—	LA108
		Spares for :—													
	10-20 WC 11275	ANGLE, attachment, L.E. rib No. 0, lower, Port, 14 SWG										1	L.73	LM	LA108
	10-20 WC 11276	ANGLE, attachment, L.E. rib No. 0, lower, Starboard, 14 SWG										1	L.73	LM	LA108
	10-20 WC 23995A	ANGLE, attachment, L.E. rib No. 0, upper, Port, assembly										1	—	—	LA108
	10-20 WC 23996A	ANGLE, attachment, L.E. rib No. 0, upper, Starboard, assembly										1	—	—	LA108
	10-20 WC 11277ND	ANGLE, bare, Port, 14 SWG										1	L.73	LM	LA108
	10-20 WC 11278ND	ANGLE, bare, Starboard, 14 SWG										1	L.73	LM	LA108
	10-20 WC 23993ND	CHANNEL, rubber, $\frac{1}{4}$ " o/d $\times$ $\frac{1}{16}$ " slot $\times$ 3"-0 long (Make from Ref. No. 32C/600)										1	BSS.1155	LM	LA108
		Attachments for 10-20 WC 11275, 10-20 WC 11276, 10-20 WC 23995A or 10-20 WC 23996A, Angle :—													
28D/1008145	A25/6E	Bolt, $\frac{1}{2}$ " BSF										2	—	C	
28D/7002427	A25/6G	Bolt, $\frac{1}{2}$ " BSF										1	—	C	
28M/12928	A27/EP	Nut, $\frac{1}{2}$ " BSF										2	—	C	
28M/1006939	A27/GP	Nut, $\frac{1}{2}$ " BSF										1	—	C	
	DHS.729/E/12	Washer, support, 12 SWG										2	DTD.746	LM	
	DHS.729/G/12	Washer, support, 12 SWG										1	DTD.746	LM	
	10-20 WC 9901A	ANGLE, attachment, rib No. 0A, assembly										1	—	—	LA108
	10-20 WC 10059ND	ANGLE, bare, 14 SWG										1	L.73	LM	LA108
28M/9435068	AGS.2008/E/1	NUT, anchor, $\frac{1}{2}$ " BSF										13	—	C	
	10-20 WC 10061ND	PLATE, 10 SWG										1	L.73	LM	LA108
		Attachments for 10-20 WC 9901A, Angle :—													
2474	DHS.382/4E	Bolt, $\frac{1}{2}$ " BSF										26	S.96	C	
3237	DHS.382/4½E	Bolt, $\frac{1}{2}$ " BSF										3	S.96	C	
2227	DHS.983/E	Nut, $\frac{1}{2}$ " BSF										29	L.65	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
5146	10-20 WC 14427A	BOLT, anchor, at lower edge of duct ring, assembly										3	—	—	LA108
	DHS.857/1/C	BOLT, 2 BA										1	S.96	—	LA108
	10-20 WC 14463ND	PLATE, anchor, 20 SWG										1	S.84	LM	LA108
	10-20 WC 10311	BOLT, socket, at top boom										1	S.96	C	LA108
		Attachments for 10-20 WC 10311, Bolt:—													
28M/12928	A27/EP	Nut, 1" BSF										1	—	C	
28W/9419405	SP.15/E	Washer										1	—	C	
5136	10-20 WC 6521	BOOM, bottom, Port										1	DTD.363	C	LA108
5137	10-20 WC 6522	BOOM, bottom, Starboard										1	DTD.363	C	LA108
5134	10-20 WC 6519	BOOM, top, Port										1	DTD.363	C	LA108
5135	10-20 WC 6520	BOOM, top, Starboard										1	DTD.363	C	LA108
	—	BRACKET, aileron control pulley (See sub-section CE)										—	—	—	
	10-20 WC 13781A	BRACKET, clip attachment, above duct ring, assembly										2	—	—	LA108
	10-20 WC 13783ND	BRACKET, bare, 20 SWG										1	L.72	LM	LA108
28M/9435067	AGS.2008/C/1	NUT, anchor, 2 BA										1	—	C	
	10-20 WC 13773A	BRACKET, clip attachment, forward of rib 0A, assembly										1	—	—	LA108
	10-20 WC 13775ND	BRACKET, bare, 20 SWG										1	L.72	LM	LA108
28M/9435067	AGS.2008/C/1	NUT, anchor, 2 BA										1	—	C	
	10-20 WC 25549A	BRACKET, clip attachment, on inboard web plate inboard stiffener, Port, assembly										1	—	—	LA108
	10-20 WC 25547ND	BRACKET, bare, 18 SWG										1	L.72	LM	LA108
28M/12421	AGS.2018/C/1	NUT, anchor, 2 BA										2	—	C	

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 22411A	BRACKET, clip attachment, on inboard web plate inboard stiffener, Starboard, assembly	1	—	—	LA108
28M/12421	10-20 WC 22413ND	BRACKET, bare, 18 SWG ...	1	L.72	LM	LA108
	AGS.2018/C/1	NUT, anchor, 2 BA ...	2	—	C	
	10-20 WC 25545A	BRACKET, clip attachment, on inboard web plate outboard stiffener, Port, assembly	1	—	—	LA108
28M/12421	10-20 WC 25543ND	BRACKET, bare, 18 SWG ...	1	L.72	LM	LA108
	AGS.2018/C/1	NUT, anchor, 2 BA ...	2	—	C	
	10-20 WC 22415A	BRACKET, clip attachment on inboard web plate outboard stiffener, Starboard, assembly	1	—	—	LA108
28M/12421	10-20 WC 22417ND	BRACKET, bare, 18 SWG ...	1	L.72	LM	LA108
	AGS.2018/C/1	NUT, anchor, 2 BA ...	2	—	C	
	10-20 WC 14769A	BRACKET, clip attachment, on top boom, outboard, assembly	1	—	—	LA108
28M/9435067	10-20 WC 14767ND	BRACKET, bare, 20 SWG ...	1	L.72	LM	LA108
	AGS.2008/C/1	NUT, anchor, 2 BA ...	2	—	C	
	10-20 WC 20339A	BRACKET, guide, at lower edge of duct ring, assembly	2	—	—	LA108
	10-20 WC 20341ND	BRACKET, bare, 24 SWG ...	1	S.84	LM	LA108
	10-20 WC 20343ND	TUBE, guide, $\frac{3}{8}$ " o/d x 20 SWG x 1'-20	1	T.26	LM	LA108
	10-20 WC 20274	FITTING, corner, bottom, Port (For spares use 10-20 WC 27728ND)	1	DTD.304	—	LA108
12439	10-20 WC 27728ND	FITTING, corner, bottom, Port (Spares condition)	1	DTD.304	C	
	10-20 WC 20273	FITTING, corner, bottom, Starboard (For spares use 10-20 WC 27727ND)	1	DTD.304	—	LA108
12438	10-20 WC 27727ND	FITTING, corner, bottom, Starboard (Spares condition)	1	DTD.304	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
12436	10-20 WC 20275	FITTING, corner, top Port and bottom Starboard (For spares use 10-20 WC 27723ND)										2	DTD.304	—	LA108
	10-20 WC 27723ND	FITTING, corner, top Port and bottom Starboard (Spares condition)										1	DTD.304	C	
	10-20 WC 20276	FITTING, corner, top Starboard and bottom Port (For spares use 10-20 WC 27724ND)										2	DTD.304	—	LA108
12437	10-20 WC 27724ND	FITTING, corner, top Starboard and bottom Port (Spares condition)										1	DTD.304	C	
	10-20 WC 26279	FITTING, corner, top, Port										1	—	—	LA108
	10-20 WC 26280	FITTING, corner, top, Starboard										1	—	—	LA108
		Attachments for 10-20 WC 20274, 10-20 WC 20273, 10-20 WC 20275, 10-20 WC 20276, 10-20 WC 26279 or 10-20 WC 26280, Fitting :—													
28D/9133011	A25/2C	Bolt, 2 BA										7	—	C	
28M/9403520	A27/CP	Nut, 2 BA										7	—	C	
28W/9419402	SP.13/C	Washer										7	—	C	
	10 WC 279	PACKING, between fuselage attachment posts ...										1	LFS.23	LM	LA108
	10-20 WC 9931	PLATE, corner, inboard, 10 SWG										2	L.72	LM	LA108
	10-20 WC 9767	PLATE, tension, duct ring joint, aft (For spares use 10-20 WC 26461ND)										1	—	—	LA108
10714	10-20 WC 26461ND	PLATE, tension, duct ring joint, aft (Spares condition)										1	—	C	
	10-20 WC 9765	PLATE, tension, duct ring joint, forward (For spares use 10-20 WC 26459ND)										1	—	—	LA108
10713	10-20 WC 26459ND	PLATE, tension, duct ring joint, forward (Spares condition)										1	—	C	
		Attachments for 10-20 WC 9767 or 10-20 WC 9765, Plate :—													
2474	DHS.382/4E	Bolt, 1" BSF										2	S.96	C	
3237	DHS.382/4½E	Bolt, 1" BSF										2	S.96	C	
3235	DHS.382/5E	Bolt, 1" BSF										2	S.96	C	
2473	DHS.382/6E	Bolt, 1" BSF										2	S.96	C	
28M/14536	A58/ET	Nut, 1" BSF										8	—	C	
28W/9419405	SP.15/E	Washer										2	—	C	

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Score or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 9899	PLATE, web, between rib "OA" and duct ring, aft, 16 SWG										1	DTD.687	LM	LA108
		Attachments for 10-20 WC 9899, Plate :—													
3198	DHS.382/3½E	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	3	—	C	
2474	DHS.382/4E	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	37	—	C	
3594	DHS.382/6½E	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	8	—	C	
5210	DHS.382/3½G	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	1	—	—	
28D/1202771	A25/4G	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	3	—	C	
28M/1007403	A27/ET	Nut, ½" BSF	...	...	...	...	...	...	...	...	...	8	—	C	
2227	DHS.983/E	Nut, ½" BSF	...	...	...	...	...	...	...	...	...	37	—	C	
28M/1011470	A27/GT	Nut, ½" BSF	...	...	...	...	...	...	...	...	...	4	—	C	
28VV/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	2	—	C	
	10-20 WC 9897A	PLATE, web, inboard, Port, assembly										1	—	—	LA108
	10-20 WC 9898A	PLATE, web, inboard, Starboard, assembly										2	—	—	LA108
	10-20 WC 20357A	BRACKET, guide, Starboard side only, assembly										1	—	—	LA108
	10-20 WC 20359ND	BRACKET, bare, 24 SWG										1	S.84	LM	LA108
	10-20 WC 20345A	BRACKET, mounting, Port side only, assembly										1	—	—	LA108
	10-20 WC 20349ND	BLOCK, packing										1	LFS.21	LM	LA108
	10-20 WC 20347ND	BRACKET, bare, 20 SWG										1	L.72	LM	LA108
28M/9144673	AGS.2019/C/1	NUT, anchor, 2 BA										2	—	C	
	10-20 WC 10025A/ND	STIFFENER, outboard, Port, assembly										1	—	—	LA108
	10-20 WC 10026A/ND	STIFFENER, outboard, Starboard, assembly										1	—	—	LA108
		Attachments for 10-20 WC 10025A/ND or 10-20 WC 10026A/ND, Stiffener :—													
28D/15614	AS.4563/2E	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	15	—	C	
2227	DHS.983/E	Nut, ½" BSF	...	...	...	...	...	...	...	...	...	15	—	C	
	10-20 WC 9577A	STIFFENER, outboard, Port, assembly										1	—	—	LA108
	10-20 WC 9578A	STIFFENER, outboard, Starboard, assembly										1	—	—	LA108
		Attachments for 10-20 WC 9577A or 10-20 WC 9578A, Stiffener :—													
28D/15614	AS.4563/2E	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	17	—	C	
2227	DHS.983/E	Nut, ½" BSF	...	...	...	...	...	...	...	...	...	17	—	C	
	10-20 WC 6961	PLATE, web, outboard, Port (For spares use 10-20 WC 27145ND)										1	—	—	LA108
11963	10-20 WC 27145ND	PLATE, web, outboard, Port (Spares condition)										1	—	C	
	10-20 WC 6962	PLATE, web, outboard, Starboard (For spares use 10-20 WC 27146ND)										1	—	—	LA108
11964	10-20 WC 27146ND	PLATE, web, outboard, Starboard (Spares condition)										1	—	C	
		Attachments for 10-20 WC 6961 or 10-20 WC 6962, Plate :—													
28D/16586	A59/6G	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	4	—	C	
28D/16974	A59/8G	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	4	—	—	
3191	DHS.382/4G	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	4	—	C	
3774	DHS.382/4½G	Bolt, ½" BSF	...	...	...	...	...	...	...	...	...	16	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
3200	DHS.382/5½G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	4	—	C	
3197	DHS.382/6½G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	6	—	C	
8541	DHS.382/7J	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	8	—	C	
28M/1006939	A27/GP	Nut, ½"	BSF	...	...	...	...	...	...	...	...	8	—	C	
28M/1011470	A27/GT	Nut, ½"	BSF	...	...	...	...	...	...	...	...	4	—	C	
3190	DHS.983/G	Nut, ½"	BSF	...	...	...	...	...	...	...	...	26	—	C	
5208	DHS.983/J	Nut, ½"	BSF	...	...	...	...	...	...	...	...	8	—	C	
28W/9419475	SP.15/C	Washer	...	...	...	...	...	...	...	...	...	4	—	C	
	10-20 WC 6107	POST, fuselage attachment, aft, Port (For spares use 10-20 WC 26871ND)										1	—	—	LA108
11204	10-20 WC 26871ND	POST, fuselage attachment, aft, Port (Spares condition)										1	—	C	
	10-20 WC 6108	POST, fuselage attachment, aft, Starboard (For spares use 10-20 WC 26872ND)										1	—	—	LA108
11205	10-20 WC 26872ND	POST, fuselage attachment, aft, Starboard (Spares condition)										1	—	C	
	10-20 WC 6105	POST, fuselage attachment, forward, Port (For spares use 10-20 WC 26869ND)										1	—	—	LA108
11202	10-20 WC 26869ND	POST, fuselage attachment, forward, Port (Spares condition)										1	—	C	
	10-20 WC 6106	POST, fuselage attachment, forward, Starboard ... (For spares use 10-20 WC 26870ND)										1	—	—	LA108
11203	10-20 WC 26870ND	POST, fuselage attachment, forward, Starboard ... (Spares condition)										1	—	C	
		Attachments for 10-20 WC 6107, 10-20 WC 6108, 10-20 WC 6105 or 10-20 WC 6106, Post (per pair) :—													
28D/1008145	A25/6E	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	3	—	C	
28D/7002427	A25/6G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	4	—	C	
3594	DHS.382/6½E	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	6	—	C	
28M/1007403	A27/ET	Nut, ½"	BSF	...	...	...	...	...	...	...	...	9	—	C	
28M/1011470	A27/GT	Nut, ½"	BSF	...	...	...	...	...	...	...	...	4	—	C	
28W/9418921	SP.13/E	Washer	...	...	...	...	...	...	...	...	...	9	—	C	
28W/9419403	SP.13/G	Washer	...	...	...	...	...	...	...	...	...	4	—	C	
	10-20 WC 9033	RING, duct half, bottom (For spares use 10-20 WC 27141ND)										1	—	—	LA108
11966	10-20 WC 27141ND	RING, duct half, bottom (Spares condition) ...										1	—	C	
	10-20 WC 9031	RING, duct half, top (For spares use 10-20 WC 27143ND)										1	—	—	LA108
11965	10-20 WC 27143ND	RING, duct half, top (Spares condition) ...										1	—	C	
		Attachments for 10-20 WC 9033 or 10-20 WC 9031, Rings :—													
26DV/7543	DHS.382/7G	Bolt, ½"	BSF	...	...	...	...	...	...	...	...	33	—	C	
3190	DHS.983/G	Nut, ½"	BSF	...	...	...	...	...	...	...	...	33	—	C	

MAIN PLANES

WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
11268	10-20 WC 15209A	STIFFENER, outboard web plate, Port, assembly										1	—	—	LA108
	10-20 WC 15210A	STIFFENER, outboard web plate, Starboard, assembly										1	—	—	LA108
	DHS.828/C/1	NUT, anchor, 2 BA										2	—	C	
	10-20 WC 15211ND	STIFFENER, bare, Port, 22 SWG										1	L.72	LM	LA108
	10-20 WC 15212ND	STIFFENER, bare, Starboard, 22 SWG										1	L.72	LM	LA108
		Attachments for 10-20 WC 15209A or 10-20 WC 15210A, Stiffener :—													
28D/1011255	A25/3G	Bolt, $\frac{1}{8}$ " BSF										2	—	C	
28M/1006939	A27/GP	Nut, $\frac{1}{8}$ " BSF										2	—	C	
28W/—	SP.23/G	Washer										2	—	—	
	—	STRIP, sealing, group (Drg. No. 10-20 WC 21245)										1	—	—	LA108
		Spares for :—													
	10-20 WC 21273	ANGLE, mounting, Port (For spares use 10-20 WC 27791ND)										1	L.72	—	LA108
12419	10-20 WC 27791ND	ANGLE, mounting, Port (Spares condition)										1	—	C	
	10-20 WC 21274	ANGLE, mounting, Starboard (For spares use 10-20 WC 27792ND)										1	L.72	—	LA108
12420	10-20 WC 27792ND	ANGLE, mounting, Starboard (Spares condition)										1	—	C	
		Attachments for 10-20 WC 21273 or 10-20 WC 21274, Angle :—													
28D/1011242	A25/7E	Bolt, $\frac{1}{8}$ " BSF										2	—	C	
28M/1011475	A27/EP	Nut, $\frac{1}{8}$ " BSF										2	—	C	
28W/9419405	SP.15/E	Washer										2	—	C	
	10-20 WC 24631A/1	SPAR, front, between ribs Nos. 2 and 4, Port, assembly (Mod. 2) (For spares use 10-20 WC 31827A/ND)										1	—	—	LA109
16658	10-20 WC 31827A/ND	SPAR, bottom, between ribs Nos. 2 and 4, Port, assembly (Mods. 2 and 975) (Spares condition)										1	—	P	
	10-20 WC 24032A/1	SPAR, front, between ribs Nos. 2 and 4, Starboard assembly (For spares use 10-20 WC 31826A/ND)										1	—	—	LA109
16662	10-20 WC 31826A/ND	SPAR, front, between ribs Nos. 2 and 4, Starboard, assembly (Mod. 975) (Spares condition)										1	—	P	
		Spares for :—													
	10 WC 4448	ANGLE, attachment, nose rib 3A post, Starboard, 20 SWG										1	DTD.546	LM	LA109
	10-20 WC 25139	ANGLE, attachment, bottom, nose rib No. 3C, Port (Mod. 2)										1	L.72	LM	LA109
	10-20 WC 25140	ANGLE, attachment, top, nose rib No. 3C, Port (Mod. 2)										1	L.72	LM	LA109

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 24125	BRACKET , adapter, Starboard, 18 SWG										1	L.72	LM	LA109
		Attachments for 10-20 WC 12805 or 10-20 WC 24125, Bracket :—													
15166	DHS.1001/2E	Bolt, $\frac{1}{2}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
2227	DHS.983/E	Nut, $\frac{1}{2}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
26DL/5611	DHS.402/E	Seal, bonded	...	...	...	...	...	...	...	...	...	2	—	C	
	10-20 WC 24769A	BRACKET , cable duct, assembly, Port										2	—	—	LA109
		Starboard										3	—	—	
	10-20 WC 24807ND	BRACKET , bare, 18 SWG										1	L.72	LM	LA109
28M/9434251	AGS.2008/B/1	NUT, anchor, 4 BA	...	...	...	...	...	...	...	...	...	2	—	C	
		Attachments for 10-20 WC 24769A, Bracket :—													
15527	DHS.1001/3½E	Bolt, $\frac{1}{2}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
2227	DHS.983/E	Nut, $\frac{1}{2}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
26DL/5611	DHS.402/E	Seal, bonded	...	...	...	...	...	...	...	...	...	2	—	C	
	10-20 WC 24771A	BRACKET , cable duct, Port, assembly										2	—	—	LA109
	10-20 WC 24772A	BRACKET , cable duct, Starboard, assembly										2	—	—	LA109
	10-20 WC 24809ND	BRACKET , bare, Port, 16 SWG										1	L.72	LM	LA109
	10-20 WC 24810ND	BRACKET , bare, Starboard, 16 SWG										1	L.72	LM	LA109
	10-20 WC 16769ND	BRACKET , clamp block, 18 SWG										1	L.72	LM	LA109
28M/9434251	AGS.2008/B/1	NUT, anchor, 4 BA	...	...	...	...	...	...	...	...	...	1	—	C	
28M/9435067	AGS.2008/C/1	NUT, anchor, 2 BA	...	...	...	...	...	...	...	...	...	2	—	C	
		Attachments for 10-20 WC 24771A or 10-20 WC 24772A, Bracket :—													
15166	DHS.1001/2E	Bolt, $\frac{1}{2}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
2227	DHS.983/E	Nut, $\frac{1}{2}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
26DL/5611	DHS.402/E	Seal, bonded	...	...	...	...	...	...	...	...	...	2	—	C	
	10 WC 9929A	BRACKET , cable, duct, Port, assembly										1	—	—	LA109
	10 WC 9931ND	BRACKET , bare, 18 SWG										1	L.72	LM	LA109
28M/9434251	AGS.2008/B/1	NUT, anchor, 4 BA	...	...	...	...	...	...	...	...	...	1	—	C	
	10-20 WC 29879A	BRACKET , cable, duct, Port, assembly (Mod. 655)										1	—	—	LA109
	10-20 WC 29881ND	BRACKET , bare, 18 SWG										1	L.72	LM	LA109
28M/9434251	AGS.2008/B/1	NUT, anchor, 4 BA	...	...	...	...	...	...	...	...	...	1	—	C	
		Attachments for 10 WC 9929A or 10-20 WC 29879A, Bracket :—													
15527	DHS.1001/3½E	Bolt, $\frac{1}{2}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
2227	DHS.983/E	Nut, $\frac{1}{2}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
26DL/5611	DHS.402/E	Seal, bonded	...	...	...	...	...	...	...	...	...	2	—	C	
	10-20 WC 17020A	BRACKET , clamp block, Starboard, assembly										1	—	—	LA109
	10-20 WC 17022ND	BRACKET , bare, 18 SWG										1	L.72	LM	LA109
28M/13774	AGS.2019/B/1	NUT, anchor, 4 BA	...	...	...	...	...	...	...	...	...	1	—	C	
28M/9144673	AGS.2019/C/1	NUT, anchor, 2 BA	...	...	...	...	...	...	...	...	...	1	—	C	
		Attachments for 10-20 WC 17020A, Bracket :—													
15526	DHS.1001/2½E	Bolt, $\frac{1}{2}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
2227	DHS.983/E	Nut, $\frac{1}{2}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
26DL/5611	DHS.402/E	Seal, bonded	...	...	...	...	...	...	...	...	...	2	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.	
		1	2	3	4	5	6	7	8	9	10					
28M/9144673	10-20 WC 31381A	BRACKET, clamp block, on front spar, inboard of nose rib No. 3B, Port, assembly (Mod. 2)										1	—	—	LA109	
	10-20 WC 31383ND	BRACKET, bare, 18 SWG ...										1	L.72	LM	LA109	
	AGS.2019/C/1	NUT, anchor, 2 BA ...										2	—	C		
	15526	DHS.1001/2½E	Attachments for 10-20 WC 31381A, Bracket :—										2	—	C	
	2227	DHS.983/E	Bolt, ½" BSF ...										2	—	C	
	26DL/5611	DHS.402/E	Nut, ½" BSF ...										2	—	C	
			Seal, bonded ...										2	—	C	
	10-20 WC 25011A	BRACKET, clamp block, on front spar, outboard of nose rib No. 3C, Port, assembly (Mod. 2)										1	—	—	LA109	
	10-20 WC 25009ND	BRACKET, bare, 18 SWG ...										1	L.72	LM	LA109	
	AGS.2019/C/1	NUT, anchor, 2 BA ...										2	—	C		
28M/9435067	10-20 WC 16917A	BRACKET, mounting, earth terminal, on lower boom, Port, assembly										1	—	—	LA109	
	10-20 WC 16918A	BRACKET, mounting, earth terminal, on lower boom, Starboard, assembly										1	—	—	LA109	
	10-20 WC 16919ND	BRACKET, bare, Port, 16 SWG ...										1	L.72	LM	LA109	
	10-20 WC 16920ND	BRACKET, bare, Starboard, 16 SWG ...										1	L.72	LM	LA109	
	AGS.2008/C/1	NUT, anchor, 2 BA ...										1	—	C		
	28M/13774	AGS.2019/B/1	NUT, anchor, 4 BA ...										1	—	C	
	28M/9144673	AGS.2019/C/1	NUT, anchor, 2 BA ...										1	—	C	
			Attachments for 10-20 WC 16917A or 10-20 WC 16918A, Bracket :—													
	15526	DHS.1001/2½E	Bolt, ½" BSF ...										2	—	C	
	2227	DHS.983/E	Nut, ½" BSF ...										2	—	C	
26DL/5611	DHS.402/E	Seal, bonded ...										2	—	C		
28M/9453966	10-20 WC 10547A	BRACKET, support, on stringer outboard of nose rib No. 2, assembly										1	—	—	LA109	
	10-20 WC 10549ND	BRACKET, bare, 20 SWG ...										1	L.72	LM	LA109	
	AGS.2008/C/3	NUT, anchor, 2 BA ...										1	—	C		
	10-20 WC 30991A	BRACKET, support, on stringer inboard of nose rib, No. 3B, assembly (Mod. 916)										1	—	—	LA109	
	10-20 WC 30993ND	BRACKET, bare, 18 SWG ...										1	L.72	LM	LA109	
	AGS.2018/C/1	NUT, anchor, 2 BA ...										4	—	C		
	10-20 WC 3775A	PLATE, anchor nut, assembly										1	—	—	LA109	
	DHS.869/E	NUT, anchor, ½" BSF ...										1	—	C		
	AGS.2009/C/3	NUT, anchor, 2 BA ...										7	—	C		
	10-20 WE 3773ND	PLATE, bare, 16 SWG ...										1	L.72	LM	LA109	
28M/10226	10-20 WC 26960A	POST, nose, rib, No. 3A, Starboard, assembly										1	—	—	LA109	
	10-20 WC 6953	POST, rib No. 3A, Port										1	DTD.363	—	LA109	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 6954	POST , rib No. 3A, Starboard										1	DTD.363	—	LA109
		Attachments for 10-20 WC 26960A, 10-20 WC 6953 or 10-20 WC 6954, Post :—													
15527	DHS.1001/3½E	Bolt, ½" BSF										7	—	C	
15528	DHS.1001/4½E	Bolt, ½" BSF										2	—	C	
2227	DHS.983/E	Nut, ½" BSF										9	—	C	
26DL/5611	DHS.402/E	Seal, bonded										9	—	C	
2359	DHS.388/E	Washer, sealing										9	—	C	
26DL/15363	DHS.725/E/16	Washer, support, 16 SWG										2	—	C	
16193	10-20 WC 31239	STUD , lower (Mod. 975)										1	—	C	LA109
16192	10-20 WC 31237	STUD , upper (Mod. 975)										1	—	C	LA109
		Attachments for 10-20 WC 31239 or 10-20 WC 31237, Stud :—													
8384	DHS.984/E	Nut, ½" BSF										1	—	C	
26DL/5611	DHS.402/E	Seal, bonded										1	—	C	
28W/9419405	SP.15/E	Washer										1	—	C	
		Attachments for 10-20 WC 24031A/1, 10-20 WC 24032A/1 or 10-20 WC 24631A/1, Spar :—													
		(at rib No. 4) :—													
28D/1011254	A25/2G	Bolt, ½" BSF										5	—	C	
28D/1202771	A25/4G	Bolt, ½" BSF										1	—	C	
28M/1011470	A27/GT	Nut, ½" BSF										6	—	C	
		(at bottom boom) :—													
15526	DHS.1001/2½E	Bolt, ½" BSF Port										61	—	C	
		Starboard										60	—	C	
15006	DHS.1001/3E	Bolt, ½" BSF Port										15	—	C	
		Starboard										14	—	C	
26DL/16015	DHS.1093/2½E	Bolt, ½" BSF										1	—	C	
2227	DHS.983/E	Nut, ½" BSF Port										77	—	C	
		Starboard										74	—	C	
26DL/5611	DHS.402/E	Seal, bonded Port										77	—	C	
		Starboard										74	—	C	
	—	SPAR , joint assembly, rear, to rib No. 1, Port and Starboard, group (Drg. No. 10-20 WC 10377)										2	—	—	LA93
	10-20 WC 17339	BRACKET , joint, rear spar to rib No. 1, upper, L.H. (For spares use 10-20 WC 26581ND)										1	L.65	—	LA93
11090	10-20 WC 26581ND	BRACKET , joint, rear spar to rib No. 1, upper, L.H. (Spares condition)										1	—	C	
	10-20 WC 17340	BRACKET , joint, rear spar to rib No. 1, upper, R.H. (For spares use 10-20 WC 26582ND)										1	L.65	—	LA93
11091	10-20 WC 26582ND	BRACKET , joint, rear spar to rib No. 1, upper, R.H. (Spares condition)										1	—	C	
		Attachments for 10-20 WC 17339 or 10-20 WC 17340, Bracket :—													
3240	DHS.382/2E	Bolt, ½" BSF										2	—	C	
2724	DHS.365/2½E	Bolt, ½" BSF										3	—	C	
3198	DHS.382/3½E	Bolt, ½" BSF										2	—	C	
3413	DHS.365/3½E	Bolt, ½" BSF										2	—	C	
2474	DHS.382/4E	Bolt, ½" BSF										2	—	C	
1793	DHS.365/5E	Bolt, ½" BSF										2	—	C	
1794	DHS.365/6E	Bolt, ½" BSF										3	—	C	
6358	DHS.365/16E	Bolt, ½" BSF										3	—	C	
28M/1011475	A27/EP	Nut, ½" BSF										13	—	C	
2227	DHS.983/E	Nut, ½" BSF										6	—	C	
28W/9419405	SP.15/E	Washer										13	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 15291A	BRACKET, jury undercarriage strut pick-up, lower, L.H., assembly (For spares use 10-20 WC 27319A/ND)										1	—	—	LA93
12003	10-20 WC 27319A/ND	BRACKET, jury undercarriage strut pick-up, lower, L.H., assembly (Spares condition)										1	—	P	
	10-20 WC 15292A	BRACKET, jury undercarriage strut pick-up, lower, R.H., assembly (For spares use 10-20 WC 27320A/ND)										1	—	—	LA93
12004	10-20 WC 27320A/ND	BRACKET, jury undercarriage strut pick-up, lower, R.H., assembly (Spares condition)										1	—	P	
	10-20 WC 15289A	BRACKET, wing fold jury strut pick-up, upper, L.H., assembly (For spares use 10-20 WC 27317A/ND)										1	—	—	LA93
12001	10-20 WC 27317A/ND	BRACKET, wing fold jury strut pick-up, upper, L.H., assembly (Spares condition)										1	—	P	
	10-20 WC 15290A	BRACKET, wing fold jury strut pick-up, upper, R.H., assembly (For spares use 10-20 WC 27318A/ND)										1	—	—	LA93
12002	10-20 WC 27318A/ND	BRACKET, wing fold jury strut pick-up, upper, R.H., assembly (Spares condition)										1	—	P	
	10-20 WC 10909	PLUG (For spares use 10-20 WC 26953ND)										1	S.96	—	LA93
11221	10-20 WC 26953ND	PLUG (Spares condition)										1	S.96	C	
		Attachments for 10-20 WC 10909, Plug :—													
28D/16678	A59/12C	Bolt, 2 BA										1	—	C	
28M/1010996	A24/CP	Nut, 2 BA										1	—	C	
28M/13272	A24/GP	Nut, 1/2" BSF										1	—	C	
		Attachments for 10-20 WC 15291A, 10-20 WC 15292A, 10-20 WC 15289A or 10-20 WC 15290A, Bracket :—													
28D/1011238	A25/3E	Bolt, 1/2" BSF										6	—	C	
1793	DHS.365/5E	Bolt, 1/2" BSF										2	—	C	
3191	DHS.382/4G	Bolt, 1/2" BSF										2	—	C	
3194	DHS.382/5G	Bolt, 1/2" BSF										2	—	C	
28M/12928	A27/EP	Nut, 1/2" BSF										8	—	C	
3190	DHS.983/G	Nut, 1/2" BSF										4	—	C	
	10-20 WC 23295	PLATE, joint, rear spar to rib No. 1, lower, Port										1	DTD.746	—	LA93
	10-20 WC 23296	PLATE, joint, rear spar to rib No. 1, lower, Starboard										1	DTD.746	—	LA93
		Attachments for 10-20 WC 23295 or 10-20 WC 23296, Plate :—													
3240	DHS.382/2E	Bolt, 1/2" BSF										2	—	C	
2724	DHS.365/2 1/2 E	Bolt, 1/2" BSF										2	—	C	
3198	DHS.382/3 1/2 E	Bolt, 1/2" BSF										2	—	C	
2474	DHS.382/4E	Bolt, 1/2" BSF										2	—	C	
1794	DHS.365/6E	Bolt, 1/2" BSF										2	—	C	
5422	DHS.365/7 1/2 E	Bolt, 1/2" BSF										2	—	C	
1795	DHS.365/8E	Bolt, 1/2" BSF										7	—	C	
28M/12928	A27/EP	Nut, 1/2" BSF										13	—	C	
2227	DHS.983/E	Nut, 1/2" BSF										6	—	C	
16209	10-20 WC 28837	Packing, taper, bottom inner, L.H.										1	L.64	C	LA93
16212	10-20 WC 28838	Packing, taper, bottom inner, R.H.										1	L.64	C	LA93
16210	10-20 WC 28839	Packing, taper, bottom inner, L.H.										1	L.64	C	LA93
16213	10-20 WC 28840	Packing, taper, bottom inner, R.H.										1	L.64	C	LA93
16211	10-20 WC 28841	Packing, taper, bottom inner, L.H.										1	L.64	C	LA93
16214	10-20 WC 28842	Packing, taper, bottom inner, R.H.										1	L.64	C	LA93
28W/9419405	SP.15/E	Washer										15	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Score or L.M.	Place No.
		1 2 3 4 5 6 7 8 9 10				
	—	SPAR , main, between ribs 0 and 4, Port, group (Drg. No. 10-20 WC 6143)	1	—	—	LA113
	—	SPAR , main, between ribs 0 and 4, Starboard, group (Drg. No. 10-20 WC 6143)	1	—	—	LA113
2355	DHS.365/10½G	BOLT , ½" BSF, at joint at rib 2	8	S.96	C	
26FC/11711	DHS.365/6G	BOLT , ½" BSF, at joint at rib 2	2	S.96	C	
28D/12128	AS.1242/4G	BOLT , ½" BSF, at joint at rib 2	2	—	C	
28D/12051	AS.1248/3G	BOLT , ½" BSF, at joint at rib 2	13	—	C	
28D/12688	AS.1248/5G	BOLT , ½" BSF, at joint at rib 2	2	—	C	
	10-20 WC 28531	BRACKET , cable clip, at joint at rib 2, Starboard side only, 18 SWG	1	L.72	LM	LA113
	10-20 WC 23313A	BRACKET , terminal block mounting, at joint at rib 2, Port, assembly	1	—	—	LA113
	10-20 WC 23317A	BRACKET , terminal block mounting, at joint at rib 2, Starboard, assembly	1	—	—	LA113
	10-20 WC 23357ND	BRACKET , bare, Port, 18 SWG	1	L.72	LM	LA113
	10-20 WC 23359ND	BRACKET , bare, Starboard, 18 SWG	1	L.72	LM	LA113
28M/12421	AGS.2018/C/1	NUT , anchor, 2 BA	2	—	C	
28M/1011470	A27/GT	NUT , ½" BSF, at joint at rib 2	27	—	C	
	—	PICK-UP , sling, at joint at rib 2, port, group ...	1	—	—	
	—	PICK-UP , sling, at joint at rib 2, Starboard, group	1	—	—	
	10-20 WC 5617	PICK-UP , sling, Port (For spares use 10-20 WC 27745ND)	1	DHA.77	—	LA113
12969	10-20 WC 27745ND	PICK-UP , sling, Port (Spares condition) ...	1	DHA.77	P	
	10-20 WC 5618	PICK-UP , sling, Starboard (For spares use 10-20 WC 27746ND)	1	DHA.77	—	LA113
12970	10-20 WC 27746ND	PICK-UP , sling, Starboard (Spares condition) ...	1	DHA.77	P	
		Attachments for 10-20 WC 5617 or 10-20 WC 5618, Pick-ups :—				
28D/16975	A59/9G	Bolt , ½" BSF	6	—	C	
3195	DHS.365/5G	Bolt , ½" BSF	1	S.96	C	
4382	DHS.365/5½GG	Bolt , ½" BSF, 5 off Port, 3 off Starboard ...	5	S.96	C	
26FC/11711	DHS.365/6G	Bolt , ½" BSF	1	S.96	C	
4563	DHS.365/7½G	Bolt , ½" BSF	2	S.96	C	
7891	DHS.365/8½G	Bolt , ½" BSF	1	S.96	C	
2254	DHS.365/9G	Bolt , ½" BSF	1	S.96	C	
5175	DHS.365/10G	Bolt , ½" BSF	1	S.96	C	
2355	DHS.365/10½G	Bolt , ½" BSF	1	S.96	C	
3194	DHS.382/5G	Bolt , ½" BSF, 18 off Port, 16 off Starboard ...	18	S.96	C	
3200	DHS.382/5½G	Bolt , ½" BSF, 2 off Port, 2 off Starboard ...	2	S.96	C	
3218	DHS.382/7½G	Bolt , ½" BSF	4	S.96	C	
2220	DHS.383/G	Nut , ½" BSF, 19 off Port, 21 off Starboard ...	19	DTD.423	C	
28M/1006939	A27/GP	Nut , ½" BSF	15	—	C	
28M/1011470	A27/GT	Nut , ½" BSF, 6 off Port, 4 off Starboard ...	6	—	C	
	10-20 WC 22049ND	Packing , 8 SWG	1	L.72	LM	LA113
28VV/9419455	SP.10/G	Washer	1	—	C	
28VV/9419476	SP.15/G	Washer , 2 off Port, 8 off Starboard ...	10	—	C	
28VV/9419488	SP.16/G		8	—	C	
9806	10-20 WC 25615	PLUG	1	L.65	C	LA113
10677	10-20 U 1749	PIVOT , inboard hook, door lock operating mechanism, at joint at rib 2	1	S.96	C	LA113
		Attachments for 10-20 U 1749, Pivot :—				
28M/13410	A27/NT	Nut , ½" BSF	1	—	C	
28VV/9419479	SP.15/N	Washer	1	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Place No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 29527A 10-20 WC 29528A	POST , arch, at joint at rib No. 2, Port, assembly POST , arch, at joint at rib No. 2, Starboard, assembly Attachments for 10-20 WC 29527A or 10-20 WC 29528A, Post:—	1 1	— —	— —	LA113 LA113
28D/1011030	A25/2E	Bolt, $\frac{1}{4}$ " BSF	4	—	C	
28D/1011238	A25/3E	Bolt, $\frac{1}{4}$ " BSF	1	—	C	
28D/1011247	A25/13E	Bolt, $\frac{1}{4}$ " BSF	1	—	C	
28M/12931	A27/ET	Nut, $\frac{1}{4}$ " BSF	6	—	C	
28W/9419405	SP.15/E	Washer	4	—	C	
28W/9419487	SP.16/E	Washer	2	—	C	
	10-20 WC 10551	POST , kink, and bearing bracket, at joint at rib No. 2, Port	1	L.65	—	LA113
	10-20 WC 10552	POST , kink, and bearing bracket, at joint at rib No. 2, Starboard Attachments for 10-20 WC 10551 or 10-20 WC 10552, Post:—	1	L.65	—	LA113
3411	A25/1C/DHS.514/D	Bolt, 2 BA	2	—	C	
28D/15245	A59/7E	Bolt, $\frac{1}{4}$ " BSF	7	—	C	
28D/15246	A59/8E	Bolt, $\frac{1}{4}$ " BSF	2	—	C	
28D/16165	A59/14E	Bolt, $\frac{1}{4}$ " BSF	1	—	C	
28D/17210	A59/19E	Bolt, $\frac{1}{4}$ " BSF	1	—	C	
28D/9998814	A59/18G	Bolt, $\frac{5}{16}$ " BSF	1	—	C	
28D/9435051	A59/19G	Bolt, $\frac{5}{16}$ " BSF	1	—	C	
7887	DHS.358/12E	Bolt, $\frac{3}{8}$ " BSF	2	—	C	
5960	DHS.365/17 $\frac{1}{2}$ G	Bolt, $\frac{5}{8}$ " BSF	4	—	C	
12852	DHS.365/16 $\frac{1}{2}$ J	Bolt, $\frac{3}{8}$ " BSF	2	—	C	
7639	DHS.492/11 $\frac{1}{2}$ G	Bolt, $\frac{5}{16}$ " BSF	4	—	C	
2202	DHS.492/13G	Bolt, $\frac{5}{16}$ " BSF	4	—	C	
3016	DHS.492/14 $\frac{1}{2}$ G	Bolt, $\frac{5}{16}$ " BSF	3	—	C	
3012	DHS.492/15G	Bolt, $\frac{5}{16}$ " BSF	2	—	C	
28M/1011470	A27/GT	Nut, $\frac{5}{16}$ " BSF	17	—	C	
28M/12931	A27/ET	Nut, $\frac{1}{4}$ " BSF	2	—	C	
3236	DHS.422/E	Nut, capped, $\frac{1}{4}$ " BSF	9	—	C	
	10-20 WC 22047ND	Packing, 6 SWG	1	L.72	LM	LA113
26DL/5611	DHS.402/E	Seal, bonded	11	—	C	
2259	DHS.402/G	Seal, bonded	2	—	C	
28W/9419405	SP.15/E	Washer	2	—	C	
28W/9419476	SP.15/G	Washer	17	—	C	
4383	DHS.783/13/26	Washer	QR	—	C	
	10-20 WC 25169ND	SHIM , at joint at rib No. 2, lower	1	LB.2	—	LA113
	10-20 WC 22577ND	SHIM , at joint at rib No. 2, upper	1	LB.2	—	LA113
	10-20 WC 15381A/ND	SPAR , main, between ribs Nos. 0 and 2, drilled at joint, Port, assembly	1	—	—	LA110

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 15382A/ND	SPAR, main, between ribs Nos. 0 and 2, drilled at joint, Starboard, assembly	1	—	—	LA110
	10-20 WC 6569A	SPAR, main, between ribs Nos. 0 and 2, undrilled, Port, assembly	1	—	—	LA110
	10-20 WC 6570A	SPAR, main, between ribs Nos. 0 and 2, undrilled, Starboard, assembly	1	—	—	LA110
		Spares for:—				
	10-20 WC 20155	BLOCK, rubbing, on web stringer between ribs Nos. 1 and 2, Port	1	LFS.23	LM	LA110
	10-20 WC 18129	BLOCK, rubbing, on web stringer between ribs Nos. 1 and 2, Starboard	1	LFS.23	LM	LA110
		Attachments for 10-20 WC 20155 or 10-20 WC 18129, Block (per pair):—				
28D/1008149	A25/2B	Bolt, 4 BA	3	—	C	
28D/9419452	A25/3B	Bolt, 4 BA	4	—	C	
28D/9140638	A25/4B	Bolt, 4 BA	1	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	1	—	C	
28M/12619	A24/BT	Nut, 4 BA	3	—	C	
28W/9419401	SP.10/B	Washer	3	—	C	
28W/9419474	SP.15/B	Washer	1	—	C	
7640	10-20 WC 20099	BOLT, captive, voltage regulator mounting	3	S.1	C	LA110
	10-20 WC 10313	BOLT, socket	3	S.96	—	LA110
	10-20 WC 24693	BOLT, socket	1	S.96	—	LA110
		Attachments for 10-20 WC 10313 and 10-20 WC 24693, Bolt (per set):—				
28M/12931	A27/ET	Nut, 1/2" BSF	4	—	C	
28W/9419405	SP.15/E	Washer	2	—	C	
28W/9419487	SP.16/E	Washer	2	—	C	
	10-20 WC 23911A	BRACKET, amplifier mounting, on aft inboard face, Port only, assembly	1	—	—	LA110
	10-20 N 6129A	BRACKET, cable duct support, on aft inboard face, Port only, assembly	1	—	—	LA110
28M/9434253	10-20 N 6131ND	BRACKET, bare, 22 SWG	1	L.72	LM	LA110
	AGS.2007/B/1	NUT, anchor, 4 BA	1	—	C	
	10-20 N 6133ND	PAD, seating, 18 SWG	1	L.72	LM	LA110
	10-20 WC 20989A	BRACKET, clamp block attachment, on aft inboard lower face, Port only, assembly	1	—	—	LA110
28M/9144673	10-20 WC 20987ND	BRACKET, bare, 22 SWG	1	L.72	LM	LA110
	AGS.2019/C/1	NUT, anchor, 2 BA	2	—	C	
	10-20 WC 21837A	BRACKET, clamp block attachment, on aft inboard lower face, Port only, assembly	1	—	—	LA110
28M/9144673	10-20 WC 21835ND	BRACKET, bare, 22 SWG	1	L.72	LM	LA110
	AGS.2019/C/1	NUT, anchor, 2 BA	3	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
28M/9144673	10-20 WC 20997A	BRACKET, clamp block attachment on aft inboard lower face, Starboard only, assembly										1	—	—	LA110
	10-20 WC 20995ND	CHANNEL, bare, 22 SWG										1	L.72	LM	LA110
	AGS.2019/C/1	NUT, anchor, 2 BA										2	—	C	—
	10-20 WC 13777A	BRACKET, clip attachment on top outboard duct ring web, assembly										1	—	—	LA110
28M/9435067	10-20 WC 13779ND	BRACKET, bare, 20 SWG										1	L.72	LM	LA110
	AGS.2008/C/1	NUT, anchor, 2 BA										1	—	C	—
	10-20 WC 28533	BRACKET, clip attachment, on web stringer bottom end fitting, between ribs 1 and 2, Starboard only, 18 SWG										1	L.72	—	LA110
28M/9434253	10-20 WC 23931A	BRACKET, conduit attachment, on web stringer top end fitting, between ribs 1 and 2, Port, assembly										1	—	—	LA110
	10-20 WC 23932A	BRACKET, conduit attachment, on web stringer top end fitting, between ribs 1 and 2, Starboard, assembly										1	—	—	LA110
	10-20 WC 23929ND	BRACKET, bare, Port, 18 SWG										1	L.72	LM	LA110
	10-20 WC 23930ND	BRACKET, bare, Starboard, 18 SWG										1	L.72	LM	LA110
	AGS.2007/B/1	NUT, anchor, 4 BA										1	—	C	—
	10-20 WC 21889A	BRACKET, delay switch mounting, on aft inboard face, Port, assembly										1	—	—	LA110
	10-20 WC 21890A	BRACKET, delay switch mounting, on aft inboard face, Starboard, assembly										1	—	—	LA110
	10-20 WC 21897A/ND	ANGLE, inboard, Port, assembly										1	—	—	LA110
	10-20 WC 21898A/ND	ANGLE, inboard, Starboard, assembly										1	—	—	LA110
	10-20 WC 21893ND	ANGLE, bare, Port, 20 SWG										1	L.72	LM	LA110
28M/9435067	10-20 WC 21894ND	ANGLE, bare, Starboard, 20 SWG										1	L.72	LM	LA110
	AGS.2008/C/1	NUT, anchor, 2 BA										2	—	C	—
	10-20 WC 21899A/ND	ANGLE, outboard, Port, assembly										1	—	—	LA110
	10-20 WC 21900A/ND	ANGLE, outboard, Starboard, assembly										1	—	—	LA110
	10-20 WC 21895ND	ANGLE, bare, Port, 20 SWG										1	L.72	LM	LA110
	10-20 WC 21896ND	ANGLE, bare, Starboard, 20 SWG										1	L.72	LM	LA110

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
28M/9435067	AGS.2008/C/1	NUT , anchor, 2 BA										2	—	C	
	10-20 WC 21891ND	BRACKET , Port, 20 SWG										1	L.72	LM	LA110
	10-20 WC 21892ND	BRACKET , Starboard, 20 SWG... ..										1	L.72	LM	LA110
		Attachments for 10-20 WC 21891ND or 10-20 WC 21892ND, Bracket :—													
3411	A25/1C/DHS.514/D	Bolt, 2 BA (Alternative S.21/A25/1C)										4	—	C	
28W/9419475	SP.15/C	Washer										4	—	C	
	10-20 WC 20985A	BRACKET , hydraulic 4-way junction support, Starboard only, assembly										1	—	—	LA110
8106	10-20 WC 23323ND	BRACKET , bare, 20 SWG										1	—	C	LA110
28M/9144673	AGS.2019/C/1	NUT , anchor, 2 BA										2	—	C	
	10-20 WC 23953A	BRACKET , pressure maintaining valve mounting, Starboard only, assembly										1	—	—	LA110
	10-20 WC 23951ND	BRACKET , bare, 22 SWG										1	L.72	LM	LA110
28M/9144673	AGS.2019/C/1	NUT , anchor, 2 BA										4	—	C	
	10-20 WC 9841	POST , spar, at rib 0, Port										1	DHA.380	—	LA110
	10-20 WC 9842	POST , spar, at rib 0, Starboard										1	DHA.380	—	LA110
		Attachments for 10-20 WC 9841 or 10-20 WC 9842, Posts :—													
28D/1213065	AS.4566/4E	Bolt, 1/2" BSF										33	—	C	
2227	DHS.983/E	Nut, 1/2" BSF										33	—	C	
	10-20 WC 29541	STUD , locating, voltage regulator mounting ... (Make from Part No. 10-20 WC 20099, Ref. No. 26FY/7640)										1	S.1	LM	LA110
	10-20 WC 15383A/ND	SPAR , main, between ribs 2 and 4, drilled at joint, Port, assembly										1	—	—	LA111
	10-20 WC 15384A/ND	SPAR , main, between ribs 2 and 4, drilled at joint, Starboard, assembly										1	—	—	LA111
	10-20 WC 10235A/1	SPAR , main, between ribs 2 and 4, undrilled, Port, assembly										1	—	—	LA111
	10-20 WC 10236A/1	SPAR , main, between ribs 2 and 4, undrilled, Starboard, assembly										1	—	—	LA111
		Spares for :—													
	10-20 WC 10267	ANGLE , rib 3A, attachment, Port										1	DTD.363	—	LA111
	10-20 WC 10268	ANGLE , rib 3A, attachment, Starboard										1	DTD.363	—	LA111
		Attachments for 10-20 WC 10267 or 10-20 WC 10268, Angle :—													
1663	DHS.201/3E	Bolt, 1/2" BSF										10	—	C	
26DL/7134	DHS.201/10E	Bolt, 1/2" BSF										1	—	C	
26DV/7307	DHS.201/5G	Bolt, 3/8" BSF										2	—	C	
2356	DHS.383/E	Nut, 1/2" BSF										11	—	C	
2220	DHS.383/G	Nut, 3/8" BSF										2	—	C	
26DL/5611	DHS.402/E	Seal, bonded										11	—	C	
2259	DHS.402/G	Seal, bonded										4	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 24727											1	DTD.363	—	LA112
15652	10-20 WC 30515ND											1	—	P	
	10-20 WC 24728											1	DTD.363	—	LA112
15653	10-20 WC 30516ND											1	—	P	
11928	DHS.1082/3E											4	—	C	
26DV/7302	DHS.201/3E											14	—	C	
1663	DHS.201/3½E											1	—	C	
26DL/7107	DHS.201/3G											20	—	C	
26DV/7307	DHS.201/5G											1	—	C	
26DL/7121	DHS.201/6G											2	—	C	
26DL/7108	DHS.201/3J											3	—	C	
26DL/7113	DHS.201/4J											6	—	C	
2356	DHS.383/E											18	—	C	
2220	DHS.383/G											23	—	C	
2216	DHS.383/J											9	—	C	
26DL/5611	DHS.402/E											18	—	C	
2259	DHS.402/G											26	—	C	
5183	DHS.402/J											9	—	C	
	10-20 WC 24729											1	DTD.363	—	LA112
	10-20 WC 24730											1	DTD.363	—	LA111
26DL/7107	DHS.201/3G											31	—	C	
26DV/7306	DHS.201/4G											4	—	C	
26DL/7108	DHS.201/3J											3	—	C	
26DL/7113	DHS.201/4J											6	—	C	
2220	DHS.383/G											35	—	C	
2216	DHS.383/J											9	—	C	
2259	DHS.402/G											35	—	C	
5183	DHS.402/J											9	—	C	
	10-20 P 403A											1	—	—	LA111
	10-20 P 404A											1	—	—	LA111
	10-20 P 2881ND											1	L.72	LM	LA111
	10-20 P 2882ND											1	L.72	LM	LA111
28M/12050	AGS.2007/C/3											2	—	C	
7630	10-20 WC 16405											1	—	C	LA111
7631	10-20 WC 16406											1	—	C	LA111
26DL/7308	DHS.201/7G											2	—	C	
2220	DHS.383/G											2	—	C	
2259	DHS.402/G											2	—	C	
	10-20 WC 41501A											1	—	—	LA111

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
19533	10-20 WC 41505A/ND	BRACKET, torque tube bearing, front under-carriage door lock, Port, assembly (Spares condition)										1	—	P	LA111
	10-20 WC 41502A	BRACKET, torque tube bearing, front under-carriage door lock, Starboard, assembly (For spares use 10-20 WC 41506A/ND) (Mod. 1350)										1	—	—	
19534	10-20 WC 41506A/ND	BRACKET, torque tube bearing, front under-carriage door lock, Starboard, assembly (Spares condition) Spares for :—										1	—	P	LA111
2A/9500441	—	BEARING, ball										1	—	C	
28N/2001691	AGS.2030/23	CIRCLIP Attachments for 10-20 WC 41501A or 10-20 WC 41502A, Bracket :—										1	—	C	
26DL/7134	DHS.201/10E	Bolt, 1/2" BSF										1	—	C	LA112
7626	DHS.901/9G	Bolt, 3/8" BSF										2	—	C	
2356	DHS.383/E	Nut, 1/2" BSF										1	—	C	
26DL/5611	DHS.402/E	Seal, bonded										1	—	C	
2259	DHS.402/C	Seal, bonded										4	—	C	
	10-20 WC 10247A	COVER, manhole, Port, assembly										1	—	—	LA112
	10-20 WC 10248A	COVER, manhole, Starboard, assembly Spares for :—										1	—	—	LA112
	10-20 WC 41559A/ND	COVER, main, assembly, Port (For spares use 10-20 WC 41587A/ND)										1	—	—	LA112
19882	10-20 WC 41587A/ND	COVER, main, assembly, Port (Spares condition) (Mod. 1458)										1	—	P	
	10-20 WC 41560A/ND	COVER, main, assembly, Starboard (For spares use 10-20 WC 41588A/ND)										1	—	—	LA112
19883	10-20 WC 41588A/ND	COVER, main, assembly, Starboard (Spares condition) (Mod. 1458) Spares for :—										1	—	P	
7635	10-20 WC 2549	SEAL, rubber										1	—	C	LA112
17033	10-20 WC 40755A/ND	COVER, subsidiary, Port, assembly (Mod. 1119)										1	—	C	LA112
17034	10-20 WC 40756A/ND	COVER, subsidiary, Starboard, assembly (Mod. 1119) Spares for :—										1	—	C	LA112
17551	10-20 WC 40693	SEAL, rubber Attachments for 10-20 WC 40755A/ND or 10-20 WC 40756A/ND, Cover :—										1	—	C	LA112
13196	DHS.1082/41E	Bolt, 1/2" BSF										14	—	C	LA112
26DL/5611	DHS.402/E	Seal, bonded										14	—	C	
3778	DHS.386/E	NUT, cap, anchor, 1/2" BSF										14	—	C	LA112
3779	DHS.396/E	WASHER, sealing Attachments for 10-20 WC 10247A or 10-20 WC 10248A, Cover :—										14	—	C	
11928	DHS.1082/3E	Bolt, 1/2" BSF										26	—	C	LA112
11931	DHS.1082/4E	Bolt, 1/2" BSF										1	—	C	
11929	DHS.1082/5E	Bolt, 1/2" BSF										16	—	C	
3236	DHS.422/E	Nut, cap, 1/2" BSF										17	—	C	
5168	DHS.422/G	Nut, cap, 1/2" BSF										2	—	C	
28M/13721	AGS.2021/E/1	Nut, cap, 1/2" BSF										29	—	C	
26DL/5611	DHS.402/E	Seal, bonded										42	—	C	
2259	DHS.402/G	Seal, bonded										4	—	C	
7638	10-20 WC 10621	Stud										8	—	C	
7637	10-20 CF 4385	Stud										2	—	C	
20311	10-20 WC 41937	Stud (Mod. 1458)										2	—	C	LA112
28W/9419476	SP.15/C	Washer										2	—	C	

RESTRICTED

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
3778	DHS.386/E 10-20 WC 2395	NUT , cap, double anchor, 1" BSF, cover attachment										15	S.1	C	LA112
		PICK-UP , main undercarriage to wing, front, Port (For spares use 10-20 WC 27995ND or 10-20 WC 27997ND)										1	DTD.683	—	
12940	10-20 WC 27995ND	PICK-UP , main undercarriage to wing, front, Port (Spares condition for major repair purposes only and where surrounding structure is new and undrilled)										1	DTD.683	P	
	10-20 WC 27997ND	PICK-UP , main undercarriage to wing, front, Port (Spares condition for repair replacement and where surrounding structure is already drilled)										1	DTD.683	—	
	10-20 WC 2396	PICK-UP , main undercarriage to wing, front, Starboard (For spares use 10-20 WC 27996ND or 10-20 WC 27998ND)										1	DTD.683	—	LA112
12941	10-20 WC 27996ND	PICK-UP , main undercarriage to wing, front, Starboard (Spares condition for major repair purposes only and where surrounding structure is new and undrilled)										1	DTD.683	P	
	10-20 WC 27998ND	PICK-UP , main undercarriage to wing, front, Starboard (Spares condition for repair replacement and where surrounding structure is already drilled)										1	DTD.683	—	
		Attachments for 10-20 WC 2395 or 10-20 WC 2396, Pick-up :—													
28D/7002426	A25/1G	Bolt, $\frac{3}{16}$ " BSF	...	...	...	...	...	...	...	...	...	2	—	C	
26DV/7307	DHS.201/5G	Bolt, $\frac{3}{16}$ " BSF	...	...	...	...	...	...	...	...	...	25	DTD.363	C	
26DL/7121	DHS.201/6G	Bolt, $\frac{3}{16}$ " BSF	...	...	...	...	...	...	...	...	...	16	DTD.363	C	
26DV/7308	DHS.201/7G	Bolt, $\frac{3}{16}$ " BSF	...	...	...	...	...	...	...	...	...	2	DTD.363	C	
10694	DHS.901/17G	Bolt, $\frac{3}{16}$ " BSF	...	...	...	...	...	...	...	...	...	1	DTD.363	C	
2220	DHS.383/G	Nut, $\frac{3}{16}$ " BSF	...	...	...	...	...	...	...	...	...	44	DTD.423	C	
2259	DHS.402/G	Seal, bonded	...	...	...	...	...	...	...	...	...	46	—	C	
	10-20 WC 23978	Tag, attachment	...	...	...	...	...	...	...	...	...	1	S.510	LM	LA112
28W/9419475	SP.15/C	Washer	...	...	...	...	...	...	...	...	...	32	—	C	
3779	DHS.396/E 10-20 WC 10237A/1 10-20 WC 10238A/1 10-20 WC 26485A	WASHER , sealing, at cover attachments										15	—	C	
		WEB , Port, assembly										1	—	—	LA111
		WEB , Starboard, assembly										1	—	—	LA111
		BRACKET , vent pipe attachment, on outboard stiffener, assembly										1	—	—	LA111
	10-20 WC 26521ND	BRACKET , bare, 18 SWG										1	L.72	—	LA111
28M/10212	AGS.2008/C/3	NUT , anchor, 2 BA										1	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES

WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
28M/13085	AGS.2023/C/1	NUT, cap, double anchor, 2 BA, stowage box attachment, on centre and inboard stiffeners										4	—	C	
	10-20 WC 10291ND	PLATE, reinforcing, 10 SWG										1	DTD.687	—	LA111
	10-20 WC 25837ND	PLATE, reinforcing, Port, 16 SWG										1	DTD.687	—	LA111
	10-20 WC 25838ND	PLATE, reinforcing, Starboard, 16 SWG										1	DTD.687	—	LA111
	10-20 WC 10287ND	RING, reinforcing, 14 SWG										2	DTD.687	—	LA111
	10-20 WC 10243ND	STIFFENER, centre, Port										1	DTD.363	—	LA111
	10-20 WC 10244ND	STIFFENER, centre, Starboard										1	DTD.363	—	LA111
	10-20 WC 10241ND	STIFFENER, inboard, Port										1	DTD.363	—	LA111
	10-20 WC 10242ND	STIFFENER, inboard, Starboard										1	DTD.363	—	LA111
	10-20 WC 10245ND	STIFFENER, outboard, Port										1	DTD.363	—	LA111
	10-20 WC 10246ND	STIFFENER, outboard, Starboard										1	DTD.363	—	LA111
7892	10-20 WC 22159A/ND	STRIP, clamping, at joint at rib 2, Port, assembly										1	—	C	LA113
7893	10-20 WC 22160A/ND	STRIP, clamping, at joint at rib 2, Starboard, assembly										1	—	C	LA113
		Attachments for 10-20 WC 22159A/ND or 10-20 WC 22160A/ND, Strip :—													
2727	DHS.901/2E	Bolt, 1/2" BSF (Pre. Mod. 476)										5	DTD.363	C	
15166	DHS.1001/2E	Bolt, 1/2" BSF (Mod. 476)										5	L.65	C	
3198	DHS.382/3E	Bolt, 1/2" BSF										1	S.96	C	
3237	DHS.382/4E	Bolt, 1/2" BSF										2	S.96	C	
2227	DHS.983/E	Nut, 1/2" BSF										5	L.65	C	
28M/12931	A27/ET	Nut, 1/2" BSF										3	—	C	
26DL/5611	DHS.402/E	Seal, bonded										8	—	C	
2359	DHS.388/E	Washer, sealing										8	—	C	
28VV/9419476	SP.15/G	WASHER, at joint at rib 2										10	—	C	
28VV/9419488	SP.16/G	WASHER, at joint at rib 2										17	—	C	
	10-20 WC 31131A	SPAR, rear, Port, assembly (Mod. 899)										1	—	—	LA114
	10-20 WC 31132A	SPAR, rear, Starboard, assembly (Mod. 899)										1	—	—	LA114
		Spares for :—													
	10-20 WC 6209	ANGLE, rib 2, attachment, Port										1	L.65	—	LA114
		(For spares use 10-20 WC 27891ND)													
13361	10-20 WC 27891ND	ANGLE, rib 2, attachment, Port										1	L.65	C	
		(Spares condition)													
	10-20 WC 6210	ANGLE, rib 2, attachment, Starboard										1	L.65	—	LA114
		(For spares use 10-20 WC 27892ND)													
13362	10-20 WC 27892ND	ANGLE, rib 2, attachment, Starboard										1	L.65	C	
		(Spares condition)													

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	DHS.201/2½G											51	DTD.363	—	
												54	—	—	
26DL/7107	DHS.201/3G											6	DTD.363	C	
26DL/7111	DHS.201/3½G											3	DTD.363	C	
26DV/7306	DHS.201/4G											8	DTD.363	C	
	10-20 WC 6223											1	DTD.363	—	LA114
13394	10-20 WC 28001ND											1	DTD.363	C	
	10-20 WC 6224											1	DTD.363	—	LA114
13395	10-20 WC 28002ND											1	DTD.363	C	
	10-20 WC 6225											1	DTD.363	—	LA114
13396	10-20 WC 28003ND											1	DTD.363	C	
	10-20 WC 6226											1	DTD.363	—	LA114
13397	10-20 WC 28004ND											1	DTD.363	C	
	10-20 WC 25725											1	L.72	LM	LA114
	10-20 WC 6205											1	DTD.746	—	LA114
13661	10-20 WC 28651ND											1	DTD.746	C	
	10-20 WC 6206											1	DTD.746	—	LA114
13662	10-20 WC 28652ND											1	DTD.746	C	
16453	10-20 WC 31656A/ND											1	—	C	LA114
16294	10-20 WC 30235A											1	—	C	LA114
16295	10-20 WC 30115A											1	—	C	LA114
28D/9133011	A25/2C											2	—	C	
28M/10288	AGS.2001/C/1											2	—	C	
28W/9419402	SP.13/C											4	—	C	
16296	10-20 WC 30121A											1	—	C	LA114
28D/9133011	A25/2C											2	—	C	
28D/12531	A25/3C											2	—	C	
28M/10288	AGS.2001/C/1											4	—	C	
28W/9419402	SP.13/C											6	—	D	
	10-20 WC 30155											1	L.72	LM	LA114
	10-20 WC 30157ND											1	L.72	LM	LA114
28D/9434877	A59/3G											17	—	C	
28D/16614	A59/4G											1	—	C	
28D/16541	A59/5G											12	—	C	
28D/16586	A59/6G											1	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
5151	10-20 WC 18369	GUIDE , chain										1	LFS.21	C	LA114
		Attachments for 10-20 WC 18369, Guide :—													
28D/12531	A25/3C	Bolt , 2 BA										3	—	C	
28M/9403520	A27/CP	Nut , 2 BA										3	—	C	
28VV/9419402	SP.13/C	Washer										3	—	C	
	10-20 WC 15401	LUG , shroud, rib attachment, aft, Port, 16 SWG ...										1	L.73	LM	LA114
	10-20 WC 15402	LUG , shroud, rib attachment, aft, Starboard, 16 SWG										1	L.73	LM	LA114
	10-20 WC 15399	LUG , shroud, rib attachment, forward, Port, 16 SWG										1	L.73	LM	LA114
	10-20 WC 15400	LUG , shroud, rib attachment, forward, Starboard, 16 SWG										1	L.73	LM	LA114
2220	DHS.383/G	NUT , 1/2" BSF, web and booms attachment ...										66	DTD.423	C	
28M/14931	AGS.2009/G/1	NUT , anchor, 1/2" BSF, access cover attachment ...										18	—	C	
	10-20 WC 6213	POST , flap shroud rib 1, Port, 16 SWG ...										1	L.73	LM	LA114
	10-20 WC 6214	POST , flap shroud rib 1, Starboard, 16 SWG ...										1	L.73	LM	LA114
	10-20 WC 6215	POST , flap shroud rib 2, Port, 16 SWG ...										1	L.73	LM	LA114
	10-20 WC 6216	POST , flap shroud rib 2, Starboard, 16 SWG ...										1	L.73	LM	LA114
	10-20 WC 6217	POST , flap shroud rib 4, Port, 16 SWG ...										1	L.73	LM	LA114
	10-20 WC 6218	POST , flap shroud rib 3, Starboard, 16 SWG ...										1	L.73	LM	LA114
	10-20 WC 17099	POST , outer rib attachment, centre flap shroud, Port, 18 SWG										1	L.73	LM	LA114
	10-20 WC 17101	POST , outer rib attachment, centre flap shroud, Starboard, 18 SWG										1	L.73	LM	LA114
	10-20 WC 6211	STIFFENER , on forward face, inboard (Make from Section J.885, Ref. No.)										1	DTD.687	LM	LA114
	10-20 WC 6231	STIFFENER , on forward face, outboard (Make from Section J.869, Ref. No.)										1	L.73	LM	LA114
	10-20 WC 6219	STIFFENER , on forward face, at rib post No. 1 flap shroud (Make from Section J.869, Ref. No.)										1	L.73	LM	LA114
	10-20 WC 6221	STIFFENER , on forward face, at rib post No. 2 flap shroud (Make from Section J.869, Ref. No.)										1	L.73	LM	LA114
	10-20 WC 18547	STIFFENER , transverse, Port, 14 SWG ...										1	DTD.687	LM	LA114
	10-20 WC 18548	STIFFENER , transverse, Starboard, 14 SWG ...										1	DTD.687	LM	LA114
		Attachments for 10-20 WC 18547 or 10-20 WC 18548, Stiffener :—													
2727	DHS.901/2E	Bolt , 1/2" BSF										3	DTD.363	C	
26DV/7302	DHS.201/3E	Bolt , 1/2" BSF										1	DTD.363	C	
2227	DHS.983/E	Nut , 1/2" BSF										3	L.65	C	
2356	DHS.383/E	Nut , 1/2" BSF										1	DTD.423	C	
	10-20 WC 10467A	STRIP , anchor nut mounting, access cover attachment, assembly										1	—	—	LA114
28M/14931	AGS.2009/G/1	NUT , anchor, 1/2" BSF										13	—	C	
	10-20 WC 16957ND	STRIP , bare, 16 SWG										1	L.72	LM	LA114
	DHS.728/G16	WASHER , support, web and booms attachment, 16 SWG										6	DTD.746	LM	
	10-20 WC 30833A	WEB , Port, assembly (Mod. 899)										1	—	—	LA114
	10-20 WC 30834A	WEB , Starboard, assembly (Mod. 899)										1	—	—	LA114
	—	STABILISER , at rib No. 1, bottom boom, and front fire-wall attachment bracket at bottom skin, group (Drg. No. 10-20 WC 16889)										1	—	—	LA114
	10-20 WC 16981	BLOCK , packing, at stn. 264"3 bottom boom ...										1	LFS.21, 23 or 26	—	LA114
		Attachments for 10-20 WC 16981, Block :—													
5959	DHS.365/19E	Bolt , 1/2" BSF										1	—	C	
28M/12928	A27/EP	Nut , 1/2" BSF										1	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
15010	10-20 WC 25511	BRACKET , anchorage, front firewall, Port ...	1	—	C	LA115
15011	10-20 WC 25512	BRACKET , anchorage, front firewall, Starboard ...	1	—	C	LA115
		Attachments for 10-20 WC 25511 or 10-20 WC 25512, Bracket:—				
2347	DHS.358/3½C	Bolt, 2 BA	4	—	C	
~~9356-9365~~	DHS.358/26E	Bolt, ½" BSF	1	—	C	
9357	DHS.358/26½E	Bolt, ½" BSF	1	—	C	
28M/1006473	A27/CT	Nut, 2 BA	4	—	C	
28M/12928	A27/EP	Nut, ½" BSF	2	—	C	
28W/9419475	SP.15/C	Washer	2	—	C	
28W/9419405	SP.15/E	Washer	4	—	C	
9361	10-20 WC 16877	BRACKET , bottom boom stabilizing, Port ...	1	—	C	LA115
9362	10-20 WC 16878	BRACKET , bottom boom stabilizing, Starboard ...	1	—	C	LA115
		Attachments for 10-20 WC 16877 or 10-20 WC 16878, Bracket:—				
28D/9133012	A25/3C	Bolt, 2 BA	2	—	C	
7419	DHS.358/24C	Bolt, 2 BA	3	—	C	
2340	DHS.358/4½E	Bolt, ½" BSF	2	—	C	
28M/1006473	A27/CT	Nut, 2 BA	2	—	C	
28M/9403520	A27/CP	Nut, 2 BA	3	—	C	
28M/12931	A27/ET	Nut, ½" BSF	2	—	C	
28W/9419475	SP.15/C	Washer	5	—	C	
28W/9419405	SP.15/E	Washer	2	—	C	
9359	10-20 WC 16931	BRACKET , end, at stn. 252"-53, Port ...	1	—	C	LA115
9360	10-20 WC 16932	BRACKET , end, at stn. 252"-53, Starboard ...	1	—	C	LA115
		Attachments for 10-20 WC 16931 or 10-20 WC 16932, Bracket:—				
28D/9133011	A25/2C	Bolt, 2 BA	1	—	C	
28D/1200119	A25/4C	Bolt, 2 BA	1	—	C	
3581	DHS.365/20G	Bolt, ½" BSF	1	—	C	
28M/1006473	A27/CT	Nut, 2 BA	2	—	C	
28M/1011470	A27/GT	Nut, ½" BSF	1	—	C	
28W/9419476	SP.15/G	Washer	1	—	C	
16293	10-20 WC 29915A	BRACKET , support, fire extinguisher bottle, assembly (Port only, Mod. 655)	1	—	C	LA115
		Spares for:—				
9366	DHS.418/1/E/".25	BUSH (See Repair section PA) ...	2	—	C	LA115
		Attachments for 10-20 WC 29915A, Bracket:—				
28D/8307	AS.1242/2C	Bolt, 2 BA	2	—	C	
1660	DHS.358/4C	Bolt, 2 BA	2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	4	—	C	
28W/9419475	SP.15/C	Washer	4	—	C	
	10-20 WC 25337	BRACKET , support, main undercarriage door strut, Port (For spares use 10-20 WC 27463ND)	1	—	—	LA115
12264	10-20 WC 27463ND	BRACKET , support, main undercarriage door strut, Port (Spares condition)	1	—	C	

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 25338	BRACKET , support, main undercarriage door strut, Starboard (For spares use 10-20 WC 27464ND)	1	—	—	LA115
12265	10-20 WC 27464ND	BRACKET , support, main undercarriage door strut, Starboard (Spares condition) Attachments for 10-20 WC 25337 or 10-20 WC 25338, Bracket :—	1	—	C	
28D/14748	AS.1248/7G	Bolt, $\frac{1}{16}$ " BSF	1	—	C	
28D/15054	AS.1248/9G	Bolt, $\frac{1}{16}$ " BSF	1	—	C	
4566	DHS.492/16G	Bolt, $\frac{1}{16}$ " BSF	3	—	C	
28M/15258	A24/GT	Nut, $\frac{1}{16}$ " BSF	2	—	C	
28M/1011470	A26/GT	Nut, $\frac{1}{16}$ " BSF	3	—	C	
28W/9419476	SP.15/G	Washer	4	—	C	
	10-20 WC 28223ND	Washer, 5 or 6 SWG	1	L.72	—	LA115
28M/10245	AGS.2014/C/11	NUT , anchor, 2 BA	3	—	C	
	10-20 WC 25339	PLATE , bearing, main undercarriage door strut, Port (For spares use 10-20 WC 27787ND)	1	—	—	LA115
12478	10-20 WC 27787ND	PLATE , bearing, main undercarriage door strut, Port (Spares condition)	1	—	C	
	10-20 WC 25340	PLATE , bearing, main undercarriage door strut, Starboard (For spares use 10-20 WC 27788ND)	1	—	—	LA115
12479	10-20 WC 27788ND	PLATE , bearing, main undercarriage door strut, Starboard (Spares condition) Attachments for 10-20 WC 25339 or 10-20 WC 25340, Plate :—	1	—	C	
28D/1011030	A25/2E	Bolt, $\frac{1}{8}$ " BSF	1	—	C	
28D/9434878	A59/3G	Bolt, $\frac{1}{8}$ " BSF	2	—	C	
28M/12928	A27/EP	Nut, $\frac{1}{8}$ " BSF	1	—	C	
28M/1011470	A27/GT	Nut, $\frac{1}{8}$ " BSF	2	—	C	
13933	10-20 WC 29177ND	Shim, packing	1	—	C	LA115
28W/9419405	SP.15/E	Washer	1	—	C	
28W/9419476	SP.15/G	Washer	2	—	C	
	10-20 WC 30925A	PLATE , stud, for hydraulic hose, assembly (Mod. 880)	1	—	—	LA115
	DHS.1045/1C	BOLT , 2 BA	2	S.92	LM	
	10-20 WC 30927ND	PLATE , base, 14 SWG	1	S.511	LM	LA115
9363	10-20 WC 16879	STIFFENER , 18 SWG, Port	1	—	C	LA115
9364	10-20 WC 16880	STIFFENER , 18 SWG, Starboard	1	—	C	LA115

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	—	STRUTS , bracing, top inboard diffusing members, Port and Starboard, group (Drg. No. 10-20 WC 17897)	1	—	—	
14428	10-20 WC 17735A	STRUT , bracing, top front diffusing member, assembly	1	—	C	LA116
14429	10-20 WC 17737A	STRUT , bracing, top centre diffusing member, assembly	1	—	C	LA116
		Attachments for 10-20 WC 17735A or 10-20 WC 17737A, Strut:—				
	DHS.201/8½G	Bolt, ½" BSF (Pre Mod. 440)	1	DTD.363	—	
	DHS.201/9½G	Bolt, ½" BSF (Pre Mod. 440)	1	DTD.363	—	
12306	DHS.201/8½L	Bolt, ½" BSF (Pre Mod. 440)	1	—	C	
15543	DHS.1001/8½G	Bolt, ½" BSF (Mod. 440)	1	—	C	
15544	DHS.1001/9½G	Bolt, ½" BSF (Mod. 440)	1	—	C	
26DV/7311	DHS.202/G	Nut, ½" BSF (Pre Mod. 440)	2	—	C	
13621	DHS.202/L	Nut, ½" BSF (Pre Mod. 440)	1	—	C	
3190	DHS.983/G	Nut, ½" BSF (Mod. 440)	2	—	C	
	10-20 WC 17793	Shim	2	DTD.710	LM	LA116
28W/9419488	SP.16/G	Washer	2	—	C	
28W/9419490	SP.16/L	Washer	1	—	C	
14430	10-20 WC 18397A	STRUT , bracing, top rear diffusing member, assembly	1	—	C	LA116
		Attachments for 10-20 WC 18397A, Strut:—				
28D/9434881	A59/14G	Bolt, ½" BSF	1	—	C	
28D/1213444	A59/33G	Bolt, ½" BSF	1	—	C	
28M/1006939	A27/GP	Nut, ½" BSF	1	—	C	
28M/1011470	A27/GT	Nut, ½" BSF	1	—	C	
	10-20 WC 17895	Shim	2	DTD.710	LM	LA116
28W/9419403	SP.13/G	Washer	1	—	C	
28W/9419488	SP.16/G	Washer	1	—	C	
	—	STRUTS , skin support, between ribs No. 3 and 4, Port and Starboard, group (Drg. No. 10-20 WC 10179)	1	—	—	
10174	10-20 WC 9889	BRACKET , attachment, for lower end of inboard strut	1	—	C	LA117
		Attachments for 10-20 WC 9889, Bracket:—				
4905	DHS.498/6G	Bolt, ½" BSF	2	—	C	LA117
28M/1006939	A27/GP	Nut, ½" BSF	2	—	C	
10173	10-20 WC 10063	FORK-END , attachment for upper end of inboard strut	1	—	C	LA117
		Attachments for 10-20 WC 10063, Fork-end:—				
28M/1011475	A27/EP	Nut, ½" BSF	1	—	C	
26DL/5611	DHS.402/E	Seal, bonded	1	—	C	LA117

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
10170	10-20 WC 16577A	STRUT , skin support, inboard, assembly ...	1	—	C	LA117
		Attachments for 10-20 WC 16577A, Strut:—				
28D/1215684	A59/5E	Bolt, $\frac{1}{2}$ " BSF	1	—	C	
28D/1215685	A59/6E	Bolt, $\frac{1}{2}$ " BSF	1	—	C	
28M/1007403	A27/ET	Nut, $\frac{1}{2}$ " BSF	2	—	C	
28V/9419487	SP.16/E	Washer	2	—	C	
10171	10-20 WC 16579A	STRUT , skin support, outboard, Port, assembly ...	1	—	C	LA117
10172	10-20 WC 16580A	STRUT , skin support, outboard, Starboard, assembly	1	—	C	LA117
		Attachments for 10-20 WC 16579A or 10-20 WC 16580A, Strut:—				
28D/1215685	A59/6E	Bolt, $\frac{1}{2}$ " BSF	1	—	C	
28D/1213606	A59/5G	Bolt, $\frac{1}{2}$ " BSF	1	—	C	
28M/1011467	A27/ES	Nut, $\frac{1}{2}$ " BSF	1	—	C	
28M/5808571	A27/GS	Nut, $\frac{1}{2}$ " BSF	1	—	C	
28P/9527619	SP.90/C7	Pin, split (SP.9/C8)	2	—	C	
28V/9419487	SP.16/E	Washer	1	—	C	
28V/9419476	SP.15/G	Washer	1	—	C	
	—	STRUTS , support, at forward and rear wing-fold jacks, Port and Starboard, group (Drg. No. 10-20 WC 6565)	1	—	—	LA118
14421	10-20 WC 6071A	STRUT , at forward wing-fold jack, Port, assembly... (Pre Mod. 255)	1	—	C	LA118
17067	10-20 WC 27375A	STRUT , at forward wing-fold jack, Port, assembly... (Mod. 255)	1	—	C	LA118
14422	10-20 WC 6072A	STRUT , at forward wing-fold jack, Starboard, assembly (Pre Mod. 255)	1	—	C	LA118
17068	10-20 WC 27376A	STRUT , at forward wing-fold jack, Starboard, assembly (Mod. 255)	1	—	C	LA118
		Spares for:—				
	10-20 WC 6039	BUSH , shear, at inboard plug end	6	S.96	—	LA118
	10-20 WC 6041	BUSH , shear, at outboard plug end	6	S.95	—	LA118
		Attachments for 10-20 WC 6071A, 10-20 WC 27375A, 10-20 WC 6072A or 10-20 WC 27376A, Strut:—				
5100	10-20 WC 9007	Bolt, $\frac{1}{2}$ " BSF (Pre Mod. 255)	1	—	C	LA118
5099	10-20 WC 9009	Bolt, $\frac{1}{2}$ " BSF	1	—	C	LA118
17065	10-20 WC 27393	Bolt, $\frac{1}{2}$ " BSF (Mod. 255)	1	—	C	LA118
28M/15817	A24/SS	Nut, $\frac{1}{2}$ " BSF	1	—	C	
28M/16668	A24/VVS	Nut, $\frac{1}{2}$ " BSF	1	—	C	
28P/20478	SP.90/K15	Pin, split (SP.9/K18)	1	—	C	
28P/20027	SP.90/H12	Pin, split (SP.9/H14)	1	—	C	
28V/9419471	SP.13/S	Washer	1	—	C	
28V/9419472	SP.13/W	Washer	1	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
14423	10-20 WC 6043A	STRUT, at rear wing fold jack, assembly ... (Pre Mod. 255)										1	—	C	LA118
17066	10-20 WC 27373A	STRUT, at rear wing fold jack, assembly (Mod. 255)										1	—	C	LA118
	10-20 WC 6039	Spares for :—										6	S.96	—	LA118
	10-20 WC 6041	BUSH, shear, at inboard plug end (Pre Mod. 255)										6	S.96	—	LA118
		BUSH, shear, at outboard plug end (Mod. 255) ...													
		Attachments for 10-20 WC 6043A or 10-20 WC 27373A, Strut :—													
5100	10-20 WC 9007	Bolt, $\frac{3}{8}$ " BSF (Pre Mod. 255) ...										2	S.98	C	LA118
5100	10-20 WC 9007	Bolt, $\frac{3}{8}$ " BSF (Mod. 255) ...										1	S.98	C	LA118
17065	10-20 WC 27393	Bolt, $\frac{3}{8}$ " BSF (Mod. 255) ...										1	S.98	C	LA118
28M/15817	A24/SS	Nut, $\frac{3}{8}$ " BSF ...										2	—	C	
28P/1011084	SP.9/H14	Pin, split ...										2	—	C	
28W/9419471	SP.13/S	Washer ...										2	—	C	
	—	STRUTS, stabilizing, between rib No. 3 and skin joint strap, Port and Starboard group (Drg. No. 10-20 WC 6713)										1	—	—	LA119
	10-20 WC 6751	LUG, attachment, forward strut pick-up, Port (For spares use 10-20 WC 26873ND)										1	L.53	—	LA119
11200	10-20 WC 26873ND	LUG, attachment, forward strut pick-up, Port (Spares condition)										1	L.53	C	
	10-20 WC 6752	LUG, attachment, forward strut pick-up, Starboard (For spares use 10-20 WC 26874ND)										1	L.53	—	LA119
11201	10-20 WC 26874ND	LUG, attachment, forward strut pick-up, Starboard (Spares condition)										1	L.53	C	
		Attachments for 10-20 WC 6751 or 10-20 WC 6752, Lug :—													
3798	DHS.395/5 $\frac{1}{2}$ E	Bolt, $\frac{1}{2}$ " BSF ...										1	—	C	LA119
5182	DHS.395/5 $\frac{1}{2}$ G	Bolt, $\frac{1}{2}$ " BSF ...										2	—	C	LA119
28M/13017	A24/ET	Nut, $\frac{1}{2}$ " BSF ...										1	—	C	
28M/15258	A24/GT	Nut, $\frac{1}{2}$ " BSF ...										2	—	C	
	10-20 WC 6753	LUG, attachment, rear strut pick-up, Port (For spares use 10-20 WC 26929ND)										1	L.53	—	LA119
11239	10-20 WC 26929ND	LUG, attachment, rear strut pick-up, Port (Spares condition)										1	L.53	C	
	10-20 WC 6754	LUG, attachment, rear strut pick-up, Starboard (For spares use 10-20 WC 26930ND)										1	L.53	—	LA119
11240	10-20 WC 26930ND	LUG, attachment, rear strut pick-up, Starboard (Spares condition)										1	L.53	C	
		Attachments for 10-20 WC 6753 or 10-20 WC 6754, Lug :—													
3798	DHS.395/5 $\frac{1}{2}$ E	Bolt, $\frac{1}{2}$ " BSF ...										1	—	C	LA119
5182	DHS.395/5 $\frac{1}{2}$ G	Bolt, $\frac{1}{2}$ " BSF ...										1	—	C	LA119
28M/13017	A24/ET	Nut, $\frac{1}{2}$ " BSF ...										1	—	C	
28M/15258	A24/GT	Nut, $\frac{1}{2}$ " BSF ...										1	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
14424	10-20 WC 23395A	STRUT , forward, Port, assembly (Mod. 46) ...	1	—	P	LA119
14425	10-20 WC 23396A	STRUT , forward, Starboard, assembly (Mod. 46) ...	1	—	P	LA119
		Attachments for 10-20 WC 23395A, or 10-20 WC 23396A, Strut :—				
28D/12515	A25/10C	Bolt, 2 BA ...	1	—	C	LA119
9797	DHS.901/2½EE	Bolt, ½" BSF ...	1	DTD.363	C	
28M/13411	A24/CS	Nut, 2 BA ...	1	—	C	
28M/13719	A29/ES	Nut, ½" BSF ...	1	—	C	
28P/5210	AGS.1551/1	Pin, locking ...	1	—	C	
14426	10-20 WC 23397A	STRUT , rear, Port, assembly (Mod. 46) ...	1	—	P	LA119
11427	10-20 WC 23398A	STRUT , rear, Starboard, assembly (Mod. 46) ...	1	—	P	LA119
		Attachments for 10-20 WC 23397A, or 10-20 WC 23398A, Strut :—				
28D/12537	A25/14C	Bolt, 2 BA ...	1	—	C	LA119
9797	DHS.901/2½EE	Bolt, ½" BSF ...	1	DTD.363	C	
28M/13411	A24/CS	Nut, 2 BA ...	1	—	C	
28M/13719	A29/ES	Nut, ½" BSF ...	1	—	C	
28P/5210	AGS.1551/1	Pin, locking ...	2	—	C	
	—	STRUT , support, at retraction jack, in undercarriage bay Port and Starboard, group (Drg. No. 10-20 WC 9013)	1	—	—	LA120
	10-20 WC 9089	EYE-BOLT , strut attachment at main spar ...	1	S.96	—	LA120
	10-20 WC 9133	Attachments for 10-20 WC 9089 Eye-bolt :— Nut, ½" BSF ...	1	DTD.363	—	LA120
5097	10-20 WC 16119	LINK , strut attachment at rib No. 3 ...	1	DTD.5024	C	LA120
		Attachments for 10-20 WC 16119, Link :—				
5098	10-20 WC 9093	Bolt, ¾" BSF ...	1	S.98	C	LA120
28M/13412	A24/JS	Nut, ¾" BSF ...	1	—	C	LA120
28P/1007741	SP.9/C8	Pin, split ...	1	—	C	
28W/9419466	SP.13/J	Washer ...	1	—	C	
26DV/6604	DHS.69/FF	Washer, spacing ...	1	L.72	LM	
14419	10-20 WC 9011A	STRUT , Port, assembly ...	1	—	P	LA120
14420	10-20 WC 9012A	STRUT , Starboard, assembly ...	1	—	P	LA120
		Attachments for 10-20 WC 9011A or 10-20 WC 9012A, Strut :—				
5211	DHS.459/13J	Bolt, ¾" BSF ...	2	S.98	C	LA120
28M/14833	A58/JS	Nut, ¾" BSF ...	2	—	C	
28P/1007741	SP.9/C8	Pin, split ...	2	—	C	
28W/9419466	SP.13/J	Washer ...	2	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	—	STUB-BOOM , Port and Starboard, group (Drg. Nos. 10-20 WC 5179, 10-20 WC 15733, 10-20 WC 15734, 10-20 WC 17701, 10-20 N 2739, 10-20 P 2113, 10-20 WC 15735, 10-20 WC 17579, 10-20 WC 16565, 10-20 WC 17657)	2	—	—	
	10-20 WC 17581ND	ANGLE , attachment, lower skin, inboard, Port (For spares use 10-20 WC 28571ND)	1	DTD.687	—	LA121
13756	10-20 WC 28571ND	ANGLE , attachment, lower skin, inboard, Port (Spares condition)	1	DTD.687	C	
	10-20 WC 17582ND	ANGLE , attachment, lower skin, inboard, Starboard (For spares use 10-20 WC 28572ND)	1	DTD.687	—	LA121
13757	10-20 WC 28572ND	ANGLE , attachment, lower skin, inboard, Starboard (Spares condition)	1	DTD.687	C	
		Attachments for 10-20 WC 17581ND or 10-20 WC 17582ND, Angle :—				
2240	DHS.363/4EE	Bolt, 1/2" BSF (Pre Mod. 440)	16	DTD.363	C	
15570	DHS.1063/4EE	Bolt, 1/2" BSF (Mod. 440)	16	L.65	C	
5731	DHS.363/4 1/2 EE	Bolt, 1/2" BSF (Pre Mod. 440)	15	DTD.363	C	
15571	DHS.1063/4 1/2 EE	Bolt, 1/2" BSF (Mod. 440)	15	—	C	
2241	DHS.365/5EE	Bolt, 1/2" BSF	16	S.96	C	
3590	DHS.365/5 1/2 EE	Bolt, 1/2" BSF	7	S.96	C	
5934	DHS.365/6EE	Bolt, 1/2" BSF	8	S.96	C	
2356	DHS.383/E	Nut, 1/2" BSF (Pre Mod. 440)	31	DTD.423	C	
2227	DHS.983/E	Nut, 1/2" BSF (Mod. 440)	31	L.65	C	
28M/7002430	AGS.2002/E/1	Nut, 1/2" BSF	1	—	C	
28M/12931	A27/ET	Nut, 1/2" BSF	23	—	C	
28VV/9419405	SP.15/E	Washer	24	—	C	
	10-20 WC 17583ND	ANGLE , attachment, lower skin, outboard, Port (For spares use 10-20 WC 28573ND)	1	DTD.687	—	LA121
13758	10-20 WC 28573ND	ANGLE , attachment, lower skin, outboard, Port (Spares condition)	1	DTD.687	C	
	10-20 WC 17584ND	ANGLE , attachment, lower skin, outboard, Starboard (For spares use 10-20 WC 28574ND)	1	DTD.687	—	LA121
13759	10-20 WC 28574ND	ANGLE , attachment, lower skin, outboard, Starboard (Spares condition)	1	DTD.687	C	
		Attachments for 10-20 WC 17583ND, or 10-20 WC 17584ND, Angle :—				
5731	DHS.363/4 1/2 EE	Bolt, 1/2" BSF (Pre Mod. 440)	28	—	C	
15571	DHS.1063/4 1/2 EE	Bolt, 1/2" BSF (Mod. 440)	28	—	C	
2725	DHS.365/4 1/2 EE	Bolt, 1/2" BSF	12	S.96	C	
2241	DHS.365/5EE	Bolt, 1/2" BSF	11	S.96	C	
3590	DHS.365/5 1/2 EE	Bolt, 1/2" BSF	5	S.96	C	
1794	DHS.365/6E	Bolt, 1/2" BSF	6	S.96	C	
2356	DHS.383/E	Nut, 1/2" BSF (Pre Mod. 440)	28	DTD.423	C	
2227	DHS.983/E	Nut, 1/2" BSF (Mod. 440)	28	L.65	C	
28M/12928	A27/EP	Nut, 1/2" BSF	6	—	C	
28M/12931	A27/ET	Nut, 1/2" BSF	28	—	C	
28VV/9419405	SP.15/E	Washer	28	—	C	
28VV/9419487	SP.16/E	Washer	6	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 6767A/1	BEAM, flap, inner, Port, assembly										1	—	—	LA121
	10-20 WC 6768A/1	BEAM, flap, inner, Starboard, assembly										1	—	—	LA121
		Spares for :—													
	10-20 WC 17265A	BRACKET, angle, Port, assembly										1	—	—	LA125
	10-20 WC 17266A	BRACKET, angle, Starboard, assembly										1	—	—	LA125
		Attachments for 10-20 WC 6767A/1, or 10-20 WC 6768A/1, Beam :—													
2242	DHS.363/3½E	Bolt; ½" BSF (Pre. Mod. 440)										5	DTD.363	C	
15549	DHS.1063/3½E	Bolt; ½" BSF (Mod. 440)										5	—	C	
3776	DHS.363/3½EE	Bolt; ½" BSF										6	S.96	C	
2339	DHS.358/SC	Bolt; 2 BA										13	S.96	C	
2227	DHS.983/E	Nut; ½" BSF										11	L.65	C	
28M/1006473	A27/CT	Nut; 2 BA										13	—	C	
28VV/9419475	SP.15/C	Washer										13	—	C	
28VV/9419405	SP.15/E	Washer										6	—	C	
	10-20 WC 6769A	BEAM, flap, outer, Port, assembly										1	—	—	LA121
	10-20 WC 6770A	BEAM, flap, outer, Starboard, assembly										1	—	—	LA121
		Spares for :—													
	10-20 N 8521A	BRACKET, angle, assembly (Port only) (Mod. 655)										1	—	—	LA124
	10-20 N 8919ND	BRACKET, angle										1	L.72	LM	LA124
28M/9434252	AGS.2018/B/1	NUT, anchor, 4 BA										2	—	C	
	10-20 S 12085A	BRACKET, mounting, assembly (hydraulics) (Starboard only)										1	—	—	LA124
		Spares for :—													LA125
	10-20 S 12087ND	BRACKET, bare, 18 SWG										1	L.72	LM	LA124
		Attachments for 10-20 S 12085A, Bracket :—													LA125
28D/9436920	A25/1C	Bolt; 2 BA										2	—	C	
		Attachments for 10-20 WC 6769A, or 10-20 WC 6770A, Beam :—													
3776	DHS.363/3½EE	Bolt; ½" BSF (Pre. Mod. 440)										6	DTD.363	C	
2723	DHS.365/3½EE	Bolt; ½" BSF (Mod. 440)										6	DTD.363	C	
2242	DHS.363/3½E	Bolt; ½" BSF (Pre. Mod. 440)										14	DTD.363	C	
15549	DHS.1063/3½E	Bolt; ½" BSF (Mod. 440)										14	—	C	
2339	DHS.358/SC	Bolt; 2 BA										12	S.96	C	
2227	DHS.983/E	Nut; ½" BSF										20	L.65	C	
28M/1006473	A27/CT	Nut; 2 BA										12	—	C	
28VV/9419475	SP.15/C	Washer										12	—	C	
28VV/9419405	SP.15/E	Washer										6	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Place No.
		1 2 3 4 5 6 7 8 9 10				
9465	10-20 WC 24351	BOLT , special, $\frac{3}{8}$ " BSF, through diaphragm at main spar	2	S.98	C	LA124
9466	10-20 WC 18505	BOLT , special, $\frac{3}{8}$ " BSF, through diaphragm at rear wheel well wall, forward inboard	1	S.96	C	LA124
	10-20 P 2953A	BRACKET , adapter, mounting clamp for electrical cable conduit, at stn. 290"-00 and wheel well wall diaphragm Spares for :—	4	—	—	LA123
	10-20 P 921ND	BRACKET , bare, 20 SWG Attachments for 10-20 P 2953A, Bracket :—	1	L.72	LM	LA123
28D/9133011	A25/2C	Bolt, 2 BA	2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	2	—	C	
28W/9419475	SP.15/C	Washer	2	—	C	
	10-20 N 2763A	BRACKET , mounting clamp for electrical cable conduit at rear diaphragm, Port, assembly	1	—	—	LA123
	10-20 N 2764A	BRACKET , mounting clamp for electrical cable conduit at rear diaphragm, Starboard, assembly Attachments for 10-20 N 2763A, or 10-20 N 2764A, Bracket :—	1	—	—	LA123
1092	DHS.365/2C	Bolt, 2 BA	2	S.96	C	
28M/9403520	A27/CP	Nut, 2 BA	2	—	C	
28W/9419402	SP.13/C	Washer	2	—	C	
	10-20 N 2771A	BRACKET , mounting clamp for electrical cable conduit at stn. 250"-00, Port, assembly	1	—	—	LA123
	10-20 N 2772A	BRACKET , mounting clamp for electrical cable conduit at stn. 250"-00, Starboard, assembly Attachments for 10-20 N 2771A or 10-20 N 2772A, Bracket :—	1	—	—	LA123
4161	DHS.365/4 $\frac{1}{2}$ C	Bolt, 2 BA	1	S.96	C	
5731	DHS.363/4 $\frac{1}{2}$ EE	Bolt, $\frac{1}{2}$ " BSF	1	S.96	C	
28M/9403520	A27/CP	Nut, 2 BA	1	—	C	
2227	DHS.983/E	Nut, $\frac{1}{2}$ " BSF	1	L.65	C	
	AS.2811/5/025	Tube, distance, $\frac{1}{8}$ " o/d $\times$ 17 SWG $\times$ "25 long ...	1	L.62	LM	
	10-20 N 2753A	BRACKET , mounting clamp for electrical cable conduit at stn. 280"-00, Port, assembly	1	—	—	LA123
	10-20 N 2754A	BRACKET , mounting clamp for electrical cable conduit at stn. 280"-00, Starboard, assembly Spares for :— Attachments for 10-20 WC 2753A or 10-20 N 2754A, Bracket :—	1	—	—	LA123
1792	DHS.365/3C	Bolt, 2 BA	2	S.96	C	
28M/9403520	A27/CP	Nut, 2 BA	2	—	C	
28W/9419475	SP.15/C	Washer	2	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 N 2767A	BRACKET , mounting clamp for electrical cable conduit at stn. 310"-00, Port, assembly										1	—	—	LA123
	10-20 N 2768A	BRACKET , mounting clamp for electrical cable conduit at stn. 310"-00, Starboard, assembly										1	—	—	LA123
		Attachments for 10-20 N 2767A, or 10-20 N 2768A, Bracket:—													
1792	DHS.365/3C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	1	—	C	
3591	DHS.363/3EE	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	1	—	C	
28M/9403520	A27/CP	Nut, 2 BA	...	...	...	...	...	...	...	...	...	1	—	C	
2227	DHS.983/E	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	1	—	C	
	AS.2811/5/013	Tube, distance 5/16" o/d x 17 SWG x 0"-13 long	...	...	...	...	...	...	...	...	...	1	L.62	—	
28W/9419475	SP.15/C	Washer	...	...	...	...	...	...	...	...	...	1	—	C	
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	1	—	C	
9381	10-20 WC 18113	BRACKET , support, flap shroud										1	—	C	LA124
26DL/2655	6 P 179	CLAMP , for electrical cable conduit (Kerosene resistant rubber)										10	—	C	LA123
	6 P 181	CLIP , saddle, for electrical cable conduit, 20 SWG										6	L.72	LM	LA123
		Attachments for 6 P 181, Clips (per set of six):—													
28D/9436920	A25/1C	Bolt, 2 BA (2 off at stns.:—290"-00, 310"-00, and rear wheel well wall) (1 off at stns. 250"-00, 280"-00, and rear diaphragm)	...	...	...	...	...	...	...	...	...	9	—	C	
28D/9133011	A25/2C	Bolt, 2 BA (1 off at stns.:—250"-00, 280"-00, and rear diaphragm)	...	...	...	...	...	...	...	...	...	3	—	C	
1790	DHS.726/C16	Washer, support	...	...	...	...	...	...	...	...	...	12	—	C	LA123
	6 P 181	CLIP , saddle, for refuelling pipe, 20 SWG										2	L.72	LM	LA123
		Attachments for 6 P 181, Clip:—													
28D/9436920	A25/1C	Bolt, 2 BA	...	...	...	...	...	...	...	...	...	2	—	C	
1790	DHS.726/C16	Washer, support	...	...	...	...	...	...	...	...	...	2	—	C	LA123
	10-20 WC 26645	DIAPHRAGM , at stn. 350"-00, Port, assembly										1	—	—	LA121
		Spares for:—													
	10-20 WC 16509ND	ANGLE , skin attachment (For spares use 10-20 WC 28585ND) 18 SWG										1	—	—	LA121
14723	10-20 WC 28585ND	ANGLE , skin attachment (Spares condition)										1	—	C	
	10-20 WC 24181	FAIRLEAD , 1" thick										1	P.T.F.E.	—	LA124
		Attachments for 10-20 WC 24181, Fairlead:—													
28D/9419452	A25/3B	Bolt, 4 BA	...	...	...	...	...	...	...	...	...	7	—	C	
28M/10287	AGS.2001/B1	Nut, 4 BA	...	...	...	...	...	...	...	...	...	7	—	C	
28W/9419465	SP.13/B	Washer	...	...	...	...	...	...	...	...	...	7	—	C	
	10-20 WC 17841	FAIRLEAD										1	LFS.21 LFS.23	—	LA124

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. of	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 24071A	DIAPHRAGM , at stn. 350"-00, Starboard, assembly Spares for :—	1	—	—	LA121
	10-20 WC 16510ND	ANGLE , skin attachment (For spares use 10-20 WC 28587ND)	1	—	—	LA121
13749	10-20 WC 28587ND	ANGLE , skin attachment (Spares condition) ...	1	—	C	
	10-20 WC 17842	FAIRLEAD	1	LFS.21 LFS.23	—	LA124
	10-20 WC 15571A	DIAPHRAGM , at stn. 366"-8, Port, assembly ... Spares for :—	1	—	—	LA121
	10-20 WC 16515ND	ANGLE , skin attachment (For spares use 10-20 WC 28595ND)	1	—	—	LA121
13748	10-20 WC 28595ND	ANGLE , skin attachment (Spares condition)	1	—	C	
	10-20 WC 20165	FAIRLEAD , on centre line Attachments for 10-20 WC 20165, Fairlead :—	1	P.T.F.E.	—	LA124
28D/9419452	A25/3B	Bolt, 4 BA	6	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	6	—	C	
28W/9419465	SP.13/B	Washer	6	—	C	
	10 CF 2345	FAIRLEAD , on inboard edge Attachments for 10 CF 2345, Fairlead :—	1	LFS.23	—	LA124
28D/9133012	A25/3C	Bolt, 2 BA	2	—	C	
28M/1006473	A27/CT	Nut, 2 BA	2	—	C	
28W/9419402	SP.13/C	Washer	2	—	C	
	10-20 WC 24063A	DIAPHRAGM , at stn. 366"-8, Starboard, assembly Spares for :—	1	—	—	LA121
	10-20 WC 16516BD	ANGLE , skin attachment, lower edge (For spares use 10-20 WC 28597ND)	1	—	—	LA121
13747	10-20 WC 28597ND	ANGLE , skin attachment, lower edge (Spares condition)	1	—	C	
	10-20 WC 2059	FAIRLEAD , at centre line, 1" thick				
	10-20 WC 2059	FAIRLEAD , at centre line, 1" thick	1	LFS.21 LFS.23	—	LA124
	10 CF 2346	FAIRLEAD , at inboard edge Attachments for 10 CF 2346, Fairlead :—	1	LFS.23	—	LA124
28D/9133012	A25/3C	Bolt, 2 BA	2	—	C	
28M/1006473	A27/CT	Nut, 2 BA	2	—	C	
28W/9419475	SP.15/C	Washer	2	—	C	
	—	DIAPHRAGM , at stn. 379"-55, Port and Starboard, group (Drg. Nos. 10-20 WC 15575A, 10-20 WC 15577A/1 and 10-20 WC 15437)	1	—	—	LA121 LA122

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 16517ND	ANGLE , skin attachment, Port (For spares use 10-20 WC 28583ND)										1	—	—	LA122
13745	10-20 WC 28583ND	ANGLE , skin attachment, Port (Spares condition)										1	—	C	
	10-20 WC 16518ND	ANGLE , skin attachment, Starboard (For spares use 10-20 WC 28584ND)										1	—	—	LA122
13746	10-20 WC 28584ND	ANGLE , skin attachment, Starboard ... (Spares condition)										1	—	C	
	10-20 WC 21667A	BRACKET , angle, complete with anchor nuts, Port, assembly										1	—	—	LA122
	10-20 WC 21668A	BRACKET , angle, complete with anchor nuts, Starboard, assembly										1	—	—	LA122
		Spares for :—													
	10-20 WC 15695ND	BRACKET , bare, Port, 18 SWG ...										1	L.72	LM	LA122
	10-20 WC 15696ND	BRACKET , bare, Starboard, 18 SWG ...										1	L.72	LM	LA122
	10-20 WC 17661ND	BRACKET , angle, mounting anchor nuts (Starboard only), 18 SWG										1	L.72	LM	LA122
	10-20 WC 20167	FAIRLEAD (Port only), $\frac{1}{2}$ " thick ... Attachments for 10-20 WC 20167, Fairlead :—										1	P.T.F.E.	—	LA122
28D/9419452	A25/3B	Bolt, 4 BA ...										4	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA ...										4	—	C	
28W/9419465	SP.13/B	Washer ...										4	—	C	
8769	10-20 WC 2033	GUIDE , elevator controls, Port ...										1	—	C	LA122
8770	10-20 WC 2034	GUIDE , elevator controls, Starboard ... Attachments for 10-20 WC 2033, or 10-20 WC 2034, Guide :—										1	—	C	LA122
28D/1200119	A25/4C	Bolt, 2 BA ...										2	—	C	
28M/9403520	A27/CP	Nut, 2 BA ...										2	—	C	
	—	DIAPHRAGM , rear spar, Port and Starboard, group (Drg. No. 10-20 WC 10333)										2	—	—	LA121 LA122
9400	10-20 WC 18165	ANGLE , reinforcing diaphragm attachment to rear spar, lower Port										1	—	C	LA122
9401	10-20 WC 18166	ANGLE , reinforcing diaphragm attachment to rear spar, lower Starboard										1	—	C	LA122
		Attachments for 10-20 WC 18165 or 10-20 WC 18166, Angle :—													
3235	DHS.382/SE	Bolt, $\frac{1}{2}$ " BSF ...										5	—	C	
2227	DHS.983/E	Nut, $\frac{1}{2}$ " BSF ...										5	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
9398	10-20 WC 18163	ANGLE, reinforcing, diaphragm attachment to rear spar, upper, Port										1	—	C	LA112
9399	10-20 WC 18164	ANGLE, reinforcing, diaphragm attachment to rear spar, upper, Starboard										1	—	C	LA122
		Attachments for 10-20 WC 18163 or 10-20 WC 18164, Angle :—													
3774	DHS.382/4½G	Bolt, ½" BSF										4	S.96	C	
3190	DHS.983/G	Nut, ½" BSF										4	L.65	C	
9396	10-20 WC 18169	ANGLE, support, flap track No. 2, lower, Port										1	L.73	C	LA122
9397	10-20 WC 18170	ANGLE, support, flap track No. 2, lower, Starboard										1	L.73	C	LA122
		Attachments for 10-20 WC 18169 or 10-20 WC 18170, Angle :—													
28D/12533	A25/5C	Bolt, 2 BA										2	—	C	
28M/9403520	A27/CP	Nut, 2 BA										2	—	C	
28W/9419404	SP.16/C	Washer										2	—	C	
9394	10-20 WC 18167	ANGLE, support, flap track No. 2, upper, Port										1	L.73	C	LA122
9395	10-20 WC 18168	ANGLE, support, flap track No. 2, upper, Starboard										1	L.73	C	LA122
		Attachments for 10-20 WC 18167 or 10-20 WC 18168, Angle :—													
2239	DHS.901/5E	Bolt, ½" BSF (Pre Mod. 440)										2	DTD.363	C	
3235	DHS.382/5E	Bolt, ½" BSF (Mod. 440)										2	S.96	C	
2227	DHS.983/E	Nut, ½" BSF										2	L.65	C	
28W/9419487	SP.16/E	Washer										2	—	C	
	10-20 N 8521A	BRACKET, angle, assembly (Port only) (Mod. 655)										1	—	—	LA124
	10-20 N 8919ND	BRACKET, angle										1	L.72	LM	LA124
28M/9434252	AGS.2018/B/1	NUT, anchor, 4 BA										2	—	C	
9392	10-20 WC 18171	BRACKET, support, flap track No. 3, Port										1	DTD.298	C	LA122
9393	10-20 WC 18172	BRACKET, support, flap track No. 3, Starboard										1	DTD.298	C	LA122
		Attachments for 10-20 WC 18171 or 10-20 WC 18172, Bracket :—													
28D/1200119	A25/4C	Bolt, 2 BA										3	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA										3	—	C	
28W/9419475	SP.15/C	Washer										3	—	C	
	10-20 WC 24297A	DIAPHRAGM, rear spar, Port, assembly										1	—	—	LA122
	10-20 WC 24298A	DIAPHRAGM, rear spar, Starboard, assembly										1	—	—	LA122
		Spares for :—													
26DL/4927	DHS.363/1E	BOLT, ½" BSF, through inner outboard stiffener, lower half (Pre Mod. 440)										1	DTD.363	C	
17333	DHS.1063/1½E	BOLT, ½" BSF, through inner outboard stiffener, lower half (Mod. 440)										1	—	C	
15566	DHS.1063/1½EE	BOLT, ½" BSF, through inner outboard stiffener, lower half										1	—	C	
	10-20 WC 17279A	BRACKET, angle, on forward upper face, assembly										1	—	—	LA122
		Spares for :—													
	10-20 WC 17281ND	BRACKET, bare, 18 SWG										1	L.72	LM	LA122

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 17557A	BRACKET , angle, on forward lower face, Port, assembly	1	—	—	LA122
	10-20 WC 17558A	BRACKET , angle, on forward lower face, Starboard, assembly	1	—	—	LA122
	10-20 WC 18301ND	BRACKET , bare, Port, 18 SWG ...	1	L.72	LM	LA122
	10-20 WC 18302ND	BRACKET , bare, Starboard, 18 SWG ...	1	L.72	LM	LA122
	10-20 WC 25563A	BRACKET , angle, on outboard stiffener (Starboard only) assembly (For spares use 10-20 WC 28655A/ND)	1	—	—	LA122
13674	10-20 WC 28655A/ND	BRACKET , angle, on outboard stiffener (Starboard only) assembly (Spares condition)	1	—	C	
	10-20 WC 18041	DIAPHRAGM , inboard portion, Port ... (For spares use 10-20 WC 28577ND)	1	DHA.380	—	LA122
14309	10-20 WC 28577ND	DIAPHRAGM , inboard portion (Spares condition)	1	DHA.380	C	
	10-20 WC 18042	DIAPHRAGM , inboard portion, Starboard ... (For spares use 10-20 WC 28578ND)	1	DHA.380	—	LA122
14310	10-20 WC 28578ND	DIAPHRAGM , inboard portion, Starboard ... (Spares condition)	1	DHA.380	C	
		Attachments for 10-20 WC 18041 or 10-20 WC 18042, Diaphragm :—				
2728	DHS.901/1½E OR	Bolt, ½" BSF (Pre Mod. 440) ...	3	DTD.363	C	
26DL/7202	DHS.382/1½E	Bolt, ½" BSF (Mod. 440) ...	3	S.96	C	
2727	DHS.901/2E OR	Bolt, ½" BSF (Pre Mod. 440) ...	1	DTD.363	C	
26DL/15904	DHS.1001/2EE	Bolt, ½" BSF (Mod. 440) ...	1	—	C	
2364	DHS.901/2½E OR	Bolt, ½" BSF (Pre Mod. 440) ...	5	DTD.363	C	
3239	DHS.382/2½E	Bolt, ½" BSF (Mod. 440) ...	5	S.96	C	
2732	DHS.901/3E OR	Bolt, ½" BSF (Pre Mod. 440) ...	5	DTD.363	C	
3228	DHS.382/3E	Bolt, ½" BSF (Mod. 440) ...	5	S.96	C	
2474	DHS.382/4E	Bolt, ½" BSF ...	7	S.96	C	
3237	DHS.382/4½E	Bolt, ½" BSF ...	1	S.96	C	
3191	DHS.382/4G	Bolt, ½" BSF ...	1	S.96	C	
3194	DHS.382/5G	Bolt, ½" BSF ...	3	S.96	C	
2227	DHS.983/E	Nut, ½" BSF ...	25	L.65	C	
3190	DHS.983/G	Nut, ½" BSF ...	4	L.65	C	
	10-20 WC 18043	DIAPHRAGM , outboard portion, Port ... (For spares use 10-20 WC 28563ND)	1	—	—	LA122
13407	10-20 WC 28563ND	DIAPHRAGM , outboard portion, Port ... (Spares condition)	1	—	C	

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10-20 WC 18044	DIAPHRAGM , outboard portion, Starboard ... (For spares use 10-20 WC 28564ND)										1	—	—	LA122
13408	10-20 WC 28564ND	DIAPHRAGM , outboard Portion, Starboard ... (Spares condition) Attachments for 10-20 WC 18043, or 10-20 WC 18044, Diaphragm :—										1	—	C	
26DL/7202	DHS.382/1½E	Bolt, ½" BSF ...										2	—	C	
3239	DHS.382/2½E	Bolt, ½" BSF ...										7	—	C	
3228	DHS.382/3E	Bolt, ½" BSF ...										4	—	C	
2474	DHS.382/4E	Bolt, ½" BSF ...										7	—	C	
3191	DHS.382/4G	Bolt, ½" BSF ...										1	—	C	
3194	DHS.382/5G	Bolt, ½" BSF ...										2	—	C	
2227	DHS.983/E	Nut, ½" BSF ...										20	—	C	
3190	DHS.983/G	Nut, ½" BSF ...										3	—	C	
5K/2974	SP.40/B48	GROMMET ... Attachments for 10-20 WC 24297A or 10-20 WC 24298A, Diaphragm :—										1	—	C	LA122
2364	DHS.901/2½E OR	Bolt, ½" BSF (Pre Mod. 440) ...										13	—	C	
3239	DHS.382/2½E	Bolt, ½" BSF (Mod. 440) ...										13	—	C	
3222	DHS.901/3½E OR	Bolt, ½" BSF (Pre Mod. 440) ...										23	—	C	
15527	DHS.1001/3½E	Bolt, ½" BSF (Mod. 440) ...										23	—	C	
2238	DHS.901/4E OR	Bolt, ½" BSF (Pre Mod. 440) ...										8	—	C	
14213	DHS.1001/4E	Bolt, ½" BSF (Mod. 440) ...										8	—	C	
2474	DHS.382/4E	Bolt, ½" BSF ...										9	—	C	
3198	DHS.382/3½E	Bolt, ½" BSF ...										1	—	C	
28D/1011238	A25/3E	Bolt, ½" BSF ...										1	—	C	
3219	DHS.901/3G OR	Bolt, ½" BSF (Pre Mod. 440) ...										1	—	C	
15537	DHS.1001/3G	Bolt, ½" BSF (Mod. 440) ...										1	—	C	
3220	DHS.901/2½G OR	Bolt, ½" BSF (Pre Mod. 440) ...										7	—	C	
15536	DHS.1001/2½G	Bolt, ½" BSF (Mod. 440) ...										7	—	C	
3191	DHS.382/4G	Bolt, ½" BSF ...										7	—	C	
2227	DHS.983/E	Nut, ½" BSF ...										44	—	C	
3190	DHS.983/G	Nut, ½" BSF ...										15	—	C	
28W/9419405	SP.15/E	Washer ...										1	—	C	
10226	10-20 WC 22977	FAIRLEAD , ½" thick ... Attachments for 10-20 WC 22977, Fairlead :—										1	—	C	LA122
28D/9419452	A25/3B	Bolt, 4 BA: ...										2	—	C	
9402	DHS.901/5EE OR	Bolt, ½" BSF (Pre Mod. 440) ...										2	—	C	
15515	DHS.382/5EE	Bolt, ½" BSF (Mod. 440) ...										2	—	C	
2227	DHS.983/E	Nut, ½" BSF ...										2	—	C	
28W/9419401	SP.10/B	Washer ...										2	—	C	
28W/9419405	SP.15/E	Washer ...										2	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
9469	10-20 WC 21607	EYE-BOLT, through inboard end of front former at stn. 230"-00										1	—	C	LA124
9470	10-20 WC 21609	EYE-BOLT, through outboard end of front former at stn. 230"-00										1	—	C	LA124
		Attachments for 10-20 WC 21607, or 10-20 WC 21609, Eye-Bolt :—													
5856	10-20 WC 7529	Nut, special, $\frac{7}{8}$ " BSF										1	—	C	LA124
28P/19234	SP.90/E8	Pin, split (SP.9/E10)										1	—	C	
28F/9429527	AGS.1186/BB	Washer, sealing										1	—	C	LA124
	10-20 WC 21595	Washer, special, 8 SWG										1	S.514 or S.510	—	LA124
	10-20 WC 14615A	FAIRING, Port, assembly (For spares use 10-20 WC 28797A/ND)										1	—	—	LA121
13390	10-20 WC 28797A/ND	FAIRING, Port, assembly (Spares condition) ...										1	—	P	
	10-20 WC 14616A	FAIRING, Starboard, assembly (For spares use 10-20 WC 28798A/ND)										1	—	—	LA121
13393	10-20 WC 28798A/ND	FAIRING, Starboard, assembly (Spares condition) Attachments for 10-20 WC 14615A, or 10-20 WC 14616A, Fairing :—										1	—	P	
1141	DHS.365/1C	Bolt, 2 BA										7	—	C	
3413	DHS.365/3½E	Bolt, $\frac{1}{4}$ " BSF										3	—	C	
26DV/5897	DHS.365/4E	Bolt, $\frac{1}{4}$ " BSF										5	—	C	
2726	DHS.365/4½E	Bolt, $\frac{1}{4}$ " BSF										3	—	C	
28M/13721	AGS.202/E/1	Nut, $\frac{3}{8}$ " BSF										11	—	C	
26DL/5611	DHS.402/E	Seal, bonded										11	—	C	
8677	10-20 WC 17983ND	PLATE, cover, for handhole at stn. 247"-95										2	—	C	LA121
		Attachments for 10-20 WC 17983ND, Plate :—													
19908	DHS.823/5½E	Bolt, $\frac{1}{4}$ " BSF										16	—	C	
	10-20 WC 27239A	PLATE, cover, for handhole at stn. 272"-17, Port										1	—	—	LA121
8676	10-20 WC 17985ND	PLATE, cover, for handhole at stn. 272"-17, Starboard										1	—	C	LA121
		Attachments for 10-20 WC 27239A, or 10-20 WC 17985ND, Plate :—													
19908	DHS.823/5½E	Bolt, $\frac{1}{4}$ " BSF										14	—	C	
8673	10-20 WC 17991A/ND	PLATE, cover, for handholes at stns. 317"-5, and 343"-00, Port, assembly										2	—	C	LA121
8674	10-20 WC 17992A/ND	PLATE, cover, for handholes at stns. 317"-5 and 343"-00, Starboard, assembly										2	—	C	LA121
		Spares for :—													
	10 WC 12017A	CABLE, retaining, assembly										1	—	—	LA124

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	10 WC 12021ND	CABLE, (Make from Ref. No. 28X/3495) ...										1	W9/4P	LM	LA124
	10 WC 12019ND	CLIP, attachment, at cover, 22 SWG ...										1	L.72	LM	LA124
	10 WC 12089ND	CLIP, attachment, at cover, 22 SWG ...										1	L.72	LM	LA124
		Attachments for 10 WC 12017A, Cable :—													
		Bolt, 2 BA ...										2	—	C	
		Nut, 2 BA ...										2	—	C	
		Attachments for 10-20 WC 17991A/ND or 10-20 WC 17992A/ND, Plate :—													
	19904	DHS.823/2½E	Bolt, ½" BSF ...									16	—	C	
	8675	10-21 WC 17981ND	PLATE, cover for handhole at stn. 370"30, 10 SWG									1	—	—	LA121
			Attachments for 10-20 WC 17981ND, Plate :—												
	19905	DHS.823/3E	Bolt, ½" BSF ...									14	—	C	
		10-20 WC 18453A/ND	PLATE, nut, for attachment bolts of cover plate at stn. 247"-95									1	—	—	LA121
		10-20 WC 18455A/ND	PLATE, nut, for attachment bolts of cover plate at stn. 272"-17									1	—	—	LA121
		—	PLATE, side, Port and Starboard, group ...									2	—	—	
			(Drg. No. 10-20 WC 17205)												
		10-20 WC 18381ND	PACKING, access door, ½" thick Bedding Tape, Bestobel J.29									1	—	LM	LA121
	8777	10-20 WC 17905A	PANEL, access, Port, assembly ...									1	—	P	LA121
	8778	10-20 WC 17906A	PANEL, access, Starboard, assembly ...									1	—	P	LA121
			Spares for :—												
		10-20 WC 24701A/ND	CHAIN, retaining, assembly ...									1	—	—	LA121
			Spares for :—												
		10-20 WC 24699ND	CHAIN, brass, chandelier (Make from Ref. No. 29H/4114)									1	—	LM	LA121
	26DL/7354	DHS.180 Mk. 1/X	TAG, locking ...									1	—	C	LA121
		10-20 WC 17915ND	TUBE, distance, ".45 long x ⅜" o/d x 14 SWG									2	L.55	LM	LA121
		10-20 WC 17893ND	PLATE, side, inboard, Port (For spares use 10-20 WC 28581ND)									1	DTD.746	—	LA121
	14039	10-20 WC 28581ND	PLATE, side, inboard, Port (Spares condition)									1	—	C	
		10-20 WC 17894ND	PLATE, side, inboard, Starboard (For spares use 10-20 WC 28582ND)									1	DTD.746	—	LA121
	14040	10-20 WC 28582ND	PLATE, side, inboard, Starboard (Spares condition)									1	—	C	
			Attachments for 10-20 WC 17983ND or 10-20 WC 17894ND, Plate :—												
	4392	DHS.363/2½E	Bolt, ½" BSF (Fre Mod. 440) Port									34	—	C	
			Starboard									30	—	C	
		OR													
	14212	DHS.1063/2½E	Bolt, ½" BSF (Mod. 440) Port									34	—	C	
			Starboard									30	—	C	
	3815	DHS.358/4½C	Bolt, 2 BA ...									6	—	C	
	2227	DHS.983/E	Nut, ½" BSF ...									31	—	C	
			Port									27	—	C	
			Starboard									3	—	C	
	28M/1007403	A27/ET	Nut, ½" BSF ...									3	—	C	
	28M/1006473	A27/CT	Nut, 2 BA ...									6	—	C	
	28W/9419475	SP.15/C	Washer ...									6	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 17891ND	PLATE , side, outboard, Port (For spares use 10-20 WC 28579ND)	1	DTD.746	—	LA121
14037	10-20 WC 28579ND	PLATE , side, outboard, Port (Spares condition)	1	—	C	
	10-20 WC 17892ND	PLATE , side, outboard, Starboard (For spares use 10-20 WC 28580ND)	1	DTD.746	—	LA121
14038	10-20 WC 28580ND	PLATE , side, outboard, Starboard (Spares condition)	1	—	C	
		Attachments for 10-20 WC 17891ND or 10-20 WC 17892ND, Plate :—				
4392	DHS.363/2½E	Bolt; ½" BSF (Pre Mod. 440)	34	—	C	
	OR					
14212	DHS.1063/2½E	Bolt; ½" BSF (Mod. 440)	34	—	C	
2724	DHS.365/2½E	Bolt; ½" BSF	17	—	C	
3815	DHS.358/4½C	Bolt; 2 BA	7	—	C	
2227	DHS.983/E	Nut; ½" BSF	31	—	C	
28M/10320	AGS.2002/E/3	Nut; ½" BSF	3	—	C	
28M/1006473	A27/CT	Nut; 2 BA	7	—	C	
28W/9419475	SP.15/C	Washer	7	—	C	
	10-20 WC 26545A	SPIGOT , assembly	1	—	—	LA124
		Spares for :—				
11846	10-20 WC 26541	BOLT , spigot	1	—	C	LA124
		Attachments for 10-20 WC 26545A, Spigot :—				
28D/8307	AS.1242/2C	Bolt; 2 BA	4	—	C	
28M/10288	AGS.2001/C/1	Nut; 2 BA	4	—	C	
26FC/8577	DHS.180 Mk. 4/X	TAG , locking, at access door	1	—	C	
	—	RING , joint, to shell, Port, group (Drg. No. 10-20 WC 24165)	1	—	—	
	—	RING , joint, to shell, Starboard, group (Drg. No. 10-20 WC 24003)	1	—	—	
17513	10-20 WC 40707	BLOCK , mounting, aft stn. 380"0 (Mod. 1091)	2	—	C	LA121
		Attachments for 10-20 WC 40707, Block :—				
28D/1013179	AS.1242/6E	Bolt; ½" BSF	2	—	C	
28M/10290	AGS.2001/E/1	Nut; ½" BSF	2	—	C	
28W/9418921	SP.13/E	Washer	2	—	C	
17514	10-20 WC 40711	PLATE , cover, aft stn. 380"0 (Mod. 1091) ...	2	—	C	LA121
	10-20 WC 40709A	PLATE , nut, stn. 380"0 (Mod. 1091) (For spares use 10-20 WC 40855A/ND)	2	L.72	C	LA121
17515	10-20 WC 40855A/ND	PLATE , nut, stn. 380"0 (Spares condition) ...	2	—	C	
		Attachments for 10-20 WC 40711 and 10-20 WC 49709A, Plate :—				
28D/1013178	AS.1242/5E	Bolt; ½" BSF	2	—	C	
28D/1013179	AS.1242/6E	Bolt; ½" BSF	2	—	C	
	10-20 TB 9	RING , joint, Port (For spares use 10-20 TB 1747ND)	1	L.63 DTD.683	—	LA121
14698	10-20 TB 1747ND	RING , joint, Port (Spares condition)	1	—	P	
	10-20 TB 10	RING , joint, Starboard (For spares use 10-20 TB 1748ND)	1	L.65 DTD.683	—	LA121

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
14699	10-20 TB 1748ND	RING , joint, Starboard (Spares condition) ...	1	—	P	
		Attachments for 10-20 TB 9 or 10-20 TB 10, Ring:—				
2725	DHS.356/4½"EE	Bolt, ½" BSF ...	42	—	C	
2241	DHS.365/5EE	Bolt, ½" BSF ...	24	—	C	
3590	DHS.365/5½EE	Bolt, ½" BSF ...	40	—	C	
1794	DHS.365/6E	Bolt, ½" BSF ...	4	—	C	
8383	DHS.365/6½EE	Bolt, ½" BSF ...	6	—	C	
9384	DHS.365/7EE	Bolt, ½" BSF ...	6	—	C	
9385	DHS.365/7½EE	Bolt, ½" BSF ...	6	—	C	
5609	DHS.365/6½GG	Bolt, ½" BSF ...	4	—	C	
5949	DHS.365/7GG	Bolt, ½" BSF ...	4	—	C	
28M/1007403	A27/ET	Nut, ½" BSF ...	128	—	C	
28M/1011470	A27/GT	Nut, ½" BSF ...	12	—	C	
28W/9419405	SP.15/E	Washer ...	96	—	C	
28W/9419487	SP.16/E	Washer ...	10	—	C	
28W/9419488	SP.16/G	Washer ...	4	—	C	
9387	10-20 WC 17229	Washer ...	8	—	C	LA123
9386	10-20 WC 17227	Washer ...	22	—	C	LA123
	10-20 WC 29069A	SPIGOT , Port, assembly ...	1	—	—	LA124
	10-20 WC 26825A	SPIGOT , Starboard, assembly ...	1	—	—	LA124
		Spares for :—				
14234	10-20 WC 29073	BOLT , spigot, Port ...	1	—	C	LA124
11846	10-20 WC 26541	BOLT , spigot, Starboard ...	1	—	C	LA124
		Attachments for 10-20 WC 29069A or 10-20 WC 26825A, Spigot :—				
3776	DHS.363/3½EE OR	Bolt, ½" BSF (Pre Mod. 440) ...	4	—	C	
2723	DHS.365/3½EE	Bolt, ½" BSF (Mod. 440) ...	4	—	C	
28M/10290	AGS.2001/E/1	Nut, ½" BSF ...	4	—	C	
9467	10-20 WC 18057	SHIM , at main spar diaphragm ...	1	—	C	LA124
9468	10-20 WC 18503	SHIM , at rear wheel well wall diaphragm ...	1	—	C	LA124
	10-20 WC 10229A	SKIN , lower, Port, assembly (For spares use 10-20 WC 41823A/ND)	1	—	—	LA121
20077	10-20 WC 41823A/ND	SKIN , lower, Port, assembly (Spares condition) ...	1	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
	10-20 WC 10230A	SKIN , lower, Starboard, assembly (For spares use 10-20 WC 41824A/ND)	1	—	—	LA121
20078	10-20 WC 41824A/ND	SKIN , lower, Starboard, assembly (Spares condition) Spares for :—	1	—	C	
9405	10-20 WC 15079A/ND	PLATE , cover, forward, assembly	1	—	C	LA121
19910	DHS.823/5G	Attachments for 10-20 WC 15079A/ND, Plate :— Bolt, $\frac{5}{16}$ " BSF	16	—	C	
9406	10-20 WC 15081A/ND	PLATE , cover, forward intermediate, Port, assembly	1	—	C	LA121
9407	10-20 WC 15082A/ND	PLATE , cover, forward intermediate, Starboard, assembly Attachments for 10-20 WC 15081A/ND or 10-20 WC 15082A/ND, Plate :—	1	—	C	LA121
2344	DHS.358/6G	Bolt, $\frac{1}{8}$ " BSF	26	—	C	
9408	10-20 WC 15083A/ND	PLATE , cover, rear intermediate, assembly ...	1	—	C	LA121
19912	DHS.823/6G	Attachments for 10-20 WC 15083A/ND, Plate :— Bolt, $\frac{1}{8}$ " BSF	20	—	C	
9409	10-20 WC 15085A/ND	PLATE , cover, rear assembly	2	—	C	LA121
19910	DHS.823/5G	Attachments for 10-20 WC 15085A/ND, Plate :— Bolt, $\frac{1}{8}$ " BSF	20	—	C	
		Attachments for 10-20 WC 10229A or 10-20 WC 10230A, Skin :—				
3815	DHS.358/4 $\frac{1}{2}$ C	Bolt, 2 BA	5	—	C	
2726	DHS.365/4 $\frac{1}{2}$ E	Bolt, $\frac{1}{4}$ " BSF	13	—	C	
3234	DHS.365/4 $\frac{1}{2}$ G	Bolt, $\frac{1}{8}$ " BSF	1	—	C	
2205	DHS.365/5 $\frac{1}{2}$ G	Bolt, $\frac{1}{8}$ " BSF	1	—	C	
26FC/11711	DHS.365/6G	Bolt, $\frac{1}{8}$ " BSF	1	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	5	—	C	
28M/10290	AGS.2001/E/1	Nut, $\frac{1}{4}$ " BSF	13	—	C	
28M/10291	AGS.2001/G/1	Nut, $\frac{1}{8}$ " BSF	3	—	C	
28W/9419475	SP.15/C	Washer	5	—	C	
28W/9419405	SP.15/E	Washer	1	—	C	
28W/9419487	SP.16/E	Washer	12	—	C	
28W/9419488	SP.16/G	Washer	3	—	C	
26DV/5897	DHS.365/4E	Bolt, $\frac{1}{4}$ " BSF	215	—	C	
1794	DHS.365/6E	Bolt, $\frac{1}{4}$ " BSF	4	—	C	
4563	DHS.365/7 $\frac{1}{2}$ G	Bolt, $\frac{1}{8}$ " BSF	10	—	C	
28M/13719	A29/ES	Nut, $\frac{1}{4}$ " BSF	98	—	C	
2227	DHS.983/E	Nut, $\frac{1}{4}$ " BSF	15	—	C	
28M/1007403	A27/ET	Nut, $\frac{1}{4}$ " BSF	106	—	C	
28M/1011470	A27/GT	Nut, $\frac{1}{8}$ " BSF	10	—	C	
28P/9527619	SP.90/C7	Pin, split (SP.9/C8)	98	—	C	
28W/9419405	SP.15/E	Washer	106	—	C	
28W/9419487	SP.16/E	Washer	98	—	C	
28W/9419476	SP.15/G	Washer	10	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
	—	TRACK , flap No. 2, Port and Starboard, group (Drg. No. 10-20 WC 10615)										2	—	—	LA125
	10-20 WC 6021	BLOCK , distance										1	L.64	LM	LA125
		Attachments for 10-20 WC 6021, Block :—													
28D/1010030	A25/7C	Bolt, 2 BA										1	—	C	
28D/1011023	A25/20C	Bolt, 2 BA										1	—	C	
28M/13121	A27/CS	Nut, 2 BA										2	—	C	
28P/1007741	SP.9/C8	Pin, split										2	—	C	
9432	10 WC 10437	BRACKET , attachment, torque track, rear end, Port										1	L.53	C	LA125
9433	10 WC 10438	BRACKET , attachment, torque track, rear end, Starboard										1	L.53	C	LA125
		Attachments for 10 WC 10437 or 10 WC 10438, Bracket :—													
28D/9133208	A25/20E	Bolt, 1/2" BSF										1	—	C	
3239	DHS.382/21E	Bolt, 1/2" BSF										2	S.96	C	
28M/12928	A27/EP	Nut, 1/2" BSF										2	—	C	
9434	10 WC 10719A	BRACKET , sprocket mounting, assembly ...										1	—	C	LA125
		Spares for :—													
	AS.2811/5/050	TUBE , distance, 3/16" o/d x 17 SWG x 0'-5 long										1	L.62 DTD.450 DTD.460	LM	
		Attachments for 10 WC 10719A, Bracket :—													
28D/1200119	A25/4C	Bolt, 2 BA										4	—	C	
28M/9403520	A27/CP	Nut, 2 BA										4	—	C	
9422	10 WC 10723	GUARD , chain, 18 SWG										1	L.72	LM	LA125
	10 WC 10355	MOUNTING , flap track, forward, Port (Pre Mod. 706)										1	L.122	C	LA125
16328	10-20 WC 29497	MOUNTING , flap track, forward, Port (Mod. 706)										1	L.122	C	LA125
9423	10 WC 10356	MOUNTING , flap track, forward, Starboard (Pre Mod. 706)										1	L.122	C	LA125
16329	10-20 WC 29498	MOUNTING , flap track, forward, Starboard (Mod. 706)										1	L.122	C	LA125
		Attachments for 10 WC 10355, 10-20 WC 29497, 10 WC 10356 or 10-20 WC 29498, Mounting :—													
28D/1011240	A25/5E	Bolt, 1/2" BSF										1	—	C	
28M/12931	A27/ET	Nut, 1/2" BSF										1	—	C	
28W/9419487	SP.16/E	Washer										QR	—	C	
9424	10 WC 10341	MOUNTING , flap track, forward intermediate, Port (Pre Mod. 706)										1	L.122	C	LA125
16325	10-20 WC 29503	MOUNTING , flap track, forward intermediate, Port (Mod. 706)										1	L.122	C	LA125
9425	10 WC 10342	MOUNTING , flap track, forward intermediate, Starboard (Pre Mod. 706)										1	L.122	C	LA125
16326	10-20 WC 29504	MOUNTING , flap track, forward intermediate, Starboard (Mod. 706)										1	L.122	C	LA125
		Attachments for 10 WC 10341, 10-20 WC 29503, 10 WC 10342 or 10-20 WC 29504, Mounting :—													
15510	DHS.382/15E	Bolt, 1/2" BSF										1	S.96	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
2227 28W/9419487	DHS.983/E SP.16/E	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	1	L.65	C	
		Washer	...	...	...	...	...	...	...	...	...	QR	—	C	
9426	10 WC 10323	MOUNTING , flap track, rear intermediate, Port (Pre Mod. 706)										1	L.122	C	LA125
16320	10-20 WC 29509	MOUNTING , flap track, rear intermediate, Port (Mod. 706)										1	L.122	C	LA125
9427	10 WC 10324	MOUNTING , flap track, rear intermediate, Starboard (Pre Mod. 706)										1	L.122	C	LA125
16321	10-20 WC 29510	MOUNTING , flap track, rear intermediate, Starboard (Mod. 706)										1	L.122	C	LA125
		Attachments for 10 WC 10323, 10-20 WC 29509, 10 WC 10324 or 10-20 WC 29510, Mounting :—													
15511	DHS.382/17E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	1	S.96	C	
2227	DHS.983/E	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	1	L.65	C	
28W/9419487	SP.16/E	Washer	...	...	...	...	...	...	...	...	...	QR	—	C	
9428	10 WC 10305	MOUNTING , flap track, rear, Port (Pre Mod. 706)										1	L.122	C	LA125
16318	10-20 WC 29505	MOUNTING , flap track, rear, Port (Mod. 706)										1	L.122	C	LA125
9429	10 WC 10306	MOUNTING , flap track, rear, Starboard (Pre Mod. 706)										1	L.122	C	LA125
16319	10-20 WC 29506	MOUNTING , flap track, rear, Starboard (Mod. 706)										1	L.122	C	LA125
		Attachments for 10 WC 10305, 10-20 WC 29505, 10 WC 10306 or 10-20 WC 29506, Mounting :—													
4564	DHS.382/19E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	1	S.96	C	
16367	DHS.382/21E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	1	S.96	C	
16366	DHS.382/24E	Bolt, 1" BSF	...	...	...	...	...	...	...	...	...	1	S.96	C	
2227	DHS.983/E	Nut, 1" BSF	...	...	...	...	...	...	...	...	...	3	L.65	C	
28W/9419487	SP.16/E	Washer	...	...	...	...	...	...	...	...	...	QR	—	C	
	—	SHIMS , for tracks No. 2 and 3, Port and Starboard, group (Drg. No. 10-20 WC 29335)										2	—	—	
16323	10-20 WC 29337ND	SHIM , $\frac{1}{32}$ " thick, Attewell, at stn. 366"40										1	LA.3	C	LA125
16324	10-20 WC 29345ND	SHIM , $\frac{1}{32}$ " thick, Attewell, at stn. 358"40										1	LA.3	C	LA125
16327	10-20 WC 29353ND	SHIM , $\frac{1}{32}$ " thick, Attewell, at stn. 350"40										1	LA.3	C	LA125
16330	10-20 WC 29361ND	SHIM , $\frac{1}{32}$ " thick, Attewell, at stn. 339"77										1	LA.3	C	LA125
9418	10-20 WC 6015	SOCKET , fairlead, Port										1	LFS 23	C	LA125
9419	10-20 WC 6016	SOCKET , fairlead, Starboard										1	LFS 23	C	LA125
		Attachments for 10-20 WC 6015 or 10-20 WC 6016, Socket :—													
28D/12517	A25/17C	Bolt, 2 BA										2	—	C	
9435	10 CF 4301A	SPROCKET										1	—	C	LA125
9414	10-20 WC 6319	TRACK , flap operating, Port										1	—	C	LA125

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
9415	10-20 WC 6320	TRACK , flap operating, Starboard... ..										1	—	—	LA125
		Attachments for 10-20 WC 6319 or 10-20 WC 6320,													
		Track :—													
28D/1202334	AS.1242/3E	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	2	—	C	
28D/1212825	AS.1242/4E	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	1	—	C	
28D/1212828	AS.1242/11E	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	1	—	C	
28D/1212834	AS.1242/17E	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	1	—	C	
28D/1215526	AS.4563/3E	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	2	—	C	
28D/1212313	A25/15E	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	1	—	C	
28D/1011248	A25/16E	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	1	—	C	
28D/12550	A25/22E	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	1	—	C	
28D/1011249	A25/28E	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	1	—	C	
28M/10290	AGS.2001/E/1	Nut, 1"	BSF	...	...	...	...	...	...	...	...	9	—	C	
2227	DHS.983/E	Nut, 1"	BSF	...	...	...	...	...	...	...	...	2	—	C	
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...	...	2	—	C	
28W/9419487	SP.16/E	Washer	...	...	...	...	...	...	...	...	...	QR	—	C	
9416	DHS.783/9/16	Washer	...	...	...	...	...	...	...	...	...	2	—	C	
	10-20 WC 17899	Washer, packing, at strn. 350"-40, 10 SWG	...	...	...	...	...	...	...	...	...	1	L.72	LM	LA125
9420	10-20 WC 6339	TRACK , flap torque, Port										1	—	C	LA125
9421	10-20 WC 6340	TRACK , flap torque, Starboard										1	—	C	LA125
		Attachments for 10-20 WC 6339 or 10-20 WC 6340,													
		Track :—													
28D/1007978	AS.1242/7C	Bolt, 2	BA	...	...	...	...	...	...	...	...	1	—	C	
28D/1013175	AS.1242/8E	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	1	—	C	
28D/1212827	AS.1242/9E	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	2	—	C	
28D/1212833	AS.1242/16E	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	1	—	C	
28D/1212837	AS.1242/20E	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	1	—	C	
28D/1212838	AS.1242/21E	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	1	—	C	
28D/12571	A25/21E	Bolt, 1"	BSF	...	...	...	...	...	...	...	...	1	—	C	
28M/10288	AGS.2001/C/1	Nut, 2	BA	...	...	...	...	...	...	...	...	1	—	C	
28M/10290	AGS.2001/E/1	Nut, 1"	BSF	...	...	...	...	...	...	...	...	7	—	C	
28W/9419475	SP.15/C	Washer	...	...	...	...	...	...	...	...	...	1	—	C	
28W/9419487	SP.16/E	Washer	...	...	...	...	...	...	...	...	...	QR	—	C	
9417	10 CF 4317	TUBE , fairlead										1	—	C	LA125
	—	TRACK , flap, No. 3. Port and Starboard, group (Drg. No. 10-20 WC 6311)										2	—	—	LA125
9443	10-20 WC 18467	ANGLE , attachment, at rear spar, Port										1	—	C	LA125
9444	10-20 WC 18468	ANGLE , attachment, at rear spar, Starboard										1	—	C	LA125
		Attachments for 10-20 WC 18467 or 10-20 WC 18468, Angle :—													
28D/9709461	AS.1242/3C	Bolt, 2	BA	...	...	...	...	...	...	...	...	1	—	C	
28M/1006473	A27/CT	Nut, 2	BA	...	...	...	...	...	...	...	...	1	—	C	
26FC/2036	DHS.69/CC	Shim	...	...	...	...	...	...	...	...	...	QR	—	C	
9458	10 WC 10435	BRACKET , attachment, torque track, rear end, Port (Pre Mod. 706)										1	—	C	LA125
16346	10-20 WC 29765	BRACKET , attachment, torque track, rear end, Port (Mod. 706)										1	—	C	LA125
9459	10 WC 10436	BRACKET , attachment, torque track, rear end, Starboard (Pre Mod. 706)										1	—	C	LA125

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Place No.
		1 2 3 4 5 6 7 8 9 10				
16347	10-20 WC 29766	BRACKET , attachment, torque track, rear end, Starboard (Mod. 706) Attachments for 10 WC 10435, 10-20 WC 29765, 10 WC 10436 or 10-20 WC 29766, Bracket :—	1	—	C	LA125
28D/9133208	A25/20E	Bolt, 1" BSF	1	—	C	
28D/1013177	AS.1242/2E	Bolt, 1" BSF	1	—	C	
28M/1011475	A27/EP	Nut, 1" BSF	2	—	C	
9438	10-20 WC 6113A	BRACKET , sprocket mounting, Port, assembly	1	—	C	LA125
9439	10-20 WC 6114A	BRACKET , sprocket mounting, Starboard, assembly Spares for :—	1	—	C	LA125
9440	10-20 WC 22661	BUSH Attachments for 10-20 WC 6113A or 10-20 WC 6114A, Bracket :—	1	—	C	LA125
28D/1202334	AS.1242/3E	Bolt, 1" BSF	1	—	C	
28D/1013179	AS.1242/6E	Bolt, 1" BSF	1	—	C	
28M/1011475	A27/EP	Nut, 1" BSF	2	—	C	
9463	10-20 CF 3591A	GUARD , sprocket, assembly	1	—	C	LA125
	10-20 WC 5999	LINK , at sprocket, 12 SWG Attachments for 10-20 WC 5999, Link :—	1	L.73	LM	LA125
28M/7002430	AGS.2002/E/1	Nut, 1" BSF	2	—	C	
	DHS.783/9/20	Washer, packing	2	L.72	—	
9446	10 WC 10155	MOUNTING , flap track, forward, Port (Pre Mod. 706)	1	—	C	LA125
16331	10-20 WC 28727	MOUNTING , flap track, forward, Port (Mod. 706)	1	—	C	LA125
9447	10 WC 10156	MOUNTING , flap track, forward, Starboard (Pre Mod. 706)	1	—	C	LA125
16332	10-20 WC 28728	MOUNTING , flap track, forward, Starboard (Mod. 706)	1	—	C	LA125
9448	10 WC 10199	MOUNTING , flap track, forward intermediate, Port (Pre Mod. 706)	1	—	C	LA125
16334	10-20 WC 29499	MOUNTING , flap track, forward intermediate, Port (Mod. 706)	1	—	C	LA125
9449	10 WC 10200	MOUNTING , flap track, forward intermediate, Starboard (Pre Mod. 706)	1	—	C	LA125
16335	10-20 WC 29500	MOUNTING , flap track, forward intermediate, Starboard (Mod. 706) Attachments for 10 WC 10199, 10-20 WC 29499, 10 WC 10200 or 10-20 WC 29500, Mounting :—	1	—	C	LA125
9450	DHS.901/14E	Bolt, 1" BSF	1	—	C	
2227	DHS.983/E	Nut, 1" BSF	1	—	C	
28W/9419487	SP.16/E	Washer	QR	—	C	
9451	10 WC 11571	MOUNTING , flap track, centre, Port (Pre Mod. 706)	1	—	C	LA125
16337	10-20 WC 29501	MOUNTING , flap track, centre, Port (Mod. 706)	1	—	C	LA125
9452	10 WC 11572	MOUNTING , flap track, centre, Starboard (Pre Mod. 706)	1	—	C	LA125

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
16338	10-20 WC 29502	MOUNTING , flap track, centre, Starboard ... (Mod. 706) Attachments for 10 WC 11571, 10-20 WC 29051, 10 WC 11572 or 10-20 WC 29502. Mounting :—										1	—	C	LA125
	DHS.901/13E	Bolt, $\frac{1}{2}$ " BSF ...										1	DTD.363	—	
2227	DHS.983/E	Nut, $\frac{1}{2}$ " BSF ...										1	—	C	
28W/9419487	SP.16/E	Washer ...										QR	—	C	
9453	10 WC 11573	MOUNTING , flap track, rear intermediate, Port (Pre Mod. 706)										1	—	C	LA125
16340	10-20 WC 29507	MOUNTING , flap track, rear intermediate, Port (Mod. 706)										1	—	C	LA125
9454	10 WC 11574	MOUNTING , flap track, rear intermediate, Starboard (Pre Mod. 706)										1	—	C	LA125
16341	10-20 WC 29508	MOUNTING , flap track, rear intermediate, Starboard (Mod. 706) Attachments for 10 WC 11573, 10-20 WC 29507, 10 WC 11574 or 10-20 WC 29508. Mounting :—										1	—	C	LA125
	DHS.901/15E	Bolt, $\frac{1}{2}$ " BSF ...										1	—	C	
10815	DHS.901/16E	Bolt, $\frac{1}{2}$ " BSF ...										1	—	C	
2227	DHS.983/E	Nut, $\frac{1}{2}$ " BSF ...										2	—	C	
28W/9419487	SP.16/E	Washer ...										QR	—	C	
9456	10 WC 10257	MOUNTING , flap track, rear, Port (Pre Mod. 706)										1	—	C	LA125
16343	10-20 WC 29511	MOUNTING , flap track, rear, Port (Mod. 706)										1	—	C	LA125
9457	10 WC 10258	MOUNTING , flap track, rear, Starboard ... (Pre Mod. 706)										1	—	C	LA125
16344	10-20 WC 29512	MOUNTING , flap track, rear, Starboard ... (Mod. 706) Attachments for 10 WC 10257, 10-20 WC 29511, 10 WC 10258 or 10-20 WC 29512. Mounting :—										1	—	C	LA125
	DHS.901/9E	Bolt, $\frac{1}{2}$ " BSF ...										1	—	C	
9450	DHS.901/14E	Bolt, $\frac{1}{2}$ " BSF ...										1	—	C	
10815	DHS.901/16E	Bolt, $\frac{1}{2}$ " BSF ...										1	—	C	
2227	DHS.983/E	Nut, $\frac{1}{2}$ " BSF ...										4	—	C	
28W/9419487	SP.16/E	Washer ...										QR	—	C	
9445	10 WC 7261	PIECE , distance ...										1	—	C	LA125
	A25/20C	Attachments for 10 WC 7261, Piece :—										2	—	C	
28D/1011023	A27/CS	Bolt, 2 BA ...										2	—	C	
28M/5808573	SP.90/C7	Nut, 2 BA ...										2	—	C	
28P/5927619		Pin, split (SP.9/C8) ...										2	—	C	
		SHIMS , for tracks No. 2 and 3, Port and Starboard, group (Drg. No. 10-20 WC 29335)										2	—	—	
16333	10-20 WC 29401ND	SHIM , $\frac{1}{32}$ " thick, Attewell, at stn. 350"-45 ...										1	—	C	LA125
16336	10-20 WC 29393ND	SHIM , $\frac{1}{32}$ " thick, Attewell, at stn. 358"-41 ...										1	—	C	LA125
16339	10-20 WC 29385ND	SHIM , $\frac{1}{32}$ " thick, Attewell, at stn. 366"-36 ...										1	—	C	LA125
16342	10-20 WC 29377ND	SHIM , $\frac{1}{32}$ " thick, Attewell, at stn. 373"-12 ...										1	—	C	LA125
16345	10-20 WC 29369ND	SHIM , $\frac{1}{32}$ " thick, Attewell, at stn. 379"-88 ...										1	—	C	LA125

RESTRICTED

Sea Vixen Mk. 1

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
9460	10-20 CF 3463A	SPROCKET , assembly	1	—	C	LA125
		Spares for :—				
2A/9500415	SKEFKO CBS.4	BEARING , ball (3110-99-950-0415)	1	—	C	LA125
		Attachments for 10-20 CF 3463A, Sprocket :—				
9461	10 WC 7313	Bolt, special, 1" BSF	1	—	C	LA125
9462	10-20 CF 3461	Bush	2	—	C	LA125
9464	10 WC 8391	STUD , special, at aft end of operating track	1	—	C	LA125
		Attachments for 10 WC 8391, Stud :—				
28M/1011475	A27/EP	Nut, 1" BSF	1	—	C	
28W/9418920	SP.10/E	Washer	1	—	C	
9436	10-20 WC 17693	TRACK , flap operating, Port	1	—	C	LA125
9437	10-20 WC 17694	TRACK , flap operating, Starboard	1	—	C	LA125
		Attachments for 10-20 WC 17693 or 10-20 WC 17694, Track :—				
28D/9709461	AS.1242/3C	Bolt, 1" BA	1	—	C	
28D/1215526	AS.4563/3E	Bolt, 1" BSF	2	—	C	
28D/1013178	AS.1242/5E	Bolt, 1" BSF	1	—	C	
28D/1013179	AS.1242/6E	Bolt, 1" BSF	1	—	C	
28D/1212828	AS.1242/11E	Bolt, 1" BSF	1	—	C	
28D/1212833	AS.1242/16E	Bolt, 1" BSF	1	—	C	
28D/1212729	AS.1242/29E	Bolt, 1" BSF	1	—	C	
28D/7002413	A25/14E	Bolt, 1" BSF	1	—	C	
28D/7002440	A25/18E	Bolt, 1" BSF	1	—	C	
28D/14522	A25/23E	Bolt, 1" BSF	1	—	C	
28M/9403520	A27/CP	Nut, 2 BA	1	—	C	
28M/13376	A29/EP	Nut, 1" BSF	2	—	C	
28M/10290	AGS.2001/E/1	Nut, 1" BSF	8	—	C	
28W/9419475	SP.15/C	Washer	1	—	C	
28W/9419487	SP.16/E	Washer	QR	—	C	
28W/9419405	SP.15/E	Washer	1	—	C	
	10-20 WC 18469	Washer, support	1	—	LM	LA125
9441	10 WC 10877	TRACK , flap torque, Port	1	—	C	LA125
9442	10 WC 10878	TRACK , flap torque, Starboard	1	—	C	LA125
		Attachments for 10 WC 10877 or 10 WC 10878, Track :—				
28D/1212825	AS.1242/4E	Bolt, 1" BSF	1	—	C	
28D/1013178	AS.1242/5E	Bolt, 1" BSF	1	—	C	
28D/1013179	AS.1242/6E	Bolt, 1" BSF	2	—	C	
28D/1013174	AS.1242/7E	Bolt, 1" BSF	2	—	C	
28D/1011247	A25/13E	Bolt, 1" BSF	1	—	C	
28D/1011248	A25/16E	Bolt, 1" BSF	1	—	C	
28D/9706306	A25/17E	Bolt, 1" BSF	2	—	C	
28D/7002440	A25/18E	Bolt, 1" BSF	1	—	C	
28D/9133208	A25/20E	Bolt, 1" BSF	1	—	C	
28M/10290	AGS.2001/E/1	Nut, 1" BSF	11	—	C	
28W/9419487	SP.16/E	Washer	QR	—	C	
26DV/6603	DHS.66/DD	Washer, shim	1	—	C	

RESTRICTED

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Place No.
		1 2 3 4 5 6 7 8 9 10				
	—	WALL , rear wheel well, between ribs Nos. 1 and 4, Port and Starboard, group (Drg. Nos. 10-20 WC 6717, 10-20 WC 5419A/1 and 10-20 WC 5420A/1)	2	—	—	
15238	10-20 WC 29263A/ND	WALL , rear wheel well, between ribs Nos. 1 and 3, Port, assembly (For spares use 10-20 WC 30197A/ND)	1	—	—	LA126
	10-20 WC 30197A/ND	WALL , rear wheel well, between ribs Nos. 1 and 3, Port, assembly (Spares condition)	1	—	P	
	10-20 WC 41513A/ND	WALL , rear wheel well, between ribs Nos. 1 and 3 Starboard, assembly (For spares use 10-20 WC 41515A/ND) (Mod. 1417)	1	—	—	LA126
19376	10-20 WC 41515A/ND	WALL , rear wheel well, between ribs Nos. 1 and 3, Starboard, assembly (Mod. 1417) (Spares condition)	1	—	P	
	10-20 WC 22323	ANGLE , inboard web attachment, bottom Port and top Starboard, 14 SWG	2	L.73	LM	LA126 LA127
	10-20 WC 22324	ANGLE , inboard web attachment, top Port and bottom Starboard, 14 SWG	2	L.73	LM	LA126 LA127
1653	DHS.365/2E	BOLT , 1/2" BSF, web and boom attachment ...	1	—	C	
2724	DHS.365/2 1/2 E	BOLT , 1/2" BSF, web and boom attachment, Star- board only	2	—	C	
1657	DHS.365/3E	BOLT , 1/2" BSF, web and boom attachment ...	1	—	C	
3239	DHS.382/2 1/2 E	BOLT , 1/2" BSF, web and boom attachment, Port Starboard	6 8	— —	C C	
3228	DHS.382/3E	BOLT , 1/2" BSF, web and boom attachment, Port Starboard	5 3	— —	C C	
15166	DHS.1001/2E	BOLT , 1/2" BSF, web and boom attachment ... (Mod. 440)	5	—	C	
2727	DHS.901/2E	BOLT , 1/2" BSF, web and boom attachment ... (Pre Mod. 440)	5	—	C	
15006	DHS.1001/3E	BOLT , 1/2" BSF, web and boom attachment ... (Mod. 440)	6	—	C	
2732	DHS.901/3E	BOLT , 1/2" BSF, web and boom attachment ... (Pre Mod. 440)	6	—	C	
	10-20 WC 6787	BOOM , bottom, Port ...	1	—	—	LA126
	10-20 WC 6788	BOOM , bottom, Starboard ...	1	—	—	LA127
	10-20 WC 6781A/1	BOOM , top, Port, assembly ...	1	—	—	LA126
	10-20 WC 6782A/1	BOOM , top, Starboard, assembly ...	1	—	—	LA127
	10-20 WC 17291	BRACKET , clamp block, at joint at rib No. 3, Port, 18 SWG	1	L.72	LM	LA126
	10-20 WC 17292	BRACKET , clamp block, at joint at rib No. 3, Starboard, 18 SWG	1	L.72	LM	LA126
	10-20 WC 15919	FAIRLEAD , cable, on inboard web, Starboard only	1	LFS.21	LM	LA127
	10-20 WC 15921	FAIRLEAD , cable, on inboard web, Starboard only Attachments for 10-20 WC 15919 or 10-20 WC 15921, Fairlead :—	1	LFS.21	LM	LA127
28D/9133011	A25/2C	Bolt, 2 BA ...	2	—	C	
28M/10328	AGS.2002/C/1	Nut, 2 BA ...	2	—	C	
28V/9419475	SP.15/C	Washer ...	2	—	C	
28FP/1005	ODDIE 888B	FASTENER , "Solidlock," female, panel attachment	11	—	C	LA126
2227	DHS.983/E	NUT , 1/2" BSF, web and boom attachment ...	37	—	C	
3131	10-20 WC 9165A	NUT , anchor, complete with bush, assembly ...	16	—	C	LA126 LA127
	10-20 WC 41649A/ND	NUT , anchor, complete with bush, assembly ... (Make from 10-20 WC 9165A)	1	—	—	LA126 LA127

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
14630	10-20 WC 29781A	PANEL, detachable, between ribs Nos. 1 and 2, Port, assembly (Mod. 652)										1	—	P	LA126
3125	10-20 WC 6601A	PANEL, detachable, between ribs Nos. 1 and 2, Port, assembly (Pre Mod. 652)										1	—	P	LA126
3126	10-20 WC 9161	BUSH										13	—	C	LA126
28FP/1004	ODDIE 888A	FASTENER, "Solidlock," male										5	—	C	LA126
28D/14582	A30/6J	Attachments for 10-20 WC 29781A or 10-20 WC 6601A, Panel :—													
28W/9419456	SP.10/J	Bolt, 3/8" BSF										13	—	C	
		Washer										13	—	C	
10792	10-20 WC 14483A	PANEL, detachable, between ribs Nos. 1 and 2, Starboard, assembly (Pre Mod. 652)										1	—	P	LA127
19375	10-20 WC 41485A	PANEL, detachable, between ribs Nos. 1 and 2, Starboard, assembly (Mod. 1417)										1	—	P	LA127
3126	10-20 WC 9161	BUSH										13	—	C	LA127
28FP/9993392	ODDIE 212	CLIP										2	—	C	LA127
3128	10-20 WC 16151	COVER, assembly										1	—	P	LA127
28FP/1202390	ODDIE 554	STUD										2	—	C	LA127
28FP/1004893	DHS.783/6/24	WASHER										2	—	—	
28FP/1004	ODDIE 214	WASHER										2	—	C	LA127
28FP/1004	ODDIE 888A	FASTENER, "Solidlock," male										5	—	C	LA127
19377	10-20 WC 25419	LABEL, "Accumulators....." 20 SWG										1	L.72	LM	LA127
17108	10-20 WC 41481	LABEL, "Further to general....." (Mod. 1417)										1	—	C	LA127
28M/11957	AGS.2007/C/1	LABEL, "Instructions for filling....." (Mod. 1073)										1	—	C	LA127
	10-20 WC 40981ND	NUT, anchor, 2 BA, window attachment										7	—	C	
		PLATE, packing, at perspex window for hydraulic tank, 14 SWG (Mod. 1184)										2	L.73	LM	LA127
18107	10-20 WC 40977ND	WINDOW, perspex, hydraulic tank (Mod. 1184)										1	—	C	LA127
28D/9133013	A25/5C	Attachments for 10-20 WC 40977ND, Window :—													
28W/9419475	SP.15/C	Bolt, 2 BA										4	—	C	
		Washer										4	—	C	
10330	10-20 WC 25149ND	WINDOW, perspex										1	—	C	LA127
28D/9133012	A25/3C	Attachments for 10-20 WC 25149ND, Window :—													
28W/9419475	SP.15/C	Bolt, 2 BA										3	—	C	
		Washer										3	—	C	
28D/14582	A30/6J	Attachments for 10-20 WC 14483A or 10-20 WC 41485A, Panel :—													
28W/9419456	SP.10/J	Bolt, 3/8" BSF										6	—	C	
		Washer										6	—	C	
3129	10-20 WC 6577A	PANEL, detachable, between ribs Nos. 2 and 3, Port, assembly										1	—	P	LA126
3130	10-20 WC 6578A	PANEL, detachable, between ribs Nos. 2 and 3, Starboard, assembly										1	—	P	LA126
3126	10-20 WC 9161	BUSH										6	—	C	LA126
28FP/1004	ODDIE 888A	FASTENER, "Solidlock," male										6	—	C	LA126
28M/11957	AGS.2007/C/1	NUT, anchor, 2 BA										1	—	C	
	10-20 WC 6587	PLATE, cover, window retaining, 22 SWG										1	L.72	LM	LA126
28D/9436920	A25/1C	Attachments for 10-20 WC 6587, Plate :—													
28M/10288	AGS.2001/C/1	Bolt, 2 BA										4	—	C	
28W/9419475	SP.15/C	Nut, 2 BA										4	—	C	
		Washer										4	—	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
28D/14582 28W/9419456	10-20 WC 22133ND	PLATE, stiffener, Port, 18 SWG ...										1	L.73	LM	LA126
	10-20 WC 22134ND	PLATE, stiffener, Starboard, 18 SWG ...										1	L.73	LM	LA126
	A30/6J SP.10/J	Attachments for 10-20 WC 6577A or 10-20 WC 6578A, Panel :—													
		Bolt, 1/8" BSF ...										6	—	C	
	Washer ...										6	—	C		
	10-20 WC 29191A	WEB, centre portion, Port, assembly ...										1	—	—	LA126
	10-20 WC 6592A	WEB, centre portion, Starboard, assembly ...										1	—	—	LA127
	Spares for :—														
	10-20 WC 24735	ANCHOR, spring, door lock, at rib No. 2, Port, 18 SWG										1	S.510	LM	LA126
	10-20 WC 24736	ANCHOR, spring, door lock, at rib No. 2, Starboard, 18 SWG										1	S.510	LM	LA127
10-20 WC 29911A	WEB, inboard portion, Port, assembly ... (Mod. 216)										1	—	—	LA126	
10-20 WC 20457	WEB, inboard portion, Starboard ...										1	—	—	LA127	
10-20 WC 24339A	WEB, outboard portion, Port, assembly ...										1	—	—	LA126	
10-20 WC 24340A	WEB, outboard portion, Starboard, assembly ...										1	—	—	LA126	
Attachments for 10-20 WC 29263A/ND or 10-20 WC 41513A/ND, Wall :—															
At rib No. 1 :—															
15537	DHS.1001/3G	Bolt, 5/16" BSF (Mod. 440) ...										12	L.65	C	
3219	DHS.901/3G	Bolt, 5/16" BSF (Pre Mod. 440) ...										12	DTD.363	C	
15539	DHS.1001/4G	Bolt, 5/16" BSF (Mod. 440) ...										5	L.65	C	
3226	DHS.901/4G	Bolt, 5/16" BSF (Pre Mod. 440) ...										5	DTD.363	C	
15540	DHS.1001/4½G	Bolt, 5/16" BSF (Mod. 440) ...										2	L.65	C	
2237	DHS.901/4½G	Bolt, 5/16" BSF (Pre Mod. 440) ...										2	DTD.363	C	
3190	DHS.983/G	Nut, 5/16" BSF ...										19	L.65	C	
28W/9419476	SP.15/G	Washer ...										19	—	C	
At rib No. 3 :—															
15525	DHS.1001/1½E	Bolt, 1/2" BSF (Mod. 440) ...										3	L.65	C	
2728	DHS.901/1½E	Bolt, 1/2" BSF (Pre Mod. 440) ...										3	DTD.363	C	
15526	DHS.1001/2½E	Bolt, 1/2" BSF (Mod. 440) ...										13	L.65	C	
2364	DHS.901/2½E	Bolt, 1/2" BSF (Pre Mod. 440) ...										13	DTD.363	C	
15006	DHS.1001/3E	Bolt, 1/2" BSF (Mod. 440) ...										3	L.65	C	
2732	DHS.901/3E	Bolt, 1/2" BSF (Pre Mod. 440) ...										3	DTD.363	C	
2227	DHS.983/E	Nut, 1/2" BSF ...										19	L.65	C	
28W/9419405	SP.15/E	Washer ...										19	—	C	
	10-20 WC 5419A/1	WALL, rear wheel well, between ribs Nos. 3 and 4, Port, assembly (For spares use 10-20 WC 41509A/ND)										1	—	—	LA128
19528	10-20 WC 41509A/ND	WALL, rear wheel well, between ribs Nos. 3 and 4, Port, assembly (Spares condition)										1	—	P	
	10-20 WC 5420A/1	WALL, rear wheel well, between ribs Nos. 3 and 4, Starboard, assembly (For spares use 10-20 WC 41510A/ND)										1	—	—	LA128
19529	10-20 WC 41510A/ND	WALL, rear wheel well, between ribs Nos. 3 and 4, Starboard, assembly (Spares condition)										1	—	P	
3191	DHS.382/4G	BOLT, 3/8" BSF, rib No. 3 attachment ...										2	S.96	C	
3774	DHS.382/4½G	BOLT, 3/8" BSF, rib No. 3 attachment ...										5	S.96	C	
3194	DHS.382/5G	BOLT, 3/8" BSF, rib No. 3 attachment ...										6	S.96	C	
26DL/7107	DHS.201/3G	BOLT, 3/8" BSF, web and bottom boom attachment										5	DTD.363	C	
3229	DHS.363/3G	BOLT, 3/8" BSF, web and bottom boom attachment										3	DTD.363	C	
3228	DHS.382/3E	BOLT, 1/2" BSF, web and bottom boom attachment										7	S.96	C	

MAIN PLANES
WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6	7	8	9	10				
6359 3198	DHS.201/2½G											8	DTD.363	—	
	DHS.358/3½G											1	S.96	C	
	DHS.382/3½E											8	S.96	C	
	10-20 WC 5441											1	DTD.363	—	LA128
	10-20 WC 5442											1	DTD.363	—	LA128
	10-20 WC 5439											1	DTD.363	—	LA128
	10-20 WC 5440											1	DTD.363	—	LA128
	19-20 WC 9923A											1	—	—	LA128
	10-20 WC 9924A											1	—	—	LA128
	10-20 WC 9925ND											1	—	LM	LA128
28M/9435067	AGS.2008/C/1											1	—	LM	LA128
												1	—	LM	LA128
28D/9436920 28M/10328	A25/1C											2	—	C	
	AGS.2002/C/1											2	—	C	
13775	10-20 WC 27475A											1	—	—	LA128
	10-20 WC 28925A/ND											1	—	P	
13776	10-20 WC 27476A											1	—	—	LA128
	10-20 WC 28926A/ND											1	—	P	
3137	10-20 WC 6997											2	DTD.197	C	LA128
												2	—	C	
26DV/7306 26DL/7120 26FN/3372 2220 28W/9419476	DHS.201/4G											15	DTD.363	C	
	DHS.201/5½G											11	DTD.363	C	
19530	DHS.202/G											15	DTD.423	C	
	DHS.383/G											11	DTD.423	C	
10-20 WC 41503A	SP.15/G											15	—	C	
												1	—	—	LA128
10-20 WC 41507A/ND												1	—	C	
												1	—	—	LA128
10-20 WC 41504A												1	—	—	LA128
												1	—	—	LA128

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		1 2 3 4 5 6 7 8 9 10				
19531	10-20 WC 41508A/ND	BRACKET , torque tube bearing, rear under-carriage door lock, Starboard, assembly (Spares condition) Spares for :—	1	—	C	
19532	HOFFMANN U.L.S.5	BEARING , ball Attachments for 10-20 WC 41503A or 10-20 WC 41504A, Bracket :—	1	—	C	
28D/1011240	A25/5E	Bolt, $\frac{1}{8}$ " BSF	1	—	C	
28D/1011242	A25/7E	Bolt, $\frac{1}{8}$ " BSF	2	—	C	
	DHS.432/3 $\frac{1}{2}$ E	Bolt, $\frac{1}{8}$ " BSF	1	S.96	C	
3235	DHS.382/5E	Bolt, $\frac{1}{8}$ " BSF	1	S.96	C	
3199	DHS.382/5 $\frac{1}{2}$ E	Bolt, $\frac{1}{8}$ " BSF	1	S.96	C	
28M/12928	A27/EP	Nut, $\frac{1}{8}$ " BSF	3	—	C	
2356	DHS.383/E	Nut, $\frac{1}{8}$ " BSF	3	DTD.423	C	
28W/9418921	SP.13/E	Washer	1	—	C	
28W/9419487	SP.16/E	Washer	3	—	C	
	10-20 WC 2337A	BRACKET , undercarriage side stay rear pick-up, Port, assembly	1	—	—	LA128
	10-20 WC 2338A	BRACKET , undercarriage side stay rear pick-up, Starboard, assembly Spares for :—	1	—	—	LA128
	10-20 WC 20451	BUSH	1	S.96	—	LA128
3134	10-20 WC 2341	NUT , captive Attachments for 10-20 WC 2341, Nut :—	1	S.96	C	LA128
28D/1007975	AS.1242/1C	Bolt, 2 BA Attachments for 10-20 WC 2337A or 10-20 WC 2338A, Bracket :—	2	—	C	
28D/7002427	A25/6G	Bolt, $\frac{3}{16}$ " BSF	2	—	C	
28D/1011257	A25/7G	Bolt, $\frac{3}{16}$ " BSF	9	—	C	
28D/1011258	A25/8G	Bolt, $\frac{3}{16}$ " BSF	3	—	C	
3234	DHS.365/4 $\frac{1}{2}$ G	Bolt, $\frac{3}{16}$ " BSF	23	S.96	C	
26FC/11711	DHS.365/6G	Bolt, $\frac{3}{16}$ " BSF	2	S.96	C	
3231	DHS.365/13 $\frac{1}{2}$ G	Bolt, $\frac{3}{16}$ " BSF	2	S.96	C	
3233	DHS.365/14G	Bolt, $\frac{3}{16}$ " BSF	1	S.96	C	
3230	DHS.365/15 $\frac{1}{2}$ G	Bolt, $\frac{3}{16}$ " BSF	1	S.96	C	
6383	DHS.365/17G	Bolt, $\frac{3}{16}$ " BSF	1	S.96	C	
28M/1006939	A27/GP	Nut, $\frac{3}{16}$ " BSF	44	—	C	
	10-20 WC 29549ND	Packing (if required) 12 SWG	1	L.73	—	LA128
28W/9419476	SP.15/G	Washer	3	—	C	
28W/9419488	SP.16/G	Washer	41	—	C	
	10-20 WC 17195	Washer, pad, 5 SWG	3	DTD.746	LM	LA128
28M/1006939	A27/GP	NUT , $\frac{3}{16}$ " BSF, rib No. 3 attachment	4	—	C	
2356	DHS.383/E	NUT , $\frac{1}{8}$ " BSF, web and booms attachment	15	DTD.423	C	
2220	DHS.383/G	NUT , $\frac{3}{16}$ " BSF, web and booms attachment	26	DTD.423	C	
3138	10-20 WC 5423A	PANEL , detachable, Port, assembly	1	—	C	LA128
3139	10-20 WC 5424A	PANEL , detachable, Starboard, assembly Attachments for 10-20 WC 5423A or 10-20 WC 5424A, Panel :—	1	—	C	LA128
28D/1011255	A25/3G	Bolt, $\frac{3}{16}$ " BSF	24	—	C	
28D/1011256	A25/5G	Bolt, $\frac{3}{16}$ " BSF	6	—	C	

MAIN PLANES WING CENTRE SECTION

Ref. No.	Part No.	Description										No. off	Material Specification	Class of Score or L.M.	Place No.
		1	2	3	4	5	6	7	8	9	10				
28M/14931	10-20 WC 5425A	STIFFENER, Port, assembly										1	—	—	LA128
	10-20 WC 5426A	STIFFENER, Starboard, assembly										1	—	—	
	AGS.2009/G/1	Spares for :—										6	—	C	
		NUT, anchor, $\frac{1}{8}$ " BSF										6	—	C	
		Attachments for 10-20 WC 5425A or 10-20 WC 5426A, Stiffener :—										1	—	C	
		Bolt, $\frac{1}{4}$ " BSF										1	—	C	
		Bolt, $\frac{1}{4}$ " BSF										1	—	C	
		Bolt, $\frac{1}{4}$ " BSF										1	—	C	
		Bolt, $\frac{1}{8}$ " BSF										2	DTD.363	C	
		Nut, $\frac{1}{4}$ " BSF										4	—	C	
		Nut, $\frac{1}{8}$ " BSF										2	DTD.423	C	
		Washer										4	—	C	
28W/9419488	SP.16/G	WASHER, rib No. 3 attachment										4	—	C	LA128
	10-20 WC 5421A	WEB, Port, assembly										1	—	—	
	10-20 WC 5422A	WEB, Starboard, assembly										1	—	—	
	AGS.2009/G/1	Spares for :—										24	—	C	
		NUT, anchor, $\frac{1}{8}$ " BSF										24	—	C	
		Attachments for 10-20 WC 5419A/1 or 10-20 WC 5420A/1, Wall (at rib No. 4) :—										1	—	C	
		Bolt, $\frac{1}{4}$ " BSF										26	—	C	
		Bolt, $\frac{1}{4}$ " BSF										6	—	C	
		Bolt, $\frac{1}{4}$ " BSF										26	—	C	
		Nut, $\frac{1}{4}$ " BSF										6	—	C	
		Nut, $\frac{1}{4}$ " BSF										26	—	C	
		Washer										26	—	C	
Attachments for Wing centre section structure to fuselage structure, see Page KQ77										—	—	—			

RESTRICTED


LA.1

MAIN PLANE

LA.1

WING CENTRE SECTION

RESTRICTED



RESTRICTED


LA.2

MAIN PLANES

WING CENTRE SECTION

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *


AIR INTAKE AND AIR DUCT BETWEEN FRONT SPAR AND MAIN SPAR. (DRG Nos IO.20WC 11397 AND IO.20WC 41437)




RESTRICTED

LA.2
(ALL 65)

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *



AIR-BLEED AND
L.E. STRUCTURE
IO.20WC11839A L.H.
IO.20WC11841A R.H.




LA.3

MAIN PLANES WING CENTRE SECTION

LA.3

[A.L.71]

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *




LA.4

MAIN PLANES WING CENTRE SECTION

LA.4

(AL. 68)

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *



LA.5


MAIN PLANES WING CENTRE SECTION

RESTRICTED

LA.5
[AL62]



SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *



STRAP. JOINT AT FORWARD
JOINT RING

DHS 365/3C

ANGLE - 41769 ND
IO.20WC11742 ND L.H. *
IO.20WC11742 ND R.H. *
41770 ND

BLOCK DISTANCE
IO.20WC5177
SIMILAR ITEM
IO.20WC5175

ANGLE -
IO.20WC13761 L.H. *
IO.20WC13762 R.H. *

DHS 365/1 1/2 C


DHS 365/3C

DOUBLER -
IO.20WC12035 ND L.H.
IO.20WC12036 ND R.H.


STRAP BUTT -
IO.20WC40905 ND L.H. | UPPER
IO.20WC40906 ND R.H. |
IO.20WC40907 ND L.H. | LOWER
IO.20WC40908 ND R.H. |

Sections of rear joint ring, engine main
air intake, centre portion

SILICONE 'O' RING
IO.20WC6963



ANGLE -
IO.20WC531 L.H. *
IO.20WC532 R.H. *



ANGLE. JOINT.
INBOARD


ANGLE. TOP
IO.20WC11745 L.H. *
IO.20WC11746 R.H. *

IO.20WC12289 L.H. *
IO.20WC12290 R.H. *

ANGLE. LOWER
IO.20WC11753 L.H. *
IO.20WC11754 R.H. *

ANGLE. JOINT. OUTBOARD

ANGLES. ATTACHMENT AT FRONT SPAR




View of inboard side of
forward joint ring.

LA.7

MAIN PLANES WING CENTRE SECTION

LA.7
[A.L.54]

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *




LA.8

MAIN PLANES WING CENTRE SECTION

LA.8
[A.L.47]

RESTRICTED

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *




LA.9

MAIN PLANES WING CENTRE SECTION

RESTRICTED

LA.9
[Alt. 58]



LA.10

MAIN PLANE

LA.10
[AL 27]

WING CENTRE SECTION

RESTRICTED

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *

BRACKET, PICK-UP, TOP, WINGFOLD.
JACK, REAR SUPPORT STRUT.

* IO.20WC 17373 L.H.

* IO.20WC 17374 R.H.

IO.20WC 17347

IO.20WC 17377

BRACKET, CLAMP BLOCK.

IO.20WC 23831A L.H.

IO.20WC 23832A R.H.

IO.20 S 4767A
IO.20 S 4769ND

IO.20WC 5959 L.H.
IO.20WC 5960 R.H.

* IO.20WC 17375 L.H.

* IO.20WC 17376 R.H.

BRACKET, BRACING
STRUT ATTACHMENT.

* IO.20WC 22665 L.H.

* IO.20WC 22666 R.H.


LA.11

MAIN PLANES
WING CENTRE SECTION

RESTRICTED

LA.11

[AL.62]



LA.12

MAIN PLANES WING CENTRE SECTION

LA.12
[A.L.58]

RESTRICTED

Plate LA.1


SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *


LA.13

MAIN PLANES WING CENTRE SECTION

RESTRICTED

LA 13
(A.L. 65)





LA.14

MAIN PLANE


LA.14

WING CENTRE SECTION

RESTRICTED

[A.L. 28]

TRAY, BATTERY MTNG. AT SEMI BULKHEAD
STATION 197'45 L.H. & R.H.
(DRG. IO.2ON4653A)




LA.15

MAIN PLANES
WING CENTRE SECTION

RESTRICTED

LA.15
[A.L. 66]




LA.16

MAIN PLANES WING CENTRE SECTION

LA.16

[A.L. 65]

RESTRICTED



LA.17

MAIN PLANES WING CENTRE SECTION


RESTRICTED

LA.17
[A.45]

LA.18


SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *

NOTE: ALTHOUGH ONLY PORT PANEL IS
DRAWN BOTH PORT & STARBOARD
BRACKETS ARE INCLUDED.

LA.18
[Alt. 66]MAIN PLANES
WING CENTRE SECTION

RESTRICTED

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *



LA.19

MAIN PLANES
WING CENTRE SECTION

LA.19

(ALL 68)

RESTRICTED


LA.20

MAIN PLANES WING CENTRE SECTION


RESTRICTED

LA.20
(A.L. 65)


SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS:— *




SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *





BRACKETS, FRAME JOINT.
STN. 319'75 - 321'5
GROUP (IO.20EC4843)



BRACKETS, FRAME JOINT
STN. 328'75 - 330'50
GROUP (IO.20EC515)




BRACKET, FRAME JOINT, BOTTOM COWLING
STN. 338'10 - 339'84



RESTRICTED


LA.22

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *MAIN PLANES
WING CENTRE SECTION

RESTRICTED

LA.22
[A-56]

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *




LA.23

MAIN PLANES WING CENTRE SECTION

LA.23

[A.L47]

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *




LA.24

MAINPLANES WING CENTRE SECTION

LA.24
[A.L. 31]

RESTRICTED

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS - *




LA.25

MAINPLANES WING CENTRE SECTION

LA.25
[A.L.3]

RESTRICTED

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *



LA.26


MAINPLANES WING CENTRE SECTION

LA.26

[A.L.31]

RESTRICTED

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *




LA.27

MAINPLANES
WING CENTRE SECTION

RESTRICTED

LA.27


[A.3]



LA.28

MAIN PLANES WING CENTRE SECTION


LA.28
{A.L. 62}



LA.28

MAIN PLANE WING CENTRE SECTION


LA.28



LA.29

MAIN PLANES WING CENTRE SECTION

LA.29
[A.L.72]




LA.30

MAIN PLANES WING CENTRE SECTION

LA.30

[A.L.71]

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *




LA.31

MAIN PLANES WING CENTRE SECTION

LA.31
[AL 74]

RESTRICTED

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: * *



LA.32

MAIN PLANE WING CENTRE SECTION


RESTRICTED

LA.32
[A172]

RESTRICTED

Place LA.33

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS:— *



LA.33

MAIN PLANES WING CENTRE SECTION

RESTRICTED

LA.33
[AL60]


LA.34

MAIN PLANE

LA.34
[ALL 28]

WING CENTRE SECTION

RESTRICTED

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *


LA.35

MAIN PLANES WING CENTRE SECTION


RESTRICTED

LA.35
[142]

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *



FAIRING, TOP CENTRE, FROM RIB 'O' TO RIB 'OA' DRG.No. 40247 (MOD.335)



LA.36



MAIN PLANES WING CENTRE SECTION

RESTRICTED


LA.36
[A.47]

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *


SOCKET, TANK
10.20WC 7019




PLATE, NUT
10.20WC 7345A L.H.
10.20WC 7346A R.H.



BRACKET, FORWARD
* 10.20WC 4829 L.H.
* 10.20WC 4830 R.H.




BRACKET, REAR
* 10.20WC 4831 L.H.
* 10.20WC 4832 R.H.



SUMP, FUEL FILLER CONNECTION
TANK No.1 ASSEMBLY
* 10.20WC 40873A L.H.
* 10.20WC 40874A R.H.

10.20WC 40741 ND, PACKING.




AERIAL BRIDGE, TO TOP
CENTRE FAIRING.
DRG No 10.20WC 40743A

LA.37

MAIN PLANES WING CENTRE SECTION

LA.37
[A.L.47]

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *




LA.38

MAIN PLANES WING CENTRE SECTION


LA.38

[AL. 58]

LA.39
[AL.69]



SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *



LA.40

MAIN PLANES WING CENTRE SECTION

LA.40


(AL. 58)

RESTRICTED

LA.41

MAIN PLANES WING CENTRE SECTION

RESTRICTED

LA.41
[A.L.56]

RESTRICTED

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *

DUCT INLET
HEATING PACKAGE UNIT
(PRG. No. IO.20.WC 23841)

IO.20.WC 22099A/ND L.H.
IO.20.WC 22100A/ND R.H.

*IO.20.WC 23845A/ND L.H.
*IO.20.WC 23846A/ND R.H.

IO.20.WC 24927 A L.H. & R.H.

MEMBER,
NOSE SEALING
IO.20.WC 16851ND L.H.
IO.20.WC 16852ND R.H.

IO.20.WC 16855 ND

TAB SEALING

SKIN
*IO.20.WC 25961 ND R.H.
*IO.20.WC 21585 ND L.H.

BOLT DHS.365/2EE
NUT DHS.983/E

IO.20.WC 16853 ND L.H.
IO.20.WC 16854 ND R.H.

IO.20.WC 6423
See Plate LA.44

IO.20.WC 17365 ND L.H.
IO.20.WC 17366 ND R.H.

STRIP REINFORCING
IO.20.WC 28451 ND R.H. ONLY

PLATE, LANDING
WINGFOLD FAIRING
IO.20.WC 6413 L.H.
IO.20.WC 6414 R.H.

STRIP PACKING
IO.20.WC 27543ND L.H.) TOP SKIN
IO.20.WC 27544ND R.H.)

STRIP PACKING
IO.20.WC 10665 ND L.H.)
IO.20.WC 10666 ND R.H.)
IO.20.WC 27539ND L.H.)
IO.20.WC 27540ND R.H.)

BOTTOM SKIN
TOP SKIN

IO.20.WC 6425A
See Plate LA.44

IO.20.WC 31205 A
IO.20.WC 31393 ND (BARE)
IO.20.WC 31119 BOLT

IO.20.WC 6427A L.H.)
IO.20.WC 6428A R.H.) See Plate LA.44

ASSEMBLY OF LEADING EDGE, RIBS No.2 TO 4

* IO.20.WC 24679 A PORT
* IO.20.WC 25959 A STBD.

LA.42


MAIN PLANES WING CENTRE SECTION

RESTRICTED

LA.42

[ALL 58]

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS - *




LA.43

MAIN PLANES WING CENTRE SECTION

LA.43

[A.L. 73]

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *



LA.44

MAIN PLANES WING CENTRE SECTION


LA.44

[A.L.58]

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *

IO.20WC 5447 L.H.
IO.20WC 5448 R.H.

IO.20WC 5299 L.H.
IO.20WC 5300 R.H.
IO.20WC 17977A/ND L.H.
IO.20WC 17978A/ND R.H.



SHACKLE, BRACING STRUT.
IO.20WC 17641
IO.20WC 17642
IO.20WC 17639
IO.20WC 17640

IO.20WC 2937 L.H.
IO.20WC 2938 R.H.
IO.20WC 17975A/ND L.H.
IO.20WC 17976A/ND R.H.

* IO.20WC 15603 L.H.
* IO.20WC 15604 R.H.

* IO.20WC 5279 L.H.
* IO.20WC 5280 R.H.

* IO.20WC 5387 L.H.
* IO.20WC 5388 R.H.


MEMBERS, DIFFUSION, AT RIB No.4.

LA.45

MAIN PLANES WING CENTRE SECTION

RESTRICTED


LA.45
(A.62)



LA.47

MAIN PLANES WING CENTRE SECTION

LA.47
[AL.58]




LA.48

MAIN PLANE WING CENTRE SECTION

LA.48

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *




LA.49

MAIN PLANES WING CENTRE SECTION

RESTRICTED

LA.49
[A.L.60]



LA.50

LA.50

[A.L. 38]

RESTRICTED


LA.51


MAIN PLANES

LA.51
[AL.51]

WING CENTRE SECTION

RESTRICTED






LA.52

MAIN PLANES
WING CENTRE SECTIONLA.52
[A138]

RESTRICTED

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *



LA.53

MAIN PLANES WING CENTRE SECTION

LA.53
[A.L. 65]

RESTRICTED

LA.54

MAIN PLANES WING CENTRE SECTION

RESTRICTED

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *



IO.20WC17923
SIMILAR ITEM
IO.20WC17931



IO.20WC26767
SIMILAR ITEM
IO.20WC26768



IO.20WC17853 L.H.
IO.20WC17854 R.H.




IO.20 WC 9935
IO.20 WC 9937
IO.20 WC 9939
Detail A



IO.20WC17885
SIMILAR ITEM
IO.20WC17887

WASHERS



LA.54
[A.50]

LA.55

MAIN PLANES

WING CENTRE SECTION


RESTRICTED

LA.55
[AL.50]SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *PANEL, SKIN, REAR, BOTTOM, INBOARD, STARBOARD, ASSY.
*IO 20WC5621A

RESTRICTED

RESTRICTED

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *



LA.57


MAIN PLANES WING CENTRE SECTION

LA.57
[ALL 63]

RESTRICTED

RESTRICTED

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *




LA.57

MAIN PLANES WING CENTRE SECTION

RESTRICTED

LA.57
[ALL 56]

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS:- *




LA.58

MAIN PLANES WING CENTRE SECTION

LA.58


[AL 58]



LA.59

MAIN PLANE WING CENTRE SECTION

LA.59




LA.60


MAIN PLANES WING CENTRE SECTION

LA.60

(A.L.58)




STRAP, JOINT.
TOP SKIN PANELS.
BETWEEN RIBS Nos. 1 & 2.
10.20WC 20095



BOLT.
10.20WC 17589
(5 OFF)



PLATE, REINFORCING.
10.20WC 10285 L.H.
10.20WC 10286 R.H.
SPARES CONDITION:-
10.20WC 26689ND L.H.
10.20WC 26690ND R.H.




LA.61

MAIN PLANE WING CENTRE SECTION

LA.61

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *




LA.62

MAIN PLANES WING CENTRE SECTION

RESTRICTED

LA.62

[ALSI]




LA.63

MAIN PLANES WING CENTRE SECTION

LA.63

[A.L. 65]




LA.64

MAIN PLANES WING CENTRE SECTION

LA.64

(A L. 41)

See text for spares condition of items marked thus: * AL59



RIB 'O' STARBOARD SIDE

LA.65

MAIN PLANE WING CENTRE SECTION

LA.65

LA.66

AL59


MAIN PLANES

WING CENTRE SECTION

RESTRICTED

LA.66

[A.L.38]



RIB 'O' AFT PORTION



RESTRICTED

LA.67

MAIN PLANES

WING CENTRE SECTION

RESTRICTED

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS— *LA.67
A.1.43

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *

Detail 'A'



BOLT, SOCKET
IO.WC 3937

RIB, WEB, BOTTOM HALF ASSY.
* IO.20WC 41749A L.H. (MOD.1287)
* IO.20WC 41750A R.H. (MOD.1287)

FLANGE
IO.20WC 14365ND LH
IO.20WC 14366ND RH


See Detail 'A'

ANGLE
IO.20WC 4635 L.H.
IO.20WC 4636 R.H.

BRACKET, TIE-ROD
IO.20WC 8901 LH
IO.20WC 8902 RH

ANGLE
IO.20WC 4637 L.H.
IO.20WC 4638 R.H.

PLATE, REINFORCING
IO.20WC 14369 ND



View of Starboard Reinforcing Plate

RIB No. OA. PLATE 2 OF 3

LA.69


MAIN PLANES **WING CENTRE SECTION**

RESTRICTED

LA.69

[A.L. 69]

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS:- *



RIB No.OA. PLATE 3 OF 3

LA.70

MAIN PLANES WING CENTRE SECTION

LA.70
[A.L.65]

RESTRICTED

LA.71

MAIN PLANES

WING CENTRE SECTION

RESTRICTED

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *

RIB NO.1. FORWARD PORTION AND DIAGONAL RIB

IO.20WC5947 LH
IO.20WC5948 RH

IO.20WC5935A LH
IO.20WC5936A RH

IO.20WC5941A LH
IO.20WC5942A RH

IO.20WC17113A UPPER I/B LH*
LOWER I/B RH

IO.20WC26387 LH
IO.20WC26388 RH

IO.20WC17114A LOWER I/B LH*
UPPER I/B RH

IO.20WC26389 LH
IO.20WC26390 RH

IO.20WC17115A UPPER O/B LH*
LOWER O/B RH

IO.20WC17116A LOWER O/B LH*
UPPER O/B RH

IO.20WC5631 LH (PRE MOD. 1056)
IO.20WC5632 RH (PRE MOD. 1056)
IO.20WC31747 LH (MOD. 1056)
IO.20WC31748 RH (MOD. 1056)

IO.20WC5951 LH
IO.20WC5952 RH

IO.20WC7247 ND

IO.20WC11929 LH
IO.20WC11930 RH

IO.20WC11931A

IO.20WC7245 ND

IO.20WC8857

IO.20WC10145A LH
IO.20WC10151A RH

NUT, ANCHOR,
OUTBOARD BRACKETS
IO.20WC17183A
INBOARD BRACKETS
IO.20WC27193
IO.20WC27194

IO.20WC5937A LH
IO.20WC5938A RH

IO.20WC17461A ND LH*
IO.20WC17462A ND RH*

IO.20WC5939 LH
IO.20WC5940 RH

IO.20WC6359
LH & RH

IO.20WC17183A

PRE. MOD. 10/11213
IO.20WC17110A LOWER O/B LH
UPPER O/B RH
IO.20WC17112A LOWER I/B LH
UPPER I/B RH

POST. MOD. 10/11213
IO.20WC23856A LOWER O/B LH*
UPPER O/B RH

IO.20WC23862A LOWER I/B LH*
UPPER I/B RH

PRE. MOD. 10/11213
IO.20WC17109A UPPER O/B LH
LOWER O/B RH
IO.20WC17111A UPPER I/B LH
LOWER I/B RH

POST. MOD. 10/11213
IO.20WC23855A UPPER O/B LH*
LOWER O/B RH

IO.20WC23861A UPPER I/B LH*
LOWER I/B RH

IO.20WC17463A ND LH*
IO.20WC17464A ND RH*

IO.20WC21329 LH* PRE
IO.20WC21330 RH* (MOD. 1056)
IO.20WC31745 RH (MOD. 1056)
IO.20WC31746 LH (MOD. 1056)

LA.71
(ALL)

RESTRICTED


LA.72

MAIN PLANES

LA.72
[A.L.58]

WING CENTRE SECTION

RESTRICTED



SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS:—*

Bolting through booms
SPECIAL WASHERS
IO.20WC17023
IO.20WC25755

SEE TEXT FOR
POSITION FITTED

'U' BOLTS

AT STATIONS:-

250-86
264-3
275-6
290-0
300-66

IO.20 EC 2891

**Bolting through
stiffeners**

SPECIAL WASHERS
IO.20WC17023
IO.20WC25755
IO.20WC17025

SEE TEXT FOR
POSITION FITTED

View on inboard side of RIB No.1
between Wing Transverse Datum &
Rear Firewall Datum

WASHER

IO.20WC18523
ATTACHMENT FOR
IO.20WC7785A &
IO.20WC7786A

* IO.20WC7785A L.H.
* IO.20WC7786A R.H.

BRACKET
IO.20WC7547 L.H.
IO.20WC7548 R.H.

PLATE SPREADER
IO.20WC6343 OUTER

IO.20WC15147 L.H.
IO.20WC15148 R.H.

PLATE SPREADER CENTRE
IO.20WC6345

STRAP
IO.20WC10819 L.H.
IO.20WC10820 R.H.

IO.20WC9537 L.H.
IO.20WC9538 R.H.

**REAR ENGINE
MOUNTING ASSY.
TO RIB No.1**


(DRG. NOS. IO.20 WC 9921 PORT
IO.20 WC 9922 STBD.)

LA.73

MAIN PLANES WING CENTRE SECTION

LA.73

(A.L. 65)




LA.73

MAIN PLANES WING CENTRE SECTION

LA.73

[A.L.74]




LA.74

MAIN PLANES
WING CENTRE SECTIONLA.74
[ALL 52]

RESTRICTED

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS:—*



LA.75


MAIN PLANE WING CENTRE SECTION

RESTRICTED

LA.75

[AL 58]

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *



LA.76


MAIN PLANES WING CENTRE SECTION

LA.76

[AL.58]

RESTRICTED

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS — *



RIB No. 1. REAR PORTION


LA.77

MAIN PLANES WING CENTRE SECTION



RESTRICTED

LA.77
[ALL S8]


SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *



DETAIL 'A'



DETAIL 'B'




DETAIL 'C'

LA.78

MAIN PLANES WING CENTRE SECTION

LA.78
[A.L.58]



LA.79

MAIN PLANES WING CENTRE SECTION


LA.79


[A.L.58]

LA.80

MAIN PLANES WING CENTRE SECTION

RESTRICTED

LA.80
[A.L.66]




LA 81

MAIN PLANES WING CENTRE SECTION

LA.81

[A.L. 66]




LA.82

MAIN PLANES WING CENTRE SECTION

LA.82

[A.L. 66]

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *



LA.83

MAIN PLANES WING CENTRE SECTION


LA.83

[AL.58]


SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *

LA.84

MAIN PLANES WING CENTRE SECTION

LA.84
[1.13]

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS—*




LA.85

MAIN PLANES **WING CENTRE SECTION**

RESTRICTED

LA.85

[AL.62]



LA.86

MAIN PLANES WING CENTRE SECTION

LA.86

(A.L. 65)

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS - *

HINGE, FORWARD INBOARD ASSY.

IO.20 WC 23935 A PORT
IO.20 WC 23936 A STBD.
BARE

* IO.20 WC 15585 PORT

* IO.20 WC 15586 STBD.

BRACKET, SUPPORT, FUEL FEED ROTARY JOINT

* IO.20 WC 23381 A PORT

* IO.20 WC 23382 A STBD.

BUSH
IO.20 WC 16781

BUSH
IO.20 WC 16783

IO.20 WC 29551 ND

POST, FRONT HINGE, INBD

IO.20 WC 10739 PORT
IO.20 WC 10740 STBD.

BOLT, SPECIAL
IO.20 WC 15021

BRACKET, CLAMP BLOCK

IO.20 WC 9105 PORT

IO.20 WC 9106 STBD.

BRACKET, BOTTOM

WINGFOLD FAIRING

IO.20 WC 25405 A PORT

IO.20 WC 25406 A STBD.

WASHER, THROAT
IO.20 WC 21229

SHIM
IO.20 WC 17611

LATCH, CENTRE BOTTOM

IO.20 WC 15591 PORT

IO.20 WC 15592 STBD.

BEARING, NEEDLE ROLLER
IO.20 U 139 A/1

STUD
IO.20 WC 6551

TUBE, DISTANCE
IO.20 WC 9859

BEARING
SKEFKO.TTS 12 1/2

ARM, ROCKER LEVER MOUNTING ASSY.

* IO.20 WC 6547A PORT

* IO.20 WC 6548A STBD.

LA.87

MAIN PLANES WING CENTRE SECTION

LA.87

[A.L.50]

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *

MOUNTING, BELLCRANK LEVER GROUP

DRG. No. IO 20WC 17185

PLATE, BEARING
IO 20WC 6051 A. PORT
IO 20WC 6052 A. STBD.

HINGE, REAR INBOARD, ASSEMBLY
IO 20WC 23937 A. PORT
IO 20WC 23938 A. STBD
* IO 20WC 15587 (BARE)
* IO 20WC 15588 (BARE)

STIFFENER, WEB
* IO 20WC 30329 A. PORT
* IO 20WC 30330 A. STARBOARD

ANGLE
* IO 20WC 16795 PORT
* IO 20WC 16796 STBD.

ANGLE, STIFFENER
IO 20WC 17337 PORT
IO 20WC 17338 STBD.

STRUT, SUPPORT
* IO 20WC 6053 PORT
* IO 20WC 6054 STBD.
IO 20WC 40723 ND

ADAPTOR
IO 20WC 25089

GUIDE, LATCH PIN
IO 20WC 40719 PORT
IO 20WC 40719 STBD.
IO 20WC 40719 ND
IO 20WC 40745 ND

LATCH, REAR BOTTOM INBD
* IO 20WC 15593 PORT
* IO 20WC 15594 STBD.

BRACKET, WING-FOLD FAIRING, BOTTOM AFT
* IO 20WC 16357 A. PORT
* IO 20WC 16358 A. STBD.

BUSH
IO 20WC 16781

IO 20WC 29951 ND

BUSH
IO 20WC 16783

IO 20WC 29551 ND

BOLT, SPECIAL
IO 20WC 15021

POST, REAR HINGE, INBOARD
IO 20WC 10741 L.H.
IO 20WC 10742 R.H.

SHIM
IO 20WC 17613

STOP
IO 20WC 22255

BUSH
IO 20WC 5149 PORT
IO 20WC 5150 STBD.

BUSH
IO 20WC 5151

BOLT
IO 20WC 26627

BOLT
IO 20WC 21699

BUSH, (2 OFF)
IO 20WC 5155

SPIGOT
IO 20WC 5153
IO 20WC 40715 ND
IO 20WC 29945

BOLT
IO 20WC 21695

LA.88


MAIN PLANES WING CENTRE SECTION

LA.88

[A.L.33]



SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *

HINGE, UNDERCARRIAGE
FAIRING, REAR ASSY.
* IO.20WC17283 A PORT
* IO.20WC17284 A STBD.




SHIMS FOR HINGES
IO.20WC25839 ND
IO.20WC25841 ND
IO.20WC25843 ND


HINGE, UNDERCARRIAGE
FAIRING FRONT ASSY.
IO.20WC21217 A PORT
IO.20WC21218 A STBD.




ADAPTER, PIPE, HYDRAULIC BRAKES
IO.20 S 9171 PORT
IO.20 S 9172 STBD.




ADAPTER, PIPE, HYDRAULIC BRAKES
IO.20 S 9361 A PORT
IO.20 S 9362 A STBD.



BRACKET, SUPPORT
VENT ROTARY JOINT
IO.20WC15149 PORT
IO.20WC15150 STBD.



POST, LINK SUPPORT
FORWARD
* IO.20WC16035 PORT
* IO.20WC16036 STBD.



POST, LINK SUPPORT, AFT
* IO.20WC16037 PORT
* IO.20WC16038 STBD.

LA.89

MAIN PLANES WING CENTRE SECTION


LA.89
[AL.58]

LA.90

MAIN PLANES WING CENTRE SECTION

RESTRICTED



SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *



ANGLE, EDGE, TOP
10.20WC21219 L.H.
10.20WC21220 R.H.
DHS.382/3E DHS.382/5E


ANGLE
DOUBLING, TOP
10.20WC21221 L.H.
10.20WC21222 R.H.
DHS.382/3E
DHS.382/5E

ANGLE
DOUBLING, BOTTOM
10.20WC21225 L.H.
10.20WC21226 R.H.
DHS.382/3E
DHS.382/5E




ANGLE, EDGE, BOTTOM
10.20WC21223 L.H.
10.20WC21224 R.H.
DHS.382/3E
DHS.382/5E


BLOCK, SEALING.
AT AFT HINGE
* 10.20WC23255 L.H.
* 10.20WC23256 R.H.




BLOCK, SEALING.
AT UPPER LATCH BRACKET
* 10.20WC17615 L.H.
* 10.20WC17616 R.H.
AT FORWARD HINGE
* 10.20WC17617 L.H.
* 10.20WC17618 R.H.




Section 'A' See Plate LA 84
STRIP, SEALING
* 10.20WC18499 ND



AT FORWARD BTM LATCH
* 10.20WC23257 L.H.
* 10.20WC23258 R.H.




BLOCK, SEALING
AT CENTRE LATCH
* 10.20WC23259 L.H.
* 10.20WC23260 R.H.



BLOCK, SEALING
AT AFT LATCH
* 10.20WC21597 L.H.
* 10.20WC21598 R.H.

Section 'B' See Plate LA 84
STRIP, SEALING
* 10.20WC21939 ND L.H.
* 10.20WC21940 ND R.H.

LA.90
[A.1.3]


RESTRICTED

Plate LA.91

LA.91

MAIN PLANES WING CENTRE SECTION

RESTRICTED

LA.91
[AL.50]

RESTRICTED

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *


LA.92

MAIN PLANES WING CENTRE SECTION



RESTRICTED

LA.92

(AL.69)



SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS:—*



LA.93

MAIN PLANES WING CENTRE SECTION

LA.93
[A.L.50]

RESTRICTED


LA.94


MAIN PLANE

LA.94

WING CENTRE SECTION

RESTRICTED





RESTRICTED


LA.96

MAIN PLANES WING CENTRE SECTION

RESTRICTED


LA.96
[AL.58]

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS:—*



RESTRICTED

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *



(21 44)

LA.97

MAIN PLANES WING CENTRE SECTION

LA.97
[AL.33]

RESTRICTED

RESTRICTED

Plate LA.98


LA.98

MAIN PLANES WING CENTRE SECTION

RESTRICTED

LA.98
(1 of 5)


SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *



LA.99

MAIN PLANES WING CENTRE SECTION

RESTRICTED


LA.99
[A.L. 33]

See Vixen Mk. I

RESTRICTED

Plate LA.99

RESTRICTED




LA.100

MAIN PLANES WING CENTRE SECTION

RESTRICTED

LA.100
[A.L. 66]

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *




LA.101

MAIN PLANES
WING CENTRE SECTION

RESTRICTED

LA.101
[AL 62]

RESTRICTED



LA.102

MAIN PLANES WING CENTRE SECTION

LA.102


(ALL 58)

RESTRICTED

RESTRICTED

Plate LA.103

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *



LA.103

MAIN PLANES WING CENTRE SECTION

LA.103


[A.L.50]

RESTRICTED

RESTRICTED

RESTRICTED

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *



SHROUD, INNER FLAP, L.H. & R.H. GROUP
DRGS - IO 20 WC 5969
IO 20 WC IO 681
IO 20 WC 6995

TRACK, FLAP No.1, AT RIB No.1.
DRG. IO 20 WC 6307

BRACKET, MOUNTING (4 OFF)
IO WC 2725 PORT
IO WC 2726 STBD.

FLAP TRACK NO.1 ASSEMBLY
* IO 20 WC 27857 A PORT
* IO 20 WC 27858 A STBD.


LA.104

MAIN PLANES WING CENTRE SECTION

RESTRICTED

LA.104

[AL 50]




LA.105

MAIN PLANES WING CENTRE SECTION

LA.105
(A.L. 66)

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS:- *



SKINS LINING, UPPER.
TANK No I.A.
BETWEEN FRONT AND
MAIN SPARS PORT AND STBD.
DRG. IO 20 WC 10299

LA.106


MAIN PLANES WING CENTRE SECTION

LA.106

[AL.62]

RESTRICTED

SKINS, LINING, LOWER.
TANK No 1A. BETWEEN FRONT SPAR AND MAIN SPAR.
DRG. IO.20WC10299



LA.107

MAIN PLANE

LA.107

WING CENTRE SECTION


RESTRICTED

RESTRICTED

LA.108

MAIN PLANES WING CENTRE SECTION

RESTRICTED

LA.108
[AL.62]

RESTRICTED


Plate LA.109

LA.109

MAIN PLANES

WING CENTRE SECTION

RESTRICTED

LA.109
[AL56]SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *


LA.110

MAIN PLANE

LA.110

WING CENTRE SECTION

RESTRICTED



See Vixen Mk. 1

RESTRICTED

Plate LA.110


LA.III

MAIN PLANES

WING CENTRE SECTION

RESTRICTED

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *



See Vixen Mk. I

RESTRICTED

Plate LA.III

LA.III
[A.L. 62]

RESTRICTED


LA.112

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *

MAIN PLANES

WING CENTRE SECTION

Bulb



RESTRICTED

LA.112

[AL42]

RESTRICTED

Plate LA.113

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *

JOINT, MAIN SPAR,
AT RIB No.2.
DRG. No. IO.20WC 6143

PICK-UP SLING.
* IO.20WC 5617ND PORT
* IO.20WC 5618ND STBD.

SHIM.
IO.20WC 22577ND

PLUG.
IO.20WC 25615

BRACKET, BARE.
IO.20WC 23357ND PORT
IO.20WC 23359ND STBD. SIMILAR

POST, KINK & BEARING BRACKET
IO.20WC IO551 PORT
IO.20WC IO552 STBD.

BRACKET, MOUNTING.
IO.20WC 23313A PORT
IO.20WC 23317A STBD. SIMILAR

POST, ARCH.
IO.20WC 29527A PORT
IO.20WC 29528A STBD.

SHIM.
IO.20WC 25169ND

STRIP, CLAMPING, ASSY.
IO.20WC 22159A/ND PORT
IO.20WC 22160A/ND STBD.

BRACKET, CABLE CLIP.
IO.20WC 28531 STBD. ONLY

PACKING.
IO.20WC 22047ND

PIVOT.
IO.20U1749

PACKING.
IO.20WC 22049ND

RIB No.2
(OMITTED FOR
CLARITY.)

LA.113

MAIN PLANES WING CENTRE SECTION


RESTRICTED

LA.113
[A.1138]

RESTRICTED

Plate LA.114

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *



LA.114

MAIN PLANES WING CENTRE SECTION

LA.114

[A.L.6]

RESTRICTED

LA.115


MAIN PLANE

LA.115
(AL.26)


WING CENTRE SECTION

RESTRICTED

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *



RESTRICTED




LA.116

MAIN PLANE

LA.116

WING CENTRE SECTION

RESTRICTED



LA.117


MAIN PLANE

LA.117


WING CENTRE SECTION

RESTRICTED

RESTRICTED



SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *



STRUTS, STABILIZING BETWEEN RIB No. 3.
AND BOTTOM SKIN JOINT STRAP.
PORT AND STARBOARD GROUP.
DRG. No. IO.20WC 6713

LA.119


MAIN PLANES WING CENTRE SECTION

RESTRICTED

LA.119

[A.L.50]

RESTRICTED



LA.120

MAIN PLANE

LA.120

WING CENTRE SECTION

RESTRICTED


RESTRICTED

Plate LA121

LA.121


MAIN PLANES WING CENTRE SECTION

RESTRICTED

LA.121
[A.L.47]

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *

DIAPHRAGM,
AT STN 379" 55,
PORT DRAWN, GROUP
DRWGS:-
(IO.20 WC 15575A
IO.20 WC 15577A/I
IO.20 WC 15437)



LA.122


MAIN PLANES WING CENTRE SECTION

RESTRICTED

LA.122

[A.L.62]

RESTRICTED




LA.123

MAIN PLANE

LA.123

WING CENTRE SECTION


RESTRICTED



LA.124

MAIN PLANES WING CENTRE SECTION

LA.124
[AL.59]



LA.125

MAIN PLANES WING CENTRE SECTION

LA.125

[A.4]

LA.126

MAIN PLANES

LA.126
[ALU]

WING CENTRE SECTION

RESTRICTED

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *

IO.20WC 22323 BTM LH TOP RH
IO.20WC 22324 TOP LH BTM RH


See Detail 'A'

IO.20WC 6781 A/LH

IO.20WC 29781 A — (MOD.652)
IO.20WC 6601 A (PRE MOD.652)

IO.20WC 29191 A

PLATE, STIFFENER
IO.20WC 22133 ND LH
IO.20WC 22134 ND RH



NUT ANCHOR
AND BUSH ASSEMBLY
IO.20WC 41649A/ND
(MAKE FROM IO.20WC 9165 A)

IO.20WC 6577 A LH
IO.20WC 6578 A RH

ODDIE 888 B
ODDIE 886 A

IO.20WC 6587

IO.20WC 29911 A — (MOD.216)

IO.20WC 17291 LH
IO.20WC 17292 RH

BOOM
IO.20WC 6787 LH

ODDIE 888 B

BUSH
IO.20WC 9161

IO.20WC 24735

IO.20WC 24339A LH
IO.20WC 24340A RH

NUT ANCHOR
AND BUSH ASSEMBLY
IO.20WC 9165 A


Detail 'A'

View on Port Side

See Vixen Mk. 1

RESTRICTED

Plate LA.126



LA.127


MAIN PLANES WING CENTRE SECTION

LA.127

[A.L.71]

RESTRICTED

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *



LA.128

MAIN PLANE


WING CENTRE SECTION

RESTRICTED

LA.128

[A.L. 62]

SEE TEXT FOR SPARES CONDITION
OF ITEMS MARKED THUS: *



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

