

POWER INSTALLATION


PIPES, ENGINE WHEELCASE BREATHER OUTLET

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Place No.
	—	PIPES, ENGINE WHEELCASE BREATHER OUTLET, GROUP (Drg. No. 10-20 E 3201)	1	—	—	MM1
5845 27DL/7660	KING AIRCRAFT CORPORATION C.3991/1½"/B DHS.1373/6	CLAMP , flexible pipe, at elbow on power unit ...	2	—	C	MM1
	KING AIRCRAFT CORPORATION C.5151/1½"/B OR	CLAMP , flexible pipe, at firewall ...	2	—	C	MM1
	THOS. BOORN & CO.	CLAMP , pipe connection, aft stn. 328"-75, Starboard	1	—	—	MM1
26DV/8107 28E/16216	FS.6000/1 AS.5418/20	CLAMP , pipe connection, aft stn. 328"-75, Starboard	1	—	C	MM1
		CLIP , "P." pipe securing, Port Attachments for AS.5418/20, Clip:—	1	—	C	
28D/9436920 28M/10288 28W/9419475	A25/1C AGS.2001/C/1 SP.15/C	Bolt, 2 BA ...	1	—	C	
		Nut, 2 BA ...	1	—	C	
		Washer ...	1	—	C	
28E/14155	AS.488/10	CLIP , saddle, pipe securing Attachments for AS.488/10, Clip:—	4	—	C	
28D/9133013 28M/10288 28W/9419475	A25/5C AGS.2001/C/1 SP.15/C	Bolt, 2 BA ...	2	—	C	
		Nut, 2 BA ...	2	—	C	
		Washer ...	2	—	C	
28F/19144	AGS.2120/1	NIPPLE , pipe connection, aft stn. 349"-90, Port only (AGS.1170/1)	1	—	C	
28F/9513420 5753	AGS.1142/1 10-20 E 2575	NIPPLE , pipe connection ...	7	—	C	
17568	10-20 E 4697	PIPE , flexible, between elbow at power unit and elbow on front face of rear firewall, Port	1	—	C	MM1
		PIPE , flexible, between elbow at power unit and elbow on front face of rear firewall, Starboard	1	—	C	MM1
5750	10-20 E 3207ND OR 10-20 E 4227ND	PIPE , between elbow at rear firewall and first joint, aft stn. 349"-90, Port, assembly (Titanium)	1	—	P	MM1
		PIPE , between elbow at rear firewall and first joint, aft stn. 349"-90, Port, assembly (Stainless steel)	1	T.55 or DTD.743	—	MM1
5752	10-20 E 3205A/ND OR 10-20 E 4225ND	PIPE , between first joint, aft stn. 349"-90 and flanged coupling at spectacle beam, Port, assembly (Titanium)	1	—	P	MM1
		PIPE , between first joint, aft stn. 349"-90 and flanged coupling at spectacle beam, Port, assembly (Stainless steel)	1	T.55 or DTD.743	—	MM1
	10-20 E 4735ND OR 10-20 E 4733ND	PIPE , between elbow joint at rear firewall and first joint, aft stn. 328"-75, Starboard, assembly (Titanium)	1	—	—	MM1
		PIPE , between elbow joint at rear firewall and first joint, aft stn. 328"-75, Starboard, assembly (Stainless steel)	1	T.55 or DTD.743	—	MM1

POWER INSTALLATION

PIPES, ENGINE WHEELCASE BREATHER OUTLET

Ref. No.	Part No.	Description	No. of	Material Specification	Class of Store or L.M	Plate No.
	10-20 E 4737ND	PIPE, between first joint, aft strn. 328"-75 and flanged coupling at spectacle beam, Starboard assembly (Titanium)	1	—	—	MM1
	OR 10-20 E 4731ND	PIPE, between first joint, aft strn. 328"-75 and flanged coupling at spectacle beam, Starboard, assembly (Stainless steel)	1	T.55 or DTD.743	—	MM1
	—	PIPES, wheel case breather outlet, aft of spectacle beam (See page LA66)	—	—	—	
28F/17675	AS.5402	RING, sealing, pipe connection, at clamp	5	—	C	
26DV/12695	OR DHS.413/6	RING, sealing, pipe connection, at clamp	5	—	C	



MM.1

POWER INSTALLATION

PIPES, ENGINE WHEELCASE BREATHER OUTLET

MM.1
[AL. 37]

RESTRICTED