


SERVICES
HYDRAULIC BRAKE SYSTEM ON
MAIN UNDERCARRIAGE LEGS

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M	Plate No.
	—	PIPES, HYDRAULIC BRAKE SYSTEM, on main undercarriage leg, Port, group (Drg. No. 10-20 S 9369)	1	—	—	QL1
	—	PIPES, HYDRAULIC BRAKE SYSTEM, on main undercarriage leg, Starboard, group (Drg. No. 10-20 S 9370)	1	—	—	QL1
	—	BLOCK, clamp, at drag stay lug, group	1	—	—	
6711	10-20 S 9589	BLOCK, clamp	1	—	C	QL1
6712	10-20 S 9595A	BLOCK, clamp, assembly	1	—	C	QL1
	10-20 S 10445A	BLOCK, packing, assembly	1	—	—	QL1
28D/1212401	A25/30C	BOLT, 2 BA	1	—	C	
20670	10-20 S 21665A	CLAW, assembly	1	—	C	QL1
26FN/1325	DUNLOP DAS.151/03	CLIP, "P"	1	—	C	QL1
	OR					
28E/16949	AGS.2080/3	CLIP, "P"	1	—	C	QL1
		Attachments for DAS.151/03 or AS.2080/3, Clip :—				
26DL/3263	AS.1242/1C	Bolt, 2 BA (Nickel chrome plated to Spec. DHA.369)	1	—	C	QL1
28M/10288	AGS.2001/C/1	Nut, 2 BA	1	—	C	
28M/10328	AGS.2002/C/1	NUT, 2 BA	1	—	C	
28W/9419475	SP.15/C	WASHER	1	—	C	
	DHS.762/1	BLOCK, clamp, floating, at top of leg, assembly	2	—	—	QL2
6720	DHS.761/1	BLOCK, clamp	2	—	C	
28D/9434863	A61/9C	BOLT, 2 BA	1	—	C	
28M/10281	AGS.2001/C/3	NUT, 2 BA	1	—	C	
6719	DHS.737/45/9	STRIP, capping	2	—	C	
	—	BLOCK, clamp, hose, on torque links knuckle joint (See sub-section SG)	—	—	—	
	—	BLOCK, clamp, positioning pipes immediately above pipe bracket, group	1	—	—	
13594	10-20 S 13111	BLOCK, clamp, half	2	—	C	QL1
28D/1010030	A25/7C	BOLT, 2 BA	2	—	C	
28M/10288	AGS.2001/C/1	NUT, 2 BA	2	—	C	
6718	DHS.738/1-10	STRIP, capping	2	—	C	QL1
	—	BLOCK, clamp (secured by pipe elbow bracket attachments), group	1	—	—	
6715	10-20 S 9479	BLOCK, clamp, half	2	—	C	QL2
28E/9435723	AS.3181/8B	CLIP, "P"	1	—	C	
6717	DHS.738/75	STRIP, capping	1	—	C	QL2
6710	10-20 S 9481	BLOCK, clamp, wheel brake hoses (lower)	2	—	C	QL2
		Attachments for 10-20 S 9481, Block (per pair) :—				
28D/1011019	A25/8C	Bolt, 2 BA	2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	2	—	C	
28W/9419475	SP.15/C	Washer	2	—	C	QL2
	10-20 S 9483	BRACKET, hose support, at top of leg	1	L.72	LM	QL2
		Attachments for 10-20 S 9483, Bracket :—				
28D/1010031	A25/8E	Bolt, 1/4" BSF	1	—	C	
	10-20 S 2185	Disc, retaining	1	L.64	LM	QL2
28M/10282	AGS.2001/E/3	Nut, 1/4" BSF	1	—	C	
6707	10-20 S 9381A	BRACKET, pipes attachment, at junctions to lower hoses, Port, assembly	1	—	C	QL2
6708	10-20 S 9382A	BRACKET, pipes attachment, at junctions to lower hoses, Starboard, assembly	1	—	C	QL2
		Spare for :—				
	10-20 S 9387ND	STRIP, seating, 2"75 x 1"20 x 1/16" thick	1	DTD.762	LM	QL2
6709	10-20 S 9389	TEE-PIECE	3	—	C	QL2
		Attachments for 10-20 S 9389, Tee-piece :—				
28D/1214091	AS.1242/2C	Bolt, 2 BA	2	—	C	
28M/10328	AGS.2002/C/1	Nut, 2 BA	2	—	C	
28W/9419475	SP.15/C	Washer	2	—	C	QL2

**SERVICES
HYDRAULIC BRAKE SYSTEM ON
MAIN UNDERCARRIAGE LEGS**


Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
		Attachments for 10-20 S 9381A or 10-20 S 9382A, Bracket :—				
28P/1025	SP.4Y/B23	Pin, shackle	2	—	C	QL2
28P/9527619	SP.90/C7	Pin, split (SP.9/C8)	2	—	C	QL2
	AS.2806/4/015	Tube, distance, 3/4" o/d x 22 SWG x 0"-15 long ...	4	T.35	LM	QL2
28W/9419475	SP.15/C	Washer	2	—	C	QL2
	10-20 S 9487	BRACKET , pipe elbow attachment, Port	1	L.72	LM	QL1
	10-20 S 9488	BRACKET , pipe elbow attachment, Starboard	1	L.72	LM	QL1
		Attachments for 10-20 S 9487 or 10-20 S 9488, Bracket :—				
28D/9419397	A25/12C	Bolt, 2 BA	2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	2	—	C	
	6716	10-20 S 9485				
		ELBOW , brake emergency hose (upper)	1	—	C	QL1
		Attachments for 10-20 S 9485, Elbow :—				
28F/9453689	AGS.1148/A	Nut, thin	1	—	C	
	17228	10-20 S 21171				
		HOSE , flexible, wheel brake (lower), assembly	3	—	C	QL1
		(Mod. 1179)				
		Attachments for 10-20 S 21171, Hose :—				
28F/9453689	AGS.1148/A	Nut, thin	1	—	C	
	17229	10-20 S 21173				
	17230	10-20 S 21174				
		HOSE , flexible, wheel brake (upper), Port (Mod. 1179)	2	—	C	QL2
		HOSE , flexible, wheel brake (upper), Starboard	2	—	C	QL2
		(Mod. 1179)				
		Attachments for 10-20 S 21173 or 10-20 S 21174, Hose :—				
28M/1007403	A27/ET	Nut, 1/2" BSF	1	—	C	
28W/9419136	SP.42/E	Washer	1	—	C	
	17231	10-20 S 21175				
		HOSE , flexible, wheel brake emergency (upper),	1	—	C	QL1
		(Mod. 1179)				
5K/3405	AS.3360/B3C	LEAD , bonding, pipes to conduit at top of leg	1	—	C	QL2
		Attachments for AS.3360/B3C, Lead :—				
28D/1008149	A25/2B	Bolt, 4 BA	1	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	1	—	C	
28W/9419401	SP.10/B	Washer	1	—	C	
	10-20 S 9493ND	PIPE , hydraulic, brake, emergency, Port	1	—	PC	QL1
	10-20 S 9494ND	PIPE , hydraulic, brake, emergency, Starboard	1	—	PC	QL1
	10-20 S 9491ND	PIPE , hydraulic, brake, normal pressure, Port	1	—	PC	QL1
	10-20 S 9492ND	PIPE , hydraulic, brake, normal pressure, Starboard	1	—	PC	QL1
	10-20 S 21315ND	PIPE , hydraulic, brake, return, Port (Mod. 1260)	1	—	PC	QL1
	10-20 S 21316ND	PIPE , hydraulic, brake, return, Starboard (Mod. 1260)	1	—	PC	QL1
	—	STRAP , pipe bracket attachment, group	1	—	—	—
28U/9482591	AS.2426	SCREW , clamping, 2 BA	1	—	C	QL2
	AS.2424/8"-75	STRAP , 1"-0 wide	2	L.72	LM	QL2
28U/14001	AS.2429	TRUNNION , drilled	1	—	C	QL2
28U/13999	AS.2427	TRUNNION , R.H. thread... ..	1	—	C	QL2



QL.1

SERVICES
HYDRAULIC BRAKE SYSTEM ON MAIN
UNDERCARRIAGE LEGS

QL.1
[A.L.67]



QL.2

SERVICES
HYDRAULIC BRAKE SYSTEM ON MAIN
UNDERCARRIAGE LEGS

QL.2
[AL.4]

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

