

SERVICES

HYDRAULIC EQUIPMENT FOR ARRESTER HOOK IN REAR FAIRING

Ref. No.	Part No.	Description	No. of	Material Specification	Class of Store or L.M.	Place No.
	—	INSTALLATION OF HYDRAULIC EQUIPMENT FOR ARRESTER HOOK IN REAR FAIRING (Drg. Nos. 10-20 S 3569, 10-20 S 6315, 10-20 D 691 and 10-20 S 14411) (Mod. 216)	1	—	—	
27M/745	LOCKHEED AIR.42962	ACCUMULATOR , for "Green" and "Red" systems (For breakdown see AP.4515F, Vol. 3, Pt. 1, Sect. 2, Chap. 23)	2	—	P	QM1
6689	10-20 S 6789A	ADAPTER , restriction, at selector valve	1	—	C	QM1
6690	10-20 S 6787A	ADAPTER , 1/2" BSP, and non-return valve, at selector valve, assembly Spares for :—	1	—	C	QM1
7540	AS.3380	SPRING	1	—	C	QM1
6591	AS.3379	VALVE	1	—	C	QM1
9753	10-20 S 11105	ADAPTER , at selector valve	3	—	C	QM1
6696	10-20 S 8985A	ADAPTER , and non-return valve, in "Green" system, secured to spectacle beam at arrester hook damper, assembly Spares for :—	1	—	P	QM1
6702	AS.3381	RING	1	—	C	QM1
7540	AS.3380	SPRING	1	—	C	QM1
6591	AS.3379	VALVE	1	—	C	QM1
28D/9436920	A25/1C	Attachments for 10-20 S 8985A, Adapter :— Bolt, 2 BA	2	—	C	
	10-20 S 6797	BLOCK , clamp, half, three pipe, at aft face of spectacle beam Attachments for 10-20 S 6797, Block (per pair) :—	2	LFS.21, 23 or 26	LM	QM1
28D/9133013	A25/5C	Bolt, 2 BA	2	—	C	
	10-20 S 8981	BLOCK , clamp, half, fire pipe, at arrester hook, selector valve Attachments for 10-20 S 8981, Block (per pair) :—	2	LFS.21	LM	QM1
28D/9133013	A25/5C	Bolt, 2 BA	2	—	C	
	10-20 S 8979	BLOCK , clamp, half, two-pipe, at aft face of spectacle beam, Starboard Attachments for 10-20 S 8979, Block (per pair) :—	2	LFS.21	LM	QM1
28D/9133013	A25/5C	Bolt, 2 BA	2	—	C	
	10-20 S 9199	BLOCK , clamp, half, securing pipes on side beam Starboard, between stn's. 367"-5 and 376"-7 (Mod. 216) Attachments for 10-20 S 9199, Blocks (per pair) :—	2	LFS.21, 23 or 26	LM	QM1
28D/1010030	A25/7C	Bolt, 2 BA	2	—	C	
	10-20 S 13533	BLOCK , clamp, half, bottom securing pipes on side beam, Starboard, between Stn's. 376"-7 and 401"-96 (Mod. 216)	3	LFS.21, 23 or 26	LM	QM1
	10-20 S 9199	BLOCK , clamp, half, top, securing pipes on side beam Starboard, between Stn's, 376"-7 and 401"-96 (Mod. 216) Attachments for 10-20 S 13533 or 10-20 S 9199 Blocks (per pair) :—	3	LFS.21, 23 or 26	LM	QM1
28D/9435710	A25/11C	Bolt, 2 BA	2	—	C	
6687	10-20 S 6309	COUPLING , banjo, body, 1/2" B.S.P., at accumulators	2	—	C	QM1
6688	10-20 S 8127	COUPLING , pillar, banjo, 1/2" B.S.P., at accumulators	2	—	C	QM1

SERVICES

HYDRAULIC EQUIPMENT FOR ARRESTER HOOK IN REAR FAIRING

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Place No.
27Q/1752	DOWTY C.9012Y	COUPLING , swivel, for arrester hook damper, at beam (For spares see AP.4515.B, Vol. 3, Pt. 1, Sect. 2, Chap. 22) Attachments for C.9012Y, Coupling :—	1	—	P	QM1
4171	A25/3C/ DHS.514/D	Bolt, 2 BA	3	—	C	QM1
5542	A25/11C/ DHS.514/D	Bolt, 2 BA	1	—	C	QM1
28E/17671	DUNLOP DAS.185/04 OR AGS.2080/4	CLIP , for "Red Pressure" pipe at "Red" accumulator Attachments for DAS.185/04, Clip :—	1	—	—	QM1
28D/9436920	A25/1C	Bolt, 2 BA	1	—	C	QM1
27M/787	LOCKHEED AIR.43620	DAMPER , arrester hook (For breakdown see AP.4515F, Vol. 3, Part 1, Section 2, Chapter 23) Attachments for AIR.43620, Damper :—	1	—	P	QM1
28M/15199	A58/LS	Nut, $\frac{1}{8}$ " BSF	2	—	C	QM1
16089	10-20 D 757	Pin, shear, upper	1	—	C	QM1
13418	10-20 D 749	Pin, shear, lower	1	—	C	QM1
28P/9429652	SP.9/E10	Pin, split	2	—	C	QM1
28VV/9419490	SP.16/L	Washer, at upper pin	1	—	C	QM1
28VV/9419467	SP.13/L	Washer, at lower pin	1	—	C	QM1
13419	DHS.781/44/22	Washer, at lower pin	1	—	C	QM1
6695	10-20 S 8983	EXTENSION , coupling, $\frac{1}{4}$ " BSP screwed into swivel coupling at spectacle beam	1	—	C	QM1
5659	10-20 S 7411	HOSE , "Red Pressure" system, from swivel coupling, to arrester hook damper "DOWN"	1	—	C	QM1
5660	10-20 S 7413	HOSE , "Green Pressure" system, from swivel coupling to arrester hook damper, "EMERGENCY DOWN"	1	—	C	QM1
4186	A25/2C/DHS.514/D	Attachments for 10-20 S 7411 or 10-20 S 7413, Hose :— Bolt, 2 BA	2	—	C	QM1
5658	10-20 S 7409	HOSE , between swivel coupling and arrester hook damper "UP"	1	—	C	QM1
6691	10-20 S 3667	LINK , arrester hook damper, for hose swivel link operation Attachments for 10-20 S 3667, Link :—	1	—	C	QM1
28N/9153393	AGS.899/4	Collar	1	—	C	QM1
6692	10-20 S 3661	Pin, long	1	—	C	QM1
28P/1007741	SP.9/C8	Pin, split	1	—	C	QM1
6693	10-20 S 3665	LINK , between link on arrester hook damper and hose swivel coupling Attachments for 10-20 S 3665, Link :—	1	—	C	QM1
28N/9153393	AGS.899/4	Collar	2	—	C	QM1
6694	10-20 S 3663	Pin	2	—	C	QM1
28P/1007741	SP.9/C8	Pin, split	2	—	C	QM1
16520	10-20 S 15097ND	PIPE , code No. 72, "Common Return" between deck hook selector valve and tee adapter at spectacle beam (Mod. 836)	1	—	C	QM1
6706	10-20 S 6775ND	PIPE , code No. 78, "Green Pressure," between tee adapter at spectacle beam, and non-return valve at spectacle beam	1	—	C	QM1

SERVICES


HYDRAULIC EQUIPMENT FOR ARRESTER HOOK IN REAR FAIRING

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M	Place No.
6699	10-20 S 6765ND	PIPE, code No. 79, " Green Pressure " between non-return valve at spectacle beam and deck hook selector valve	1	—	C	QM1
17292	10-20 S 13847ND	PIPE, code No. 80, " Red Pressure " between " Red " accumulator and deck hook selector valve (Mod. 216)	1	—	C	QM1
6704	10-20 S 6783ND	PIPE, code No. 81, " Red Pressure " between swivel coupling and " Red " accumulator	1	—	C	QM1
6698	10-20 S 6773ND	PIPE, code No. 82, " Green Pressure " between " Green " accumulator and swivel coupling	1	—	C	QM1
6697	10-20 S 6771ND	PIPE, code No. 83, " Green Pressure " between deck hook selector valve and " Green " accumulator	1	—	C	QM1
6703	10-20 S 6767ND	PIPE, code No. 84, " Green Pressure " between swivel coupling and non-return valve at spectacle beam	1	—	C	QM1
6701	10-20 S 6779ND	PIPE, code No. 85, " Red Pressure " between deck hook selector valve and tee adapter at spectacle beam	1	—	C	QM1
	10-20 S 13535ND	PIPE, code No. 610, " Blue " suction, from adapter at spectacle beam, to swivel coupling on frame No. 5, rear fixed fairing (Mod. 216)	1	DTD.743	PC	QM1
	10-20 S 13537ND	PIPE, code No. 611, " Blue " pressure, from adapter at spectacle beam to swivel coupling on frame No. 5, rear fixed fairing (Mod. 216)	1	DTD.743	PC	QM1
28F/9428453	AGS.1186/B	SEAL, bonded, at charging and selector valves	3	—	C	
28F/9429532	AGS.1186/C	SEAL, bonded, at selector valve	4	—	C	
28F/9428455	AGS.1186/D	SEAL, bonded, at accumulators	4	—	C	
	10-20 S 8129A	STRAP, mounting, for " Green " accumulator in rear fairing	2	—	LM	QM1
	10-20 S 8135ND	LINING, strap, 1/16" thick	1	DTD.762	LM	QM1
	10-20 S 8131ND	STRAP, bare, 22 SWG	1	L.72	LM	QM1
	10-20 S 8133ND	WASHER, saddle, 18 SWG	1	L.72	LM	QM1
		Attachments for 10-20 S 8129A, Strap :—				
28D/1010658	A.25/1B	Bolt, 4 BA	4	—	C	
28D/9436920	A25/1C	Bolt, 2 BA	1	—	C	
	10-20 S 6205A	STRAP, mounting, for " Red " system accumulator in rear fairing	2	—	LM	QM1
	10-20 S 6209ND	LINING, strap, 1/16" thick	1	DTD.762	LM	QM1
	10-20 S 6211ND	STRAP, bare, 22 SWG	1	L.72	LM	QM1
	10-20 S 6207ND	WASHER, saddle, 18 SWG	1	L.72	LM	QM1
		Attachments for 10-20 S 6205A, Strap :—				
28D/9436920	A25/1C	Bolt, 2 BA	1	—	C	
28N/9153393	AGS.899/4	Collar	1	—	C	
28P/873	SP.4Y/D15	Pin, shackle	1	—	C	
28P/1006943	SP.9/C6	Pin, split	1	—	C	
28Y/15486	AGS.2096	VALVE, charging, at accumulators	2	—	C	QM1
27M/774	LOCKHEED AIR.43178	VALVE, selector, arrester hook (For breakdown see AP.4515F, Vol. 3, Pt. 1, Sect. 2, Chap. 23)	1	—	P	QM1
		Attachments for AIR.43178, Valve :—				
28D/1011024	A25/21C	Bolt, 2 BA (Lock to DHS.514/D)	2	—	C	

SERVICES

HYDRAULIC EQUIPMENT FOR ARRESTER HOOK IN REAR FAIRING

Ref. No.	Part No.	Description						No. off	Material Specification	Class of Store or L.M	Plate No.
		1	2	3	4	5	6				



QM.1

SERVICES
HYDRAULIC EQUIPMENT
IN REAR FAIRING

RESTRICTED

QM.1

[AL 28]

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

