

UNDERCARRIAGE

UPPER RADIUS ARM, MAIN UNDERCARRIAGE

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Score or L.M	Plate No.
121	S10-20 U 111	ARM, RADIUS, UPPER, PORT , spares assembly, complete with attachments (Mod. 382)	1	—	P	SF1
122	S10-20 U 112	ARM, RADIUS, UPPER, STARBOARD , spares assembly, complete with attachments (Mod. 382)	1	—	P	SF1
	10-20 U 5A/2	ARM , radius, upper, Port, assembly	1	—	—	SF1
	10-20 U 6A/2	ARM , radius, upper, Starboard, assembly	1	—	—	SF1
		Spares for :—				
1439	10-20 U 309	BUSH , flanged, $\frac{3}{8}$ " i/d, at door operating attachment, aft lug (See Repair section PA)	1	—	C	SF1
1440	10-20 U 311	BUSH , flanged, $\frac{3}{8}$ " i/d, at door operating attachment, forward lug (See Repair section PA)	1	—	C	SF1
1435	10-20 U 225	BUSH , main pivot, lower	2	—	C	SF1
1436	10-20 U 229	BUSH , main pivot, upper, aft	1	—	C	SF1
1437	10-20 U 227	BUSH , main pivot, upper, forward	1	—	C	SF1
1469	DMS.418/1/E/22	BUSH , $\frac{1}{2}$ " i/d, at door locking mechanism lugs (See Repair section PA)	2	—	C	SF1
28N/9156370	SP.21	NIPPLE , lubricating	1	—	C	
		Attachments for 10-20 U 5A/2 or 10-20 U 6A/2, Arm :— at door locking attachment lugs :—				
28D/1215687	A59/8E	Bolt, $\frac{1}{2}$ " BSF	1	—	C	
28M/13935	A58/ES	Nut, $\frac{1}{2}$ " BSF	1	—	C	
28P/9527619	SP.90/C7	Pin, split (SP.9/C8)	1	—	C	
28W/9419405	SP.15/E	Washer	1	—	C	
		at door operating attachment lugs :—				
28M/14555	A58/NS	Nut, $\frac{1}{2}$ " BSF	1	—	C	
9542	10-20 U 1531	Pin, serrated	1	—	C	SF1
28P/19234	SP.90/E8	Pin, split (SP.9/E10)	1	—	C	
		at lower side-stay :—				
1378	10-20 U 213	Bolt, shouldered, hollow, $\frac{1}{2}$ " BSF	1	—	C	SF1
28M/14015	A27/NC	Nut, castle, $\frac{1}{2}$ " BSF	1	—	C	
28P/19234	SP.90/E8	Pin, split (SP.9/E10)	1	—	C	
9534	10-20 U 1711	Washer	1	—	C	SF1
9535	10-20 U 1713	Washer	1	—	C	SF1
28W/9419491	SP.16/N	Washer	1	—	C	
		at upper main pivot :—				
12320	10-20 U 1821	Bolt (Mod. 382)	1	—	C	SF1
1444	10-20 U 445	Bolt	1	—	C	SF1
28M/10328	AGS.2002/C/1	Nut, 2 BA	1	—	C	
12318	10-20 U 1817	Pin, pivot (Mod. 382)	1	—	C	SF1
1445	10-20 U 447	Plate, locking	1	—	C	SF1
12319	10-20 U 1819	Plug-end (Mod. 382)	1	—	C	SF1

RESTRICTED

Page SF2
(Issued with A.L.68)

Sea Vixen Mk. 1

UNDERCARRIAGE

UPPER RADIUS ARM, MAIN UNDERCARRIAGE

Ref. No.	Part No.	Description						No. off	Material Specification	Class of Store or L.M.	Plate No.
		1	2	3	4	5	6				

RESTRICTED

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

