

UNIT, COMPRESSION, NOSEWHEEL

Ref. No.	Part No.	Description	No off	Material Specification	Class of Store or L.M	Plate No.
163	S.10-20 UN 107	UNIT, COMPRESSION, NOSEWHEEL (Special spares assembly complete with attachments (Pre Mod. 589 and 1368)	1	—	P	SJ1
	S.10-22 UN 1	UNIT, COMPRESSION, NOSEWHEEL (Special spares assembly complete with attachments (For use on Pre Mod. 589 A/C) (Mod. 1368)	1	—	—	SJ1
170	S.10-20 UN 108	UNIT, COMPRESSION, NOSEWHEEL (Special spares assembly complete with attachments (Mod. 589, Pre Mod.1368)	1	—	P	SJ1
202	S.10-22 UN 3	UNIT, COMPRESSION, NOSEWHEEL (Special spares assembly complete with attachments (For use on Pre Mod. 589 A/C) (Mod. 1368)	1	—	P	SJ1
	—	AXLE , nosewheel, group	1	—	—	—
3852	10-20 UN 331	AXLE (Pre Mod. 1368)	1	—	C	SJ1
18949	10-22 UN 11	AXLE (Mod. 1368)	1	—	C	SJ1
28D/12996	A25/38J	BOLT , 3/8" BSF	2	—	C	—
28M/1011476	A27/JS	NUT , 3/8" BSF	2	—	C	—
3853	10-20 UN 339	NUT , wheel	1	—	C	SJ1
28P/9527619	SP.90/C7	PIN , split (SP.9/C8)	2	—	C	—
3856	10-20 UN 335	PLUG , end	2	—	C	SJ1
3855	10-20 UN 411	SLEEVE , abutment	1	—	C	SJ1
3854	10-20 UN 413	SLEEVE	1	—	C	SJ1
3857	10-20 UN 343	TAG , wheel unit, locking	1	—	C	SJ1
		Attachments for 10-20 UN 343, Tag :—				
28D/1008145	A25/6E	Bolt, 1/4" BSF	2	—	C	—
28M/1011467	A27/ES	Nut, 1/4" BSF	2	—	C	—
28P/9527619	SP.90/C7	Pin, split (SP.9/C8)	2	—	C	—
28W/9419405	SP.15/E	Washer	2	—	C	—
28W/9419477	SP.15/J	WASHER	2	—	C	—
	—	PIN , hinge, group	1	—	—	—
4223	10-20 UN 377	CAM , up-limit switch	1	—	C	SJ1
		Attachments for 10-20 UN 377, Cam :—				
28D/12210	AS.1242/21E	Bolt, 1/4" BSF	1	—	C	—
28M/10290	AGS.2001/E/1	Nut, 1/4" BSF	1	—	C	—
28W/9419405	SP.15/E	Washer	1	—	C	—
16897	10-20 UN 1127	PIN (Pre Mod. 1368)	1	—	C	SJ1
18948	10-22 UN 9	PIN (Mod. 1368)	1	—	C	SJ1
9556	10-20 UN 839	PLUG	1	—	C	SJ1
14204	10-20 UN 1019ND	SHIM , leg float adjustment	QR	—	C	SJ1
	10-20 UN 3A/11	UNIT , compression, nosewheel (Less wheel and axle), assembly (Pre Mod. 589 and 1368)	1	—	—	SJ1
	10-22 UN 17A	UNIT , compression, nosewheel (Less wheel and axle), assembly (For use on Pre Mod. 589 A/C) (Mod. 1368)	1	—	—	SJ1
	10-20 UN 3105A	UNIT , compression, nosewheel (Less wheel and axle), assembly (Mod. 589 and Pre Mod. 1368)	1	—	—	SJ1
	10-22 UN 19A	UNIT , compression, nosewheel (Less wheel and axle), assembly (For use on Mod. 589 A/C) (Mod. 1368)	1	—	—	SJ1
		Spares for :—				
1303	10-20 UN 373	ARM , striker, for micro-switch	1	—	C	SJ1
		Attachments for 10-20 UN 373, Arm :—				
28D/1011246	A25/11E	Bolt, 1/4" BSF	1	—	C	—
28M/1011467	A27/ES	Nut, 1/4" BSF	1	—	C	—
28P/9527619	SP.90/C7	Pin, split (SP.9/C8)	1	—	C	—
1457	DHS.330/62	Tube, distance	1	—	C	SJ1
1458	DHS.775/E/1	Washer, 18 SWG	2	—	C	SJ1
28W/9418921	SP.13/E	Washer	1	—	C	—

**UNDERCARRIAGE
UNIT, COMPRESSION, NOSEWHEEL**

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Score or L.M.	Place No.
1304	10 U 403	BOLT , striker, micro-switch	1	—	C	SJ1
28M/1007403	A27/ET	Attachment for 10 U 403, Bolt :— Nuc. 1/4" BSF	1	—	C	
7142	10-20 UN 821	BRACKET , door operating	1	—	C	SJ1
28D/1011030	A25/2E	Attachments for 10-20 UN 821, Bracket :—				
28W/9418921	SP.13/E	Bolt, 1/4" BSF Washer	2 2	— —	C C	
1290	10-20 UN 543	BRACKET , fairing link	2	—	C	SJ1
28D/1011244	A25/9E	Attachments for 10-20 UN 543, Bracket :—				
28M/7002430	AGS.2002/E/1	Bolt, 1/2" BSF Nut, 1/2" BSF	2 2	— —	C C	
14023	10-20 UN 555A/1	BRACKET , fairing, pick-up, upper, assembly (Mod. 600) Spares for :—	1	—	P	SJ1
1234	10-20 UN 559	BUSH (See Repair section PA)	2	—	C	SJ1
28D/1011245	A25/10E	Attachments for 10-20 UN 555A/1, Bracket :—				
28M/7002430	AGS.2002/E/1	Bolt, 1/2" BSF Nut, 1/2" BSF	4 4	— —	C C	
1302	10-20 UN 375	BRACKET , mounting, micro-switch	1	—	C	SJ1
28D/9133011	A25/2C	Attachments for 10-20 UN 375, Bracket :— Bolt, 2 BA	3	—	C	
13235	10-20 UN 971A	BRACKET , union body coupling, hydraulic hoses and pipes, assembly	1	—	C	SJ1
28D/1011312	A25/13L	Attachments for 10-20 UN 971A, Bracket :—				
28S/7002444	A33/C14	Bolt, 7/16" BSF Screw, 2 BA	1 1	— —	C C	
12822	10-20 UN 21A/1	FORK , nosewheel assembly	1	—	P	SJ1
1297	10-20 UN 27	Spares for :—				
1296	10-20 UN 25	BUSH , lower } (See Repair section PA)	2	—	C	SJ1
28N/9156370	SP.21	BUSH , upper }	2	—	C	SJ1
		NIPPLE , lubricating	4	—	C	
28D/13062	A25/33E	Attachments for 10-20 UN 21A/1, Fork :—				
28D/16217	A25/26C	Bolt, 3/8" BSF, through main hinge pin	2	—	C	
2197	10-20 UN 675	Bolt, 3/16" BSF, through plunger tube link and tie-bar	1	—	C	
28M/7002430	AGS.2002/E/1	Cup-end, plunger tube link pin	2	—	C	SJ1
28M/13935	A58/ES	Nut, 1/2" BSF	3	—	C	
1298	10-20 UN 61	Nut, 1/2" BSF	2	—	C	
18952	10-22 UN 7	Pin, hinge, main (Pre Mod. 1368)	1	—	C	SJ1
28P/9527619	SP.90/C7	Pin, hinge, main (Mod. 1368)	1	—	C	SJ1
12830	10-20 UN 945	Pin, splic, for tie-bar (SP.9/C8)	2	—	C	
10298	10-20 UN 895	Pin, through plunger tube link	1	—	C	SJ1
18953	10-22 UN 15	Sleeve, hinge pin (Pre Mod. 1368)	2	—	C	SJ1
12831	10-20 UN 943	Sleeve, hinge pin (Mod. 1368)	2	—	C	SJ1
28W/9419405	SP.15/E	Tie-bar, inside plunger tube link pin	1	—	C	SJ1
28W/9419476	SP.15/G	Washer	2	—	C	
		Washer	1	—	C	
17410	10-20 UN 3115A	HEAD , steering and shimmy damping, assembly (Mod. 1189) (For use on Pre Mod. 589 A/C)	1	—	P	SJ1 SJ3

UNDERCARRIAGE

UNIT, COMPRESSION, NOSEWHEEL

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M	Plate No.
17409	10-20 UN 3111A	HEAD , steering and shimmy damping, assembly (Mod. 1189) (For use on Mod. 589 A/C) Spares for :—	1	—	P	SJ1 SJ3
2992	10-20 UN 771	CAM , lower, clutch engagement	1	—	C	SJ3
28D/8325	AS.1242/4E	Attachments for 10-20 UN 771, Cam :—	1	—	C	
28M/1007403	A27/ET	Bolt, 1/2" BSF	1	—	C	
		Nut, 1/2" BSF	1	—	C	
1238	10-20 UN 141	CLUTCH , sliding	1	—	P	SJ3
1250	10-20 UN 109	COLLAR , roller bearing, bottom	1	—	C	SJ3
		Attachments for 10-20 UN 109, Collar :—				
28S/3419	A33/C8	Screw, 2 BA	2	—	C	
1242	10-20 UN 111	COLLAR , roller bearing, top	1	—	C	SJ3
		Attachments for 10-20 UN 111, Collar :—				
28S/3419	A33/C8	Screw, 2 BA	2	—	C	
1243	10-20 UN 157	DOWEL , through pressure sealing head and steering lever	8	—	C	SJ3
1239	10-20 UN 121	HEAD , pressure sealing	1	—	P	SJ2
	10-20 UN 87A/2	HOUSING , toothed, lower, assembly (Pre Mod. 589) Spares for :—	1	—	—	SJ3
1245	10-20 UN 83A	BEARING , needle roller, assembly	1	—	C	SJ3
13237	10-20 UN 939	SPIGOT , jack attachment	1	—	C	SJ3
		Attachments for 10-20 UN 939, Spigot :—				
13236	10-20 UN 941ND	Dowel	1	—	C	SJ3
28M/9452621	A27/NT	Nut, 3/4" BSF	1	—	C	
28W/9419468	SP.13/N	Washer	1	—	C	
16669	10-20 UN 87A/3	HOUSING , toothed, lower, assembly (Mod. 589) Spares for :—	1	—	P	SJ3
1245	10-20 UN 83A	BEARING , needle roller, assembly	1	—	C	SJ3
17411	10-20 UN 1015	BUSH , bearing	1	—	C	SJ3
		Attachments for 10-20 UN 1015, Bush :—				
28S/14548	A33/C10	Screw, 2 BA	1	—	C	
28N/9156370	SP.21	NIPPLE , lubricating	1	—	C	
13237	10-20 UN 939	SPIGOT , jack attachment	1	—	C	SJ3
		Attachments for 10-20 UN 939, Spigot :—				
13236	10-20 UN 941ND	Dowel	1	—	C	SJ3
28M/9452621	A27/NT	Nut, 3/4" BSF	1	—	C	
28W/9419468	SP.13/N	Washer	1	—	C	

UNDERCARRIAGE
UNIT, COMPRESSION, NOSEWHEEL

Ref. No.	Part No.	Description	No. off						Material Specification	Class of Store or L.M.	Plate No.
			1	2	3	4	5	6			
14193	10-20 UN 91A/1	HOUSING , upper half, assembly (Pre Mod. 589)	1						—	P	SJ3
16670	10-20 UN 1007A	HOUSING , upper half, assembly (Mod. 589)	1						—	P	SJ3
1245	10-20 UN 83A	BEARING , needle roller, assembly Attachments for 10-20 UN 91A/1 or 10-20 UN 1007A, Housing :—	1						—	C	SJ3
28D/13953	A57/6G	Bolt, 3/8" BSF (Pre Mod. 589)	4						—	C	
28D/16614	A59/4G	Bolt, 3/8" BSF (Mod. 589)	4						—	C	
28D/13952	A57/8G	Bolt, 3/8" BSF (Pre Mod. 589)	2						—	C	
28D/17849	A60/6G	Bolt, 3/8" BSF (Mod. 589)	2						—	C	
28M/7002431	AGS.2002/G/1	Nut, 3/8" BSF	4						—	C	
28M/5808571	A27/GS	Nut, 3/8" BSF	2						—	C	
28W/9419403	SP.13/G	Washer	2						—	C	
17415	10-20 UN 3109A	LEVER , jack operating, assembly (Mod. 1189) Spares for :—	1						—	P	SJ3
1241	10-20 UN 127	BUSH (See Repair section PA)	2						—	C	SJ3
11880	10-20 UN 953	BUSH , serrated	1						—	C	SJ3
28N/9156370	SP.21	NIPPLE , lubricating	1						—	C	
	10-20 UN 3103	SPIGOT (Mod. 1189)	2					S.96	—	SJ3	
12046	10-20 UN 887A	LEVER , steering Spares for :—	1						—	P	SJ3
1254	10-20 UN 99	BUSH (See Repair section PA)	1						—	C	SJ3
2190	10-20 UN 673	NUT , retaining, servodyne lever Attachments for 10-20 UN 673, Nut :—	1						—	C	SJ3
7144	10-20 UN 827	Screw, grub, 4 BA	2						—	C	SJ3
2192	10-20 UN 683ND	Shim, 2" 88/2" 89 i/d x 3" 5 o/d (as required to ".25 max.) Attewell	QR						—	C	SJ3
7145	10-20 UN 829	Washer, locking	2						—	C	SJ3
2191	10-20 UN 681	Washer, special	2						—	C	SJ3
1247	10-20 UN 363	RING , friction (Ferodo faced)	1						—	C	SJ3
1248	10-20 UN 361	RING , friction, lower	2						—	C	SJ3
1249	10-20 UN 357	RING , friction, upper Attachments for 10-20 UN 357, Ring :—	1						—	C	SJ3
28D/8322	AS.1242/1E	Bolt, 1/2" BSF	4						—	C	
1255	10-20 UN 359	RING , retaining, lower friction plates Attachments for 10-20 UN 359, Ring :—	1						—	C	SJ3
28S/1008152	A31/B6	Screw, 4 BA (Lock to DHS.514/D)	4						—	C	
27M/10925	LOCKHEED AIR.44062	SEAL , clutch	2						—	C	SJ3
27M/10926	LOCKHEED AIR.44106	SEAL , inner and outer pressure heads	2						—	C	SJ3
27M/10600	LOCKHEED AIR.68352	SEAL , fabrix, back-up, outer pressure, head	1						—	C	SJ3
1237	10-20 UN 129	SLEEVE , jack lever	1						—	P	SJ3
12071	10-20 UN 969	SPRING , clutch return	1						—	C	SJ3
1253	10-20 UN 119	WASHER , clutch engagement ring	1						—	C	SJ3
2199	10-20 UN 589	WASHER , chrust, clutch spring	1						—	C	SJ3

**UNDERCARRIAGE
UNIT, COMPRESSION, NOSEWHEEL**

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Place No.
2193	10-20 UN 565	WASHER , plate, under lower roller bearing collar	1	—	C	SJ3
28S/1200053	A33/C16	Attachments for 10-20 UN 565, Washer :— Screw, 2 BA	4	—	C	
28D/14919	A25/12L	Attachments for 10-20 UN 3115A or 10-20 UN 3111A, Head :— Bolt, $\frac{7}{16}$ " BSF	2	—	C	
28D/12895	A25/17L	Bolt, $\frac{7}{16}$ " BSF	1	—	C	
28M/9129449	A27/LS	Nut, $\frac{7}{16}$ " BSF	4	—	C	
28P/19234	SP.90/E8	Pin, split (SP.9/E10)	4	—	C	
1257	10-20 UN 11A	HOUSING , lower half, assembly (Pre Mod. 1070)	1	—	P	SJ1
18945	10-20 UN 1181A	HOUSING , lower half, assembly (Mod. 1321) ... Spares for :—	1	—	P	SJ1
18946	10-20 UN 1189	BEARING , lower	1	—	C	SJ2
19848	10-20 UN 3215	Attachments for 10-20 UN 1189, Bearing :— Screw, $\frac{1}{4}$ " BSF	2	—	C	SJ1 SJ2
1262	10-20 UN 349	BEARING , upper	1	—	C	SJ2
1263	10-20 UN 63	Attachments for 10-20 UN 349, Bearing :— Bolt, $\frac{1}{4}$ " BSF	1	—	C	SJ1 SJ2
1264	10-20 UN 65	Bolt, $\frac{1}{4}$ " BSF	1	—	C	SJ1 SJ2
1259	10-20 UN 57	BUSH , main pivot	2	—	C	SJ1
1258	10-20 UN 143	BUSH , retracting jack pick-up } (See Repair section PA)	2	—	C	SJ1
28N/9156370	SP.21	NIPPLE , lubricating	4	—	C	
16382	10-20 UN 1117	LABEL , oleo leg and tyre servicing (air pressure/ fluid) (Mod. 798 Pre Mod. 1368)	1	—	C	SJ1
18902	10-22 UN 13	LABEL , oleo leg and tyre servicing (air pressure/ fluid) (Mod. 1368) Attachments for 10-20 UN 1117 or 10-22 UN 13, Label :—	1	—	C	SJ1
28S/6235	PARKER KALON Type Z	Screw, No. 4 x $\frac{1}{4}$ "	4	—	C	
18421	10-20 UN 3117A	LEG , oleo, assembly (Less fork, upper and lower housings, steering and shimmy damping head (Mod. 1300) (For use on A:C not embodying Mod. 1102)	1	—	P	SJ1
18942	10-20 UN 1193A	LEG , oleo, assembly (Less fork, upper and lower housings, steering and shimmy damping head) (Mod. 1321) Spares for :—	1	—	P	SJ1
1266	10-20 UN 243	ADAPTER , air charging valve	1	—	C	SJ2
28F/9423226	AGS.1135/A	Attachments for 10-20 UN 243, Adapter :— Bolt, banjo	1	—	C	
28F/9428452	AGS.1186/A	Washer, sealing	1	—	C	
1279	10-20 UN 591	BEARING , inner, for plunger tube seals ...	1	—	C	SJ2
1274	10-20 UN 387	CAP , end, orifice plate	1	—	C	SJ2
28S/1013561	A55/B4	Attachments for 10-20 UN 387, Cap :— Screw, grub, 4 BA	2	—	C	
7985	10-20 UN 863	BLOCK , adapter, torque shaft, group ...	1	—	—	
2194	10-20 UN 759	BLOCK , adapter	1	—	C	SJ2
27M/2789	LOCKHEED AIR.10912	BOLT , banjo	1	—	C	SJ2
28F/9429526	AGS.1186/6	PLUG , oil	2	—	C	SJ2
		WASHER , sealing	4	—	C	SJ2

**UNDERCARRIAGE
UNIT, COMPRESSION, NOSEWHEEL**

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Score or L.M	Plate No.
18422	10-20 UN 3121A/ND	CASING , inner, c/w torque shaft, assembly (Mod. 1300)	1	—	P	SJ2
18943	10-20 UN 1199A/ND	CASING , inner, c/w torque shaft, assembly (Mod. 1321)	1	—	P	SJ2
18944	10-20 UN 1191	Spares for :— BEARING , lower	1	—	C	SJ2
17064	10-20 UN 3011	Attachments for 10-20 UN 1191, Bearing :— Bolt, special	4	—	C	SJ2
1277	10-20 UN 347	BEARING , upper	1	—	C	SJ2
	10-20 UN 3119	CASING , inner (Mod. 1300, Pre Mod. 1102)	1	—	—	SJ2
	10-20 UN 1187A	CASING , inner (Mod. 1321)	1	—	—	SJ2
1269	10-20 UN 113	DOWEL , shear, 1/8" BSF, in head of inner casing, for torque shaft attachment	8	—	C	SJ2
12069	10-20 UN 947	PAD , shimmy damping	1	—	C	SJ2
28D/1013177	AS.1242/2E	Attachments for 10-20 UN 947, Pad :— Bolt, 1/4" BSF	8	—	C	
27M/10596	LOCKHEED AIR.43306	GLAND , moulded, inner plunger tube, seated in bearing tube	1	—	C	SJ2
13558	10-20 UN 915A/1	LINK , fork, assembly	1	—	C	SJ2
28N/9156370	SP.21	Spares for :— NIPPLE , lubrication	1	—	C	
28D/12813	A25/26E	Attachments for 10-20 UN 915A/1, Link :— Bolt, 1/4" BSF	1	—	C	
28M/1007403	A27/ET	Nut, 1/4" BSF	1	—	C	
1288	10-20 UN 593	Pin, hollow	1	—	C	SJ2
1280	10-20 UN 597	NUT , retaining bottom gland and seals ...	1	—	C	SJ2
2989	10-20 UN 783	PLATE , orifice, head of plunger tube ...	8	—	C	SJ2
28S/9140929	A33/C12	Attachments for 10-20 UN 783, Plate :— Screw, 2 BA	1	—	C	
1282	10 UN 111	PLATE , retaining scraper rings	1	—	C	SJ2
28S/9995325	A33/B8	Attachment for 10 UN 111, Plate :— Screw, 4 BA	8	—	C	
5565	10-20 UN 815A	PLUG , end, bottom plunger tube, assembly	1	—	C	SJ2
1285	10-20 UN 603	Spares for :— BUSH (See Repair section PA)	2	—	C	SJ2
1286	10-20 UN 231	STUD	1	—	C	SJ2
28D/8307	AS.1242/2C	Attachments for 10-20 UN 815A, Plug :— Bolt, 2 BA	1	—	C	
1271	10-20 UN 417	PLUNGER , bottoming, screwed in to oil charging tube	1	—	C	SJ2
27M/10594	LOCKHEED AIR.57398	RING , piston plunger tube	1	—	C	SJ2
1281	10 UN 109	RING , scraper, plunger tube	2	—	C	SJ2

UNDERCARRIAGE

UNIT, COMPRESSION, NOSEWHEEL

Ref. No.	Part No.	Description						No. off	Material Specification	Class of Score of L.M.	Plate No.
		1	2	3	4	5	6				
2193	10-20 UN 565	WASHER , plate, under lower roller bearing collar						1	S.96	C	SJ3
28S/1200053	A33/C16	Attachments for 10-20 UN 565, Washer :— Screw, 2 BA						4	—	C	
28D/14919	A25/12L	Attachments for 10-20 UN 3115A or 10-20 UN 3111A, Head :—						2	—	C	
28D/7768	A25/17L	Bolt, $\frac{3}{16}$ " BSF						1	—	C	
28M/9129449	A27/LS	Nut, $\frac{3}{16}$ " BSF						4	—	C	
28P/9429652	SP.9/E10	Pin, split						4	—	C	
1257	10-20 UN 11A	HOUSING , lower half, assembly (Pre Mod. 1070)						1	—	P	SJ1
18945	10-20 UN 1181A	HOUSING , lower half, assembly (Mod. 1321) ... Spares for :—						1	—	P	SJ1
18946	10-20 UN 1189	BEARING , lower ...						1	DTD.197	C	SJ2
1261	10-20 UN 301	Attachments for 10-20 UN 1189, Bearing :— Screw, $\frac{1}{8}$ " BSF						2	S.96	C	SJ1 SJ2
1262	10-20 UN 349	BEARING , upper						1	DTD.197	C	SJ2
1263	10-20 UN 63	Attachments for 10-20 UN 349, Bearing :— Bolt, $\frac{1}{8}$ " BSF						1	S.96	C	SJ1 SJ2
1264	10-20 UN 65	Bolt, $\frac{1}{8}$ " BSF						1	S.96	C	SJ1 SJ2
1259	10-20 UN 57	BUSH , main pivot						2	DTD.197	C	SJ1
1258	10-20 UN 143	BUSH , retracting jack pick-up } (See Repair section PA)						2	DTD.197	C	SJ1
28N/9156370	SP.21	NIPPLE , lubricating						4	—	C	
18421	10-20 UN 3117A	LEG , oleo, assembly (Less fork, upper and lower housings, steering and shimmy damping head Mod. 1300) (For use on A/C not embodying Mod. 1102)						1	—	P	SJ1
18942	10-20 UN 1193A	LEG , oleo, assembly (Less fork, upper and lower housings, steering and shimmy damping head) (Mod. 1321) Spares for :—						1	—	P	SJ1
1266	10-20 UN 243	ADAPTER , air charging valve ...						1	L.64	C	SJ2
28F/9423226	AGS.1135/A	Attachments for 10-20 UN 243, Adapter :—						1	—	C	
28F/9428452	AGS.1186/A	Bolt, banjo ... Washer, sealing						1	—	C	
1279	10-20 UN 591	BEARING , inner, for plunger tube seals						1	DTD.197	C	SJ2
1274	10-20 UN 387	CAP , end, orifice plate						1	L.64	C	SJ2
28S/1013561	A55/B4	Attachments for 10-20 UN 387, Cap :— Screw, grub, 4 BA						2	—	C	
7985	10-20 UN 863	BLOCK , adapter, torque shaft, group						1	—	—	
2194	10-20 UN 759	BLOCK , adapter						1	L.65	C	SJ2
	LOCKHEED	BOLT , banjo						1	S.96	C	SJ2
27M/2789	AIR.10912	PLUG , oil						2	—	C	SJ2
28F/9429526	AGS.1186/6	WASHER , sealing						4	—	C	SJ2
18422	10-20 UN 3121A/ND	CASING , inner, c/w torque shaft, assembly (Mod. 1300)						1	—	P	SJ2
18943	10-20 UN 1199A/ND	CASING , inner, c/w torque shaft, assembly (Mod. 1321) Spares for :—						1	—	P	SJ2
18944	10-20 UN 1191	BEARING , lower						1	T.50	C	SJ2
17064	10-20 UN 3011	Attachments for 10-20 UN 1191, Bearing :— Bolt, special						4	S.96	C	SJ2

UNDERCARRIAGE
UNIT, COMPRESSION, NOSEWHEEL

Ref. No.	Part No.	Description	No. off						Material Specification	Class of Score or L.M	Plate No.
			1	2	3	4	5	6			
1277	10-20 UN 347	BEARING , upper						1	S.106	C	SJ2
	10-20 UN 3119	CASING , inner (Mod. 1300, Pre Mod. 1102)						1	—	—	SJ2
	10-20 UN 1187A	CASING , inner (Mod. 1321)						1	—	—	SJ2
1269	10-20 UN 113	DOWEL , shear, 1/2" BSF, in head of inner casing, for torque shaft attachment						8	S.96	C	SJ2
12069	10-20 UN 947	PAD , shimmy damping						1	DTD.197	C	SJ2
28D/1013177	AS.1242/2E	Attachments for 10-20 UN 947, Pad :— Bolt, 1/2" BSF						8	—	C	
27M/10596	LOCKHEED AIR.43306	GLAND , moulded, inner plunger tube, seated in bearing tube						1	—	C	SJ2
16382	10-20 UN 1117	LABEL , oleo leg and tyre servicing (air pressure/ fluid), 20 SWG (Mod. 798) Attachments for 10-20 UN 1117, Label :—						1	Alumn.	C	SJ1
28S/6235	PARKER KALON Type Z	Screw, No. 4 x 1/2"						4	—	C	
13558	10-20 UN 915A/1	LINK , fork, assembly Spares for :—						1	S.96	C	SJ2
28N/9156370	SP.21	NIPPLE , lubrication Attachments for 10-20 UN 915A/1, Link :—						1	—	C	
28D/12813	A25/26E	Bolt, 1/2" BSF						1	—	C	
28M/12931	A27/ET	Nut, 1/2" BSF						1	—	C	
1288	10-20 UN 593	Pin, hollow						1	T.57	C	SJ2
1280	10-20 UN 597	NUT , retaining bottom gland and seals						1	DTD.364	C	SJ2
2989	10-20 UN 783	PLATE , orifice, head of plunger tube Attachments for 10-20 UN 783, Plate :—						8	DTD.363	C	SJ2
28S/9140929	A33/C12	Screw, 2 BA						1	—	C	
1282	10 UN 111	PLATE , retaining scraper rings Attachments for 10 UN 111, Plate :—						1	L.72	C	SJ2
28S/9995325	A33/B8	Screw, 4 BA						8	—	C	
5565	10-20 UN 815A	PLUG , end, bottom plunger tube, assembly Spares for :—						1	—	C	SJ2
1285	10-20 UN 603	BUSH (See Repair section PA)						2	DTD.197	C	SJ2
1286	10-20 UN 231	STUD Attachment for 10-20 UN 815A, Plug :—						1	S.96	C	SJ2
28D/8307	AS.1242/2C	Bolt, 2 BA						1	—	C	
1271	10-20 UN 417	PLUNGER , bottoming, screwed in to oil charging tube						1	L.64	C	SJ2
27M/10594	LOCKHEED AIR.57398	RING , piston plunger tube						1	—	C	SJ2
1281	10 UN 109	RING , scraper, plunger tube						2	LFS.26	C	SJ2


UNDERCARRIAGE
UNIT, COMPRESSION, NOSEWHEEL

Ref. No.	Part No.	Description	No. off						Material Specification	Class of Score or LM	Place No.
			1	2	3	4	5	6			
27M/10471	LOCKHEED ADS.408/27	SEAL, bearing tube, upper	1						C	SJ2	
27M/10467	LOCKHEED ADS.400/21	SEAL, end plug	1						C	SJ2	
28M/10469	LOCKHEED ADS.402/17	SEAL, separator	1						C	SJ2	
27M/10470	LOCKHEED ADS.408/14	SEAL, top oil tube	1						C	SJ2	
1273	10-20 UN 397	SEPARATOR	1						C	SJ2	
1276	10-20 UN 385	SPRING, flutter valve	1						C	SJ2	
	10-20 UN 415	TUBE, oil charging, inside torque shaft (For spares use 10-20 UN 1037ND)	1					L.65	—	SJ2	
14671	10-20 UN 1037ND	TUBE, oil charging, inside torque shaft (Spares condition)	1						C		
1283	10-20 UN 223	TUBE, plunger	1						C	SJ2	
	HIGH PRESSURE COMPONENTS										
28Y/15486	GYP.A/58	VALVE, air charging	1						C	SJ2	
1275	10-20 UN 383	VALVE, flutter	1						C	SJ2	
28F/9428453	AGS.1186/B	WASHER, sealing, air charging valve ...	1						C		
		Attachments for 10-20 UN 3117A or 10-20 UN 1193A, Leg :—									
1289	10-20 UN 133	Nut, retaining	1						C	SJ1	
28P/13743	SP.9/G24	Pin, split	1						C		
19522	10-20 UN 3195A	LINK, steering, L.H. half, assembly (Mod. 1350)	1						P	SJ1	
19523	10-20 UN 3197A	LINK, steering, R.H. half, assembly (Mod. 1350)	1						P	SJ1	
		Spares for :—									
19525	HOFFMANN N.3108	BEARING, ball	1						C		
		Attachments for 10-20 UN 3195A or 10-20 UN 3197A, Link :—									
28D/1011240	A25/5E	Bolt, 1/2" BSF	1						C		
28M/7002430	AGS.2002/E/1	Nut, 1/2" BSF	1						C		
28M/14833	A58/J5	Nut, 3/8" BSF	2						C		
28P/9527619	SP.90/C7	Pin, split (SP.9/C8)	2						C		
17829	10-20 UN 1169ND	Shim, laminated, "Attewell"	1						—	SJ1	
28W/9419405	SP.15/E	Washer	1						C		
28W/9419456	SP.10/J	Washer	2						C		
28W/9419489	SP.16/J	Washer	2						C		
19524	10-20 UN 3193A	LINK, steering, upper, assembly (Mod. 1350) ...	1						P	SJ1	
		Spares for :—									
19525	HOFFMANN N.3108	BEARING, ball	2						C		
19471	HOFFMANN N.3113	BEARING, ball	1						C		
	10-20 UN 825ND	PAD, rubbing, 3 SWG	1					L.72	LM	SJ1	
		Attachments for 10-20 UN 3193A, Link :—									
28D/14841	A30/15G	Bolt, 3/8" BSF, lower pick-up	1						C		
28D/18973	A59/30I	Bolt, 1/2" BSF, upper pick-up (Drg. No. 10-20 CE 2685)	1						C		
28M/14537	A58/GS	Nut, 3/8" BSF, lower pick-up	1						C		
28M/13412	A24/J5	Nut, 1/2" BSF, upper pick-up (Drg. No. 10-20 CE 2685)	1						C		
28P/9527619	SP.90/C7	Pin, split (SP.9/C8)	2						C		
	AS.2811/7/015	Tube, distance, 1/8" o/d x 17 SWG x 0".15 long, lower pick-up	2					L.62	LM		
28W/9419403	SP.13/G	Washer, lower pick-up	2						C		
28W/1007698	SP.14/J	Washer, upper pick-up	1						C		

UNDERCARRIAGE

UNIT, COMPRESSION, NOSEWHEEL

Ref. No.	Part No.	Description	No. off	Material Specification	Class of Store or L.M.	Plate No.
1292	10-20 N 7579	PLATE , clip, 20 SWG	1	L73	LM	SJ1
	10-20 UN 211A	PLUNGER , spring loaded on compression leg housing, assembly Spares for :—	1	—	P	SJ1
28N/12492	AGS.2030/18	CIRCLIP	1	—	C	SJ1
1293	10-20 UN 215	PLUNGER	1	—	C	SJ1
1294	10-20 UN 219	SPRING	1	—	C	SJ1
1456	DHS.775/G/3	WASHER , spring retaining	1	—	C	SJ1
28D/9436920	A25/1C	Attachments for 10-20 UN 211A, Plunger :— Bolt, 2 BA	2	—	C	
28W/9419475	SP.15/C	Washer	2	—	C	
14981	10-20 UN 1021	SPIGOT , lower, compression, leg housing (Mod. 607) Attachments for 10-20 UN 1021, Spigot :—	2	—	C	SJ1
28M/1011470	A27/GT	Nut, 3/8" BSF	1	—	C	
28W/9419403	SP.13/G	Washer	1	—	C	
2058	10-20 UN 371	SPIGOT , upper, compression leg housing Attachments for 10-20 UN 371, Spigot :—	1	—	C	SJ1
28D/1007975	AS.1242/1C	Bolt, 2 BA	1	—	C	
28M/15199	A58/LS	Nut, 3/8" BSF	1	—	C	
28P/19234	SP.90/E8	Pin, split (SP.9/E10)	1	—	C	
28W/9419467	SP.13/L	Washer	1	—	C	
6645	DHS.781/33/18	Washer	1	—	C	SJ1
14996	10-20 UN 1039	Attachments for 10-20 UN 3A/11, 10-22 UN 17A, 10-20 UN 3105A or 10-22 UN 19A, Unit, Compression, at spring strut:— Bolt, 1/2" BSF (Mod. 714)	1	—	C	SJ1
28M/1011467	A27/ES	Nut, 1/2" BSF	1	—	C	
28P/9527619	SP.90/C7	Pin, split (SP.9/C8)	1	—	C	
11882	10-20 UN 957	Slipper (Mod. 363)	1	—	C	SJ1
28W/9418920	SP.10/E	Washer	1	—	C	



SJ.1


UNDERCARRIAGE

UNIT, COMPRESSION, NOSEWHEEL

SJ.1

[A.L. 65]

SEE TEXT FOR SPARES CONDITION OF ITEMS MARKED THUS:—▲




SJ.2

UNDERCARRIAGE

SJ.2

UNIT, COMPRESSION, NOSEWHEEL

AL.58



SJ.3

UNDERCARRIAGE
UNIT, COMPRESSION, NOSEWHEEL

SJ.3

[A.L.42]

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm
Please see site for usage terms,
and more aircraft documents.

