

CABLE SCHEDULE

Part No.	End fittings				Complete Cable Length	Cable Spec.	Ident. Tab.	Remarks
	Part No.	Ref. No.	Part No.	Ref. No.				
AS1419/SS/50 $\frac{1}{4}$	AS1315	28N/9941	AS1285	28N/9947	50 $\frac{1}{2}$ " (5 cwt.)	W11		
AS1419/SS/146 $\frac{1}{4}$	AS1315	28N/9941	AS1285	28N/9947	146 $\frac{1}{2}$ " (5 cwt.)	W11		
AS1419/SS/174	AS1315	28N/9941	AS1285	28N/9947	178 $\frac{3}{4}$ " (5 cwt.)	W11		
AS1419/SS/562	AS1315	28N/9941	AS1285	28N/9947	562" (5 cwt.)	W11		
AS1419/SS/578	AS1315	28N/9941	AS1285	28N/9947	578" (5 cwt.)	W11		
AS1423/SS/50 $\frac{1}{4}$	AS1315	28N/9941	AS1286	28N/9945	50 $\frac{1}{4}$ " (5 cwt.)	W11		
AS1423/SS/76 $\frac{3}{4}$	AS1315	28N/9941	AS1286	28N/9945	76 $\frac{3}{4}$ " (5 cwt.)	W11		
AS1423/SS/92 $\frac{1}{4}$	AS1315	28N/9941	AS1286	28N/9945	92 $\frac{1}{4}$ " (5 cwt.)	W11		
AS1423/SS/174	AS1315	28N/9941	AS1286	28N/9945	176 $\frac{3}{4}$ " (5 cwt.)	W11		
AS1423/SS/196 $\frac{1}{2}$	AS1315	28N/9941	AS1286	28N/9945	203 $\frac{3}{4}$ " (5 cwt.)	W11		
AS1423/SS/226 $\frac{3}{4}$	AS1315	28N/9941	AS1286	28N/9945	235 $\frac{3}{4}$ " (5 cwt.)	W11		
AS1423/SS/562	AS1315	28N/9941	AS1286	28N/9945	562" (5 cwt.)	W11		
AS1423/SS/578	AS1315	28N/9941	AS1286	28N/9945	578" (5 cwt.)	W11		
AS1429/SS/108	AS1315	28N/9941	AS1315	28N/9941	108" (5 cwt.)	W11		
AS1429/SS/148 $\frac{1}{2}$	AS1315	28N/9941	AS1315	28N/9941	148 $\frac{1}{2}$ " (5 cwt.)	W11		
106R2260	SS3300	26EA/2446	106cR2260	—	24" (25 cwt.)	DTD181A		
52R2757	AS1284	28N/12294	SS3627	—	156" (3 cwt.)	W11		
53R2757	AS1283	28N/12295	SS3627	—	156" (3 cwt.)	W11		
13R3065	1SS3278	—	2SS3278	—	46 $\frac{1}{2}$ " (45 cwt.)	W2		
14R3065	3SS3278	—	4SS3278	—	47" (45 cwt.)	W2		
1R3016	AS1286	28N/9945	AS1286	28N/9945	192" (5 cwt.)	W11		
2R3016	AS1285	28N/9947	AS1285	28N/9947	261" (5 cwt.)	W11		
1R3187	AS1284	28N/12294	AS1284	28N/12294	193 $\frac{5}{8}$ " (3 cwt.)	W11		
2R3187	AS1283	28N/12295	AS1283	28N/12295	259 $\frac{3}{8}$ " (3 cwt.)	W11		
1F7423	AS1284	28N/12294	AS1283	28N/12295	949 $\frac{1}{4}$ " (3 cwt.)	W11		
2F7423	AS1284	28N/12294	AS1283	28N/12295	1108" (3 cwt.)	W11		

RESTRICTED

RESTRICTED

Complete with Drum and Guide Part No. 1R2903 and 3R2903 respectively.
 Complete with Drum and Guide Part No. 1R2903 and 3R2903 respectively.
 Complete with Drum and Guide Part No. 5R3015 and 4R2905 respectively.
 Complete with Drum and Guide Part No. 5R3015 and 4R2905 respectively.
 Complete with Bobbin, Ball end, Retaining nut and Cable guide, Part No. 1F6782, 4F4206, 5F5368 and F6778 respectively.
 Complete with Bobbin, Ball end, Retaining nut and Cable guide, Part No. 1F6782, 4F4206, 5F5368 and F6778 respectively.

CABLE SCHEDULE

Part No.	End fittings				Complete Cable Length	Cable Spec.	Ident. Tab.	Remarks
	Part No.	Ref. No.	Part No.	Ref. No.				
18Z6275	SP8/Y14	28U/4064	—	—	41.7" (5 cwt.)	W10		One end plain.
20Z6275	SP8/Y14	28U/4064	—	—	180" (5 cwt.)	W10		One end plain.
21Z6275	SP8/Y14	28U/4064	—	—	182" (5 cwt.)	W10		One end plain.
22Z6275	SP8/Y14	28U/4064	22bZ6275	—	117" (5 cwt.)	W10		Ferrule soldered at one end.
33Z6275	SP8/Y14	28U/4064	22bZ6275	—	235" (5 cwt.)	W10		Ferrule soldered at one end.
34Z6275	SP8/Y14	28U/4064	—	—	48" (5 cwt.)	W10		One end plain.
5Z5661	AGS136/A	28Y/3004	AGS136/A	28Y/3004	24" approx. (5 cwt.)	W2		Complete with handle, Part No. 4bZ5661.

RESTRICTED

RESTRICTED

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.



LIGHTNING MK. 1
COVER PITOT HEAD
EB2-88-5111