E1/19.0.

M

PROCUREMENT EXECUTIVE, MINISTRY OF DEFENCE

July 1979

Amendment No.80 (final amendment) to AP 4306A




DATA BOOK OF GROUND SERVICING EQUIPMENT

To be distributed only by ΛPFS to MOD(PE) HQ branches, establishments/outstations and contractors.

This publication has been declared obsolete and should be destroyed.

If, for any reason, it is desired to retain this publication, the cover label/title page should be plainly marked 'OBSOLETE' and this leaf inserted in the front of the book.

The latest publications on the above subject are: AP 119A-1000 series, AP 12OH-0002-1, AP 110H-0001-1, AP 112T-0001-1; copies may be obtained through the normal channels.





Incorporation of an Amendment List in this publication is to be recorded by signing in the appropriate column and inserting the date of making the amendments

A.L. No.	AMENDED BY	DATE
1	Es apalan Sed 5/16	a) 1.5.50
2	Gsaspoden Homellos	9) 1.5.50
3	Halfargh Sect's 6-1	3 12.7.50.
4	Kalanh Sen 3.7.	
5	Blown & \$ 5 6,7,	
6	M. Dallaway Sec. 3, 6791	
7	Bhaskell Sec 23 59	
	K. Bough Sat 2351	
10	the Tunga Sect 5,67,9 Kanga Sect in 6,11	3 20/8/59
	Loough Del 23610	11 20/3/5
12	YKID JKO Soct 3/4 5	6 21 452
13	M Dallary See 21,56	
14	14 Dalla Jay Suco, 3,5,6,7,10	17-11-50.
15	Moore Sect. 5 6	7 3.2.53
16	Moods Sect. 5 6.	22/5/53
17	Lowyan Sec. 5,60	9 25.8.53
	Sec: 3.640	
	Sex 30 Sec. 5,6, 94	
	KRWatoon See 2.6	
	Il Moore Sec. 2,3,5.	30.9.54
22	Dens - Sec 5, 9,13,	28 (2.54
23	1 Macora Seco 2 3 5 6,	2.25.7.55
24	1. wine \$131.50 m 13/22	16/1/56
25	1. h. Juine 34. 61, 27-12	21/3/56
26	In Marke Dees 2,3,6,8	15.6.56
27	Hundy Sects 5, 6,7,	9 12-10-66

A.L. No.		DATE
28	Burdy Sect 2/3/03	2.18257
29	Blighton Se 2,5,6,7,9,10,73	
30	KR Waten delex See 5	
31	XR Watson See 5/25	
32	11 11 16:11	10.12.57
33	1 1 Nec. 3 5.6 aug. 12.13	5.5:53
34	MI seco	19.5.58
35	Na1 11 -	27-8-58
36	the gleton Se 2,5,6,12.	21-11-58
37	the ingleton Sec 3 5 6	6-12-58
38	1.1. moore 5,69,12.	
39		A COLUMN TO SERVICE DE LA COLU
40	GSiannard See 5. BHarmsworth 35,67	99960
41	944. Echvar B. Sec 4-6.13.	26.460
42	Phiebbee 2 tem 33 9416	11-60
44	Al Sees Hos states	5.12.60
475	38 Harmunworth Sp. 2-12	
46		
47	Huossen Sec 5 46 Boll 31 low work dearly limb see 12 Jams by 10 margin	12.1.60
48	50e 12. Stams by to motof !	4-6-10
49	fline Jack 2, 5, 6 7	47 0 10
50	la il 00 Sect 4 Man Kg	5-8-62
51	14 10 m sais 5 6 1 1 3	19.662
52	INDEX SOC 5	1-2-63
!	Masoy Theres 45 61	51.7.63
53 (Mr. Marster sec 6 Hil Others a 63	12/4
54	9. orbinocio 36.	120112

(Continued overleaf)

L. No.	AMENDED BY	DATE
55	Workeliren 17 4 b.	11-2-64
56	Chilband 1 lens 37,38.	22-4-64
57	D dependit - 6.7.9 813	14-10.64
58	abud 15 6 7	18.12.64
59	abud HOEK get 5 6 7,9 6	7.4.65
60	All Peter 13.18, 29.78, 29.30	110 - ~ ~
61	# Sunfellin 38 178m 38	20-10-65
62	BAR dok Seet 5 778	21-2-66
63	Sect 3 17845 17, 21, 25	6-6-66.
64	Bullon 7 9 13 17EM 171. 41	4-8-66
65	1 1 2 Dans 7, 9 n 13	26.3.68
66	Ishave item 21/72	4/11/68
67	Voled & Sed 2,4-5,7-9	30/1/69
68		///
69	46 Bulderey Egit Sev Class	
70	16 Redsendy SEINH HERE	9
71	1% Redderd, 500 689	
72	Mile	21.12.77
73	2 Ellow	1-11-71
74	20 Noses	232/22
75	FBurt	23-6-92
76		
77	Mobel	7.378
78	& Gredillans	
79	Mon linson	13.9.78
80	a Love	1.10.79
81		
82		
83		
84		
85		

A.L. No.	AMENDED BY	DATE
86		
87		
88		
89		
90		
91		
92		
93		
94		
95		
96		***************************************
97		
98		
99		
1:00		
101		
102	-	
103		- 1
104		
105		
106		
107		
108		
109		
110		
111		
112		
*113		
114		
115		
116		

^{*} An Amendment Record Continuation Sheet (R.A.F. Form 2096B) will be required when this page is full. Order it now.

NOTE TO READERS

The subject matter of this publication may be affected by Defence Council Instructions or by 'General Orders and Modifications' leaflets in the associated publications referred to herein or even in some others. If possible, Amendment Lists are issued to correct this publication accordingly, but it is not always practicable to do so. When a D.C.I. or leaflet contradicts any portion of this publication, the D.C.I. or leaflet is to be taken as the overriding authority. Each leaf in this A.P. bears the date of issue and, when applicable, th Amendment List No. with which the leaf was issued. When it becomes necessary to revise existing text matter or provide additional information to any leaf that has been published, the leaf will be re-issued and the revision or addition, on the re-issued leaf, will be indicated by triangles positioned thus ——— to indicate the extent of the amended text and thus — to indicate where the text has been deleted.

This publication is now UNCLASSIFIED; new or revised leaves will not carry a security marking. A.L.70 gives instructions to delete all security markings from pages already issued. Holders should take this action as soon as possible, and certainly before this publication or any part of it is disposed of as waste.

SCALES OF ISSUE

It is not practicable to include scales of issue in the data for items of equipment in this publication; reference should be made to A.P.113 for the appropriate A.P. giving this information.

FOREWORD

This publication is issued as a reference book, and covers the range of ground servicing equipment which might be expected to come within the province of the Technical Officer.


It is intended to include in this data book only the briefest details of equipment, for in no sense is it the purpose of the book that it should replace the Air Publication specifically written for the equipment; nor is it to take the place of A.P.1086—Vocabulary of R.A.F. Equipment as the authority on equipment identification. Rather is it intended to summarize the information required by personnel wishing, for instance, to identify an item of equipment, learn its purpose and operational scope, or determine its air portability. Consequently, the information given on an item of equipment includes an illustration and only a brief description of it, together with its Ref. number, overall dimensions and weight, and a reference to the A.P. where full particulars can be found.

The publication is divided into Sections, and each Section contains a series of Items each giving data on a piece of equipment. The Sections correspond approximately to the Sections of A.P.1086 in content, although the section numbers differ; also, one Section in this A.P. may cover stores contained in one or more of the Sections in A.P.1086. The List of Sections at the beginning of this publication indicates clearly the relationship between the Sections in both publications,

LIST OF SECTIONS

Note - A list of contents appears at the beginning of each Section

- 1 General information
- 2 Tools
 (As appropriate to AP 1086, Sections 1A, 1B, 1C and 3A-D)
- Workshop equipment
 (As appropriate to AP 1086, Section 4A)
- 4 Storage equipment and cargo handling aids (As appropriate to AP 1086, Section 4D and 4DB)
- 5 Air compressor and servicing trolleys (As appropriate to AP 1086, Section 4F)
- 6 Aircraft servicing and ground handling equipment (As appropriate to AP 1086, Section 4G)
- 7 General ground servicing equipment (As appropriate to AP 1086, Section 4C and 4K)
- 8 Sparking plug servicing equipment (As appropriate to AP 1086, Section 4N)
- 9 Lifting and haulage equipment (As appropriate to AP 1086, Section 4L, 4Q and 16H)
- 10 Ground lighting and miscellaneous equipment (As appropriate to AP 1086, Section 5A)
- 11 Instrument test equipment
 (As appropriate to AP 1086, Section 6C)
- Armament servicing equipment
 (As appropriate to AP 1086, Sections 4G, 4L, 8C and 50H)
- Mechanical transport servicing equipment (As appropriate to AP 1086, Section 16C)



INDEX

Nomenclature	Ref. No.	Sect.	Item
A A			
Adapter			
inflation, Mk.2	4G/6246	6	22
Airdraulic power unit, model A5000 Sky	hi 40/3289	9	31
Airfield arrester barrier, Mk.5	4C/2692	7	27
Apparatus, tyre repairing set, Type B Arm	4A/1766, 44		7
steering, tailwheel, Type G	4GB/1365	6	92
tail towing	4GB/2792	6	19
В			
Bar			
towing, heavy duty	16C/5460	13	32
towing, rigid, heavy	16C/4628	13	21
towing, rigid, light	16C/4623	13	20
Base, adapter, for aircraft entrance 1	adder 4G/6102	6	132
"Basix" pre-fabricated constructional			132
equipment Bench	4T/VARIOUS	6	133
carpenters, Type A	4A/6	3	26
Blower			20 -
air, portable, Type B, Mk.1 (B.V.C.			
pattern) air, portable, Type B, Mk.2 (B.V.C.	4A/2277	3	9
	4A/2627	3	36
	5A/4124	10	12
Bomb loading equipment (Vulcan 7-store			
	26DC/95367-	9 12	67
Bridles, towing	GB/4137-413	9 6	112
C			
Cabinet			
storage, low temperature	4A/2331, 233	32 3	32
test, flying clothing, Mk.1	4C/2634	7	26
Can	,,	'	20
fluid replenishing, pressurised, Mk.1	4G/4864	6	113
fluid replenishing, pressurised, Mk.2	2 4G/5358	6	127
fluid replenishing, pressurised,	40/3330	Ü	127
10 gallon Mr 3	4G/5378	6	89
Cart, hand, Type B	4K/4654985	7	11
Chair cafety sucronsion	4L/2814	9	
Chamber, vacuum testing, Mk.2	7B/1883	12	17
Changer, tyre, heavy duty	16C/5488		62
	100/3400	13	28
May 78 (Amdt 79)			

	Nomenclature		Ref. No.	Sect.	Item
	Changer, tyre, Type A		1607/006	13	24
	Chock, aircraft, metal, collapsible, sm Cleaner	lall	4GB/42UZ	6	65
>					2
	vacuum, aircraft "Dustette" type		4G/5566	6	124
	vacuum, aircraft, heavy duty, Mk.1A		4G/4169	6	2
	vacuum, aircraft, heavy duty, Mk.1B		4G/4519	6	118
	vacuum, aircraft, large		4G/5421	6	102
	vacuum, aircraft, large		4G/2374-2378	6	41
	vacuum, large, electric		4G/5208	6	55
			16C/4636	13	
		• • •			13
	Computer, fuel weight		53B/3739	6	108
	Conveyor, portable, ramp type	• • •	4D/2078	4	6
	Crane, jib	• • •	4L/581	9	15
	, , ,	• • •	4L/584	9	43
	Cupboard, heater		4N/4660357-59	8	3
	Cradle, transporting, for 30mm Aden gun		4CA/4409674	12	39
	Dynamometer, fan brake	• • •	4A/2211-2213	3	10
	E				
	Extractor set, universal		LV6 MT2-5120-		
			99-VARIOUS	13	9
	F				
	Foam dispenser, small, aircraft washing	,			
	Mk.3B		4K/4069	7	46
	Frame, front towing, Mk.1		4GB/2794	6	21
	Fuel hand pump, lightweight, portable				
	(Rellumit Type AS.2)		4K/3415	7	30
			4K/4120	7	45
	Fuel pumping unit			,	13
	<i>†</i>		1 100 4-	_	
	lightweight, portable, Mk.3 (Kelston)			7	38
	portable (Zwicky "Portapak")			7	28
	. 0, 11		4K/3056	2	7
	Furnace, muffle, horizontal, electric	• • •	4K/2793	3	38
	G				
	Gantry				
	lifting, heavy type		4Q/1245	9	1
	lifting, light type		4Q/1288	9	2
	Gantries, Colossus		4L/VARIOUS	9	18
	Gauge				
	aircraft tyre, high pressure				
	(0-450 lb. per sq. in.)		4G/5874	6	4
	The state of the s		THE PERSON NAMED OF THE PE		

Nomenclature	Ref. No.	Sect.	Item
Gauge (continued)			
	. 4G/2595	6	70
per sq.in.) pressure, aircraft tyre (24-176 lb.	. 4G/2509	6	7
per sq.in.) pressure checking, 0-30 lb. per sq. in.		6	6
for electronic containers	1-11	6	134
wheel alignment, Dunlop, Type A.G.10		13	4
Grab, chain	1= 10=1=	9	36
Gun, lubricating, universal	1-11/1-	2	18
H			
	. 3A/3054	2	26
Handler aircraft, mechanical, Type B, Mk.3 and	4 4F/3233 3234	6	50
aircraft, mechanical, Mk.5 and 5A		6	154
mechanical, Mk.1 (Mini-Horse)		7	39
mechanical, Mk.2		7	50
Hearth, brazing, coppersmiths	. 4A/1164	3	20
Hi-way prefabricated constructional equipment	/T/WARTOUG	,	1//
Hoist	. 4T/VARIOUS	6	164
bomb loading, Type C	. 4GC/3360	12	34
heavy aircraft components, 250 lb	. 4GC/5425	6	129
heavy aircraft components, $2\frac{1}{2}$ cwt	. 4GC/4232219	6	39
heavy aircraft components, $2\frac{1}{2}$ cwt			
(45 ft. cable)		6	179
heavy aircraft components, 5 cwt		6	40
heavy aircraft components, 10 cwt		6	53
servicing, multi-purpose, Mk.1	시 그 그 시 - 10 전에 가는 그리지 않는 사람들이 되었다. 그리고 그 그리고 그리고 있다고 그리고 있다.	6	140
servicing, multi-purpose, Mk.2		6	160
heavy aircraft components, 18 cwt	. 4GC/1276060	6	180
Indicator, revolution, Type A Inflator	. 1B/4486	2	30
tyre, high-pressure, Mk.1 tyre, low-pressure, Mk.1 (0-120 lb.	. 4G/5970	6	64
per sq. in.)	. 4G/5968	6	. 71
tyre, medium-pressure, Mk.1 (0-250 1b.	10/E060	,	70
per sq. in.)		6	72
Instrument, gun aligning (Lightning)		12	61
Iron, soldering, gasoline-operated	. 1B/5315	2 .	36

Nomenclature	Ref. No.	Sect.	Item
J Jackcrane, 30 cwt., M.T. engine removal		13	31
Jack, lifting	-0528 MT1/5120-99-943		17
	16C/4618	13	17 1 5
4 ton, hydraulic	100/4010	13	13
4 ton, pillar, hydraulic, Type A and Type B	40/1229, 2604	9	5
Type B 5 ton, four-legged, hydraulic, Type A	4Q/2232	9	6
5 ton, four-legged, hydraulic, Type C	4Q/2617	9	11
5 ton, lever, hydraulic	16C/4617	13	8
5 ton, pillar, hydraulic	4Q/3260	9	28
5 ton, hydraulic, tripod	4G/2231040	9	71
8 ton, hydraulic	16C/4741	13	16
8 ton, lever, hydraulic, Type A	4A/1349	9	12
8 ton, pillar, hydraulic, Type B	40/1309	9	14
8 ton, pillar, screw	40/1204	9	16
8 ton, pillar, hydraulic, Type C	40/3279	9	10
10 ton, four-legged, hydraulic, Type A	40/2293	9	13
10 ton, four-legged, hydraulic, Type B	4Q/2625	9	40
10 ton, lever, hydraulic	16C/4247	13	7
20 ton, lever, hydraulic	16H/791	9	20
20 ton, lever, hydraulic (Skyhi)	16H/824	9	21
25 ton, four-legged, hydraulic	40/2610	9	22
25 ton, pillar, hydraulic	4Q/2624	9	23
25 ton, pillar, hydraulic ("Hydralite"		-	
Model 825)	40/3013	9	7
25 ton, four-legged, hydraulic	40/3283	9	70
35 ton, wheel changing, hydraulic	40/4231307	9	45
35 ton, toe, hydraulic	40/4231308	9	46
50 ton, tripod, hydraulic	40/3330	9	69
50 ton, four-legged, hydraulic	40/3101	9	9
K Kit			
	16C/4619	13	2
dent removing oxy-acetylene welding and cutting	4A/2328	3	30
spot welding, portable	4A/2466	3	34
tyre inflation, high pressure	4G/2042817	6	181
valve seat grinding, Type A	4A/1782	13	27
varve seat grinding, Type II	111/ 17/00		
L			•
Ladder			•
aircraft entrance	4G/4420203	6	73
	1-1110-000	,	
aircraft servicing, flat top, adjustable	4G/4420258	6	31
			(1. 1. 70)
		May 78	(Amdt 79)

Nomenclature	Ref. No.	Sect.	Item
Ladder (continued)			
aircraft servicing, "Giraffe", Type AA			
Mk.2	4G/5641	6	84
aircraft servicing, "Giraffe", Type D4	4G/5674	6	81
aircraft servicing, small	4G/4420142	6	9
flat top, lightweight, 6 feet	4G/2051053	6	184
Lamp	,		104
inspection, flameproof, Type J	5A/4682	10	13
inspection, flameproof, Type K	5A/4739	10	15
inspection, tank	5A/3729	10	5
Light, headband, flameproof	5A/4352	10	11
Loader, transfer, Trianco type	4DB/2786	4	19
Low lifting air bags	4GB/9132	6	177
Lubricator			
high pressure, Type 8639 UR	4K/3461, 4296	7	40
high pressure, Type 5000	4K/3462	7	41
trolley mounted LV6M11/4310-99-402-6027		13	13
LV7MSE/4930-99-402-6028			
M			
Machine			
belt filling, positioning and debelting,			
Aden 30mm	8C/2373	12	23
commutator and slip ring surfacing	4A/2406	3	33
drilling heavy duty, ¼ in. Wolfe			
Sapphire	3A/4029	2	42
flexible drive, Type CLP, Mk.1	3A/2440	2	1
flexible drive, Type GF50 (Junior)	3A/2615	2	3
flexible drive, Type GF50, Mk.1	3A/2446	2	3 2 4
flexible drive, Type GF70, Mk.1	3A/2616	2	
flexible drive, Type GF70, Mk.1 (modified		2	5
flexible drive, gasoline engine driven	3A/2579	2	6
flexible drive, light duty	3A/4657141	2	17
sparking plug, cleaning	16C/6073	13	23
weighing, 5 tons	4L/2810	9	27
weighing, hydrostatic (2, 10 and 25 tons)		,	
	4895	6	122
Master meter (Refuelling vehicles)	4K/4613702	13	34
Meter, runway friction, continuous reading	1-10-10-1		
Mk.1	4C/2048240	7	49
Miniclamp, lever operated	1A/4384	2	41
attachment pliers, lockgrip	1A/4385	2	41
N.			
N Name to action outsit	160/00/0	10	
Nozzle, testing outfit	16C/3248	13	6

Nomenclature	Ref. No.	Sect.	Item
P			
Pedestrian operated rotary blower			
(Snowbird S263)	4C/3452	7	44
Pickets, aircraft, screw	4GB/1496-1499	6	62
Plant			
aircraft washing	4K/4091, 4092	7	47
			4
arc welding	4A/2336	3	29
argonac welding, air-cooled	4A/2368	3	31
cylinder spraying, Type B	4A/1372	3	5
metal spraying	4A/2197	3	15
plating, "Dalic"	4A/2728-9	3	37
spraying, defrosting fluid	4G/3651	6	43
spraying, defrosting fluid (power			
operated)	4G/4206	6	91
steam cleaning, heavy duty, Type C	4K/2961	7	37
steam cleaning, mobile (Wickham)	4K/3050	7	35
Platform			
aircraft inspection, Type C	4G/1549	6	30
aircraft maintenance	4G/6119	6	107
aircraft servicing, elevating (large)	4G/5724	6	123
aircraft servicing, hydraulic	4G/5687	6	77
aircraft servicing, mobile, adjustable,			
Mk.2	4G/4661334	6	23
elevating truck, Type A	4D/2014	4	3
elevating truck, Type B	4D/2022	4	5
Press			
25 ton, hand-operated, "Talurit"	3A/3055	2	25
100 ton, hand-operated, "Talurit"	3A/3230	2	37
Primer, oil, Mk.2	4G/4269	6	16
Pump			
•			
oleo undercarriage, Type A	4G/257	6	15
oleo undercarriage, Type F	4G/2764	6	14
semi-rotary, No. 4, Type A	4K/4431328	7	10
tyre inflating, foot operated, Type B	4G/3743	6	36
			•
R			
Rig	N TO THE RESIDENCE OF THE PARTY		
inhibiting, Mk.3 series	4G/4420995, 732	25,	
	4430054	6	157
			12
	/=/5056 505-		7.0
test, cabin pressure and cooling	4F/5256, 5257	5	78
test, for swaged cable ends	4A/2255	3	27
test, (Hydraulic bench supply) 6664	10S/17252	6	143

	Nomenclature	Ref. No.	Sect.	Item
	Rig (continued)			
	test, hydraulic component, 51/3 g.p.m.	4G/5878	6	125
	test, hydraulic component, 12 g.p.m.	4G/6726	6	135
	test, hydraulic component and alternator	4G/0/20	0	137
,	(earlier version)	4G/6949	6	131
	test, hydraulic component and alternator	46/0343	0	131
	(later version)	4G/6087	6	145
	test, "Maxaret"	27G/3162-3	6	156
	test, powered flying controls, Mk.2	2/0/5102-5	0 .	130
	(Fairey)	4G/5902	6	0.7
		46/ 3902	0	87
	test, powered flying controls, Valiant	2700/1010	,	2
	(Boulton Paul)	27KC/1018	6	3
	test, powered flying controls, Victor	2770/1616		0.0
	(Hobson)	27KC/1616	6	88
	test, powered flying controls, Vulcan	27KC/1564		110
	(Boulton Paul)	4G/3821	6	119
	test, pressure, engine coolant	4G/4420140	6	13
	test, tyre pressure gauge			29
	test, winch clutch, Mk.2	4G/4420	12	15
	torque wrench setting and testing,	/ 4 / 2 2 2 2 2		0.5
	universal (0-400 ft. 1b.)	4A/2239	3	25
	turbine compressor washing	4G/442115	6	165
	Riveter	10/22/0	7	0.1
	Runway de-icer	4C/3240	7	31
	S			
	Separator hydraulic	4G/5635		F/
	tyre, hydraulic		6	54
	tyre, screw type	4G/6269	6	147
	Set, hydraulic test	4G/3430	6	12
	Skates	/OR // 225	,	0.5
	side tracking, Type E	4GB/4235	6	95
	side tracking, Type F	4GB/4240	6	86
	Sling	17 10000	10	
	bomb, three-legged	4L/2666	12	37
	chain, barrel	4L/2571	9	29
	chain, four-legged	4L/2587, 2588,		
	1 1 1 1 1	2621	9	55
	chain, single leg	4L/2589	9	56
	for lifting one Mk.12 compressed gas	1= 10=06		
	cylinder	4L/2586	9	38
	lifting, E.C.U. cases	4L/2815	9	32
	mainplane handling, Types A and B	4L/2569, 2578	9	57
	power plant, universal	4GC/4232177	6	35
	propeller	4GC/4232191	6	116
	soft eye strop	4L/2607-2611	9	52

Nomenclature			Ref. No.	Sect.	Item
Sling (continued)					
- 6.			/T /2612 2616		
soft eye strop			4L/2612-2616, 2622	0	53
soft eye strop			4L/2617-2620,	9	. 33
sale eye belop	• • •	• • •	2623	9	54
universal, for lifting cases	d engi	ne	2025		54
change units			4L/2694	9	8
universal, for M.T. engines			16C/5489	13	29
wire rope, four-legged			4L/2579-2582	9	51
			2590-2595,2	2663	-
			2665,2683,2		
wire rope, two-legged			4L/2596-2606	9	50
Sprayer, rust preventive			4A/719	3	4
Stand					
axle, for M.T. vehicles		LV6	5 MT2/4910-99-		
			VARIOUS	13	10
electrical, power distribut:	ion		5A/4176	10	8
engine erecting, Type A	• • •		4G/1	6	68
engine erecting, radial airo	craft		1-10-01		
engines, Type C	• • •	• • •	4G/2084	6	103
servicing, ejection seat	• • •		27L/1162	12	51
universal run-up, Mk.1			4G/7037		1.71
Steps	• • •	• • •	46/7037	6	171
aircraft servicing (air tra	snort:	able)	4G/8311	6	166
cabin access (Edghill Type 2			4G/6962	6	149
passenger, for Transport Cor		-,	40,0002	O	247
aircraft			4G/6647	6	146
passenger (Edghill)			4G/8327	6	172
Sweeper			2.534) 2.25.202		
mechanical, Type D			4C/2455	7	6
mechanical, Type G			4C/2531	7	23
mechanical, Type J			4C/3345	7	34
T					
Tackle, load securing	• • •		4L/4253453	9	68
Tank			/	2	, T
component washing, large	• • •	• • •	4A/1757	3	2
engine part washing, Type B Tanker, water/foam liquid	• • •		4A/1269	3 7	14 43
Tensiometers	• • •	• • •	4C/3165	/	43
cable, S.M.E., 3, 4 and 5			1C/6134-6136	2	16
cable, Type T.5	• • •	• • •	1C/7170-3	2	39
			20/12/0 3	-	3,7
			95.0		4
Tester, for No.3 Mk.3 E.M. rel	lease ı	ınit	11A/4514	12	65

Nomenclature Ref. No.	Sect.	Item
Tongs, soldering, electric, "Stanelco"		
type 1B/5257	2	34
		38
11 0, 1		
Tools, riveting, expander, Mk.2, Type B 1C/6542	2	29
Tools, repair, tubeless tyres LV6 MT2/4910-99-VARIO	OUS 13	33
Tow bar, Mk.1A 4GB/10728	6	182
Trailers		
되면 사람들에 가장하는데 살아보는 점점을 보고 있는데 그리고 있다면 하는데 하는데 되었다면 하는데	1.	21
baggage, 20 cwt 4DB/3131	4	
four-wheeled, 2/3 ton capacity 4D/2974	4	18
Transporter, wheel 4G/3039	6	44
Trestle		
jacking, universal 4G/VARIOUS	6	66
	6	60
로드스(BERNET IN FOREIGN MODELL) (BERNET MODELL MERCHANTER) (BERNET) (BERNET IN FOREIGN MODELL M		
tail, Type D 4GB/2554	6	45
Trolley		
air charging, high pressure, Mk.2 4G/4221	6	80
air charging, high pressure, Mk.2A, 2B 4GD/4399275		
and 2C 4399549, 466034		152
air charging, single-cylinder, Mk.1A 4GD/4660343	6	159
air charging, single-cylinder, Mk.2 4GD/4399302	6	163
air cooling and pressure-cabin testing,		
Mk.3A 4F/2584	5	13
air cooling, Mk.1 4F/1785	5	20
		27
에 보고 있다면 하는데 보고 있는데 다른데 이번 이번 사람들이 되었다면 하는데 보고 있다면 보고 있다면 보고 있다면 하는데 하는데 되었다면 하는데 되었다면 하는데 되었다. 그런데 하는데 하는데 다른데		
air cooling, Mk.2A and 2C 4F/2002,5221		31
air cooling, Mk.3C 4F/6237	5	82
air cooling, Mk.3D 4F/5606	5	75
air cooling, Mk.5 and 5A 4F/2396,3362	. 5	52
보는 사람들은 사람들이 보고 있는데 사용되면 선택하게 되어 있다고 있다면 하면 사용이 있다면 하는데 보고 있다면 하는데 보고 있다면 보고 있다면 하는데 바람이네요.		
air starting, low pressure, Mk.12 and	-	-
12A 4F/5272,6494		7
air starting, low pressure, Mk.4 4F/3235	5	63
air starting, low pressure, Mk.10 4F/3962	5	6
air starting, low pressure, Mk.11 4FA/4637373	5	19
air gupply Mk 2 /F/2196	5	40
air supply, Mk.3 4F/3998	5	68
air supply, Mk.4 4F/2376	5	62
aircraft cleaning 4G/3591	6	47
aircraft defrosting plant, power-operated 4G/4856	6	125
aircraft heating (4 therm/hour), Mk.1		
and 2 4F/4491,5443	5	79
		13
bomb, loading, Canberra, Mk.1 and Mk.2 26FZ/95069,		
95111	12	18
bomb, Type F 4G/2668	12	8
bomb, Type J, Mk.1 and 2 76R/219, 235	12	69
can, fluid replenishing 4G/5371	6	128
		120
		0
1783	5	2

	Nomenclature	Ref. No.	Sect.	Item
1	Crolley (continued)			rcem
	coolant, replenishment	4GD/4399011	6	76
	de-icing fluid replenishment	4GD/4399059	6	76
	engine change unit servicing, Mk.2	4G/4858	6	78_
	fire extinguisher, CO2, aircraft	40/ 4030	U	70
	servicing	4G/6724	6	120
	fuel replenishment	4GD/4399288	6	139
	ground heating, non-toxic, Mk.4	4F/4401	5	141
	handling, multi-purpose (Naval)	4G/6711	6	46
	hydrant MH2	4K/4099	7	136
	jack transporting, Mk.4	40/4230856	9	48
	liquid oxygen replenishment, 75 litres	40/4230030	9	42
	capacity Mk.1 and 2	71AA/1,3,64,65	_	7.0
	liquid oxygen replenishment,185 litres	/IAA/1,3,04,03	5	72
	• .	71AA/2		7.0
	mobile fuel blending Mk.2 and Mk.3		5	73
		4K/3444,4637	7	36
	nitrogen charging, Mk.1	4G/4272	6	80
	nitrogen charging, Mk.1B	4G/6735	6	138
	nitrogen charging, single cylinder	4G/6259	6	158
	nitrogen charging, 2 cylinder, light-			
	weight	4GD/10669	6	183
	nitrogen charging, four cylinder, Mk.1A	4GD/4399300	6	170
	nitrogen charging, four cylinder, Mk.2	8 "		
	and 2A	4G/8362,8654	6	174
	oil replenishment	4GD/4399014	6	76
	oil system flushing	4G/3980	6	5
	oxygen charging, Mk.2	4GD/4399012	6	130
	platform	4D/223	4	11
	platform, aircraft servicing, G.P	4F/4659680	5	37
	pressure-cabin testing, Mk.1C	4F/1714	5	9
	pressure-cabin testing, Mk.2	4F/2541	5	51
	refrigerant replenishment	4G/9261	6	175
	refrigerant replenishment - nitrogen			
	pressurised		6	176
	salvage, main, 75 ton (air transportable)	4F/4424	5	76
	salvage, main, Type C	4GB/3732	6	49
	salvage, nose, 15 ton	4F/2303,4425	5	49
	salvage, Tracjac	4Q/2332	9	25
	servicing, aircraft toilet, Mk.3	4F/2344	5	38
	servicing, aircraft toilet, Mk.4B	4F/3083	5	56
	servicing, bomb carrier, Type A	4G/6234.	12	74
	servicing, Hunter gun package	26FX/95038	12	29
	servicing, hydraulic, Mk.1 and Mk.1B	4F/172,1806	5	3
	servicing, hydraulic, Mk.2A, 2B and 2C	4F/1796,2345,2375	5	25
	servicing, hydraulic, Mk.2D	4F/3229	5	57
	servicing, hydraulic, Mk.2E	4F/3818	5	65
	servicing, hydraulic, Mk.2G	4F/4578	5	8

Nomenclature	Ref. No.	Sect.	Item
Trolley (continued)			
servicing, hydraulic, Mk.3	4F/3603	5	55
servicing, hydraulic, Mk.4A, 4B and 4C	4F/3150,3551	5	53
servicing, hydraulic, Mk.4D	4F/7167	5	83
servicing, hydraulic, Mk.5B, 5C and 5D	4F/3819,4279		03
	4933	5	69
servicing, hydraulic, Mk.6B and 6C	26VC/95487,		0,5
	95486	5	4
servicing, hydraulic, Mk.5E	4F/7038	5	81
servicing, hydraulic, miniature, Mk.1B			01
and 1C	4F/3909,3910	5	59
servicing, pneumatic, low-pressure, Mk.1	4F/36	5	5
servicing, pneumatic, low-pressure,			
Mk.1B	4F/1805	5	26
servicing, pneumatic, low-pressure, Mk.2	4F/1724	5	11
servicing, water/glycol	4G/8655	5	77
stowage, for engine and power plant			
cowlings	4G/4042	6	27
testing, instrument and automatic pilot,			-
Mk.1A and 1B	4F/1715,1856	5	10
transporting, gun package	4G/5561	12	35
water/methanol replenishment, Mk.1	4GD/4399058	6	76
water/methanol replenishment, Mk.2	4G/8346	6	167
Truck			
cylinder, gas welding	4A/1315	3	22
elevating platform, Type A	4D/1020	4	2
elevating platform, Type B	4D/2021	4	4
fork-lift, pedestrian operated	4D/2770	4	15
fork-lift, 560 lb. pedestrian operated,			
Type A	4D/3458	4	24
U			
Unit			
foam dispenser	4C/3166	7	42
oxygen charging	4G/5721	6	90
pressure, regulating	6D/2351	6	155
servicing, M.T. hydraulic brakes	16C/6290	13	1
packa greasing	(Naval) 0274/		
	274014	2	40
V			
Vulcaniser, Stenor, Dart model	16C/6583	13	5
W			
Welder, spot, electric, hand	4A/2315	3	28
Wheels, transportation (for 10, 15 and 25			
ton four-legged jacks)	40/2614,2615	9	24
May 78 (Amdt 79)			

Nomencl		Ref. No.	Sect.	Item	
Winch					
bomb, 1,000 1b.		 	 4GA/3246	12	5
bomb, 2,000 1b.		 	 4G/2331	12	20
, ,		 	 4GA/2348	12	6
M.3 Skyclimber		 	 4T/6909	6	178

