

CANBERRA P.R. MK.3

Page 371

FUSELAGE CENTRE PORTION

Ref. No.	Part No.						No. off	Matl. Spec.	Cl. of St. M.R. L.M.	Plate No.
		1	2	3	4	5				
	E.A2.00.43	CENTRE FUSELAGE, ASSEMBLY					—	—	—	
		Spares for :—								
	E.A2.75.7	Cabin Pressure System in Centre Fuselage, Frame 12 to Frame 17 (See page 693)					—	—	—	
	E.A2.75.567	Camera Heating System in Centre Fuselage, Front Bay (Mod. 1164) (See page 731)					—	—	—	
	E.A2.75.523	Camera Heating System in Centre Fuselage, Rear Bay (Mod. 1164) (See page 735)					—	—	—	
	E.A2.75.11	Camera Heating System in Centre Fuselage, Frame 13 to Frame 21 (See page 739)					—	—	—	
	E.A2.45.529	Controls, Flying (See page 117)					—	—	—	
	E.A2.47.5	Controls, Engine (See page 49)					—	—	—	
	E.A2.83.19	DOORS, CAMERA SLIDING, AFT OF FRAME 29, ASSEMBLY					—	—	—	
		Spares for :—								
5870	E.A2.83.177	ARM, PIVOT, GROUP					1	—	B	
		Spares for :—								
2056	E.A2.83.133	Eye-bolt					3	S65	C	
2057	EEAS.27/16ES	Washer, 18 SWG					4	DTD.687	C	
2058	E.A2.83.1201	Bolt, shouldered, 2 BA, special, operating rod connecting					2	S11	C	
3697	E.A2.00.121	DOOR, CAMERA, SLIDING, GROUP					1	—	A	
		(For non-interchangeable A/C WE 135-WE 139)								
1968	E.A2.83.101	DOOR, CAMERA SLIDING, GROUP					1	—	A	
		Spares for :—								
12992	E.A2.83.1557	Arm, assembly					1	—	—	
24/275/139 9500462	SKEFCO CBA.0	Bearing, ball					4	—	B	
1961	E.A2.83.139	Bracket, roller					4	L40	C	
1962	E.A2.83.141	Pin, special, 1" long					2	S11	C	
1963	E.A2.83.143	Pin, special 1.733 long					2	S11	C	
	WILKINSON CK.100	Seal, inboard, rubber					1	Sponge Rubber	—	
		(Make from Ref. 12587)								
20867	E.A2.83.1409	Seal, outboard, rubber					1	Sponge Rubber	—	
		(Make from Ref. 32C/561)								

FUSELAGE CENTRE PORTION

Ref. No.	Part No.	1	2	3	4	5	Description	No. off	Matl. Spec.	Cl. of St.		Plate No.
										M.R.	L.M.	
	E.A2.83.1407						Strip, retaining	1	DTD.610	C		
1959	E.A2.83.151						Roller, side thrust	4	S11	C		
3698	E.A2.00.123						DOOR, CAMERA SLIDING, GROUP (For non-interchangeable A/C WE. 135-WE.149)	1	—	A		
1958	E.A2.83.103						DOOR, CAMERA SLIDING, GROUP Spares for :—	1	—	A		
	E.A2.83.1557						Arm, assembly	1	—	—		
27S/139	SKEFCO CBA.0						Bearing, ball	4	—	B		
1961	E.A2.83.139						Bracket, roller	4	L40	C		
1962	E.A2.83.141						Pin, special, 1" long	2	S11	C		
1963	E.A2.83.143						Pin, special, 1."33 long	2	S11	C		
	WILKINSON CK.100						Seal, inboard, rubber (Make from Ref. 12587)	1	—	—		
	E.A2.83.1409						Seal, outboard, rubber (Make from Ref. 32C/561)	1	Sponge Rubber	—		
	E.A2.83.1583						Strip, retaining	1	DTD.610	C		
1959	E.A2.83.151						Roller, side thrust	4	S11	C		
2061	E.A2.83.195						Ring, camera window, packing	2	Plywood	C		
3485	E.A2.83.1123						Ring, camera window, retaining	2	DTD.610	C		
3486	E.A2.83.1125						Ring, camera window, sealing	4	Petrolite	C		
3487	E.A2.83.1127						Ring, camera window, sealing	1	Natural Rubber	C		
2064	E.A2.83.191						ROD, CONNECTING, WINDOW OPERATING, GROUP Spares for :—	1	—	B		
5874	E.A2.83.429						Bolt, shouldered, 1/4" BSF	1	S11	C		
2065	E.A2.83.271						Fork-end	1	S11	C		
1087	EEAS.37/2A						Nipple, 4 BA	8	S11	C		
	EEAS.38/2A						Spoke, 4 BA (Make from 28R/6124)	4	S96	—		
4787	E.A2.83.1369						ROD, CONNECTING, WINDOW OPERATING, GROUP Spares for :—	1	—	B		
4788	E.A2.83.1377						Bolt, special	1	S95	C		
2065	E.A2.83.271						Fork-end	1	S11	C		
4789	E.A2.83.1379						Washer, special	1	S1	C		

CANBERRA P.R. Mk. 3

Page 373

FUSELAGE CENTRE PORTION

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
1031	EEAS.1/6C	Screw, 2 BA, c'sk head	16	H.T.S.	C	
21603	EEAS.28/37EU	Washer, special	1	—	C	
2067	E.A2.83.189	Window, camera	2	Glass	C	
	E.A2.81.7	Electrical Equipment (see page 237)	—	—	—	
	E.A2.60.1	Fire Protection System (see page 749)	—	—	—	
	E.A2.57.499	Fuel System (see page 785)	—	—	—	
	E.A2.45.221	GEAR, EMERGENCY RELEASE, FLARE DOOR AND UNDERCARRIAGE, GROUP	1	—	—	
		Spares for:—				
11352	E.A2.45.635	CABLE, AFT CONTROL, EMERGENCY RELEASE GEAR, UNDERCARRIAGE, GROUP	1	—	B	
	E.A2.45.635A	Consisting of:—				
		Cable, wire rope, 5 cwt. (Make from Ref. 28X/3495)	1	6W2/4	—	
28U/4063	SP8Y/13	Roller	2	—	C	
11349	E.A2.45.219	CABLE, AFT CONTROL, EMERGENCY RELEASE GEAR, FLARE DOOR, GROUP	1	—	B	
	E.A2.45.219A	Consisting of:—				
		Cable, wire rope, 5 cwt. (Make from Ref. 28X/3495)	1	6W2/4	—	
28U/4063	SP8Y/13	Roller	2	—	C	
11353	E.A2.45.637	CABLE, FORWARD CONTROL, EMERGENCY RELEASE GEAR, FLARE DOOR, GROUP	1	—	B	
	E.A2.45.637A	Consisting of:—				
		Cable, wire rope, 5 cwt. (Make from Ref. 28X/3495)	1	6W2/4	—	
28U/4063	SP8Y/13	Roller	2	—	C	
	E.A1.45.1129	Roller, special	1	S.I	—	
11354	E.A2.45.639	CABLE, FORWARD CONTROL, EMERGENCY RELEASE GEAR, UNDERCARRIAGE, GROUP	1	—	B	
	E.A2.45.639A	Consisting of:—				
		Cable, wire rope, 5 cwt. (Make from Ref. 28X/3495)	1	—	—	
28U/4063	SP8Y/13	Roller	2	—	C	
28R/13491	AS.107	Pulley, c/w shroud	3	—	C	
28R/13492	AS.108	Pulley, c/w shroud	1	—	C	
	E.A2.73.203	Hydraulic Equipment (see page 833)	—	—	—	

FUSELAGE CENTRE PORTION

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
	E.A2.80.341	PIPES, PITOT AND STATIC, ASSEMBLY	—	—	—	
		Spares for:—				
28V/13603	AGS.838/8	Bush, rubber, union	10	—	C	
1823	EEAS.91/2	Clip, pipe, double, $\frac{3}{8}$ " o/d	7	DTD.390	C	
28V/5108	AGS.838/4	Nut, union	8	—	C	
28V/5104	AGS.838/1	Union, straight, low pressure	4	—	C	
	E.A2.11.1	Structure, Centre Fuselage, General Assembly (see page 381)	—	—	—	
	E.A2.56.357	Ventral Tank to Fuselage, Assembly (see page 917)	—	—	—	

Pages 375 to 378 not issued



CANBERRA P.R. Mk. 3

Page 379

FUSELAGE CENTRE PORTION

Ref. No	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		SUMMARY OF STOCK ITEMS USED ON CENTRE FUSELAGE, ASSEMBLY				
28D/12528	A25/1B	Bolt, 4 BA, hex. head, "5 long			C	
28D/9436920	A25/1C	Bolt, 2 BA, hex. head, "55 long			C	
28D/12511	A25/2B	Bolt, 4 BA, hex. head, "6 long			C	
28D/12513	A25/2C	Bolt, 2 BA, hex. head, "65 long			C	
28D/1200129	A25/4C	Bolt, 2 BA, hex. head, "85 long			C	
28D/12530	A25/6B	Bolt, 2 BA, hex. head, 1" long			C	
28D/12533	A25/5C	Bolt, 2 BA, hex. head, "95 long			C	
28D/12520	A25/4E	Bolt, 1/4" BSF, hex. head, "9 long			C	
28D/12633	A25/7E	Bolt, 1/4" BSF, hex. head, 1"2 long			C	
28D/12544	A25/8E	Bolt, 1/4" BSF, hex. head, 1"3 long			C	
28D/12570	A25/11E	Bolt, 1/4" BSF, hex. head, 1"6 long			C	
28D/8307	AS.1242/2C	Bolt, 2 BA, c'sk head, "6 long			C	
28D/8323	AS.1242/2E	Bolt, 1/4" BSF, c'sk head, "65 long			C	
28D/11937	AS.1246/1B	Bolt, 4 BA, round head, "45 long			C	
28N/5548	AGS.899/1	Collar, 3/8" dia.			C	
28K/549	SP3Y/412	Fork-joint, 4 BA, R.H.			C	
28K/551	SP3Y/413	Fork-joint, 2 BA, R.H.			C	
28K/550	SP3Y/412L	Fork-joint, 4 BA, L.H.			C	
28K/552	SP3Y/413L	Fork-joint, 2 BA, L.H.			C	
28M/5233	A14/BB	Nut, 4 BA, plain			C	
28M/5220	A24/BBL	Nut, 4 BA, plain, L.H.			C	
28M/12929	A27/CP	Nut, 2 BA, plain			C	
28M/13121	A27/CS	Nut, 2 BA, slotted			C	
28M/13124	A27/CT	Nut, 2 BA, thin			C	
28M/12928	A27/EP	Nut, 1/4" BSF, plain			C	
28M/13253	A27/CTL	Nut, 2 BA, thin			C	
28M/12930	A27/ES	Nut, 1/4" BSF, slotted			C	
28M/12931	A27/ET	Nut, 1/4" BSF, thin			C	
28M/13123	A27/JS	Nut, 3/8" BSF, slotted			C	
28M/10287	AGS.2001/B/1	Nut, stiff, 4 BA			C	
28M/10288	AGS.2001/C/1	Nut, stiff, 2 BA			C	
28M/10328	AGS.2002/C/1	Nut, stiff, 2 BA			C	
28M/10327	AGS.2002/B/1	Nut, stiff, 4 BA			C	
28M/12249	AGS.2007/E/1	Nut, stiff, 1/4" BSF			C	
28P/12431	SP9/C6	Pin, splic, 1/16" x 1/4"			C	
28P/9429528	SP9/C8	Pin, split, 1/16" x 1"			C	
28P/12262	SP9/E6	Pin, split, 5/32" x 1/4"			C	
28P/814	SP4Y/A4	Pin, split, 5/32" x "4 long			C	
28P/830	SP4Y/B4	Pin, split, 3/16" x "4 long			C	
28P/13596	SP28/L8	Pin, taper, 3/16" x 1"			C	
28N/10378	AGS.385/C	Plug			C	
28U/4052	SP8Y/2	Rod, tension			C	
28U/4051	SP8Y/1	Rod, tension			C	

FUSELAGE CENTRE PORTION

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
28S/9435712	A31/B8	Screw, 4 BA, cheese head, $\frac{1}{4}$ " long	...		C	
28S/3426	A32/B8	Screw, 4 BA, round head, $\frac{1}{4}$ " long	...		C	
28S/3419	A33/C8	Screw, 2 BA, c'sk head, $\frac{1}{4}$ " long	...		C	
28S/3420	A33/B8	Screw, 4 BA, c'sk head, $\frac{1}{4}$ " long	...		C	
28S/2827	A33/B24	Screw, 4 BA, c'sk head, $\frac{3}{4}$ " long	...		C	
28N/10377	AGS.385/A	Socket	...		C	
28W/9419465	SP13/B	Washer, 4 BA, plain	...		C	
28W/9419466	SP13/J	Washer, $\frac{3}{4}$ " BSF, plain	...		C	
28W/6315	AGS.585/B	Washer, 4 BA, spring	...		C	
28W/9419475	SP15/C	Washer, 2 BA, plain	...		C	
28W/9419405	SP15/E	Washer, $\frac{1}{4}$ " BSF, plain	...		C	
28W/9419477	SP15/J	Washer, $\frac{3}{8}$ " BSF, plain	...		C	
28W/9419487	SP16/E	Washer, $\frac{1}{4}$ " BSF, plain	...		C	

CANBERRA P.R. Mk. 3

Page 381

FUSELAGE CENTRE FUSELAGE STRUCTURE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
	E.A2.11.1	STRUCTURE, CENTRE FUSELAGE, ASSEMBLY ...	—	—	—	
		Spares for:—				
	E.A2.83.615	ASSEMBLY OF HANHOLDS AND FOOTRESTS IN FORWARD CAMERA BAY, GROUP ...	—	—	—	
		Spares for:—				
2521	E.A2.83.627	Bracket, clip, R.H. ...	1	—	C	
2522	E.A2.83.628	Bracket, clip, L.H. ...	1	—	C	
28E/10040	AS.2294/1	Clip, spring ...	2	—	C	
2523	E.A2.83.617	Foot-rest, c/w hinge ...	2	—	C	
5158	E.A2.83.1347	Foot-rest, c/w hinge ...	1	—	C	
	E.A2.83.623	Hand-hold ...	1	—	—	
	E.A2.83.625	Lug, for hand-hold mounting ...	2	EEDX.88	—	
7275	E.A3.11.677	Bolt, special (Make from A25/4C) ...	10	—	C/MR	
1858	E.A2.11.1947	Bulkhead, rear fuel tank ...	1	—	A	
	E.A2.00.125	Bulkhead, rear fuel tank (For non-interchangeable A/C WE.135-WE.139)	1	—	—	
	E.A2.83.3	CAMERA, BAY, FORWARD, ASSEMBLY ...	—	—	—	
		Spares for:—				
2524	E.A2.11.1359	DOOR, ACCESS, GROUP ...	1	—	A	
		Spares for:—				
2525	E.A2.11.1369	Bush ...	10	DTD.683	C	
2526	E.A2.11.1439	Bush ...	2	DTD.683	C	
2527	E.A2.11.1363	Link ...	1	DTD.683	C	
2528	E.A2.11.1365	Link, c/w fork end ...	4	—	C	
2529	AS.2843	Lock, door, R.H. single flush handle type ...	2	—	C	
2530	E.A2.11.2297	Plate, access ...	2	DTD.610	C	
2531	E.A2.11.1361	Plunger ...	5	S.11	C	
2532	E.A2.11.1367	Rod ...	1	S.11	C	
	E.A2.11.2047	Seal, linatex, 19"30 long (Make from Stores Ref. 32C/652)	2	Linatex 120F	LM	
	E.A2.11.2049	Seal, linatex, 35"5 long (Make from Stores Ref. 32C/652)	2	Linatex 120F	LM	
3692	E.A2.00.105	FAIRING, CAMERA HATCH, PORT, GROUP ... (For A/C WE.135-WE.144 incl. Supplied to Pt. No. EA2.83.203 undrilled and with "2 trim allowance—Fitment by C.W.P.) (Non-interchangeable A/C only)	1	—	A	
2535	E.A2.83.203	FAIRING, CAMERA HATCH, PORT, GROUP ... (For A/C WE.145 and onwards. Supplied to Pt. No. EA2.00.107 drilled and with "1 trim allowance) Spares for:—	1	—	A	
3694	E.A2.00.109	DOOR, SLIDING, FORWARD CAMERA BAY, GROUP ... (For non-interchangeable A/C WE.135-WE.144)	1	—	A	

FUSELAGE CENTRE FUSELAGE STRUCTURE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Place No.
					M.R. L.M.	
3695	E.A2.00.110	DOOR, SLIDING, FORWARD CAMERA BAY, GROUP (For non-interchangeable A/C WE.135-WE.144)	1	—	A	
2536	E.A2.83.229	DOOR, SLIDING, FORWARD CAMERA BAY, PORT, GROUP Spares for:—	2	—	A	
2A/9500462	SKEFKO CBA.0	Ballrace	4	—	B	
2537	E.A2.83.253	Bolt, special	4	S.11	C	
1961	E.A2.83.139	Bracket, roller	4	L.40	C	
1969	E.A2.83.153	Pin, roller	4	S.11	C	
1959	E.A2.83.151	Roller	4	S.11	C	
1964	E.A2.83.145	Shim	4	DTD.126	C	
1960	E.A2.83.155	Shim	8	DTD.126	C	
3699	E.A2.00.111	DOOR, SLIDING, AFT CAMERA BAY, GROUP (For non-interchangeable A/C WE.135-WE.144)	1	—	A	
6524	E.A2.00.112	DOOR, SLIDING, AFT CAMERA BAY, GROUP (For non-interchangeable A/C WE.135-WE.144)	1	—	A	
2542	E.A2.83.230	DOOR, SLIDING, AFT CAMERA BAY, GROUP Spares for this group are identical with those for group Ref. 2536.	1	—	A	
2540	E.A2.83.267	Piece, bridge, forward camera bay sliding doors	1	Z5Z	C	
2061	E.A2.83.195	Ring, camera window packing	4	Plywood	C	
3485	E.A2.83.1123	Ring, camera window retaining	2	DTD.610	C	

CANBERRA P.R. MK.3

Page 383

FUSELAGE CENTRE FUSELAGE STRUCTURE

Ref. No.	Part No.	1	2	3	4	5	Description	No. off	Matl. Spec.	Cl. of Sc. M.R.	Plate and Illust'n No.
3486	E.A2.83.1125						Ring, camera window sealing	2	Sponge Rubber	C	
3487	E.A2.83.1127						Ring, camera window sealing	2	Natural Rubber	C	
1028	EEAS.1/3C						Screw, 2 BA, c'sk head	16	—	C	
1031	EEAS.1/6C						Screw, 2 BA, c'sk head	16	—	C	
2067	E.A2.83.189						Window, camera	2	Glass	C	
3693	E.A2.00.106						FAIRING, CAMERA HATCH, STARBOARD, GROUP (For A/C W.E.135-W.E.144 incl. Supplied to Pt. No. E.A2.83.204 undrilled and with .2 trim allowance — Fitment by C.W.P.) (Non-interchangeable A/C only)	1	—	A	
2543	E.A2.83.204						FAIRING, CAMERA HATCH, STARBOARD, GROUP (For A/C W.E.145 and onwards. Supplied to Pt. No. E.A2.00.108 drilled and with .1 trim allowance) Spares for this group are identical with those for group Ref. No. 2535 on page 382.	1	—	A	
4182	E.A2.83.803						Label, instruction camera	1	L16	C	
27FP/6 28FP/6	AVIATN. DEVELS. A.411						Pin, "pip," quick release	1	—	C	
27FP/8 28FP/7	AVIATN. DEVELS. A.413						Pin, "pip," quick release	1	—	C	
5236	E.A2.83.1425						Rail, camera, port, on frame 12A	1	—	C	
5237	E.A2.83.1426						Rail, camera, starboard, on frame 12A	1	—	C	
2929	E.A2.83.791						Rail, camera, port, on frame 12A	1	—	C	
2930	E.A2.83.792						Rail, camera, starboard, on frame 12A	1	—	C	
5238	E.A2.83.1427						Rail, camera, port, on frame 12	1	—	C	
5239	E.A2.83.1428						Rail, camera, starboard, on frame 12	1	—	C	
2933	E.A2.83.795						Rail, camera, port, on frame 13 <i>(Ref. No. 2930 & 2931 1st Section, extended to Pt. C. of E.C.)</i>	1	—	C	
2934	E.A2.83.796						Rail, camera, starboard, on frame 13 <i>(Ref. No. 2932 & 2933 1st Section, extended to Pt. C. of E.C.)</i>	1	—	C	
	→						Ring, split	4	Steel	—	
1025	EEAS.1/1C						Screw, 2 BA, c'sk head	46	—	C	
1468	EEAS.1/2C						Screw, 2 BA, c'sk head	46	—	C	
2554	E.A2.83.277						Support, camera, detachable, port	1	—	C	
2555	E.A2.83.278						Support, camera, detachable, starboard	1	—	C	
2935	E.A2.83.787						Support, camera, vertical	2	—	C	

FUSELAGE CENTRE FUSELAGE STRUCTURE

Ref. No.	Part No.						No. off	Matl. Spec.	Cl. of St. M.R.	Place and Illust'n No.
		1	2	3	4	5				
4579	E.A2.11.19	DOOR, FLARE, PORT, GROUP ...					1	—	A	
		Spares for :—								
	E.A2.11.2865	BRACKET, FLARE DOOR HINGE, GROUP ...					1	—	—	
		Spares for :—								
3617	E.A2.00.83	Bearing , spherical, flare door hinge (consisting of E.A2.11.1045 and E.A2.11.1049 wired together)					1	—	C	
3618	E.A2.00.85	Bearing , spherical, flare door hinge (consisting of E.A2.11.1043 and E.A2.11.1047 wired together)					1	—	C	
	E.A2.11.2867	BRACKET, FLARE DOOR HINGE, GROUP ...					1	—	—	
		Spares for :—								
3617	E.A2.00.83	Bearing , spherical, flare door hinge (consisting of E.A2.11.1045 and E.A2.11.1049 wired together)					1	—	C	
3618	E.A2.00.85	Bearing , spherical, flare door hinge (consisting of E.A2.11.1043 and E.A2.11.1047 wired together)					1	—	C	
	E.A2.11.945	BRACKET, DOOR, ROLLER GUIDE, GROUP ...					1	—	—	
		Spares for :—								
236	E.A1.11.1615	Bolt , special, c/w lubricating nipple ...					1	—	C	
237	E.A1.11.837	Roller ...					1	L40	C	
	E.A1.11.1617	Tube , $\frac{1}{2}$ " o/d x 20 SWG ...					1	T45	—	
	E.A2.11.947	BRACKET, DOOR, ROLLER GUIDE, GROUP ...					1	—	—	
		Spares for :—								
236	E.A1.11.1615	Bolt , special, c/w lubricating nipple ...					1	—	C	
237	E.A1.11.837	Roller ...					1	L40	C	
	E.A1.11.1617	Tube , $\frac{1}{2}$ " o/d x 20 SWG ...					1	T45	—	
	E.A2.11.949	BRACKET, DOOR, ROLLER GUIDE, GROUP ...					1	—	—	
		Spares for :—								
236	E.A1.11.1615	Bolt , special, c/w lubricating nipple ...					1	—	C	
237	E.A1.11.837	Roller ...					1	L40	C	
	E.A1.11.1617	Tube , $\frac{1}{2}$ " o/d x 20 SWG ...					1	T45	—	

CANBERRA P.R. Mk. 3

Page 385

FUSELAGE

CENTRE FUSELAGE STRUCTURE

Ref. No	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
11696	E.A2.11.957	Connection, stay	1	DTD.683	C/MR	
11695	E.A2.11.951	Eye-bolt	2	DTD.683	C/MR	
	E.A2.11.2243	Seal, 11' 6" long (Make from Stores Ref. 4431) ...	1	Synthetic rubber	LM	
	E.A2.11.2245	Seal, 7" long (Make from Stores Ref. 4528) ...	1	Synthetic rubber	LM	
	E.A2.11.2655	Seal, 5½" long (Make from Stores Ref. 4528) ...	1	Synthetic rubber	LM	
	E.A2.11.2521	Shim, flare door aft hinge	1	Laminated alumn.	—	
	E.A2.11.2523	Shim, flare door forward hinge	1	Laminated alumn.	—	
11697	E.A2.11.961	Stay, main hinge support	1	—	C/MR	
11698	E.A2.11.963	Stay, main hinge support	1	—	C/MR	
4580	E.A2.11.20	DOOR, FLARE, STARBOARD, GROUP Spares for:—	1	—	A	
11919	E.A2.11.2866	BRACKET, FLARE DOOR, HINGE, GROUP Spares for:—	1	—	C/MR	
3617	E.A2.00.83	Bearing, spherical, flare door hinge (Consisting of E.A2.11.1045 and E.A2.11.1049 wired together)	1	—	C	
3618	E.A2.00.85	Bearing, spherical, flare door hinge (Consisting of E.A2.11.1043 and E.A2.11.1047 wired together)	1	—	C	
11920	E.A2.11.2867	BRACKET, FLARE DOOR, HINGE, GROUP Spares for:—	1	—	C/MR	
3617	E.A2.00.83	Bearing, spherical, flare door hinge (Consisting of E.A2.11.1045 and E.A2.11.1049 wired together)	1	—	C	
3618	E.A2.00.85	Bearing, spherical, flare door hinge (Consisting of E.A2.11.1043 and E.A2.11.1047 wired together)	1	—	C	
11692	E.A2.11.945	BRACKET, DOOR ROLLER GUIDE, GROUP Spares for:—	1	—	C/MR	
236	E.A1.11.1615	Bolt, special, c/w lubricating nipple	1	—	C	
237	E.A1.11.837	Roller	1	L.40	C	
	E.A1.11.1617	Tube, ½" o/d x 20 SWG	1	T.45	C/MR	
11693	E.A2.11.947	BRACKET, DOOR ROLLER GUIDE, GROUP Spares for:—	1	—	C/MR	
236	E.A1.11.1615	Bolt, special, c/w lubricating nipple	1	—	C	
237	E.A1.11.837	Roller	1	L.40	C	
	E.A1.11.1617	Tube, ½" o/d x 20 SWG	1	T.45	C/MR	

FUSELAGE CENTRE FUSELAGE STRUCTURE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
11694	E.A2.11.949	BRACKET, DOOR ROLLER GUIDE, GROUP ...	1	—	C/MR	
		Spares for:—				
236	E.A1.11.1615	Bolt, special, c/w lubricating nipple ...	1	—	C	
237	E.A1.11.837	Roller ...	1	L.40	C	
	E.A1.11.1617	Tube, 1/2" o/d x 20 SWG ...	1	T.45	C/MR	
11696	E.A2.11.957	Connection, stay ...	1	DTD.683	C/MR	
11695	E.A2.11.951	Eye-bolt ...	2	DTD.683	C/MR	
	E.A2.11.2243	Seal, 11' 6" long (Make from Stores Ref. 4431) ...	1	Synthetic rubber	LM	
	E.A2.11.2245	Seal, 7" long (Make from Stores Ref. 4528) ...	1	Synthetic rubber	LM	
	E.A2.11.2655	Seal, 5 1/4" long (Make from Stores Ref. 4528) ...	1	Synthetic rubber	LM	
	E.A2.11.2521	Shim, flare door aft hinge ...	1	Laminated alumn.	—	
	E.A2.11.2523	Shim, flare door forward hinge ...	1	Laminated alumn.	—	
11697	E.A2.11.961	Stay, main hinge support ...	1	—	C/MR	
11698	E.A2.11.963	Stay, main hinge support ...	1	—	C/MR	
	E.A2.11.5	EXTERNAL SKINNING, ASSEMBLY ...	—	—	—	
		Spares for:—				
11736	E.A2.11.1613	Angle, landing wing, port, forward ...	1	DTD.610	C	
11737	E.A2.11.1614	Angle, landing wing, starboard, forward ...	1	DTD.610	C	
11759	E.A2.11.1865	Angle, landing wing, port, centre ...	1	DTD.610	C	
11760	E.A2.11.1867	Angle, landing wing, starboard, centre ...	1	DTD.610	C	
2070	E.A2.11.1595	Bracket, hinge, undercarriage door mounting ...	2	—	C	
11762	E.A2.11.1597	Bracket, hinge, undercarriage door, aft mounting ...	2	DTD.546	C/MR	
11728	E.A2.11.1599	Bracket, valve mounting, undercarriage door ...	2	—	C/MR	
11769	E.A2.11.2051	Cover, access, ventral tank filler ...	1	—	B	
287	E.A1.57.135	Fitting, drain outlet ...	5	—	C	
2071	E.A2.11.1761	Fitting, operating jack anchor ...	1	DTD.683	C	

CANBERRA P.R. MK.3

Page 387

FUSELAGE CENTRAL FUSELAGE STRUCTURE

Ref. No.	Part No.						No. off	Matl. Spec.	Cl. of St.	Plate No.
		1	2	3	4	5			M.R. L.M.	
1025	EEAS.1/1C					Screw, 2 BA, c'sk head	195	HTS	C	
1468	EEAS.1/2C					Screw, 2 BA, c'sk head	4	HTS	C	
1565	EEAS.1/3½C					Screw, 2 BA, c'sk head	40	HTS	C	
	E.A2.11.2237					Seal, 29" long (Make from Stores Ref. 4431)	2	Synthetic Rubber	LM	
	E.A2.11.2239					Seal, 24" long (Make from Stores Ref. 4431)	2	Synthetic Rubber	LM	
5240	E.A2.11.1727					Seal, rubber	4	Shore 30	C	
	E.A2.11.2235					Seal, 55" long (Make from Stores Ref. 4431)	2	Synthetic Rubber	LM	
15497	EEAS.31/17/S					Washer, packing, 14 SWG	4	DTD.687	C	
	E.A2.11.1309					MECHANISM, FLARE DOOR OPERATING AT FRAME 21B, ASSEMBLY Spares for :—	—	—	—	
5115	E.A2.11.2417					Collar, special, retaining actuating link ...	2	S92	C	
273	E.A1.11.937					Link, connecting, arc guide, between hydraulic jack and bearing anchor plate, rear end	1	L40	C	
5825	E.A2.11.2943					LINK, DOOR ACTUATING, GROUP Consisting of :—	2	—	B	
5826	E.A2.11.2941					Fork-end	1	DTD.683	C	
	E.A2.11.875					Link	1	DTD.683	—	
2075	E.A2.11.879					Nut, special, thin, ¾" BSF	1	S11	C	
278	E.A1.11.1087					Pin, special, hydraulic jack pick-up bracket connection, forward end	1	S11	C	
2076	E.A2.11.1299					Pin, special, door bracket pivot	2	S11	C	
1780	E.A2.11.1301					Pin, special, connecting actuating link to hydraulic jack	2	S82	C	
11887	E.A2.11.2421					Pin, special, link	1	S11	C	
4781	E.A2.11.2423					Pin, anchor, arc link	1	S11	C	
1779	E.A2.11.881					Washer, special, spherical, at stay connection to hydraulic jack ram, forward	1	S11	C	
	E.A2.11.2249					Washer, special (Make from Ref. 3516) ...	2	DTD.687	LM	
	E.A2.11.3233					Washer, special (Make from Ref. 3517) ...	2	DTD.687	LM	
3516*	EEAS.27/112GS					Washer, special	2	DTD.687	C	
3517*	EEAS.27/70GS					Washer, special	2	DTD.687	C	

**FUSELAGE
CENTRE FUSELAGE STRUCTURE**

Ref. No.	Part No.						No. off	Matl. Spec.	Cl. of St. M.R. L.M.	Plate No.
		1	2	3	4	5				
	E.A2.11.1311	MECHANISM, FLARE DOOR OPERATING AT FRAME 29, ASSEMBLY					—	—	—	
		Spares for this group are identical with those for group Part No. E.A2.11.1309, except for the following deletions and additions :—								
		Delete :—								
2076	E.A2.11.1299	Pin, special, door bracket pivot					2	S11	C	
	E.A2.11.2249	Washer, special (Make from Ref. 3517) ...					2	DTD.687	—	
		Add :—								
2078	E.A2.11.1305	Pin, special, door bracket pivot					2	S11	C	
	E.A2.11.3095	Washer, special (Make from Ref. 3516) ...					2	DTD.687	LM	
	E.A2.11.11	STRUCTURE, CENTRE FUSELAGE FRAME, ASSEMBLY					—	—	—	
		Spares for :—								
	E.A2.11.187	BULKHEAD, FRAME 13, ASSEMBLY (PRE MOD. 517)					—	—	—	
		Spares for :—								
	E.A2.11.2397	Seal, rubber (Make from EEAS.125. Stores Ref. 26FZ/6924)					1	—	LM	
	E.A2.11.845	BULKHEAD, FRAME 21, ASSEMBLY					—	—	—	
		Spares for :—								
	E.A2.11.799	FRAME, LOWER, ASSEMBLY ...					—	—	—	
		Spares for :—								
6694	E.A1.11.867	Bracket, jack anchorage, flare doors ...					1	L45	C	
	E.A2.11.1139	BULKHEAD, FRAME 29, ASSEMBLY					—	—	—	
		Spares for :—								
6694	E.A1.11.867	Bracket, jack anchorage flare doors ...					1	L45	C	
	E.A2.11.3245	DOOR, ACCESS, FLARE BAY INSPECTION, ASSEMBLY (MOD. 1200)					—	—	—	
12229	E.A3.11.859	Bracket, access door hinge, L.H. ...					1	DTD.683	C	
12230	E.A3.11.860	Bracket, access door hinge, R.H. ...					1	DTD.683	C	
12227	E.A3.11.855	DOOR, ACCESS, GROUP ...					1	—	B	
		Spares for :—								
27FP/6 28FP/6	AVIATN. DEVELS. A.411	Pin, "pip," quick release					1	—	C	
12228	E.A3.11.867	Ring, sealing					1	Neo-K-Tex	C	
	E.A3.11.861	Shim, access door hinge... ..					2	Lam Alumn.	—	
15496	EEAS.28/7ER	Washer, special					6	—	C	
	E.A2.11.2575	Washer, special					14	DTD.683	—	

Pages 389 to 404 not issued



CANBERRA P.R. Mk. 3

Page 405

FUSELAGE CENTRE FUSELAGE STRUCTURE

Ref. No	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		SUMMARY OF STOCK ITEMS USED ON CENTRE FUSELAGE STRUCTURE, ASSEMBLY				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head, "55 long ...			C	
28D/12513	A25/2C	Bolt, 2 BA, hex. head, "65 long ...			C	
28D/12531	A25/3C	Bolt, 2 BA, hex. head, "75 long ...			C	
28D/1200129	A25/4C	Bolt, 2 BA, hex. head, "85 long ...			C	
28D/12533	A25/5C	Bolt, 2 BA, hex. head, "95 long ...			C	
28D/12534	A25/9C	Bolt, 2 BA, hex. head, 1"35 long			C	
28D/12536	A25/13C	Bolt, 2 BA, hex. head, 1"75 long			C	
28D/12518	A25/2E	Bolt, 1/2" BSF, hex. head, "7 long			C	
28D/12519	A25/3E	Bolt, 1/2" BSF, hex. head, "8 long			C	
28D/12520	A25/4E	Bolt, 1/2" BSF, hex. head, "9 long ...			C	
28D/12542	A25/5E	Bolt, 1/2" BSF, hex. head, 1" long ...			C	
28D/12543	A25/6E	Bolt, 1/2" BSF, hex. head, 1"1 long			C	
28D/12544	A25/8E	Bolt, 1/2" BSF, hex. head, 1"3 long			C	
28D/12570	A25/11E	Bolt, 1/2" BSF, hex. head, 1"6 long			C	
28D/12545	A25/13E	Bolt, 1/2" BSF, hex. head, 1"8 long			C	
28D/12815	A25/3G	Bolt, 5/16" BSF, hex. head, "85 long			C	
28D/12774	A25/4G	Bolt, 5/16" BSF, hex. head, "95 long			C	
28D/12639	A25/6G	Bolt, 5/16" BSF, hex. head, 1"15 long			C	
28D/12553	A25/6J	Bolt, 3/8" BSF, hex. head, 1"25 long			C	
28D/13171	A26/13E	Bolt, 1/2" BSF, hex. head, 1"8 long			C	
28D/8300	AS.1242/1B	Bolt, 4 BA, c'sk head, "45 long ...			C	
28D/8301	AS.1242/2B	Bolt, 4 BA, c'sk head, "55 long ...			C	
28D/8304	AS.1242/6B	Bolt, 4 BA, c'sk head, "95 long ...			C	
28D/8303	AS.1242/4B	Bolt, 4 BA, c'sk head, "75 long ...			C	
28D/8307	AS.1242/2C	Bolt, 2 BA, c'sk head, "6 long ...			C	
28D/8308	AS.1242/3C	Bolt, 2 BA, c'sk head, "7 long ...			C	
28D/8341	AS.1248/1C	Bolt, 2 BA, mushroom head, "5 long			C	
28D/11937	AS.1246/1B	Bolt, 4 BA, round head, "45 long			C	
28D/11555	AS.1246/3E	Bolt, 1/2" BSF, round head, "75 long			C	
28D/13894	AS.1248/1 1/2 B	Bolt, 4 BA, mushroom head, "5 long			C	
28D/8348	AS.1248/1E	Bolt, 1/2" BSF, mushroom head, "55 long			C	
28D/9744	AS.1248/2B	Bolt, 4 BA, mushroom head, "55 long			C	
28D/10640	AS.1248/2E	Bolt, 1/2" BSF, mushroom head, "65 long			C	
28D/8342	AS.1248/2C	Bolt, 2 BA, mushroom head, "6 long			C	
28D/8343	AS.1248/4C	Bolt, 2 BA, mushroom head, "8 long			C	
28D/9588	AS.1248/3C	Bolt, 2 BA, mushroom head, "7 long			C	
28D/8452	AS.1882/6B	Bolt, 4 BA, c'sk head, "95 long ...			C	
28N/5559	AGS.899/12	Collar ...			C	
28N/7116	AGS.899/15	Collar ...			C	
28M/13086	A27/BP	Nut, 4 BA, plain ...			C	
28M/13140	A27/BT	Nut, 4 BA, chin ...			C	

Restricted

Page 408

CANBERRA P.R. Mk. 3

FUSELAGE FRONT PORTION

Ref. No	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
2812	E.A1.10.501	DOOR, EQUIPMENT, ACCESS, GROUP ... (Supplied to Pt. No. E.A3.00.113 for spares purposes) Spares for:—	1	—	B	F.8
13104	E.A1.10.511	Link, connecting ...	2	—	C	
3227	AS.2866/P	LOCK, L.H. FLUSH TYPE, ASSEMBLY ... Spares for:—	1	—	B	F.8
32501	AS.5382	Bolt, pivot ...	1	—	C	
25791	AS.2558	Button, pressure seal ...	1	—	C	
2731	AS.2552	Handle, single handle lock ...	1	—	C	
32500	AS.2532	Plate, catch ...	1	—	C	
20874	AS.2559	Seal, handle ...	1	—	C	
25792	AS.5381	Seal, push button ...	1	—	C	
32499	AS.2534	Spring, for catch ...	1	—	C	
32498	AS.2556	Stud, spring ...	1	—	C	
2813	E.A1.10.2423	Panel, detachable ...	1	—	C	F.8
21630	E.A1.10.549	Rod, door lock ...	2	L.1	C	
	E.A1.10.2425	Strip, sealing, $\frac{1}{2}$ " wide (Make from EEAS.141/1. Stores Ref. 12713)	1	—	LM	
3046	E.A3.10.1401	DOOR, ENTRANCE, GROUP ... (File door skin line until door fits freely in the frame. Clearances around door skin line 0"100±0"020) Spares for:—	1	—	A	F.8
17415	E.A1.10.1143	Bolt, assembly, door, forward ...	1	—	C	
17416	E.A1.10.1145	Bolt, assembly, door, rear ...	1	—	C	
2732	E.A1.10.1785	Handle, inside door ...	1	—	C	F.8
2921	AS.2864/P	LOCK, FLUSH FITTING, DOOR ASSEMBLY ... Spares for:—	1	—	B	F.8
32501	AS.5382	Bolt, pivot ...	1	—	C	
25791	AS.2558	Button, pressure seal ...	1	—	C	
2730	AS.2549	Handle, outer, double handle lock ...	1	—	C	
32500	AS.2532	Plate, catch ...	1	—	C	
20874	AS.2559	Seal, handle ...	1	—	C	
25792	AS.5381	Seal, push button ...	1	—	C	
32499	AS.2534	Spring, for catch ...	1	—	C	
32498	AS.2556	Stud, spring ...	1	—	C	
20934	E.A3.10.1447	Panel, dished ...	1	—	C	
18209	E.A1.10.1319	Plate, swivel, door prop ...	1	DTD.390	C	
5195	E.A3.10.2813	Strap, support, strut stowage ...	1	—	C	F.8
4911	E.A3.10.1459	Tube, stay, door prop ...	1	—	C	

Restricted

FUSELAGE FRONT PORTION

Ref. No	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
1799	E.A3.10.157	Frame, bolt, navigator's escape hatch						1	—	A	
	E.A2.45.703	GUARDS, DEBRIS, PRESSURE BULKHEAD CONTROL LEVER BOX, ASSEMBLY (PORT ONLY) (MOD. 1422)						—	—	—	
		Spares for:—									
26196	E.A2.45.707	GUARD, DEBRIS, ASSEMBLY, BOTTOM						1	—	B/MR	
		Spares for:—									
	E.A2.45.731	Seal, rubber, $\frac{1}{8}$ " thick (Make from Ref. 32C/618)						1	Neoprene	LM	
	E.A2.45.743	Seal, rubber, $\frac{1}{8}$ " thick (Make from Ref. 32C/618)						1	Neoprene	LM	
26198	E.A2.45.709	GUARD, DEBRIS, ASSEMBLY, TOP						1	—	B/MR	
		Spares for:—									
	E.A2.45.729	Seal, rubber, $\frac{1}{8}$ " thick (Make from Ref. 32C/618)						1	Neoprene	LM	
	E.A2.45.777	Seal, rubber, $\frac{1}{8}$ " thick (Make from Ref. 32C/618)						1	Neoprene	LM	
27457	E.A2.45.773	Guard, debris, assembly, side						1	—	B/MR	
26197	E.A2.45.705	Panel, detachable floor, assembly						1	—	B	
26201	E.A2.45.711	SEAL, ASSEMBLY						1	—	C	
		Spares for:—									
	E.A2.45.747	Seal, rubber, $\frac{1}{8}$ " thick (Make from Ref. 32C/618)						2	Neoprene	LM	
1031	EEAS.1/6C	Screw, 2 BA, c/sk. head, 120°						2	S.96	C	
	E.A2.45.781	Seal, rubber, $\frac{1}{8}$ " thick (Make from Ref. 32C/618)						1	Neoprene	LM	
2729	E.A1.10.1153	Handle, main door jettison						1	DTD.66	C	F.8
34516	E.A3.10.6081	HATCH, METAL, NAVIGATOR'S, ASSEMBLY (MOD. 4081) (S.O.O.) (Supplied to Part No. E.A3.00.5155 for spares purposes with trim allowances)						1	—	B	
		Spares for:—									
	E.A3.10.6107	Angle, butt connector						1	L.72	—	
5CZ/430	†	Block, terminal, type B, 2-way						1	—	C	
		Attaching parts for Ref. 5CZ/430:—									
28S/1200062	A33/A20	Screw, 6 BA						2	—	C	
41042	E.A3.10.6177	Bracket, butt connector						1	L.72	C/MR	
37005	E.A3.81.5849	Cable, assembly						1	—	C	
		Attaching parts for E.A3.81.5849:—									
28S/9131780	A33/B6	Screw, 4 BA						4	—	C	
41062	E.A3.10.6109	Channel, butt connector (Made from EEDX/126)						1	—	C/MR	
		Attaching parts for E.A3.10.6109:—									
28D/9133011	A25/2C	Bolt, 2 BA						4	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA						4	—	C	
28W/9419404	SP.16/C	Washer						4	—	C	
5075	MARTIN BAKER MBEU.321EE	Clip, parachute harness stowage, upper and lower						4	—	C	
		Attaching parts for MBEU.321EE:—									
28D/1011006	A25/5B	Bolt, 4 BA						4	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA						4	—	C	
	E.A3.10.2275	Packing, taper						1	—	C	
	E.A3.10.6135	Packing, taper, upper						1	—	—	
	E.A3.10.2279	Packing, taper, lower						6	—	—	
28W/9419474	SP.15/B	Washer						4	—	C	

FUSELAGE FRONT PORTION

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.A3.10.3481	HOOD, COUPE, ASSEMBLY, TO FUSELAGE (MOD. 519)						1	—	—	
1594	E.A3.10.2085	Bolt, special, explosive, hood fixing						2	DTD.683	C	
1782	E.A3.10.2221	Bolt, special, explosive, hood fixing						30	DTD.683	C	
135	E.A1.10.1035	Bush, coaming tube explosive bolt						31	L.40	C	
136	E.A1.10.1167	Bush, coaming tube explosive bolt entry						2	L.40	C	
137	E.A1.10.1169	Bush, coaming tube explosive bolt entry						30	L.40	C	
138	E.A1.10.1435	Bush, coaming tube explosive bolt						1	L.40	C	
12873	E.A3.00.509	HOOD, COUPE, C/W EDGE MEMBER, GROUP (E.A3.15.125)						1	—	A	
		Spare for:—									
12947	E.A3.10.3479	Bracket, hinge						1	—	C	
12948	E.A3.10.3480	Bracket, hinge						1	—	C	
3078	E.A6.10.2587	Fairing, canopy, forward section						1	—	C	
	E.A3.15.115	HOOD, GROUP						1	—	—	
		Spare for:—									
13179	E.A1.15.9	Bracket, fastener						1	L.40	C	
13180	E.A1.15.13	Bracket, hinge						1	L.40	C	
12949	E.A3.15.95	Bush, rubber, for attachment screws						148	Natural Rubber	C	
	E.A3.15.109	Bush, rubber, 1/4" o/d. x 1/2" x 1 1/2" long (Make from 32C/520)						24	Natural Rubber	LM	
		CABLE, ASSEMBLY, N.74A, HEATED WIND-SCREEN TO COUPE BREAK, GROUP						1	—	—	
		Consisting of:—									
5E/4183	†	Cable, Uninyvin 20						QR	—	C	
5CY/9330749	SIS.1657	Plug, 2-way, flat, type R						1	—	C	
5K/9107065	†	Sleeve, 1" x 1/2"						4	—	C	
5K/9107066	†	Sleeve, 2" x 1/2"						2	—	C	
5K/9107067	†	Sleeve, 3" x 1"						1	—	C	
5CY/457	SIS.1658	Socket, 2-way, flat, type R						1	—	C	
1786	E.A1.15.19	Eye-bolt, 2 BA						1	DTD.126A	C	
12951	E.A3.15.129	Landing, door, 12 SWG						1	DTD.610	C	
1788	E.A1.15.17	Nut, knurled, 2 BA						1	L.40	C	
12952	E.A3.15.133	Ring, sealing						1	L.72	C	
	E.A3.15.107	Ring, packing						1	DTD.838	—	
12953	E.A3.15.135	Sealing, rubber, 1/2" thick						1	Shore No. 30	C	
	E.A3.15.87	Sealing, rubber, between edge member and hood, 1/16" x 1 1/4" x 216" long (Make from 32C/271)						1	Natural Rubber	LM	
141	E.A1.15.23	Spring, 20 SWG						1	Spring Steel	C	
12954	E.A3.15.131	Washer, sealing, moulded rubber						1	Shore No.'s 30-40	C	

FUSELAGE FRONT PORTION

Ref. No	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
12924	E.A3.15.105	WINDOW, DIRECT VISION, GROUP (PRE-MOD. 4333)						1	—	B	
		Spares for:—									
4167	E.A1.15.161	Bracket, fastener						1	L.40	C/MR	
4168	E.A1.15.163	Bracket, hinge, c/w bushes						1	L.40	C/MR	
3562	E.A1.15.173	Packing, bracket, fastener						1	—	C	
3563	E.A1.15.175	Packing, bracket, hinge						1	—	C	
	E.A3.15.69	Panel, c/w elements						1	Toughened Glass	—	
1792	E.A1.15.151	Plate, 16 SWG						1	DTD.546	C	
1794	E.A1.15.147	Ring, rubber sealing						1	Natural Rubber	C	
1793	E.A1.15.145	Ring, rubber insulator						1	Natural Rubber	C	
12950	E.A3.15.127	Ring						1	LFS.26	C	
1790	E.A1.15.155	Ring, sealing (with canvas interlayer)						1	Rubber	C	
1797	E.A1.15.157	Ring, clamping						1	DTD.610	C	
	E.A3.15.111	Terminal						4	BSS.369	—	
34781	E.A3.15.139	WINDOW, DIRECT VISION, GROUP (MOD. 4333)						1	—	B	
		Spares for this group are identical to those for Part No. E.A3.15.105 except for the following deletion and addition:—									
		Delete:—									
	E.A3.15.69	Panel, c/w elements						1	Toughened Glass	—	
		Add:—									
	E.A3.15.137	Panel, c/w elements						1	Toughened Glass	—	
	E.A3.10.2223	Member, edge, coupe hood						1	—	—	
	E.A3.10.3451	Plate, attachment, port, 14 SWG						1	DTD.610	—	
	E.A3.10.3453	Plate, attachment, starboard, 14 SWG						1	DTD.610	—	
	E.A3.10.3455	Plate, attachment, rear, 14 SWG						1	DTD.610	—	
	E.A3.10.3457	Plate, attachment, front						1	—	—	
	E.A6.10.2679	Strip, rubber, for canopy hinge fairing (Make from 32C/537)						QR	Linatex	LM	
	E.A3.10.2249	Seal, rubber, strip, coaming tube to canopy, $\frac{1}{2}$ " x $\frac{1}{4}$ " (Make from 32C/519)						QR	Linatex	LM	
	E.A3.10.2251	Seal, rubber, strip, coaming tube to canopy (Make from 32C/271)						QR	Linatex	LM	
	E.A3.10.2245	TUBE, COAMING, COUPE, GROUP						1	—	MR	
		Spares for:—									
1000	E.A1.10.1657	Clip, special, top half, air drier mounting						4	DTD.124	C	
1001	E.A1.10.1659	Clip, special, bottom half, air drier mounting						4	DTD.124	C	
1004	E.A1.10.1663	Nut, special, knurled finger						8	L.40	C	
21249	E.A3.10.2773	Plate, blast						1	DTD.610	C	
1010	E.A1.10.847	Washer, saddle, special, pilot's seat rear fixing						2	L.40	C	
	E.A2.10.17	KEEL UNIT, COMPLETE, ASSEMBLY						—	—	—	
		Spares for:—									
13091	E.A3.11.655	Bolt, special (Made from Ref. A25/4E)						4	—	C	

CANBERRA P.R. Mk. 3

Page 413

FUSELAGE FRONT PORTION

Ref. No	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.A2.10.11	SKINNING, PRESSURE CABIN, KEEL UNIT, ASSEMBLY						—	—	—	
	E.A2.10.9	Spares for:— MAIN FLOOR STRUCTURE, PRESSURE CABIN, KEEL UNIT, ASSEMBLY						—	—	—	
4856	E.A3.10.2383	Spares for:— Bolt, special, bracket mounting						4	S.11	C/MR	
3997	E.A1.10.217	BRACKET, L.H. MOUNTING, NOSEWHEEL PIVOT SHAFT, GROUP						1	—	B/MR	
	E.A1.10.2685	Spares for:— Cap						1	—	—	
28N/9156370	SP.21	Nipple, lubricating						1	—	C	
12943	E.A1.10.217A	Spigot						1	S.96	C	
3998	E.A1.10.218	BRACKET, R.H. MOUNTING, NOSEWHEEL PIVOT SHAFT, GROUP						1	—	B/MR	
		Spares for this group are identical with those for group Ref. No. 3997									
	E.A2.10.227	BULKHEAD, PRESSURE, ASSEMBLY						—	—	—	
		Spares for:—									
33814	E.A9.10.5091	BRACKET, FORWARD LATCH, ASSEMBLY (MOD. 2183)						1	—	C	
		Spares for:—									
	E.A3.10.1739	Block						1	—	—	
		Attaching parts for E.A3.10.1739:—									
28D/12636	A25/25E	Bolt, 1/4" BSF						2	—	C	
28M/1007403	A27/ET	Nut, 1/4" BSF						2	—	C	
	A5.2811/6/135	Tube, distance x 17 SWG						2	T.4	LM	
	E.A1.10.1429	Plate						1	—	—	
6132	E.A1.10.1431	Shim						QR	—	C	
		Attaching parts for E.A1.10.1429 and E.A1.10.1431:—									
285/9446545	A45/C16	Screw, 2 BA						2	—	C	
	E.B6.80.5947	BRACKETS, TRIP ROD, NAVIGATOR'S SEAT, INSTALLATION (MOD. 4076)						—	—	—	
		Spares for:—									
41333	E.B6.80.5951	Bracket						1	—	C	
41334	E.B6.80.5955	Bracket						3	—	C	
	NORMALAIR										
27KD/45	506713	Cap, blanking, cabin ground pressure test valve (Pre-Mod. 632)						1	—	C	
	NORMALAIR										
27KD/2	500710	Connector, ground pressurising (Pre-Mod. 632)						1	—	B	
	NORMALAIR										
27KD/10	504600	Connector, ground pressurising (Mod. 632)						1	—	B	
3900	E.A1.81.943	Stud, mounting, assembly						8	—	C	
4202	E.A3.81.1165	Stud, mounting, assembly						2	—	C	

FUSELAGE FRONT PORTION

Ref. No	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
3999	E.A1.10.231	Bush	...	...	...	...	...	1	DTD.127	C/MR	
6055	E.A3.10.2793	Washer, special	...	...	...	...	...	4	DTD.683	C	
4690	E.A1.10.829	PLUG, DRAIN, GROUP	...	...	...	...	...	1	—	B/MR	
		Consisting of:—									
4232	E.A1.10.827	Housing	...	...	...	...	...	1	L.40	C/MR	
28P/19128	SP.90/E4	Pin, split, $\frac{3}{8}$ " dia. x $\frac{1}{4}$ " long	...	...	...	...	...	1	—	C	
	ANGUS										
5084	OR.12	Ring, sealing	...	...	...	...	...	1	60 Shore P.60	C/MR	
4231	E.A1.10.825	Screw	...	...	...	...	...	1	L.40	C/MR	
1857	E.A2.10.577	NOSE, PERSPEX, GROUP (PRE-MOD. 646)	...	...	...	...	...	1	—	B	
		Spares for:—									
	E.A2.10.659	Bush, rubber, nose fixing bolts (Make from 32C507)	...	...	...	...	...	65	Natural Rubber	LM	
	E.A2.10.1159	Nose, perspex	...	...	...	...	...	1	—	—	
153	E.A2.10.657	Strip, rubber, sealing	...	...	...	...	...	1	Natural Rubber	C	
154	E.A2.10.661	Strip, rubber, inner retaining ring seal	...	...	...	...	...	1	Natural Rubber	C	
3863	E.A2.10.2119	NOSE, PERSPEX, GROUP (MOD. 646) (PRE-MOD. 1904)	...	...	...	...	...	1	—	B	
		Spares for:—									
	E.A2.10.659	Bush, rubber, nose fixing bolts (Make from 32C/507)	...	...	...	...	...	64	Natural Rubber	LM	
	E.A2.10.2059	Nose, perspex	...	...	...	...	...	1	—	—	
153	E.A2.10.657	Strip, rubber sealing	...	...	...	...	...	1	Natural Rubber	C	
154	E.A2.10.661	Strip, rubber, inner retaining ring seal	...	...	...	...	...	1	Natural Rubber	C	
12801	E.A2.10.2219	NOSE, PERSPEX, GROUP (MOD. 1904)	...	...	...	...	...	1	—	B	
		Spares for:—									
	E.A2.10.659	Bush, rubber, nose fixing bolts (Make from 32C/507)	...	...	...	...	...	64	Natural Rubber	LM	
	E.A2.10.2223	Nose, perspex	...	...	...	...	...	1	—	—	
153	E.A2.10.657	Strip, rubber sealing	...	...	...	...	...	1	Natural Rubber	C	
154	E.A2.10.661	Strip, rubber, inner retaining ring seal	...	...	...	...	...	1	Natural Rubber	C	
2726	E.A2.10.1517	Panel, removable, access, flying controls	...	...	...	...	...	1	—	C	
1804	E.A1.10.1131	Piece, distance	...	...	...	...	...	21	T.4	C	
1805	E.A1.10.1133	Piece, distance	...	...	...	...	...	13	T.4	C	
5510	E.A3.10.3247	Plate, access door, hinge and jettison mechanism inspection pressure sealing	...	...	...	...	...	1	—	C	
4752	E.A3.10.3007	Plate, nut, for navigator's lamp mounting	...	...	...	...	...	1	—	C	

FUSELAGE FRONT PORTION

Ref. No.	Part No.	Description						No off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.A3.10.2917	Screw, 1/4" BSF, 120° c'sk. head for securing navigator's escape hatch						48	S.96	—	
156	E.A3.10.153	Seal, inner, rubber, navigator's window						1	Natural Rubber	C	
157	E.A3.10.155	Seal, outer, rubber, navigator's window						1	Natural Rubber	C	
158	E.A3.10.549	Seal, pressure, navigator's escape hatch						1	BTR.8853	C	
159	E.A1.10.1171	Seal, door, pressure cabin entrance						1	BTR.8853	C	
	E.A2.10.13	SKINNING, STRUCTURE, PRESSURE BULKHEAD TO FRAME 12, ASSEMBLY						—	—	—	
		Spares for:—									
3070	E.A1.10.187	DOOR, V.H.F., GROUP (Supplied to Pt. No. E.A3.00.151 for spares purposes)						2	—	B	
		Spares for:—									
2690	AS.2850	LOCK, L.H. FLUSH TYPE, ASSEMBLY						1	—	B	
		Spares for:—									
32501	AS.5382	Bolt, pivot						1	—	C	
25791	AS.2558	Button, pressure seal						1	—	C	
2731	AS.2552	Handle, single handle lock						1	—	C	
32500	AS.2532	Plate, catch						1	—	C	
20874	AS.2559	Seal, handle						1	—	C	
25792	AS.5381	Seal, push button						1	—	C	
32499	AS.2534	Spring for catch						1	—	C	
32498	AS.2556	Stud, spring						1	—	C	
3642	E.A1.10.1815	Stay, door						1	—	C	
20531	E.A3.10.2805	STOWAGE, SUPPORT STRUT V.H.F. DOORS, GROUP						1	—	C/MR	
		Spares for:—									
5196	E.A3.10.2807	Strap, support strut, stowage						1	Leather hide	C	
5194	E.A3.10.2809	Plate, stiffening						1	DTD.546	C	
2080	E.A1.10.1033	Plug, forward, jacking point housing						1	L.40	C	
1028	EEAS.1/3C	Screw, 2 BA, c'sk. head						24	H.T.S.	C	
	E.A2.10.15	STRUCTURE, PRESSURE BULKHEAD TO FRAME 12, ASSEMBLY						—	—	—	
		Spares for:—									
	E.A2.10.135	FRAME 12, ASSEMBLY						—	—	—	
		Spares for:—									
21096	E.A2.10.2207	Guard, assembly						1	—	C	
4692	E.A3.10.3161	LEVER, LOCK NOSE UNDERCARRIAGE, PORT, ASSEMBLY						1	—	B	
		Spares for:—									
15793	E.A3.10.3159	Lever, assembly						1	—	C	
28FP/332	DZUS-S4/3	Spring, hydraulic reservoir access door						6	—	C	
8888	E.A3.10.3255	Strap, main door, jettison handle stowage						1	—	C/MR	
	E.A2.10.23	STRUCTURE, NOSE FORWARD OF FRAME 1, ASSEMBLY						—	—	—	
		Spares for:—									
130	E.A3.10.983	Bush, rubber, window fixing screw						20	Natural Rubber	C	
2083	E.A2.10.477	Frame, seal retaining						1	—	C	
2081	E.A2.10.473	Seal, rubber, outer, bomb aimer's window						1	Natural Rubber	C	
2082	E.A2.10.475	Seal, rubber, inner, bomb aimer's window						1	Natural Rubber	C	

FUSELAGE FRONT PORTION

Ref. No	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	
13226	E.A2.10.2501	Skin	...	...	...	...	...	1	—	C/MR	
13227	E.A2.10.2503	Skin	...	...	...	...	...	1	—	C/MR	
	E.A2.10.2513	Skin, port (Make from Ref. 13227)	...	...	...	...	...	1	—	LM	
	E.A2.10.2515	Skin, starboard (Make from Ref. 13227)	...	...	...	...	...	1	—	LM	
2084	E.A2.10.471	Window, bomb aimer's	...	...	...	...	...	1	—	C	
3412	EEAS.20/3DR	Tab, locking	...	...	...	...	...	2	DTD.610	C	
2140	E.A1.20.1033	Washer, special	...	...	...	...	...	QR	—	C	
5125	E.A3.10.3023	Washer, sealing, for escape hatch pivot	...	...	...	...	...	2	Natural Rubber	C	
160	A.A3.10.361	Window, navigator's, c/w valve	...	...	...	...	...	1	—	C	

Pages ~~415~~ to 420 not issued
417



FUSELAGE FRONT PORTION

Ref. No.	Part No.						Description	No. off	Mat'l. Spec.	Cl. of St.	Plate and Illust'n No.
		1	2	3	4	5				M.R.	
SUMMARY OF STOCK ITEMS USED ON FRONT FUSELAGE ASSEMBLY											
28D/	A.25/24C						Bolt, 2 BA, hex. head, 2."85 long	...	...		C
28D/	A.25/3B						Bolt, 4 BA, hex. head, .7 long	...	...		C
28D/12528	A.25/1B						Bolt, 4 BA, hex. head, .5 long	...	...		C
28D/12512	A.25/1C						Bolt, 2 BA, hex. head, .55 long	...	...		C
28D/12513	A25/2C						Bolt, 2 BA, hex. head, .65 long	...	...		C
28D/12531	A.25.3C						Bolt, 2 BA, hex. head, .75 long	...	...		C
28D/12532	A.25/4C						Bolt, 2 BA, hex. head, .85 long	...	...		C
28D/12533	A25/5C						Bolt, 2 BA, hex. head, .95 long	...	...		C
28D/12566	A.25/6C						Bolt, 2 BA, hex. head, 1."05 long	...	..		C
28D/13447	A.25/21C						Bolt, 2 BA, hex. head, 2."55 long	...	...		C
28D/12715	A.25/31C						Bolt, 2 BA, hex. head, 3."55 long	...	...		C
28D/12707	A.25/1E						Bolt, 1" BSF, hex. head, .6 long	...	...		C
28D/12518	A.25/2E						Bolt, 1" BSF, hex. head, .7 long	...	...		C
28D/12520	A.25/4E						Bolt, 1" BSF, hex. head, .9 long	...	...		C
28D/12633	A.25/7E						Bolt, 1" BSF, hex. head, 1."2 long	...	...		C
28D/12816	A25/7G						Bolt, 5/16" BSF, hex. head, 1."25 long	...	...		C
28D/12817	A25/8G						Bolt, 5/16" BSF, hex. head, 1."35 long	...	...		C
28D/13283	A.28/2C						Bolt, 2 BA, hex. head, .65 long	...	...		C
28D/13284	A.28/3C						Bolt, 2 BA, hex. head, .75 long	...	...		C
28D/13208	A.28/6C						Bolt, 2 BA, hex. head, 1."05 long	...	...		C
28D/13546	A.28/6E						Bolt, 1" BSF, hex. head, 1."1 long	...	...		C
28D/8303	AS.1242/4B						Bolt, 4 BA, c'sk head, .75 long	...	...		C
28D/8306	AS.1242/1C						Bolt, 2 BA, c'sk head, .5 long	...	...		C
28D/8308	AS.1242/3C						Bolt, 2 BA, c'sk head, .7 long	...	...		C
28D/8309	AS.1242/4C						Bolt, 2 BA, c'sk head, .8 long	...	...		C

FUSELAGE FRONT PORTION

Ref. No.	Part No.	Description					No. off	Matl. Spec.	Cl. of St.	Plate and Illust'n No.
		1	2	3	4	5			M.R.	
28D/8310	AS.1242/6C	Bolt, 2 BA, c'sk head, 1" long	...	...	...	...			C	
28D/8311	AS.1242/7C	Bolt, 2 BA, c'sk head, 1."1 long	...	...	...	...			C	
28D/8313	AS.1242/9C	Bolt, 2 BA, c'sk head, 1."3 long	...	...	...	...			C	
28D/8314	AS.1242/10C	Bolt, 2 BA, c'sk head, 1."4 long	...	...	...	...			C	
28D/10168	AS.1242/11C	Bolt, 2 BA, c'sk head, 1."5 long	...	...	...	...			C	
28D/8316	AS.1242/13C	Bolt, 2 BA, c'sk head, 1."7 long	...	...	...	...			C	
28D/8509	AS.1242/14C	Bolt, 2 BA, c'sk head, 1."8 long	...	...	...	...			C	
28D/11527	AS.1242/17C	Bolt, 2 BA, c'sk head, 2."1 long	...	...	...	...			C	
28D/12189	AS.1242/18C	Bolt, 2 BA, c'sk head, 2."2 long	...	...	...	...			C	
28D/8323	AS.1242/2E	Bolt, 1" BSF, c'sk head, .65 long	...	...	...	...			C	
28D/8324	AS.1242/3E	Bolt, 1" BSF, c'sk head, .75 long	...	...	...	...			C	
28D/11021	AS.1242/8B	Bolt, 4 BA, c'sk head, 1."15 long	...	...	...	...			C	
28D/11126	AS.1242/9B	Bolt, 4 BA, c'sk head, 1."25 long	...	...	...	...			C	
28D/12282	AS.1242/10B	Bolt, 4 BA, c'sk head, 1."35 long	...	...	...	...			C	
28D/8310	AS.1242/6C	Bolt, 2 BA, c'sk head, 1" long	...	...	...	...			C	
28D/8315	AS.1242/12C	Bolt, 2 BA, c'sk head, 1."6 long	...	...	...	...			C	
28D/12001	AS.1242/25	Bolt, 3" BSF, c'sk head, 8" long	...	...	...	...			C	
28D/11937	AS.1246/1B	Bolt, 4 BA, round head, .45 long	...	...	...	...			C	
28D/11564	AS.1246/1C	Bolt, 2 BA, round head, .5 long	...	...	...	...			C	
28D/10764	AS.1248/1B	Bolt, 4 BA, mushroom head, .4 long...	...	...	...	...			C	
28D/8337	AS.1248/1B	Bolt, 4 BA, mushroom head, .45 long	...	...	...	...			C	
28D/8341	AS.1248/1C	Bolt, 2 BA, mushroom head, .5 long...	...	...	...	...			C	
28D/12761	AS.2920/5E	Bolt, 4" BSF, c'sk head, 1.95 long	...	...	...	...			C	
28L/13140	A.27/BT	Nut, 4 BA, plain	...	...	...	...			C	
28M/12929	A.27/CP	Nut, 2 BA, plain	...	...	...	...			C	
28L/13124	A.27/CT	Nut, 2 BA, thin	...	...	...	...			C	
28M/12928	A.27/EP	Nut, 1" BSF, plain	...	...	...	...			C	
28L/12931	A.27/ET	Nut, 1" BSF, thin	...	...	...	...			C	
28M/13375	A.27/GP	Nut, 1" BSF, plain	...	...	...	...			C	
28M/13028	A.27/JF	Nut, 3" BSF, thin	...	...	...	...			C	
28M/13324	A.29/CP	Nut, 2 BA, plain	...	...	...	...			C	
28M/13376	A.29/EP	Nut, 1" BSF, plain	...	...	...	...			C	

CANBERRA P.R. Mk. 3

Page 423

FUSELAGE FRONT PORTION

Ref. No.	Part No	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
28M/10287	AGS.2001/B/1	Nut, stiff, 4 BA			C	
28M/10327	AGS.2002/B/1	Nut, stiff, 4 BA			C	
28M/10288	AGS.2001/C/1	Nut, stiff, 2 BA			C	
28M/10290	AGS.2001/E/1	Nut, stiff, 1/4" BSF			C	
28M/8932	CA1-D1	Nut			C	
28M/10281	AGS.2001/C/3	Nut, stiff, 2 BA			C	
28M/10328	AGS.2002/C/1	Nut, stiff, 2 BA			C	
28M/10333	AGS.2002/L/1	Nut, stiff, 7/8" BSF			C	
28P/817	SP4Y/A7	Pin, split, 5/16" dia. x .55 long			C	
28S/2856	A32/C12	Screw, 4 BA, round head, 3/8" long			C	
28S/3426	A32/B8	Screw, 4 BA, round head, 1/2" long			C	
28S/2822	A33/A20	Screw, 6 BA, c'sk head, 5/8" long			C	
28S/6545	A33/B6	Screw, 4 BA, c'sk. head, 7/8" long			C	
28S/2809	A33/B12	Screw, 4 BA, c'sk head, 3/4" long			C	
28S/5691	A33/B40	Screw, 4 BA, c'sk head, 1 1/4" long			C	
28S/6473	A37/C8	Screw, 2 BA, c'sk head, 1/2" long			C	
28S/6419	A37/C12	Screw, 2 BA, c'sk head, 3/4" long			C	
28W/9419402	SP13/C	Washer, 2 BA, plain			C	
28W/9416632	SP47/C	Washer, 2 BA, spring			C	
28W/9416645	SP47/G	Washer, 2 BA, spring			C	
28W/6315	AGS.585/B	Washer, 4 BA, spring			C	
28W/9419475	SP15/C	Washer, 2 BA, plain			C	
28W/9419405	SP15/E	Washer, 1/4" BSF, plain			C	
28W/9419404	SP16/C	Washer, 2 BA, plain			C	
28W/9419402	SP13/C	Washer, 2 BA, plain			C	
28W/9419466	SP13/J	Washer, 3/8" BSF			C	
28W/9419478	SP15/L	Washer, 7/8" BSF			C	

Restricted

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				

Restricted

CANBERRA P.R. MK.3

Page 425

FUSELAGE NOSE PORTION

Ref. No.	Part No.						No. off	Matl. Spec.	Cl. of St. M.R. L.M.	Plate No.
		1	2	3	4	5				
479	E.A2.00.41	NOSE FUSELAGE, ASSEMBLY ...					1	—	<i>Alor</i>	
		Spares for :—								
	E.B7.74.15	BLAST COOLING FOR INVERTER, TYPE 103, GROUP (MOD. 1725)					1	—	—	
		Consisting of :—								
28E/8185	AGS.605/3	Clip, hose					4	—	C	
12978	E.B7.74.17	Pipe, assembly from inverter					1	—	C	
12206	E.B7.57.181	Sleeve, pipe connecting					2	Bell's Asbestos	C	
	E.A2.74.21	BLAST COOLING FOR INVERTER, TYPE 201, ASSEMBLY					—	—	—	
		Consisting of :—								
28E/8183	AGS.605/1	Clip, hose type J					2	—	C	
3885	E.A3.74.77	Nut, special					1	L40	C/MR	
3883	E.A3.74.71	Pipe, to inverter					1	T9	C/MR	
3886	E.A3.74.79	Pipe, assembly					1	DTD.213	C/MR	
3887	E.A3.74.81	Sleeve, pipe, connecting					1	T9	C/MR	
3884	E.A3.74.73	Washer, special					1	DTD.590	C/MR	
	E.A2.74.23	BLAST, COOLING FOR INVERTER, TYPE 200, ASSEMBLY					—	—	—	
		Consisting of :—								
28E/8183	AGS.605/1	Clip, hose					2	—	C	
5636	E.A2.74.29	Pipe, assembly, from inverter					1	—	C	
	E.A3.74.107	Sleeve, pipe connecting (Make from Stores Ref. 32C/376)					1	DTD.625	LM	
980	EEAS.20/1DR	Tab, locking					1	—	C	
2832	E.A3.74.99	Washer, special					1	Felt	C	
30A/	→	Wire, locking					QR	—	—	
	E.B7.75.3 <i>EA 2.75.3.</i>	Cabin Pressure System (See page 701) (Mod. 1005)					—	—	—	
	E.A3.74.21	COLD AIR SUPPLY TO PILOT, ASSEMBLY					—	—	—	
		Spares for :—								
7240	E.A3.74.45	Bracket, non-return valve mounting					1	DTD.610	C/MR	
2164	EEAS.112/5	Clip, pipe, $\frac{3}{16}$ " o/d					5	L16	C	

FUSELAGE NOSE PORTION

Ref. No.	Part No.						No. off	Matl. Spec.	Cl. of St.	Plate No.
		1	2	3	4	5			M.R. L.M.	
2163	EEAS.112/15					Clip, pipe, 1" o/d	6	L16	C	
5260	EEAS.143/5H					Clip, pipe, single, $\frac{3}{16}$ " o/d	2	DTD.610	C	
8995	E.A3.74.47					Clip, for non-return valve mounting ...	2	T9	C/MR	
8990	E.A3.74.53					Coupling, drain pipe outlet	1	DTD.423	C/MR	
	E.A3.74.63					Hose, connection, 1" i/d x 3" long, between drain pipe sections (Make from Ref. 32C/376)	5	DTD.625	LM	
	E.A3.74.67					Hose, connection, $\frac{3}{16}$ " i/d x 1 $\frac{1}{2}$ " long, from water trap to drain pipe (Make from Ref. 32C/488)	1	DTD.625	LM	
5042	THERMOTANK					Louvre, punkah, air type DAR2	1	—	B	
12990	E.A2.74.33					Pipe, section, cold air system (Mod. 411) ...	1	T9	C	
5633	E.A3.74.111					Pipe, section, cold air system	1	T9	C	
5634	E.A3.74.113					Pipe, section, cold air system	1	T9	C	
5635	E.A3.74.115					Pipe, drain	1	T9	C	
8991	E.A3.74.51					Ring, louvre mounting	1	DTD.213	C/MR	
3681	E.A3.74.49					Scoop, cold air	1	DTD.213	C	
20814	E.A3.74.43					Trap, water (Mod. 1411)	1	—	B	
5638	E.A3.74.23					VALVE, NON-RETURN, GROUP ...	1	—	A	
						Consisting of :—				
	E.A3.74.39					Adaptor	2	DTD.683	—	
	E.A3.74.41					Body, non-return valve	1	DTD.683	—	
5639	E.A3.74.25					PLUNGER, VALVE SEAL, GROUP	1	—	B	
						Spares for :—				
5640	E.A3.74.29					Seal	1	Hallprene 21	C	
	E.A3.74.27					Washer, seal retaining	1	—	—	
5060	E.A3.74.35					Shim, laminated	1	—	C	
5059	E.A3.74.37					Spring, compression	1	DTD.215	C	
5043	E.A3.74.33					Washer, sealing	1	DTD.378A	C	
981	EEAS.20/2DR					Tab, locking	1	DTD.390	C	

CANBERRA P.R. Mk. 3

Page 427

FUSELAGE NOSE PORTION

Ref. No.	Part No	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
	E.A2.45.3	Controls, Flying, in Cockpit (see page 95) ...	—	—	—	
	E.A2.47.3	Controls, Engine, in Nose Fuselage (see page 33) ...	—	—	—	
	E.A2.76.31	De-misting System (see page 743) ...	—	—	—	
	E.A2.81.5	Electrical Equipment in Front Fuselage (see page 141)	—	—	—	
	E.A2.57.27	Fuel System (Nitrogen) in Front Fuselage (see page 807) ...	—	—	—	
	E.A2.10.1	Fuselage, Front (see page 407) ...	1	—	—	
	E.A2.73.185	Hydraulic Equipment in Front Fuselage (see page 811)	—	—	—	
	E.A9.40.1	Nosewheel (see page 1003) (Mod. 1740) ...	1	—	—	
	E.A2.71.323	Oxygen System (see page 903) (Mod. 1404) ...	—	—	—	
	E.A2.80.483	PIPES, PITOT AND STATIC, ASSEMBLY ...	—	—	—	
		Spares for:—				
28V/13603	AGS.838/8	Bush, rubber ...	78	DTD.227	C	
	E.A2.80.479	Clamp, half ...	2	LFS.21	—	
1823	EEAS.91/2	Clip, pipe ...	15	DTD.610	C	
6429	EEAS.143/7	Clip, special, single $\frac{1}{8}$ " o/d ...	19	DTD.610	C	
17528	EEAS.143/18	Clip, special, single $\frac{1}{8}$ " o/d ...	1	L.72	C	
28V/5107	AGS.838/3	Elbow, union, low pressure ...	6	DTD.423	C	
8768	E.A3.71.239	Fairlead, pitot and static pipe ...	4	—	C	
4412	E.A3.80.2375	Head, pitot mounting ...	1	DTD.683	C	
13218	E.A3.80.2901	Nut, special, pitot head mounting (Mod. 2306) ...	1	DTD.683	C	
28V/5108	AGS.838/4	Nut, union ...	78	DTD.423	C	
3400	E.A3.80.1649	Pipe, drain reservoir ...	5	L.54	C	
2086	E.A1.80.713	Ring, sealing ...	2	Neo-K-Tex	C	
4415	E.A3.80.2379	Steeve, rubber, pitot head mounting ...	1	Shore 70	C	
28V/5105	AGS.838/2	Tee, union, low pressure ...	14	DTD.423	C	
2087	E.A1.80.711	Union, bulkhead ...	2	DTD.683	C	
28V/5104	AGS.838/1	Union, straight, low pressure ...	6	DTD.423	C	
13058	E.B7.80.769	VENT, STATIC, COMPLETE, ASSEMBLY, PORT (MOD. 1709) ...	1	—	C	
		Spares for:—				
27113	E.A9.80.1273	Bolt, special ...	4	DTD.319	C	
13059	E.B7.80.779	VENT, STATIC, COMPLETE, ASSEMBLY, STARBOARD (MOD. 1709) ...	1	—	C	
		Spares for:—				
27113	E.A9.80.1273	Bolt, special ...	4	DTD.319	C	
4416	E.A3.80.2381	Washer, special, pitot head mounting ...	1	DTD.610	C	
4417	E.A3.80.2383	Washer, rubber, pitot head mounting ...	1	Shore 70	C	
4418	E.A3.80.2391	Washer, special, pitot head mounting ...	1	DTD.610	C	
13141	EEAS.21/2DO	Washer, special ...	1	L.59	C	
	E.A2.80.443	Pressure Cabin Equipment (see page 311) ...	—	—	—	
	E.A2.82.1	Radio and Inter-Comm. (see page 675) ...	—	—	—	

FUSELAGE NOSE PORTION

Ref. No.	Part No	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	E.A3.10.2845	TUNNEL, BOMB AIMER'S, ASSEMBLY	—	—	—	
		Spares for:—				
	E.A3.10.2847	PLATFORM, BOMB AIMER'S CHEST AND CUSHION, ASSEMBLY	—	—	—	
		Consisting of:—				
8831	E.A3.10.2853	Cushion	1	—	B	
8830	E.A3.10.2851	PLATFORM, BOMB AIMER'S, ASSEMBLY	1	—	B	
		Spares for:—				
2469	E.A3.71.307	BRACKET, OXYGEN BOTTLE SUPORT, GROUP	1	—	C	
		Spares for:—				
1833	E.A3.71.313	Band, wire 16 SWG	1	Steel wire	C	
1865	E.A3.71.315	Band, wire 16 SWG, c/w clip	1	Steel wire	C	
28E/10025	TERRY No. 80/0	Clip	2	—	C	
28E/10026	TERRY No. 80/00	Clip	1	—	C	

Pages ~~427~~ to 430 not issued
4267



CANBERRA P.R. Mk. 3

Page 431

FUSELAGE NOSE PORTION

Ref No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
		SUMMARY OF STOCK ITEMS USED ON NOSE FUSELAGE, ASSEMBLY				
28D/12528	A25/1B	Bolt, 4 BA, hex. head, "5 long ...			C	
28D/12511	A25/2B	Bolt, 4 BA, hex. head, "6 long ...			C	
28D/12624	A25/7B	Bolt, 4 BA, hex. head, 1"1 long ...			C	
28D/9436920	A25/1C	Bolt, 2 BA, hex. head, "55 long ...			C	
28D/11937	AS.1246/1B	Bolt, 4 BA, round head, "45 long ...			C	
5K/112	AGS.1661/A	Clip, pipe ...			C	
28F/11696	AGS.838/6	Nut ...			C	
28M/10287	AGS.2001/B/1	Nut, stiff, 4 BA ...			C	
28M/10288	AGS.2001/C/1	Nut, stiff, 2 BA ...			C	
28M/10327	AGS.2002/B/1	Nut, stiff, 4 BA ...			C	
28F/11492	AGS.1115/3	Plate, washer ...			C	
28S/6653	A36/B8	Screw, 4 BA, round head, $\frac{1}{4}$ " long ...			C	
28S/14879	A38/A6	Screw, 6 BA, c'sk head, $\frac{3}{8}$ " long ...			C	
28F/11697	AGS.838/7	Washer ...			C	
28W/9419465	SP13/B	Washer, 4 BA, thin ...			C	
28W/9419402	SP13/C	Washer, 2 BA, plain ...			C	

Restricted

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				

Restricted

CANBERRA P.R. Mk. 3

Page 433

FUSELAGE REAR PORTION

Ref No	Part No	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
	E.A2.12.1	FUSELAGE, REAR, ASSEMBLY Spares for:—	—	—	—	
2955	E.A1.12.499	BUMPER, TAIL, GROUP Spares for:—	1	—	C	
322	E.A1.12.501	Pad, bumper, rubber	1	—	C	
21435	E.A1.12.367	Fairing, tailplane, sealing, port	1	—	C/MR	
21436	E.A1.12.368	Fairing, tailplane, sealing, starboard	1	—	C/MR	
13250	E.A3.12.45	Fin, dorsal	1	—	B/MR	
	E.A1.12.257	FIN, STUB, COMPLETE, ASSEMBLY Spares for:—	1	—	MR	
21442	E.A1.12.1615	Cover, starboard only	1	DTD.546	C	
23009	E.A1.12.117	LUG, FIN ATTACHMENT, PORT, GROUP Spares for:—	1	—	C/MR	
323	E.A1.12.127	Bush	1	S.11	C	
21342	E.A1.12.119	LUG, FIN ATTACHMENT, STARBOARD, GROUP Spares for:—	1	—	C/MR	
324	E.A1.12.125	Bush	1	S.11	C	
	E.A2.12.325	MOUNTING OF DOWNWARD IDENTIFICATION LAMP Spares for:—	—	—	—	
15878	E.A2.12.95	Bracket, support, assembly	1	DTD.610	C/MR	
15879	E.A2.12.96	Bracket, support, assembly	1	DTD.610	C/MR	
15880	E.A2.12.97	Bracket, support, assembly	1	DTD.610	C/MR	
	E.A2.12.199	Ring, support, 18 SWG	1	DTD.610	—	
6873	E.A2.12.201	Ring, sealing, 3/64" thick	2	Rubber	C	
6872	E.A2.12.185	Window, assembly	1	DTD.838	C	
28FP/655	AS.2435/38	Pin, quick release	2	—	C	
	AVIATN.DEVELS.					
28FP/6	A.411	Pin, "pip." quick release	4	—	C	
	AVIATN.DEVELS.					
28FP/8	A.415	Pin, "pip." quick release	8	—	C	
	E.A2.12.9	STRUCTURE, FUSELAGE, REAR C/W SKIN, ASSEMBLY Spares for:—	—	—	—	
12022	E.A2.12.21	DOOR, ACCESS, REAR FUSELAGE EQUIPMENT, GROUP (MOD. 865) Spares for:—	1	—	—	
5875	E.A1.12.363	Fastener	12	—	C	
	E.A1.12.361	Fastener (Make from Fairey FS.409, Stores Ref. 7137)	5	—	LM	
4663	E.A1.12.917	Panel, detachable	1	DTD.610	C	
4662	E.A1.12.919	Panel, detachable, circular	1	DTD.610	C	

FUSELAGE REAR PORTION

Ref. No.	Part No	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	E.A3.90.73	INSTALLATION OF A.R.I.5610	—	—	—	
		Spares for:—				
3221	E.A3.81.1087	Screw, grub	1	—	C	
	or					
28S/15591	A55/A2					
4536	E.A3.90.127	Tube, probe, assembly	1	—	C	
1466	E.A1.12.1201	Nut, special, lifting gear attachment	1	DTD.683	C	
1467	E.A1.12.1203	Packing, special, lifting gear	1	DTD.213	C	
	AVIATN.DEVELS.					
28FP/12	A.419	Pin, "pip," quick release	1	—	C	
	†	Ring, split	2	Brass	—	
17756	E.A3.12.59	Strap, retaining	1	—	C	
	E.A2.12.7	STRUCTURE, FUSELAGE (LESS SKIN), ASSEMBLY	—	—	MR	
		Spares for: —				
4949	E.A1.12.93	Fitting, end, longeron, rear transport joint, port	1	DTD.683	B/MR	
8954	E.A1.12.94	Fitting, end, longeron, rear transport joint, star-board	1	DTD.683	B/MR	
4948	E.A1.12.95	Fitting, end, longeron, rear transport joint, port	1	DTD.683	B/MR	
8955	E.A1.12.96	Fitting, end, longeron, rear transport joint, star-board	1	DTD.683	B/MR	

CANBERRA P.R. MK.3

Page 435

FUSELAGE REAR PORTION

Ref. No.	Part No.						No. off	Matl. Spec.	Cl. of St.	Plate No.
		1	2	3	4	5			M.R. L.M.	
9817	E.A1.12.51					Frame, No. 40	1	—	B	
9818	E.A1.12.53					Frame, No. 41	1	—	B	
	E.A1.12.55					FRAME, No. 42, TAILPLANE HINGE, GROUP	1	—	—	
						Spares for :—				
	E.A1.12.113					BRACKET, HINGE, FITTING, TAILPLANE, PORT, GROUP (PRE MOD. 509)	1	—	—	
						Spares for :—				
325	E.A1.12.131					Bush	1	S11	C	
4616	E.A3.12.163					BRACKET, HINGE, FITTING TAILPLANE, PORT, GROUP (MOD. 509)	1	—	B	
						Spares for :—				
5867	E.A3.12.267					Bush (Mod. 1048)	1	S11	C	
	E.A1.12.114					BRACKET, HINGE, FITTING, TAILPLANE, STARBOARD, GROUP (PRE MOD. 509)	1	—	—	
						Spares for :—				
326	E.A1.12.129					Bush	1	S11	C	
4617	E.A3.12.164					BRACKET, HINGE, FITTING, TAILPLANE, STARBOARD, GROUP (MOD. 509)	1	—	B	
						Spares for :—				
5868	E.A3.12.265					Bush (Mod. 1048)	—	—	C	
	E.A1.12.441					Bracket, picketing	1	—	C	
31506	E.A1.12.229					Cleat, tee, forward frame 42 stringer attachment	1	DTD.683	C/MR	
	E.A1.12.231					Cleat, tee, aft, rear longeron attachment, port	1	DTD.683	MR	
	E.A1.12.232					Cleat, tee, aft, rear longeron attachment, starboard	1	DTD.683	MR	
327	E.A1.12.447					Plug, c/w attachment blanking for picketing point at frame 42	1	—	C	
	E.A2.12.153					STRUCTURE, HATCH, COAMING, ASSEMBLY	—	—	—	
						Spares for :—				
3691	E.A2.83.575					Door, sliding, assembly	1	—	A	
6525	E.A2.00.129					Door, sliding, assembly (For non-interchangeable A/C W.E.135-W.E.149)	1	—	A	

FUSELAGE REAR PORTION

Ref. No.	Part No.						No. off	Matl. Spec.	Cl. of St.	Plate No.
		1	2	3	4	5			M.R. L.M.	
	E.A2.83.563					WINDOW, DIAPHRAGM, ASSEMBLY	1	—	—	
						Spares for :—				
5642	E.A2.83.579					Glass, camera window	1	—	C	
5643	E.A2.83.581					Ring, retaining	1	DTD.610	C	
5644	E.A2.83.583					Ring, sealing	1	—	C	
5645	E.A2.83.587					Ring, packing	1	—	C	
5646	E.A2.83.743					Strip, rubber sealing	1	Novatex	C	
5641	E.A2.83.745					Strip, rubber sealing	1	Novatex	C	
6254	E.A1.12.391					Washer, tapered	8	DTD.390	C	
15882	E.A2.12.103					Window, rear camera	2	DTD.339	B	
	E.A1.12.593					STRUT BRACING TAILCONE AND STUB, GROUP (PRE MOD. 170)	1	—	MR	
						Spares for :—				
7215	E.A1.12.141					Bolt, special	2	S11	C/MR	
	E.A1.12.595					FORK-END, PICK-UP BRACING STAY, GROUP	2	—	—	
						Spares for :—				
9714	E.A1.12.139					Bush	4	S11	C/MR	
1097	EEAS.37/16A					Nipple, 2 BA	8	S11	C	
1099	EEAS.37/22A					Nipple, 2 BA	8	S11	C	
	EEAS.38/3A					Spoke, 2 BA (Make from 28R/6328) ...	8	S11	—	
7180	E.A3.12.273					STRUT BRACING TAILCONE AND STUB, GROUP (MOD. 170)	1	—	A/MR	
						Spares for this group are identical with those for group Pt. No. E.A1.12.593 on page 434				
	E.A1.12.11					STUB, RUDDER, ASSEMBLY	—	—	—	
						Spares for :—				
5175	E.A3.12.227					BRACKET, RUDDER STOP (PORT), GROUP	1	—	C	
						Spares for :—				
5187	E.A3.12.225					Buffer, rubber stop	1	Natural Rubber	C	

CANBERRA P.R. MK.3

Page 437

FUSELAGE REAR PORTION

Ref. No.	Part No.						No. off	Matl. Spec.	Cl. of St.		Plate No.
		1	2	3	4	5			M.R.	L.M.	
5176	E.A3.12.228	BRACKET, RUDDER STOP (STARBOARD), GROUP					1	—	C		
		Spares for :—									
5187	E.A3.12.225	Buffer, rubber stop...					1	Natural Rubber	C		
5188	E.A3.12.213	Bolt, special, rudder buffer stop bracket mounting					8	S96	C		
5189	E.A3.12.215	Bolt, special, rudder buffer stop bracket mounting					2	S96	C		
5190	E.A3.12.217	Bolt, special, rudder buffer stop bracket mounting					2	S96	C		
5191	E.A3.12.219	Bolt, special, rudder buffer stop bracket mounting					2	S96	C		
10813	E.A1.12.1427	Cover, access					1	DTD.610	C		
	E.A1.12.281	RIB, RUDDER STUB LOWER, ASSEMBLY					—	—	—		
		Spares for :—									
9722	E.A1.12.873	Strip, sealing					2	Rubber	C		
10915	E.A1.12.283	RIB, RUDDER STUB UPPER, ASSEMBLY					1	—	U		
		Spares for :—									
20832	E.A1.12.207	HINGE, RUDDER BOTTOM, GROUP					1	—	C		
		Spares for :—									
5823	E.A1.12.205	Bracket, rudder hinge					1	L45	C		
20846	E.A1.12.1427	Plate, reinforcement					1	DTD 610	C		
6254	E.A1.12.391	Washer, tapered					4	DTD.390	C		



Pages ~~437~~⁴³⁹ to 440 not issued



CANBERRA P.R. Mk. 3

Page 441

FUSELAGE REAR PORTION

Ref. No	Part No	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.	
					M.R. L.M.		
		1 2 3 4 5 6					
		SUMMARY OF STOCK ITEMS USED ON REAR FUSELAGE, ASSEMBLY					
28D/9436920	A25/1C	Bolt, 2 BA, hex. head, : "55 long ...				C	
28D/12513	A25/2C	Bolt, 2 BA, hex. head, "65 long ...				C	
28D/12531	A25/3C	Bolt, 2 BA, hex. head, "75 long ...				C	
28D/1200129	A25/4C	Bolt, 2 BA, hex. head, "85 long ...				C	
28D/12533	A25/5C	Bolt, 2 BA, hex. head, "95 long ...				C	
28D/9419397	A25/12C	Bolt, 2 BA, hex. head, 1 "65 long				C	
28D/12520	A25/4E	Bolt, 1/4" BSF, hex. head, "9 long ...				C	
28D/12542	A25/5E	Bolt, 1/4" BSF, hex. head, 1" long ...				C	
28D/12633	A25/7E	Bolt, 1/4" BSF, hex. head, 1 "2 long				C	
28D/12569	A25/10E	Bolt, 1/4" BSF, hex. head, 1 "5 long				C	
28D/13046	A25/19E	Bolt, 1/4" BSF, hex. head, 2 "4 long				C	
28D/12549	A25/20E	Bolt, 1/4" BSF, hex. head, 2 "5 long				C	
28D/12817	A25/8G	Bolt, 1/8" BSF, hex. head, 1 "35 long				C	
28D/13554	A25/5J	Bolt, 3/8" BSF, hex. head, 1 "15 long				C	
28D/12553	A25/6J	Bolt, 3/8" BSF, hex. head, 1 "25 long				C	
28D/13555	A25/8L	Bolt, 1/8" BSF, hex. head, 1 "5 long				C	
28D/13195	A25/14L	Bolt, 1/8" BSF, hex. head, 2 "1 long				C	
28D/8303	AS.1242/4B	Bolt, 4 BA, c'sk head, "75 long ...				C	
28D/12101	AGS.571/404	Bolt, shear, 1/4" BSF, "4 plain length				C	
28D/11100	AGS.571/405	Bolt, shear, 1/4" BSF, "5 plain				C	
28D/12578	AGS.571/506	Bolt, shear, 1/8" BSF, "6 plain				C	
28D/12580	AGS.571/604	Bolt, shear, 3/8" BSF, "4 plain				C	
28D/8141	AGS.571/605	Bolt, shear, 3/8" BSF, "5 plain				C	
28D/12582	AGS.571/611	Bolt, shear, 3/8" BSF, 1 "1 plain				C	
28D/8089	AGS.571/612	Bolt, shear, 3/8" BSF, 1 "2 plain				C	
28D/8309	AS.1242/4C	Bolt, 2 BA, c'sk head, "8 long				C	
28D/8325	AS.1242/4E	Bolt, 1/4" BSF, c'sk head, "85 long				C	
28D/8300	AS.1242/1B	Bolt, 4 BA, c'sk head, "45 long ...				C	
28D/8308	AS.1242/3C	Bolt, 2 BA, c'sk head, "7 long ...				C	
28M/12929	A27/CP	Nut, 2 BA, plain				C	
28M/12928	A27/EP	Nut, 1/4" BSF, plain				C	
28M/12931	A27/ET	Nut, 1/4" BSF, plain				C	
28M/13375	A27/GP	Nut, 1/8" BSF, plain				C	
28M/13326	A27/GT	Nut, 1/8" BSF, plain				C	
28M/13295	A27/JP	Nut, 3/8" BSF, plain				C	
28M/13028	A27/JT	Nut, 3/8" BSF, plain				C	
28M/13553	A27/LP	Nut, 1/8" BSF, plain				C	
28M/13259	A27/NS	Nut, 1/4" BSF, slotted				C	
28M/7727	AGS.572/E	Nut, 3/8" BSF, thin, slotted				C	
28M/10287	AGS.2001/B/1	Nut, stiff, 4 BA				C	
28M/10280	AGS.2001/B/3	Nut, stiff, 4 BA				C	
28M/10288	AGS.2001/C/1	Nut, stiff, 2 BA				C	
28M/10290	AGS.2001/E/1	Nut, stiff, 1/4" BSF				C	
28M/10327	AGS.2002/B/1	Nut, stiff, 4 BA				C	
28M/10330	AGS.2002/E/1	Nut, stiff, 1/4" BSF				C	
28M/11957	AGS.2007/C/1	Nut, stiff, 2 BA				C	
28M/12050	AGS.2007/C/3	Nut, stiff, 2 BA				C	
28M/8924	BD.3	Nut, plate, 4 BA, Aerotight				C	
28M/8925	CD.3	Nut, plate, 2 BA, Aerotight				C	
28M/11402	EE.1	Nut, stiff, 1/4" BSF				C	

FUSELAGE REAR PORTION

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
28P/1207	AGS.166/3	Pin, split, $\frac{1}{16}$ " dia. x 1" long	...	...	C	
28P/9429652	SP.9/E10	Pin, split, $\frac{3}{32}$ " dia. x $1\frac{1}{4}$ " long	...	...	C	
28W/9419475	SP15/C	Washer, 2 BA, plain	...	...	C	
28W/9419405	SP15/E	Washer, $\frac{1}{4}$ " BSF, plain	...	...	C	
28W/9419476	SP15/G	Washer, $\frac{3}{16}$ " BSF, plain	...	...	C	
28W/9419477	SP15/J	Washer, $\frac{3}{8}$ " BSF, plain	...	...	C	
28W/9419478	SP15/L	Washer, $\frac{7}{16}$ " BSF, plain	...	...	C	
28W/9419479	SP15/N	Washer, $\frac{1}{2}$ " BSF, plain	...	...	C	
28W/9419404	SP16/C	Washer, 2 BA, plain	...	...	C	
28W/9419487	SP16/E	Washer, $\frac{1}{4}$ " BSF, plain	...	...	C	
28W/9419488	SP16/G	Washer, $\frac{3}{16}$ " BSF, plain	...	...	C	
28W/9419489	SP16/J	Washer, $\frac{3}{8}$ " BSF, plain	...	...	C	
28W/9419490	SP16/L	Washer, $\frac{7}{16}$ " BSF, plain	...	...	C	
28W/3099	AGS.162/D	Washer, $\frac{1}{4}$ " BSF, spring	...	...	C	
28W/9419402	SP13/C	Washer, 2 BA, plain	...	...	C	
28W/9418921	SP13/E	Washer, $\frac{1}{4}$ " BSF, plain	...	...	C	

FUSELAGE REAR FUSELAGE AND TAIL UNIT

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1 2 3 4 5 6				
	E.A2.00.45	REAR, FUSELAGE, AND TAIL UNIT, ASSEMBLY ...	—	—	—	
	E.A2.75.487	Spares for:— ARRANGEMENT OF CAMERA HEATING (MOD. 1164)	—	—	—	
	E.A2.75.509	Spares for:— Clip, pipe, special	1	DTD.610	—	
	E.A2.75.659	Clip, pipe, special (Mod. 1164)	2	DTD.610	—	
9048	EEAS.143/28	Clip, pipe, at frames 32 and 33	2	DTD.610	C	
12116	E.A2.75.489	Pipe, de-misting	1	—	C	
12115	E.A2.75.491	Pipe, assembly, from frame 31B to frame 34 to temperature control valve	1	L.54	—	
11418	E.A2.75.465	VALVE TEMPERATURE CONTROL	1	—	A	
	E.A2.75.469	Spares for:— Piston, valve	1	DTD.683	—	
	E.A2.75.477	Spring	1	DTD.215	—	
27V/	TEDDINGTON CONTROLS THT.147	Thrustat	1	—	—	
	E.A1.00.63	Controls to Rudder and Elevator Attachment Details (see page 587)	—	—	—	
	E.A2.45.531	Controls, Flying, in Rear Fuselage (see page 123) ...	—	—	—	
	E.A2.81.11	Electrical Equipment in Rear Fuselage (see page 265)	—	—	—	
	E.B8.83.1005	EQUIPMENT, REAR FUSELAGE, ASSEMBLY (MOD. 1287)	—	—	—	
	E.B8.80.1773	Spares for:— STOWAGE, SURVIVAL PACK, BETWEEN FRAMES 36 AND 37, PORT, ASSEMBLY	—	—	—	
	E.B8.80.1775	Spares for:— CRATE AND STRAP, ASSEMBLY	1	—	—	
	E.B8.80.1783	Spares for:— CRATE, ASSEMBLY	1	—	—	
31027	E.B8.80.3201	Spares for:— Nut, knurled	1	L.64, L.65 or DTD.683	C	
14714	E.B8.80.1787	Frame, hinged	1	—	C	
14710	E.B8.80.1789	Strap, 1" wide	2	Comm. webbing	C	
14711	E.B8.80.1791	Strap, 1" wide, c/w buckle	2	Comm. webbing	C	
14712	E.B8.80.1795	Strap, 1" wide, c/w buckle	1	Comm. webbing	C	
14713	E.B8.80.1797	Strap, 1" wide	1	Comm. webbing	C	

FUSELAGE REAR FUSELAGE AND TAIL UNIT

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
	E.B8.80.1774	STOWAGE, SURVIVAL PACK, BETWEEN FRAMES 36 AND 37, STARBOARD, ASSEMBLY Spares for this assembly are identical with those for assembly Pt. No. E.B8.80.1773, except for the following deletion and addition Delete:—	—	—	—	
	E.B8.80.1775	CRATE AND STRAP, ASSEMBLY Add:—	1	—	—	
	E.B8.80.1776	CRATE AND STRAP, ASSEMBLY	1	—	—	
12878	E.A2.12.45	FAIRING, REAR, GROUP (MOD. 1278) Spares for:—	1	—	A	
12189	E.A2.12.293	DOOR, ACCESS, FORWARD NAVIGATION LIGHT, GROUP Spares for:—	1	—	C	
12190	E.A2.12.309	Packing, rubber	2	Linatex	C	
	E.A2.12.311	Packing	1	L.78	—	
12191	E.A2.12.303	Window, perspex	1	—	C	
11019	E.A1.12.577	Panel, access, rear, port	1	—	B	
11020	E.A1.12.578	Panel, access, rear, starboard	1	—	B	
7209	E.A1.12.967	Panel, access, rear tailplane controls	1	—	B	
2994	E.A1.12.583	Radome, dummy	1	—	A	
2989	E.A1.32.1	FIN, TAIL, GROUP Spares for:—	1	—	A	
3635	E.A1.32.767	Panel, access, rudder tab actuator, lever and actuator	1	—	C	
3634	E.A1.32.769	Panel, access, rudder control tube and lower mass balance	1	—	C	
	E.A1.00.55	Fin to Fuselage Attachment Details (see page 586) ...	—	—	—	
	E.A2.12.1	Fuselage, Rear (see page 433)	1	—	—	
	E.A3.83.143	INSTALLATION OF ENGINE, CARTRIDGE STOW- AGE Spares for:—	—	—	—	
10950	E.A3.83.161	ENGINE CARTRIDGE MOUNTING, ASSEMBLY Spares for:—	1	—	C/MR	
	E.A3.83.163	BRACKET, CARTRIDGE MOUNTING, GROUP Spares for:—	6	—	—	
2462	E.A3.83.55	Band, wire	1	—	C	
2461	E.A3.83.53	Clip, assembly	1	—	C	
3071	E.A1.12.597	Plate, sealing, tailplane to fuselage, forward, port ...	1	—	C/MR	
3072	E.A1.12.598	Plate, sealing, tailplane to fuselage, forward, starboard	1	—	C/MR	

CANBERRA P.R. Mk. 3

Page 445

FUSELAGE

REAR FUSELAGE AND TAIL UNIT

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
3073	E.A1.12.599	Plate, sealing, tailplane to fuselage, aft, port ...						1	—	C/MR	
3074	E.A1.12.600	Plate, sealing, tailplane to fuselage, aft, starboard ...						1	—	C/MR	
	E.A1.00.59	Rear Fairing to Fuselage Attachment Details (see page 587)						—	—	—	
	E.A1.00.57	Rudder to Fin and Fuselage Attachment Details (see page 586)						—	—	—	
2990	E.A1.33.1	Rudder, c/w tab (Pre-Mod. 894) (see page 933) ...						1	—	A	
5173	E.A3.33.1	Rudder, c/w Tab (Mod. 894) (see page 933) ...						1	—	A	
	E.A1.00.19	Tailplane and Elevators (see page 947) ...						—	—	—	
	E.A1.00.53	Tailplane to Rear Fuselage Attachment Details (see page 586)						—	—	—	
	E.B7.57.293	VENTING, FUEL, BETWEEN FRAME 30 AND FRAME 40, ASSEMBLY (MOD. 1462) Spares for:—						—	—	—	
25546	E.B7.57.315	Bracket, for vent pipe ...						9	L.59	C/MR	
25547	E.B7.57.317	Clip, for vent pipe ...						9	L.59	C/MR	
	EEAS.164/40/45	Hose, rubber, 2½" i/d x 3" o/d x 4½" long, type 1 (Make from Ref. 32C/380)						4	DTD.625	LM	
25542	E.B7.57.305	Pipe, vent, between frames 30 and 33 ...						1	L.56	C	
25543	E.B7.57.307	Pipe, vent, continuation ...						1	L.56	C	
25544	E.B7.57.309	Pipe, vent, continuation ...						1	L.54 or L.56	C	
25545	E.B7.57.311	Pipe, vent, continuation ...						1	L.56	C	
	E.G4.57.7	VENT, FUEL, OUTLET, INSTALLATION (MOD. 4112) Spares for:—						—	—	—	
25541	E.B7.57.303	Gasket, ½" thick ...						1	Neo-K-Tex	C	
34533	E.G4.57.5	Mast, vent, outlet (Mod. 4112) ...						1	—	C	
1468	EEAS.1/2C	Screw, 2 BA, c'sk. head, 120° ...						6	S.96	C	

Restricted

[illegible]

Restricted

CANBERRA P.R. Mk. 3

Page 446A

FUSELAGE REAR FUSELAGE AND TAIL UNIT


Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
		SUMMARY OF STOCK ITEMS USED ON REAR FUSELAGE AND TAIL UNIT, ASSEMBLY				
28D/12528	A25/1B	Bolt, 4 BA, hex. head, "5 long ...			C	
28D/12810	A25/13B	Bolt, 4 BA, hex. head, 1"7 long ...			C	
28D/9436920	A25/1C	Bolt, 2 BA, hex. head, "55 long ...			C	
28D/12513	A25/2C	Bolt, 2 BA, hex. head, "65 long ...			C	
28D/12531	A25/3C	Bolt, 2 BA, hex. head, "75 long ...			C	
28D/12533	A25/5C	Bolt, 2 BA, hex. head, "95 long ...			C	
28D/8308	AS.1242/3/C	Bolt, 2 BA, c'sk head, "7 long ...			C	
28D/10764	AS.1248/1/2B	Bolt, 4 BA, mushroom head, "4 long ...			C	
28F/8280	AGS.1142/H	Nipple, Adaptor ...			C	
28F/11906	AGS.1170/J	Nipple, Adaptor ...			C	
28M/13086	A27/BP	Nut, 4 BA, plain ...			C	
28M/13124	A27/CT	Nut, 2 BA, thin ...			C	
28M/10287	AGS.2001/B/1	Nut, stiff, 4 BA ...			C	
28M/10288	AGS.2001/C/1	Nut, stiff, 2 BA ...			C	
28M/8948	CE.3	Nut, plate, 2 BA ...			C	
28M/10332	AGS.2002/J/1	Nut, stiff, 3/8" BSF, thin ...			C	
28W/3097	AGS.162/B	Washer, spring ...			C	
28W/3101	AGS.162/F	Washer, spring ...			C	
28W/9419475	SP15/C	Washer, 2 BA ...			C	
28W/9419474	SP.15/B	Washer, 4 BA, thin ...			C	

Restricted

[illegible]


Restricted

Plate F.7



FRONT FUSELAGE - NOSE UNDERCARRIAGE DOORS





FRONT FUSELAGE - EQUIPMENT AND MAIN ENTRANCE DOORS

