

CANBERRA P.R. MK.3

Page 659

RADAR

Ref. No.	Part No.						Description	No. off	Matl. Spec.	Cl. of St. M.R. L.M.	Plate No.
		1	2	3	4	5					
	E.A2.90.1						RADAR, ASSEMBLY	—	—	—	
							Spares for :—				
	E.A2.90.5						INSTALLATION OF ARI 5610 (REBECCA MK.4)	—	—	—	
							Spares for :—				
	E.A3.90.129						INSTALLATION OF TX PROBE AERIAL	—	—	—	
							Spares for :—				
4536	E.A3.90.127						Tube, probe, assembly	1	—	C	
	E.A2.90.9						INSTALLATION OF I.F.F. MK.3, G.R. ASSEMBLY	—	—	—	
							Spares for :—				
	E.A3.90.89/1						CABLE, ASSEMBLY, I.F. 1, FROM PRESSURE BULKHEAD TO I.F.F. CONTROL UNIT, GROUP	1	—	—	
							Consisting of :—				
5E/3079	→						Cable, Quinpren 6	QR	—	C	
33C/1138	→						Cement, Bostik	QR	—	C	
5X/240	PLESSEY Z.2277/2						Ferrule, cut	1	—	C	
10H/254	→						Plug, 5 way, type 172	1	—	B	
5K/	→						Sleeve, $\frac{3}{4}$" long	5	—	—	
5K/	→						Sleeve, 1" long	2	—	—	
5X/3148	PLESSEY Z.49428						Sleeve, cable	5	—	C	
5X/6196	PLESSEY CZ.50409						Socket, reverse, size Z	1	—	B	
	E.A2.90.51						CABLE, ASSEMBLY, I.F. 1A, FROM PRESSURE BULKHEAD TO I.F.F. RECEIVER R.3121, GROUP	1	—	—	
							Consisting of :—				
5E/3079	→						Cable, Quinpren 6	QR	—	C	
33C/1138	→						Cement, Bostik	QR	—	C	
5X/240	PLESSEY Z.2277/2						Ferrule, cut	1	—	C	

RADAR

Ref. No.	Part No.						No. off	Matl. Spec.	Cl. of St.	Plate No.
		1	2	3	4	5			M.R. L.M.	
10H/254	→					Plug , 5 way, type 172	1	—	B	
5K/	→					Sleeve , $\frac{3}{4}$ " long	5	—	—	
5K/	→					Sleeve , 1" long	2	—	—	
5X/3148	PLESSEY Z.49428					Sleeve , cable	5	—	C	
5X/6190	PLESSEY CZ.50400					Socket , 5 way, size Z	1	—	B	
32B/498	→					Thread , waxed linen, No. 18	QR	—	C	
	E.A3.90.93/1					CABLE, ASSEMBLY, I.F.2 FROM PRESSURE BULKHEAD TO I.F.F. CONTROL UNIT, GROUP Consisting of :—	1	—	—	
5E/3038	→					Cable , Unipren 6	QR	—	C	
5E/3040	→					Cable , Unipren 12	QR	—	C	
5X/6416	EEAS.88/1					Ferrule , special	1	—	C	
10H/258	→					Plug , 7 way, type 174	1	—	B	
5X/1529	PLESSEY Z.18501/A					Ring , clamp, size A	1	—	C	
	EEAS.118/1/IF2					Sleeve , identification, P.V.C.	2	—	—	
5K/	→					Sleeve , $\frac{3}{4}$ " long	10	—	—	
5X/3148	PLESSEY Z.49428					Sleeve , cable	3	—	C	
5X/6196	PLESSEY CZ.50409					Socket , reverse, size Z	1	—	B	
32B/498	→					Thread , waxed linen, No. 18	QR	—	C	
5F/	→					Tubing , P.V.C., 9.5 m/m x 1 m/m	QR	—	—	
	E.A2.90.53					CABLE, ASSEMBLY, I.F. 2A FROM PRESSURE BULKHEAD TO I.F.F. RECEIVER, R.3121 GROUP Consisting of :—	1	—	—	
5E/3038	→					Cable , Unipren 6	QR	—	C	
5E/3040	→					Cable , Unipren 12	QR	—	C	

CANBERRA P.R. MK.3

Page 661

RADAR

Ref. No.	Part No.	Description					No. off	Matl. Spec.	Cl. of St.	Plate No.
									M.R. L.M.	
5X/6416	EEAS.88/1					Ferrule, special	1	—	C	
5X/1529	PLESSEY Z.18501/A					Ring, clamp, size A	1	—	C	
	EEAS.118/1/ IF.2A					Sleeve, identification, P.V.C.	2	—	—	
5K/	→					Sleeve, $\frac{3}{4}$ " long	10	—	—	
5X/3148	PLESSEY Z.49428					Sleeve, cable	3	—	C	
5X/6190	PLESSEY CZ.50400					Socket, 5 way, size Z	1	—	B	
10H/256	→					Socket, 7 way, type 105	1	—	B	
32B/498	→					Thread, waxed linen, No. 18	QR	—	C	
5F/	→					Tubing, P.V.C. 9.5 m/m x 1 m/m... ..	QR	—	—	
	E.A3.90.97/1					CABLE, ASSEMBLY, I.F.3, FROM PILOT'S RADIO PANEL TO I.F.F. CONTROL, TYPE 1, GROUP Consisting of :—	1	—	—	
5E/3078	→					Cable, Triprene 24	QR	—	C	
5K/	→					Sleeve, 1" long	2	—	—	
10H/13079	→					Socket, 5 way, type 395	1	—	B	
	E.A2.90.55					WIRING AND CLIPPING, RADAR CABLES, CENTRE FUSELAGE Spares for :—	—	—	—	
	E.A2.81.355					Fairlead	2	LFS.21	—	
	E.B7.90.53					Fairlead (Mod. 1025)	2	LFS.21	—	
	E.B7.90.55					Fairlead (Mod. 1025)	2	LFS.21	—	
	E.B7.90.57					Fairlead (Mod. 1025)	2	LFS.21	—	
	E.A2.90.59					Fairlead	1	LFS.21	—	
	E.B7.90.59					Fairlead (Mod. 1025)	2	LFS.21	—	
	E.A2.90.67					Fairlead	1	LFS.21	—	



Pages 663 to 672 not issued



CANBERRA P.R. MK.3

Page 673

RADAR

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
		SUMMARY OF STOCK ITEMS USED ON RADAR, ASSEMBLY				
28D/9419452	A25/3B	Bolt, 4 BA, hex. head, "7 long	...		C	
28D/12544	A25/8E	Bolt, 1/2" BSF, hex. head, 1"3 long	...		C	
28D/12837	A28/1C	Bolt, 2 BA, hex. head, "55 long	...		C	
28D/11564	AS.1246/1C	Bolt, 2 BA, round head, "47 long	...		C	
28M/12928	A27/EP	Nut, 1/2" BSF, plain	...		C	
28M/10318	AGS.2002/B/3	Nut, stiff, 4 BA	...		C	
28S/7716	A40/B8	Screw, 4 BA, round head, 1/2" long	...		C	
28W/9419474	SP.15/B	Washer, 4 BA, thin	...		C	
28W/9419404	SP.16/C	Washer, 2 BA, thick	...		C	

Restricted

[illegible]

Restricted