

CANBERRA P.R. MK.3

Page 675

RADIO AND INTER-COMM.

Ref. No.	Part No.						No. off	Matl. Spec.	Ct. of St. M.R. L.M.	Plate No.
		1	2	3	4	5				
	E.A2.82.1	RADIO AND INTER-COMM. FRONT FUSELAGE, ASSEMBLY					—	—	—	
		Spares for :—								
	E.A3.82.35	CONNECTOR, V.H.F. AERIAL, ASSEMBLY, PORT					—	—	—	
		Spares for :—								
2490	E.A6.82.77	Bracket , connector, 12 SWG					1	BSS.265	C	
2491	E.A6.82.69	Strip , connecting, (c/w plug type 83, Ref 10H/9113)					1	—	B	
	E.A3.82.36	CONNECTOR, V.H.F. AERIAL, ASSEMBLY, STARBOARD					—	—	—	
		Spares for :—								
4506	E.A4.82.99	Bracket , connector, 12 SWG (Mod. 1273)...					1	BSS.265	C	
2491	E.A6.82.69	Strip , connecting (c/w plug type 83, Ref. 10H/9113)					1	—	B	
	E.A2.82.79	INSTALLATION OF TEL/MIC TERMINAL BLOCKS					—	—	—	
		Spares for :—								
8351	E.A3.82.113	CABLE ASSEMBLY, TEL/MIC SOCKET, GROUP					1	—	B	
		Consisting of :—								
10A/13766	→	Bracket					2	—	C	
5E/3206	→	Cable , Quadrametvinsmall 2.5					QR	—	C	
32A/94	→	Cord , braided waxed					QR	—	C	
5K/	→	Sleeve , $\frac{3}{4}$ " long					6	—	—	
10H/8574	→	Socket , tel/mic					1	—	B	
32B/498	→	Thread , waxed linen, No. 18					QR	—	C	
	E.A1.82.3	PANEL, PILOT'S RADIO, INSTALLATION					—	—	—	
		Spares for :—								
	E.A6.82.5	PANEL, GROUP					—	—	—	
		Spares for :—								
5E/3038	→	Cable , Unipren 6					QR	—	C	
5E/3040	→	Cable , Unipren 12					QR	—	C	

RADIO AND INTER-COMM.

Ref. No.	Part No.						No. off	Matl. Spec.	Cl. of St. M.R. L.M.	Plate No.
		1	2	3	4	5				
5K/	E.A1.82.113					Cleat, cable	1	LFS.21	—	
	EEAS.146/A					Sleeve, $\frac{3}{4}$ " long	14	—	—	
	E.A2.82.21					Panel, V.H.F. relay, complete	1	—	—	
	E.A2.82.17					V.H.F. AND I/C WIRING, ASSEMBLY ... (MOD. 1025) Spares for :—	—	—	—	
	E.A1.82.41/1					CABLE, ASSEMBLY, V.H.F. RELAY PANEL EARTH CONNECTION, GROUP Consisting of :—	2	—	C	
5E/3042	→					Cable, Unipren 24	QR	—	C	
5K/6509	70009					Lug, connecting	1	—	C	
5K/	EEAS.146/C					Sleeve, $\frac{3}{4}$ " long	1	—	—	
5K/	EEAS.146/C					Sleeve, 1" long	1	—	—	
2493	E.A2.82.43					CABLE, ASSEMBLY, RT12, FROM PRESSURE BULKHEAD CONNECTION TO V.H.F. RELAY PANEL, GROUP Consisting of :—	1	—	C	
5E/3060	→					Cable, Dupren 6	QR	—	C	
5E/3098	→					Cable, Duprenmet 6	QR	—	C	
5E/2112	→					Cable, Trivin 4	QR	—	C	
33C/1138	→					Cement, Bostik	QR	—	C	
5K/80	AGS.1657/2					Collet	1	—	C	
32A/94	→					Cord, braided, waxed	QR	—	C	
5X/1558	→					Nut, coupling	1	—	C	
5K/	→					Sleeve, $\frac{3}{4}$ " long	20	—	—	
5K/	→					Sleeve, 1" long	2	—	—	
5K/31	AGS.1651/8					Sleeve, type 1, circular	1	—	C	
10H/3162	→					Socket, type W492	1	—	B	
32B/498	→					Thread, waxed linen, No. 18	QR	—	C	
5E/3141	→					Wire, tinned copper, 32 SWG	QR	—	C	

CANBERRA P.R. MK.3

Page 677

RADIO AND INTER-COMM.

Ref. No.	Part No.						No. off	Matl. Spec.	Cl. of St. M.R. L.M.	Plate No.
		1	2	3	4	5				
	E.A2.82.99					CABLE ASSEMBLY, RT13, FROM I/C RELAY PANEL TO CONNECTION AT PRESSURE BULKHEAD, GROUP (MOD. 1025) Consisting of :—	1	—	—	
5E/3060	→					Cable, Dupren 6	QR	—	C	
5E/3098	→					Cable, Duprenmet 6	QR	—	C	
33C/953	→					Cement, Bostik, No. 771	QR	—	C	
5K/80	AGS.1657/2					Collet	1	—	C	
5X/1558	→					Nut, coupling	1	—	C	
5K/	EEAS.146/A					Sleeve, $\frac{3}{4}$ " long	10	—	—	
5K/	EEAS.146/A1					Sleeve, $\frac{3}{4}$ " long	10	—	—	
5K/	EEAS.146/C					Sleeve, $\frac{3}{4}$ " long	3	—	—	
5K/	EEAS.146/D					Sleeve, $\frac{3}{4}$ " long	2	—	—	
5K/	EEAS.146/G					Sleeve, 1" long	2	—	—	
5K/2609	AGS.1651/12					Sleeve, type 1, circular	1	—	C	
10H/3168	→					Socket, type W494	1	—	B	
5F/2279	HV.3254					Strap, Hellerman	QR	—	C	
5F/2307	HV.3255					Stud, Hellerman	16	—	C	
8358	E.A3.82.59/1					CABLE ASSEMBLY, RT20, FROM TERMINAL BOARD TO MIC/TEL, AT PILOT'S SEAT, GROUP Consisting of :—	1	—	B	
5E/3060	→					Cable, Dupren 6	QR	—	C	
5E/3098	→					Cable, Duprenment 6... ..	QR	—	C	
5K/	→					Sleeve, $\frac{3}{4}$ " long	8	—	—	
5K/	→					Sleeve, 1" long	5	—	—	
10H/2206	→					Socket, type 359	3	—	B	
5K/1596	ROSS COURTNEY PO.29					Tag	12	—	C	
32B/498	→					Thread, waxed linen No. 18	QR	—	C	
5E/3141	→					Wire, tinned coper, 32 SWG	QR	—	C	

RADIO AND INTER-COMM.

Ref. No.	Part No.						Description	No. off	Matl. Spec.	Cl. of St. M.R. L.M.	Plate No.
		1	2	3	4	5					
	E.A2.82.91						CABLE, ASSEMBLY, RT21, FROM TERMINAL BOARD TO MIC/TEL AT NAVIGATOR'S SEAT, GROUP Spares for this group are identical with those for group Pt. No. E.A3.82.59/1 on page 677 except for the following deletions and addition Delete :—	1	—	—	
5K/	→						Sleeve, $\frac{3}{4}$ " long	8	—	—	
5K/	→						Sleeve, 1" long	5	—	—	
							Add :—				
5K/	→						Sleeve, 1" long	12	—	—	
	E.A2.82.103						CABLE, ASSEMBLY, RT23, FROM I/C RELAY PANEL TO CONTROL COLUMN SWITCH TERMINAL BLOCK, GROUP (MOD. 1025) Consisting of :—	1	—	—	
5E/3060	→						Cable, Dupren 6	QR	—	C	
5K/	EEAS.146/A						Sleeve, $\frac{3}{4}$ " long	4	—	—	
5K/	EEAS.146/C						Sleeve, $\frac{3}{4}$ " long	2	—	—	
8536	E.B7.82.29						CABLE, ASSEMBLY, I/C RELAY PANEL EARTH CONNECTION, GROUP (MOD. 1025) Consisting of :—	—	—	C	
5E/3040	—						Cable, Unipren 12	QR	—	C	
5X/6504	—						Lug, 4 BA	1	—	C	
5K/	EEAS.146/A						Sleeve, $\frac{3}{4}$ " long	1	—	—	
5K	EEAS.146/A1						Sleeve, $\frac{3}{4}$ " long	1	—	—	

CANBERRA P.R. MK.3

Page 679

RADIO AND INTER-COMM.

Ref. No.	Part No.						No. off	Matl. Spec.	Cl. of St. M.R. L.M.	Plate No.
		1	2	3	4	5				
8543	E.A3.82.75/1	CABLE ASSEMBLY, RT28, CONNECTION BETWEEN PILOT'S AND FORWARD MIC/TEL TERMINAL BLOCKS, GROUP					1	—	C	
		Consisting of :—								
5E/3060	→	Cable, Dupren 6					QR	—	C	
5E/3098	→	Cable, Duprenmet 6					QR	—	C	
5K/	EEAS.146/A	Sleeve, $\frac{3}{4}$ " long					8	—	—	
5K/	EEAS.146/B	Sleeve, 1" long					4	—	—	
5K/	EEAS.146/D	Sleeve, 1" long					2	—	—	
32B/498	→	Thread, waxed linen, No. 18					QR	—	C	
5E/3141	→	Wire, tinned copper, 32 SWG					QR	—	C	
	E.A2.82.101	CABLE ASSEMBLY, RT19, FROM I/C RELAY PANEL TO PILOT'S V.H.F. CONTROL PANEL, GROUP					1	—	—	
		Consisting of :—								
5E/3060	—	Cable, Dupren 6					QR	—	C	
5K/	EEAS.146/A	Sleeve, $\frac{3}{4}$ " long					8	—	—	
5K/	EEAS.146/C	Sleeve, $\frac{3}{4}$ " long					4	—	—	
5K/	EEAS.146/D	Sleeve, 1" long					2	—	—	
5F/2279	HV.3254	Strap, Hellerman					QR	—	C	
5F/2307	HV.3255	Stud, Hellerman					80	—	C	
	E.A2.82.105	CABLE ASSEMBLY, RT26, FROM I/C RELAY PANEL TO PILOT'S AND NAVIGATOR'S MIC/TEL TERMINAL BLOCK, GROUP (MOD. 1025)					1	—	—	
		Consisting of :—								
5E/3060	→	Cable, Dupren 6					QR	—	C	
5E/3098	→	Cable, Duprenmet 6					QR	—	C	
5K/	EEAS.146/A	Sleeve, $\frac{3}{4}$ " long					8	—	—	
5K/	EEAS.146/C	Sleeve, $\frac{3}{4}$ " long					2	—	—	

RADIO AND INTER-COMM.

Ref. No.	Part No.						No. off	Matl. Spec.	Cl. of St.		Plate No.
		1	2	3	4	5			M.R.	L.M.	
5K/	EEAS.146/D					Sleeve, $\frac{3}{4}$ " long	2	—	—		
5K/	EEAS.146/D1					Sleeve, 1" long	2	—	—		
5F/2279	HV.3254					Strap, Hellerman	QR	—		C	
5F/2307	HV.3255					Stud, Hellerman	40	—		C	
5E/3141	→					Wire, tinned copper, 32 SWG	QR	—		C	
	E.A2.82.107					CABLE, ASSEMBLY, RT27, FROM I/C RELAY PANEL TO NAVIGATOR'S MIC/TEL TERMINAL BLOCK, GROUP Spares for this group are identical with those for group Pt. No. E.A2.82.105 on page 679	1	—	—		
10B/16799	GIRDLESTONE PUMPS LTD. A.751/A					Stub, matching, V.H.F. aerial, type 13 ...	1	—		B	
10B/16800	GIRDLESTONE PUMP LTD. A.751/B					Stub, matching, V.H.F. aerial, type 14 ...	1	—		B	

Pages 681 to 690 not issued



RADIO AND INTER-COMM.

Ref. No.	Part No.						Description	No. off	Matl. Spec.	Cl. of St.	Plate and Illust'n No.
		1	2	3	4	5				M.R.	
SUMMARY OF STOCK ITEMS USED ON RADIO AND INTER- COMM, ASSEMBLY											
28D/12512	A.25/1/C	Bolt, 2 BA, hex. head, .75 long					...	...		C	
28D/12633	A.25/7E	Bolt, 1" BSF, hex. head, 1.15 long					...	...		C	
28D/12138	AS.1246/10B	Bolt, 4 BA, round head, 1.35 long					...	...		C	
28D/12288	AS.1246/20C	Bolt, 2 BA, round head, 2.4 long					...	...		C	
28D/12142	AS.1246/21C	Bolt, 2 BA, round head, 2.5 long					...	...		C	
28M/10286	AGS.2001/A/1	Nut, stiff, 6 BA					...	...	...	C	
28M/10287	AGS.2001/B/1	Nut, stiff, 4 BA					...	...	...	C	
28M/10288	AGS.2001/C/1	Nut, stiff, 2 BA					...	...	...	C	
28M/10290	AGS.2001/E/1	Nut, stiff, 1/4" BSF					...	...	...	C	
28M/10327	AGS.2002/B/1	Nut, stiff, 4 BA					...	...	...	C	
28S/	A.32/C16	Screw, 2 BA, round head, 1/2" long					...	...		C	
28S/	A.32/B12	Screw, 4 BA, round head, 3/8" long					...	...		C	
28S/	A.32/A12	Screw, 6 BA, round head, 3/8" long					...	...		C	
28S/	A.32/A16	Screw, 6 BA, round head, 1/2" long					...	...		C	
28S/	A.33/A20	Screw, 6 BA, c'sk head, 5/8" long					...	...		C	
28W/3098	AGS.162/B	Washer, 4 BA, spring					...	...	...	C	
28W/12296	SP.15/C	Washer, 2 BA, plain					...	...	...	C	

RADIO AND INTER-COMM.[illegible]