

UNDERCARRIAGE **MAIN UNDERCARRIAGE, PORT**

Ref. No	Part No.	Description						No off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.A1.40.1	MAIN UNDERCARRIAGE, PORT, ASSEMBLY ...						1	—	—	
		Consisting of:—									
1460	E.A3.40.5	LEG, OLEO (LESS WHEEL, FIXED FAIRING AND BRAKE UNIT), GROUP						1	—	A	U.1
		Consisting of:—									
27G/4069	DUNLOP AH.9597	BRAKE , unit (For spares see AP.4515C, Sect. 2, Chap. 37)						1	—	A	U.1
		Attaching parts for AH.9597:—									
2168	E.A6.40.35	Bolt	...	...	...	...	...	10	S.97	C	U.1
28M/13259	A27/NS	Nut, 1/2" BSF	...	...	...	...	...	10	—	C	U.1
2169	E.A3.40.43	Washer	...	...	...	...	...	10	DTD.124A	C	U.1
27A/2852	DUNLOP DR.4521 or FIRESTONE ZA.341 or GOODYEAR GA.1209	COVER , outer ...						1	—	B	U.1
3060	E.A3.20.853	FAIRING, FIXED, GROUP (Supplied with trim allowance)						1	—	B	U.1
		Spares for:—									
21164	E.A3.20.2869	PANEL, HINGE, ASSEMBLY ...						1	—	B	
		Spares for:—									
	E.A1.20.1679	HINGE (Make from 28N/10263) ...						1	—	LM	
3025	E.A1.20.1675	PANEL , hinge, 16 SWG ...						1	L.72	C	
520	E.A1.40.435	SPRING ...						2	—	C	
1413	E.A1.20.6817	PANEL , access, picket point ...						1	—	C	U.1
	E.A3.20.1627	SEAL , 3/8" dia. x 90" long (Make from Ref. 4432)						1	Synthetic Rubber	LM	U.1
		Attaching parts for E.A3.20.853:—									
4174	E.A1.40.519	Bolt, securing, fixed fairing mounting brackets to leg (Made from A25/5G)						8	—	C	
28W/3100	AGS.162/E	Washer, 1/2" BSF ...						8	—	C	
42537	E.A3.40.233	LEG, SLIDING AND OLEO HEAD, GROUP (MOD. 4270)						1	—	A	
		Spares for:—									
661	E.A1.40.153	BUSH , bearing, torque link, centre joint ...						4	DTD.412	C	U.2
	E.A3.40.231	HEAD, OLEO, GROUP (MOD. 4270) ...						1	—	—	
		Spares for:—									
663	E.A1.40.89	BEARING , spherical seated, ball joint side stay						1	S.11	C	U.2
		Attaching parts for E.A1.40.89:—									
664	E.A1.40.101	Bush, bearing ...						1	DTD.1412	C	U.2
674	E.A1.40.95	Ring, lower, retaining, ball joint ...						1	DTD.124	C	U.2
676	E.A1.40.97	Ring, upper, retaining, ball joint ...						1	DTD.124	C	U.2
680	E.A1.40.99	Stud, retaining rings ...						12	S.11	C	U.2
	E.A9.40.63	BUSH , pivot (Mod. 4270) ...						2	—	C	
666	E.A1.40.111	BUSH , torque link lug ...						2	DTD.412	C	U.2
		Attaching parts for E.A1.40.111:—									
673	E.A1.40.679	Plug, bearing bush, retaining ...						1	L.40	C	U.2
667	E.A1.40.133	DISC , sealing, piston dowel plug ...						2	L.40	C	U.2
		Attaching parts for E.A1.40.133:—									
679	E.A1.40.625	Screw, retaining plug dowel seal ...						1	L.40	C	U.2

UNDERCARRIAGE **MAIN UNDERCARRIAGE, PORT**

Ref. No	Part No.	Description					No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5				
668	E.A1.40.131						2	S.11	C	U.2
42058	E.A9.40.55						1	DTD.5094	A/MR	
669	E.A1.40.103						2	M.S. Wire	C	U.2
20656	E.A1.40.127						1	—	B/MR	U.2
28F/8014021	AGS.1138/B						1	Alumn.	C	
	E.A1.40.17						1	—	—	U.2
1099	EEAS.37/22A						2	S.11	C	U.2
670	E.A1.40.647						1	DTD.197	C	U.2
671	E.A1.40.649						1	S.11	C	U.2
683	E.A1.40.61						3	S.11	C	U.2
672	E.A1.40.651						1	—	C	U.2
	EEAS.38/3A						1	S.11	LM	U.2
22227	E.A1.40.117						1	T.4	C	U.2
678	E.A1.40.155						2	Synthetic Rubber	C	U.2
	H. PRESSURE COMPS. LTD.									
28Y/15486	GYP.A.58						1	—	C	U.2
28D/1215078	AS.1246/5C						1	—	C	
681	E.A1.40.105						1	L.40	C	U.2
28W/1007983	AGS.162/C						1	—	C	
28F/8014021	AGS.1138/B						1	—	C	
682	E.A1.40.149						1	DTD.124	C	U.2
	E.A3.40.235						1	—	—	U.2
26640	E.A3.40.201						1	S.95	C	
684	E.A1.40.161						2	DTD.124	C	U.2
685	E.A1.40.627						1	—	C	
2467	E.A3.40.45						1	—	C	U.2
20865	E.A3.40.13						1	—	A/MR	U.2
21355	E.A3.40.23						1	L.16	C	U.2
1752	E.A3.40.17						1	—	C	U.2
1753	E.A3.40.19						1	—	C	U.2
21537	E.A3.40.21						1	—	C	U.2
14706	E.A3.40.209						1	L.65	C	
1462	E.A3.40.9						1	—	A	U.2
691	E.A1.40.41						1	S.11	C	U.2
32210	E.A3.40.221						3	S.97	C	
	E.A3.40.219						1	DTD.197	—	
693	E.A1.40.175						1	S.65	C	U.2
683	E.A1.40.61						6	S.11	C	U.2
694	E.A1.40.655						1	DTD.683	C	
14701	E.A3.40.203						1	DTD.683	C	U.2

UNDERCARRIAGE **MAIN UNDERCARRIAGE, PORT**

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
695	E.A1.40.677							2	L.40	C	U.2
696	E.A1.40.37							2	Synthetic Rubber	C	
14703	E.A3.40.213							2	Soft Rubber	C	U.2
12915	E.A1.40.45							1	S.3	C	U.2
28D/8300	AS.1242/1B							8	—	C	
697	E.A1.40.57							1	—	C	U.2
14705	E.A3.40.215							2	Fabric CX.18	C	U.2
21221	E.A1.40.635							3	DTD.138	C	
21221	E.A1.40.635							2	DTD.138	C	
21221	E.A1.40.635							1	DTD.138	C	
14700	E.A3.40.207							1	L.64	C	U.2
12913	E.A1.40.657							1	DTD.683	C	U.2
21354	E.A1.40.659							1	DTD.683	C	U.2
698	E.A1.40.661							1	Synthetic Rubber	C	
14702	E.A3.40.205							1	Soft Rubber	C	U.2
14704	E.A3.40.211							1	Soft Rubber	C	U.2
700	E.A1.40.167							1	S.1	C	
701	E.A1.40.39							1	BS.216	C	U.2
702	E.A1.40.43							1	Hard Felt	C	U.2
521	E.A1.40.467							1	—	C	U.2
522	E.A1.40.465							2	L.40	C	U.2
	E.A1.40.529							1	—	—	U.2
4173	E.A1.40.517							4	—	C	U.2
3631	E.A1.40.27							1	DTD.683	C	U.2
28M/13590	A27/SS							1	—	C	
704	E.A1.40.69							1	S.11	C	U.2
1500	E.A3.40.27							1	S.97	C	U.2
708	E.A1.40.139							1	M.S.	C	U.2
707	E.A1.40.77							1	S.11	C	U.2
709	E.A1.40.619							1	L.A.	C	U.2
711	E.A1.40.73							1	S.11	C	U.2
718	E.A1.40.147							1	DTD.412	C	U.2
713	E.A1.40.75							1	DTD.412	C	U.2
714	E.A1.40.79							1	M.S.	C	U.2
715	E.A1.40.83							1	S.11	C	U.2

UNDERCARRIAGE MAIN UNDERCARRIAGE, PORT

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
1514	E.A3.40.29	Washer, at torque link joint	...	...	...	...	...	1	S.96	C	U.2
1515	E.A3.40.31	Washer, at torque link joint	...	...	...	...	...	1	S.96	C	U.2
3632	E.A1.40.28	LINK, torque, bottom	...	...	...	...	...	1	DTD.683	C	U.2
28M/13590	A27/SS	Attaching parts for E.A1.40.28:—									
703	E.A1.40.67	Nut, 1/2" BSF	...	...	...	...	...	1	—	C	
1500	E.A3.40.27	Pin, bearing, bottom torque link	...	...	...	...	...	1	S.11	C	U.2
708	E.A1.40.139	Pin, bearing, torque link joint	...	...	...	...	...	1	S.97	C	U.2
707	E.A1.40.77	Screw, grub, backing, bottom bearing pin	...	...	...	...	...	1	M.S.	C	U.2
709	E.A1.40.619	Screw, retaining, bearing pin	...	...	...	...	...	1	S.11	C	U.2
710	E.A1.40.71	Shim, bearing, for torque link	...	...	...	...	...	1	L.A.	C	U.2
713	E.A1.40.75	Sleeve, bearing, for torque link	...	...	...	...	...	1	S.11	C	U.2
718	E.A1.40.147	Washer, bearing, thrust	...	...	...	...	...	1	DTD.412	C	U.2
714	E.A1.40.79	Washer, bearing, thrust	...	...	...	...	...	1	DTD.412	C	U.2
		Washer, locking, bearing pin retaining screw,	...	...	...	...	...	1	M.S.	C	U.2
		16 SWG									
715	E.A1.40.83	Washer, spacing at torque link joint, between	...	...	...	...	...	1	S.11	C	U.2
		link bearings									
1514	E.A3.40.29	Washer, at torque link joint	...	...	...	...	...	1	S.96	C	U.2
1515	E.A3.40.31	Washer, at torque link joint	...	...	...	...	...	1	S.96	C	U.2
28N/9156370	SP.21	NIPPLE, lubricating, 1/2" BSF	...	...	...	...	...	5	L.A.	C	
712	E.A1.40.137	TAB, locking, 16 SWG	...	...	...	...	...	1	M.S.	C	U.2
28S/1200034	A31/B16	Attaching parts for E.A1.40.137:—									
28W/3097	AGS.162/B	Screw, 4 BA	...	...	...	...	...	1	—	C	
		Washer, 4 BA	...	...	...	...	...	1	—	C	
27A/2653	DUNLOP KJ.9	TUBE, inner, 43" x 13"5 x 19"	...	...	...	...	...	1	—	A	U.1
27A/2657	DUNLOP AH.9343	WHEEL, undercarriage (For spares see A.P.4515C, Vol. 3, Pt. 1, Sect. 2, Chap. 37)						1	—	A	
	or										
27A/3635	DUNLOP AH.50439	WHEEL, undercarriage (For spares see A.P.4515C, Vol. 3, Pt. 1, Sect. 2, Chap. 37)						1	—	A	U.1
523	E.A1.40.29	STAY, SIDE, UNDERCARRIAGE, GROUP	...	...	...	...	...	1	—	A	
		(PRE-MOD. 3585)									
		Spares for:—									
528	E.A1.40.221	BOLT, connecting, undercarriage operating jack	...	...	...	...	...	1	S.65 or S.81	C	U.3
529	E.A1.40.239	BOLT, stop link stay	...	...	...	...	...	1	S.65 or S.81	C	U.3
		Attaching parts for E.A1.40.239:—									
537	E.A1.40.353	Nut, lock	...	...	...	...	...	1	S.11	C	U.3
530	E.A1.40.405	BOLT, sequence valve operating	...	...	...	...	...	1	S.11	C	U.3
7112	E.A1.40.229	BRACKET, stop bolt	...	...	...	...	...	1	S.11	C	U.3
		Attaching parts for E.A1.40.229:—									
28D/13715	A25/15L	Bolt, 1/2" BSF	...	...	...	...	...	1	—	C	
28D/1011310	A25/8L	Bolt, 1/2" BSF	...	...	...	...	...	2	—	C	
28M/9129449	A27/LS	Nut, 1/2" BSF	...	...	...	...	...	3	—	C	
7114	E.A1.40.403	BRACKET, sequence valve operating stud	...	...	...	...	...	1	L.40	C	U.3
		Attaching parts for E.A1.40.403:—									
28D/13196	A25/18L	Bolt, 1/2" BSF	...	...	...	...	...	1	—	C	
28M/9129449	A27/LS	Nut, 1/2" BSF	...	...	...	...	...	1	—	C	

UNDERCARRIAGE **MAIN UNDERCARRIAGE, PORT**

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
531	E.A1.40.199	LEVER UNDERCARRIAGE LOCK, GROUP ...						1	—	C	U.3
		Consisting of:—									
532	E.A1.40.213	BUSH ...						1	DTD.197	C	U.3
	E.A1.40.201	LEVER ...						1	S.11	—	U.3
533	E.A1.40.200	LEVER, UNDERCARRIAGE LOCK, GROUP ...						1	—	C	U.3
		Consisting of:—									
532	E.A1.40.213	BUSH ...						1	DTD.197	C	U.3
	E.A1.40.202	LEVER ...						1	S.11	—	U.3
		Attaching parts for E.A1.40.199 and E.A1.40.200:—									
525	E.A1.40.195	Bolt, hook ...						1	S.65 or S.81	C	U.3
22176	E.A1.40.351	Nut, slotted, for hook catch pin bolt (Made from A27/QS)						1	—	C	U.3
543	E.A1.40.219	Tube, distance, for undercarriage "Down" switch operating bracket						1	L.40	C	U.3
28W/9419481	SP.15/Q	Washer, $\frac{3}{8}$ " BSF ...						1	—	C	U.3
544	E.A1.40.291	Washer, tab, at undercarriage hook catch bolt, 20 SWG						1	S.3	C	U.3
547	E.A1.40.417	Washer, under tab and connecting bolts 24 SWG						1	L.72	C	U.3
13168	E.A3.40.191	LEVER, UNDERCARRIAGE "DOWN" MICRO-SWITCH, OPERATING, ASSEMBLY (MOD. 2151)						1	—	C	U.3
		Spares for:—									
179	E.A1.40.569	SCREW , tappet ...						1	S.11	C	U.3
6472	E.A1.40.225	LINK, SIDE STAY, GROUP ...						1	—	B/MR	U.3
		Spares for:—									
536	E.A1.40.227	BUSH , bearing ...						2	DTD.197	C	U.3
		Attaching parts for E.A1.40.225:—									
526	E.A1.40.197	Bolt, connecting stay and link ...						1	S.65 or S.81	C	U.3
12916	E.A1.40.347	Nut, slotted (Made from A27/WS) ...						1	—	C	U.3
538	E.A1.40.223	Plug, adaptor ...						1	L.40	C	U.3
546	E.A1.40.357	Washer, link and link stay connecting bolt, 18 SWG						1	S.3	C	U.3
	or										
37307	E.A1.40.765										
28N/9156370	SP.21	NIPPLE , lubricating, $\frac{1}{4}$ " BSF ...						3	—	C	U.3
26667	E.A3.40.193	NUT , slotted, for undercarriage operating jack bolt (Made from A27/JS) (Mod. 2151)						1	—	C	U.3
13184	E.A3.40.199	PLATE ...						1	DTD.124	C	U.3
539	E.A1.40.205	ROLLER , stop lever, assembly ...						1	—	C	U.3
		Attaching parts for E.A1.40.205:—									
527	E.A1.40.203	Bolt ...						1	S.11	C	U.3
	E.A1.40.349	Nut, slotted (Made from A27/JS) ...						1	—	—	U.3
7113	E.A1.40.233	SLEEVE , operating spring, for undercarriage lock stop						1	DTD.197	C	U.3
540	E.A1.40.237	SPRING , compression at lock stop ...						1	Spring Steel	C	U.3
	E.A1.40.31	STAY , side ...						1	DTD.683	—	U.3
541	E.A1.40.235	STOP , undercarriage lock ...						1	S.11	C	U.3
542	E.A1.40.217	TUBE , distance, undercarriage jack bolt, undercarriage "Down" switch						1	L.40	C	U.3
545	E.A1.40.355	WASHER , link and link stay connecting bolt ...						1	L.72	C	U.3

UNDERCARRIAGE MAIN UNDERCARRIAGE, PORT

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	
34172	E.A9.40.43	STAY, SIDE, UNDERCARRIAGE, GROUP (MOD. 3585)						1	—	A	U.1
		Spares for this group are identical to group Part. No. E.A1.40.29 on page 974 except for the following deletions and additions:—									
		Delete:—									
	E.A1.40.31	STAY, side						1	DTD.683	—	
		Add:—									
	E.A9.40.39	STAY, side						1	DTD.5024	—	U.3

Pages 977 to 986 not issued



CANBERRA P.R. Mk. 3

Page 987

UNDERCARRIAGE **MAIN UNDERCARRIAGE, STARBOARD**

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.A1.40.2	MAIN, UNDERCARRIAGE, STARBOARD, ASSEMBLY						1	—	—	
		Consisting of:—									
1461	E.A3.40.6	LEG, OLEO, (LESS WHEEL FIXED FAIRING AND BRAKE UNIT), GROUP						1	—	A	U.1
		Consisting of:—									
27G/2070	DUNLOP AH.9598	BRAKE unit (For spares see A.P.4515C, Sect. 2, Chap. 37)						1	—	A	U.1
		Attaching parts for AH.9598:—									
2168	E.A6.40.35	Bolt	...	...	...	...	...	10	S.97	C	U.1
28M/13259	A27/NS	Nut, 1/2" BSF	...	...	...	...	...	10	—	C	U.1
2169	E.A3.40.43	Washer	...	...	...	...	...	10	DTD.124A	C	U.1
27A/2852	DUNLOP DR.4521 or FIRESTONE ZA.341 or GOODYEAR GA.1209	COVER , outer ...						1	—	B	U.1
3061	E.A3.20.854	FAIRING, FIXED, GROUP (Supplied with trim allowance)						1	—	B	U.1
		Spares for:—									
21721	E.A3.20.2870	PANEL, HINGE, ASSEMBLY ...						1	—	B	
		Spares for:—									
	E.A1.20.1679	HINGE (Make from 28N/10363) ...						1	—	—	
3026	E.A1.20.1676	PANEL , hinge, 16 SWG ...						1	L.72	C	
1887	E.A1.40.436	SPRING ...						2	Spring Steel	C	
1413	E.A1.20.6817	PANEL , access picket point ...						1	—	C	U.1
	E.A3.20.1627	SEAL , 1/2" dia. x 90" long (Make from Ref. 4432)						1	Synthetic Rubber	—	U.1
		Attaching parts for E.A3.20.854:—									
4174	E.A1.50.519	Bolt, securing, fixed fairing, mounting bracket to leg (Made from A25/SG)						8	—	C	
28W/3100	AGS.162/E	Washer, 1/2" BSF ...						8	—	C	
42538	E.A3.40.234	LEG, SLIDING AND OLEO HEAD, GROUP (MOD. 4270)						1	—	A	
		Spares for:—									
660	E.A1.40.639	BRACKET , angle, micro switch mounting ...						1	L.72	C	U.1
		Attaching parts for E.A1.40.639:—									
28D/9140638	A25/4B	Bolt, 4 BA ...						4	—	C	
28M/9403519	A27/BP	Nut, 4 BA ...						4	—	C	
706	E.A1.40.335	Plate, packing ...						1	L.A.	C	U.1
28W/3097	AGS.162/B	Washer, 4 BA ...						4	—	C	
661	E.A1.40.153	BUSH , bearing, torque link, centre joint ...						4	DTD.412	C	U.2

UNDERCARRIAGE **MAIN UNDERCARRIAGE, STARBOARD**

Ref. No	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
662	E.A1.40.671							1	—	C	U.1
28S/9435713 28W/3097	A31/C20							2	—	C	
	AGS.162/B							2	—	C	
	E.A3.40.232							1	—	—	
663	E.A1.40.89							1	S.11	C	U.2
664	E.A1.40.101							1	DTD.412	C	U.2
675	E.A1.40.96							1	DTD.124	C	U.2
677	E.A1.40.98							1	DTD.124	C	U.2
680	E.A1.40.99							12	S.11	C	U.2
	E.A9.40.63							2	DTD.412	C	
666	E.A1.40.111							2	DTD.412	C	U.2
673	E.A1.40.679							1	L.40	C	U.2
667	E.A1.40.133							2	L.40	C	U.2
679	E.A1.40.625							1	L.40	C	U.2
668	E.A1.40.131							2	S.11	C	U.2
42059	E.A9.40.56							1	DTD.5094	A/MR	
669	E.A1.40.103							2	—	C	U.2
20656	E.A1.40.127							1	—	B/MR	U.2
28F/8014021	AGS.1138/B							1	—	C	
	E.A1.40.18							1	—	—	U.2
1099	EEAS.37/22A							2	S.11	C	U.2
670	E.A1.40.647							1	DTD.197	C	U.2
671	E.A1.40.649							1	S.11	C	U.2
683	E.A1.40.61							3	S.11	C	U.2
672	E.A1.40.651							1	—	C	U.2
	EEAS.38/3A							1	S.11	—	U.2
12914	E.A1.40.118							1	T.4	C	U.2
678	E.A1.40.155							2	Synthetic Rubber	C	U.2
28Y/15486	H.PRESSURE COMPS. LTD. GYP.A.58							1	—	C	U.2
28D/1215078	AS.1246/5C							1	—	C	
681	E.A1.40.105							1	L.40	C	U.2
28W/1007983	AGS.162/C							1	—	C	
28F/8014021	AGS.1138/B							1	—	C	
682	E.A1.40.149							1	DTD.124	C	U.2

UNDERCARRIAGE **MAIN UNDERCARRIAGE, STARBOARD**

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip.	Plate No.
										M.R. L.M.	
	E.A3.40.236					LEG, SLIDING COMPRESSION, GROUP (MOD. 4270) Spares for this group are identical with those for group Part No. E.A3.40.235 on page 972 except for the following deletions and additions:— Delete:—		1	—	—	
1462	E.A3.40.9					LEG , sliding, c/w integral axle		1	—	A	U.2
						Add:—					
1463	E.A3.40.10					LEG , sliding, c/w integral axle		1	—	A	U.2
521	E.A1.40.467					LEVER, COWL DOOR MECHANISM, GROUP Spares for:—		1	—	C	U.2
522	E.A1.40.465					BUSH , bearing		2	L.40	C	U.2
	E.A1.40.529					LEVER , operating		1	—	—	U.2
						Attaching parts for E.A1.40.467:—					
4173	E.A1.40.517					Bolt, securing (Made from A25/5E)		4	—	C	U.2
3632	E.A1.40.28					LINK , torque, top		1	DTD.683	C	U.2
						Attaching parts for this part are identical with those for Part No. E.A1.40.27 on page 973					
3631	E.A1.40.27					LINK , torque, bottom		1	DTD.683	C	U.2
						Attaching parts for this part are identical with those for Part No. E.A1.40.28 on page 974					
28N/9156370	SP.21					NIPPLE , lubricating, 1/4" BSF		5	—	C	
712	E.A1.40.137					TAB , locking, 16 SWG		1	M.S.	C	U.2
						Attaching parts for E.A1.40.137:—					
28S/1200034	A31/B16					Screw, 4 BA		1	—	C	
28W/3097	AGS.162/B					Washer		1	—	C	
27A/2653	DUNLOP KJ.9					TUBE , inner, 43" x 13"5 x 19" long		1	—	A	U.1
27A/2657	DUNLOP AH.9343					WHEEL , undercarriage (For spares see A.P.4515C, Vol. 3, Pt. 1, Sect. 2, Chap. 37)		1	—	A	
	or										
27A/3635	DUNLOP AH.50439					WHEEL , undercarriage (For spares see A.P.4515C, Vol. 3, Pt. 1, Sect. 2, Chap. 37)		1	—	A	
524	E.A1.40.30					STAY, SIDE UNDERCARRIAGE, GROUP (PRE-MOD. 3585) Spares for this group are identical with those for group Part No. E.A1.40.29 on page 974, except for the following deletions and additions:— Delete:—		1	—	A	
7114	E.A1.40.403					BRACKET , sequence valve operating stud		1	L.40	C	U.3

UNDERCARRIAGE MAIN UNDERCARRIAGE, STARBOARD

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	
13168	E.A3.40.191	LEVER, undercarriage "down" micro switch operating, assembly (Mod. 2151)						1	—	C	U.3
	E.A1.40.31	STAY, side Add:—						1	DTD.683	—	
32721	E.A1.40.404	BRACKET, sequence valve operating stud						1	L.40	C	U.3
13169	E.A3.40.192	LEVER, undercarriage "down" micro switch operating						1	—	C	U.3
	E.A1.40.32	STAY, side						1	DTD.683	—	
34173	E.A9.40.44	STAY, SIDE, UNDERCARRIAGE, GROUP (MOD. 3585) Spares for this group are identical with those for group Part No. E.A1.40.30 on page 989, except for the following deletions and additions:— Delete:—						1	—	A	U.1
	E.A1.40.32	STAY, side Add:—						1	DTD.683	—	
	E.A9.40.40	STAY, side						1	DTD.5024	—	U.3

Pages ~~993~~ to 1000 not issued
991



UNDERCARRIAGE **MAIN UNDERCARRIAGE PORT AND STARBOARD**

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	
		SUMMARY OF STOCK ITEMS USED ON MAIN UNDERCARRIAGE, PORT AND STARBOARD, ASSEMBLY									
28D/9140638	A25/4B	Bolt, 4 BA	...	...	...	...	...	...		C	
28D/1010142	A25/9B	Bolt, 4 BA	...	...	...	...	...	...		C	
28D/9436920	A25/1C	Bolt, 2 BA	...	...	...	...	...	...		C	
28D/9133011	A25/2C	Bolt, 2 BA	...	...	...	...	...	...		C	
28D/9133012	A25/3C	Bolt, 2 BA	...	...	...	...	...	...		C	
28D/12533	A25/5C	Bolt, 2 BA	...	...	...	...	...	...		C	
28D/7002428	A25/6C	Bolt, 2 BA	...	...	...	...	...	...		C	
28D/1010030	A25/7C	Bolt, 2 BA	...	...	...	...	...	...		C	
28D/1011019	A25/8C	Bolt, 2 BA	...	...	...	...	...	...		C	
28D/9140644	A25/9C	Bolt, 2 BA	...	...	...	...	...	...		C	
28D/9453970	A25/15C	Bolt, 2 BA	...	...	...	...	...	...		C	
28D/12824	A25/4J	Bolt, $\frac{1}{2}$ " BSF	...	...	...	...	...	...		C	
28D/1011299	A25/6J	Bolt, $\frac{1}{2}$ " BSF	...	...	...	...	...	...		C	
28D/1011310	A25/8L	Bolt, $\frac{3}{8}$ " BSF	...	...	...	...	...	...		C	
28D/13715	A25/15L	Bolt, $\frac{3}{8}$ " BSF	...	...	...	...	...	...		C	
28D/13196	A25/18L	Bolt, $\frac{3}{8}$ " BSF	...	...	...	...	...	...		C	
28D/8300	AS.1242/1B	Bolt, 4 BA	...	...	...	...	...	...		C	
28D/11890	AS.1246/5C	Bolt, 2 BA	...	...	...	...	...	...		C	
28N/9156370	SP.21	Nipple, lubricating	...	...	...	...	...	...		C	
28M/1011001	A24/NS	Nut, $\frac{1}{2}$ " BSF	...	...	...	...	...	...		C	
28M/9403519	A27/BP	Nut, 4 BA	...	...	...	...	...	...		C	
28M/9403520	A27/CP	Nut, 2 BA	...	...	...	...	...	...		C	
28M/1011470	A27/GT	Nut, $\frac{3}{8}$ " BSF	...	...	...	...	...	...		C	
28M/1011476	A27/J5	Nut, $\frac{3}{8}$ " BSF	...	...	...	...	...	...		C	
28M/9129449	A27/L5	Nut, $\frac{3}{8}$ " BSF	...	...	...	...	...	...		C	
28M/13259	A27/NS	Nut, $\frac{1}{4}$ " BSF	...	...	...	...	...	...		C	
28M/13590	A27/SS	Nut, $\frac{1}{4}$ " BSF	...	...	...	...	...	...		C	
28M/10288	AGS.2001/C/1	Nut, stiff, 2 BA	...	...	...	...	...	...		C	
28M/8925	CD.3	Nut, plate, 2 BA	...	...	...	...	...	...		C	
28P/9429619	SP.9/C5	Pin, split, $\frac{3}{16}$ " dia. x $\frac{1}{8}$ " long	...	...	...	...	...	...		C	
28P/1007741	SP.9/C8	Pin, split, $\frac{3}{16}$ " dia. x 1" long	...	...	...	...	...	...		C	
28P/9429652	SP.9/E10	Pin, split, $\frac{3}{16}$ " dia. x $1\frac{1}{4}$ " long	...	...	...	...	...	...		C	
28P/9429653	SP.9/G12	Pin, split, $\frac{1}{8}$ " dia. x $1\frac{1}{2}$ " long	...	...	...	...	...	...		C	
28P/1011082	SP.9/G16	Pin, split, $\frac{1}{8}$ " dia. x 2" long	...	...	...	...	...	...		C	
28P/12366	SP.9/K20	Pin, split, $\frac{3}{16}$ " dia. x $2\frac{1}{2}$ " long	...	...	...	...	...	...		C	
28S/1200034	A31/B16	Screw, 4 BA	...	...	...	...	...	...		C	
28S/9437020	A31/C12	Screw, 2 BA	...	...	...	...	...	...		C	
28S/9435713	A31/C20	Screw, 2 BA	...	...	...	...	...	...		C	
28W/9419466	SP.13/J	Washer, $\frac{1}{2}$ " BSF	...	...	...	...	...	...		C	
28W/9419474	SP.15/B	Washer, 4 BA	...	...	...	...	...	...		C	
28W/9419475	SP.15/C	Washer, 2 BA	...	...	...	...	...	...		C	
28W/9419477	SP.15/I	Washer, $\frac{1}{2}$ " BSF	...	...	...	...	...	...		C	
28W/9419481	SP.15/Q	Washer, $\frac{1}{2}$ " BSF	...	...	...	...	...	...		C	
28W/9419404	SP.16/C	Washer, 2 BA	...	...	...	...	...	...		C	
28W/9416642	SP.47/B	Washer, 4 BA, spring	...	...	...	...	...	...		C	
28W/9416632	SP.47/C	Washer, 2 BA, spring	...	...	...	...	...	...		C	
28W/9416644	SP.47/E	Washer, $\frac{1}{2}$ " BSF, spring	...	...	...	...	...	...		C	
28F/8014021	AGS.1138/B	Washer, 4 BA, jointing	...	...	...	...	...	...		C	

Restricted

Ref. No.	Part No.							No. off	Matl. Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	

UNDERCARRIAGE

NOSEWHEEL

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.A9.40.1	NOSEWHEEL, ASSEMBLY (MOD. 1740)						1	—	—	
		Spares for:—									
22055	E.A9.40.15	BLOCK , flexible hose support						2	LFS.21	C	U.6
		Attaching parts for E.A9.40.15:—									
28D/9133011	A25/2C	Bolt , 2 BA						1	—	C	
22057	E.A9.40.13	Clip						1	L.72	C	U.6
28M/10288	AGS.2001/C/1	Nut , 2 BA						1	—	C	
22329	E.A9.40.17	Washer , corner						1	L.72	C	U.6
3753	E.A1.40.617	BOLT , adjusting, undercarriage door crosshead stop (Made from A25/6E)						2	—	C	U.6
22373	E.A9.40.19	BOLT , connecting, operating jack to undercarriage locking lever (Pre-Mod. 2704)						1	S.96	C	
32172	E.A9.40.21	BOLT , connecting, operating jack to undercarriage locking lever (Mod. 2704)						1	S.96	C	
169	E.A1.40.605	BOLT , hydraulic jack, anchor						1	S.65	C	U.6
4507	E.A3.40.139	BOLT , jack, attachment to crossbar						1	S.11	C	U.6
163	E.A1.40.491	BOLT , nosewheel door "up" latch, forward						1	S.11	C	U.4
164	E.A1.40.493	BOLT , nosewheel door "up" latch, aft						1	S.11	C	U.6
22056	E.A9.40.11	BOLT , nose undercarriage jack hinge						1	S.96	C	U.6
12023	E.A3.40.159	BRACKET, UNDERCARRIAGE "UP" HOOK, GROUP (MOD. 1033)						1	—	B	U.4
		Consisting of:—									
	E.A1.40.385	BEAM, BRACKET, LOCKING HOOK, GROUP ...						1	—	—	U.4
		Spares for:—									
20845	E.A1.40.369	LUG						1	L.40	C/MR	U.4
25628	E.A1.40.377	PLATE , locking						1	L.72	C	U.4
		Attaching parts for E.A1.40.385:—									
28D/1012995	A25/22C	Bolt , 2 BA						8	—	C	
28M/9403520	A27/CP	Nut , 2 BA						8	—	C	
	E.A1.40.381	Tube , distance						8	L.62	LM	U.4
28W/1007983	AGS.162/C	Washer , 2 BA						8	—	C	
12024	E.A3.40.151	BOLT , stop, for buffer, assembly						2	—	C	U.4
		Attaching parts for E.A3.40.151:—									
28M/10292	AGS.2001/J/1	Nut , $\frac{3}{8}$ " BSF						1	—	C	
174	E.A1.40.399	Washer						1	L.A.	C	U.4
22251	E.A1.40.373	BRACKET , hook, suspension						1	S.11	C	U.4
		Attaching parts for E.A1.40.373:—									
28M/10292	AGS.2001/J/1	Nut , $\frac{3}{8}$ " BSF						1	—	C	
28W/9419489	SP.16/J	Washer , $\frac{3}{8}$ " BSF						1	—	C	
174	E.A1.40.399	Washer						1	L.A.	C	U.4
12025	E.A3.40.143	HOOK, UNDERCARRIAGE "UP" LATCH, GROUP						1	—	C	U.4
		Consisting of:—									
13109	E.A3.40.147	BOLT , special						1	DTD.126A	C	U.4
	E.A1.40.393	BUSH						1	DTD.197	—	U.4
	E.A3.40.145	HOOK , "up" latch						1	—	—	U.4
28M/9403520	A27/CP	NUT , 2 BA						1	—	C	
28W/1007983	AGS.162/C	WASHER , 2 BA						1	—	C	
		Attaching parts for E.A3.40.143:—									
171	E.A1.40.371	Bolt , pivot for hook						1	S.11	C	U.4
28M/1011467	A27/ES	Nut , $\frac{1}{2}$ " BSF						1	—	C	

UNDERCARRIAGE **NOSEWHEEL**

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
20846	E.A1.40.389	SCREW, adjusting, hook stop						1	S.11	C/MR	U.4
28M/12928	A27/EP	Attaching parts for E.A1.40.389:— Nut, ½" BSF						1	—	C	
4694	E.A3.40.93	CROSSHEAD, NOSEWHEEL DOORS, C/W VALVE TRIP, ASSEMBLY Spares for:—						1	—	B/MR	U.6
5514	E.A3.40.97	PIN, roller, top						1	S.11	C	U.6
12926	E.A3.40.181	PIN, roller, bottom						1	S.11	C	U.6
178	E.A1.40.553	ROLLER, guide						2	DTD.683	C	U.6
5515	E.A1.40.561	VALVE, trip						1	—	C	U.6
		Attaching parts for E.A1.40.561:—									
28S/1011504	A33/C32	Screw, 2 BA						1	—	C	
	E.A3.40.95	YOKE, crosshead						1	—	—	U.6
39181	E.A9.40.35	LEVER, micro-switch operating, undercarriage door, front latch (Mod. 2183) Attaching parts for E.A9.40.35:—						1	—	C	U.4
28D/9140647	A25/14C	Bolt, 2 BA						1	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA						1	—	C	
3755	E.A1.40.731	Piece, distance						1	—	C	
4141	E.A1.45.989	Shim						2	—	C	U.4
	AS.2811/7/023	Spacer						2	L.62	LM	
3751	E.A1.40.567	LEVER, UNDERCARRIAGE SEQUENCE VALVE, GROUP Spares for:—						1	—	B/MR	U.6
179	E.A1.40.569	TAPPET, valve screw						1	S.11	C	U.6
		Attaching parts for E.A1.40.569:—									
28M/12931	A27/ET	Nut, ½" BSF						1	—	C	
		Attaching parts for E.A1.40.567:—									
166	E.A1.40.581	Bolt, fulcrum						1	S.11	C	U.6
28M/1006939	A27/GP	Nut, ⅝" BSF						1	—	C	
1078	EEAS.28/35FU	Washer, packing 0"33 dia.						1	DTD.124	C	
3754	E.A1.40.703	LEVER, BRACKET, UNDERCARRIAGE SEQUENCE VALVE, GROUP Spares for:—						1	—	B/MR	U.4
	E.A1.40.707	BRACKET, valve, sequence, front						1	—	—	U.4
	E.A1.40.705	BRACKET, valve, sequence, rear						1	—	—	U.4
		Attaching parts for E.A1.40.707 and E.A1.40.705:—									
28D/9133012	A25/3C	Bolt, 2 BA						2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA						2	—	C	
	E.A1.40.573	LEVER, sequence valve operating						1	DTD.683	—	U.4
		Attaching parts for E.A1.40.573:—									
13182	E.A1.40.709	Bolt, fulcrum						1	S.11	C	U.4
28M/13121	A27/CS	Nut, 2 BA						1	—	C	
28W/9419475	SP.15/C	Washer, 2 BA						1	—	C	
	E.A1.40.711	Washer, fulcrum bolt						2	L.40	—	U.4
179	E.A1.40.569	TAPPET, valve screw						1	S.11	C	U.4
		Attaching parts for E.A1.40.569:—									
28M/12931	A27/ET	Nut, ½" BSF						1	—	C	

CANBERRA P.R. Mk. 3

Page 1005

UNDERCARRIAGE **NOSEWHEEL**

Ref. No	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No
		1	2	3	4	5	6				
180	E.A1.40.531	LINK, DOOR OPERATING, GROUP						2	—	C	U.6
		Spares for:—									
4778	E.A1.40.535	BOLT , eye, assembly						1	—	C	U.6
		Attaching parts for E.A1.40.535:—									
33793	E.A1.40.541	Nut						1	—	C	U.6
	E.A1.40.533	TUBE , assembly						1	—	—	U.6
		Attaching parts for E.A1.40.531:—									
168	E.A1.40.595	Bolt , link to crosshead						1	—	C	U.6
167	E.A1.40.593	Bolt , link to door						1	—	C	U.6
28M/1011467	A27/ES	Nut , $\frac{1}{2}$ " BSF						2	—	C	
8987	E.A3.40.169	MUDGUARD, NOSEWHEEL, ASSEMBLY (MOD. 269)						1	—	B	U.4
		Consisting of:—									
5503	E.A3.40.133	FLAP , rubber, nosewheel mudguard						1	Shore 40	C	U.4
5504	E.A3.40.127	MUDGUARD , nosewheel						1	L.72	C	U.4
		Attaching parts for E.A3.40.127:—									
28D/1013177	AS.1242/2E	Bolt , $\frac{1}{2}$ " BSF						9	—	C	
5505	E.A3.40.131	Nut , $\frac{1}{2}$ " BSF						3	S.95	C	
28M/12931	A27/ET	Nut , $\frac{1}{2}$ " BSF						6	—	C	
6948	E.A3.40.165	STAY , mudguard, assembly						1	—	C	U.4
6949	E.A3.40.167	STAY , end, mudguard attachment						3	DTD.683	C	U.4
		Attaching parts for E.A3.40.167:—									
28D/9133012	A25/3C	Bolt , 2 BA						4	—	C	
28M/1006473	A27/CT	Nut , 2 BA						4	—	C	
28W/9419475	SP.15/C	Washer , 2 BA						4	—	C	
20930	E.A3.40.135	STRIP , backing						1	L.72	C/MR	U.4
		Attaching parts for E.A3.40.135:—									
28D/1007974	AS.1242/ $\frac{1}{2}$ C	Bolt , 2 BA						3	—	C	
5506	E.A3.40.137	Nut , 2 BA						3	S.95	C	
		Attaching parts for E.A3.40.169:—									
28D/1011300	A27/7J	Bolt , $\frac{3}{8}$ " BSF						3	—	C	
28W/9419477	SP.15/J	Washer , $\frac{3}{8}$ " BSF						3	—	C	
8988	E.A3.40.170	MUDGUARD, NOSEWHEEL, ASSEMBLY (MOD. 269)						1	—	B	U.4
		Spares for this assembly are identical with those for Pt. No. E.A3.40.169									
28N/9156370	SP.21	NIPPLE , lubricating						1	—	C	
3688	E.A6.40.37	ROD, RADIUS, GROUP						1	—	A	U.5
		Consisting of:—									
5126	E.A3.40.77	BRACKET , micro-switch						1	L.72	C	U.5
		Attaching parts for E.A3.40.77:—									
28D/9436920	A25/1C	Bolt , 2 BA						3	—	C	
28W/9416643	SP.47/C	Washer , 2 BA						3	—	C	
3656	E.A3.40.65	BUSH , spring plunger						1	DTD.197	C	U.5
186	E.A1.40.621	DOWEL						2	S.11	C	U.5
	E.A1.40.293	END, PLUG, RADIUS ROD, GROUP (PRE-MOD. 12)						1	—	—	
		Spares for:—									
187	E.A1.40.363	BUSH , bearing						2	DTD.197	C	
28N/9156370	SP.21	NIPPLE , lubricating						1	—	C	

UNDERCARRIAGE NOSEWHEEL

Ref. No.	Part No	Description	No. off	Matl. Spec	Cl. of Equip.	Plate No
					M.R. L.M.	
		1 2 3 4 5 6				
1893	E.A6.40.21	END, PLUG, RADIUS ROD, GROUP (MOD. 12)	1	—	B	U.5
		Spares for:—				
187	E.A1.40.363	BUSH, bearing	2	DTD.197	C	U.5
28N/9156370	SP.21	NIPPLE, lubricating	1	—	C	
4937	E.A1.40.311	FINGER, operating, undercarriage "Up" micro-switch	1	L.40	C	U.5
		Attaching parts for E.A1.40.311:—				
4447	E.A1.40.321	Bolt, bearing	1	DTD.126A	C	U.5
28M/9436836	AGS.2001/C/2	Nut, 2 BA	1	—	C	
28W/9419402	SP.13/C	Washer, 2 BA	1	—	C	
	E.A1.40.261	FORK, strut end (Pre-Mod. 12)	1	DTD.683	—	
1894	E.A6.40.29	FORK, strut end (Mod. 12)	1	DTD.683	C	U.5
3655	E.A3.40.73	HOUSING, spring locking plunger	1	L.40	C	U.5
		Attaching parts for E.A3.40.73:—				
28D/1011240	A25/SE	Bolt, 1/2" BSF	4	—	C	
28W/9416644	SP.47/E	Washer, 1/2" BSF	4	—	C	
41255	E.A9.40.49	LEVER, LOCKING, NOSEWHEEL, UNDER-CARRIAGE, GROUP (MOD. 3487)	1	—	B	U.5
		Spares for:—				
190	E.A1.40.337	BUSH, bearing	2	DTD.197	C	U.5
28N/9156370	SP.21	NIPPLE, lubricating	1	—	C	U.5
192	E.A1.40.339	ROLLER, assembly	1	—	C	U.5
		Attaching parts for E.A1.40.339:—				
188	E.A1.40.343	Bolt	1	S.11	C	U.5
28M/1011467	A27/ES	Nut, 1/2" BSF	1	—	C	
28W/9419405	SP.15/E	Washer, 1/2" BSF	1	—	C	
191	E.A1.40.341	ROLLER, assembly	1	—	C	U.5
		Attaching parts for E.A1.40.341:—				
189	E.A1.40.345	Bolt	1	S.11	C	U.5
28M/1011467	A27/ES	Nut, 1/2" BSF	1	—	C	
28W/9419405	SP.15/E	Washer, 1/2" BSF	1	—	C	
549	EEA5.5	WASHER, for grease nipple (Only required when locking lever is unit modified)	1	BSS.216	C	U.5
		Attaching parts for E.A9.40.49:—				
34309	E.A9.40.47	Bolt, operating, lever bearing (Mod. 3487)	1	S.96	C	U.5
28M/1011476	A27/JS	Nut, 1/2" BSF	1	—	C	
203	E.A1.40.327	Washer, at operating lever bearing	1	DTD.126A	C	U.5
1889	E.A6.40.23	LINK, STAY, NOSEWHEEL, UNDERCARRIAGE, AT RADIUS ROD, GROUP	1	—	C	U.5
		Spares for:—				
194	E.A1.40.359	BUSH, bearing	2	DTD.197	C	U.5
195	E.A1.40.361	BUSH, bearing	2	DTD.197	C	U.5
28N/9156370	SP.21	NIPPLE, lubricating	2	—	C	
		Attaching parts for E.A6.40.23:—				
184	E.A1.40.681	Bolt, connecting, radius rod and stay link	1	S.11	C	U.5
170	E.A1.40.683	Bolt, connecting, stay link and leg	1	S.11	C	U.4
28M/9129449	A27/LS	Nut, 1/2" BSF	2	—	C	
28S/9146378	A35/C8	Screw, 2 BA	1	—	C	
202	E.A1.40.325	Washer, cap	2	DTD.126A	C	U.5
28W/9416643	SP.47/C	Washer, 2 BA	1	—	C	

CANBERRA P.R. Mk. 3

Page 1007

UNDERCARRIAGE NOSEWHEEL

Ref. No	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
1	2	3	4	5	6	
28N/9156370	SP.21	NIPPLE, lubricating	1	—	C	U.5
1100	EEAS.37/24A	NIPPLE, 1"	24	—	C	U.5
6187	E.A1.40.415	PAD, switch-micro, undercarriage "DOWN" ...	1	L.40	C	U.5
Attaching parts for E.A1.40.415:—						
28D/9133012	A25/3C	Bolt, 2 BA	3	—	C	
28W/9416643	SP.47/C	Washer, 2 BA	3	—	C	
3659	E.A3.40.75	PIN, latch	1	S.11	C	U.5
197	E.A1.40.277	PLATE, stop, stay link	1	S.11	C	U.5
Attaching parts for E.A1.40.277:—						
28D/1011240	A25/5E	Bolt, 1" BSF	2	—	C	
28W/9416644	SP.47/E	Washer, 1" BSF	2	—	C	
3657	E.A3.40.67	SCREW, cap, retaining, locking plunger	1	L.40	C	U.5
3660	E.A3.40.71	SCREW, grub, latch pin and bush, retaining ...	1	S.97	C	U.5
199	E.A1.40.431	SPINDLE, hook latch, nosewheel undercarriage stay	1	S.11	C	U.5
Attaching parts for E.A1.40.431:—						
28N/2001540	AGS.2031/4	Circlip, "Seegar" external, 1/8" dia.	2	—	C	
	E.A1.40.309	Tube, distance	1	—	—	U.5
	EEAS.38/4A	SPOKE, 1" BSF (Make from 28R/6330)	12	S.11	LM	U.5
3658	E.A3.40.69	SPRING, compression, operating locking plunger, 14 SWG	1	—	C	U.5
201	E.A1.40.313	SPRING, leaf, micro-switch operating finger ...	1	—	C	U.5
5CW/4638	†	SWITCH, micro, type 1A, undercarriage "Up" (Pre-Mod. 3562)	1	—	B	
5CW/6575	†	SWITCH, micro, type 1A, undercarriage "Up" (Mod. 3562) (Pre-Mod. 4080)	1	—	B	
5CW/11254	†	SWITCH, micro, type 1.HY.1, undercarriage "DOWN" (Mod. 4080)	1	—	B	
Attaching parts for switches:—						
28D/1011011	A25/8B	Bolt, 4 BA	2	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	2	—	C	
28W/9419474	SP.15/B	Washer, 4 BA	2	—	C	
5CW/4639	†	SWITCH, micro, type 4A, undercarriage "Down" (Pre-Mod. 3562)	1	—	B	
5CW/6672	†	SWITCH, micro, type 4A, undercarriage "Down" (Mod. 3562) (Pre-Mod. 4080)	1	—	B	
5CW/11254	†	SWITCH, micro, type 1.HY.1, undercarriage "up" (Mod. 4080)	1	—	B	
Attaching parts for switches:—						
28D/1214303	AS.1242/10B	Bolt, 4 BA	2	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	2	—	C	
28W/9419474	SP.15/B	Washer, 4 BA	2	—	C	
	E.A1.40.267	TUBE, strut, nose undercarriage (Pre-Mod. 12) ...	1	DTD.408	—	
1895	E.A6.40.27	TUBE, strut, nose undercarriage (Mod. 12) ...	1	T.60	C	U.5
Attaching parts for E.A6.40.37:—						
161	E.A1.40.451	Bolt, c/w spoke and nut	1	—	C	U.6
28M/9129449	A27/LS	Nut, 1/8" BSF	1	—	C	
181	E.A1.40.449	Pin, strut pivot, radius rod bearing	1	S.65	C	U.6
202	E.A1.40.325	Washer, cap	2	DTD.126A	C	U.6
3748	E.A1.40.455	SCREW, grub, 2 BA, strut bearing, retaining ...	1	S.11	C/MR	U.6
343	E.A1.31.277	SHIM	2	Alumn.	C	
	or					
	EEAS.27/8/4					

UNDERCARRIAGE NOSEWHEEL

Ref. No	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	
4141	E.A1.45.989	SHIM	...	...	...	...	...	2	Alumn.	C	
204	E.A1.40.599	SPRING, return, undercarriage hook	...	...	...	...	...	1	—	C	U.4
205	E.A1.40.601	SPRING, tension, undercarriage sequence valve	...	...	...	...	...	1	—	C	U.6
1587	E.A1.40.719	SPRING, forward door latch	...	...	...	...	...	1	—	C	U.4
4693	E.A3.40.157	STOP, door jack extension	...	...	...	...	...	2	S.11	C/MR	U.6
		Attaching parts for E.A3.40.157:—									
28M/1011467	A27/ES	Nut, 1" BSF	...	...	...	...	...	1	—	C	
992	E.A1.40.701	STOP, sequence valve lifter	...	...	...	...	...	1	S.11	C	U.6
39182	E.A9.40.37	TAPPET, front latch lever (Mod. 2183)	...	...	...	...	...	1	—	C	U.4
		Attaching parts for E.A9.40.37:—									
28M/1006473	A27/CT	Nut, 2 BA	...	...	...	...	...	1	—	C	
3755	E.A1.40.731	TUBE, distance	...	...	...	...	...	1	—	C	
27A/2655	DUNLOP KK.2	TUBE	...	...	...	...	...	2	—	A	
27A/2654	DUNLOP KKEN.14N	TYRE, 26" x 6"5 x 14"	...	...	...	...	...	2	—	A	
	or DUNLOP DR.2565										
27A/4683	or FIRESTONE ZA.297										
	or GOODYEAR GA.1202										
27Q/1824	DOWTY O.7907Y.AO1	UNIT, undercarriage (Mod. 2535) (Pre-Mod. 4357 without Mod. 720) (For spares see AP.4515B, Vol. 3, Pt. 1)	...	...	...	...	...	1	—	A	
27Q/71337	DOWTY 2.00397.040	UNIT, undercarriage (Mod. 4357 without Mod. 720) (For spares see AP.4515B, Vol. 3, Pt. 1)	...	...	...	...	...	1	—	A	
27Q/1822	DOWTY O.7906Y.AO1	UNIT, undercarriage (Mod. 2535) (Pre-Mod. 4356, with Mod. 720) (For spares see AP.4515B, Vol. 3, Pt. 1)	...	...	...	...	...	1	—	A	
27Q/71316	DOWTY 2.00396.038	UNIT, undercarriage (Mod. 4356 with Mod. 720) (For spares see AP.4515B, Vol. 3, Pt. 1)	...	...	...	...	...	1	—	A	
3752	E.A1.40.587	WASHER, special, packing undercarriage sequence valve mounting bolt	...	...	...	...	...	2	DTD.683	C	U.4
1877	EEAS.28/30EU DUNLOP	WASHER, special, 18 SWG	...	...	...	...	...	1	DTD.124	C	
27A/2814	AH.9590	WHEEL, landing	...	...	...	...	...	2	—	A	

Pages 1009 to 1018 not issued



CANBERRA P.R. Mk. 3

Page 1019


UNDERCARRIAGE NOSEWHEEL

Ref. No	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No	
					M.R. L.M.		
		1 2 3 4 5 6					
		SUMMARY OF STOCK ITEMS USED ON NOSE WHEEL, ASSEMBLY					
28D/1011011	A25/8B	Bolt, 4 BA	...	...	C		
28D/1200120	A25/14B	Bolt, 4 BA	...	...	C		
28D/9436920	A25/1C	Bolt, 2 BA	...	...	C		
28D/9133011	A25/2C	Bolt, 2 BA	...	...	C		
28D/9133012	A25/3C	Bolt, 2 BA	...	...	C		
28D/9140647	A25/14C	Bolt, 2 BA	...	...	C		
28D/1012995	A25/22C	Bolt, 2 BA	...	...	C		
28D/9140649	A25/23C	Bolt, 2 BA	...	...	C		
28D/1011240	A25/5E	Bolt, 1/4" BSF	...	...	C		
28D/1008145	A25/6E	Bolt, 1/4" BSF	...	...	C		
28D/1011242	A25/7E	Bolt, 1/4" BSF	...	...	C		
28D/1010031	A25/8E	Bolt, 1/4" BSF	...	...	C		
28D/1011300	A25/7J	Bolt, 1/4" BSF	...	...	C		
28D/12282	AS.1242/10B	Bolt, 4 BA	...	...	C		
28D/1007974	AS.1242/1/2C	Bolt, 2 BA	...	...	C		
28D/1013177	AS.1242/2E	Bolt, 1/4" BSF	...	...	C		
28M/13266	A24/ES	Nut, 1/4" BSF	...	...	C		
28M/9403519	A27/BP	Nut, 4 BA	...	...	C		
28M/9403520	A27/CP	Nut, 2 BA	...	...	C		
28M/13121	A27/CS	Nut, 2 BA	...	...	C		
28M/1006473	A27/CT	Nut, 2 BA	...	...	C		
28M/12928	A27/EP	Nut, 1/4" BSF	...	...	C		
28M/1011467	A27/ES	Nut, 1/4" BSF	...	...	C		
28M/12931	A27/ET	Nut, 1/4" BSF	...	...	C		
28M/1006939	A27/GP	Nut, 1/8" BSF	...	...	C		
28M/13122	A27/GS	Nut, 1/8" BSF	...	...	C		
28M/1011470	A27/GT	Nut, 1/8" BSF	...	...	C		
28M/1011476	A27/JS	Nut, 1/4" BSF	...	...	C		
28M/9129449	A27/LS	Nut, 1/8" BSF	...	...	C		
28M/13259	A27/NS	Nut, 1/4" BSF	...	...	C		
28M/10287	AGS.2001/B/1	Nut, stiff, 4 BA	...	...	C		
28M/10288	AGS.2001/C/1	Nut, stiff, 2 BA	...	...	C		
28M/9436836	AGS.2001/C/2	Nut, stiff, 2 BA	...	...	C		
28M/10290	AGS.2001/E/1	Nut, stiff, 1/4" BSF	...	...	C		
28M/10292	AGS.2001/J/1	Nut, stiff, 1/4" BSF	...	...	C		
28M/10339	AGS.2002/C/2	Nut, stiff, 2 BA	...	...	C		
28P/1007741	SP.9/C8	Pin, split, 1/8" dia. x 1" long	...	...	C		
28P/9429652	SP.9/E10	Pin, split, 3/32" dia. x 1 1/2" long	...	...	C		
28P/9429653	SP.9/G12	Pin, split, 1/4" dia. x 1 1/2" long	...	...	C		
28S/9437020	A31/C12	Screw, 2 BA	...	...	C		
28S/9997545	A31/C16	Screw, 2 BA	...	...	C		
28S/1011504	A33/C32	Screw, 2 BA	...	...	C		
28S/9146378	A35/C8	Screw, 2 BA	...	...	C		
28W/9419402	SP.13/C	Washer	...	...	C		
28W/9418921	SP.13/E	Washer	...	...	C		
28W/9419403	SP.13/G	Washer	...	...	C		
28W/9419467	SP.13/L	Washer	...	...	C		
28W/9419474	SP.15/B	Washer	...	...	C		
28W/9419475	SP.15/C	Washer	...	...	C		

UNDERCARRIAGE NOSEWHEEL

Ref. No.	Part No	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No
		1	2	3	4	5	6				
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...		C	
28W/9419477	SP.15/J	Washer	...	...	...	...	...	...		C	
28W/9419478	SP.15/L	Washer	...	...	...	...	...	...		C	
28W/9419489	SP.16/J	Washer	...	...	...	...	...	...		C	
28W/9416642	SP.47/B	Washer, spring	...	...	...	...	...	...		C	
28W/9416643	SP.47/C	Washer, spring	...	...	...	...	...	...		C	
28W/9416644	SP.47/E	Washer, spring	...	...	...	...	...	...		C	
28W/3099	AGS.162/D	Washer, 1" BSF spring	...	...	...	...	...	...		C	
28W/3089	AGS.163/C	Washer, 2 BA spring	...	...	...	...	...	...		C	

Plate U.1




MAIN UNDERCARRIAGE

RESTRICTED





Plate U3




MAIN UNDERCARRIAGE SIDE STAY

RESTRICTED



Plate U 4




NOSE UNDERCARRIAGE

RESTRICTED




Plate U5



NOSEWHEEL RADIUS ROD

RESTRICTED





NOSEWHEEL DOOR MECHANISM

RESTRICTED

