

CANBERRA B Mk. 6

Page 459

FUSELAGE CENTRE PORTION

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.B6.00.43	CENTRE FUSELAGE, ASSEMBLY (PRE-MOD. 1018) ...						—	—	—	
		Spares for:—									
	E.B6.75.5	Cabin, Pressure System (See page 897) ...						—	—	—	
	E.B6.75.571	Camera, Pipe Run, Assembly (See page 949) ...						—	—	—	
		(Mod. 3427)									
	E.A3.45.379	Controls, Flying (See page 137) ...						—	—	—	
	E.A1.47.125	Controls, Engine (See page 43) ...						—	—	—	
	E.B6.81.7	Electrical Equipment (See page 257) ...						—	—	—	
	E.A1.60.1	Fire Protection System (Pre-Mod. 2614) ...						—	—	—	
		(See page 1001)									
	E.B6.60.1	Fire Protection System (Mod. 2614) (See page 1002)						—	—	—	
	E.A3.57.67	Fuel System (See page 1071) ...						—	—	—	
	E.A1.45.923	GEAR, EMERGENCY RELEASE, BOMB DOOR AND UNDERCARRIAGE, GROUP						1	—	—	
		Spares for:—									
7809	E.A3.45.281	CABLE, AFT CONTROL, EMERGENCY RELEASE GEAR, UNDERCARRIAGE, GROUP						1	—	B/MR	
		Consisting of:—									
28U/4063	SP.8Y/13	Roller ...						2	—	C	F.1
	E.A1.45.905	Tube, $\frac{5}{8}$ " o/d. x 20 SWG (Make from Ref. 30B/1786)						1	T.4	LM	
28X/3495	†	Wire, rope, 5 cwt. ...						1	W9/4	C	F.1
7810	E.A3.45.283	CABLE, AFT CONTROL, EMERGENCY RELEASE GEAR BOMB DOOR, GROUP						1	—	B/MR	
		Consisting of:—									
	E.A1.45.1129	Roller, special ...						1	S.1	—	
28U/4063	SP.8Y/13	Roller ...						1	—	C	F.1
28X/3495	†	Wire, rope, 5 cwt. ...						1	W9/4	C	F.1
7811	E.A3.45.245	Fairlead, single, bomb door emergency release gear control valve						1	DTD.683 or L.40	C/MR	
7804	E.A1.45.879	Fairlead, single, undercarriage emergency release gear control cable						1	LFS.21	C/MR	
7805	E.A1.45.1123	Fairlead, double, bomb door and undercarriage emergency release gear control cables						1	LFS.21	C/MR	
28K/549	SP.3/412	Fork, joint undercarriage emergency release gear control cable connecting						1	—	C	F.1
28K/550	SP.3/412L	Fork, joint undercarriage release gear control cable connecting						1	—	C	F.1
28K/551	SP.3/413	Fork, joint bomb door emergency release gear control cable connecting						1	—	C	F.1
28K/552	SP.3/413L	Fork, joint bomb door emergency release gear control cable connecting						1	—	C	F.1
28P/7002435	SP.4Y/A3	Pin, connecting undercarriage emergency release gear control cable fork joint						2	—	C	F.1

FUSELAGE CENTRE PORTION

Ref. No	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	
28P/814	SP.4Y/A4	Pin, connecting undercarriage and bomb door emergency release gear control cable, at rotary valve						2	—	C	
28P/830	SP.4YB4	Pin, connecting bomb door emergency release gear control cable fork joint						2	—	C	F.1
	E.A1.45.859	PULLEYS, BOMB DOOR AND UNDERCARRIAGE EMERGENCY RELEASE GEAR, ASSEMBLY						—	—	—	
		Spares for:—									
209	E.A1.45.839	Bracket, pulley	...	...	...	...	...	1	—	C	F.1
210	E.A1.45.841	Bracket, pulley	...	...	...	...	...	1	L.72	C	F.1
211	E.A1.45.843	Bracket, pulley	...	...	...	...	...	1	L.72	C	F.1
212	E.A1.45.1005	Bracket, pulley	...	...	...	...	...	1	—	C	F.1
7798	E.A1.45.863	Fairlead	...	...	...	...	...	1	LFS.21	C/MR	
28R/13498	AS.1151	Pulley, c/w shroud	...	...	...	...	...	4	—	B	F.1
28R/13492	AS.108	Pulley, c/w shroud	...	...	...	...	...	2	—	B	F.1
2157	E.A1.45.1311	Washer, special	...	...	...	...	...	1	—	C	F.1
1518	EEAS.28/53HR	Washer	...	...	...	...	...	1	—	C	F.1
28U/4051	SP.8Y/1	Rod, tension, bomb door emergency release gear cable						1	—	C	F.1
28U/4052	SP.8Y/2	Rod, tension, undercarriage emergency release gear cable						1	—	C	F.1
	E.B6.73.5	HYDRAULIC, EQUIPMENT (See page 1139) ...						—	—	—	
	E.A1.83.93	INSTALLATION OF CAMERA (PRE-MOD. 2197) ...						—	—	—	
		Spares for:—									
3616	E.A1.83.97	Rail, camera	...	...	...	...	...	2	T.4	B	
	E.B6.80.169	PIPES, PITOT AND STATIC, ASSEMBLY (MOD. 1014)						—	—	—	
		Spares for:—									
28F/5109	AGS.838/5	Bush, rubber union	...	...	...	...	...	11	—	C	F.1
1823	EEAS.91/2	Clip, pipe, double, $\frac{3}{8}$ " o/d.	...	...	...	...	...	2	L.72	C	F.1
6443	E.A1.80.891	Fairlead	...	...	...	...	...	3	LFS.21	C/MR	
7796	E.A3.80.1655	Fairlead	...	...	...	...	...	3	LFS.21	C/MR	
28F/1013780	AGS.838/4	Nut, union	...	...	...	...	...	11	—	C	F.1
3400	E.A3.80.1649	Pipe, drain, reservoir	...	...	...	...	...	2	L.54	C	
28F/5105	AGS.838/2	Union, tee body	...	...	...	...	...	3	—	C	F.1
28F/5104	AGS.838/1	Union, straight, low pressure	...	...	...	...	...	1	—	C	F.1
5259	EEAS.21/2ERH	Washer, special	...	...	...	...	...	2	L.72	C	F.1
	E.B6.75.17	PIPES, COLD AIR UNIT, ACROSS BOMB BAY, AT FRAME 21, ASSEMBLY						—	—	—	
		Spares for:—									
	E.B6.75.213	Clip, pipe, special	...	...	...	...	...	6	L.72	—	
15182	E.B6.75.215	Pipe, assembly, from starboard wing connection to running coupling	...	...	...	...	...	1	L.56	C	
32373	E.B6.217	Pipe, assembly, transverse between port and starboard coupling	...	...	...	...	...	1	L.56	C	
15183	E.B6.75.219	Pipe, assembly, from running coupling to port wing connection	...	...	...	...	...	1	L.56	C	

CANBERRA B. Mk. 6

Page 461

FUSELAGE CENTRE PORTION

Ref. No.	Part No.							No. off	Matl. Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	
980	E.B6.75.597	Shim, for port and starboard wing connection ...						2	Lam. Alum.	—	F.1
	EEAS.20/1DR	Tab, locking						4	—	C	
	E.B6.82.7	Radio and Inter-Comm, Assembly (See page 891) ...						—	—	—	
	E.B6.11.1521	Structure, Centre Fuselage (Pre-Mod. 1018) ... (See page 469)						—	—	—	

FUSELAGE CENTRE PORTION

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	
	E.B6.00.49	CENTRE FUSELAGE, ASSEMBLY (MOD. 1018) ...						—	—	—	
		Spares for this assembly are identical with those for assembly Part No. E.B6.00.43 on page 459 except for the following deletion and additions:—									
		Delete:—									
	E.B6.11.1521	Structure, Centre Fuselage (Pre-Mod. 1018) (See page 469)						—	—	—	
		Add:—									
	E.A3.56.453	INSTALLATION OF 300 GALLON FUEL TANK (MOD. 432)						—	—	—	
		Spares for:—									
	E.A3.56.221	TANK, FUEL, 300 GALLON, ASSEMBLY ...						1	—	—	
		Spares for:—									
12601	E.A3.56.261	BRACKET AND STRAP, ASSEMBLY ...						4	—	B	
		Spares for:—									
	E.A3.56.361	Bracket, sub-assembly ...						1	—	—	F.12
12602	E.A3.56.363	Strap, tank ...						1	—	C	F.12
		Attaching parts for E.A3.56.361 and E.A3.56.363:—									
	A25/47N	Bolt, 1/2" BSF (Make from 28D/14757) ...						1	—	—	
	E.A3.56.465	Bush ...						2	—	—	F.12
	E.A3.56.467	Link, plate ...						2	—	—	F.12
28M/13259	A27/NS	Nut, 1/2" BSF ...						1	—	C	
	E.A3.56.463	Tube, distance ...						1	—	—	F.12
28W/9419468	SP.13/N	Washer ...						2	—	C	
		Attaching parts for E.A3.56.261:—									
	A25/381J	Bolt, 3/8" BSF (Make from 28D/12893) ...						1	—	—	
28M/1011476	A25/381L	Bolt, 3/8" BSF (Make from 28D/12938) ...						1	—	—	
28M/13120	A27/JS	Nut, 3/8" BSF ...						1	—	C	
28W/9419466	A27/LS	Nut, 3/8" BSF ...						1	—	C	
28W/9419467	SP.13/J	Washer ...						2	—	C	
	SP.13/L	Washer ...						2	—	C	
	EEAS.164/16/25	Hose, rubber, 1" i/d x 2"5 long (vent pipe) ...						2	DTD.625	LM	F.12
		(Make from Ref. 32C/376)									
12603	E.A3.56.245	Pipe, assembly, fuel, from non-return valve to fuel cock, starboard side ...						1	L54 or L.56	C	F.11
12604	E.A3.56.247	Pipe, assembly, fuel, from non-return valve to fuel cock, port side ...						1	L54 or L.56	C	F.11
12606	E.A3.56.249	Pipe, assembly, venting, from pipe elbow joint to No. 3 fuel tank junction pipe ...						1	L.56	C	F.12
12605	E.A3.56.251	Pipe, elbow, venting ...						1	L.56	C	F.12
1444	EEAS.66/3	Ring, clamping ...						4	L.56	C	F.12
12609	E.A3.56.45	Screw, trunnion ...						2	S.95	C	F.12

CANBERRA B Mk. 6

Page 463

FUSELAGE CENTRE PORTION

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip.	Plate No.
										M.R. L.M.	
12592	E.A3.56.243							1	—	A	
		TANK, ASSEMBLY									
		Spares for:—									
26728	E.A3.81.2527/2							1	—	—	F.11
		CABLE, ASSEMBLY, CS.2A, FROM PLUG BRACKET F.24 TO PUMP SUPPRESSORS									
		Consisting of:—									
5X/6757	EEAS.68/6							2	—	C	
5E/4187	†							QR	—	C	
33H/56	†							QR	—	C	
5X/1333	Z.1381/2							1	—	C	
10H/0970107	Z.62234							2	—	C	
5CZ/3766	AGS.1747/D							4	—	C	
10H/0970127	Z.49046							2	—	C	
10H/0970087	Z.62228							2	—	C	
10H/0970095	Z.49051							2	—	C	
5K/9107067	EEAS.146/C							8	—	C	
5K/9107068	EEAS.146/D1							2	—	C	
5K/9107069	EEAS.146/F							6	—	C	
5X/6192	CZ.50403							1	—	B	
5X/7181	2CZ.111439							1	—	B	
32B/498	†							QR	—	C	
		Thread, waxed linen, No. 18									
26729	E.A3.81.2689/2							1	—	—	F.11
		CABLE, ASSEMBLY, CS.3, FROM AFT FUEL PUMP TO AFT PUMP SUPPRESSOR									
		Consisting of:—									
5X/6757	EEAS.68/6							1	—	C	
5E/4203	†							QR	—	C	
33H/56	†							QR	—	C	
5X/240	Z.2277/2							1	—	C	
10H/0970076	Z.49047							1	—	C	
10H/0970075	Z.49048							1	—	C	
5CZ/3766	AGS.1747/D							2	—	C	
10H/0970127	Z.49046							1	—	C	
10H/0970087	Z.62228							1	—	C	
5K/9107067	EEAS.146/C							4	—	C	
5K/9107068	EEAS.146/D1							2	—	C	
5X/6029	CZ.27905							1	—	B	
5X/7170	2CZ.111436							1	—	B	
5E/2904	†							QR	—	C	
5E/3141	†							QR	—	C	
		Wire, tinned copper, 25 SWG									
		Wire, tinned copper, 32 SWG									
26730	E.A3.81.2691/2							1	—	—	F.11
		CABLE, ASSEMBLY, CS.4, FROM FORWARD FUEL PUMP TO SUPPRESSOR									
		Consisting of:—									
5X/6757	EEAS.68/6							1	—	C	
5E/4203	†							QR	—	C	
33H/56	†							QR	—	C	
5X/240	Z.2277/2							1	—	C	
10H/0970076	Z.49047							1	—	C	
10H/0970075	Z.49048							1	—	C	
5CZ/3766	AGS.1747/D							2	—	C	
10H/0970127	Z.49046							1	—	C	
10H/0970087	Z.62228							1	—	C	
5K/9107067	EEAS.146/C							4	—	C	
5K/9107068	EEAS.146/D1							2	—	C	
5X/6029	CZ.27905							1	—	B	
		Socket, size Z (Pre-Mod. 3380)									

FUSELAGE CENTRE PORTION

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	
5X/7176	2CZ.111436							1	—	B	
5E/2904	†							QR	—	C	
5E/3141	†							QR	—	C	
28J/9508352	AS.2398							1	—	B	F.12
28M/10288	AGS.2001/C/1							12	—	C	
	E.A3.56.291							1	—	—	F.12
28W/9419475	SP.15/C							12	—	C	
	E.A3.56.119							1	—	LM	F.12
	E.A3.56.107							2	L.72	—	
28D/9133011	A25/2C							2	—	C	
28W/9419402	SP.13/C							2	—	C	
28F/8011809	AGS.1104/B							2	—	C	
12593	E.A3.56.171							1	L.59	B	F.12
28D/9133012	A25/3C							10	—	C	
12596	E.A3.56.103							1	L.72	C	F.12
12598	E.A3.56.117							2	Neo-K-Tex	C	F.12
27Q/10454	DOWTY SP.815/2							10	—	C	
	E.A3.56.81							2	L.72	—	F.11
28M/10288	AGS.2001/C/1							14	—	C	
12597	E.A3.56.83							2	Neo-K-Tex	C	F.11
28W/9419475	SP.15/C							14	—	C	
28F/9513420	AGS.1142/J							2	—	C	F.12
12594	E.A3.56.283							1	L.56	C	F.11
12595	E.A3.56.285							1	L.56	C	F.11
	E.A3.56.433							2	L.56	—	F.12
	PULSOMETER										
5UE/6787	PUL.1003 Mk.4							2	—	A	F.12
28M/10288	AGS.2001/C/1							14	—	C	
12597	E.A3.56.83							1	Neo-K-Tex	C	F.12
28W/9419475	SP.15/C							14	—	C	
12600	E.A3.56.477							1	—	B	F.12
28D/1200119	A25/4C							34	—	C	
27Q/10454	DOWTY SP.815-2							34	—	C	F.12
12599	E.A3.56.479							1	Neo-K-Tex	C	F.12
28W/9419475	SP.15/C							34	—	C	
5CY/2967	†							2	—	A	
28S/1214675	A39/B20							4	—	C	

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
28Y/11843	AS.2573	Valve, drain, assembly	1	—	C	F.11
28M/10288	AGS.2001/C/1	Attaching parts for AS.2573:—	8	—	C	
28W/9419475	SP.15/C	Nut, 2 BA	8	—	C	
28W/12509	AS.410	Washer	1	Neo-K-Tex	C	F.11
	K.A.C. LTD.					
	C.3191	Valve, drain, water sediment	1	—	—	
12607	E.A3.56.47	Trunnion, strap, R.H.	2	S.95	C	F.12
12608	E.A3.56.49	Trunnion, strap, L.H.	2	S.95	C	F.12
	SELF PRIMING ENG. CO. LTD					
27F/2152	SPE.1706	Valve, non-return, Type P.24A, Mk. 2 (Pre-Mod. 2690)	2	—	B	F.11
27F/5178	†	Valve, non-return, Type P.24A, Mk. 3 (Mod. 2690)	2	—	B	
	E.B6.11.1	Structure, centre fuselage (Mod. 1018) (See page 481)	—	—	—	

CANBERRA B Mk. 6

Page 467

FUSELAGE CENTRE PORTION

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
		SUMMARY OF STOCK ITEMS USED ON CENTRE FUSELAGE, ASSEMBLY				
28F/9517916	AGS.1112/J	Adaptor, bulkhead ...				C
28F/12747	AGS.1105/J	Body, union ...				C
28D/1010658	A25/1B	Bolt, 4 BA, hex. head, 0"5 long				C
28D/1011006	A25/5B	Bolt, 4 BA, hex. head, 0"9 long				C
28D/9140639	A25/11B	Bolt, 4BA, hex. head, 1"5 long				C
28D/1011013	A25/13B	Bolt, 2BA, hex. head, 1"7 long				C
28D/9436920	A25/1C	Bolt, 2 BA, hex. head, 0"55 long				C
28D/9133011	A25/2C	Bolt, 2 BA, hex. head, 0"65 long				C
28D/9133012	A25/3C	Bolt, 2 BA, hex. head, 0"75 long				C
28D/1200119	A25/4C	Bolt, 2BA, hex. head, 0"85 long				C
28D/9133013	A25/5C	Bolt, 2BA, hex. head, 0"95 long				C
28D/9140644	A25/9C	Bolt, 2 BA, hex. head, 1"35 long				C
28D/1011246	A25/11E	Bolt, 1" BSF, hex. head, 1"6 long				C
28D/1010132	A25/12E	Bolt, 1" BSF, hex. head, 1"7 long				C
28D/1011247	A25/13E	Bolt, 1" BSF, hex. head, 1"8 long				C
28D/9706306	A25/17E	Bolt, 1" BSF, hex. head, 2"2 long				C
28D/9133208	A25/20E	Bolt, 1" BSF, hex. head, 2"5 long				C
28D/1214299	AS.1242/5B	Bolt, 4 BA, c'sk. head, 0"85				C
28F/9128961	AGS.605/1	Clip, hose				C
28N/5548	AGS.899/1	Collar				C
28F/8011809	AGS.1104/B	Cone, adaptor				C
28F/951342	AGS.1142/J	Nipple, adaptor				C
28M/1006504	A27/BT	Nut, 4 BA, thin				C
28M/13141	A27/BTL	Nut, 4 BA, thin, L.H.				C
28M/1006473	A27/CT	Nut, 2 BA, thin				C
28M/13253	A27/CTL	Nut, 2 BA, thin, L.H.				C
28M/1011476	A27/JS	Nut, 1" BSF				C
28M/9129449	A27/LS	Nut, 1" BSF				C
28M/132597	A27/NS	Nut, 1" BSF				C
28M/10286	AGS.2001/A/1	Nut, 6 BA, stiff				C
28M/10287	AGS.2001/B/1	Nut, 4 BA, stiff				C
28M/10289	AGS.2001/C/1	Nut, 2 BA, stiff				C
28M/9436836	AGS.2001/C/2	Nut, 2 BA, stiff				C
28M/10290	AGS.2001/E/1	Nut, 1" BSF, stiff				C
28M/10327	AGS.2002/B/1	Nut, 4 BA				C
28M/10328	AGS.2002/C/1	Nut, 2 BA				C
28P/1006943	SP.9/C6	Pin, split, 7/16" dia. x 3/4" long				C
28S/9419435	A31/B12	Screw, 4 BA, cheese head, 3/8" long				C
28S/9145185	A44/B12	Screw, 4 BA, round head, 1/2" long				C
28S/9446303	A45/A20	Screw, 6 BA, c'sk. head, 5/8" long				C
28S/9435713	A31/C20	Screw, 2 BA, cheese head, 5/8" long				C
28S/1214675	A39/B20	Screw, 4 BA, cheese head, 5/8" long				C
28F/9439105	AGS.1105/H	Union				C
28W/9419465	SP.13/B	Washer, 4 BA, plain				C
28W/9419402	SP.13/C	Washer				C
28W/9419466	SP.13/J	Washer, 3/8"				C
28W/9419467	SP.13/L	Washer, 1/2"				C
28W/9419468	SP.13/N	Washer, 1"				C
28W/9419474	SP.15/B	Washer, 4 BA, plain				C
28W/9419475	SP.15/C	Washer, 2 BA, plain				C

FUSELAGE CENTRE PORTION

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	
28W/9419405	SP.15/F	Washer,	1"	BSF,	plain	...	...	...	...	C	
28W/9419404	SP.16/C	Washer,	2	BA,	plain	...	...	...	...	C	
28W/9419487	SP.16/E	Washer,	3"	BSF,	plain	...	...	...	...	C	
28W/9416641	SP.47/A	Washer,	6	BA,	spring	...	...	...	...	C	
28W/12509	AS.410	Washer,	jointing	...	...	...	...	...	...	C	
28W/13593	AGS.568/J	Washer,	jointing	...	...	...	...	...	...	C	

CANBERRA B Mk. 6

Page 469

FUSELAGE

CENTRE FUSELAGE STRUCTURE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.		Plate No.
					M.R.	L.M.	
		1 2 3 4 5 6					
	E.B6.11.1521	STRUCTURE, CENTRE FUSELAGE GENERAL, ASSEMBLY (PRE-MOD. 1018) Spares for:—	—	—	—	—	
		BEAMS, REINFORCING, BOMB BAY DEFLECTOR AND FOOTSTEPS (BLUE SILK), FRAMES 29 TO 31, GROUP (E.A9.11.3127) (MOD. 3154) See page 477	—	—	—	—	
	E.B6.11.5051	GIRDER, FLOOR, AT FRAME 27, MODIFICATIONS (MOD. 3420) See page 480	—	—	—	—	
	E.A1.11.1	STRUCTURE, CENTRE FUSELAGE, ASSEMBLY ... Spares for:—	—	—	—	—	
13091	E.A3.11.655	Bolt, structure (Make from A25/4E) ...	10	—	—	C	
7275	E.A3.11.677	Bolt, special (Make from A25/4C) ...	10	—	—	C/MR	
	E.A1.11.1603	Bolt, special attachment, bulkhead to floor girder at frame 17	2	S.11	—	—	
	E.A1.11.1605	Bolt, special attachment, bulkhead to floor girder, at frame 17	2	S.11	—	—	
	E.B6.11.2403/4	BRACKET, PICK-UP, A/C, AT FRAME 17, INSTALLATION (MODS. 3156 AND 3522) Spares for:—	—	—	—	—	
	E.B6.11.5025	Bracket, port (Mod. 3156) ...	—	—	—	—	
	E.B6.11.5129	Bracket, port (Mod. 3522) ...	—	—	—	—	
	E.B6.11.5029	Bracket, port (Mod. 3156) ...	—	—	—	—	
	or	or					
40237	E.B6.11.5127	Bracket, port (Mod. 3522) ...	1	—	—	C	
	E.B6.11.5026	Bracket, starboard (Mod. 3156) ...	—	—	—	—	
	E.B6.11.5130	Bracket, starboard (Mod. 3522) ...	—	—	—	—	
	E.B6.11.5030	Bracket, starboard (Mod. 3156) ...	—	—	—	—	
	or	or					
40238	E.B6.11.5128	Bracket, starboard (Mod. 3522) ...	1	—	—	C	
3503	E.A3.11.15	Bulkhead, rear fuel tank ...	1	—	—	A	
4773	E.A1.11.3551	Bulkhead, fuel tank, at frame 17 ...	1	—	—	A	
233	E.A1.11.1091	Collar, special, retaining arc linking connecting pin at hydraulic jack	1	DTD.126A	—	C	F.2
1781	E.A1.11.3245	Collar, special, retaining arc linking connecting pin at hydraulic jack	1	S.92	—	C	F.2
234	E.A1.11.1105	Collar, special, retaining hydraulic jack pick-up bracket connecting pin aft	1	DTD.126A	—	C	F.2
28N/9513425	AGS.899/12	Collar, special, retaining hydraulic jack pick-up bracket connecting pin forward	2	—	—	C	F.2
28N/7116	AGS.899/15	Collar, retaining, actuating link ...	2	—	—	C	F.2
28N/6924	AGS.899/18	Collar, retaining, hydraulic jack pick-up bracket connecting pin, aft	2	—	—	C	F.2
28N/12242	AGS.899/19	Collar, retaining, actuating link pin aft ...	1	—	—	C	F.2
3080	E.A1.11.1097	DOOR, BOMB, PORT, GROUP (PRE-MOD. 2197) Spares for:—	1	—	—	A	
235	E.A1.11.1231	Bolt, eye, connecting for hinge support, stay	2	L.40	—	C	F.3
15825	E.A1.11.1573	Bolt, special, bomb door hinge, at frames 15, 17 and 19	6	S.11	—	C/MR	
4151	E.A1.11.1601	Bolt, special, bomb door hinge attachment ...	2	S.11 or S.2	—	C/MR	F.3

FUSELAGE

CENTRE FUSELAGE STRUCTURE

Ref. No.	Part No.	Description						No. off	Mati. Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	
	E.A1.11.823	BRACKET, DOOR, ROLLER GUIDE, GROUP						1	—	—	
		Spares for:—									
236	E.A1.11.1615	Bolt, special, c/w lubricating nipple						1	—	C	F.3
237	E.A1.11.837	Roller						1	L.40	C	F.3
	E.A1.11.1617	Tube, $\frac{1}{2}$ " o/d x 1"04 x 20 SWG						1	T.45	—	
	E.A1.11.825	BRACKET, DOOR, ROLLER GUIDE, GROUP						1	—	—	
		Spares for:—									
236	E.A1.11.1615	Bolt, special, c/w lubricating nipple						1	—	C	F.3
237	E.A1.11.837	Roller						1	L.40	C	F.3
	E.A1.11.1617	Tube, $\frac{1}{2}$ " o/d x 1"04 x 20 SWG						1	T.45	—	
	E.A1.11.827	BRACKET, DOOR, ROLLER GUIDE, GROUP						1	—	—	
		Spares for:—									
236	E.A1.11.1615	Bolt, special, c/w lubricating nipple						1	—	C	F.3
237	E.A1.11.837	Roller						1	L.40	C	F.3
	E.A1.11.1617	Tube, $\frac{1}{2}$ " o/d x 1"04 x 20 SWG						1	T.45	—	
	E.A1.11.829	BRACKET, DOOR, ROLLER GUIDE, GROUP						1	—	—	
		Spares for:—									
236	E.A1.11.1615	Bolt, special, c/w lubricating nipple						1	—	C	F.3
237	E.A1.11.837	Roller						1	L.40	C	F.3
	E.A1.11.1617	Tube, $\frac{1}{2}$ " o/d x 1"04 x 20 SWG						1	T.45	—	
	E.A1.11.831	BRACKET, DOOR, ROLLER GUIDE, GROUP						1	—	—	
		Spares for:—									
236	E.A1.11.1615	Bolt, special, c/w lubricating nipple						1	—	C	F.3
237	E.A1.11.837	Roller						1	L.40	C	F.3
	E.A1.11.1617	Tube, $\frac{1}{2}$ " o/d x 1"04 x 20 SWG						1	T.45	—	
	E.A1.11.833	BRACKET, DOOR, ROLLER GUIDE, GROUP						1	—	—	
		Spares for:—									
236	E.A1.11.1615	Bolt, special, c/w lubricating nipple						1	—	C	F.3
237	E.A1.11.837	Roller						1	L.40	C	F.3
	E.A1.11.1617	Tube, $\frac{1}{2}$ " o/d x 1"04 x 20 SWG						1	T.45	—	
11497	E.A1.11.845	BRACKET, ROLLER MOUNTING, BOMB DOOR CENTRE TRACK, GROUP						1	—	B/MR	
		Spares for:—									
238	E.A1.11.851	Pin, special, locating, outboard roller						1	S.11	C	F.3
239	E.A1.11.853	Pin, special, main roller						1	S.11	C	F.3
240	E.A1.11.855	Pin, special, locating, inboard roller						1	S.11	C	F.3
241	E.A1.11.847	Roller, locating						1	BSS.369	C	F.3
242	E.A1.11.849	Roller, main						1	BSS.369	C	F.3
243	E.A1.11.1365	Roller, main						1	BSS.369	C	F.3

CANBERRA B Mk. 6

Page 471

FUSELAGE

CENTRE FUSELAGE STRUCTURE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
244	E.A1.11.857	Washer, special thrust, main roller	1	DTD.124	C	F.3
245	E.A1.11.1367	Washer, special	1	S.1	C	F.3
15798	E.A1.11.1177	Connection, main hinge stay	1	L.40	C/MR	
15800	E.A1.11.1179	Connection, main hinge stay	1	DTD.683	C/MR	
247	E.A1.11.1441	Flap, roller, spring hinged clearance	1	—	C	F.3
	E.A1.11.933	HINGE, BOMB DOOR, MAIN BRACKET, REAR END, GROUP	1	—	—	
		Spares for:—				
248	E.A1.11.927	Bearing, journal	1	DTD.197	C	F.3
249	E.A1.11.929	Bearing, journal	1	DTD.197	C	F.3
20520	E.A1.11.1467	Bracket	1	L.40	C	
13224	E.A1.11.935	HINGE, BOMB DOOR, MAIN BRACKET, FORWARD END, GROUP	1	—	C	
		(Supplied as Drg. Part No. E.A3.00.100 for spares purposes)				
		Spares for:—				
249	E.A1.11.929	Bearing, journal	1	DTD.197	C	F.3
250	E.A1.11.931	Bearing, journal	1	DTD.197	C	F.3
20520	E.A1.11.1467	Bracket	1	L.40	C	
	E.A1.11.1607	Hinge, flap roller clearance (Make from AS.1878/15, Ref. No. 28N/10786)	1	—	LM	
	E.A3.11.121	Seal, 22' 3" long (Make from Ref. 4431) ...	2	Synthetic rubber	LM	
	E.A3.11.117	Seal, 6½" long (Make from Ref. 4431) ...	2	Synthetic rubber	LM	
	E.A3.11.119	Seal, 5½" long (Make from Ref. 4431) ...	2	Synthetic rubber	LM	
251	E.A1.11.1309	Spring, leaf, outboard clearance flap ...	1	Spring steel	C	F.3
252	E.A1.11.1311	Spring, leaf, inboard clearance flap ...	1	Spring steel	C	F.3
253	E.A1.11.1205	Stay, main hinge support	1	—	C	F.3
254	E.A1.11.1207	Stay, main hinge support	1	—	C	F.3
15807	E.A1.11.1327	Stud, securing roller bracket	1	S.11	C/MR	
3081	E.A1.11.1098	DOOR, BOMB, STARBOARD (PRE-MOD. 2197)	1	—	A	
		Spares for:—				
235	E.A1.11.1231	Bolt, eye, connection for hinge support stay ...	2	L.40	C	F.3
15825	E.A1.11.1573	Bolt, special, bomb door hinge at frames 15, 17 and 19	6	S.11	C/MR	
4151	E.A1.11.1601	Bolt, special, bomb door hinge attachment ...	2	S.2 or S.11	C/MR	F.3
	E.A1.11.823	BRACKET, DOOR, ROLLER GUIDE, GROUP	1	—	—	
		Spares for:—				
236	E.A1.11.1615	Bolt, special, c/w lubricating nipple ...	1	—	C	F.3
237	E.A1.11.837	Roller	1	L.40	C	F.3
	E.A1.11.1617	Tube, ½" o/d x 1"04 x 20 SWG	1	T.45	—	

FUSELAGE CENTRE FUSELAGE STRUCTURE

Ref. No.	Part No	Description						No. off	Matl. Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	
	E.A1.11.825	BRACKET, DOOR, ROLLER GUIDE, GROUP						1	—	—	
		Spares for:—									
236	E.A1.11.1615	Bolt, special, c/w lubricating nipple						1	—	C	F.3
237	E.A1.11.837	Roller						1	L.40	C	F.3
	E.A1.11.1617	Tube, ½" o/d x 1"04 x 20 SWG						1	T.45	—	
	E.A1.11.827	BRACKET, DOOR, ROLLER GUIDE, GROUP						1	—	—	
		Spares for:—									
236	E.A1.11.1615	Bolt, special, c/w lubricating nipple						1	—	C	F.3
237	E.A1.11.837	Roller						1	L.40	C	F.3
	E.A1.11.1617	Tube, ½" o/d x 1"04 x 20 SWG						1	T.45	—	
	E.A1.11.829	BRACKET, DOOR, ROLLER GUIDE, GROUP						1	—	—	
		Spares for:—									
236	E.A1.11.1615	Bolt, special, c/w lubricating nipple						1	—	C	F.3
237	E.A1.11.837	Roller						1	L.40	C	F.3
	E.A1.11.1617	Tube, ½" o/d x 1"04 x 20 SWG						1	T.45	—	
	E.A1.11.831	BRACKET, DOOR, ROLLER GUIDE, GROUP						1	—	—	
		Spares for:—									
236	E.A1.11.1615	Bolt, special, c/w lubricating nipple						1	—	C	F.3
237	E.A1.11.837	Roller						1	L.40	C	F.3
	E.A1.11.1617	Tube, ½" o/d x 1"04 x 20 SWG						1	T.45	—	
	E.A1.11.833	BRACKET, DOOR, ROLLER GUIDE, GROUP						1	—	—	
		Spares for:—									
236	E.A1.11.1615	Bolt, special, c/w lubricating nipple						1	—	C	F.3
237	E.A1.11.837	Roller						1	L.40	C	F.3
	E.A1.11.1617	Tube, ½" o/d x 1"04 x 20 SWG						1	T.45	—	
11498	E.A1.11.846	BRACKET, ROLLER MOUNTING, GROUP ...						1	—	—	
		Spares for:—									
238	E.A1.11.851	Pin, special locating, outboard roller						1	S.11	C	F.3
239	E.A1.11.853	Pin, special, main roller						1	S.11	C	F.3
240	E.A1.11.855	Pin, special locating, inboard roller						1	S.11	C	F.3
241	E.A1.11.847	Roller, locating						1	BSS.369	C	F.3
242	E.A1.11.849	Roller, main						1	BSS.369	C	F.3
243	E.A1.11.1365	Roller, main						1	BSS.369	C	F.3
244	E.A1.11.857	Washer, special thrust, main roller						1	DTD.124	C	F.3
245	E.A1.11.1367	Washer, special						1	S.1	C	F.3
15799	E.A1.11.1178	Connection, main hinge stay						1	L.40	C/MR	
15801	E.A1.11.1180	Connection, main hinge stay						1	DTD.683	C/MR	
247	E.A1.11.1441	Flap, roller, spring hinged clearance						1	—	C	F.3
	E.A1.11.934	HINGE, BOMB DOOR, MAIN BRACKET, REAR END, GROUP						1	—	—	
		Spares for:—									
248	E.A1.11.927	Bearing, journal						1	DTD.197	C	F.3

CANBERRA B. Mk. 6

Page 503

FUSELAGE FRONT PORTION

Ref. No.	Part No.						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5				
	E.B6.10.1	FRONT, FUSELAGE, ASSEMBLY					1	—	—	
		Spares for:—								
4343	E.A3.10.391	ARM , steady, L.H., for escape hatch explosive bolt					1	—	C	
4344	E.A3.10.392	ARM , steady, R.H., for escape hatch explosive bolt					1	—	C	
4350	E.A3.10.561	ARM , steady, for escape hatch explosive bolt ...					24	—	C	
		Attaching parts for E.A3.10.391, E.A3.10.392 and E.A3.10.561:—								
28D/1212940	A61/2C	Bolt, 2 BA					2	—	C	
28M/10281	AGS.2001/C/3	Nut, 2 BA					2	—	C	
5280	E.A3.10.651	Shim					QR	—	C	
4794	E.A3.10.2551	ARM , steady, L.H., for escape hatch explosive bolt					1	L.72	C	
4795	E.A3.10.2552	ARM , steady, R.H., for escape hatch explosive bolt					1	L.72	C	
		Attaching parts for E.A3.10.2551 and E.A3.10.2552:—								
28D/1212941	A61/3C	Bolt, 2 BA					2	—	C	
28M/10281	AGS.2001/C/3	Nut, 2 BA					2	—	C	
5281	E.A3.10.2549	Shim					4	—	C	
4796	E.A3.10.2583	ARM , steady, for escape hatch explosive bolt ...					3	—	C	
4797	E.A3.10.2584	ARM , steady, for escape hatch explosive bolt ...					3	—	C	
		Attaching parts for E.A3.10.2583 and E.A3.10.2584:—								
28D/1212941	A61/3C	Bolt, 2 BA					2	—	C	
28M/10281	AGS.2001/C/3	Nut, 2 BA					2	—	C	
5280	E.A3.10.651	Shim					QR	—	C	
129	E.A1.10.1029	BOLT , explosive, navigator's escape hatch					34	DTD.683	C	
	E.A3.10.6165	BRACKET, BUTT-CONNECTOR, INSTALLATION					—	—	—	
		Spares for:—								
41042	E.A3.10.6177	BRACKET , butt-connector (Mod. 3706-S.O.O.) ...					1	L.72	C	
	E.A3.10.6131	STRIP , sealing (Make from 30B/9611220) ...					1	L.72	LM	
3877	E.A3.10.2581	BRACKET , hinge					1	—	C	
8851	E.A3.10.2582	BRACKET , hinge					1	—	C	
		Attaching parts for E.A3.10.2581 and E.A3.10.2582:—								
28D/1007976	AS.1242/4C	Bolt, 2 BA					4	—	C	
28D/1013172	AS.1242/5C	Bolt, 2 BA (Alternative to AS.1242/4C) ...					2	—	C	
28D/1204937	AS.1242/6C	Bolt, 2 BA					2	—	C	
28D/1007978	AS.1242/7C	Bolt, 2 BA (Alternative to AS.1242/6C) ...					2	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA					2	—	C	
28W/9419402	SP.13/C	Washer					4	—	C	
2140	E.A1.20.1033	Washer					4	—	C	
	E.B6.80.5947	BRACKET, TRIP ROD, NAVIGATOR'S SEAT, INSTALLATION (MOD. 4065)					—	—	—	
	E.B6.80.5949	BRACKET, TRIP ROD, BOMB AIMER'S SEAT, INSTALLATION (MOD. 4065)					—	—	—	
		Spares for:—								
41333	E.B6.80.5951	BRACKET					1	—	C	
41334	E.B6.80.5955	BRACKET					3	—	C	
131	E.A1.10.1163	BUSH , navigator's escape hatch explosive bolts ...					21	L.40	C	
132	E.A1.10.1165	BUSH , navigator's escape hatch explosive bolts forward corners only					13	L.40	C	
5121	E.A3.10.3021	CAP , sealing, for escape hatch pivot					2	L.40	C	
5122	E.A3.10.3019	COLLAR , sealing, for escape hatch pivot					2	DTD.683	C	

No PAGES 501-502.

FUSELAGE FRONT PORTION

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
2812	E.A1.10.501	DOOR, ACCESS, EQUIPMENT, HATCH, ASSEMBLY (Supplied to part No. E.A3.00.113 for spares purposes with trim allowance) Spares for:—						1	—	B	F.8
13104	E.A1.10.511	LINK , connecting Attaching parts for E.A1.10.511:—						2	—	C	
28P/9130722	SP.4Y/B2	Pin, shackle						1	—	C	
28P/9496478	SP.90/C5	Pin, split						1	—	C	
3227	AS.2866/P	LOCK, L.H., FLUSH TYPE, ASSEMBLY Spares for:—						1	—	B	
32501	AS.5382	BOLT , pivot						1	—	C	
25791	AS.2558	BUTTON , pressure seal						1	—	C	
2731	AS.2552	HANDLE , single handle lock						1	—	C	
32500	AS.2532	PLATE , catch						1	—	C	
20874	AS.2559	SEAL , handle						1	—	C	
25792	AS.5381	SEAL , push button						1	—	C	
32499	AS.2534	SPRING , catch						1	—	C	
32498	AS.2556	STUD , spring Attaching parts for AS.2866/P:—						1	—	C	
	E.A1.10.2421	Ring, packing						1	—	—	
28S/9435716	A33/B12	Screw, 4 BA						11	—	C	
2813	E.A1.10.2423	PANEL , removable Attaching parts for E.A1.10.2423:—						1	—	C	
28D/9128739	AS.1248/3B	Bolt, 4 BA						26	—	C	
21630	E.A1.10.549	ROD , end						2	L.1	C	
	E.A1.10.507	SPIGOT						1	—	—	
	E.A1.10.508	SPIGOT						1	—	—	
	E.A1.10.2425	STRIP , sealing, 0"5 wide (Make from EEAS.141/1E Ref. 12713)						1	—	LM	
2807	E.A1.10.1189	DOOR , access, hydraulic reservoir						1	L.72	C	F.8
3046	E.A3.10.1401	DOOR, MAIN ENTRANCE, ASSEMBLY (File door, skin line until door fits freely) in frame, clearance around door skin line 0"100 + or - 0"020) Spares for:—						1	—	A	F.8
17416	E.A1.10.1145	BOLT , assembly, door, aft						1	—	C	
17415	E.A1.10.1143	BOLT , assembly, door, forward Attaching parts for E.A1.10.1145 and E.A1.10.1143:—						1	—	C	
28P/832	SP.4Y/B6	Pin						1	—	C	
9728	E.A3.10.2313	FAIRING , handle, internal Attaching parts for E.A3.10.2313:—						1	—	C	
28D/1013284	AS.1248/2C	Bolt, 2 BA						13	—	C	
2732	E.A1.10.1785	HANDLE , door, internal Attaching parts for E.A1.10.1785:—						1	—	C	F.8
28D/1013284	AS.1248/2C	Bolt, 2 BA						1	—	C	
28W/6316	AGS.585/C	Washer						1	—	C	
28W/9419402	SP.13/C	Washer						1	—	C	
21931	E.A3.10.1407	HINGE, ENTRANCE DOOR, ASSEMBLY Spares for:—						2	—	B	
2A/9500412	SKEFKO-CBS.3	BEARING						2	—	C	
	E.A3.10.1403	HINGE						1	—	—	
	E.A3.10.1405	PIN						1	—	—	

CANBERRA B. Mk. 6

Page 505

FUSELAGE FRONT PORTION

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
21285	E.A1.10.1733	HOUSING , door bolt, aft						1	—	C/MR	
		Attaching parts for E.A1.10.1733:—									
28D/1008149	A25/2B	Bolt, 4 BA						16	—	C	
28M/9403519	A27/BP	Nut, 4 BA						16	—	C	
28W/1010155	AGS.162/B	Washer						16	—	C	
21286	E.A1.10.1735	HOUSING , door, bolt, forward						1	—	C/MR	
		Attaching parts for E.A1.10.1735:—									
28D/1010658	A25/1B	Bolt, 4 BA						10	—	C	
28D/1008149	A25/2B	Bolt, 4 BA						14	—	C	
28M/9403519	A27/BP	Nut, 4 BA						14	—	C	
28W/1010155	AGS.162/B	Washer						24	—	C	
18204	E.A1.10.1337	LEVER , cranked, aft						1	—	C	
18206	E.A1.10.813	LEVER , cranked, forward						1	—	C	
		Attaching parts for E.A1.10.1337 and E.A1.10.813:—									
28D/7002428	A25/6C	Bolt, 2 BA						1	—	C	
17558	E.A1.10.1149	Tube, distance... ..						1	—	C	
18207	E.A1.10.821	LINK , coupling, crank lever to door handle ...						1	—	C	
		Attaching parts for E.A1.10.821:—									
28P/830	SP.4Y/B4	Pin						2	—	C	
28W/9419402	SP.13/C	Washer						2	—	C	
2921	AS.2864/P	LOCK, FLUSH FITTING DOOR, ASSEMBLY ...						1	—	B	
		Spares for:—									
32501	AS.5382	BOLT , pivot						1	—	C	
25791	AS.2558	BUTTON , pressure seal						1	—	C	
2730	AS.2549	HANDLE , outer, double handle lock						1	—	C	
32500	AS.2532	PLATE , catch						1	—	C	
20874	AS.2559	SEAL , handle						1	—	C	
25792	AS.5381	SEAL , push button						1	—	C	
32499	AS.2534	SPRING , for catch						1	—	C	
32498	AS.2556	STUD , spring						1	—	C	
		Attaching parts for AS.2864/P:—									
28D/9128739	AS.1248/1/2B	Bolt, 4 BA						4	—	C	
28S/1200066	A33/B20	Screw, 4 BA						11	—	C	
	E.A1.10.1995	PANEL , access						1	L.72	—	
		Attaching parts for E.A1.10.1995:—									
28D/1214091	AS.1242/2C	Bolt, 2 BA						14	—	C	
28D/1013284	AS.1248/2C	Bolt, 2 BA						30	—	C	
20934	E.A3.10.1447	PANEL , dished back						1	—	C	
		Attaching parts for E.A3.10.1447:—									
28D/1013284	AS.1248/2C	Bolt, 2 BA						28	—	C	
7771	E.A1.10.2657	Gasket						1	—	C	
18209	E.A1.10.1319	PLATE , (Bracket), swivel door prop						1	L.72	C	
		Attaching parts for E.A1.10.1319:—									
28M/1011475	A27/EP	Nut, 1/2" BSF						1	—	C	
28W/9418921	SP.13/E	Washer						1	—	C	

FUSELAGE FRONT PORTION

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
5195	E.A1.10.1651	SEAL , door, outer (Make from 32C/652) ...	1	—	LM	F.8
4911	E.A3.10.2813	STRAP , support, strut stowage ...	1	—	C	
2986	E.A3.10.1459	TUBE , stay, door prop ...	1	—	C	
	E.A1.10.939	DOOR, NOSE, UNDERCARRIAGE, PORT, ASSEMBLY Supplied to part No. E.A3.00.149 for spares purposes, with trim allowances and undrilled hinge attached) Spares for:—	1	—	B	F.7
18873	E.A1.10.957	BLOCK , catch ...	2	—	C	
18202	E.A1.10.961	Attaching parts for E.A1.10.957:— Bolt, special ...	4	—	C	
6129	E.A1.10.963	Shim ...	1	—	C	
28W/9416643	SP.47/C	Washer ...	4	—	C	
18889	E.A1.10.1367	BRACKET , door pick-up ...	1	—	C	
	E.A1.10.2707	Attaching parts for E.A1.10.1367:— Bolt, special ...	8	—	—	
6131	E.A1.10.1369	Shim ...	1	—	C	
	E.A1.10.1271	HINGE (Make from Ref. 28N/9486785) ...	1	—	LM	
	E.A1.10.1413	HINGE ...	1	—	—	
3629	E.A1.10.955	PAD ...	1	Rubber	C	F.7
	E.A1.10.2467	Attaching parts for E.A1.10.955:— Angle ...	1	—	—	
28S/1011504	E.A3.10.3485	Packing ...	1	—	—	
3628	A33/C32	Screw, 2 BA ...	2	—	C	
5072	E.A1.10.949	Shim ...	1	Light Alloy	C	F.7
	EEAS.6/C	Washer, cup ...	2	—	C	
4261	E.A1.10.2655	PAD , stop ...	1	—	C	
4060	E.A1.10.2065	SPUR ...	1	—	C	
	E.A3.10.2811	STRIP , sealing, (Make from Ref. 4756) ...	1	Synthetic Rubber	—	
28M/10286	AGS.2001/A/1	Attaching parts for E.A3.10.2811:— Nut, 6 BA ...	16	—	C	
28S/1200058	A32/A12	Screw, 6 BA ...	16	—	C	
2987	E.A1.10.940	DOOR, NOSE, UNDERCARRIAGE, STARBOARD, ASSEMBLY (Supplied to Part No. E.A3.00.150, for spares purposes, with trim allowances and undrilled hinge attached) Spares for:—	1	—	B	F.7
4699	E.A3.10.3129	BLOCK , door catch ...	2	Al. Alloy	C	
18876	E.A1.10.983	Attaching parts for E.A3.10.3129:— Bolt, special ...	4	—	C	
28W/9416643	SP.47/C	Washer, spring ...	4	—	C	
18889	E.A1.10.1367	BRACKET , door, pick-up ...	1	—	C	
	E.A1.10.2707	Attaching parts for E.A1.10.1367:— Bolt, special ...	8	—	—	
6131	E.A1.10.1369	Shim ...	1	—	C	

CANBERRA B. Mk. 6

Page 507

FUSELAGE FRONT PORTION

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
18899	E.A1.10.2071	BRACKET , roller						1	—	MR	
28D/9133012	A25/3C	Attaching parts for E.A1.10.2071:—									
28M/9403520	A27/CP	Bolt, 2 BA						2	—	C	
18902	E.A1.10.2077	Nut, 2 BA						2	—	C	
		Washer, special						2	—	MR	
4700	E.A3.10.3085	BRACKET , spring seating						1	DTD.683	C	
28D/9133017	A25/3C	Attaching parts for E.A3.10.3085:—									
28M/9433473	AGS.2002/C/1	Bolt, 2 BA						2	—	C	
28W/9419404	SP.16/C	Nut, 2 BA						2	—	C	
		Washer						2	—	C	
	E.A1.10.1272	HINGE (Make from Ref. 28N/9486785)						1	—	LM	
18203	E.A1.10.1414	HINGE						1	—	C	
4696	E.A3.10.3193	HOOK , door latch, forward						1	—	C/MR	F.7
		Attaching parts for E.A3.10.3193:—									
4234	E.A1.10.971	Pin, pivot						1	—	C	
	E.A1.45.389	Shim						1	—	—	
20674	EEAS.28/23CU	Washer						2	—	C	
12285	E.A3.10.3239	Hook, door latch, aft (Mod. 1465)						1	S.11	C	F.7
		Attaching parts for E.A3.10.3239:—									
12286	E.A3.10.3375	Packing						5	L.72	C	
4234	E.A1.10.971	Pin, pivot						1	—	C	
28W/9419476	SP.15/G	Washer						1	—	C	
3629	E.A1.10.955	PAD						1	Rubber	C	F.7
		Attaching parts for E.A1.10.955:—									
	E.A1.10.2467	Angle						1	—	—	
	E.A3.10.3485	Packing						2	—	—	
28S/1011504	A33/C32	Screw, 2 BA						2	—	C	
3628	E.A1.10.949	Shim						1	Light Alloy	C	F.7
5072	EEAS.6/C	Washer, cup						2	—	C	
4050	E.A1.10.1725	PLATE , cover						1	—	C	
28S/9435716	A33/B12	Attaching parts for E.A1.10.1725:—									
		Screw, 4 BA						2	—	C	
4701	E.A3.10.3211	ROD, CONNECTING NOSE, UNDERCARRIAGE, DOOR HOOKS, ASSEMBLY						1	—	B	
		Consisting of:—									
5167	E.A3.10.3083	COLLAR , spring adjusting						1	DTD.683	C	F.7
5168	E.A3.10.3207	FORK-END						1	S.96	C	F.7
5169	E.A3.10.3213	FORK-END						1	S.96	C	F.7
28M/9403520	A27/CP	NUT , 2 BA						2	—	C	
28M/13278	A27/CPL	NUT , 2 BA						1	—	C	
5170	E.A3.10.3209	ROD						1	S.96	C	F.7
5171	E.A3.10.2271	SPRING						1	DTD.239A	C	F.7
		Attaching parts for E.A3.10.3211:—									
28N/1045681	AGS.899/1	Collar						2	—	C	
28P/817	SP.4Y/A7	Pin, shackle						2	—	C	

FUSELAGE FRONT PORTION

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	
18901	E.A1.10.2075	ROLLER	...	...	...	...	...	1	—	C	
18900	E.A1.10.2073	Attaching parts for E.A1.10.2075:—						1	—	C	
	E.A3.10.2811	Pin	...	...	...	...	...	1	—	C	
		STRIP, sealing (Make from Ref. 4756)	...	...	...	...	...	1	—	LM	
28M/10286	AGS.2001/A/1	Attaching parts for E.A3.10.2811:—						16	—	C	
28S/1006948	A32/A12	Nut, 6 BA	...	...	...	...	...	16	—	C	
		Screw, 6 BA	...	...	...	...	...	16	—	C	
1799	E.A3.10.157	FRAME, bolt, navigator's escape hatch	...	...	...	...	...	1	—	B	
4009	E.A1.10.1229	GUARD, block, pressure cabin door seal	...	...	...	...	...	1	—	C	
2729	E.A1.10.1153	HANDLE	...	...	...	...	...	1	L.72	C	F.8
		Attaching parts for E.A1.10.1153:—						1	—	C	
28D/9128739	AS.1248/1/2B	Bolt, 4 BA	...	...	...	...	...	1	—	C	
28W/9419448	AGS.2035/B	Washer	...	...	...	...	...	1	—	C	
34554	E.A3.00.5325	HATCH, ESCAPE, NAVIGATOR'S, ASSEMBLY	...	...	...	...	...	1	—	B	
		(MOD. 4094) (Supplied to Part No. E.A3.10.6301 for spares purposes with trim allowance)									
		Spares for:—									
5CZ/430	†	BLOCK, terminal, 2-way, type B	...	...	...	...	...	1	—	C	
28S/1200062	A33/A20	Attaching parts for Ref. 5CZ/430:—						2	—	C	
		Screw, 6 BA	...	...	...	...	...	2	—	C	
37005	E.A3.81.5849	CABLE, ASSEMBLY, N.417, terminal block to butt connectors	...	...	...	...	...	1	—	C	
		Attaching parts for E.A3.81.5849:—						2	—	C	
28S/9131780	A33/B6	Screw, 4 BA	...	...	...	...	...	2	—	C	
41062	E.A3.10.6109	CHANNEL, butt connectors (Make from EEDX126)	...	...	...	...	...	1	—	C	
		Attaching parts for E.A3.10.6109:—						4	—	C	
28D/9133011	A25/2C	Bolt, 2 BA	...	...	...	...	...	4	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA	...	...	...	...	...	4	—	C	
28W/9419404	SP.16/C	Washer	...	...	...	...	...	4	—	C	
5076	MARTIN BAKER MBEU/320EE	CLIP, safety harness stowage	...	...	...	...	...	4	—	C	
		Attaching parts for MBEU/320EE:—						4	—	C	
28D/1011006	A25/5B	Bolt, 4 BA	...	...	...	...	...	4	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA	...	...	...	...	...	4	—	C	
	E.A3.10.2277	Packing, taper	...	...	...	...	...	1	—	—	
	E.A3.10.2281	Packing, taper	...	...	...	...	...	2	—	—	
28W/9419474	SP.15/B	Washer	...	...	...	...	...	4	—	C	
5075	MARTIN BAKER MBEU/321EE	CLIP, parachute harness stowage	...	...	...	...	...	4	—	C	
		Attaching parts for MBEU/321EE:—						4	—	C	
28D/1011006	A25/5B	Bolt, 4 BA	...	...	...	...	...	4	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA	...	...	...	...	...	4	—	C	
	E.A3.10.2279	Packing, taper	...	...	...	...	...	2	—	—	
	E.A3.10.6135	Packing, taper	...	...	...	...	...	2	—	—	
	E.A3.10.2275	Packing, taper	...	...	...	...	...	1	—	—	
28W/9419474	SP.15/B	Washer	...	...	...	...	...	4	—	C	

CANBERRA B. Mk. 6

Page 509

FUSELAGE FRONT PORTION

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
20515	E.A6.10.2683	CURTAIN , window						2	—	C	
3077	E.A6.10.2589	FAIRING , canopy, aft section						1	—	C	
		Attaching parts for E.A6.10.2589:—									
1032	EEAS.1/2E	Screw, 1" BSF						2	—	C	
1025	EEAS.1/1C	Screw, 2 BA						10	—	C	
41175	E.B7.10.5093	FORK-END , release cable						2	—	C	
		Attaching parts for E.B7.10.5093:—									
28M/1278190	AGS.2001/C/1	Nut, 2 BA						1	—	C	
28W/9419475	SP15/C	Washer						1	—	C	
41063	E.A3.10.6111	HOLDER , spigot						1	—	C	
		Attaching parts for E.A3.10.6111:—									
28D/1008151	A25/4E	Bolt, 1" BSF						2	—	C	
	E.A3.10.6139	Packing						1	—	—	
28W/9419487	SP.16/E	Washer						2	—	C	
14721	E.A3.10.3765	PLATE ,						1	—	C	
		Attaching parts for E.A3.10.3765:—									
28D/1013179	AS.1242/5E	Bolt, 1" BSF						4	—	C	
28D/1212825	AS.1242/4E	Bolt, 1" BSF						4	—	C	
34495	E.A3.10.6247	Packing						1	—	C	
34134	E.A3.10.6121	Packing						1	—	C	
34133	E.A3.10.6137	Packing						1	—	C	
	E.A3.10.311	SEAL , aft, 65" long (Make from Ref. 208) ...						1	Shore 35	LM	
	E.A3.10.313	SEAL , forward, 61" long (Make from Ref. 208) ...						1	Shore 35	LM	
	E.A3.10.309	SEAL , side, 38" long (Make from Ref. 208) ...						2	Shore 35	LM	
41058	E.A3.10.6099	SPIGOT , screwed						2	S.96	C	
		Attaching parts for E.A3.10.6099:—									
28M/1007404	A27/JT	Nut, 1" BSF						1	—	C	
148	E.A3.10.305	WINDOW , perspex						2	—	B	
		Attaching parts for E.A3.10.305:—									
6162	E.A3.10.985	Bush, rubber						20	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA						68	—	C	
	E.A3.10.111	Plate, window securing, port						1	—	—	
	E.A3.10.6275	Plate, window securing, starboard						1	—	—	
1031	EEAS.1/6C	Screw, 2 BA						20	—	C	
1468	EEAS.1/2C	Screw, 2 BA						4	—	C	
1025	EEAS.1/1C	Screw, 2 BA						44	—	C	
149	E.A3.10.307	Seal, rubber						2	—	C	
28W/9419475	SP.15/C	Washer						68	—	C	
34171	E.A3.10.6081	HATCH, METAL, NAVIGATOR'S, ASSEMBLY (MOD. 3706 — S.O.O.) (Supplied to Part No. E.A3.00.5111 for spares purposes with trim allowance) Spares for:—						1	—	B	
	E.A3.10.6107	ANGLE , butt connector						1	L.72	—	
5CZ/430	†	BLOCK , terminal, type B, 2-way						1	—	C	
		Attaching parts for Ref. 5CZ/430:—									
28S/1200062	A33/A20	Screw, 6 BA						2	—	C	

FUSELAGE FRONT PORTION

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	
37005	E.A3.81.5849	CABLE , assembly						1	—	C	
28S/9131780	A33/B6	Attaching parts for E.A3.81.5849:—						4	—	C	
41062	E.A3.10.6109	CHANNEL , butt connector (Make from EEDX.126)						1	—	C	
28D/9133011	A25/2C	Attaching parts for E.A3.10.6109:—						4	—	C	
28M/1278190	AGS.2001/C/1	Bolt, 2 BA						4	—	C	
28W/9419404	SP.16/C	Nut, 2 BA						4	—	C	
		Washer						4	—	C	
5075	MARTIN BAKER MBEU/321EE	CLIP , parachute harness stowage, upper						2	—	C	
28D/1011006	A25/5B	Attaching parts for MBEU/321EE:—						4	—	C	
28M/1278189	AGS.2001/B/1	Bolt, 4 BA						4	—	C	
	E.A3.10.2275	Nut, 4 BA						1	—	—	
	E.A3.10.6135	Packing, taper						1	—	—	
28W/9419474	SP.15/B	Packing, taper						4	—	C	
5075	MARTIN BAKER MBEU/321EE	CLIP , parachute harness stowage, lower						2	—	C	
28D/1011006	A25/5B	Attaching parts for MBEU/321EE:—						4	—	C	
28M/1278189	AGS.2001/B/1	Bolt, 4 BA						4	—	C	
	E.A3.10.2275	Nut, 4 BA						1	—	—	
	E.A3.10.2279	Packing, taper						6	—	—	
28W/9419474	SP.15/B	Packing, taper						4	—	C	
28E/9436947	AS.3180/4B	CLIP , "P", rubber covered						3	—	C	
28D/1010658	A25/1B	Attaching parts for AS.3180/4B:—						1	—	C	
28M/1278189	AGS.2001/B/1	Bolt, 4 BA						1	—	C	
28W/9419474	SP.15/B	Nut, 4 BA						1	—	C	
5076	MARTIN BAKER MBEU/320EE	CLIP , safety harness stowage						4	—	C	
28D/1011006	A25/5B	Attaching parts for MBEU/320EE:—						4	—	C	
28M/1278189	AGS.2001/B/1	Bolt, 4 BA						4	—	C	
	E.A3.10.2277	Nut, 4 BA						1	—	—	
	E.A3.10.2281	Packing, taper						8	—	—	
28W/9419474	SP.15/B	Packing, taper						4	—	C	
20515	E.A6.10.2683	CURTAIN , window						2	—	B	
41063	E.A3.10.6111	HOLDER , spigot						1	L.65	C	
28D/1008151	A25/4E	Attaching parts for E.A3.10.6111:—						2	—	C	
	E.A3.10.6139	Bolt, 1/2" BSF						1	—	—	
28W/9419487	SP.16/E	Packing, laminated						2	—	C	
		Washer						2	—	C	

Ref. No.	Part No.	Description						No. Off	Matl. Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	
28M/1007404 14721	A27/JT E.A3.10.3765	NUT , $\frac{3}{8}$ " BSF, spigot locking						2	—	C	
		PLATE , blanking, periscope						1	—	—	
		Attaching parts for E.A3.10.3765:—									
28D/1013178	AS.1242/5E	Bolt, $\frac{1}{4}$ " BSF						4	—	C	
28D/1212825	AS.1242/4E	Bolt, $\frac{1}{4}$ " BSF						4	—	C	
34498	E.A3.10.6247	Packing						1	Langite	C	
34134	E.A3.10.6121	Packing						1	L.72	C	
34133	E.A3.10.6137	Packing						1	Langite	C	
	E.A3.10.311	SEAL , hatch, aft (Make from Ref. 208)						1	—	LM	
	E.A3.10.313	SEAL , hatch, forward (Make from Ref. 208)						1	—	LM	
	E.A3.10.309	SEAL , hatch, side (Make from Ref. 208)						2	—	LM	
41058	E.A3.10.6099	SPIGOT , screwed						2	S.96	C	
148	E.A3.10.305	WINDOW , perspex						2	—	B	
		Attaching parts for E.A3.10.305:—									
6162	E.A3.10.985	Bush, rubber (Made from 32C/507)						20	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA						68	—	C	
	E.A3.10.111	Plate, securing						1	L.72	—	
149	E.A3.10.307	Seal, rubber						2	—	C	
1468	EEAS.1/2C	Screw, 2 BA						6	—	C	
1025	EEAS.1/1C	Screw, 2 BA, plate securing						42	—	C	
1031	EEAS.1/6C	Screw, 2 BA, window securing						20	—	C	
28W/9419475	SP.15/C	Washer						68	—	C	
	E.A3.10.3481	HOOD, COUPE TO FUSELAGE, ASSEMBLY (MOD. 519)						—	—	—	
		Spares for:—									
1594	E.A3.10.2085	BOLT , explosive, hood fixing						2	DTD.683	C	
1782	E.A3.10.2221	BOLT , explosive, hood fixing						30	DTD.683	C	
135	E.A1.10.1035	BUSH , coaming, tube explosive bolt						31	L.40	C	
136	E.A1.10.1167	BUSH , coaming, tube explosive bolt entry						30	L.40	C	
137	E.A1.10.1169	BUSH , coaming, tube explosive bolt entry						30	L.40	C	
138	E.A1.10.1435	BUSH , coaming tube, explosive bolt entry						1	L.40	C	
	—	COAMING TUBE, REPAIR FOR EXPLOSIVE BOLTS (E.A3.03.35, ASD.319RS AND ASD.617RS)						—	—	—	
		Spares for (Per set):—									
3922	E.A3.03.47	BUSH , (First repair)						2	—	C	
25557	E.A3.03.129	BUSH , (Second repair)						2	—	C	
43198	E.A3.03.297	BUSH , (Third repair)						2	—	C	
3921	E.A3.03.45	BUSH , locking (First repair)						30	—	C	
25556	E.A3.03.127	BUSH , locking (Second repair)						30	—	C	
43199	E.A3.03.295	BUSH , locking (Third repair)						30	—	C	
3919	E.A3.03.41	BUSH , tapped (First repair)						31	—	C	
25555	E.A3.03.125	BUSH , tapped (Second repair)						31	—	C	
43201	E.A3.03.291	BUSH , tapped (Third repair)						31	—	C	
3920	E.A3.03.43	BUSH , tapped (First repair)						1	—	C	
26741	E.A3.03.201	BUSH , tapped (Second repair)						1	—	C	
43200	E.A3.03.293	BUSH , tapped (Third repair)						1	—	C	
3917	E.A3.03.37	TUBE , distance						31	—	C	
3918	E.A3.03.39	TUBE , distance						1	—	C	

FUSELAGE FRONT PORTION

Ref. No.	Part No.	Description						No. Off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
12873	E.A3.15.125	HOOD COUPE, C/W EDGE MEMBER, ASSEMBLY (Supplied to Part No. E.A3.00.509 for spares purposes) Spares for:—						1	—	A	
12947	E.A3.10.3479	BRACKET, hinge						1	—	C	
12948	E.A3.10.3480	BRACKET, hinge Attaching parts for E.A3.10.3479 and E.A3.10.3480:—						1	—	C	
28D/1214039	AS.1242/18C	Bolt, 2 BA						2	—	C	
28D/1202334	AS.1242/3E	Bolt, 1/2" BSF						2	—	C	
28M/1006473	A27/CT	Nut, 2 BA						2	—	C	
18964	E.A3.10.3061	Shim (if required, max. thick 0"14)						QR	—	C	
18965	E.A3.10.3063	Shim (if required, max. thick 0"14)						QR	—	C	
28W/9419402	SP.13/C	Washer						2	—	C	
3078	E.A6.10.2587	FAIRING, canopy Attaching parts for E.A6.10.2587:—						1	—	C	
28D/1214035	AS.1242/13C	Bolt, 2 BA						6	—	C	
	E.A6.10.2679	Strip, rubber (Make from Ref. 32C/537)						QR	Linatex	LM	
	E.A3.15.115	HOOD, ASSEMBLY Spares for:—						1	—	—	
13179	E.A1.15.9	BRACKET, fastener						1	L.40	C	
13180	E.A1.15.13	BRACKET, hinge						1	L.40	C	
		Attaching parts for E.A1.15.9 and E.A1.15.13:—									
28D/1013171	AS.1242/14B	Bolt, 4 BA						2	—	C	
28M/1006504	A27/BT	Nut, 4 BA						2	—	C	
12949	E.A3.15.95	BUSH, rubber for attachment screws						148	Natural Rubber	C	
1439272	E.A3.15.109	BUSH, rubber, door landing bolts, 1/4" o/d. x 0"15 i/d. x 1"2 long						24	Natural Rubber	C	
7116	E.A1.81.689/1	CABLE, ASSEMBLY, N.74A, HEATED WIND—SCREEN TO COUPE BREAK Consisting of:—						1	—	B	
5E/4183	†	CABLE, Uninyvin 20						QR	—	C	
5CY/9330749	S.I.B.1657	PLUG, 2-way, flat, type R						1	—	C	
5K/9107066	†	SLEEVE						6	—	C	
5K/9107067	†	SLEEVE						1	—	C	
5CY/457	S.I.S.1658	SOCKET, 2-way, flat, type R						1	—	C	
1786	E.A1.15.19	EYE-BOLT, 2 BA						1	DTD.126A	C	
		Attaching parts for E.A1.15.19:—									
28D/7002428	A25/6C	Bolt, 2 BA						1	—	C	
28M/9403520	A27/CP	Nut, 2 BA						1	—	C	
12951	E.A3.15.129	LANDING, door, 12 SWG (D.V. window)						1	L.72	C	
		Attaching parts for E.A3.15.129:—									
28D/1022405	AS.1242/13B	Bolt, 4 BA						20	—	C	
28D/1013171	AS.1242/14B	Bolt, 4 BA						4	—	C	
28M/1006504	A27/BT	Nut, 4 BA						4	—	C	
28M/1086618	AGS.2002/B/1	Nut, 4 BA						20	—	C	

CANBERRA B. Mk. 6

Page 513

FUSELAGE FRONT PORTION

Ref. No.	Part No.							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
1788	E.A1.15.17							1	L.40	C	
	E.A3.15.107							1	DTD.838	C	
12952	E.A3.15.133							1	L.72	C	
	E.A3.15.87							1	Natural Rubber	LM	
12953	E.A3.15.135							1	Shore 30	C	
141	E.A1.15.23							1	Spring Steel	C	
12954	E.A3.15.131							1	Shore 30-40	C	
12924	E.A3.15.105							1	—	B	
34781	E.A3.15.139							1	—	B	
4167	E.A1.15.161							1	L.40	C/MR	
4168	E.A1.15.163							1	L.40	C/MR	
28D/1013171	AS.1242/14B							6	—	C	
28M/1006504	A27/BT							6	—	C	
3562	E.A1.15.173							1	—	C	
3563	E.A1.15.175							1	—	C	
	E.A3.15.69							1	Toughened Glass	—	
	E.A3.15.137							1	—	—	
28D/1022405	AS.1242/13B							10	—	C	
28M/1006504	A27/BT							10	—	C	
1792	E.A1.15.151							1	L.73	C	
1793	E.A3.15.145							1	Shore 40	C	
1794	E.A1.15.47							1	Shore 40	C	
12950	E.A3.15.127							1	LFS.26	C	
1796	E.A1.15.155							1	—	C	
1797	E.A1.15.157							1	L.72	C	
	E.A3.15.111							4	BSS.369	—	
	E.A3.10.2223							1	—	—	
28D/1214035	AS.1242/13C							128	—	C	
28M/1006473	A27/CT							128	—	C	
28W/9419402	SP.13/C							128	—	C	
	E.A3.10.3457							1	—	—	
	E.A3.10.3455							1	L.72	—	

FUSELAGE FRONT PORTION

Ref. No.	Part No.							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.A3.10.3451							1	L.72	—	
	E.A3.10.3453							1	L.72	—	
28D/1214036	AS.1242/14C							4	—	C	
28M/1006473	A27/CT							4	—	C	
28S/9464899	A37/C8							148	—	C	
	E.A3.10.2249							QR	Linatex	LM	
	E.A3.10.2251							QR	Linatex	LM	
	E.A3.10.2245							1	—	MR	
34675	E.A3.16.5025							2	—	C	
	E.A3.16.5027							1	S.96	—	
1000	E.A1.10.1657							4	DTD.124	C	
1001	E.A1.10.1659							4	DTD.124	C	
43132	E.A1.10.1501							1	—	B	
1004	E.A1.10.1663							8	L.40	C	
21249	E.A3.10.2773							1	L.72	C	
1010	E.A1.10.847							2	L.40	C	
	E.B6.10.9							1	—	—	
13091	E.A3.11.655							4	—	C	
3953	E.A3.10.885							1	—	C	
28D/1007982	AS.1248/1C							12	—	C	
	E.B6.10.11							—	—	—	
3999	E.A1.10.231							1	—	C	
4690	E.A1.10.829							1	—	B/MR	
4232	E.A1.10.827							1	L.40	C	
28P/19232	SP.90/E6							1	—	C	
5084	ANGUS.OR.12							1	—	C	
4231	E.A1.10.825							1	L.40	C	
	E.B6.10.17							—	—	—	
3997	E.A1.10.217 or E.A1.10.219							1	—	B/MR	
	E.A1.10.2685							1	—	—	
28D/1011304	A25/15J							2	—	C	
28M/1011476	A27/JS							2	—	C	
6055	E.A3.10.2793							2	DTD.683	C	

Ref. No.	Part No.	Description	No. Off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
28N/9156370 12943	SP.21 E.A1.10.217A	NIPPLE SPIGOT Attaching parts for E.A1.10.217 or E.A1.10.219:—	1 1	— S.96	C C	
28D/1008151 28D/1008145 4856	A25/4E A25/6E E.A3.10.2383	Bolt, 1/4" BSF Bolt, 1/4" BSF Bolt	10 2 2	— — S.11	C C C/MR	
3998	E.A1.10.218 or E.A1.10.220	BRACKET, MOUNTING, R.H. NOSE WHEEL PIVOT SHAFT, ASSEMBLY Spares for this assembly are identical with those for assembly Part No. E.A1.10.217 on page 514	1	—	B/MR	
	E.B6.10.37	BULKHEAD, PRESSURE, ASSEMBLY (MOD. 2183) Spares for:—	—	—	—	
33814	E.A9.10.5091	BRACKET, FORWARD LATCH, ASSEMBLY Spares for:—	1	—	C	
	E.A3.10.1739	BLOCK Attaching parts for E.A3.10.1739:—	1	—	—	
28D/1212309 28M/1002403	A25/25E A27/ET AS.2811/6/135	Bolt, 1/4" BSF Nut, 1/4" BSF Tube, distance	2 2 2	— — L.62	C C LM	
6132	E.A1.10.1429 E.A1.10.1431	PLATE SHIM Attaching parts for E.A1.10.1429 and E.A1.10.1431:—	1 1	— —	— C	
28S/9446545	A45/C16	Screw, 2 BA	2	—	C	
27KD/10	NORMALAIR 504600	CONNECTOR, ground pressuring (Mod. 632)	1	—	B	
	E.B6.80.6053	STOWAGE, COCKING LEVERS, INSTALLATION (MOD.3776) Spares for:—	—	—	—	
1438542	E.B6.80.6055	BOX, STOWAGE, ASSEMBLY Spares for:—	1	—	C	
	E.B6.80.6059	DOOR, ASSEMBLY Spares for:—	1	—	—	
28FP/2027378 28FP/9430915 28N/9511950 28FP/9429531	DZUS AW4/35 DZUS GA4/250 AS.1878 DZUS S4/225	FASTENER GROMMET HINGE, 1 1/2" long SPRING Attaching parts for E.B6.80.6055:—	1 1 1 1	— — — —	C C C C	
28D/9436920 28M/1278190 28W/9419402	A25/1C AGS.2001/C/1 SP.13/C	Bolt, 2 BA Nut, 2 BA Washer	7 4 4	— — —	C C C	
3900 4202	E.A1.81.943 E.A3.81.1165	STUD, mounting, assembly STUD, mounting, assembly	8 2	— —	C C	

FUSELAGE FRONT PORTION

Ref. No.	Part No.	Description						No. Off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.A2.75.435							1	—	—	
28D/1010655	A25/1B							6	—	C	
28M/1086618	AGS.2002/B/1							6	—	C	
28F/9152415	AGS.1115/1							1	—	C	
4352	E.A3.10.861							1	—	C	
4368	E.A3.10.1203							1	—	C	
4734	E.A3.10.51							1	—	C	
4411	E.A3.10.2901							1	—	A	
28D/1214032	AS.1242/9C							128	—	C	
28D/1013173	AS.1242/10C							7	—	C	
4166	E.A2.10.1501							31	Natural Rubber	C	
	E.A2.10.659							64	Natural Rubber	LM	
	E.A3.10.2899							1	—	—	
28M/1278190	AGS.2001/C/1							135	—	C	
2119	E.A2.10.653							1	L.72	C	
2120	E.A2.10.655							1	L.72	C	
2118	E.A2.10.1601							1	L.72	C	
2117	E.A2.10.1603							1	L.72	C	
152	E.A2.10.685							1	H.R.C	C	
2116	E.A2.10.1503							1	H.R.C.	C	
18946	E.A2.10.665							4	—	C	
153	E.A2.10.657							1	Natural Rubber	C	
154	E.A2.10.661							1	Natural Rubber	C	
155	E.A2.10.687							1	Triplex	C	
5510	E.A3.10.3247							1	—	C	
3790	E.A3.10.1509							1	—	C	
6479	E.A3.10.1510							1	—	C	
3791	E.A3.10.1511							1	—	C	
6480	E.A3.10.1512							1	—	C	
4752	E.A3.10.3007							1	—	C	
14723	E.A3.10.3797							68	S.96	C	
	E.A3.10.3817							2	—	—	
159	E.A1.10.1171							1	BTR.8853	C	
156	E.A3.10.153							1	Natural Rubber	C	
157	E.A3.10.155							1	Natural Rubber	C	
158	E.A3.10.549							1	BTR.8853	C	

CANBERRA B. Mk. 6

Page 517

FUSELAGE FRONT PORTION

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.A3.10.13	SKINNING, STRUCTURE, PRESSURE BULKHEAD TO FRAME 12, ASSEMBLY (PRE-MOD. 1442)						—	—	—	
3070	E.A1.10.187	DOOR ACCESS, V.H.F. MAIN ELECTRICAL PANEL AND GROUND FLIGHT SWITCH, ASSEMBLY (Supplied to Part No. E.A3.00.151 for spares purposes with trim allowance and undrilled hinge attached)						2	—	B	
		Spares for:—									
22194	E.A1.10.177	GUIDE, rod						3	—	C	
2960	AS.2850	LOCK, L.H. FLUSH TYPE, ASSEMBLY						1	—	B	
		Spares for:—									
32501	AS.5382	BOLT, pivot						1	—	C	
25791	AS.2558	BUTTON, pressure seal						1	—	C	
2731	AS.2552	HANDLE, single handle lock						1	—	C	
32500	AS.2532	PLATE, catch						1	—	C	
20874	AS.2559	SEAL, handle						1	—	C	
25792	AS.5381	SEAL, push button						1	—	C	
32499	AS.2534	SPRING, for catch						1	—	C	
32498	AS.2556	STUD, spring						1	—	C	
		Attaching parts for AS.2850:—									
28D/9128739	AS.1248/1/2B	Bolt, 4 BA						4	—	C	
28S/1200066	A33/B20	Screw, 4 BA						11	—	C	
	E.A1.10.2501	PANEL, access						1	—	—	
		Attaching parts for E.A1.10.2501:—									
28D/1007981	AS.1248/1/2C	Bolt, 2 BA						8	—	C	
22197	E.A1.10.185	ROD, lock, lower, assembly						1	—	C	
22196	E.A1.10.183	ROD, lock, upper, assembly						1	—	C	
22195	E.A1.10.181	ROD, lock, vertical, assembly						1	—	C	
12713	EEAS.141/1	SEAL, rubber						QR	Shore 40-45	C	
3642	E.A1.10.1815	STAY, door						1	—	C	
		Attaching parts for E.A1.10.1815:—									
28M/10338	AGS.2002/B/2	Nut, 4 BA						1	—	C	
1061	EEAS.27/27DU	Washer						1	—	C	
	E.A3.10.2805	STOWAGE, SUPPORT, STRUT DOOR, ASSEMBLY						1	—	—	
		Spares for:—									
5194	E.A3.10.2809	PLATE, stiffening						1	L.73	C	
5196	E.A3.10.2807	STRAP						1	—	C	
		Attaching parts for E.A3.10.2805:—									
28M/1278189	AGS.2001/B/1	Nut, 4 BA						1	—	C	
28S/9992521	A33/B24	Screw, 4 BA						1	—	C	
2080	E.A1.10.1033	PLUG, forward, jacking point housing						1	—	C	
7844	E.A3.10.2289	SCOOP, air cooling inverter type 200						1	—	C	
1028	EEAS.1/3C	SCREW, 2 BA						24	S.96	C	
7845	E.A3.10.2567	SPOUT, air cooling inverter, type 200						1	—	C	

FUSELAGE FRONT PORTION

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Place No.
		1	2	3	4	5	6			
	E.A3.10.15	STRUCTURE, PRESSURE BULKHEAD TO FRAME						—	—	—
		12, ASSEMBLY (PRE-MOD. 1444)								
		Spares for:—								
7820	E.A3.10.3223	BRACING , strut						2	—	C
		Attaching parts for E.A3.10.3223:—								
28D/1008145	A25/6E	Bolt, 1/2" BSF						2	—	C
28M/1011425	A27/EP	Nut, 1/2" BSF						2	—	C
28W/9419405	SP.15/E	Washer						1	—	C
28W/9419487	SP.16/E	Washer						1	—	C
	E.A1.10.55	FRAME 12A, JOINT, FORWARD PORTION,						—	—	—
		ASSEMBLY								
		Spares for:—								
	E.A3.10.3205	BEAM, CENTRE, VERTICAL, PORT						1	—	—
	E.A3.10.3206	BEAM, CENTRE, VERTICAL STARBOARD						1	—	—
		Repair spares for the above:—								
	ASD.292.RS/1	ANGLE , inner joint (Make from EEJ.270						1	—	LM
		Ref. 7109)								
	ASD.292RS/5P	INSERTION , channel, port (Make from						1	—	LM
		E.A3.10.3197, Ref. 22325)								
	ASD.292RS/5S	INSERTION , channel, starboard (Make from						1	—	LM
		E.A3.10.3199, Ref. 22326)								
	ASD.292RS/6P	INSERTION , plate reinforcing, port (Make						1	L.73	LM
		from E.A3.10.3201, Ref. 22327 or								
		30B/9611240)								
	ASD.292RS/6S	INSERTION plate, reinforcing, starboard						1	L.73	LM
		(Make from E.A3.10.3203, Ref. 22328 or								
		30B/9611240)								
1438928	ASD.292RS/4P	STRAP , joint, forward outer, port (Pre-Mod.						1	—	C
		856)								
1438929	ASD.292RS/4S	STRAP , joint forward outer starboard						1	—	C
		(Pre-Mod. 856)								
1438925	ASD.292RS/4P	STRAP , joint, forward outer, port (Mod.						1	—	C
		856)								
1438926	ASD.292RS/4S	STRAP , joint forward outer, starboard						1	—	C
		(Mod. 856)								
	ASD.292RS/3	STRAP , joint forward, leveller, 14 SWG						1	L.73	LM
		(Make from Ref. 30B/9611242)								
1438927	ASD.292RS/2	STRAP , joint, aft, 14 SWG						1	S.514	C
18641	E.A3.71.389	BEAM , mounting, oxygen bottles						2	—	C
		Attaching parts for E.A3.71.389:—								
28D/9133012	A25/3C	Bolt; 2 BA (Upper beam)						8	—	C
28D/9133012	A25/3C	Bolt; 2 BA (Lower beam)						6	—	C
28D/9140645	A25/10C	Bolt; 2 BA (Lower beam)						2	—	C
28W/9419402	SP.13/C	Washer						4	—	C
24690	E.A1.10.909	BRACKET , door lock, starboard						1	—	C
		(Supplied to Part No. E.A3.00.596 for								
		spares purposes)								
4045	E.A1.10.1621	BRACKET , door lock, port						1	—	C
4691	E.A3.10.3151	BRACKET, LOCK LEVER, ASSEMBLY						1	—	C
		STARBOARD (PRE-MOD. 1465)								
		Spares for:—								
21220	E.A3.10.3133	LEVER , lock, assembly						1	—	MR

CANBERRA B. Mk. 6

Page 519

FUSELAGE FRONT PORTION

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
21905	E.A3.10.3333	BRACKET, LOCK LEVER, ASSEMBLY, STARBOARD (MOD. 1465)						1	—	C	
		Spares for:—									
34103	E.A3.10.3150	BRACKET						1	—	C	
23400	E.A3.10.3335	LEVER LOCK, ASSEMBLY						1	—	C	
		Consisting of:—									
	E.A3.10.3349	FORK-END						1	—	—	
	E.A3.10.3337	LEVER						1	—	—	
28N/9156370	SP.21	NIPPLE , grease						1	—	C	
	E.A3.10.3099	NUT						1	—	—	
28M/1011467	A27/ES	NUT , 1/4" BSF						1	—	C	
	E.A3.10.3351	PIN						1	—	—	
28P/9527619	SP.90/C7	PIN , split						1	—	C	
	E.A3.10.3347	ROLLER , assembly						1	—	—	
	E.A3.10.3339	SHIM						2	—	—	
28W/9419405	SP.15/E	WASHER						1	—	C	
		Attaching parts for E.A3.10.3335:—									
	32399	Bolt						1	—	C	
28M/5808571	A27/GS	Nut , 1/8" BSF						1	—	C	
28P/9527619	SP.90/C7	Pin , split						1	—	C	
4074	E.A1.10.1407	Washer , spacing						1	—	C	
28W/9419476	SP.15/G	Washer						1	—	C	
30807	E.A1.10.775	BRACKET , oxygen cylinder cradle						2	—	C	
18642	E.A3.71.403	BRACKET , oxygen mounting beam						7	—	C	
		Attaching parts for E.A3.71.403:—									
28D/9133012	A25/3C	Bolt , 2 BA (As required)						4	—	C	
28D/9140644	A25/9C	Bolt , 2 BA (As required)						4	—	C	
28D/9435710	A25/11C	Bolt , 2 BA (As required)						4	—	C	
28M/1278190	AGS.2001/C/1	Nut , 2 BA						4	—	C	
	AS.2811/5/07	Tube , distance (As required)						4	L.62	LM	
28W/9419404	SP.16/C	Washer (As required)						4	—	C	
4106	E.A1.10.557	BRACKET , strut, pick-up						1	—	C	
22957	E.B6.75.699	BRACKET , support pipe						1	—	C	
	E.B6.10.1101	COMPASS, ALIGNMENT POINT, ASSEMBLY (MOD. 2646)						—	—	—	
		Spares for:—									
	E.A9.10.3629	BLOCK , attachment						1	L.65 or L.40	—	
		Attaching parts for E.A9.10.3629:—									
28D/9140645	A25/10C	Bolt , 2 BA						2	—	C	
28M/1278190	AGS.2001/C/1	Nut , 2 BA						2	—	C	
28W/9419404	SP.16/C	Washer						2	—	C	
3876	E.A3.10.2447	GUARD , assembly						1	—	C	
		Attaching parts for E.A3.10.2447:—									
28S/1011490	A32/C16	Screw , 2 BA						4	—	C	
21101	E.A3.10.3353	GUARD , lock, lever, assembly						1	—	C	
		Attaching parts for E.A3.10.3353:—									
28S/1011490	A32/C16	Screw , 2 BA						4	—	C	

FUSELAGE FRONT PORTION

Ref. No.	Part No.							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
4672*	E.A3.10.3217							1	—	C	
28446											
4673*	E.A3.10.3218							1	—	C	
28443											
28D/9133011	A25/2C							19	—	C	
28M/1278190	AGS.2001/C/1							19	—	C	
28W/9419402	SP.13/C							19	—	C	
4692	E.A3.10.3161							1	—	B	
15792	E.A3.10.3149							1	—	C	
15793	E.A3.10.3159							1	—	C	
32399	E.A3.10.3219							1	—	C	
4074	E.A1.10.1407							1	—	C	
28W/9419476	SP.15/G							1	—	C	
3841	E.A6.10.1091							1	—	C	
6739	E.A1.10.1697							1	—	C	
18897	E.A1.10.1698							1	—	C	
7903	E.A1.10.771							1	—	C	
28D/1011238	A25/3E							8	—	C	
	E.B6.10.313							—	—	—	
	E.A3.10.15							—	—	—	
	E.B6.10.315							—	—	—	
37553	E.B6.10.279							2	—	C	
28D/1011029	A25/1E							2	—	C	

CANBERRA B. Mk. 6

Page 521

FUSELAGE FRONT PORTION

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
37562	E.B6.10.265	CHANNEL, mounting, assembly						1	—	MR	
	E.B6.10.5	SKINNING, STRUCTURE, PRESSURE CABIN, ASSEMBLY						—	—	—	
		Spares for:—									
	E.B6.10.7	STRUCTURE, PRESSURE CABIN						—	—	—	
		Spares for:—									
8236	E.A1.10.43	FRAME NO. 4, PORT, ASSEMBLY						1	—	MR	
		Spares for:—									
1438962	E.A1.10.383	BRACKET, attachment, coupe						1	—	MR	
8237	E.A1.10.45	FRAME, NO. 4, STARBOARD, ASSEMBLY						1	—	MR	
		Spares for:—									
21995	E.A1.10.384	BRACKET, attachment coupe						1	—	MR	
8244	E.A3.10.27	FRAME, No. 8, port						1	—	MR	
5278	E.A1.10.1345	SOCKET, front frame, entrance door bolt						1	—	C	
5279	E.A1.10.1347	SOCKET, rear frame, entrance door bolt						1	—	C	
		Attaching parts for E.A1.10.1345 and E.A1.10.1347:—									
28D/1007976	AS.1242/4C	Bolt, 2 BA						2	—	C	
28D/1013172	AS.1242/5C	Bolt, 2 BA						2	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA						4	—	C	
28FP/9455495	DZUS S4/250	SPRING, hydraulic reservoir access door						6	—	C	F.8
8888	E.A3.10.3255	STRAP, main door jettison handle stowage						1	—	C/MR	
		Attaching parts for E.A3.10.3255:—									
28D/9436920	A25/1C	Bolt, 2 BA						1	—	C	
28M/11957	AGS.2007/C/1	Nut, 2 BA						1	—	C	
	E.B6.10.307	STRUCTURE, NOSE FORWARD OF FRAME 1, ASSEMBLY (MOD. 1447)						—	—	—	
		Spares for:—									
26420	E.B6.10.295	BRACKET, spigot						2	S.1 or S.91	C	
		Attaching parts for E.B6.10.295:—									
28D/9131782	AS.1242/2B	Bolt, 4 BA						4	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA						4	—	C	
28W/9419465	SP.13/B	Washer						4	—	C	
15785	E.A3.10.1583	PANEL, access, air drier tube						1	L.72	MR	
		Attaching parts for E.A3.10.1583:—									
28D/9436920	A25/1C	Bolt, 2 BA						2	—	C	
28D/1007981	AS.1248/1/2C	Bolt, 2 BA						4	—	C	
28W/9419475	SP.15/C	Washer						2	—	C	
9/3573	†	STOWAGE (Air pressure)						1	—	B	
9/3564	†	STOWAGE (Computer input)						2	—	B	
9/4376	†	STOWAGE (electrical socket)						1	—	B	
9/3572	†	STOWAGE (Flexible drive)						4	—	B	
9/4372	†	STOWAGE (Gyro)						2	—	B	
9/3563	†	STOWAGE (Pitot and static)						2	—	B	
2084	E.A2.10.471	WINDOW, bomb aimer's						1	—	C	
		Attaching parts for E.A2.10.471:—									
28D/1214034	AS.1242/12C	Bolt, 2 BA						20	—	C	
130	E.A3.10.983	Bush, rubber (May be made from 32C/507)						20	Natural Rubber	C	
2083	E.A2.10.477	Frame, seal, retaining						1	—	C	
28M/10281	AGS.2001/C/3	Nut, 2 BA						20	—	C	
2082	E.A2.10.475	Seal, rubber, inner						1	Natural Rubber	C	

FUSELAGE FRONT PORTION

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
3412	EEAS.20/3DR	TAB,	locking	...	...	...	...	2	L.72	C	
2140	E.A1.20.1033	WASHER	...	...	...	...	...	16	—	C	
5125	E.A3.10.3023	WASHER,	sealing, escape hatch pivot	...	...	...	...	2	Natural Rubber	C	
160	E.A3.10.361	WINDOW,	navigator's, complete with valve	...	...	...	...	1	—	C	
		Attaching parts for E.A3.10.361:—									
28D/1214034	AS.1242/12C	Bolt, 2 BA	...	...	...	...	...	16	—	C	
130	E.A3.10.983	Bush, rubber	(May be made from 32C/507)	...	...	...	...	16	Natural Rubber	C	
28M/10281	AGS.2001/C/3	Nut, 2 BA	...	...	...	...	...	16	—	C	
156	E.A3.10.153	Seal, rubber, inner	...	...	...	...	...	1	Natural Rubber	C	
157	E.A3.10.155	Seal, rubber, outer	...	...	...	...	...	1	Natural Rubber	C	

CANBERRA B. Mk. 6

Page 523

FUSELAGE FRONT PORTION

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	
SUMMARY OF STOCK ITEMS USED ON FRONT FUSELAGE, ASSEMBLY											
28D/1010658	A25/1B	Bolt,	4	BA	...	...	...	...		C	
28D/1008149	A25/2B	Bolt,	4	BA	...	...	...	...		C	
28D/9419452	A25/3B	Bolt,	4	BA, hex. head,	"7 long	...	...	...		C	
28D/9140638	A25/4B	Bolt,	4	BA, hex. head,	"8 long	...	...	...		C	
28D/9436920	A25/1C	Bolt,	2	BA, hex. head,	"55 long	...	...	...		C	
28D/9133011	A25/2C	Bolt,	2	BA, hex. head,	"65 long	...	...	...		C	
28D/9133012	A25/3C	Bolt,	2	BA, hex. head,	"75 long	...	...	...		C	
28D/1200119	A25/4C	Bolt,	2	BA, hex. head,	"85 long	...	...	...		C	
28D/9133013	A25/5C	Bolt,	2	BA, hex. head,	"95 long	...	...	...		C	
28D/7002428	A25/6C	Bolt,	2	BA, hex. head,	1"05 long	...	...	...		C	
28D/9140644	A25/9C	Bolt,	2	BA	...	...	...	...		C	
28D/9140645	A25/10C	Bolt,	2	BA	...	...	...	...		C	
28D/9435710	A25/11C	Bolt,	2	BA	...	...	...	...		C	
28D/1011025	A25/24C	Bolt,	2	BA, hex. head,	2"85 long	...	...	...		C	
28D/1212402	A25/31C	Bolt,	2	BA, hex. head,	3"35 long	...	...	...		C	
28D/1011029	A25/1E	Bolt,	1"	BSF, hex. head,	"6 long	...	...	...		C	
28D/1011030	A25/2E	Bolt,	1"	BSF, hex. head,	"7 long	...	...	...		C	
28D/1011238	A25/3E	Bolt,	1"	BSF, hex. head	...	...	...	...		C	
28D/1008151	A25/4E	Bolt,	1"	BSF, hex. head,	"9 long	...	...	...		C	
28D/1008145	A25/6E	Bolt,	1"	BSF, hex. head,	1"1 long	...	...	...		C	
28D/1011242	A25/7E	Bolt,	1"	BSF, hex. head,	1"2 long	...	...	...		C	
28D/1212309	A25/25E	Bolt,	1"	BSF	...	...	...	...		C	
28D/1011304	A25/15J	Bolt,	3"	BSF, hex. head,	2"15 long	...	...	...		C	
28D/1214980	A28/6C	Bolt,	2	BA	...	...	...	...		C	
28D/1212940	A61/2C	Bolt,	2	BA, hex. head,	1"05 long	...	...	...		C	
28D/1212941	A61/3C	Bolt,	2	BA, hex. head,	1"1 long	...	...	...		C	
28D/9434862	A61/6E	Bolt,	2	BA	...	...	...	...		C	
28D/9131782	AS.1242/2B	Bolt,	4	BA	...	...	...	...		C	
28D/1007319	AS.1242/4B	Bolt,	4	BA, c'sk. head,	"75 long	...	...	...		C	
28D/1214302	AS.1242/8B	Bolt,	4	BA, c'sk. head,	1"15 long	...	...	...		C	
28D/9130080	AS.1242/9B	Bolt,	4	BA, c'sk. head,	1"25 long	...	...	...		C	
28D/1214303	AS.1242/10B	Bolt,	2	BA, c'sk. head,	1"35 long	...	...	...		C	
28D/1002405	AS.1242/13B	Bolt,	4	BA	...	...	...	...		C	
28D/1013171	AS.1242/14B	Bolt,	4	BA	...	...	...	...		C	
28D/1007975	AS.1242/1C	Bolt,	2	BA, c'sk. head,	"5 long	...	...	...		C	
28D/1214095	AS.1242/2C	Bolt,	2	BA	...	...	...	...		C	
28D/1007976	AS.1242/4C	Bolt,	2	BA, c'sk. head,	"8 long	...	...	...		C	
28D/1013572	AS.1242/5C	Bolt,	2	BA	...	...	...	...		C	
28D/1204937	AS.1242/6C	Bolt,	2	BA, c'sk. head,	1" long	...	...	...		C	
28D/1007978	AS.1242/7C	Bolt,	2	BA	...	...	...	...		C	
28D/1214032	AS.1242/9C	Bolt,	2	BA, c'sk. head,	1"3 long	...	...	...		C	
28D/1013173	AS.1242/10C	Bolt,	2	BA, c'sk. head,	1"4 long	...	...	...		C	
28D/1214034	AS.1242/12C	Bolt,	2	BA, c'sk. head,	1"6 long	...	...	...		C	
28D/1214035	AS.1242/13C	Bolt,	2	BA, c'sk. head,	1"7 long	...	...	...		C	
28D/1214036	AS.1242/14C	Bolt,	2	BA, c'sk. head,	1"8 long	...	...	...		C	
28D/1214039	AS.1242/18C	Bolt,	2	BA, c'sk. head,	2"2 long	...	...	...		C	
28D/1013177	AS.1242/2E	Bolt,	1"	BSF, c'sk. head,	"65 long	...	...	...		C	
28D/1202334	AS.1242/3E	Bolt,	1"	BSF, c'sk. head,	"75 long	...	...	...		C	
28D/1213006	AS.1242/2J	Bolt,	1"	BSF, c'sk. head,	"8 long	...	...	...		C	
28D/1007979	AS.1246/1B	Bolt,	4	BA, round head,	"45 long	...	...	...		C	
28D/9128239	AS.1248/1B	Bolt,	4	BA, mushroom head,	"45 long	...	...	...		C	

FUSELAGE FRONT PORTION

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
28D/8337	AS.1248/1B	Bolt, 4 BA	mushroom head,	"45 long	...	...	...			C	
28D/1218385	AS.1248/2B	Bolt, 4 BA	mushroom head,	"55 long	...	...	...			C	
28D/1007981	AS.1248/1C	Bolt, 2 BA	...	...	...	...	...			C	
28D/1007982	AS.1248/1C	Bolt, 2 BA	...	...	...	...	...			C	
28D/1013284	AS.1248/2C	Bolt, 2 BA	...	...	...	...	...			C	
28D/1212374	AS.2920/5E	Bolt, 1" BSF	c'sk. head,	"95 long	...	...	...			C	
28M/9403519	A27/BP	Nut, 4 BA	...	...	...	...	...			C	
28M/1006504	A27/BT	Nut, 4 BA	thin	...	...	...	...			C	
28M/9403520	A27/CP	Nut, 2 BA	plain	...	...	...	...			C	
28M/13278	A27/CPL	Nut, 2 BA	L.H.	...	...	...	...			C	
28M/1006473	A27/CT	Nut, 2 BA	thin	...	...	...	...			C	
28M/1011475	A27/EP	Nut, 1" BSF	plain	...	...	...	...			C	
28M/1007403	A27/ET	Nut, 1" BSF	thin	...	...	...	...			C	
28M/5808571	A27/GS	Nut, 3/8" BSF	...	...	...	...	...			C	
28M/1011476	A27/JS	Nut, 3/8" BSF	slotted	...	...	...	...			C	
28M/1007404	A27/JT	Nut, 1" BSF	thin	...	...	...	...			C	
28M/13324	A29/CP	Nut, 2 BA	plain	...	...	...	...			C	
28M/13376	A29/EP	Nut, 1" BSF	plain	...	...	...	...			C	
28M/10286	AGS.2001/A/1	Nut, stiff, 6 BA	...	...	...	...	...			C	
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	...	...	...	...	...			C	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	...	...	...	...	...			C	
28M/10281	AGS.2001/C/3	Nut, stiff, 2 BA	...	...	...	...	...			C	
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA	...	...	...	...	...			C	
28M/10338	AGS.2002/B/2	Nut, 4 BA	...	...	...	...	...			C	
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	...	...	...	...	...			C	
28M/10333	AGS.2002/L/1	Nut, stiff, 7/8" BSF	...	...	...	...	...			C	
28M/11957	AGS.2007/C/1	Nut, plate, 2 BA	...	...	...	...	...			C	
28P/817	SP.4Y/A7	Pin, shackle	...	...	...	...	...			C	
28P/9130722	SP.4Y/B2	Pin, shackle	...	...	...	...	...			C	
28P/1207864	SP.4Y/B4	Pin, shackle	...	...	...	...	...			C	
28P/832	SP.4Y/B6	Pin, shackle	...	...	...	...	...			C	
28S/1006948	A32/A12	Screw, 6 BA	...	...	...	...	...			C	
28S/1200080	A32/B8	Screw, 4 BA	round head,	1/4" long	...	...	...			C	
28S/9995324	A32/C16	Screw, 2 BA	...	...	...	...	...			C	
28S/1200062	A33/A20	Screw, 6 BA	c'sk. head,	5/8" long	...	...	...			C	
28S/9131780	A33/B6	Screw, 4 BA	c'sk. head,	1 3/8" long	...	...	...			C	
28S/9995325	A33/B8	Screw, 4 BA	c'sk. head,	1/4" long	...	...	...			C	
28S/9435716	A33/B12	Screw, 4 BA	c'sk. head,	3/8" long	...	...	...			C	
28S/9435715	A33/B16	Screw, 4 BA	c'sk. head,	1/2" long	...	...	...			C	
28S/1200066	A33/B20	Screw, 4 BA	...	...	...	...	...			C	
28S/9992521	A33/B24	Screw, 4 BA	...	...	...	...	...			C	
28S/1006947	A33/B40	Screw, 4 BA	c'sk. head,	1 1/4" long	...	...	...			C	
28S/1011504	A33/C32	Screw, 2 BA	...	...	...	...	...			C	
28S/9464899	A37/C8	Screw, 2 BA	c'sk. head,	1/2" long	...	...	...			C	
28S/9130764	A37/C12	Screw, 2 BA	c'sk. head,	3/8" long	...	...	...			C	
28S/9446545	A45/C16	Screw, 2 BA	...	...	...	...	...			C	
28W/9419465	SP.13/B	Washer	...	...	...	...	...			C	
28W/9419402	SP.13/C	Washer, 2 BA	plain	...	...	...	...			C	
28W/9419466	SP.13/J	Washer, 3/8" BSF	plain	...	...	...	...			C	
28W/9419475	SP.15/C	Washer, 2 BA	plain	...	...	...	...			C	
28W/9419405	SP.15/E	Washer, 1" BSF	plain	...	...	...	...			C	
28W/9419476	SP.15/G	Washer	...	...	...	...	...			C	
28W/9419478	SP.15/L	Washer, 7/8" BSF	plain	...	...	...	...			C	

CANBERRA B. Mk. 6

Page 525

FUSELAGE FRONT PORTION

Ref. No.	Part No.							No. of	Matl. Spec	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
28W/9419404	SP.16/C	Washer,	2	BA,	plain	...	...	...	...	C	
28W/9419487	SP.16/E	Washer,	1	"	BSF, plain	...	...	...	...	C	
28W/9416642	SP.47/B	Washer,	4	BA,	spring	...	...	...	...	C	
28W/9416643	SP.47/C	Washer,	2	BA,	spring	...	...	...	...	C	
28W/1010155	AGS.162/B	Washer	...	...	...	...	...	...	...	C	
28W/6316	AGS.585/C	Washer	...	...	...	...	...	...	...	C	
28W/9419448	AGS.2035/B	Washer	...	...	...	...	...	...	...	C	

CANBERRA B. Mk. 6

Page 527

FUSELAGE NOSE PORTION

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.B6.00.41	NOSE, FUSELAGE, ASSEMBLY (Supplied to Drg. No. E.B6.00.559 for spares purposes)						—	—	—	
		Spares for:—									
	E.A3.74.105	BLAST COOLING FOR INVERTER, TYPE 200, ASSEMBLY						—	—	—	F.10
		Consisting of:—									
28E/9128961	AGS.605/1	CLIP , hose						2	—	C	
3690	E.A3.74.103	PIPE , assembly						1	—	C	F.10
	E.A3.74.107	SLEEVE , pipe connecting, 3½" long (Make from Ref. 32C/376)						1	DTD.625	LM	F.10
2832	E.A3.74.99	WASHER , special						1	Felt	C	F.10
30A/	↑	WIRE , locking						QR	—	—	
	E.B6.75.3	CABIN , pressure system (See page 907)						—	—	—	
	E.A3.74.21	COLD AIR SUPPLY TO PILOT, ASSEMBLY						—	—	—	
		Spares for:—									
7240	E.A3.74.45	BRACKET , non-return valve mounting						1	L.72	C	F.9
2164	EEAS.112/5	CLIP , pipe, ⅝" o/d.						5	L.16	C	F.9
	or										
4965	EEAS.143/5	CLIP , pipe, 1" o/d.						6	L.16	C	F.9
2163	EEAS.112/15	CLIP , pipe, single, ⅝" o/d., bonding						2	L.72	C	
5260	EEAS.143/5H	CLIP , for non-return valve mounting						2	L.54	C/MR	F.9
8995	E.A3.74.47	COUPLING , drain pipe outlet						1	DTD.425	C/MR	F.9
8990	E.A3.74.53	HOSE , connection, 1" i/d. x 3" long, between air pipe sections (Make from 32C/376)						5	DTD.625	LM	F.9
	E.A3.74.63	HOSE , connection, ⅝" i/d. x 1¼" long from water trap to drain pipe (Make from 32C/488)						1	DTD.625	LM	F.9
	E.A3.74.67										
	THERMOTANK										
5042	K.1259/43	LOUVRE , punkah air, type D.A.R.2						1	—	B	F.9
12990	E.A2.74.33	PIPE , section, cold air system (Mod. 1255)						1	L.54	C	F.9
5633	E.A3.74.111	PIPE , section, cold air system						1	L.54	C	F.9
5634	E.A3.74.113	PIPE , section, cold air system						1	L.54	C	F.9
5635	E.A3.74.115	PIPE , assembly, drain						1	L.54	C	F.9
8991	E.A3.74.51	RING , louvre, mounting						1	DTD.36	C/MR	F.9
3681	E.A3.74.49	SCOOP , cold air						1	L.59	C	F.9
981	EEAS.20/2DR	TAB , locking, 20 SWG						1	L.72	C	F.9
20814	E.A3.74.43	TRAP , water (Mod. 1255)						1	—	B	F.9
5683	E.A3.74.23	VALVE, NON-RETURN, ASSEMBLY						1	—	A	F.9
		Consisting of:—									
	E.A3.74.39	ADAPTOR						2	DTD.683	—	F.9
	E.A3.74.41	BODY , non-return valve						1	DTD.683	—	F.9
5639	E.A3.74.25	PLUNGER VALVE SEAL, ASSEMBLY						1	—	C	F.9
		Spares for:—									
5640	E.A3.74.29	SEAL						1	Hallprene 21	C	F.9
	E.A3.74.27	WASHER , seal, retaining						1	—	—	F.9
5060	E.A3.74.35	SHIM , laminated						1	—	C	F.9
5059	E.A3.74.37	SPRING , compression						1	DTD.215	C	F.9
5043	E.A3.74.33	WASHER , sealing						1	DTD.378/A	C	F.9
	E.B6.45.3	CONTROLS , flying in cockpit (See page 113)						—	—	—	

FUSELAGE NOSE PORTION

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip.	Plate No.
										M.R. L.M.	
	E.B6.47.3							—	—	—	
	E.A3.76.215							—	—	—	
	—							—	—	—	
	E.B6.81.1001							—	—	—	
	E.B6.81.1033							1	—	—	F.10
	E.B6.81.1231							1	—	—	F.10
	KING AIRCRAFT										
34523	C.4596/2 $\frac{1}{2}$							2	—	C	
30165	C.4596/2 $\frac{1}{2}$							2	—	C	
32537	E.B6.81.1059							1	—	C	F.10
32536	E.B6.81.1037							1	—	B	F.10
32332	E.A3.81.2885							1	S.61	C	F.10
32538	E.B6.74.87							1	Bells	C	F.10
									Asbestos		
32539	E.B6.74.89							1	Bells	C	F.10
									Asbestos		
	E.B6.74.1							—	—	—	
32335	E.B6.74.3							1	L.59	C	F.10
32339	E.B6.74.77							1	—	C	F.10
32336	E.B6.74.55							1	Langite	C	
32337	E.B6.74.57							2	Langite	C	F.10
32338	E.B6.74.67							1	Langite	C	F.10
32340	E.B6.74.81							1	—	B	F.10
34342	E.B6.74.131							1	—	B	
32542	E.B7.74.27							1	Al. Alloy	C	F.10
	E.B6.81.5							—	—	—	
	E.A1.75.731							—	—	—	
	E.B6.10.1							1	—	—	
	E.B6.45.27							—	—	—	
	E.A1.45.815							—	—	—	
9002	E.A1.45.1041							1	—	C	
9003	E.A2.45.201							1	—	C	
9001	E.A1.45.831							1	—	C	
9000	E.A1.45.829							1	—	C	
28D/9436920	A25/1C							3	—	C	
28M/1278190	AGS.2001/C/1							3	—	C	
28W/9419475	SP.15/C							3	—	C	

CANBERRA B. Mk. 6

Page 529

FUSELAGE NOSE PORTION

Ref. No.	Part No.							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
9004	E.A3.45.291							1	—	C	
28D/9436920	A25/1C							4	—	C	
28W/9419475	SP.15/C							4	—	C	
28R/13491	AS.107							2	—	B	
28D/1010031	A25/8E							1	—	C	
28M/1201610	AGS.2001/E/1							1	—	C	
28W/9419487	SP.16/E							1	—	C	
	E.A1.45.813							—	—	—	
4139	E.A1.45.875							1	—	C	
4140	E.A1.45.877							1	—	C	
4138	E.A1.45.871							1	—	C	
16287	E.A1.45.873							1	—	C	
28D/1007975	AS.1242/1C							1	—	C	
28D/9436920	A25/1C							11	—	C	
28M/1278190	AGS.2001/C/1							12	—	C	
28W/9419475	SP.15/C							12	—	C	
9006	E.A1.45.883							1	—	C	
28D/7002428	A25/6C							2	—	C	
28M/1278190	AGS.2001/C/1							2	—	C	
8998	E.A3.45.295							1	—	C	
28D/1011238	A25/3E							1	—	C	
28M/1201610	AGS.2001/E/1							1	—	C	
28W/9419487	SP.16/E							1	—	C	
9021	EEAS.15/75/150ER E.A1.45.909							2	—	—	
28N/1045680	AGS.899/2							1	—	C	
28P/840	SP.4Y/B14							1	—	C	
9022	E.A1.45.1317							2	—	C	
28R/13491	AS.107							2	—	B	
28D/1010031	A25/8E							1	—	C	
28D/1011244	A25/9E							1	—	C	
28M/1201610	AGS.2001/E/1							1	—	C	
28W/9419487	SP.16/E							1	—	C	

FUSELAGE NOSE PORTION

Ref. No.	Part No.							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
6481	E.A3.45.275	CABLES, BOMB DOOR AND UNDERCARRIAGE ASSEMBLY						1	—	B	
		Spares for:—									
	E.A2.45.413	BARREL , pressure seal						1	—	—	
28N/2001687	AGS.2030/147	CIRCLIP , internal $\frac{3}{4}$ " bore						1	—	C	
	E.A1.45.1129	ROLLER , aft end, bomb door						1	—	—	
28U/4063	SP.8/Y13	ROLLER						3	—	C	
	E.A1.45.889	WASHER , felt pressure seal						7	—	—	
	E.A1.45.891	WASHER , retaining pressure seal						1	—	—	
28X/	E.A3.45.275A	WIRE , flexible steel bomb door						1	6W2/4	—	
28X/	E.A3.45.275B	WIRE , flexible steel undercarriage						1	6W2/4	—	
9006	E.A1.45.883	FAIRLEAD , frame 3						1	—	C	
9005	E.A1.45.881	FAIRLEAD , frame 5 to 11						8	—	C	
6750	E.A1.45.1121	FAIRLEAD , frame 12						1	—	C	
		Attaching parts for EA1.45.883, EA1.45.881 and EA1.45.1121:—									
28D/1214299	AS.1242/5B	Bolt, 4 BA						2	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA						2	—	C	
28S/9992521	A33/B24	Screw, 4 BA (EA1.45.1121 only)						2	—	C	
28W/9419474	SP.15/B	Washer						2	—	C	
9007	E.A2.45.415	WASHER-WEDGE , pressure bulkhead						2	—	C	
		Attaching parts for E.A2.45.415:—									
28D/9140645	A25/10C	Bolt, 2 BA						2	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA						2	—	C	
	E.B6.73.3	HYDRAULIC , equipment in front fuselage (See page 1113)						—	—	—	
	E.B6.17.1	INSULATION, PRESSURE CABIN, ASSEMBLY ...						—	—	—	
		Spares for:—									
	E.A3.17.3	BLANKET , between frames A and B						1	DTD.4140	LM	
		(Make from Ref. 32B/1250460)									
	E.A3.17.5	BLANKET , between frames A and 1						1	DTD.4140	LM	
		(Make from Ref. 32B/1250460)									
	E.A3.17.81	BLANKET , between frames 1 and 2, port						1	DTD.4140	LM	
		(Make from Ref. 32B/1250460)									
	E.A3.17.7	BLANKET , between frames 1 and 2, upper ...						1	DTD.4140	LM	
		forward, starboard (Make from Ref. 32B/1250460)									
	E.A3.17.77	BLANKET , between frames 1 and 2, upper rear ...						1	DTD.4140	LM	
		starboard (Make from Ref. 32B/1250460)									
	E.A3.17.69	BLANKET , between frames 1 and 2, lower, starboard ...						1	DTD.4140	LM	
		(Make from Ref. 32B/1250460)									
	E.A3.17.27	BLANKET , between frames 2 and 3, upper, port ...						1	DTD.4140	LM	
		(Make from Ref. 32B/1250460)									
	E.A3.17.79	BLANKET , between frames 2 and 3, lower, port ...						1	DTD.4140	LM	
		(Make from Ref. 32B/1250460)									
	E.A3.17.9	BLANKET , between frames 2 and 3, upper, starboard ...						1	DTD.4140	LM	
		(Make from Ref. 32B/1250460)									
	E.A3.17.11	BLANKET , between frames 3 and 4, upper, port ...						1	DTD.4140	LM	
		(Make from Ref. 32B/1250460)									

FUSELAGE NOSE PORTION

Ref. No.	Part No.						No. off	Matl. Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5			M.R. L.M.	
	E.A3.17.29					BLANKET, between frames 3 and 4, lower, port (Make from Ref. 32B/1250460)	1	DTD.4140	LM	
	E.A3.17.93					BLANKET, between frames 3 and 4, upper, star- board (Make from Ref. 32B/1250460)	1	DTD.4140	LM	
	E.A3.17.31					BLANKET, between frames 4 and 5, port (Make from Ref. 32B/1250460)	1	DTD.4140	LM	
	E.A3.17.13					BLANKET, between frames 4 and 5, upper, star- board (Make from Ref. 32B/1250460)	1	DTD.4140	LM	
	E.A3.17.91					BLANKET, between frames 4 and 5, intermediate, upper, starboard (Make from Ref. 32B/1250460)	1	DTD.4140	LM	
	E.A3.17.71					BLANKET, between frames 4 and 5, lower, star- board (Make from Ref. 32B/1250460)	1	DTD.4140	LM	
	E.A3.17.87					BLANKET, between frames 5 and 6, lower, port (Make from Ref. 32B/1250460)	1	DTD.4140	LM	
	E.A3.17.85					BLANKET, between frames 5 and 6, intermediate, lower, port (Make from Ref. 32B/1250460)	1	DTD.4140	LM	
	E.A3.17.33					BLANKET, between frames 5 and 6, intermediate, upper, port (Make from Ref. 32B/1250460)	1	DTD.4140	LM	
	E.A3.17.83					BLANKET, between frames 5 and 6, upper, port and starboard (Make from Ref. 32B/1250460)	2	DTD.4140	LM	
	E.A3.17.15					BLANKET, between frames 5 and 6, lower, star- board (Make from Ref. 32B/1250460)	1	DTD.4140	LM	
	E.A3.17.43					BLANKET, between frames 6 and 7, lower, port (Make from Ref. 32B/1250460)	1	DTD.4140	LM	
	E.A3.17.35					BLANKET, between frames 6 and 7, above window, port (Make from Ref. 32B/1250460)	1	DTD.4140	LM	
	E.A3.17.63					BLANKET, between frames 6 and 7, intermediate, upper, port (Make from Ref. 32B/1250460)	1	DTD.4140	LM	
	E.A3.17.17					BLANKET, between frames 6 and 7, upper, port and starboard (Make from Ref. 32B/1250460)	2	DTD.4140	LM	
	E.A3.17.61					BLANKET, between frames 6 and 7, intermediate, upper starboard (Make from Ref. 32B/1250460)	1	DTD.4140	LM	
	E.A3.17.19					BLANKET, between frames 6 and 7, lower, star- board (Make from Ref. 32B/1250460)	1	DTD.4140	LM	
	E.A3.17.89					BLANKET, between frames 7 and 8, lower, port (Make from Ref. 32B/1250460)	1	DTD.4140	LM	
	E.A3.17.37					BLANKET, between frames 7 and 8, upper, port (Make from Ref. 32B/1250460)	1	DTD.4140	LM	
	E.A3.17.21					BLANKET, between frames 7 and 8, upper, star- board (Make from Ref. 32B/1250460)	1	DTD.4140	LM	
	E.A3.17.65					BLANKET, between frames 7 and 8, intermediate, lower, starboard (Make from Ref. 32B/1250460)	1	DTD.4140	LM	
	E.A3.17.67					BLANKET, between frames 7 and 8, lower, star- board (Make from Ref. 32B/1250460)	1	DTD.4140	LM	

FUSELAGE NOSE PORTION

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.A3.17.39	BLANKET, between frames 8 and 9, port ...						1	DTD.4140	LM	
		(Make from Ref. 32B/1250460)									
	E.A3.17.23	BLANKET, between frames 8 and 9, starboard						1	DTD.4140	LM	
		(Make from Ref. 32B/1250460)									
	E.A3.17.41	BLANKET, between frames 9 and 10, port ...						1	DTD.4140	LM	
		(Make from Ref. 32B/1250460)									
	E.A3.17.25	BLANKET, between frames 9 and 10, starboard						1	DTD.4140	LM	
		(Make from Ref. 32B/1250460)									
4661	E.A1.17.35	BRACKET, angle ...						487	—	C	
4659	E.A1.17.39	CLIP, blanket to stringer, attachment ...						760	—	C	
	E.B6.17.3	DOOR AND FLOOR INSULATION, ASSEMBLY						—	—	—	
		Spares for:—									
9525	E.B7.17.35	PAD, insulation, door ...						1	—	C	
9524	E.B7.17.37	PAD, insulation, door ...						1	—	C	
9511	E.B7.17.11	PAD, insulation floor between frames 2 and 4						1	—	C	
9512	E.B7.17.13	PAD, insulation floor between frames 3 and 5						1	—	C	
9513	E.B6.17.21	PAD, insulation floor between frames 5 and 6,						1	—	C	
		starboard, outer									
9514	E.B6.17.23	PAD, insulation floor between frames 5 and 6,						1	—	C	
		starboard, inner									
9515	E.B6.17.25	PAD, insulation floor between frames 5 and 6,						1	—	C	
		starboard, intermediate									
9517	E.B7.17.21	PAD, insulation, navigator's floor ...						1	—	C	
9523	E.B7.17.23	PAD, insulation, navigator's floor ...						1	—	C	
20633	E.B7.17.25	PAD, insulation, navigator's floor ...						1	—	C	
9519	E.B7.17.27	PAD, insulation, navigator's floor ...						1	—	C	
9522	E.B7.17.29	PAD, insulation, navigator's floor ...						1	—	C	
9521	E.B7.17.31	PAD, insulation, navigator's floor ...						1	—	C	
9520	E.B7.17.33	PAD, insulation, navigator's floor ...						1	—	C	
4660	E.A1.17.37	SPRING, blanket to stringer, attachment ...						620	—	C	
9509	E.A3.17.73	STRIP, kicking, assembly ...						1	—	C	
	E.A9.40.1	NOSEWHEEL (See page 1347) (Mod. 1740) ...						1	—	—	
	E.B6.71.1	OXYGEN, system (See page 1251) ...						—	—	—	
	E.B6.80.17	PIPES, PITOT AND STATIC, INSTALLATION						—	—	—	
		Spares for:—									
6D/114	†	ADAPTOR, forward of pressure bulkhead union						2	—	C	F.14
16682	E.A3.80.1665	CLAMP, pipe, half ...						8	—	C	
		Attaching parts for E.A3.80.1665 (Per Pair):—									
28D/1010029	A25/6B	Bolt, 4 BA ...						1	—	C	
28D/1009984	A25/7B	Bolt, 4 BA ...						1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA ...						2	—	C	
28W/9419474	SP.15/B	Washer ...						2	—	C	
2824	E.A1.71.77	CLIP, pipe ...						1	L.16	C	
1823	EEAS.91/2	CLIP, pipe, double ...						19	L.72	C	
2156	EEAS.112/7	CLIP, pipe, single ...						16	L.16	C	
8761	EEAS.143/7H	CLIP, pipe ...						7	L.76	C	
		Attaching parts for Clips:—									
28D/1010658	A25/1B	Bolt, 4 BA ...						1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA ...						1	—	C	

CANBERRA B. Mk. 6

Page 533

FUSELAGE NOSE PORTION

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip.		Plate No.
		1	2	3	4	5	6			M.R.	L.M.	
28F/9475201	AGS.852/BB	COLLAR, pipe, $\frac{1}{8}$ "						2	—	C		
28F/10525	AGS.1107/C	CONE, reducing, union						2	—	C		
6A/3820	†	HEAD, pressure, Mk. 8W						1	—	B		F.14
		Attaching parts for Ref. 6A/3820:—										
28S/9992524	A32/A8	Screw, 6 BA						8	—	C		
	DUNLOP											
37300	A.H.O.32434/30-8	HOSE, connection, for Zero reader (Mod. 1447)						1	—	C		F.13
	E.B6.80.5967	HOSE, from altimeter to mach meter (Mod. 3923)						1	Flex. Rubber	LM		
		(Make from 32C/679)										
4412	E.A3.80.2375	MOUNTING, pressure head						1	DTD.683	C		F.14
		Attaching parts for E.A3.80.2375:—										
13218	E.A3.80.2901	Nut, (Mod. 2306)						1	DTD.683	C		F.14
4415	E.A3.80.2379	Sleeve, rubber						1	Shore 70	C		F.14
4416	E.A3.80.2381	Washer, inner seal, retaining						2	L.72	C		F.14
4417	E.A3.80.2383	Washer, rubber, inner sealing						1	Shore 70	C		F.14
4418	E.A3.80.2391	Washer, sealing, outer						1	L.72	C		F.14
28F/1037653	AGS.838/13	NUT, union, L.P. and bush, assembly						98	DTD.423	C		F.14
3400	E.A3.80.1649	PIPE, drain reservoir						8	L.54	C		F.14
8640	E.A3.80.1605	PIPE, pitot, pressure bulkhead to coupling, aft of frame 12						1	L.54	C		F.13
8643	E.A3.80.1615	PIPE, pitot, from pilot's tee piece at F1/2 to coupling hose						1	L.54	C		F.13
6430	E.A3.80.1745	PIPE, pitot, from tee piece at F1 to coupling at FA/1						1	L.54	C		F.13
6431	E.A3.80.1749	PIPE, pitot, from tee piece at F1 to bomb sight computer line						1	L.54	C		F.13
6428	E.A3.80.2385	PIPE, pitot, from coupling at FA/1 to coupling at FA						1	L.54	C		F.13
6426	E.A3.80.2389	PIPE, pitot, from coupling at FB to pitot head						1	L.54	C		F.13
8755	E.A3.80.2611	PIPE, pitot, from pressure bulkhead to navigator's tee piece at F5						1	L.54	C		F.13
	E.A3.80.2613	PIPE, pitot, from navigator's tee piece at F5 to A.S.I. hose						1	L.54	—		F.13
8757	E.A3.80.2615	PIPE, pitot, from navigator's tee piece at F5 to drain trap at F4						1	L.54	C		F.13
16687	E.A3.80.2751	PIPE, pitot, from drain trap to F4 to pilot's tee piece F1/2						1	L.54	C		F.13
16718	E.B6.80.125	PIPE, pitot, from pilot's tee piece at F1/2 to drain trap at F1						1	L.54	C		F.13
16720	E.B6.80.129	PIPE, pitot, from drain trap at F1 to tee piece at F1						1	L.54	C		F.13
	E.B6.80.247	PIPE, pitot, from tee piece to machmeter (Make from Ref. 30B/1637)						1	L.54	LM		F.13
	E.B6.80.249	PIPE, pitot, from tee piece to pilot's A.S.I. (Pre-Mod. 3402)						1	L.54	—		F.13
	E.B6.80.5783	PIPE, pitot (Mod. 3402) (B/I)6 only						1	L.54	LM		
26431	E.B6.80.679	PIPE, pitot, from drain trap tee piece at FA to coupling at FB (Mod. 1447)						1	L.54	C		F.13
26430	E.B6.80.681	PIPE, pitot, from coupling at FA to drain trap tee piece (Mod. 1447)						1	L.54	C		F.13

FUSELAGE NOSE PORTION

Ref. No.	Part No.							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
6437	E.A3.80.1571							1	L.54	C	F.13
6436	E.A3.80.1573							1	L.54	C	F.13
	E.A3.80.1577							1	L.54	—	F.13
16681	E.A3.80.1583							1	L.54	C	F.13
7125	E.A3.80.1603							1	L.54	C	F.13
1504	E.A3.80.1629							1	L.54	C	
1540	E.A3.80.1630							1	L.54	C	
8653	E.A3.80.2603							1	L.54	C	F.13
	E.A3.80.2605							1	L.54	—	F.13
	E.A3.80.2607							1	L.54	—	
8754	E.A3.80.2609							1	L.54	C	F.13
16686	E.A3.80.2747							1	L.54	C	F.13
	E.A3.80.2749							1	L.54	—	F.13
16717	E.B6.80.123							1	L.54	C	F.13
16719	E.B6.80.127							1	L.54	C	F.13
	E.B6.80.163							1	L.54	—	F.13
	E.A4.80.1383							2	—	LM	
	E.B6.80.5797							1	L.54	LM	
	E.B6.80.165							1	L.54	—	F.13
	E.B6.80.5785							1	L.54	LM	
	E.B6.80.251							1	L.54	—	F.13
	E.B6.80.5995							1	—	LM	
	E.B6.80.253							1	L.54	—	F.13
	E.B6.80.5787							1	—	LM	
26433	E.B6.80.675							1	L.54	C	F.13
32530	E.B6.80.953							1	L.54	C	F.13
32531	E.B6.80.955							1	L.54	C	F.13

CANBERRA B. Mk. 6

Page 535

FUSELAGE NOSE PORTION

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
	E.B6.80.4589	PIPE, static, from tee piece FA1, to drain trap tee piece, Zero reader computer line (Mod. 1447)	1	L.54	—	F.13
28F/1015879	AGS.904/BB	SLEEVE, outer	2	—	C	
26DK/5039	EEAS.20/2CR	TAB, locking	1	—	C	
4956	E.A3.80.1671	TUBE, adaptor	5	L.54	C	F.14
	E.A3.80.2839	TUBE, rubber hose	3	—	—	F.13
	E.B6.80.519	TUBE, rubber hose	2	—	—	F.13
28F/1046309	AGS.838/3	UNION, body, elbow	8	—	C	
28F/1046307	AGS.838/1	UNION, body, straight	5	—	C	
28F/1046308	AGS.838/2	UNION, body, tee	21	—	C	F.14
28F/1037653	AGS.838/13	UNION, nut	98	—	C	F.14
2087	E.A1.80.711	UNION, pressure bulkhead	2	DTD.683	C	F.14
		Attaching parts for E.A1.80.711:—				
28D/1008149	A25/2B	Bolt, 4 BA	6	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA	6	—	C	
2086	E.A1.80.713	Ring, sealing	2	Neo-K-Tex	C	F.14
28W/9419465	SP.13/B	Washer	6	—	C	
28F/11492	AGS.1115/3	Washer, plate	2	—	C	F.14
3623	E.A3.80.1997	VENT, STATIC, COMPLETE, ASSEMBLY	2	—	B	F.13
		Consisting of:—				
5047	E.A3.80.2001	PACKING	1	—	C	F.14
6424	E.A3.80.2005	PLATE, clamping	1	—	C	F.14
5051	E.A3.80.2003	SEAL	1	—	C	F.14
6423	E.A3.80.1999	VENT, static	1	—	C	F.14
		Attaching parts for E.A3.80.1997:—				
28M/10274	AGS.2001/B/4	Nut, 4 BA	4	—	C	
28W/9475793	AGS.1582/C	Washer	4	—	C	
13141	EEAS.21/2DO	WASHER, "D"	1	L.59	C	
8760	EEAS.21/4ERH	WASHER, "D"	2	—	C	
	E.B6.80.1	PRESSURE cabin equipment (See page 415)	—	—	—	
	E.B6.82.5	RADIO, and intercomm., assembly (See page 875)	—	—	—	
	E.B6.10.335	TUNNEL, BOMB AIMER'S, ASSEMBLY (MOD. 1447)	—	—	—	
		Spares for:—				
6204	E.A3.10.2311	COVER, pump and hydraulic	1	—	C	
	E.A3.10.2847	PLATFORM, BOMB AIMER'S, CHEST AND CUSHION, ASSEMBLY	—	—	—	
		Consisting of:—				
8831	E.A3.10.2853	CUSHION	1	—	B	
26429	E.B6.10.329	PLATFORM, BOMB AIMER'S, ASSEMBLY	—	—	B	
		Spares for:—				
2469	E.A3.71.307	BRACKET, OXYGEN BOTTLE SUPPORT, ASSEMBLY	1	—	C	S.7
		Spares for:—				
1833	E.A3.71.313	BAND, wire, 16 SWG	1	Steel Wire	C	S.7
1865	E.A3.71.315	BAND, wire, 16 SWG, c/w clip	1	Steel Wire	C	S.7
28E/9998659	AS.2295/2	CLIP, spring	1	—	C	
28E/1007022	AS.2295/3	CLIP, spring	1	—	C	
32528	E.B6.10.319	SPIGOT	1	S.92	C	
32529	E.B6.10.320	SPIGOT	1	S.92	C	

Pages ~~531~~ to 540 not issued

537

CANBERRA B. Mk. 6

Page 541

FUSELAGE NOSE PORTION

NOSE PORTION												
Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip.	Plate No.	
		1	2	3	4	5	6			M.R. L.M.		
		SUMMARY OF STOCK ITEMS USED ON NOSE FUSELAGE										
28D/1010065	A25/1B	Bolt, 4 BA, hex. head, "5 long	...	...	...	...	...	...	...	C		
28D/1008149	A25/2B	Bolt, 4 BA, hex. head, "6 long	...	...	...	...	...	...	...	C		
28D/1010029	A25/6B	Bolt, 4 BA	...	...	...	...	...	...	...	C		
28D/1009984	A25/7B	Bolt, 4 BA	...	...	...	...	...	...	...	C		
28D/9140639	A25/11B	Bolt, 4 BA, hex. head, 1"5 long	...	...	...	...	...	...	...	C		
28D/9436920	A25/1C	Bolt, 2 BA	...	...	...	...	...	...	...	C		
28D/7002428	A25/6C	Bolt, 2 BA	...	...	...	...	...	...	...	C		
28D/9140645	A25/10C	Bolt, 2 BA	...	...	...	...	...	...	...	C		
28D/1011238	A25/3E	Bolt, 1" BSF	...	...	...	...	...	...	...	C		
28D/1010031	A25/8E	Bolt, 1" BSF	...	...	...	...	...	...	...	C		
28D/1011244	A25/9E	Bolt, 1" BSF	...	...	...	...	...	...	...	C		
28D/1214299	AS.1242/5B	Bolt, 4 BA	...	...	...	...	...	...	...	C		
28D/1007975	AS.1242/1C	Bolt, 2 BA	...	...	...	...	...	...	...	C		
28F/11492	AGS.1115/3	Plate, washer	...	...	...	...	...	...	...	C		
28M/10286	AGS.2001/A/1	Nut, stiff, 6 BA	...	...	...	...	...	...	...	C		
28M/1278189	AGS.2001/B/1	Nut, 4 BA	...	...	...	...	...	...	...	C		
28M/1278190	AGS.2001/C/1	Nut, 2 BA	...	...	...	...	...	...	...	C		
28M/1201610	AGS.2001/E/1	Nut, 1" BSF	...	...	...	...	...	...	...	C		
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA	...	...	...	...	...	...	...	C		
28S/9992524	A32/A8	Screw, 6 BA	...	...	...	...	...	...	...	C		
28S/9995325	A33/B8	Screw, 4 BA, c'sk, head 1" long	...	...	...	...	...	...	...	C		
28S/9992521	A33/B24	Screw, 4 BA	...	...	...	...	...	...	...	C		
28S/9473782	A36/B8	Screw, 4 BA, round head, 1" long	...	...	...	...	...	...	...	C		
28S/1213916	A38/A6	Screw, 6 BA, raised c'sk, head, 1 1/8" long	...	...	...	...	...	...	...	C		
28W/9419465	SP.13/B	Washer, 4 BA, plain	...	...	...	...	...	...	...	C		
28W/9419474	SP.15/B	Washer, 4 BA, plain	...	...	...	...	...	...	...	C		
28W/9419475	SP.15/C	Washer, 2 BA, plain	...	...	...	...	...	...	...	C		
28W/9419487	SP.16/E	Washer	...	...	...	...	...	...	...	C		
28W/9475793	AGS.1582/C	Washer, 4 BA	...	...	...	...	...	...	...	C		

CANBERRA B. Mk. 6

Page 543

FUSELAGE REAR PORTION

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.B6.21.1	FUSELAGE, REAR, ASSEMBLY						—	—	—	
		Spares for:—									
2955	E.A1.12.499	BUMPER, TAIL, GROUP						1	—	C	
		Spares for:—									
322	E.A1.12.501	PAD , bumper, rubber						1	—	C	
21435	E.A1.12.367	FAIRING , tailplane, sealing, port						1	—	C/MR	
21436	E.A1.12.368	FAIRING , tailplane, sealing, starboard						1	—	C/MR	
13250	E.A3.12.45	FIN , dorsal						1	—	B/MR	
	E.A1.12.257	FIN, STUB, COMPLETE, ASSEMBLY						1	—	MR	
		Spares for:—									
21442	E.A1.12.1615	COVER , starboard only						1	L.73	C	
23009	E.A1.12.117	LUG, FIN, ATTACHMENT, PORT, ASSEMBLY						1	—	C/MR	
		Spares for:—									
323	E.A1.12.127	BUSH						1	S.11	C	
21342	E.A1.12.119	LUG, FIN, ATTACHMENT, STARBOARD, ASSEMBLY						1	—	C/MR	
		Spares for:—									
324	E.A1.12.125	BUSH						1	S.11	C	
	E.B6.12.9	STRUCTURE, FUSELAGE, REAR, C/W SKIN, ASSEMBLY						—	—	—	
		Spares for:—									
3079	E.A3.12.91	DOOR, ACCESS, REAR FUSELAGE, EQUIPMENT, ASSEMBLY						1	—	B	
		Spares for:—									
5875	E.A1.12.363	FASTENER						12	—	C	
	E.A1.12.361	FASTENER (Make from Fairey FS.400, Ref. 7137)						5	—	LM	
4663	E.A1.12.917	PANEL , detachable						1	L.72	C	
4662	E.A1.12.919	PANEL , detachable						1	L.72	C	
	E.A3.90.73	INSTALLATION, OF A.R.I.5610						—	—	—	
		Spares for:—									
3221	E.A3.81.1087	SCREW , grub						1	—	C	
	or										
285/9710019	A55/A2										
4536	E.A3.90.127	TUBE , probe, assembly						1	—	C	
1466	E.A1.12.1201	NUT , special, lifting gear, attachment						1	DTD.683	C	
1467	E.A1.12.1203	PACKING , lifting gear, special nut						1	L.59	C	
28FP/9482442	AVDEL.A.419	PIN , 'pip'						1	—	C	
	†	RING , split, 1/2" i/d.						2	Brass	—	
17756	E.A3.12.59	STRAP , retaining						1	—	C	
	E.B6.12.7	STRUCTURE, FUSELAGE (LESS SKIN) ASSEMBLY						—	—	MR	
		Spares for:—									
4949	E.A1.12.93	FITTING , end, longeron, rear transport, joint, port						1	DTD.683	C	
8954	E.A1.12.94	FITTING , end, longeron, rear transport, joint, starboard						1	DTD.683	C	
4948	E.A1.12.95	FITTING , end, longeron, rear transport, joint, port						1	DTD.683	C	
8955	E.A1.12.96	FITTING , end, longeron, rear transport, joint, starboard						1	DTD.683	C	
9817	E.A1.12.51	FRAME , No. 40						1	—	B/MR	
9818	E.A1.12.53	FRAME , No. 41						1	—	B/MR	

FUSELAGE REAR PORTION

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
9819	E.A1.12.55	FRAME, NO. 42, TAILPLANE, HINGE, ASSEMBLY						1	—	MR	
		Spares for:—									
4616	E.A3.12.163	BRACKET, HINGE FITTING, TAILPLANE, PORT, ASSEMBLY (MOD. 509)						1	—	B	
		Spares for:—									
5867	E.A3.12.267	BUSH						1	S.11	C	
38718	E.A3.03.237	BUSH, oversize, special, repair						1	S.92	C	
4617	E.A3.12.164	BRACKET, HINGE FITTING, TAILPLANE STARBOARD, ASSEMBLY (MOD. 509)						1	—	B	
		Spares for:—									
5868	E.A3.12.265	BUSH						1	S.99	C	
38717	E.A3.03.235	BUSH, oversize, special, repair						1	S.92	C	
	E.A1.12.441	BRACKET, picketing						1	—	—	
31506	E.A1.12.229	CLEAT, tee, forward, frame 12, stringer, attachment						1	DTD.683	C/MR	
33068	E.A1.12.231	CLEAT, tee, aft, frame 42, fin root rib boom, attachment, port						1	DTD.683	C/MR	
33069	E.A1.12.232	CLEAT, tee, aft, frame 42, fin root rib boom, attachment, starboard						1	DTD.683	C/MR	
43165	E.A1.12.121	TEE-MEMBER, frame 42, port						1	—	C	
42540	E.A1.12.122	TEE-MEMBER, frame 42, starboard						1	—	C	
9839	E.A1.12.165	MEMBER, STRUT, ATTACHMENT, FRAME 42, ASSEMBLY						1	—	—	
		Spares for:—									
9840	E.A1.12.123	BUSH, strut, attachment, bolt						1	—	C	
9841	E.A1.12.167	BUSH, J/P, actuator bolt						1	—	C	
6975	E.A2.12.267	PLUG, c/w attachments blanking for picketing point, at frame 42						1	—	C	
6254	E.A1.12.391	WASHER, tapered						8	L.72	C	
	E.A1.12.593	STRUT, BRACING, TAIL CONE AND STUB, ASSEMBLY (PRE-MOD. 1170)						1	—	MR	
		Spares for:—									
7215	E.A1.12.141	BOLT, special						2	S.11	C/MR	
	E.A1.12.595	FORK-END PICK-UP BRACING STAY, ASSEMBLY						2	—	—	
		Spares for:—									
9714	E.A1.12.139	BUSH						2	S.11	C/MR	
1097	EEAS.37/16A	NIPPLE, 2 BA						8	S.11	C	
1099	EEAS.37/22A	NIPPLE, 2 BA						8	S.11	C	
	EEAS.38/3A	SPOKE, 2 BA (Make from Ref. 28R/6328)						8	S.11	LM	
7180	E.A3.12.273	STRUT, BRACING, TAIL CONE AND STUB, ASSEMBLY (MOD. 1170)						1	—	A/MR	
		Spares for this assembly are identical with those for assembly Part No. E.A1.12.593:—									
	E.B6.12.11	STUB, RUDDER, ASSEMBLY (PRE-MOD. 1277) ...						—	—	—	
		Spares for:—									
5188	E.A3.12.213	BOLT, special, rudder buffer stop bracket mounting						8	S.96	C	
5189	E.A3.12.215	BOLT, special, rudder buffer stop bracket mounting						2	S.96	C	
5190	E.A3.12.217	BOLT, special, rudder buffer stop bracket mounting						2	S.96	C	
5191	E.A3.12.219	BOLT, special, rudder buffer stop bracket mounting						2	S.96	C	

CANBERRA B Mk. 6

Page 545

FUSELAGE REAR PORTION

Ref. No.	Part No.	Description						No. Off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
5175	E.A3.12.227	BRACKET, RUDDER STOP, L.H., ASSEMBLY ...						1	—	C	
		Spares for:—									
5187	E.A3.12.225	BUFFER, rubber						1	Natural Rubber	C	
5176	E.A3.12.228	BRACKET, RUDDER STOP, R.H., ASSEMBLY ...						1	—	C	
		Spares for:—									
5187	E.A3.12.225	BUFFER, rubber						1	Natural Rubber	C	
10813	E.A1.12.1427	COVER, access						1	L.72	C	
	E.A3.33.297	REINFORCEMENT OF RUDDER BOTTOM BEARING HOUSING (MOD. 4707)						—	—	—	
		Spares for:—									
	E.A3.33.299	PLATE, BEARING, SPLIT						1	—	—	
		Spares for:—									
	E.A3.33.301	PLATE, bearing, half						2	L.73	—	
17761	E.B7.12.21	RIB, RUDDER STUB, LOWER, ASSEMBLY ...						1	—	C	
		Spares for:—									
9722	E.A1.12.873	STRIP, sealing						2	Rubber	C	
10875	E.A1.12.283	RIB, RUDDER STUB, UPPER, ASSEMBLY ...						1	—	B	
		Spares for:—									
20832	E.A1.12.207	HINGE, RUDDER, BOTTOM, ASSEMBLY ...						1	—	B/MR	
		Consisting of:—									
	RANSOME & MARLES MJ $\frac{7}{8}$ "	BALLRACE						1	—	C	
2A/9501300	5823	BRACKET, rudder hinge						1	L.45	C	
28N/2001695	AGS.2030/89	CIRCLIP						1	—	C	
	E.A9.12.11	STUB, RUDDER, ASSEMBLY (MOD.1277) ...						—	—	—	
		Spares for this assembly are identical with those for assembly Part No. E.B6.12.11 on page 544									
	—	STUB, TAILPLANE, ASSEMBLY (REF. DRGS. E.A9.12.103/104, E.A9.30.7/8)						—	—	—	
		Spares for:—									
24729	E.A3.30.193	PACKING, L.H.,						1	—	C	
24730	E.A3.30.194	PACKING, R.H.,						1	—	C	
24731	E.A3.30.195	PACKING, L.H.,						1	—	C	
24732	E.A3.30.196	PACKING, R.H.,						1	—	C	
24733	E.A3.30.197	PACKING, L.H.,						1	—	C	
24734	E.A3.30.198	PACKING, R.H.,						1	—	C	
34401	E.A9.30.37	PLATE, roller, L.H., assembly						1	—	C	
34402	E.A9.30.38	PLATE, roller, R.H., assembly						1	—	C	
34403	E.A3.30.175	PLATE, roller, L.H., assembly (Pre-Mod. 2594) ...						1	—	C	
34404	E.A3.30.176	PLATE, roller, R.H., assembly (Pre-Mod. 2594) ...						1	—	C	
24725	E.A3.30.187	STRIP, reinforcing (Make from Ref. 30B/1728) ...						1	—	C	
24726	E.A3.30.188	STRIP, reinforcing (Make from Ref. 30B/1728) ...						1	—	C	
6254	E.A1.12.391	WASHER, special, tapered						4	L.72	C	

Pages 547 to 556 not issued

CANBERRA B Mk 6

Page 557

FUSELAGE REAR PORTION

Ref. No.	Part No.	Description								No. off	Matl. Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6	M.R. L.M.					
SUMMARY OF STOCK ITEMS USED ON REAR FUSE-LAGE, ASSEMBLY													
28D/9436920	A25/1C	Bolt,	2	BA	...	...	...	...	...	...		C	
28D/9133011	A25/2C	Bolt,	2	BA	...	...	...	...	...	...		C	
28D/1200119	A25/4C	Bolt,	2	BA	...	...	...	...	...	...		C	
28D/9130013	A25/5C	Bolt,	2	BA	...	...	...	...	...	...		C	
28D/9419397	A25/12C	Bolt,	2	BA	...	...	...	...	...	...		C	
28D/1008151	A25/4E	Bolt,	1/4"	BSF	...	...	...	...	...	...		C	
28D/1011240	A25/5E	Bolt,	1/4"	BSF	...	...	...	...	...	...		C	
28D/1011242	A25/7E	Bolt,	1/4"	BSF	...	...	...	...	...	...		C	
28D/1011245	A25/10E	Bolt,	1/4"	BSF	...	...	...	...	...	...		C	
28D/1011258	A25/8G	Bolt,	1/8"	BSF	...	...	...	...	...	...		C	
28D/1006583	A25/5J	Bolt,	3/8"	BSF	...	...	...	...	...	...		C	
28D/1011299	A25/6J	Bolt,	3/8"	BSF	...	...	...	...	...	...		C	
28D/1011310	A25/8L	Bolt,	1/8"	BSF	...	...	...	...	...	...		C	
28D/1212691	A25/14L	Bolt,	1/8"	BSF	...	...	...	...	...	...		C	
28D/12101	AGS.571/404	Bolt, shear,	1/4"	BSF	...	...	...	...	...	...		C	
28D/11100	AGS.571/405	Bolt, shear,	1/4"	BSF	...	...	...	...	...	...		C	
28D/12578	AGS.571/506	Bolt, shear,	1/8"	BSF	...	...	...	...	...	...		C	
28D/1212132	AGS.571/604	Bolt, shear,	1/4"	BSF	...	...	...	...	...	...		C	
28D/1212134	AGS.571/605	Bolt, shear,	1/4"	BSF	...	...	...	...	...	...		C	
28D/1212139	AGS.571/611	Bolt, shear,	1/4"	BSF	...	...	...	...	...	...		C	
28D/1212140	AGS.571/612	Bolt, shear,	1/4"	BSF	...	...	...	...	...	...		C	
28D/1007976	AS.1242/4C	Bolt,	2	BA	...	...	...	...	...	...		C	
28D/1212825	AS.1242/4E	Bolt,	1/4"	BSF	...	...	...	...	...	...		C	
28M/9403520	A27/CP	Nut,	2	BA	...	...	...	...	...	...		C	
28M/1011475	A27/EP	Nut,	1/4"	BSF	...	...	...	...	...	...		C	
28M/1007403	A27/ET	Nut,	1/4"	BSF	...	...	...	...	...	...		C	
28M/1006939	A27/GP	Nut,	1/8"	BSF	...	...	...	...	...	...		C	
28M/1011470	A27/GT	Nut,	3/8"	BSF	...	...	...	...	...	...		C	
28M/1011473	A27/JJ	Nut,	3/8"	BSF	...	...	...	...	...	...		C	
28M/1007404	A27/JT	Nut,	3/8"	BSF	...	...	...	...	...	...		C	
28M/13553	A27/LP	Nut,	1/8"	BSF	...	...	...	...	...	...		C	
28M/13259	A27/NS	Nut,	1/4"	BSF	...	...	...	...	...	...		C	
28M/7727	AGS.572/E	Nut,	3/8"	BSF	...	...	...	...	...	...		C	
28M/10287	AGS.2001/B/1	Nut, stiff,	4	BA	...	...	...	...	...	...		C	
28M/10288	AGS.2001/C/1	Nut, stiff,	2	BA	...	...	...	...	...	...		C	
28M/10290	AGS.2001/E/1	Nut, stiff,	1/4"	BSF	...	...	...	...	...	...		C	
28M/9434253	AGS.2007/B/1	Nut, stiff,	4	BA	...	...	...	...	...	...		C	
28M/12099	AGS.2007/B/3	Nut, stiff,	4	BA	...	...	...	...	...	...		C	
28M/11957	AGS.2007/C/1	Nut, stiff,	2	BA	...	...	...	...	...	...		C	
28M/12050	AGS.2007/C/3	Nut, stiff,	2	BA	...	...	...	...	...	...		C	
28M/9435560	AGS.2007/E/1	Nut, stiff,	3/8"	BSF	...	...	...	...	...	...		C	
28P/1007741	SP.9/CB	Pin, split,	7/8"	dia. x 1" long	...	...	...	...	...	...		C	
28P/9429652	SP.9/E10	Pin, split,	3/8"	dia. x 1 1/2" long	...	...	...	...	...	...		C	
28W/9418921	SP.13/E	Washer	...	...	...	...	...	...	...	...		C	
28W/9419475	SP.15/C	Washer	...	...	...	...	...	...	...	...		C	
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	...		C	
28W/9419476	SP.15/G	Washer	...	...	...	...	...	...	...	...		C	
28W/9419477	SP.15/J	Washer	...	...	...	...	...	...	...	...		C	

FUSELAGE REAR PORTION

Ref. No.	Part No.							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
28W/9419478	SP.15/L	Washer	...	...	...	...	...			C	
28W/9419479	SP.15/N	Washer	...	...	...	...	...			C	
28W/9419404	SP.16/C	Washer	...	...	...	...	...			C	
28W/9419488	SP.16/G	Washer	...	...	...	...	...			C	
28W/9419489	SP.16/J	Washer	...	...	...	...	...			C	
28W/9419490	SP.16/L	Washer	...	...	...	...	...			C	

CANBERRA B Mk. 6

Page 559

FUSELAGE

REAR FUSELAGE AND TAIL UNIT

Ref. No.	Part No.	Description						No. Off	Matl Spec.	Cl. of Equip.	Plate No.
										M.R. L.M.	
	E.B6.00.45	REAR FUSELAGE AND TAIL UNIT, ASSEMBLY ...						—	—	—	
	E.A1.00.63	Spares for:— CONTROLS, to rudder and elevator attachment details (See page 782)						—	—	—	
	E.A3.45.385	CONTROLS, flying, in rear fuselage (See page 151)						—	—	—	
	E.B6.81.11	ELECTRICAL equipment in rear fuselage (See page 303)						—	—	—	
	E.A3.83.115	EQUIPMENT, REAR FUSELAGE, ASSEMBLY (MOD. 2186)						—	—	—	
	E.B6.80.791	Spares for:— STOWAGE, SURVIVAL PACK, BETWEEN FRAMES 31B AND 33, PORT, ASSEMBLY						—	—	—	
27251	E.B6.80.795	Spares for:— CRATE AND STRAP, ASSEMBLY ...						1	—	MR	
	E.B6.80.793	Spares for:— CRATE, ASSEMBLY ...						1	—	—	
31027	E.B8.80.3201	Spares for:— NUT, knurled ...						1	L.64	C	
14714	E.B8.80.1787	FRAME, hinged ...						1	—	C	
14710	E.B8.80.1789	STRAP, 1" wide ...						2	Comm. Webbing	C	
14711	E.B8.80.1791	STRAP, 1" wide, c/w buckle ...						2	Comm. Webbing	C	
14712	E.B8.80.1795	STRAP, 1" wide, c/w buckle ...						1	Comm. Webbing	C	
14713	E.B8.80.1797	STRAP, 1" wide ...						1	Comm. Webbing	C	
	E.B8.80.1773	STOWAGE, SURVIVAL PACK, BETWEEN FRAMES 36 AND 37, PORT, ASSEMBLY						—	—	—	
26495	E.B8.80.1775	Spares for:— CRATE AND STRAP, ASSEMBLY ...						1	—	MR	
	E.B8.80.1783	Spares for:— CRATE, ASSEMBLY ...						1	—	—	
31027	E.B8.80.3201	Spares for:— NUT, knurled ...						1	L.64	C	
14714	E.B8.80.1787	FRAME, hinged ...						1	—	C	
14710	E.B8.80.1789	STRAP, 1" wide ...						2	Comm. Webbing	C	
14711	E.B8.80.1791	STRAP, 1" wide, c/w buckle ...						2	Comm. Webbing	C	
14712	E.B8.80.1795	STRAP, 1" wide, c/w buckle ...						1	Comm. Webbing	C	
14713	E.B8.80.1797	STRAP, 1" wide, c/w buckle ...						1	Comm. Webbing	C	
	E.B8.80.1774	STOWAGE, SURVIVAL PACK, BETWEEN FRAMES 36 AND 37, STARBOARD ASSEMBLY						—	—	—	
		Spares for this assembly are identical with those for assembly Part No. E.B8.80.1773, except for the following deletions and additions									
26495	E.B8.80.1775	Delete:— CRATE AND STRAP, ASSEMBLY ...						1	—	MR	
26496	E.B8.80.1776	Add:— CRATE AND STRAP, ASSEMBLY ...						1	—	MR	
		Spares for this assembly are identical with those for assembly Part No. E.B8.80.1775									

FUSELAGE **REAR FUSELAGE AND TAIL UNIT**

Ref. No.	Part No.	Description						No. Off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
12878	E.A2.12.45	FAIRING, REAR, GROUP (MOD. 1280)						1	—	A	
		Spares for:—									
12189	E.A2.12.293	DOOR, ACCESS, FORWARD NAVIGATION LIGHT, GROUP						1	—	B	
		Spares for:—									
12190	E.A2.12.309	PACKING, rubber						2	Linatex	C	
	E.A2.12.311	PACKING						1	L.72	LM	
12191	E.A2.12.303	WINDOW, perspex						1	—	C	
11019	E.A1.12.577	PANEL, access, rear, port						1	—	C	
11020	E.A1.12.578	PANEL, access, rear, starboard						1	—	C	
7209	E.A1.12.967	PANEL, rear access, tailplane controls						1	—	C	
2994	E.A1.12.583	RADOME, dummy						1	—	B	
2989	E.A1.32.1	FIN, TAIL, GROUP (PRE-MOD. 3726)						1	—	A	
		(Supplied undrilled at base)									
1439172	E.A3.00.1071	FIN, TAIL, GROUP (MOD. 4478) (PRE-MOD. 4853)						1	—	A	
	E.A3.00.5375	FIN, TAIL, GROUP (MOD. 4853)						1	—	—	
		Spares for:—									
7214	E.A1.32.553	PANEL, access, aerial plug						1	—	C	
		Attaching parts for E.A1.32.553:—									
285/7002444	A33/C14	Screw, 2 BA						5	—	C	
7211	E.A1.32.579	PANEL, access, attachment bolt, port						1	—	C	
7212	E.A1.32.580	PANEL, access, attachment bolt, starboard						1	—	C	
		Attaching parts for E.A1.32.579 and E.A1.32.580:—									
28D/1007975	AS.1242/1C	Bolt, 2 BA						7	—	C	
7213	E.A1.32.663	PANEL, access, nose						1	—	C	
		Attaching parts for E.A1.32.663:—									
28D/1007975	AS.1242/1C	Bolt, 2 BA						6	—	C	
28D/1013172	AS.1242/5C	Bolt, 2 BA						4	—	C	
3635	E.A1.32.767	PANEL, rudder control tube and lever mass balance weight						1	—	C	
3634	E.A1.32.769	PANEL, rudder tab actuator lever and actuator ...						1	—	C	
		Attaching parts for E.A1.32.767 and E.A1.32.769:—									
28D/1214091	AS.1242/2C	Bolt, 2 BA						11	—	C	
	E.A1.32.7	STRUCTURE, FIN, GROUP						1	—	—	
		Spares for:—									
	E.A1.32.13	SPAR, FIN, ASSEMBLY						1	—	—	
		Spares for:—									
37416	E.A1.32.207	FITTING, SPAR ROOT, PORT, SUB-ASSEMBLY						1	—	C/MR	
		Consisting of:—									
20688	E.A1.32.79	BUSH, inboard						1	S.96	C/MR	
20689	E.A1.32.81	BUSH, outboard						1	S.96	C/MR	
	E.A1.32.71	FITTING						1	—	—	
37686	E.A1.32.209	FITTING, SPAR ROOT, STARBOARD, SUB-ASSEMBLY						1	—	C/MR	
		Consisting of:—									
20690	E.A1.32.83	BUSH, inboard						1	S.96	C/MR	
20691	E.A1.32.85	BUSH, outboard						1	S.96	C/MR	
	E.A1.32.73	FITTING						1	—	—	

CANBERRA B Mk. 6

Page 561

FUSELAGE

REAR FUSELAGE AND TAIL UNIT

Ref. No.	Part No.	Description						No. Off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
34086	E.C1.32.2501	FIN, TAIL, ASSEMBLY (MOD. 3726) (Supplied undrilled at base) Spares for this assembly are identical with those for assembly Part No. E.A1.32.1 on page 560						1	—	A	
	E.A1.00.55	FIN , to fuselage, attachment details (See page 782)						—	—	—	
	E.B6.12.1	FUSELAGE , rear (See page 543)						1	—	—	
	E.A3.83.143	INSTALLATION OF ENGINE CARTRIDGE STOWAGE Spares for:—						—	—	—	
10950	E.A3.83.161	ENGINE CARTRIDGE MOUNTING, ASSEMBLY Spares for:—						1	—	C/MR	
	E.A3.83.163	BRACKET, CARTRIDGE MOUNTING, GROUP Spares for:—						6	—	—	
2462	E.A3.83.55	BAND , wire						1	—	C	
2461	E.A3.83.53	CLIP , assembly						1	—	C	
3071	E.A1.12.597	PLATE , sealing, tailplane to fuselage forward, port						1	—	C/MR	
3072	E.A1.12.598	PLATE , sealing, tailplane to fuselage, forward, starboard						1	—	C/MR	
3073	E.A1.12.599	PLATE , sealing, tailplane to fuselage, aft, port ...						1	—	C/MR	
3074	E.A1.12.600	PLATE , sealing, tailplane to fuselage, aft, starboard						1	—	C/MR	
	E.A1.00.59	REAR , fairing to fuselage, attachment details (See page 782)						—	—	—	
	E.A1.00.57	RUDDER , to fin and fuselage, attachment details (See page 782)						—	—	—	
5173	E.A3.33.1	RUDDER , c/w tab (See page 1271)						1	—	A	
	E.B6.00.19	TAILPLANE , and elevators (See page 1287)						—	—	—	
	E.B6.00.53	TAILPLANE , to rear fuselage, attachment details (See page 781)						—	—	—	
	E.B7.57.293	VENTING, FUEL, BETWEEN FRAME 30 AND FRAME 40, ASSEMBLY (MOD. 1728) Spares for:—						—	—	—	
	E.B7.57.315	BRACKET , for vent pipe						9	L.59	—	F.11
	E.B7.57.317	CLIP , for vent pipe						9	L.59	—	F.11
	EEAS.164/40/45	HOSE , rubber, 2½" i/d. x 3" o/d. x 4½" long type 1 (Make from 32C/380)						4	DTD.625	—	F.11
25542	E.B7.57.305	PIPE , vent, between frames 30 and 33						1	L.56	C	F.11
25543	E.B7.57.307	PIPE , vent, continuation						1	L.56	C	F.11
25544	E.B7.57.309	PIPE , vent, continuation						1	L.56	C	F.11
25545	E.B7.57.311	PIPE , vent, continuation						1	L.56	C	F.11
	E.G4.57.7	VENT, FUEL OUTLET, ASSEMBLY (MOD. 4112) Spares for:—						—	—	—	
25541	E.B7.57.303	GASKET						1	Neo-K. Tex	C	F.11
34533	E.G4.57.5	MASK , vent, outlet						1	—	C	
1468	EEAS.1/2-C	SCREW						6	S.96	C	F.11


Pages ~~561~~ to 570 not issued
563

CANBERRA B. Mk. 6


Page 571

FUSELAGE **REAR FUSELAGE AND TAIL UNIT**

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	
		SUMMARY OF STOCK ITEMS USED ON REAR FUSELAGE AND TAIL UNIT									
28D/1010658	A25/1B	Bolt, 4 BA	...	...	...	...	...	—	—	C	
28D/1011013	A25/13B	Bolt, 4 BA	...	...	...	...	...	—	—	C	
28D/9436920	A25/1C	Bolt, 2 BA	...	...	...	...	...	—	—	C	
28D/9133011	A25/2C	Bolt, 2 BA	...	...	...	...	...	—	—	C	
28D/9133012	A25/3C	Bolt, 2 BA	...	...	...	...	...	—	—	C	
28D/9435710	A25/11C	Bolt, 2 BA	...	...	...	...	...	—	—	C	
28D/1203083	A25/3J	Bolt, 1/2" BSF	...	...	...	...	...	—	—	C	
28D/1007975	AS.1242/1C	Bolt, 2 BA	...	...	...	...	...	—	—	C	
28D/1214091	AS.1242/2C	Bolt, 2 BA	...	...	...	...	...	—	—	C	
28D/9709461	AS.1242/3C	Bolt, 2 BA	...	...	...	...	...	—	—	C	
28D/1007976	AS.1242/4C	Bolt, 2 BA	...	...	...	...	...	—	—	C	
28D/1013172	AS.1242/5C	Bolt, 2 BA	...	...	...	...	...	—	—	C	
28M/1006473	A27/CT	Nut, 2 BA	...	...	...	...	...	—	—	C	
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	...	...	...	...	...	—	—	C	
28M/10297	AGS.2001/B/2	Nut, stiff, 4 BA	...	...	...	...	...	—	—	C	
28M/1956039	AGS.2001/B/3	Nut, stiff, 4 BA	...	...	...	...	...	—	—	C	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	...	...	...	...	...	—	—	C	
28M/10318	AGS.2002/B/3	Nut, stiff, 4 BA	...	...	...	...	...	—	—	C	
28M/10332	AGS.2002/J/1	Nut, stiff, 1/2" BSF	...	...	...	...	...	—	—	C	
28M/12050	AGS.2007/C/3	Nut, stiff, 2 BA	...	...	...	...	...	—	—	C	
28M/10213	AGS.2008/E/3	Nut, stiff, 1/2" BSF	...	...	...	...	...	—	—	C	
28S/7002444	A33/C14	Screw, 2 BA	...	...	...	...	...	—	—	C	
28S/1200053	A33/C16	Screw, 2 BA	...	...	...	...	...	—	—	C	
28W/9419465	SP.13/B	Washer	...	...	...	...	...	—	—	C	




CENTRE FUSELAGE - EMERGENCY RELEASE GEAR




CENTRE FUSELAGE STRUCTURE EQUIPMENT


Plate F.3



CENTRE FUSELAGE STRUCTURE EQUIPMENT




CENTRE FUSELAGE STRUCTURE - ACCUMULATOR DOOR AND FRAME





CENTRE FUSELAGE STRUCTURE EQUIPMENT


E. A1. 11. 1651




E. A1. 11. 1655



E. A1. 11. 1653





E. A3. 11. 1149




E. A1. 11. 1657


E. A1. 11. 771




E. A1. 11. 3323




E. A1. 11. 3324



E. A1. 57. 135




FRONT FUSELAGE - NOSE UNDERCARRIAGE DOORS



FRONT FUSELAGE - EQUIPMENT AND MAIN ENTRANCE DOORS


Plate F.9



COLD AIR TO PILOT


RESTRICTED

Plate F.10




BLAST COOLING FOR INVERTORS

RESTRICTED




RESTRICTED

Plate F12




RESTRICTED


Plate F.14



DETAIL 'A'



DETAIL 'B'



DETAIL 'C'

NOTE: FOR LOCATION OF DETAILS SEE PLATE F.13

PITOT AND STATIC DETAILS FRONT FUSELAGE

RESTRICTED