

CANBERRA B(I) Mk. 8

Page 1039

MISCELLANEOUS ATTACHMENT DETAILS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	E.B6.00.21	WING TO FUSELAGE ATTACHMENT DETAILS, PORT	—	—	—	
		Spares for:—				
2089	E.A3.20.135	Block, sealing, wing to fuselage joint	1	Linatex Rubber	C	MA.1
2090	E.A1.20.2897	Block, sealing, wing to fuselage joint	1	Linatex Rubber	C	MA.1
384	E.A1.20.2899	Block, sealing, wing to fuselage joint	1	Linatex Rubber	C	MA.1
387	E.A1.20.1101	Bolt, main pick-up, wing to fuselage	2	DTD.473	C	MA.1
385	E.A1.20.2277	Bolt, special, wing to fuselage attachment	2	DTD.473	C	MA.1
28D/12515	A25/10C	Bolt, 2 BA, hex. head, 1"45 long	1	—	C	MA.1
28D/13586	A25/10N	Bolt, 1" BSF, 1"8 long	1	—	C	MA.1
28D/12292	AGS.571/906	Bolt, shear, attachment main spar to fuselage at frame 21	7	—	C	MA.1
4983	E.A1.11.129	Collar, special, rear spar to fuselage	1	DTD.126A	B/MR	
2091	E.A3.20.573	Gusset, top, main spar, closing panel	1	—	C	MA.1
2093	E.A3.20.575	Gusset, bottom, main spar, closing panel	1	—	C	MA.1
28M/13259	A27/NS	Nut, 1/2" BSF, slotted	1	—	C	MA.1
28M/13590	A27/SS	Nut, 3/4" BSF, slotted	2	—	C	MA.1
28M/13276	A27/WS	Nut, 1" BSF, slotted	2	—	C	MA.1
28M/7748	AGS.572/J	Nut, 5/8" BSF, thin, slotted	7	—	C	MA.1
28M/10288	AGS.2001/C/1	Nut, stiff, 2 BA	72	—	C	MA.1
28M/10328	AGS.2002/C/1	Nut, stiff, 2 BA	1	—	C	MA.1
386	E.A1.20.2275	Pad, special, wing attachment bolt	2	S.11	C	MA.1
4984	E.A1.11.127	Pin, special, rear spar to fuselage	1	S.11	C/MR	
28P/12351	SP9/E8	Pin, split, 3/8" dia. x 1" long	7	—	C	MA.1
28P/9429652	SP9/E10	Pin, split, 3/8" dia. x 1 1/4" long	1	—	C	MA.1
28P/12721	SP9/H16	Pin, split, 3/8" dia. x 2" long	2	—	C	MA.1
28P/12366	SP9/K20	Pin, split, 3/8" dia. x 2 1/2" long	2	—	C	MA.1
1025	EEAS.1/1C	Screw, 2 BA, c'sk. head, 120°	28	—	C	MA.1
1026	EEAS.1/1 1/2 C	Screw, 2 BA, c'sk. head, 120°	407	H.T.S.	C	MA.1
1468	EEAS.1/2C	Screw, 2 BA, c'sk. head, 120°	14	H.T.S.	C	
1027	EEAS.1/2 1/2 C	Screw, 2 BA, c'sk. head, 120°	23	H.T.S.	C	MA.1
1028	EEAS.1/3C	Screw, 2 BA, c'sk. head, 120°	24	H.T.S.	C	MA.1
1565	EEAS.1/3 1/2 C	Screw, 2 BA, c'sk. head, 120°	32	H.T.S.	C	MA.1
1029	EEAS.1/4C	Screw, 2 BA, c'sk. head, 120°	44	H.T.S.	C	MA.1
1425	E.A3.20.689	Strip, closing, upper, aft of spar (supplied undrilled and with trim allowance)	1	—	C	MA.2
1427	E.A3.20.691	Strip, closing, lower, aft of spar (supplied undrilled and with trim allowance)	1	—	C	MA.2
4985	E.A1.11.131	Washer, distance, rear spar to fuselage	1	L.40	C/MR	
2095	E.A1.20.1335	Washer, special, main pick-up bolt	2	L.72	C	MA.1
2096	EEAS.27/16GU	Washer, 14 SWG	72	DTD.124	C	MA.1
28W/3089	AGS.163/C	Washer, 2 BA, spring	36	—	C	MA.1
28W/9419491	SP16/N	Washer, 1/2" BSF, plain	1	—	C	MA.1
28W/9419480	SP15/P	Washer, 5/8" BSF, plain	7	—	C	MA.1
28W/9419482	SP15/S	Washer	1	—	C	MA.1
28W/14886	SP55/C	Washer, 2 BA, spring	38	—	C	

MISCELLANEOUS ATTACHMENT DETAILS


Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	E.B6.00.22	WING TO FUSELAGE ATTACHMENT DETAILS, STARBOARD Spares for this assembly are identical with those for port assembly E.B6.00.21 on page 1039, except for the following deletions and additions Delete:—	—	—	—	
2091	E.A3.20.573	Gusset, top, main spar, closing panel ...	1	—	C	MA.1
2093	E.A3.20.575	Gusset, bottom, main spar, closing panel ...	1	—	C	MA.1
1425	E.A3.20.689	Strip, closing, upper, aft of spar (supplied undrilled and with trim allowance)	1	—	C	MA.2
1427	E.A3.20.691	Strip, closing, lower, aft of spar (supplied undrilled and with trim allowance) Add:—	1	—	C	MA.2
2092	E.A3.20.574	Gusset, top, main spar, closing panel ...	1	—	C	MA.1
2094	E.A3.20.576	Gusset, bottom, main spar, closing panel ...	1	—	C	MA.1
1426	E.A3.20.690	Strip, closing, upper, aft of spar (supplied undrilled and with trim allowance)	1	—	C	MA.2
1428	E.A3.20.692	Strip, closing, lower, aft of spar (supplied undrilled and with trim allowance)	1	—	C	MA.2
	E.A9.00.111	FRONT FUSELAGE TO CENTRE FUSELAGE ATTACHMENT DETAILS Consisting of:—	—	—	—	
392	E.A1.10.1207	Bolt, special attachment ...	113	S.11	C	MA.2
393	E.A1.10.1209	Bolt, special attachment ...	58	S.11	C	MA.2
27645	E.A9.10.4135	Bolt, special attachment ...	3	—	—	
28D/9436920	A25/1C	Bolt, 2 BA, hex. head, 0"55 long	18	—	C	MA.2
28D/12513	A25/2C	Bolt, 2 BA, hex. head, 0"65 long	13	—	C	MA.2
28D/13661	A25/15N	Bolt, 1" BSF, 2"3 long	4	—	C	MA.2
33C/1138	†	Cement, Bostik ...	QR	—	C	
28M/10294	AGS.2001/N/1	Nut, stiff, 1" BSF	4	—	C	MA.2
28W/3090	AGS.163/D	Washer, 1" BSF, spring	113	—	C	MA.2
28W/3091	AGS.163/E	Washer, 1" BSF, spring	61	—	C	MA.2
28W/9419475	SP15/C	Washer, 2 BA, plain	31	—	C	MA.2
28W/9419479	SP15/N	Washer, 1" BSF, plain	4	—	C	
5484	E.A1.10.2713	Washer, special ...	4	—	C	
	E.B6.00.25	CENTRE FUSELAGE TO REAR FUSELAGE ATTACHMENT DETAILS Consisting of:—	—	—	—	
28D/12543	A25/6E	Bolt, 1" BSF, hex. head, 1"1 long	48	—	C	
28D/12633	A25/7E	Bolt, 1" BSF, hex. head, 1"2 long	8	—	C	
28D/12569	A25/10E	Bolt, 1" BSF, hex. head, 1"5 long	6	—	C	
28D/12545	A25/13E	Bolt, 1" BSF, hex. head, 1"8 long	24	—	C	
28D/12639	A25/6G	Bolt, 1" BSF, hex. head, 1"15 long	16	—	C	
28D/12816	A25/7G	Bolt, 1" BSF, hex. head, 1"25 long	8	—	C	
28D/12820	A25/13G	Bolt, 1" BSF, hex. head, 1"85 long	30	—	C	
28D/12552	A25/15G	Bolt, 1" BSF, hex. head, 2"05 long	12	—	C	
28D/13472	A25/16N	Bolt, 1" BSF, hex. head, 2"4 long	2	—	C	
28D/12834	A25/18N	Bolt, 1" BSF, hex. head, 2"6 long	2	—	C	
33C/1173	CS.2558	Cement ...	QR	—	C	

MISCELLANEOUS ATTACHMENT DETAILS



Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
28M/10290	AGS.2001/E/1	Nut, stiff, $\frac{1}{4}$ " BSF	90	—	C	
28M/10291	AGS.2001/G/1	Nut, stiff, $\frac{5}{16}$ " BSF	66	—	C	
28M/10294	AGS.2001/N/1	Nut, stiff, $\frac{1}{2}$ " BSF	4	—	C	
28W/9419405	SP.15/E	Washer, $\frac{1}{4}$ " BSF, plain	58	—	C	
28W/9419476	SP.15/G	Washer, $\frac{5}{16}$ " BSF, plain	16	—	C	
28W/9419479	SP.15/N	Washer, $\frac{1}{2}$ " BSF, plain	4	—	C	
5484	E.A1.10.2713	Washer, special	4	—	C	
	E.B6.00.53	TAILPLANE TO REAR FUSELAGE, ATTACHMENT DETAILS	—	—	—	
		Consisting of:—				
2751	E.A3.30.75	Bolt, special pivot, tailplane attachment, forward hinge point	2	S.97	C	MA.2
309	E.A1.12.451	Bolt, special, tailplane actuator anchor	1	S.65	C	MA.2
310	E.A1.30.341	Nut, special, tailplane attachment, forward hinge point	2	L.40	C	MA.2
311	E.A1.12.453	Nut, special, slotted, tailplane actuator anchor	1	MS	C	MA.2
28N/9796	SP.21	Nipple, lubricating	2	—	C	MA.2
28P/9429652	SP.9/E10	Pin, split, $\frac{3}{32}$ " x $1\frac{1}{4}$ "	3	—	C	MA.2
312	E.A1.12.455	Washer, special, tailplane actuator anchor	2	L.72	C	MA.2
	E.A1.00.55	FIN TO FUSELAGE ATTACHMENT DETAILS	—	—	—	
		Consisting of:—				
313	E.A1.32.75	Bolt, special, fin attachment, port	1	DTD.473	C	MA.3
314	E.A1.32.77	Bolt, special, fin attachment, starboard	1	DTD.473	C	MA.3
28D/9436920	A25/1C	Bolt, 2 BA, hex. head, 0"55 long	10	—	C	MA.3
28D/12534	A25/9C	Bolt, 2 BA, hex. head, 1"35 long	6	—	C	MA.3
28D/8306	AS.1242/1C	Bolt, 2 BA, c'sk. head, 0"5 long	18	—	C	MA.3
28D/8307	AS.1242/2C	Bolt, 2 BA, c'sk. head, 0"6 long	36	—	C	MA.3
1029	EEAS.1/4C	Screw, 2 BA, c'sk. head, 120°	58	—	C	MA.3
1030	EEAS.1/5C	Screw, 2 BA, c'sk. head, 120°	20	—	C	MA.3
	E.A1.00.57	RUDDER TO FIN FUSELAGE ATTACHMENT DETAILS	—	—	—	
		Consisting of:—				
4730	E.A1.32.203	Bolt, special attachment, rudder to fin top hinge	2	S.11	C/MR	MA.3
4731	E.A1.32.205	Bolt, special attachment, rudder to fin top hinge	2	S.11	C/MR	MA.3
28M/13590	A27/SS	Nut, $\frac{3}{4}$ " BSF slotted	1	—	C	MA.3
28P/9429528	SP.9/C8	Pin, split, $\frac{1}{16}$ " x 1"	1	—	C	MA.3
3667	E.A3.33.219	Washer, special sealing	1	L.40	C	MA.3
	E.A1.00.59	REAR FAIRING TO FUSELAGE, ATTACHMENT DETAILS	—	—	—	
		Consisting of:—				
28D/12520	A.25/4E	Bolt, $\frac{1}{8}$ " BSF, hex. head, 0"9 long	2	—	C	MA.3
28M/12930	A27/ES	Nut, $\frac{1}{4}$ " BSF, slotted	2	—	C	MA.3
28M/10290	AGS.2001/E/1	Nut, $\frac{1}{4}$ " BSF, stiff	4	—	C	MA.3
28P/9429528	SP9/C8	Pin, split, $\frac{1}{16}$ " x 1"	2	—	C	MA.3
1028	EEAS.1/3C	Screw, 2 BA, c'sk. head, 120°	4	—	C	MA.3
28W/9419487	SP16/E	Washer, $\frac{1}{4}$ " BSF, plain	2	—	C	MA.3

MISCELLANEOUS ATTACHMENT DETAILS


Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
	E.A1.00.63	CONTROLS TO RUDDER AND ELEVATOR ATTACHMENT DETAILS	—	—	—	
		Consisting of:—				
67	EEAS.13/1	Bolt , special connecting, control rod to rudder ...	2	—	C	MA.3
68	EEAS.14	Bush , bearing, connecting rod ...	2	—	C	MA.3
3569	EEAS.63/E	Nut , slotted, control tube connecting bolt ...	2	S.96	C	MA.3
3570	EEAS.127	Piece , distance, control tube connection ...	2	S.96	C	MA.3
28P/9429528	SP9/C8	Pin , split, $\frac{1}{8}$ " x 1" ...	2	—	C	MA.3
	E.A1.00.81	DROP TANK TO WING ATTACHMENT DETAILS, PORT (see page 775)	—	—	—	
	E.A1.00.82	DROP TANK TO WING ATTACHMENT DETAILS, STARBOARD (see page 787)	—	—	—	



MISCELLANEOUS ATTACHMENTS




E. A3. 20. 691
E. A3. 20. 692



E. A3. 20. 689
E. A3. 20. 690

MISCELLANEOUS ATTACHMENTS



Pages ~~1045~~ to ~~1054~~ not issued

1043 to 1054

THE UNIVERSITY OF CHICAGO
LIBRARY
CHICAGO, ILL.