

UNDERCARRIAGE **MAIN UNDERCARRIAGE, PORT**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	E.A1.40.727	MAIN UNDERCARRIAGE, PORT, ASSEMBLY ...	1	—	—	
	E.A1.40.729	Consisting of:— LEG, OLEO (LESS WHEEL, BRAKE UNIT AND FIXED FAIRINGS), GROUP	1	—	—	
		Consisting of:—				
2168	E.A6.40.35	Bolt , special, securing ...	10	S.97	C	
4173	E.A1.40.517	Bolt , special, securing cowl door mechanism to leg (Made from A25/5E, Ref. 28D/1011240)	4	H.T.S.	C/MR	
4174	E.A1.40.519	Bolt , special, securing fixed fairing mounting brackets to leg (Made from A25/5G, Ref. 28D/1011256)	8	H.T.S.	C/MR	
27G/4085	DUNLOP AH.9780	Brake unit (For spares see A.P.4515C, Vol. 3, Part 1, Sect. 2)	1	—	A	U.1
6848	E.B6.20.729	FAIRING, FIXED, ASSEMBLY ...	1	—	B	
3060	E.A3.20.853	Spares for:— FAIRING, FIXED, GROUP ... (Supplied with trim allowance)	1	—	B	U.1
		Spares for:—				
16205	E.A3.20.831	Member , edge ...	1	—	C	
16214	E.A3.20.847	Member , edge ...	1	—	C	
21164	E.A3.20.2869	PANEL, HINGE, ASSEMBLY ...	1	—	C	
		Spares for:—				
	E.A1.20.1679	Hinge (Make from 28N/9486785) ...	1	—	LM	
3025	E.A1.20.1675	Panel , hinge, 16 SWG ...	1	L.72	C	U.1
520	E.A1.40.435	Spring ...	2	Spring Steel	C	
16160	E.A1.20.9367	Stiffener ...	1	—	C	
1413	E.A1.20.6817	Panel , access, picket point ...	1	—	C	U.1
	E.A3.20.1627	Seal , $\frac{3}{8}$ " dia. 90" long (Make from Ref. 4432) ...	1	Synthetic Rubber	LM	
5970	E.A6.73.93	Washer , special, for flexible pipe, bottom bracket	2	L.72	C	
32314	E.A9.40.23	LEG, SLIDING, AND OLEO HEAD, GROUP (PRE-MOD. 4270)	1	—	A	
34712	E.A9.40.59	LEG, SLIDING AND OLEO HEAD, GROUP (MOD. 4270)	1	—	A	U.1
		Spares for:—				
661	E.A1.40.153	Bush , bearing ...	4	DTD.412	C	U.1
	E.A6.40.3	HEAD, OLEO, GROUP (PRE-MOD. 4270) ...	1	—	—	
	E.A9.40.57	HEAD, OLEO, GROUP (MOD. 4270) ...	1	—	—	
		Spares for:—				
663	E.A1.40.89	Bearing , spherical, sealed, ball joint side stay	1	S.11	C	U.1
664	E.A1.40.101	Bush , bearing ...	1	DTD.412	C	U.1
665	E.A1.40.109	Bush , pivot ...	2	DTD.412	C	U.1
666	E.A1.40.111	Bush , torque link lug ...	2	DTD.412	C	U.1
667	E.A1.40.133	Disc , sealing, stack pipe connection ...	2	L.40	C	
668	E.A1.40.131	Dowel , special, piston ...	2	S.11	C	
	or					
36258	E.A3.03.101	Dowel , piston (first repair) ...	—	—	MR	
	or					
36259	E.A3.03.103	Dowel , piston (second repair) ...	—	—	MR	
21495	E.A1.40.19	Head , oleo, forging (Pre-Mod. 4270) ...	1	DTD.683	A/MR	
42058	E.A9.40.55	Head , oleo, forging (Mod. 4270) ...	1	DTD.5094	A/MR	
669	E.A1.40.103	Hook , "S" shaped, 16 SWG ...	2	M.S. Wire	C	
20656	E.A1.40.127	Pipe , stack, assembly ...	1	—	C/MR	
	E.A6.40.5	PISTON, OPERATING, GROUP ...	1	—	—	
		Consisting of:—				
683	E.A1.40.61	Bolt , special, attachment enclosure orifice plate	3	S.11	C	
1099	EEAS.37/22A	Nipple , 2 BA ...	2	S.11	C	

UNDERCARRIAGE MAIN UNDERCARRIAGE, PORT

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	
670	E.A1.40.647	Piston	...	...	...	...	...	1	DTD.197	C	U.1
22528	E.A6.40.33	Plate, orifice enclosure control	...	...	...	...	...	1	S.11	C/MR	
672	E.A1.40.651	Ring, piston	...	...	...	...	...	1	—	C	
	EEAS.38/3A	Spoke, 2 BA (Make from 28R/6328)	...	...	...	...	...	1	S.11	LM	
22227	E.A1.40.117	Strut, piston, main	...	...	...	...	...	1	T.4	C/MR	
30A/9140209	†	Wire, locking, 20 SWG	...	...	...	...	...	QR	—	C	U.1
673	E.A1.40.679	Plug, pivot bearing, bush retaining	...	...	...	...	...	2	L.40	C	
674	E.A1.40.95	Ring, lower, retaining ball joint	...	...	...	...	...	1	DTD.124	C	
676	E.A1.40.97	Ring, upper, retaining ball joint	...	...	...	...	...	1	DTD.124	C	
678	E.A1.40.155	Ring, sealing, at dowel	...	...	...	...	...	2	Synthetic Rubber	C	
679	E.A1.40.625	Screw, special, retaining plug, dowel seal	...	...	...	...	...	2	L.40	C	U.2
680	E.A1.40.99	Stud, for retaining rings at ball joint	...	...	...	...	...	12	S.11	C	
681	E.A1.40.105	Tube, distance, packing, for locking washer	...	...	...	...	...	1	L.40	C	
	H. PRESSURE COMP'TS. LTD.										
28Y/15486	A.58	Valve, charging, hydraulic	...	...	...	...	...	1	—	C	
682	E.A1.40.149	Washer, special, locking, 14 SWG	...	...	...	...	...	1	DTD.124	C	U.2
	E.A3.40.225	LEG, SLIDING, COMPRESSION, GROUP (PRE-MOD. 4270)	...	...	...	...	...	1	—	—	
	E.A9.40.61	LEG, SLIDING, COMPRESSION, GROUP (MOD. 4270)	...	...	...	...	...	1	—	—	
		Spares for:—									
26640	E.A3.40.201	Bolt, special, clamp locking (Mod. 2308)	...	...	...	...	...	1	S.95 or S.96	C	
683	E.A1.40.61	Bolt, special, stud	...	...	...	...	...	6	S.11	C	U.2
684	E.A1.40.161	Bush, bearing, in lug	...	...	...	...	...	2	DTD.124	C	
2467	E.A3.40.45	Bush, bearing	...	...	...	...	...	1	—	C	
41877	E.A3.40.217	CLAMP, AXLE, GROUP	...	...	...	...	...	1	—	C/MR	
		Spares for:—									
21355	E.A3.40.23	Bush	...	...	...	...	...	1	L.16	C	U.2
13024	E.A3.40.183	Clamp, axle, body (Mod. 1999)	...	...	...	...	...	1	—	C	
1753	E.A3.40.19	Link, towing	...	...	...	...	...	1	—	C	
21537	E.A3.40.21	Washer, special, tow link	...	...	...	...	...	1	—	C	
14706	E.A3.40.209	Housing, seals (Mod. 2361)	...	...	...	...	...	1	L.65	C	
1462	E.A3.40.9	LEG, SLIDING, C/W INTEGRAL AXLE	...	...	...	...	...	1	—	A	U.2
		Spares for:—									
6627	E.A3.40.51	Pin, shear	...	...	...	...	...	1	S.65	C	
6500	E.A3.40.53	Screw, grub	...	...	...	...	...	1	S.95	C	
691	E.A1.40.41	Nut, stop, special	...	...	...	...	...	1	S.11	C	
32210	E.A3.40.221	Pin, locking, piston	...	...	...	...	...	3	S.97	C	U.2
	E.A3.40.219	Piston, sliding leg	...	...	...	...	...	1	DTD.197	—	
693	E.A1.40.175	Plate, orifice	...	...	...	...	...	1	S.65	C	
694	E.A1.40.655	Plug, sealing (Pre-Mod. 2361)	...	...	...	...	...	1	DTD.683	C	
14701	E.A3.40.203	Plug, sealing (Mod. 2361)	...	...	...	...	...	1	DTD.683	C	
695	E.A1.40.677	Plug, pivot bearing, bush retaining	...	...	...	...	...	2	L.40	C	U.2
696	E.A1.40.37	Ring, sealing, between bush and retaining washer (Pre-Mod. 2361)	...	...	...	...	...	2	Synthetic Rubber	C	
14703	E.A3.40.213	Ring, sealing, seal housing (Mod. 2361)	...	...	...	...	...	2	Soft Rubber	C	
12915	E.A1.40.45	Ring, retaining felt washer, 12 SWG	...	...	...	...	...	1	M.S.	C	
697	E.A1.40.57	Ring, piston	...	...	...	...	...	1	—	C	
14705	E.A3.40.215	Ring, backing (Mod. 2361)	...	...	...	...	...	2	Fabric CX18	C	U.2
21221	E.A1.40.635	Ring, distance, between felt washer and sealing rings (Pre-Mod. 2361)	...	...	...	...	...	3	DTD.138	C	
14700	E.A3.40.207	Ring, spacer, between sealing and backing rings (Mod. 2361)	...	...	...	...	...	1	L.64	C	
12913	E.A1.40.657	Ring, distance, between sealing and backing rings	...	...	...	...	...	1	DTD.683	C	

UNDERCARRIAGE
MAIN UNDERCARRIAGE, PORT

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
21354	E.A1.40.659	Ring, shock absorber, stop	1	DTD.683	C	
698	E.A1.40.661	Ring, sealing (Pre-Mod. 2361)	1	Synthetic Rubber	C	
14702	E.A3.40.205	Ring, sealing (Mod. 2361)	1	Soft Rubber	C	
14704	E.A3.40.211	Ring, sealing, seal housing (Mod. 2361) ...	1	Soft Rubber	C	
700	E.A1.40.167	Screw, grub, stop nut, locking	1	S.1	C	
701	E.A1.40.39	Washer, fibre, between retaining ring and lock nut	1	BS.216	C	
702	E.A1.40.43	Washer, packing, 1 3/8" thick	1	Hard Felt	C	
3631	E.A1.40.27	Link, torque toggle	1	DTD.683	C	U.2
3632	E.A1.40.28	Link, torque toggle	1	DTD.683	C	U.2
703	E.A1.40.67	Pin, bearing, bottom toggle link	1	S.11	C	U.2
704	E.A1.40.69	Pin, bearing, top toggle link	1	S.11	C	U.2
1500	E.A3.40.27	Pin, bearing, toggle joint	1	S.97	C	U.2
707	E.A1.40.77	Screw, special, retaining bearing pin	2	S.11	C	
708	E.A1.40.139	Screw, grub, special, locking top and bottom bearing pins	2	M.S.	C	
709	E.A1.40.619	Shim, bearing pin sleeve	2	L.A.	C	
710	E.A1.40.71	Sleeve, bearing, for toggle link	1	S.11	C	U.2
711	E.A1.40.73	Sleeve, bearing, for toggle link	1	S.11	C	U.2
712	E.A1.40.137	Tab, locking, 16 SWG	1	M.S.	C	
713	E.A1.40.75	Washer, special, bearing thrust	2	DTD.412	C	
714	E.A1.40.79	Washer, special, locking, bearing pin retaining screw, 16 SWG	2	M.S.	C	
715	E.A1.40.83	Washer, spacing, at toggle joint between link bearings	1	S.11	C	
1514	E.A3.40.29	Washer, special, at toggle joint	1	S.96	C	
1515	E.A3.40.31	Washer, special, at toggle joint	1	S.96	C	
718	E.A1.40.147	Washer, special, bearing thrust	2	DTD.412	C	
521	E.A1.40.467	LEVER COWL DOOR MECHANISM, GROUP ...	1	—	C	
522	E.A1.40.465	Spares for:—				
	E.A1.40.529	Bush, bearing	2	L.40	C	
	DUNLOP	Lever, operating	1	—	—	
27G/2485	AHM.2572	Pipe, feed, for maxaret unit	1	—	C	
27G/2486	AHM.2574	Pipe, feed, for maxaret unit	1	—	C	
27A/3153	DT.1606	Tube, 43" x 12"5 x 21"	1	—	A	
27A/3152	DUNLOP	Tyre, outer, 43" x 12"5 x 21"	1	—	A	
	FIRESTONE ZA.101					
	or					
27A/4655	DUNLOP DR.1623					
	GOODYEAR GA.1266					
	FIRESTONE ZA.303					
27G/2382	DUNLOP AC.11516	Unit, maxaret, automatic brake control	1	—	A	U.2
2169	E.A3.40.43	Washer, special	10	DTD.124A	C	
27A/4217	AH.51337	Wheel, undercarriage (For spares see A.P.1086, Part 11) (Mod. 2615)	1	—	A	
30A/2296	†	Wire, locking, 20 SWG	QR	—	C	

UNDERCARRIAGE MAIN UNDERCARRIAGE, PORT

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
523	E.A1.40.29	STAY, SIDE, UNDERCARRIAGE, GROUP (PRE-MOD. 3585)	1	—	A	
		Spares for:—				
525	E.A1.40.195	Bolt, special, hook	1	S.65 or 81	C	
526	E.A1.40.197	Bolt, special, connecting stay and link	1	S.65 or 81	C	
527	E.A1.40.203	Bolt, special, for roller assembly locking gear	1	S.11	C	
528	E.A1.40.221	Bolt, special, connecting undercarriage operating jack	1	S.65 or 81	C	
529	E.A1.40.239	Bolt, stop, special link stay	1	S.65 or 81	C	
530	E.A1.40.405	Bolt, special, sequence valve operating	1	S.11	C	
7112	E.A1.40.229	Bracket, solenoid operating stud	1	S.11	C/MR	U.2
7114	E.A1.40.403	Bracket, sequence valve operating stud	1	L.40	C/MR	U.2
531	E.A1.40.199	LEVER, UNDERCARRIAGE LOCK, GROUP ...	1	—	C	U.2
		Consisting of:—				
532	E.A1.40.213	Bush	1	DTD.197	C	
	E.A1.40.201	Lever	1	S.11	—	
533	E.A1.40.200	LEVER, UNDERCARRIAGE LOCK, GROUP ...	1	—	C	U.2
		Consisting of:—				
532	E.A1.40.213	Bush	1	DTD.197	C	
	E.A1.40.202	Lever	1	S.11	—	
13168	E.A3.40.191	LEVER, UNDERCARRIAGE "DOWN" MICRO SWITCH, ASSEMBLY (MOD. 2151)	1	—	C	
		Spares for:—				
179	E.A1.40.569	Screw, tappet	1	S.11	C	
6472	E.A1.40.225	LINK, SIDE STAY, GROUP	1	—	B/MR	
		Spares for:—				
536	E.A1.40.227	Bush, bearing	8	DTD.197	C	
26667	E.A3.40.193	Nut, special, slotted, for undercarriage operating jack bolt (Make from A27/JS) (Mod. 2151)	1	M.T.S.	C	
12916	E.A1.40.347	Nut, special, slotted, for link and link stay connecting bolt (Make from A27/WS, Ref. 28M/13276)	1	M.S.	C	
	E.A1.40.351	Nut, special, slotted, for hook catch pin bolt (Make from A27/QS, Ref. 28M/13145)	1	M.S.	—	
	E.A1.40.349	Nut, special, slotted, for undercarriage roller locking bolt (Make from A27/JS, Ref. 28M/1011476)	1	M.S.	—	
537	E.A1.40.353	Nut, special, lock, for stay link stop bolt ...	1	S.11	C	
13184	E.A3.40.199	Plate	1	DTD.124	C	
538	E.A1.40.223	Plug, adaptor, for Tecalet grease nipple in link and stay connecting bolt	1	L.40	C	
539	E.A1.40.205	Roller, stop lever, assembly	1	—	C	U.2
7113	E.A1.40.233	Sleeve, operating spring for undercarriage lock stop	1	DTD.197	C/MR	U.2
540	E.A1.40.237	Spring, compression, at lock stop	1	Spring Steel Wire	C	U.2
38706	E.A1.40.31	Stay, side	1	DTD.683	B/MR	
541	E.A1.40.235	Stop, undercarriage lock	1	S.11	C	U.2
542	E.A1.40.217	Tube, distance, for undercarriage "down" switch operating bracket	1	L.40	C	
543	E.A1.40.219	Tube, distance, for undercarriage "down" switch operating bracket	1	L.40	C	
544	E.A1.40.291	Washer, tab, at undercarriage hook catch bolt. 20 SWG	1	S.3	C	

CANBERRA B.(1) MK. 8

Page 1785

UNDERCARRIAGE MAIN UNDERCARRIAGE, PORT

Ref. No.	Part No.							Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6					
545	E.A1.40.355							Washer, special, for link and link stay connecting bolt, 18 SWG	1	L.72	C	
546	E.A1.40.357							Washer, special, for link and link stay connecting bolt, 18 SWG	1	S.3	C	
547	E.A1.40.417							Washer, special, under tab and connecting bolts, 24 SWG	1	L.72	C	
34172	E.A9.40.43	✓						STAY, SIDE, UNDERCARRIAGE, GROUP (MOD. 3585) Spares for this group are identical with those for group Pt. No. E.A1.40.29 on page 1784, except for the following deletion and addition Delete:—	1	—	A	
38706	E.A1.40.31							Stay, side Add:—	1	DTD.683	B/MR	
40650	E.A9.40.39	✓						Stay, side	1	DTD.5024	B/MR	

Restricted

Ref. No.	Part No.						
		1	2	3	4	5	6
		Description					

7A2/11
Pages 1789 to 1808 not issued

UNDERCARRIAGE **MAIN UNDERCARRIAGE, STARBOARD**

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	
	E.A1.40.728	MAIN UNDERCARRIAGE, STARBOARD, ASSEMBLY						1	—	—	
		Consisting of:—									
	E.A1.40.730	LEG, OLEO (LESS WHEEL, BRAKE UNIT AND FIXED FAIRING), GROUP						1	—	—	
		Consisting of:—									
2168	E.A6.40.35	Bolt , special, securing						10	S.97	C	
4173	E.A1.40.517	Bolt , special, securing cowl door mechanism to leg (Make from A25/5E, Ref. 28D/1011240)						4	H.T.S.	C/MR	
4174	E.A1.40.519	Bolt , special, securing, fixed fairing mounting bracket to leg (Make from A25/5G, Ref. 28D/1011256)						8	H.T.S.	C/MR	
27G/4086	DUNLOP AH.9781	Brake unit (For spares see A.P.4515C, Vol. 3, Pt. 1, Sect. 2)						1	—	A	U.1
6849	E.B6.20.730	FAIRING, FIXED, ASSEMBLY						1	—	B	
		Spares for:—									
3061	E.A3.20.854	FAIRING, FIXED, GROUP						1	—	B	U.1
		(Supplied with trim allowance)									
		Spares for:—									
16206	E.A3.20.832	Member , edge						1	—	C	
16215	E.A3.20.848	Member , edge						1	—	C	
21721	E.A3.20.2870	PANEL, HINGE, ASSEMBLY						1	—	C	
		Spares for:—									
	E.A1.20.1679	Hinge (Make from 28N/9486785)						1	—	LM	
3026	E.A1.20.1676	Panel , hinge, 16 SWG						1	L.72	C	U.1
1887	E.A1.40.436	Spring						2	Spring Steel	C	
16161	E.A1.20.9368	Stiffener						1	—	C	
1413	E.A1.20.6817	Panel , access						1	—	C	U.1
	E.A3.20.1627	Seal , $\frac{3}{8}$ " dia., 90" long (Make from Ref. 4432)						1	Synthetic Rubber	LM	
5970	E.A6.73.93	Washer , special, for flexible pipe, bottom bracket						2	L.73	C	
32315	E.A9.40.24	LEG, SLIDING AND OLEO HEAD, GROUP (PRE-MOD. 4270)						1	—	A	
34713	E.A9.40.60	LEG, SLIDING AND OLEO HEAD, GROUP (MOD. 4270)						1	—	A	U.1
		Spares for:—									
660	E.A1.40.639	Bracket , angle, micro switch mounting, 20 SWG						1	L.72	C	
661	E.A1.40.153	Bush , bearing						4	DTD.412	C	U.1
662	E.A1.40.671	Finger , operating, micro switch						1	—	C	
	E.A6.40.4	HEAD, OLEO, GROUP (PRE-MOD. 4270)						1	—	—	
	E.A9.40.58	HEAD, OLEO, GROUP (MOD. 4270)						1	—	—	
		Spares for:—									
663	E.A1.40.89	Bearing , spherical seated ball joint, side stay						1	S.11	C	U.1
664	E.A1.40.101	Bush , bearing						1	DTD.412	C	U.1
665	E.A1.40.109	Bush , pivot						2	DTD.412	C	U.1
666	E.A1.40.111	Bush , torque, link lug						2	DTD.412	C	U.1
667	E.A1.40.133	Disc , sealing, stack pipe connection						2	L.40	C	
668	E.A1.40.131	Dowel , special, piston						2	S.11	C	
	or										
36258	E.A3.03.101	Dowel , piston (first repair)						—	—	MR	
	or										
36259	E.A3.03.103	Dowel , piston (second repair)						—	—	MR	
21482	E.A1.40.20	Head , oleo, forging (Pre-Mod. 4270)						1	DTD.683	A/MR	
42059	E.A9.40.56	Head , oleo, forging (Mod. 4270)						1	DTD.5094	A/MR	
669	E.A1.40.103	Hook , "S" shaped, 16 SWG						2	M.S. Wire	C	
20656	E.A1.40.127	Pipe , stack, assembly						1	—	C/MR	

MAIN UNDERCARRIAGE, STARBOARD

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
21221	E.A1.40.635	Ring, distance, between felt washer and seal- ing rings (Pre-Mod. 2361)	3	DTD.138	C	
✓ 14700	E.A3.40.207	Ring, distance, between sealing and backing rings (Mod. 2361)	1	L.64	C	
✓ 12913	E.A1.40.657	Ring, spacer, between sealing rings ...	1	DTD.683	C	
✓ 21354	E.A1.40.659	Ring, shock absorber stop ...	1	DTD.683	C	
698	E.A1.40.661	Ring, sealing (Pre-Mod. 2361) ...	1	Synthetic Rubber	C	
✓ 14702	E.A3.40.205	Ring, sealing (Mod. 2361) ...	1	Soft Rubber	C	
✓ 14704	E.A3.40.211	Ring, sealing, seal housing (Mod. 2361) ...	1	Soft Rubber	C	
✓ 700	E.A1.40.167	Screw, grub, stop nut locking ...	1	S.1	C	
✓ 701	E.A1.40.39	Washer, fibre, between retaining ring and stop nut	1	BS.216	C	
✓ 702	E.A1.40.43	Washer, packing, $\frac{3}{16}$ " thick ...	1	Hard Felt	C	
✓ 3631	E.A1.40.27	Link, torque, toggle ...	1	DTD.683	C	U.2
✓ 3632	E.A1.40.28	Link, torque, toggle ...	1	DTD.683	C	U.2
✓ 703	E.A1.40.67	Pin, bearing, bottom toggle link ...	1	S.11	C	U.2
✓ 704	E.A1.40.69	Pin, bearing, top toggle link ...	1	S.11	C	U.2
✓ 1500	E.A3.40.27	Pin, bearing, toggle joint ...	1	S.97	C	U.2
✓ 706	E.A1.40.335	Plate, packing, Burgess micro switch mounting	1	L.A.	C	
✓ 707	E.A1.40.77	Screw, special, retaining bearing pin ...	2	S.11	C	
✓ 708	E.A1.40.139	Screw, grub, special, locking top and bottom bearing pins	2	S.11	C	
✓ 709	E.A1.40.619	Shim, bearing pin sleeve ...	2	L.40	C	
✓ 710	E.A1.40.71	Sleeve, bearing, for toggle link ...	1	S.11	C	U.2
✓ 711	E.A1.40.73	Sleeve, bearing, for toggle link ...	1	S.11	C	U.2
✓ 712	E.A1.40.137	Tab, locking, 16 SWG ...	1	M.S.	C	
✓ 713	E.A1.40.75	Washer, special, bearing thrust ...	2	DTD.412	C	
✓ 714	E.A1.40.79	Washer, special, locking, bearing pin retaining screw	2	M.S.	C	
✓ 715	E.A1.40.83	Washer, spacing, at toggle joint between link bearings	1	S.11	C	
✓ 1514	E.A3.40.29	Washer, special, at toggle joint ...	1	S.96	C	
✓ 718	E.A1.40.147	Washer, special, bearing thrust ...	2	DTD.412	C	
✓ 1515	E.A3.40.31	Washer, special, at toggle joint ...	1	S.96	C	
✓ 521	E.A1.40.467	LEVER, COWL DOOR MECHANISM, GROUP	1	—	C	
		Spares for:—				
✓ 522	E.A1.40.465	Bush, bearing ...	2	L.40	C	
✓	E.A1.40.529	Lever, operating ...	1	—	—	
27G/2487	AHM.2576 DUNLOP	Pipe, feed, for maxaret unit ...	1	—	C	
27G/2488	AHM.2578 DUNLOP	Pipe, feed, for maxaret unit ...	1	—	C	
27A/3153	DT.1606	Tube, 43" x 12"5 x 21" ...	1	—	A	
27A/3152	DUNLOP DF.1621 FIRESTONE ZA.101 or 27A/4655 DUNLOP DR.1623 GOODYEAR GA.1266 FIRESTONE ZA.303	Tyre, outer, 43" x 12"5 x 21" ...	1	—	A	

UNDERCARRIAGE **MAIN UNDERCARRIAGE, STARBOARD**

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
27G/2381 2169	DUNLOP AC.11514 E.A3.40.43	Unit, maxaret, automatic brake control ...						1	—	A	U.2
	DUNLOP AH.51337	Washer, special ...						10	DTD.124A	C	
27A/4217		Wheel, undercarriage (For spares see A.P.1086, Pt. 11) (Mod. 2615)						1	—	A	
30A/2296 524	† E.A1.40.30	Wire, locking, 20 SWG ...						QR	—	C	
		STAY, SIDE, UNDERCARRIAGE, GROUP (PRE-MOD. 3585)						1	—	A	
		Spares for this group are identical with those for group Ref. No. 523 on page 1784 except for the following deletions and additions:—									
		Delete:—									
7114 13168	E.A1.40.403 E.A3.40.191	Bracket, sequence valve operating stud ...						1	L.40	C/MR	U.2
		LEVER, UNDERCARRIAGE "DOWN" MICRO SWITCH, ASSEMBLY (MOD. 2151)						1	—	C	
38706	E.A1.40.31	Stay, side ...						1	DTD.683	B/MR	
		Add:—									
32721	E.A1.40.404	Bracket, sequence valve operating stud ...						1	L.40	C	U.2
13169	E.A3.40.192	LEVER, UNDERCARRIAGE "DOWN" MICRO SWITCH, ASSEMBLY (MOD. 2151)						1	—	C	
38707	E.A1.40.32	Stay, side ...						1	DTD.683	B/MR	
34173	E.A9.40.44	STAY, SIDE, UNDERCARRIAGE, GROUP (MOD. 3585)						1	—	A	
		Spares for this group are identical with those for group Pt. No. E.A1.40.30, except for the following deletion and addition									
		Delete:—									
38707	E.A1.40.32	Stay, side ...						1	DTD.683	B/MR	
		Add:—									
40651	E.A9.40.40	Stay, side ...						1	DTD.5024	B/MR	

^{3 Ar/11}
Pages 181~~5~~ to 1834 not issued

CANBERRA B.(1) MK. 8

Page 1835

UNDERCARRIAGE **MAIN UNDERCARRIAGE, PORT AND STARBOARD**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.	
					M.R. L.M.		
		1 2 3 4 5 6					
		SUMMARY OF STOCK ITEMS USED ON MAIN UNDERCARRIAGE, PORT AND STARBOARD, ASSEMBLY					
28D/9140638	A25/4B	Bolt, 4 BA, hex. head, "8 long	...	...	...	C	
28D/1010142	A25/9B	Bolt, 4 BA, hex. head, 1"3 long	...	...	...	C	
28D/9436920	A25/1C	Bolt, 2 BA, hex. head, "55 long	...	...	...	C	
28D/9133011	A25/2C	Bolt, 2 BA, hex. head, "65 long	...	...	...	C	
28D/9133012	A25/3C	Bolt, 2 BA, hex. head, "75 long	...	...	...	C	
28D/9133013	A25/5C	Bolt, 2 BA, hex. head, "95 long	...	...	...	C	
28D/7002428	A25/6C	Bolt, 2 BA, hex. head, 1"05 long	...	...	...	C	
28D/1011019	A25/8C	Bolt, 2 BA, hex. head, 1"25 long	...	...	...	C	
28D/9140644	A25/9C	Bolt, 2 BA, hex. head, 1"35 long	...	...	...	C	
28D/9453970	A25/15C	Bolt, 2 BA, hex. head, 1"9 long	...	...	...	C	
28D/12824	A25/4J	Bolt, 3/8" BSF, hex. head, 1"05 long	...	...	...	C	
28D/1011299	A25/6J	Bolt, 3/8" BSF, hex. head, 1"25 long	...	...	...	C	
28D/1011310	A25/8L	Bolt, 7/16" BSF, hex. head, 1"5 long	...	...	...	C	
28D/13715	A25/15L	Bolt, 7/16" BSF, hex. head, 2"2 long	...	...	...	C	
28D/13196	A25/18L	Bolt, 7/16" BSF, hex. head, 2"5 long	...	...	...	C	
28D/8300	AS.1242/1B	Bolt, 4 BA, c'sk. head, "45 long	...	...	...	C	
28D/11890	AS.1246/5C	Bolt, 2 BA, round head, "9 long	...	...	...	C	
28N/9156370	SP.21	Nipple, lubricating	...	...	...	C	
28M/1011001	A24/NS	Nut, 1/2" BSF, slotted	...	...	...	C	
28M/9403519	A27/BP	Nut, 4 BA, plain	...	...	...	C	
28M/9403520	A27/CP	Nut, 2 BA, plain	...	...	...	C	
28M/1011470	A27/GT	Nut, 5/16" BSF, thin	...	...	...	C	
28M/1011476	A27/JS	Nut, 3/8" BSF, slotted	...	...	...	C	
28M/13259	A27/NS	Nut, 1/2" BSF, slotted	...	...	...	C	
28M/13590	A27/SS	Nut, 3/4" BSF, slotted	...	...	...	C	
128M/10288	AGS.2001/C/1	Nut, stiff, 2 BA	...	...	...	C	
28M/12050	AGS.2007/C/3	Nut, plate, 2 BA	...	...	...	C	
28P/9429619	SP.9/C5	Pin, split, 1/16" dia. x 5/8" long	...	...	...	C	
28P/1007741	SP.9/C8	Pin, split, 1/16" dia. x 1" long	...	...	...	C	
28P/1011034	SP.9/E12	Pin, split, 3/32" dia. x 1 1/4" long	...	...	...	C	
28P/9429653	SP.9/G12	Pin, split, 1/8" dia. x 1 1/2" long	...	...	...	C	
28P/1011082	SP.9/G16	Pin, split, 1/8" dia. x 2" long	...	...	...	C	
28P/12366	SP.9/K20	Pin, split, 3/16" dia. x 2 1/2" long	...	...	...	C	
28S/1200034	A31/B16	Screw, 4 BA, cheese head, 1/2" long	...	...	...	C	
28S/9437020	A31/C12	Screw, 2 BA, cheese head, 3/8" long	...	...	...	C	
28S/9435713	A31/C20	Screw, 2 BA, cheese head, 5/8" long	...	...	...	C	
28W/9419466	SP.13/J	Washer, 3/8" BSF, plain	...	...	...	C	
28W/9419474	SP.15/B	Washer, 4 BA, plain	...	...	...	C	
28W/9419475	SP.15/C	Washer, 2 BA, plain	...	...	...	C	
28W/9416642	SP.47/B	Washer, 4 BA, spring	...	...	...	C	
28W/9416643	SP.47/C	Washer, 2 BA, spring	...	...	...	C	
28W/9416645	SP.47/G	Washer, 5/16" BSF, spring	...	...	...	C	

Restricted

Restricted

CANBERRA B(1) Mk. 8

Page 1837

NOSEWHEEL

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	E.A9.40.1	NOSEWHEEL, ASSEMBLY	1	—	—	
		Spares for:—				
22055	E.A9.40.15	BLOCK , flexible hose support	2	LFS.21	C	
161	E.A1.40.451	BOLT , special, c/w spoke and nut, radius rod, strut bearing	1	—	C	
22373	E.A9.40.19	BOLT , special, connecting operating jack to under-carriage locking lever (Pre-Mod. 2704) ...	1	S.96	C	
32172	E.A9.40.21	BOLT , special, connecting operating jack to under-carriage locking lever (Mod. 2704)	1	S.96	C	
163	E.A1.40.491	BOLT , special, nosewheel door "up" lock ...	1	S.11	C	
164	E.A1.40.493	BOLT , special, nosewheel door "up" catch ...	1	S.11	C	
4507	E.A3.40.139	BOLT , special, jack attachment to crosshead ...	1	S.11	C	
166	E.A1.40.581	BOLT , special, fulcrum, undercarriage door actuating sequence valve	1	S.11	C	
167	E.A1.40.593	BOLT , special, connecting door operating strut to hydraulic jack	2	S.11	C	
168	E.A1.40.595	BOLT , special, attachment, door actuating lock to crosshead	2	S.11	C	
169	E.A1.40.605	BOLT , special, hydraulic jack anchor	1	S.65	C	
22056	E.A9.40.11	BOLT , special, nose undercarriage jack hinge ...	1	S.95	C	
3753	E.A1.40.617	BOLT , special, adjusting undercarriage door cross-head	1	H.T.S.	C	
170	E.A1.40.683	BOLT , special, connecting stay link and under-carriage unit	1	S.11	C	
12023	E.A3.40.159	BRACKET, UNDERCARRIAGE "UP" HOOK, GROUP	1	—	C	
		Consisting of:—				
	E.A1.40.385	BEAM, BRACKET LOCKING HOOK, GROUP	1	—	—	
		Spares for:—				
20845	E.A1.40.369	LUG	1	L.40	C/MR	
25628	E.A1.40.377	PLATE , locking	1	L.72	C	
171	E.A1.40.371	BOLT , special, pivot for hook	1	S.11	—	
12024	E.A3.40.151	BOLT , special, for buffer assembly	2	—	C	
22251	E.A1.40.373	BRACKET , hook suspension	1	S.11	C	
12025	E.A3.40.143	HOOK, UNDERCARRIAGE "UP" LATCH, GROUP	1	—	C	
		Consisting of:—				
13109	E.A3.40.147	BOLT , special	1	DTD.126A	C	
	E.A1.40.393	BUSH	1	DTD.197	—	
	E.A3.40.145	HOOK , "up" catch	1	H.T.S.	—	
20846	E.A1.40.389	SCREW , special, hook stop	1	S.11	C/MR	
	E.A1.40.381	TUBE , distance, for beam mounting bolts ...	8	T.4	—	
174	E.A1.40.399	WASHER , special, laminium, at buffer bolts ...	3	LA	C	
22057	E.A9.40.13	CLIP , flexible hose, support block	2	L.72	C	
4694	E.A3.40.93	CROSSHEAD, NOSEWHEEL DOORS, C/W VALVE TRIP, ASSEMBLY	—	—	B	
		Spares for:—				
5514	E.A3.40.97	PIN , roller, top	1	S.11	C	
12926	E.A3.40.181	PIN , roller, bottom	1	S.11	C	
178	E.A1.40.553	ROLLER , guide	2	DTD.683	C	
5515	E.A1.40.561	VALVE , trip	1	—	C	

NOSEWHEEL

Ref. No.	Part No.	Description						off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
3751	E.A1.40.567	LEVER, UNDERCARRIAGE SEQUENCE VALVE, GROUP						1	—	B/MR	
		Spares for:—									
179	E.A1.40.569	TAPPET , valve screw						1	S.11	C	
3754	E.A1.40.703	LEVER, BRACKET, UNDERCARRIAGE SEQUENCE VALVE, GROUP						1	—	B/MR	
		Spares for:—									
13182	E.A1.40.709	BOLT , special, fulcrum						1	S.11	C	
	E.A1.40.573	LEVER , sequence valve operating						1	DTD.683	—	
179	E.A1.40.569	TAPPET , valve screw						1	S.11	C	
	E.A1.40.711	WASHER , special, fulcrum bolt						2	L.40	—	
39181	E.A9.40.35	LEVER , micro switch operating, undercarriage door front latch (Mod. 2183)						1	—	C	
		Attaching parts for E.A9.40.35:—									
28D/9140647	A25/14C	Bolt , 2 BA						1	—	C	
28M/10288	AGS.2001/C/1	Nut , 2 BA						1	—	C	
3755	E.A1.40.731	Piece , distance						1	—	C	
4141	E.A1.45.989	Shim						2	—	C	
	AS.2811/7/023	Spacer						2	L.62	LM	
180	E.A1.40.531	LINK, DOOR OPERATING, GROUP						2	—	C	
		Spares for:—									
4778	E.A1.40.535	EYE BOLT , assembly						2	—	C	
33793	E.A1.40.541	NUT , special (Make from 28M/6896, A16Y/QT)						2	M.S.	C	
8987	E.A3.40.169	MUDGUARD, NOSEWHEEL, ASSEMBLY						—	—	B	
		Consisting of:—									
28D/9133012	A25/3C	BOLT , 2 BA						12	H.T.S.	C	
28D/1007974	AS.1242/1/2C	BOLT , 2 BA						3	H.T.S.	C	
28D/1013177	AS.1242/2E	BOLT , 1" BSF						9	H.T.S.	C	
5503	E.A3.40.133	FLAP , rubber, nosewheel mudguard						1	Shore 40	C	
5504	E.A3.40.127	MUDGUARD , nosewheel						1	L.72	C	
28M/1006473	A27/CT	NUT , 2 BA						12	—	C	
28M/1007403	A27/ET	NUT , 1" BSF						6	—	C	
5505	E.A3.40.131	NUT , special, shouldered, 1" BSF						3	S.95	C	
5506	E.A3.40.137	NUT , special, shouldered, 2 BA						3	S.95	C	
6948	E.A3.40.165	STAY , mudguard						1	—	C	
6949	E.A3.40.167	STAY , end, mudguard attachment						3	DTD.683	C	
20930	E.A3.40.135	STRIP , backing						1	L.72	C	
28W/9419475	SP.15/C	WASHER						12	—	C	
8988	E.A3.40.170	MUDGUARD, NOSEWHEEL, ASSEMBLY						—	—	B	
		Spares for this assembly are identical with those for assembly Part No. E.A3.40.169									
28N/9156370	SP.21	NIPPLE , lubricating						1	—	C	
181	E.A1.40.449	PIN , strut, pivot radius rod bearing						1	S.65	C	
3688	E.A6.40.37	ROD, RADIUS, GROUP						1	—	A	
		Consisting of:—									
4447	E.A1.40.321	BOLT , special, bearing, for undercarriage "up" micro switch operating finger						1	DTD.126A	C	
184	E.A1.40.681	BOLT , special, connecting, radius rod and stay link						1	S.11	C	
5126	E.A3.40.77	BRACKET , micro switch						1	L.72	C	

NOSEWHEEL

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
3656	E.A3.40.65	BUSH, spring plunger	1	DTD.197	C	
28N/2001540	AGS.2031/4	CIRCLIP, "Seegar", external, $\frac{1}{8}$ " dia. for under-carriage lock latch spindle	2	—	C	
186	E.A1.40.621	DOWEL, special	2	S.11	C	
1893	E.A6.40.21	END, PLUG, RADIUS ROD, GROUP	1	—	B	
		Spares for:—				
187	E.A1.40.363	BUSH, bearing	1	DTD.197	C	
28N/9156370	SP.21	NIPPLE, lubricating	1	—	C	
4937	E.A1.40.311	FINGER, operating undercarriage "up" micro switch	1	L.40	C	
1894	E.A6.40.29	FORK, strut end	1	DTD.683	C	
3655	E.A3.40.73	HOUSING, spring locking plunger	1	L.40	C	
41255	E.A9.40.49	LEVER, LOCKING, NOSEWHEEL UNDER-CARRIAGE, GROUP (MOD. 3487)	1	—	B	
		Spares for:—				
190	E.A1.40.337	BUSH, bearing	2	DTD.197	C	
28N/9156370	SP.21	NIPPLE, lubricating	1	—	C	
192	E.A1.40.339	ROLLER, assembly	1	—	C	
		Attaching parts for E.A1.40.339:—				
188	E.A1.40.343	Bolt	1	S.11	C	
28M/1011467	A27/ES	Nut, $\frac{1}{4}$ " BSF	1	—	C	
28W/9419405	SP.15/E	Washer	1	—	C	
191	E.A1.40.341	ROLLER, assembly	1	—	C	
		Attaching parts for E.A1.40.341:—				
189	E.A1.40.345	Bolt	1	S.11	C	
28M/1011467	A27/ES	Nut, $\frac{1}{4}$ " BSF	1	—	C	
28W/9419405	SP.15/E	Washer	1	—	C	
		Attaching parts for E.A9.40.49:—				
34309	E.A9.40.47	Bolt, special (Mod. 3487)	1	S.96	C	
28M/1011476	A27/JS	Nut, $\frac{1}{4}$ " BSF	1	—	C	
203	E.A1.40.327	Washer	1	DTD.126A	C	
1889	E.A6.40.23	LINK, STAY, NOSEWHEEL UNDERCARRIAGE AT RADIUS ROD, GROUP	1	—	C	
		Spares for:—				
194	E.A1.40.359	BUSH, bearing	2	DTD.197	C	
195	E.A1.40.361	BUSH, bearing	2	DTD.197	C	
28N/9156370	SP.21	NIPPLE, lubricating	2	—	C	
28N/9156370	SP.21	NIPPLE, lubricating	1	—	C	
1100	EEAS.37/24A	NIPPLE, $\frac{1}{4}$ " BSF	24	S.11	C	
6187	E.A1.40.415	PAD, undercarriage "down" micro switch ...	1	L.40	C	
3659	E.A3.40.75	PIN, latch	1	S.11	C	
197	E.A1.40.277	PLATE, stop, stay link	1	S.11	C	
3657	E.A3.40.67	SCREW, cap retaining, undercarriage locking plunger	1	L.40	C	
3660	E.A3.40.71	SCREW, grub latch pin and bush retaining ...	1	S.97	C	
199	E.A1.40.431	SPINDLE, hook latch, nosewheel undercarriage stay	1	S.11	C	
	EEAS.38/4A	SPOKE, $\frac{1}{4}$ " BSF (Make from 28R/6330)	12	S.11	LM	
3658	E.A3.40.69	SPRING, compression, operating locking plunger, 14 SWG	1	Spring Wire	C	

NOSEWHEEL

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
201 5CW/6575	E.A1.40.313 †	SPRING, leaf, for micro switch operating finger						1	Spring Steel	C	
5CW/11254	†	SWITCH, micro, type 1A, U/C up-lock (Pre-Mod. 4080)						1	—	B	
		SWITCH, micro, type 1HY.1, U/C up-lock (Mod. 4080)						1	—	B	
		Attaching parts for Ref. 5CW/6575 or 5CW/11254:—									
28D/1011011	A25/8B	Bolt, 4 BA						2	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA						2	—	C	
28W/9419474	SP.15/B	Washer						2	—	C	
5CW/6672	†	SWITCH, micro, type 4A, U/C down lock (Pre-Mod. 4080)						1	—	B	
5CW/11254	†	SWITCH, micro, type 1HY.1, U/C down lock (Mod. 4080)						1	—	B	
		Attaching parts for Ref. 5CW/6672 or 5CW/11254:—									
28D/1214303	AS.1242/10B	Bolt, 4 BA						2	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA						2	—	C	
28W/9419474	SP.15/B	Washer						2	—	C	
1895	E.B6.40.27	TUBE, strut, nose undercarriage						1	T.60 or T.75	C	
202	E.A1.40.325	WASHER, special						1	DTD.126A	C	
203	E.A1.40.327	WASHER, special, at operating lever bearing ...						1	DTD.126A	C	
3748	E.A1.40.455	SCREW, grub, 2 BA, special, strut bearing retaining						1	S.11	C/MR	
343	E.A1.31.277	SHIM						2	Alumn.	C	
	or										
	EEAS.27/8/4										
204	E.A1.40.599	SPRING, return, undercarriage hook, 14 SWG ...						1	Spring Steel	C	
205	E.A1.40.601	SPRING, tension, undercarriage sequence valve lever, 18 SWG						1	Spring Steel	C	
1587	E.A1.40.719	SPRING						1	Spring Steel	C	
4693	E.A3.40.157	STOP, door jack extension						2	S.11	C/MR	
992	E.A1.40.701	STOP, sequence valve lifter						1	S.11	C	
39192	E.A9.40.37	TAPPET, front latch lever (Mod. 2183)						1	M.S.	C	
	DUNLOP										
27A/2655	KK.2	TUBE, 26" x 6"5 x 14"						2	—	A	
	DUNLOP										
27A/2654	DR.2565 or KKEN.14N	TYRE, 26" x 6"5 x 14"						2	—	A	
	or										
	DUNLOP										
27A/4683	DR.2565	TYRE, 26" x 6"5 x 14"						2	—	A	
	GOODYEAR										
	GA.1202										
	FIRESTONE										
	ZA.297										
	DOWTY										
27Q/1446377	200396.039	UNIT, undercarriage (For spares see A.P.4515B, Vol. 3, Part 1) (Mod. 4451)						1	—	A	

CANBERRA B(1) Mk. 8

Page 1841

NOSEWHEEL

Ref. No.	Part No.	Description						off	Matl. Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	
202	E.A1.40.325	WASHER,	special	...	...	...	...	3	DTD.126A	C	
3752	E.A1.40.587	WASHER,	special packing, undercarriage	sequence	...	...	...	2	DTD.683	C/MR	
1877	EEAS.28/30EU	WASHER,	valve mounting bolt	...	...	...	...	1	DTD.124	C	
1078	EEAS.28/35FU	WASHER,	special, 18 SWG	...	...	...	...	1	DTD.124	C	
22329	E.A9.40.17	WASHER,	special sequence valve fulcrum	...	...	...	...	2	L.72	C	
27A/2814	DUNLOP AH.9590	WASHER,	corner	...	...	...	...	2	---	A	
		WHEEL,	landing		...	...	...	2	---	A	

Restricted

[illegible]

Restricted

1843 to 1862

^{1 Ar/11}
Pages 1843 to 1862 not issued

CANBERRA B(1) Mk. 8

Page 1863

NOSEWHEEL

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip.	Plate No.
										M.R. L.M.	
		1	2	3	4	5	6				
		SUMMARY OF STOCK ITEMS USED ON NOSE-WHEEL, ASSEMBLY									
28D/1011011	A25/8B	Bolt,	4	BA	...	...	...	...	...	C	
28D/1200120	A25/14B	Bolt,	4	BA	...	...	...	...	...	C	
28D/9436920	A25/1C	Bolt,	2	BA	...	...	...	...	...	C	
28D/9133011	A25/2C	Bolt,	2	BA	...	...	...	...	...	C	
28D/9133012	A25/3C	Bolt,	2	BA	...	...	...	...	...	C	
28D/9140647	A25/14C	Bolt,	2	BA	...	...	...	...	...	C	
28D/1012995	A25/22C	Bolt,	2	BA	...	...	...	...	...	C	
28D/9140649	A25/23C	Bolt,	2	BA	...	...	...	...	...	C	
28D/1011240	A25/5E	Bolt,	$\frac{1}{4}$ "	BSF	...	...	...	...	...	C	
28D/1008145	A25/6E	Bolt,	$\frac{1}{4}$ "	BSF	...	...	...	...	...	C	
28D/1011242	A25/7E	Bolt,	$\frac{1}{4}$ "	BSF	...	...	...	...	...	C	
28D/1010031	A25/8E	Bolt,	$\frac{1}{4}$ "	BSF	...	...	...	...	...	C	
28D/1214303	AS.1242/10B	Bolt,	4	BA	...	...	...	...	...	C	
28M/13266	A24/ES	Nut,	$\frac{1}{4}$ "	BSF	...	...	...	...	...	C	
28M/1011001	A24/NS	Nut,	$\frac{1}{2}$ "	BSF	...	...	...	...	...	C	
28M/9403518	A27/BP	Nut,	4	BA	...	...	...	...	...	C	
28M/9403520	A27/CP	Nut,	2	BA	...	...	...	...	...	C	
28M/1006473	A27/CT	Nut,	2	BA	...	...	...	...	...	C	
28M/1011475	A27/EP	Nut,	$\frac{1}{4}$ "	BSF	...	...	...	...	...	C	
28M/1011467	A27/ES	Nut,	$\frac{1}{4}$ "	BSF	...	...	...	...	...	C	
28M/1007403	A27/ET	Nut,	$\frac{1}{4}$ "	BSF	...	...	...	...	...	C	
28M/1006939	A27/GP	Nut,	$\frac{5}{16}$ "	BSF	...	...	...	...	...	C	
28M/5808571	A27/GS	Nut,	$\frac{5}{16}$ "	BSF	...	...	...	...	...	C	
28M/1011470	A27/GT	Nut,	$\frac{5}{16}$ "	BSF	...	...	...	...	...	C	
28M/1011476	A27/JS	Nut,	$\frac{3}{8}$ "	BSF	...	...	...	...	...	C	
28M/9129449	A27/LS	Nut,	$\frac{7}{16}$ "	BSF	...	...	...	...	...	C	
28M/10287	AGS.2001/B/1	Nut,	stiff,	4 BA	...	...	...	...	...	C	
28M/10288	AGS.2001/C/1	Nut,	stiff,	2 BA	...	...	...	...	...	C	
28M/10290	AGS.2001/E/1	Nut,	stiff,	$\frac{1}{4}$ " BSF	...	...	...	...	...	C	
28M/10292	AGS.2001/J/1	Nut,	stiff,	$\frac{3}{8}$ " BSF	...	...	...	...	...	C	
28M/10339	AGS.2002/C/2	Nut,	stiff,	2 BA	...	...	...	...	...	C	
28P/9527619	SP.90/C7	Pin,	split	...	...	...	...	...	...	C	
28P/19234	SP.90/E8	Pin,	split	...	...	...	...	...	...	C	
28P/19157	SP.90/G10	Pin,	split	...	...	...	...	...	...	C	
28S/9419194	A31/C12	Screw,	2	BA	...	...	...	...	...	C	
28S/9997545	A31/C16	Screw,	2	BA	...	...	...	...	...	C	
28S/9146378	A35/C8	Screw,	2	BA	...	...	...	...	...	C	
28W/9419402	SP.13/C	Washer	...	...	...	...	...	...	...	C	
28W/9418921	SP.13/E	Washer	...	...	...	...	...	...	...	C	
28W/9419403	SP.13/G	Washer	...	...	...	...	...	...	...	C	
28W/9419467	SP.13/L	Washer	...	...	...	...	...	...	...	C	
28W/9419474	SP.15/B	Washer	...	...	...	...	...	...	...	C	
28W/9419475	SP.15/C	Washer	...	...	...	...	...	...	...	C	
28W/9419405	SP.15/E	Washer	...	...	...	...	...	...	...	C	
28W/9419478	SP.15/L	Washer	...	...	...	...	...	...	...	C	
28W/9419489	SP.16/J	Washer	...	...	...	...	...	...	...	C	
28W/9416642	SP.47/B	Washer	...	...	...	...	...	...	...	C	
28W/9416632	SP.47/C	Washer	...	...	...	...	...	...	...	C	
28W/9416644	SP.47/E	Washer	...	...	...	...	...	...	...	C	
28W/1009699	SP.55/C	Washer	...	...	...	...	...	...	...	C	

Restricted


RESTRICTED

Restricted

[illegible]


Restricted

Plate U.1



MAIN U/C OLEO LEG, FAIRING AND BRAKE UNIT

DUNLOP
AC 11516



DUNLOP
AC 11514



E. A1. 40. 237



E. A1. 40. 199



E. A1. 40. 233



E. A1. 40. 229




E. A1. 40. 200



E. A1. 40. 205



E. A1. 40. 231
E. A1. 40. 232



E. A1. 40. 235




E. A1. 40. 403
E. A1. 40. 404



E. A1. 40. 28



E. A3. 40. 45




E. A1. 40. 27



E. A1. 40. 57



E. A3. 40. 17



E. A1. 40. 69



E. A3. 40. 27



E. A1. 40. 161




E. A1. 40. 73



E. A1. 40. 71



E. A1. 40. 67



MAIN UNDERCARRIAGE EQUIPMENT

