

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.B6.20.33	1" o/d x 20 SWG	L.56	AGS.904/H	28F/8011823	AGS.952/H	28F/9486110	EEAS.94/6	—	—	—	At one end
E.B6.20.34	1" o/d x 20 SWG	L.56	AGS.904/H	28F/8011823	AGS.952/H	28F/9486110	EEAS.94/6	—	—	—	At one end
E.B6.20.35	1" o/d x 20 SWG	L.54	EEAS.94/6	—	E.B6.20.21	—	—	—	—	—	At one end
E.B6.20.36	1" o/d x 22 SWG	L.54	EEAS.94/6	—	E.B6.20.21	—	—	—	—	—	At one end
E.B6.20.41	1" o/d x 20 SWG	L.56	AGS.904/H	28F/8011823	AGS.952/H	28F/9486110	EEAS.94/6	—	—	—	At one end
E.B6.20.42	1" o/d x 20 SWG	L.56	AGS.904/H	28F/8011823	AGS.952/H	28F/9486110	EEAS.94/6	—	—	—	At one end
E.A1.20.4819	3/8" o/d x 22 SWG	L.56	AGS.904/C	28F/9140970	AGS.952/C	28F/8011892	—	—	—	—	At each end
E.A1.20.4820	3/8" o/d x 22 SWG	L.56	AGS.904/C	28F/9140970	AGS.952/C	28F/8011892	—	—	—	—	At each end
E.A1.20.4821	1/4" o/d x 22 SWG	L.56	AGS.904/B	28F/8011819	AGS.952/B	28F/9439531	—	—	—	—	At each end
E.A1.20.4822	1/4" o/d x 22 SWG	L.56	AGS.904/B	28F/8011819	AGS.952/B	28F/9439531	—	—	—	—	At each end
E.A1.20.5401	1/4" o/d x 22 SWG	DTD.5019	AGS.904/B	28F/8011819	AGS.952/B	28F/9439531	—	—	—	—	At each end
E.A1.20.5402	1/4" o/d x 22 SWG	DTD.5019	AGS.904/B	28F/8011819	AGS.952/B	28F/9439531	—	—	—	—	At each end
E.A1.20.5405	1/4" o/d x 22 SWG	DTD.5019	AGS.904/B	28F/8011819	AGS.952/B	28F/9439531	—	—	—	—	At each end
E.A1.20.5406	1/4" o/d x 22 SWG	DTD.5019	AGS.904/B	28F/8011819	AGS.952/B	28F/9439531	—	—	—	—	At each end
E.A1.20.5409	1/4" o/d x 22 SWG	DTD.5019	AGS.904/B	28F/8011819	AGS.952/B	28F/9439531	—	—	—	—	At each end
E.A1.20.5410	1/4" o/d x 22 SWG	DTD.5019	AGS.904/B	28F/8011819	AGS.952/B	28F/9439531	—	—	—	—	At each end
E.A1.20.5413	1/4" o/d x 22 SWG	DTD.5019	AGS.904/B	28F/8011819	AGS.952/B	28F/9439531	—	—	—	—	At each end
E.A1.20.5414	1/4" o/d x 22 SWG	DTD.5019	AGS.904/B	28F/8011819	AGS.952/B	28F/9439531	—	—	—	—	At each end
E.A1.20.5418	1/4" o/d x 22 SWG	DTD.5019	AGS.904/B	28F/8011819	AGS.952/B	28F/9439531	—	—	—	—	At each end
E.A1.20.5421	1/4" o/d x 22 SWG	DTD.5019	AGS.904/B	28F/8011819	AGS.952/B	28F/9439531	—	—	—	—	At each end
E.A1.20.5422	1/4" o/d x 22 SWG	DTD.5019	AGS.904/B	28F/8011819	AGS.952/B	28F/9439531	—	—	—	—	At each end
E.A1.20.11031	3/8" o/d x 22 SWG	L.56	E.A1.20.11037	—	AGS.904/C	28F/9140970	AGS.952/C	28F/8011892	—	—	At each end
E.A1.20.11032	3/8" o/d x 22 SWG	L.56	E.A1.20.11037	—	AGS.904/C	28F/9140970	AGS.952/C	28F/8011892	—	—	At each end

Restricted

CANBERRA B(1) Mk. 8

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.B6.50.23	{ 2" o/d x 20 SWG 1 3/8" o/d x 20 SWG 2" o/d x 20 SWG 1 3/8" o/d x 20 SWG	L.54	—	—	—	—	—	—	—	—	—
		L.54	—	—	—	—	—	—	—	—	—
E.B6.50.24		L.54	—	—	—	—	—	—	—	—	—
		L.54	—	—	—	—	—	—	—	—	—
E.B7.50.89	1 1/2" o/d x 20 SWG	L.54	EEAS.94/2	—	—	—	—	—	—	—	At each end
E.B7.50.90	1 1/2" o/d x 20 SWG	L.54	EEAS.94/2	—	—	—	—	—	—	—	At each end
E.B7.50.91	1 1/2" o/d x 20 SWG	L.54	EEAS.94/2	—	—	—	—	—	—	—	At each end
E.B7.50.92	1 1/2" o/d x 20 SWG	L.54	EEAS.94/2	—	—	—	—	—	—	—	At each end
E.B7.50.93	1 1/2" o/d x 20 SWG	L.54	EEAS.94/2	—	—	—	—	—	—	—	At each end
E.B7.50.94	1 1/2" o/d x 20 SWG	L.54	EEAS.94/2	—	—	—	—	—	—	—	At each end
E.B7.50.95	1 1/2" o/d x 20 SWG	L.54	EEAS.94/2	—	—	—	—	—	—	—	At each end
E.B7.50.96	1 1/2" o/d x 20 SWG	L.54	EEAS.94/2	—	—	—	—	—	—	—	At each end
E.B7.50.97	1 1/2" o/d x 20 SWG	L.54	EEAS.94/2	—	—	—	—	—	—	—	At each end
E.B7.50.98	1 1/2" o/d x 20 SWG	L.54	EEAS.94/2	—	—	—	—	—	—	—	At each end
E.B7.50.99	1 1/2" o/d x 20 SWG	L.54	EEAS.94/2	—	—	—	—	—	—	—	At each end
E.B7.50.100	1 1/2" o/d x 20 SWG	L.54	EEAS.94/2	—	—	—	—	—	—	—	At each end
E.B7.50.101	1 1/2" o/d x 20 SWG	L.54	EEAS.94/2	—	—	—	—	—	—	—	At each end
E.B7.50.102	1 1/2" o/d x 20 SWG	L.54	EEAS.94/2	—	—	—	—	—	—	—	At each end

Restricted

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A3.56.245	1½" o/d x 20 SWG	L.54 or L.56	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.A3.56.247	1½" o/d x 20 SWG	L.54 or L.56	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.A3.56.249	1" o/d x 20 SWG	L.56	AGS.905/H	28F/4051537	—	—	—	—	—	—	At one end
E.A3.56.283	1½" o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.A3.56.285	1½" o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.A3.56.433	1½" o/d x 20 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At one end

Restricted

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	

Restricted

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.B6.57.13	1 1/4" o/d x 22 SWG	T.26	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.B6.57.14	1 1/4" o/d x 22 SWG	T.26	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.A9.57.19	1 1/4" o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.B6.57.31	1/4" o/d x 22 SWG	L.54	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B6.57.33	1/4" o/d x 22 SWG	L.54	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.57.35	3/8" o/d x 22 SWG	T.26	AGS.952/C	28F/8011892	AGS.954/C	28F/8011888	—	—	—	—	At each end
E.B6.57.35	1 1/4" o/d x 22 SWG	L.54	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.A3.57.36	3/8" o/d x 22 SWG	T.26	AGS.952/C	28F/8011892	AGS.954/C	28F/8011888	—	—	—	—	At each end
E.B6.57.36	1 1/4" o/d x 22 SWG	L.54	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.A3.57.37	1 1/4" o/d x 20 SWG	T.26	AGS.952/J	28F/11935	AGS.954/J	28F/9152511	—	—	—	—	At one end
E.B6.57.37	1 1/4" o/d x 22 SWG	L.54	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.A3.57.38	1 1/4" o/d x 20 SWG	T.26	AGS.952/J	28F/11935	AGS.954/J	28F/9152511	—	—	—	—	At one end
E.B6.57.38	1 1/4" o/d x 22 SWG	L.54	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.B6.57.39	1 1/4" o/d x 20 SWG	L.54	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.A3.57.41	1/2" o/d x 20 SWG	T.26	AGS.952/D	28F/9439532	AGS.954/D	28F/9439535	—	—	—	—	At one end
E.B6.57.41	1 1/4" o/d x 20 SWG	L.54	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.A3.57.42	1/2" o/d x 20 SWG	T.26	AGS.952/D	28F/9439532	AGS.954/D	28F/9439535	—	—	—	—	At one end
E.A3.57.43	1/2" o/d x 20 SWG	T.26	AGS.952/D	28F/9439532	AGS.954/D	28F/9439535	—	—	—	—	At one end
E.A3.57.44	1/2" o/d x 20 SWG	T.26	AGS.952/D	28F/9439532	AGS.954/D	28F/9439535	—	—	—	—	At one end
E.A3.57.45	1/2" o/d x 20 SWG	T.26	AGS.952/D	28F/9439532	AGS.954/D	28F/9439535	—	—	—	—	At one end
E.A3.57.46	1/2" o/d x 20 SWG	T.26	AGS.952/D	28F/9439532	AGS.954/D	28F/9439535	—	—	—	—	At one end
E.A9.57.51	3/8" o/d x 22 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end

Restricted

CANBERRA B(1) Mk. 8

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.57.53	$\frac{3}{16}$ " o/d x 22 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.57.55	$\frac{3}{8}$ " o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B6.57.55	$\frac{1}{8}$ " o/d x 22 SWG	T.26	AGS.952/C	28F/8011892	AGS.954/C	28F/8011888	—	—	—	—	At one end
E.B6.57.56	$\frac{3}{8}$ " o/d x 22 SWG	T.26	AGS.952/C	28F/8011892	AGS.954/C	28F/8011888	—	—	—	—	At one end
E.A9.57.57	$\frac{3}{8}$ " o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B6.57.63	$1\frac{1}{4}$ " o/d x 20 SWG	L.54	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.B6.57.65	$1\frac{1}{4}$ " o/d x 20 SWG	L.54	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.B6.57.67	$1\frac{1}{4}$ " o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.B6.57.91	$\frac{3}{16}$ " o/d x 22 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B6.57.93	$\frac{3}{16}$ " o/d x 22 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B6.57.95	$\frac{3}{16}$ " o/d x 22 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B6.57.97	$\frac{3}{16}$ " o/d x 22 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B6.57.99	$\frac{3}{16}$ " o/d x 22 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B6.57.101	$\frac{3}{16}$ " o/d x 22 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.57.103	$\frac{1}{8}$ " o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.104	$\frac{3}{8}$ " o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A1.57.105	$1\frac{1}{4}$ " o/d x 20 SWG	L.54	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.B7.57.105	$\frac{1}{4}$ " o/d x 22 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end

Restricted

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.B7.57.106	$\frac{1}{4}$ " o/d x 22 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A1.57.107	$1\frac{1}{4}$ " o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.B6.57.107	$\frac{3}{8}$ " o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.107	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.57.108	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B6.57.109	$\frac{3}{8}$ " o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.109	$\frac{3}{8}$ " o/d x 22 SWG	L.56	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.57.110	$\frac{3}{8}$ " o/d x 22 SWG	L.56	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B6.57.111	$\frac{3}{8}$ " o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B6.57.113	$\frac{3}{8}$ " o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.113	$\frac{1}{2}$ " o/d x 22 SWG	L.56	AGS.952/D	28F/9439532	AGS.904/D	28F/8011820	—	—	—	—	At each end
E.B7.57.114	$\frac{1}{2}$ " o/d x 22 SWG	L.56	AGS.952/D	28F/9439532	AGS.904/D	28F/8011820	—	—	—	—	At each end
E.B6.57.115	$\frac{3}{8}$ " o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.115	$\frac{3}{8}$ " o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.116	$\frac{3}{8}$ " o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.57.117	$1\frac{1}{4}$ " o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.B6.57.117	$\frac{3}{8}$ " o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.117	$\frac{3}{8}$ " o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.118	$\frac{3}{8}$ " o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.119	$\frac{3}{8}$ " o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.120	$\frac{3}{8}$ " o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.131	$1\frac{1}{4}$ " o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.B6.57.149	$1\frac{1}{4}$ " o/d x 22 SWG	T.26	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.B6.57.150	$1\frac{1}{4}$ " o/d x 22 SWG	T.26	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.B7.57.151	$\frac{3}{8}$ " o/d x 22 SWG	L.56	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.B7.57.152	$\frac{3}{16}$ " o/d x 22 SWG	L.56	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At one end
E.B7.57.167	$\frac{1}{4}$ " o/d x 22 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B7.57.168	$\frac{1}{4}$ " o/d x 22 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B7.57.211	$\frac{3}{8}$ " o/d x 22 SWG	T.26	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.212	$\frac{3}{8}$ " o/d x 22 SWG	T.26	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.213	$\frac{3}{8}$ " o/d x 22 SWG	T.26	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.214	$\frac{3}{8}$ " o/d x 22 SWG	T.26	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.249	$\frac{3}{8}$ " o/d x 22 SWG	T.26	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.250	$\frac{3}{8}$ " o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.251	$\frac{3}{8}$ " o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.252	$\frac{3}{8}$ " o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.253	$\frac{3}{8}$ " o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.254	$\frac{3}{8}$ " o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.255	$\frac{3}{8}$ " o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.256	$\frac{3}{8}$ " o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.257	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.57.258	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.57.259	$\frac{3}{8}$ " o/d x 22 SWG	DTD.5019	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.57.260	$\frac{3}{8}$ " o/d x 22 SWG	DTD.5019	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.57.261	$\frac{3}{8}$ " o/d x 22 SWG	DTD.5019	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.57.262	$\frac{3}{8}$ " o/d x 22 SWG	DTD.5019	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.57.263	$\frac{3}{8}$ " o/d x 22 SWG	DTD.5019	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.57.264	$\frac{3}{8}$ " o/d x 22 SWG	DTD.5019	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A1.57.271	$1\frac{1}{4}$ " o/d x 20 SWG	L.54	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.B7.57.277	$\frac{3}{8}$ " o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.278	$\frac{3}{8}$ " o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A3.57.441	1 1/4" o/d x 20 SWG	L.54	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.A3.57.445	1 1/4" o/d x 20 SWG	L.54	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.A3.57.451	1 1/4" o/d x 20 SWG	L.54	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.A3.57.471	3/8" o/d x 22 SWG	T.26	AGS.952/C	28F8011892	AGS.954/C	28F/8011888	—	—	—	—	At each end
E.A3.57.472	3/8" o/d x 22 SWG	T.26	AGS.952/C	28F8011892	AGS.954/C	28F/8011888	—	—	—	—	At each end
E.A3.57.493	1 1/4" o/d x 22 SWG	L.54	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.A3.57.495	1 1/4" o/d x 22 SWG	L.54	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.A3.57.497	1 1/4" o/d x 22 SWG	T.26	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.A1.57.556	1 1/4" o/d x 20 SWG	L.54	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.A1.57.702	1 1/4" o/d x 22 SWG	T.26	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.A1.57.703	1 1/4" o/d x 22 SWG	T.26	AGS.952/J	28F/11935	AGS.904/J	28F/9152511	AGS.955/J	28F/13969	—	—	At each end
E.A1.57.704	1 1/4" o/d x 22 SWG	T.26	AGS.952/J	28F/11935	AGS.904/J	28F/9152511	AGS.955/J	28F/13969	—	—	At each end
E.A1.57.705	1 1/4" o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	AGS.905/J	28F/4051538	—	—	At each end
E.A1.57.715	1 1/4" o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.A1.57.717	1 1/4" o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.A1.57.1127	1 1/4" o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.A1.57.1267	1 1/4" o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.A1.57.1269	1 1/4" o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end

Restricted

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	

Restricted

Pages 1877 to 1886 not issued

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A1.60.3A	1/2" o/d x 20 SWG	L.56	AGS.952/D	28F/9439532	AGS.904/D	28F/8011820	—	—	—	—	At each end
E.B7.60.11	3/4" o/d x 20 SWG	L.56	AGS.952/F	28F/8011817	AGS.904/F	28F/8011822	—	—	—	—	At each end
E.B7.60.12	3/4" o/d x 20 SWG	L.56	AGS.952/F	28F/8011817	AGS.904/F	28F/8011822	—	—	—	—	At each end
E.B7.60.15	1/2" o/d x 20 SWG	L.56	AGS.952/D	28F/9439532	AGS.904/D	28F/8011820	—	—	—	—	At each end
E.B7.60.17	3/4" o/d x 20 SWG	L.56	AGS.952/F	28F8011817	AGS904/F	28F/8011822	—	—	—	—	At each end
E.B7.60.21	3/4" o/d x 20 SWG	DTD.5019	AGS.952/F	28F/8011817	AGS.954/F	28F/8011881	—	—	—	—	At each end
E.B7.60.22	3/4" o/d x 20 SWG	DTD.5019	AGS.952/F	28F/8011817	AGS.954/F	28F/8011881	—	—	—	—	At each end
E.B7.60.23	3/4" o/d x 20 SWG	T.55	AGS.952/F	28F/8011817	AGS.954/F	28F/8011881	—	—	—	—	At each end
E.B7.60.24	3/4" o/d x 20 SWG	T.55	AGS.952/F	28F/8011817	AGS.954/F	28F/8011881	—	—	—	—	At each end
E.B7.60.25	5/8" o/d x 20 SWG	T.55	AGS.952/E	28F/6355	AGS.954/E	28F/8011880	—	—	—	—	At each end
E.B7.60.26	5/8" o/d x 20 SWG	T.55	AGS.952/E	28F/6355	AGS.954/E	28F/8011880	—	—	—	—	At each end
E.B7.60.27	5/8" o/d x 20 SWG	T.55	AGS.952/E	28F/6355	AGS.954/E	28F/8011880	—	—	—	—	At each end
E.B7.60.28	5/8" o/d x 20 SWG	T.55	AGS.952/E	28F/6355	AGS.954/E	28F/8011880	—	—	—	—	At each end
E.A1.60.139	3/8" o/d x 20 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A1.60.141	3/8" o/d x 20 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A1.60.143	3/8" o/d x 20 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A1.60.149	1/2" o/d x 20 SWG	L.56	AGS.952/D	28F/9439532	AGS.904/D	28F/8011820	—	—	—	—	At each end
E.A1.60.151	1/2" o/d x 20 SWG	L.56	AGS.952/D	28F/9439532	AGS.904/D	28F/8011820	—	—	—	—	At each end
E.A1.60.163	1/2" o/d x 20 SWG	L.56	AGS.952/D	28F/9439532	AGS.904/D	28F/8011820	—	—	—	—	At each end
E.A1.60.165	3/8" o/d x 20 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A1.60.167	3/8" o/d x 20 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.60.103	3/8" o/d x 20 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end

Restricted

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	

Restricted

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.61.35	1" o/d x 22 SWG	T.26	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	AGS.905/H	28F/4051537	—	—	At each end
E.A9.61.36	1" o/d x 22 SWG	T.26	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	AGS.905/H	28F/4051537	—	—	At each end
E.A9.61.37	1" o/d x 22 SWG	T.26	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	AGS.905/H	28F/4051537	—	—	At each end
E.A9.61.38	1" o/d x 22 SWG	T.26	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	AGS.905/H	28F/4051537	—	—	At each end
E.A1.61.41	$\frac{3}{16}$ " o/d x 22 SWG	L.56	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At one end
E.A1.61.42	$\frac{3}{16}$ " o/d x 22 SWG	L.56	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At one end
E.A9.61.65	$\frac{3}{16}$ " o/d x 22 SWG	L.54	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end

Restricted

Restricted

[illegible]

PIPE LINE PARTICULARS

Local manufacture is desired wherever possible. Detailed information is given below.

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A3.70.61	$\frac{1}{4}$ " o/d x 20 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.70.5	$\frac{1}{4}$ " o/d x 20 SWG	L.54	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.70.7	$\frac{1}{4}$ " o/d x 20 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.70.9	$\frac{1}{4}$ " o/d x 20 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.70.17	$\frac{1}{4}$ " o/d x 20 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.70.23	$\frac{1}{4}$ " o/d x 20 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.70.227	$\frac{1}{4}$ " o/d x 20 SWG	L.54	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.70.229	$\frac{1}{4}$ " o/d x 20 SWG	L.54	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.70.231	$\frac{1}{4}$ " o/d x 20 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.70.237	$\frac{1}{4}$ " o/d x 20 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.70.241	$\frac{1}{4}$ " o/d x 20 SWG	L.54	AGS.952/B	28F/9439531	AGS.2111	28F/9717654	—	—	—	—	At each end
E.B6.70.5	$\frac{1}{4}$ " o/d x 20 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.C3.70.103	$\frac{3}{8}$ " o/d x 20 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end

Restricted

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	

Restricted

Pages 1893 to 1902 not issued

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637
TEL. 733-4331

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.71.23	$\frac{3}{8}$ " o/d x 22 SWG	L.54	AGS.904/BB	28F/1015879	AGS.952/BB	28F/9475201	—	—	—	—	At each end
E.A9.71.53	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.55	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.59	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.67	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.69	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.71	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.73	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.75	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.77	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.79	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.81	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/1641	AGS.217/A	28M/9996121	—	—	—	—	At each end
				6D/487	—	6D/790					
				6D/1641	AGS.217/A	28M/9996121					
E.A9.71.83	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.87	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.89	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.91	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.95	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.97	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.105	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.109	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.131	$\frac{3}{8}$ " o/d x 22 SWG	T.9	AGS.952/BB	28F/9475201	AGS.904/BB	28F/1015879	—	—	—	—	At each end
E.A9.71.133	$\frac{3}{8}$ " o/d x 22 SWG	T.9	AGS.952/BB	28F/9475201	AGS.904/BB	28F/1015879	—	—	—	—	At each end
E.A9.71.135	$\frac{3}{8}$ " o/d x 22 SWG	T.9	AGS.952/BB	28F/9475201	AGS.904/BB	28F/1015879	—	—	—	—	At each end

Restricted

CANBERRA B(1) Mk. 8

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.71.139	$\frac{3}{16}$ " o/d x 22 SWG	T.9	AGS.952/BB	28F/9475201	AGS.904/BB	28F/1015879	—	—	—	—	At each end
E.A9.71.171	$\frac{3}{16}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.173	$\frac{3}{16}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.259	$\frac{3}{16}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.261	$\frac{3}{16}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.263	$\frac{3}{16}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.285	$\frac{3}{16}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.289	$\frac{3}{16}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.291	$\frac{3}{16}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.293	$\frac{3}{16}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.323	$\frac{3}{16}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.363	$\frac{3}{16}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.391	$\frac{3}{16}$ " o/d x 22 SWG	T.51	MK.4	6D/487	—	6D/113	—	—	—	—	At each end
E.A9.71.393	$\frac{3}{16}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end

Restricted

1905 (AL 19)

Pages ~~1907~~ to 1916 not issued

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.73.33	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B6.73.33	$\frac{3}{8}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.73.33	$\frac{3}{8}$ " o/d x 24 SWG	L.56	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.73.37	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.39	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B7.73.39	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.41	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B7.73.41	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.43	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.47	$\frac{3}{8}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.73.49	$\frac{3}{8}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.73.51	$\frac{3}{8}$ " o/d x 20 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.57	$\frac{3}{8}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.73.61	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B7.73.61	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.63	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.65	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B7.73.65	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.67	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B6.73.67	$\frac{3}{8}$ " o/d x 22 SWG	DTD.5019	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.69	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B6.73.69	$\frac{1}{4}$ " o/d x 24 SWG	DTD.5019	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.B7.73.69	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.73.71	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.73	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.73.73	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.75	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B6.73.75	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.79	$\frac{3}{8}$ " o/d x 20 SWG	L.56	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At each end
E.B6.73.85	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B6.73.93	$\frac{3}{8}$ " o/d x 20 SWG	L.56	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At each end
E.B6.73.97	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B6.73.99	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A6.73.107	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A6.73.108	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B6.73.109	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B6.73.111	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A6.73.113	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B7.73.113	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A6.73.114	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A6.73.115	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.73.115	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A6.73.116	$\frac{3}{8}$ " o/d x 24-SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B6.73.117	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B6.73.119	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B6.73.121	$\frac{3}{8}$ " o/d x 22 SWG	DTD.5019	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B6.73.123	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B6.73.127	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B6.73.131	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.133	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B6.73.133	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.135	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B6.73.135	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.137	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B6.73.137	$\frac{3}{8}$ " o/d x 24-SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.73.139	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B6.73.139	$\frac{1}{2}$ " o/d x 20 SWG	L.56	AGS.952/D	28F/9439532	AGS.904/D	28F/8011820	—	—	—	—	At each end
E.A9.73.141	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B6.73.141	$\frac{1}{4}$ " o/d x 20 SWG	L.56	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.73.143	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B6.73.143	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B6.73.145	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B6.73.147	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.B6.73.149	2" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.151	1 1/4" o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B6.73.153	3/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B6.73.155	2" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B6.73.157	2" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B6.73.159	2" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B6.73.161	2" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.169	2" o/d x 20 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.171	2" o/d x 20 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.173	2" o/d x 20 SWG	DTD.323	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At each end
E.B6.73.175	1 1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.181	1 1/4" o/d 20 SWG	L.56	AGS.952/F	28F/8011817	AGS.904/F	28F/8011822	—	—	—	—	At each end
E.B6.73.181	2" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.183	2" o/d x 20 SWG	L.56	AGS.952/D	28F/9439532	AGS.904/D	28F/8011820	—	—	—	—	At each end
E.B6.73.183	2" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.185	1 1/4" o/d x 20 SWG	L.56	AGS.952/D	28F/9439532	AGS.904/D	28F/8011820	—	—	—	—	At each end
E.B6.73.185	2" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.189	2" o/d x 22 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B6.73.189	2" o/d x 20 SWG	L.56	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At each end
E.A9.73.193	1 1/4" o/d x 22 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.73.195	$\frac{1}{4}$ " o/d x 22 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.197	$\frac{1}{4}$ " o/d x 22 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.199	$\frac{1}{4}$ " o/d x 20 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.201	$\frac{3}{8}$ " o/d x 24 SWG	L.56	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.73.211	$\frac{3}{8}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.73.213	$\frac{3}{8}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.73.215	$\frac{3}{8}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.223	$\frac{3}{8}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.227	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.229	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.231	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.233	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.233	$\frac{3}{8}$ " o/d x 20 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.235	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At each end
E.A3.73.243	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.245	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.245	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.247	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.249	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.73.251	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.257	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A4.73.265	$\frac{3}{16}$ " o/d x 22 SWG	DTD.743	AGS.952/C	28F/8011892	AGS.954/C	28F/8011888	—	—	—	—	At each end
E.A4.73.271	$\frac{3}{8}$ " o/d x 22 SWG	DTD.743	AGS.952/C	28F/8011892	AGS.954/C	28F/8011888	—	—	—	—	At each end
E.A9.73.279	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A1.73.281A	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A1.73.281B	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A1.73.281E	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A1.73.281F	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A1.73.282A	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A1.73.282B	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A1.73.282E	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A1.73.282F	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.293	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.294	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.295	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.296	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.297	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.299	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.305	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.73.306	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.73.311	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.313	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A1.73.331	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A1.73.333	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.333	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B6.73.333	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B6.73.335	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A1.73.337	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.337	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A1.73.339	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.339	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A1.73.343	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.343	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A1.73.345	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A1.73.347	$\frac{3}{8}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.347	$\frac{3}{8}$ " o/d x 20 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A1.73.349	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.349	$\frac{3}{8}$ " o/d x 20 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A1.73.351	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end

Restricted

CANBERRA B(1) Mk. 8

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A3.73.351	$\frac{3}{8}$ " o/d x 20 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A1.73.353	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.353	$\frac{3}{8}$ " o/d x 20 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A1.73.355	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.355	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A1.73.357	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A1.73.361	$\frac{1}{4}$ " o/d x 20 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B7.73.361	$\frac{3}{8}$ " o/d x 22 SWG	DTD.743	AGS.952/C	28F/8011892	AGS.954/C	28F/8011888	—	—	—	—	At each end
E.A1.73.363	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.73.363	$\frac{3}{8}$ " o/d x 22 SWG	DTD.743	AGS.952/C	28F/8011892	AGS.954/C	28F/8011888	—	—	—	—	At each end
E.A1.73.365	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.73.365	$\frac{3}{16}$ " o/d x 22 SWG	DTD.743	AGS.952/C	28F/8011892	AGS.954/C	28F/8011888	—	—	—	—	At each end
E.A1.73.367	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.73.367	$\frac{3}{8}$ " o/d x 22 SWG	DTD.743	AGS.952/C	28F/8011892	AGS.954/C	28F/8011888	—	—	—	—	At each end
E.A1.73.369	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.73.369	$\frac{3}{8}$ " o/d x 22 SWG	DTD.743	AGS.952/C	28F/8011892	AGS.954/C	28F/8011888	—	—	—	—	At each end
E.A1.73.371	$\frac{3}{16}$ " o/d x 24 SWG	DTD.743	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A1.73.373	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.375	$\frac{5}{8}$ " o/d x 20 SWG	L.56	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At each end
E.A3.73.383	$\frac{5}{8}$ " o/d x 20 SWG	L.56	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At each end

Restricted

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A3.73.411	3" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.413	3" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.417	1 1/4" o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.419	1 1/4" o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.421	1 1/4" o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.423	3" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.425	3" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.427	3" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.429	3" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.431	3" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.433	3" o/d x 20 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.437	3" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.439	3" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.443	1 1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.445	1 1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.447	1 1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.449	1 1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.451	1 1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.453	1 1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end

Restricted

CANBERRA B(1) Mk. 8

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A3.73.455	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.467	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.469	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.471	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.473	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.475	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.479	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.489	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.499	$\frac{3}{8}$ " o/d x 20 SWG	L.56	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At each end
E.A3.73.513	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
EA3.73.515	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.517	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.519	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.521	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
or E.A1.73.92F											
E.A9.73.523	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
or E.A1.73.92E											
E.A9.73.525	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
or E.A1.73.91G											

Restricted

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.73.526 or E.A1.73.92H	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.527 or E.A1.73.91H	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.528 or E.A1.73.92G	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.529 or E.A1.73.92J	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.531 or E.A1.73.92K	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.537	3/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.538	3/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.543	3/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.544	3/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end

Restricted

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.73.547 or E.A1.73.91F	1/4" o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.549	1/4" o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.549 or E.A1.73.91E	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.550	1/4" o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.551	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A1.73.91J	3/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.553	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A1.73.91K	3/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.554	3/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.557	3/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.561	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.561	1/4" o/d x 24 SWG	DTD.477	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A3.73.562	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.562	$\frac{1}{4}$ " o/d x 24 SWG	DTD.477	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.563	$\frac{1}{4}$ " o/d x 24 SWG	DTD.477	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.564	$\frac{1}{4}$ " o/d x 24 SWG	DTD.477	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.565	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
or											
E.A1.73.283C	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.566	$\frac{1}{4}$ " o/d x 24 SWG										
or											
E.A1.73.284C	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.567	$\frac{1}{4}$ " o/d x 24 SWG										
or											
E.A1.73.283D	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.568	$\frac{1}{4}$ " o/d x 24 SWG										
or											
E.A1.73.284D	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.569	$\frac{1}{4}$ " o/d x 24 SWG										
or											
E.A1.73.283E											

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.73.570 or E.A1.73.284E E.A9.73.571 or E.A1.73.283F E.A9.73.572 or E.A1.73.284F E.A9.73.573 E.A9.73.574 E.A9.73.575 E.A9.73.576 E.A9.73.577 or E.A1.73.283J E.A9.73.578 or E.A1.73.284J	$\frac{1}{4}$ " o/d x 24 SWG $\frac{1}{4}$ " o/d x 24 SWG $\frac{1}{4}$ " o/d x 24 SWG $\frac{1}{4}$ " o/d x 24 SWG $\frac{1}{4}$ " o/d x 24 SWG $\frac{1}{4}$ " o/d x 24 SWG $\frac{1}{4}$ " o/d x 24 SWG $\frac{1}{4}$ " o/d x 24 SWG $\frac{1}{4}$ " o/d x 24 SWG	DTD.323 DTD.323 DTD.323 DTD.323 DTD.323 DTD.323 DTD.323 DTD.323 DTD.323	AGS.952/B AGS.952/B AGS.952/B AGS.952/B AGS.952/B AGS.952/B AGS.952/B AGS.952/B AGS.952/B	28F/9439531 28F/9439531 28F/9439531 28F/9439531 28F/9439531 28F/9439531 28F/9439531 28F/9439531 28F/9439531	AGS.904/B AGS.904/B AGS.904/B AGS.904/B AGS.904/B AGS.904/B AGS.904/B AGS.904/B AGS.904/B	28F/8011819 28F/8011819 28F/8011819 28F/8011819 28F/8011819 28F/8011819 28F/8011819 28F/8011819 28F/8011819	— — — — — — — — —	— — — — — — — — —	— — — — — — — — —	— — — — — — — — —	At each end At each end At each end At each end At each end At each end At each end At each end At each end

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.73.579 or E.A1.73.283K	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.580 or E.A1.73.284K	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.585	$\frac{1}{2}$ " o/d x 20 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B6.73.601	$\frac{1}{2}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B6.73.605	$\frac{1}{2}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.607	$\frac{1}{2}$ " o/d x 20 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B6.73.607	$\frac{1}{2}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.609	$\frac{1}{2}$ " o/d x 20 SWG	L.56	AGS.952/D	28F/9439532	AGS.904/D	28F/8011820	—	—	—	—	At each end
E.A9.73.619	$\frac{1}{2}$ " o/d x 20 SWG	L.56	AGS.952/D	28F/9439532	AGS.904/D	28F/8011820	—	—	—	—	At each end
E.A9.73.621	$\frac{1}{2}$ " o/d x 20 SWG	L.56	AGS.952/D	28F/9439532	AGS.904/D	28F/8011820	—	—	—	—	At each end
E.B6.73.625	$\frac{1}{2}$ " o/d x 22 SWG	DTD.5019	AGS.952/C	28E/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.637	$\frac{1}{4}$ " o/d x 24 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.645	$\frac{3}{8}$ " o/d x 20 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.647	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.648	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.649	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.73.649	$\frac{3}{4}$ " o/d x 20 SWG	L.56	AGS.952/F	28F/8011817	AGS.904/F	28F/8011822	—	—	—	—	At each end
E.A3.73.650	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.651	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.73.651	$\frac{3}{4}$ " o/d x 20 SWG	L.56	AGS.952/F	28F/8011817	AGS.904/F	28F/8011822	—	—	—	—	At each end
E.A3.73.652	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.73.653	$\frac{1}{2}$ " o/d x 20 SWG	L.56	AGS.952/D	28F/9439532	AGS.904/D	28F/8011820	—	—	—	—	At each end
E.A3.73.655	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.73.655	$\frac{3}{4}$ " o/d x 20 SWG	L.72	AGS.952/F	28F/8011817	AGS.904/F	28F/8011822	—	—	—	—	At each end
E.A3.73.657	$\frac{1}{4}$ " o/d x 20 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.659	$\frac{1}{4}$ " o/d x 20 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.661	$\frac{1}{4}$ " o/d x 20 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.663	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.667	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.671	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.673	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.73.673	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.675	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.677	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.679	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.681	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.73.683	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.685	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.695	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.703	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.705	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.709	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
or E.A1.73.91A											
E.A9.73.711	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
or E.A1.73.91B											
E.A9.73.715	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
or E.A1.73.91C											
E.A9.73.717	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
or E.A1.73.91D											
E.A9.73.719	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
or E.A1.73.92A											

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.73.721 or E.A1.73.92B	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.729	$\frac{3}{16}$ " o/d x 24 SWG	L.56	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.730	$\frac{3}{16}$ " o/d x 22 SWG	L.56	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.73.733 or E.A1.73.92C	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.735 or E.A1.73.92D	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.741	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.741	$\frac{3}{8}$ " o/d x 22 SWG	DTD.5019	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.743	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.743	$\frac{1}{2}$ " o/d x 20 SWG	L.56	AGS.952/D	28F/9439532	AGS.904/D	28F/8011820	—	—	—	—	At each end
E.A3.73.745	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.745	$\frac{3}{8}$ " o/d x 22 SWG	DTD.743	AGS.952/C	28F/8011892	AGS.954/C	28F/8011888	—	—	—	—	At each end
E.A3.73.747	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.747	$\frac{3}{8}$ " o/d x 22 SWG	DTD.743	AGS.952/C	28F/8011892	AGS.954/C	28F/8011888	—	—	—	—	At each end
E.A3.73.749	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.751	$\frac{3}{16}$ " o/d x 22 SWG	DTD.5019	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
	$\frac{1}{4}$ " o/d x 22 SWG	DTD.5019	AGS.952/B	28F/9434531	AGS.2111/B	28F/9717654	—	—	—	—	At each end
E.A9.73.752	$\frac{3}{16}$ " o/d x 22 SWG	DTD.5019	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
	$\frac{1}{4}$ " o/d x 22 SWG	DTD.5019	AGS.952/B	28F/9434531	AGS.2111/B	28F/9717654	—	—	—	—	At each end
E.A3.73.753	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A3.73.755	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.757	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.761	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.763	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.769	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.771	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.777	$\frac{3}{16}$ " o/d x 24 SWG	DTD.5019	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.779	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.787	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.799	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.801	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.807	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.808	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.811	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.817	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.818	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.911	$\frac{3}{8}$ " o/d x 22 SWG	DTD.743	AGS.952/C	28F/8011892	AGS.954/C	28F/8011888	—	—	—	—	At each end
E.A3.73.913	$\frac{3}{8}$ " o/d x 22 SWG	DTD.743	AGS.952/C	28F/8011892	AGS.954/C	28F/8011888	—	—	—	—	At each end
E.A3.73.5135	$\frac{3}{8}$ " o/d x 22 SWG	DTD.5019	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.5137	$\frac{3}{8}$ " o/d x 22 SWG	DTD.5019	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.5139	$\frac{3}{16}$ " o/d x 24 SWG	DTD.5019	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.5140	$\frac{3}{16}$ " o/d x 24 SWG	DTD.5019	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end

Restricted

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	

Restricted

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.74.85 E.A9.74.149	3" o/d x 20 SWG 1" o/d x 20 SWG	L:54 L:59	EEAS.94/8 EEAS.94/6	— —	— —	— —	— —	— —	— —	— —	At each end At one end

Restricted

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	

Restricted

Pages 1943 to 1952 not issued

~~1937~~ to 1952

1939

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.75.109	$\frac{1}{4}$ " o/d x 22 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.75.133	$\frac{1}{4}$ " o/d x 20 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	AGS.1142/B	28F/8011885	—	—	At each end
E.B6.75.151	$1\frac{1}{2}$ " o/d x 20 SWG	L.54	AGS.952/K	28F/9517924	AGS.954/K	28F/9155212	AGS.905/K	28F/13616	—	—	At each end
E.B6.75.201	$1\frac{1}{4}$ " o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.954/J	28F/9152511	AGS.904/J	28F/9563150	—	—	At each end
E.B6.75.203	$1\frac{1}{4}$ " o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.954/J	28F/9152511	—	—	—	—	At each end
E.B6.75.205	$1\frac{1}{4}$ " o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.954/J	28F/9152511	AGS.904/J	28F/5726	—	—	At each end
E.B6.75.209	$1\frac{1}{4}$ " o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.954/J	28F/9152511	—	—	—	—	At each end
E.B6.75.215	$1\frac{1}{4}$ " o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.954/J	28F/9152511	AGS.905/J	28F/4051538	—	—	At each end
E.B6.75.219	$1\frac{1}{4}$ " o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.954/J	28F/9152511	AGS.905/J	28F/4051538	—	—	At each end
E.B6.75.231	$1\frac{1}{2}$ " o/d x 22 SWG	T.26	E.B6.75.241	—	—	—	—	—	—	—	At each end
E.B6.75.233	$1\frac{1}{2}$ " o/d x 20 SWG	T.26	AGS.952/J	28F/11935	AGS.954/J	28F/9152511	—	—	—	—	At each end
E.B6.75.237	$1\frac{1}{2}$ " o/d x 22 SWG	T.26	E.B6.75.241	—	—	—	—	—	—	—	At each end
E.B6.75.239	$1\frac{1}{2}$ " o/d x 22 SWG	T.26	E.B6.75.241	—	E.B6.75.263	—	—	—	—	—	At each end
E.B4.75.275	1" o/d x 22 SWG	L.54	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	—	—	—	—	At each end
E.A9.75.291	$\frac{3}{4}$ " o/d x 20 SWG	L.56	AGS.952/F	28F/8011817	AGS.904/F	28F/8011822	AGS.955/F	28F/1051099	—	—	At each end
E.A9.75.293	$\frac{3}{4}$ " o/d x 20 SWG	L.56	AGS.952/F	28F/8011817	AGS.904/F	28F/8011822	AGS.955/F	28F/1051099	—	—	At each end
E.A9.75.295	$\frac{3}{4}$ " o/d x 20 SWG	L.56	AGS.952/F	28F/8011817	AGS.904/F	28F/8011822	—	—	—	—	At each end
E.A9.75.297	$\frac{3}{4}$ " o/d x 20 SWG	L.56	AGS.952/F	28F/8011817	AGS.904/F	28F/8011822	—	—	—	—	At each end
E.A9.75.299	$\frac{3}{4}$ " o/d x 20 SWG	L.56	AGS.952/F	28F/8011817	AGS.904/F	28F/8011822	AGS.955/F	28F/1051099	—	—	At each end
E.A9.75.301	$\frac{3}{8}$ " o/d x 22 SWG	L.56	AGS.952/A	28F/8011890	AGS.954/A	28F/8011891	—	—	—	—	At each end
E.A9.75.303	$\frac{3}{4}$ " o/d x 20 SWG	L.56	AGS.952/F	28F/8011817	AGS.904/F	28F/8011822	AGS.1218/F	28F/11287	—	—	At each end
E.A9.75.305	$\frac{3}{8}$ " o/d x 22 SWG	L.56	AGS.952/A	28F/8011890	AGS.954/A	28F/8011891	—	—	—	—	At each end
E.A9.75.309	$\frac{3}{8}$ " o/d x 22 SWG	L.56	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	AGS.954/A	28F/8011891	—	—	At each end
E.A9.75.311	$\frac{3}{8}$ " o/d x 22 SWG	L.56	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	AGS.954/A	28F/8011891	—	—	At each end
E.A9.75.365	$\frac{1}{4}$ " o/d x 22 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	AGS.954/B	28F/9439527	—	—	At each end

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.75.381	$\frac{3}{4}$ " o/d x 20 SWG	L.56	AGS.952/F	28F/8011817	AGS.955/F	28F/4051761	AGS.954/F	28F/8011881	—	—	At one end
E.A9.75.383	$\frac{3}{4}$ " o/d x 20 SWG	L.56	AGS.952/F	28F/8011817	AGS.955/F	28F/4051761	AGS.954/F	28F/8011881	—	—	At one end
E.B6.75.403	$1\frac{1}{4}$ " o/d x 22 SWG	L.56	AGS.952/K	28F/9517924	AGS.954/K	28F/9155212	E.B6.75.241	—	—	—	At each end
E.B6.75.405	$1\frac{1}{2}$ " o/d x 22 SWG	T.26	AGS.952/K	28F/9517924	AGS.954/K	28F/9155212	E.B6.75.241	—	—	—	At each end
E.A9.75.413	$\frac{3}{4}$ " o/d x 20 SWG	L.56	AGS.952/F	28F/8011817	AGS.904/F	28F/8011822	—	—	—	—	At each end
E.A9.75.425	$1\frac{1}{2}$ " o/d x 20 SWG	T.26	AGS.952/K	28F/9517924	AGS.954/K	28F/9155212	AGS.1142/K	28F/9517920	—	—	At each end
E.A9.75.429	$1\frac{1}{4}$ " o/d x 22 SWG	T.26	AGS.952/J	28F/11935	AGS.954/J	28F/9152511	—	—	—	—	At each end
E.A9.75.447	$1\frac{1}{2}$ " o/d x 20 SWG	L.56	AGS.952/K	28F/9517924	AGS.954/K	28F/9155212	AGS.905/K	28F/13616	—	—	At one end
E.B6.75.457	$1\frac{1}{2}$ " o/d x 20 SWG	L.56	AGS.952/K	28F/9517924	AGS.954/K	28F/9155212	AGS.905/K	28F/13616	—	—	At each end
E.B6.75.461	$1\frac{1}{2}$ " o/d x 22 SWG	T.26	E.B6.75.241	—	—	—	—	—	—	—	At each end
E.B6.75.467	$1\frac{1}{2}$ " o/d x 20 SWG	L.54	E.B6.75.553	—	E.B6.75.551	—	E.B6.75.473	—	—	—	At each end
E.B6.75.469	$1\frac{1}{2}$ " o/d x 20 SWG	L.54	E.B6.75.553	—	E.B6.75.551	—	E.B6.75.473	—	—	—	At each end
E.B6.75.471	$1\frac{1}{2}$ " o/d x 20 SWG	L.54	E.B6.75.553	—	—	—	—	—	—	—	At each end
E.B6.75.475	$1\frac{1}{2}$ " o/d x 20 SWG	L.56	AGS.952/K	28F/9517924	AGS.954/K	28F/9155212	—	—	—	—	At each end
E.B6.75.503	$1\frac{1}{2}$ " o/d x 20 SWG	L.54	AGS.952/K	28F/9517924	AGS.954/K	28F/9155212	AGS.905/K	28F/13616	—	—	At each end
			AGS.1142/K	28F/9517920	AGS.1170/K	28F/12071					
E.B6.75.505	$1\frac{1}{2}$ " o/d x 20 SWG	L.54	AGS.952/K	28F/9517924	AGS.954/K	28F/9155212	AGS.1142/K	28F/9517920	—	—	At each end
			AGS.1170/K	28F/12071	—	—					
E.A3.75.511	$1\frac{1}{2}$ " o/d x 20 SWG	L.54	AGS.952/K	28F/9517924	AGS.904/K	28F/11931	AGS.905/K	28F/13616	—	—	At one end
E.A3.75.513	$1\frac{1}{2}$ " o/d x 20 SWG	L.54	AGS.952/K	28F/9517924	AGS.904/K	28F/11931	AGS.905/K	28F/13616	—	—	At one end

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.B6.75.583	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	—	—	—	—	At each end
E.B6.75.615	1 1/4" o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.A9.75.625	3/4" o/d x 20 SWG	L.56	AGS.952/F	28F/8011817	AGS.904/F	28F/8011822	AGS.954/F	28F/8011881	—	—	At one end
E.A9.75.627	3/4" o/d x 20 SWG	L.56	AGS.952/F	28F/8011817	AGS.954/F	28F/8011881	—	—	—	—	At one end
E.A9.75.643	1 1/2" o/d x 20 SWG	L.54	AGS.952/K	28F/9517924	AGS.904/K	28F/11931	E.A9.75.395	—	—	—	At one end
E.B6.75.737	1 1/4" o/d x 20 SWG	L.54	E.B6.75.813	—	—	—	—	—	—	—	At each end
E.B6.75.739	1 1/4" o/d x 20 SWG	L.54	E.B6.75.813	—	E.B6.75.811	—	—	—	—	—	At one end
E.B6.75.741	1 1/4" o/d x 20 SWG	L.54	E.B6.75.553	—	E.B6.75.811	—	—	—	—	—	—
E.A9.75.783	1 1/2" o/d x 20 SWG	L.54	E.B6.75.551	—	E.B6.75.553	—	—	—	—	—	At each end
E.B6.75.783	1 1/2" o/d x 20 SWG	T.26	E.B6.75.241	—	AGS.955/K	—	E.B6.75.271	—	—	—	At one end
E.B6.75.817	1 1/2" o/d x 22 SWG	T.26	AGS.952/K	28F/9517924	AGS.954/K	28F/9155212	E.B6.75.1001	—	—	—	—
E.B6.75.819	1 1/2" o/d x 22 SWG	T.26	E.B6.75.241	—	E.B6.75.271	—	E.B6.75.1001	—	—	—	—
E.B6.75.835	1/4" o/d x 22 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B6.75.837	1/4" o/d x 22 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.75.879	1" o/d x 20 SWG	L.54	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	AGS.905/H	28F/4051537	—	—	An one end
E.A9.75.947	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	AGS.905/H	28F/4051537	—	—	—
E.A9.75.949	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	—	—	—	—	At each end
E.A9.75.957	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	AGS.905/H	28F/4501537	—	—	—
E.A9.75.10027	1 1/4" o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.954/J	28F/9152511	AGS.905/J	28F/5720	—	—	—
E.A9.75.10029	1 1/4" o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.954/J	28F/9152511	—	—	—	—	At each end
E.A9.75.10031	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	AGS.905/H	28F/4051537	—	—	—
E.A9.75.10033	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	AGS.905/H	28F/4051537	—	—	—
E.A9.75.10035	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	AGS.905/H	28F/4051537	—	—	—
E.A9.75.10037	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	AGS.905/H	28F/4051537	—	—	—
E.A9.75.10039	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	AGS.905/H	28F/4051537	—	—	—
E.A9.75.10041	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	AGS.905/H	28F/4051537	—	—	—
E.A9.75.10043	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	—	—	—	—	At each end
E.A9.75.10045	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	—	—	—	—	At each end
E.A9.75.10053	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	—	—	—	—	At each end

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.75.10055	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	—	—	—	—	At each end
E.A9.75.10057	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	AGS.905/H	28F/4051537	—	—	—
E.A9.75.10059	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	AGS.905/H	28F/4051537	—	—	—
E.A9.75.10061	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	AGS.905/H	28F/4051537	—	—	—
E.A9.75.10063	1 3/8" o/d x 22 SWG	L.54	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.75.10069	1" o/d x 20 SWG	L.56	AGS.905/H	28F/4051537	—	—	—	—	—	—	At each end
E.A9.75.10071	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	—	—	—	—	At each end
E.A9.75.10073	1" o/d x 20 SWG	L.56	AGS.905/H	28F/4051537	—	—	—	—	—	—	At each end
E.A9.75.10075	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	—	—	—	—	At each end
E.A9.75.10081	1" o/d x 20 SWG	L.56	AGS.905/H	28F/4051537	—	—	—	—	—	—	At each end

Pages 1957 to 1966 not issued

Printed in the United States of America

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.C3.76.7	1/2" o/d x 20 SWG	L.56	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At each end
E.C3.76.11	1/2" o/d x 20 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At one end
	1/2" o/d x 16 SWG	L.56									
E.A9.76.157	1/2" o/d x 20 SWG	L.54	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At each end
E.A9.76.241	1/2" o/d x 20 SWG	L.56	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At one end
E.A9.76.243	1/2" o/d x 20 SWG	L.54	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At one end
E.A9.76.245	1/2" o/d x 20 SWG	L.56	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At one end
E.A9.76.259	1/2" o/d x 20 SWG	L.56	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At each end
E.A9.76.289	1/2" o/d x 20 SWG	L.56	—	—	AGS.905/E	28F/5601	—	—	—	—	At one end
E.A9.76.291	1/2" o/d x 20 SWG	L.56	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At each end
E.A9.76.293	1/2" o/d x 20 SWG	L.56	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	AGS.905/E	28F/5601	—	—	At one end
E.A9.76.297	1/2" o/d x 20 SWG	L.56	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At one end
E.A9.76.299	1/2" o/d x 20 SWG	L.56	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At one end
E.A9.76.301	1/2" o/d x 20 SWG	L.56	—	—	—	—	—	—	—	—	—
E.A9.76.307	1/2" o/d x 20 SWG	L.56	—	—	—	—	—	—	—	—	—
E.A9.76.10003	1/2" o/d x 20 SWG	L.56	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At one end
E.A9.76.10023	1/2" o/d x 20 SWG	L.56	EEAS.106	—	EEAS.257	—	—	—	—	—	—

Restricted

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	

Restricted

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.80.1159 E.A3.80.1965	$\frac{3}{4}$ " o/d x 22 SWG $\frac{3}{16}$ " o/d x 22 SWG	DTD.323	AGS.904/A AGS.904/A	28F/9128936 28F/9128936	AGS.952/A AGS.952/A	28F/8011890 28F/8011890	— —	— —	— —	— —	At each end At one end

Restricted

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	

Restricted