

# **CONTROLS, FLYING AILERON CONTROLS IN WING, PORT**

| Ref. No.          | Part No.    |                                                                                                             |   |   |   |   | No.<br>off | Matl. Spec. | Cl. of St.   | Plate<br>No. |
|-------------------|-------------|-------------------------------------------------------------------------------------------------------------|---|---|---|---|------------|-------------|--------------|--------------|
|                   |             | 1                                                                                                           | 2 | 3 | 4 | 5 |            |             | M.R.<br>L.M. |              |
|                   | E.A1.45.13  | <b>CONTROLS, AILERON, IN<br/>WING, PORT,<br/>ASSEMBLY</b>                                                   |   |   |   |   | —          | —           | —            |              |
|                   |             | Consisting of :—                                                                                            |   |   |   |   |            |             |              |              |
| 67                | EEAS.13/1   | <b>Bolt</b> , special, control tube connecting ...                                                          |   |   |   |   | 9          | S11         | C            |              |
| 68                | EEAS.14     | <b>Bush</b> , bearing, aileron control tube connections                                                     |   |   |   |   | 9          | S11         | C            |              |
| 3572              | E.A3.45.397 | <b>Control</b> , tube, between fuselage and operating lever at rib 4, centre wing                           |   |   |   |   | 1          | —           | B            |              |
| 3573              | E.A3.45.401 | <b>Control</b> , tube, between operating lever on rib 4 and centre lever, centre wing                       |   |   |   |   | 1          | —           | B            |              |
| 3574              | E.A3.45.405 | <b>Control</b> , tube, from centre lever to lever between rib 2 and 2B, outer wing                          |   |   |   |   | 1          | —           | B            |              |
| 3576              | E.A3.45.409 | <b>Control</b> , tube, from lever between rib 2 and 2B to rib 4, outer wing                                 |   |   |   |   | 1          | —           | B            |              |
| 3571              | E.A3.45.321 | <b>CONTROL, TUBE, FROM HINGE<br/>MOUNTING ON RIB 4<br/>OUTER WING TO AILERON<br/>OPERATING LEVER, GROUP</b> |   |   |   |   | 1          | —           | B            |              |
|                   |             | Spares for :—                                                                                               |   |   |   |   |            |             |              |              |
| 494               | E.A1.45.201 | <b>End</b> , fork ... ..                                                                                    |   |   |   |   | 1          | —           | C            |              |
| 28L/13410         | A27/6NT     | <b>Nut</b> , $\frac{1}{2}$ " BSF, thin ... ..                                                               |   |   |   |   | 1          | MS          | C            |              |
| 3569              | EEAS.63/E   | <b>Nut</b> , special, control tube connecting bolt ...                                                      |   |   |   |   | 9          | S96         | C            |              |
| 3570              | EEAS.127    | <b>Piece</b> , distance, control tube connection ...                                                        |   |   |   |   | 9          | S96         | C            |              |
| A/L9<br>28P/12462 | SP9/C8      | <b>Pin</b> , split, $\frac{1}{16}$ " dia. x 1" long ... ..                                                  |   |   |   |   | 9          | —           | C            |              |



# **CONTROLS, FLYING AILERON CONTROLS IN WING, STARBOARD**

| Ref. No.  | Part No.    |   |   |   |   |   | Description                                                                                                 | No.<br>off | Matl. Spec. | Cl. of St.   | Plate<br>No. |
|-----------|-------------|---|---|---|---|---|-------------------------------------------------------------------------------------------------------------|------------|-------------|--------------|--------------|
|           |             | 1 | 2 | 3 | 4 | 5 |                                                                                                             |            |             | M.R.<br>L.M. |              |
|           | E.A1.45.14  |   |   |   |   |   | <b>CONTROLS, AILERON, IN<br/>WING, STARBOARD,<br/>ASSEMBLY</b>                                              | —          | —           | —            |              |
|           |             |   |   |   |   |   | Consisting of:—                                                                                             |            |             |              |              |
| 67        | EEAS.13/1   |   |   |   |   |   | <b>Bolt</b> , special, control tube, connecting... ..                                                       | 9          | S11         | C            |              |
| 68        | EEAS.14     |   |   |   |   |   | <b>Bush</b> , bearing aileron control tube connections                                                      | 9          | S11         | C            |              |
| 3572      | E.A3.45.397 |   |   |   |   |   | <b>Control</b> , tube, between fuselage and operating<br>lever, at rib 4, centre wing                       | 1          | —           | B            |              |
| 3573      | E.A3.45.401 |   |   |   |   |   | <b>Control</b> , tube, between operating lever on<br>rib 4 and centre lever, centre wing                    | 1          | —           | B            |              |
| 3574      | E.A3.45.405 |   |   |   |   |   | <b>Control</b> , tube, from centre lever to lever<br>between rib 2 and 2B, outer wing                       | 1          | —           | B            |              |
| 3575      | E.A3.45.410 |   |   |   |   |   | <b>Control</b> , tube, from lever between rib 2 and 2B<br>to rib 4, outer wing                              | 1          | —           | B            |              |
| 3571      | E.A3.45.321 |   |   |   |   |   | <b>CONTROL, TUBE, FROM HINGE<br/>MOUNTING ON RIB 4<br/>OUTER WING TO AILERON<br/>OPERATING LEVER, GROUP</b> | 1          | —           | B            |              |
|           |             |   |   |   |   |   | Spares for :—                                                                                               |            |             |              |              |
| 494       | E.A1.45.201 |   |   |   |   |   | <b>End</b> , fork ... ..                                                                                    | 1          | —           | C            |              |
| 28A/13410 | A27/NT      |   |   |   |   |   | <b>Nut</b> , $\frac{1}{2}$ " BSF, thin ... ..                                                               | 1          | MS          | C            |              |
| 3569      | EEAS.63/E   |   |   |   |   |   | <b>Nut</b> , special, control tube connecting bolt ...                                                      | 9          | S96         | C            |              |
| 3570      | EEAS.127    |   |   |   |   |   | <b>Piece</b> , distance, control tube connection ...                                                        | 9          | S96         | C            |              |
| 28P/12462 | SP9/C8      |   |   |   |   |   | <b>Pin</b> , split, $\frac{1}{16}$ " dia. x 1" long ... ..                                                  | 9          | —           | C            |              |

### CONTROLS, FLYING AILERON CONTROLS IN WING, STARBOARD

[illegible]



CANBERRA B.(I) MK.8

Page 101

**CONTROLS**  
**ENGINE CONTROLS IN FUSELAGE BETWEEN FRAMES 7 AND 16**

| Ref. No. | Part No.   |                                                                    |   |   |   |   | Description | No.<br>off | Matl. Spec. | Cl. of St.   | Plate<br>No. |
|----------|------------|--------------------------------------------------------------------|---|---|---|---|-------------|------------|-------------|--------------|--------------|
|          |            | 1                                                                  | 2 | 3 | 4 | 5 |             |            |             | M.R.<br>L.M. |              |
|          | E.A9.47.1  | <b>CONTROLS, ENGINE,<br/>BETWEEN FRAMES 7<br/>AND 16, ASSEMBLY</b> |   |   |   |   |             | —          | —           | —            |              |
|          |            | Consisting of :—                                                   |   |   |   |   |             |            |             |              |              |
| 220      | EEAS.12/1  | <b>Bolt</b> , rod end ... ..                                       |   |   |   |   |             | 4          | —           | C            |              |
| 28N/5551 | AGS.899/4  | <b>Collar</b> ... ..                                               |   |   |   |   |             | 4          | —           | C            |              |
| 1122     | EEAS.63    | <b>Nut</b> , slotted ... ..                                        |   |   |   |   |             | 4          | —           | C            |              |
| 28P/866  | SP4Y/D8    | <b>Pin</b> , shackle ... ..                                        |   |   |   |   |             | 4          | —           | C            |              |
| 28P/6159 | AGS.166/50 | <b>Pin</b> , split ... ..                                          |   |   |   |   |             | 8          | —           | C            |              |
| 28W/8516 | AS.470/C   | <b>Washer</b> ... ..                                               |   |   |   |   |             | 8          | —           | C            |              |

[illegible]

CANBERRA B.(1) MK. 8

Page 103

# CONTROLS

## ENGINE CONTROLS IN NOSE FUSELAGE

| Ref. No. | Part No.                 | Description                                                                                |   |   |   |   |   | No. off | Matl. Spec.  | Cl. of Equip.<br>M.R.<br>L.M. | Plate No. |
|----------|--------------------------|--------------------------------------------------------------------------------------------|---|---|---|---|---|---------|--------------|-------------------------------|-----------|
|          |                          | 1                                                                                          | 2 | 3 | 4 | 5 | 6 |         |              |                               |           |
|          | E.A9.47.5                | <b>CONTROLS, ENGINE, IN NOSE FUSELAGE, ASSEMBLY</b>                                        |   |   |   |   |   | —       | —            | —                             |           |
|          |                          | Spares for:—                                                                               |   |   |   |   |   |         |              |                               |           |
|          | E.A9.47.33               | <b>CLAMP</b> , rubber seal retaining, engine control entry to cockpit at pressure bulkhead |   |   |   |   |   | 4       | L.65 or L.40 | —                             |           |
| 2142     | SIMMONDS CORSEY SP.15/7  | <b>CLIP</b> , rigid, engine control ... ..                                                 |   |   |   |   |   | 8       | —            | C                             |           |
| 2143     | SIMMONDS CORSEY SP.15/10 | <b>CLIP</b> , rigid, engine control ... ..                                                 |   |   |   |   |   | 4       | —            | C                             |           |
|          | E.A9.47.205              | <b>CONTROLS, ENGINE, SIMMONDS CORSEY, ASSEMBLY</b>                                         |   |   |   |   |   | —       | —            | —                             |           |
|          |                          | Consisting of:—                                                                            |   |   |   |   |   |         |              |                               |           |
| 12148    | E.A9.47.25               | <b>CONTROL, ENGINE, THROTTLE, STARBOARD, CORSEY NO. 7</b>                                  |   |   |   |   |   | 1       | —            | B                             |           |
| 12149    | E.A9.47.27               | <b>CONTROL, ENGINE, THROTTLE, PORT, CORSEY NO. 7</b>                                       |   |   |   |   |   | 1       | —            | B                             |           |
| 12150    | E.A9.47.29               | <b>CONTROL, ENGINE, SHUT-OFF COCK, STARBOARD, CORSEY NO. 7</b>                             |   |   |   |   |   | 1       | —            | B                             |           |
| 12151    | E.A9.47.31               | <b>CONTROL, ENGINE, SHUT-OFF COCK, PORT, CORSEY NO. 7</b>                                  |   |   |   |   |   | 1       | —            | B                             |           |
|          |                          | Spares for:—                                                                               |   |   |   |   |   |         |              |                               |           |
| 13181    | SP.94/7                  | <b>GLAND</b> , assembly (Alternative to E.A9.47.289)                                       |   |   |   |   |   | 2       | —            | C                             |           |
| 34459    | E.A9.47.289              | <b>GLAND</b> , assembly (Mod. 4137) (Alternative to SP.94/7)                               |   |   |   |   |   | 2       | —            | C                             |           |
|          | E.A3.47.147              | <b>ROD</b> , sliding ... ..                                                                |   |   |   |   |   | 1       | —            | —                             |           |
| 5X/2781  | Z.11809                  | <b>GROMMET</b> , engine control sealing at pressure bulkhead                               |   |   |   |   |   | 4       | —            | C                             |           |
|          | E.A9.47.59               | <b>MOUNTING, THROTTLE BOX, GROUP</b> ... ..                                                |   |   |   |   |   | —       | —            | —                             |           |
|          |                          | Spares for:—                                                                               |   |   |   |   |   |         |              |                               |           |
|          | E.A9.47.75               | <b>BOX, CONTROL, ENGINE THROTTLE, GROUP</b>                                                |   |   |   |   |   | 1       | —            | —                             |           |
|          |                          | Spares for:—                                                                               |   |   |   |   |   |         |              |                               |           |
| 121      | E.A1.47.173              | <b>BUSH</b> , tapped, shut-off cock lever, locking ...                                     |   |   |   |   |   | 1       | DTD.126A     | C                             | C.1/8     |
| 122      | E.A1.47.293              | <b>BUSH</b> , tapped, throttle lever, locking ... ..                                       |   |   |   |   |   | 1       | DTD.126A     | C                             | C.1/8     |
|          | E.A9.47.167              | <b>CASTING</b> , throttle box ... ..                                                       |   |   |   |   |   | 1       | DTD.289      | —                             | C.1/8     |
|          |                          | or Mag. Alloy                                                                              |   |   |   |   |   |         |              |                               |           |
|          | E.A9.47.285              | <b>KNOB</b> , throttle lever ... ..                                                        |   |   |   |   |   | 1       | L.64 or L.65 | —                             | C.1/8     |
| 6195     | E.A1.47.159              | <b>KNOB</b> , shut-off cock lever ... ..                                                   |   |   |   |   |   | 1       | L.1 or L.40  | C                             | C.1/8     |
|          | E.A9.81.3131             | <b>KNOB</b> , shut-off cock, L.H. control lever (grey)                                     |   |   |   |   |   | 1       | DTD.683      | —                             | C.1/8     |
|          | E.A9.81.3132             | <b>KNOB</b> , shut-off cock, R.H. control lever (grey)                                     |   |   |   |   |   | 1       | DTD.683      | —                             | C.1/8     |
|          | E.A9.81.2481             | <b>KNOB</b> , throttle control lever, inboard ... ..                                       |   |   |   |   |   | 1       | DTD.683      | —                             | C.1/8     |
|          | E.A9.81.2483             | <b>KNOB</b> , throttle control lever, outboard ... ..                                      |   |   |   |   |   | 1       | DTD.683      | —                             | C.1/8     |
| 22740    | E.A9.47.43               | <b>LEVER</b> , shut-off cock, outboard ... ..                                              |   |   |   |   |   | 1       | —            | —                             | C.1/8     |
| 22741    | E.A9.47.44               | <b>LEVER</b> , shut-off cock, inboard ... ..                                               |   |   |   |   |   | 1       | —            | —                             | C.1/8     |
| 22742    | E.A9.47.45               | <b>LEVER</b> , throttle control, outboard, complete ...                                    |   |   |   |   |   | 1       | —            | —                             | C.1/8     |
| 22743    | E.A9.47.47               | <b>LEVER</b> , throttle control, inboard ... ..                                            |   |   |   |   |   | 1       | —            | —                             | C.1/8     |
| 5618     | E.A1.47.295              | <b>PIN</b> , special, shut-off cock, control lever clamp                                   |   |   |   |   |   | 1       | L.40         | C                             | C.1/8     |
| 12591    | E.A9.47.183              | <b>PIN</b> , special, throttle lever clamp ... ..                                          |   |   |   |   |   | 1       | L.40         | C                             | C.1/8     |
|          | E.A9.47.189              | <b>PLATE</b> , guard, half ... ..                                                          |   |   |   |   |   | 1       | —            | —                             |           |
|          | E.A9.47.199              | <b>PLATE</b> , guard, half ... ..                                                          |   |   |   |   |   | 1       | —            | —                             |           |
|          | E.A9.47.51               | <b>PLATE</b> , reaction, throttle ... ..                                                   |   |   |   |   |   | 1       | DTD.124      | —                             | C.1/8     |
|          | E.A9.47.55               | <b>PLATE</b> , reaction, throttle ... ..                                                   |   |   |   |   |   | 1       | DTD.124      | —                             | C.1/8     |
| 3380     | E.A3.47.91               | <b>PLATE</b> , reaction, shut-off cock lever, inboard ...                                  |   |   |   |   |   | 1       | DTD.124      | C                             | C.1/8     |





**Pages 107<sup>5</sup> to 116 not issued**



CANBERRA B.(1) MK. 8

Page 117

# **CONTROLS** **ENGINE CONTROLS IN NOSE FUSELAGE**

| Ref. No.    | Part No.     |                                                                                 |     |     |     |     |     | No.<br>off | Matl. Spec. | Cl. of<br>Equip. | Plate<br>No. |  |  |
|-------------|--------------|---------------------------------------------------------------------------------|-----|-----|-----|-----|-----|------------|-------------|------------------|--------------|--|--|
|             |              | 1                                                                               | 2   | 3   | 4   | 5   | 6   |            |             | M.R.<br>L.M.     |              |  |  |
|             |              | SUMMARY OF STOCK ITEMS USED ON ENGINE<br>CONTROLS IN NOSE FUSELAGE,<br>ASSEMBLY |     |     |     |     |     |            |             |                  |              |  |  |
| 28D/1010658 | A25/1B       | Bolt, 4 BA, hex. head, "5 long                                                  | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28D/1008149 | A25/2B       | Bolt, 4 BA, hex. head, "6 long                                                  | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28D/1011011 | A25/8B       | Bolt, 4 BA, hex. head, 1"2 long                                                 | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28D/9133011 | A25/2C       | Bolt, 2 BA, hex. head, "65 long                                                 | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28D/9133012 | A25/3C       | Bolt, 2 BA, hex. head, "75 long                                                 | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28D/1010030 | A25/7C       | Bolt, 2 BA, hex. head, 1"15 long                                                | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28D/9140644 | A25/9C       | Bolt, 2 BA, hex. head, 1"35 long                                                | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28D/1011245 | A25/10E      | Bolt, 1" BSF, hex. head, 1"5 long                                               | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28D/1007319 | AS.1242/4B   | Bolt, 4 BA, c'sk. head, "75 long                                                | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28D/9137409 | AS.1246/2C   | Bolt, 2 BA, round head, "6 long                                                 | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28D/15383   | AS.2922/2½C  | Bolt, 2 BA                                                                      | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28D/15384   | AS.2922/3C   | Bolt, 2 BA                                                                      | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28N/9153393 | AGS.899/4    | Collar                                                                          | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28M/1006473 | A27/CT       | Nut, 2 BA, thin                                                                 | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28M/9403520 | A27/CP       | Nut, 2 BA, plain                                                                | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28M/1011477 | A27/NP       | Nut, 1" BSF, plain                                                              | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28M/10287   | AGS.2001/B/1 | Nut, stiff, 4 BA                                                                | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28M/10288   | AGS.2001/C/1 | Nut, stiff, 2 BA                                                                | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28M/10290   | AGS.2001/E/1 | Nut, stiff, 1" BSF                                                              | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28M/10327   | AGS.2002/B/1 | Nut, stiff, 4 BA                                                                | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28P/1007741 | SP.9/C8      | Pin, split, 1/8" dia. x 1" long                                                 | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28P/1011031 | SP.9/C10     | Pin, split, 1/8" dia. x 1 1/4" long                                             | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28P/9429652 | SP.9/E10     | Pin, split, 3/32" dia. x 1 1/4" long                                            | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28P/867     | SP/4Y/D9     | Pin, shackle                                                                    | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28S/9419435 | A31/B12      | Screw, 4 BA, cheese head, 7/16" long                                            | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28S/1200080 | A32/B8       | Screw, 4 BA, round head, 1/4" long                                              | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28S/9992522 | A32/B16      | Screw, 4 BA, round head, 1/2" long                                              | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28S/1011489 | A32/C28      | Screw, 2 BA, round head, 7/8" long                                              | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28S/2892    | A32/C40      | Screw, 2 BA, round head, 1 1/4" long                                            | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28S/1200055 | A33/A6       | Screw, 6 BA, c'sk. head, 3/8" long                                              | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28S/9435715 | A33/B16      | Screw, 4 BA, c'sk. head, 1/2" long                                              | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28S/9435717 | A33/C20      | Screw, 2 BA, c'sk. head, 5/8" long                                              | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28S/9135205 | A33/C28      | Screw, 2 BA, c'sk. head, 7/8" long                                              | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28S/14703   | A43/Z10      | Screw, 8 BA, cheese head, 1 5/8" long                                           | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28S/1013103 | A44/Z8       | Screw, 8 BA, round head, 1/4" long                                              | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28W/9419465 | SP.13/B      | Washer, 4 BA, plain                                                             | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28W/9419474 | SP.15/B      | Washer, 4 BA, plain                                                             | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28W/9419479 | SP.15/N      | Washer, 1/2" BSF, plain                                                         | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |
| 28W/9416642 | SP.47/B      | Washer, 4 BA, spring                                                            | ... | ... | ... | ... | ... | ...        | ...         | C                |              |  |  |

Restricted

| Ref. No. | Part No. |   |   |   |   |   |   | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|----------|----------|---|---|---|---|---|---|---------|-------------|---------------|-----------|
|          |          | 1 | 2 | 3 | 4 | 5 | 6 |         |             | M.R.<br>L.M.  |           |
|          |          |   |   |   |   |   |   |         |             |               |           |

# CONTROLS

## ENGINE CONTROLS IN WING, PORT

| Ref. No.    | Part No.     | Description                                                                             | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|-------------|--------------|-----------------------------------------------------------------------------------------|---------|-------------|---------------|-----------|
|             |              |                                                                                         |         |             | M.R. L.M.     |           |
|             |              | 1 2 3 4 5 6                                                                             |         |             |               |           |
|             | E.A9.47.77   | CONTROLS, ENGINE IN WING, PORT, ASSEMBLY                                                | —       | —           | —             |           |
|             |              | Spares for:—                                                                            |         |             |               |           |
| 12162       | E.A9.47.173  | BOLT, special connecting rod, fork-end ... ..                                           | 4       | S.11        | C             |           |
|             |              | (Made from EEAS.12)                                                                     |         |             |               |           |
| 220         | EEAS.12/1    | BOLT, special, rod-end ... ..                                                           | 8       | —           | C             |           |
| 12163       | E.A9.47.85   | CONTROL, TUBE, FROM FUSELAGE TO CONTROL LEVER ASSEMBLY AT RIB 2 (PRE-MOD. 2621)         | 2       | —           | B             |           |
| 32389       | E.A9.47.207  | CONTROL, TUBE, FROM FUSELAGE TO CONTROL LEVER ASSEMBLY AT RIB 2 (MOD. 2621)             | 2       | —           | C             |           |
|             |              | Spares for:—                                                                            |         |             |               |           |
| 34096       | E.A3.47.53   | FORK-END, adjustable ... ..                                                             | 1       | —           | C             |           |
| 12164       | E.A9.47.87   | CONTROL, TUBE, FROM CONTROL LEVER ASSEMBLY AT RIB 2 TO INTERMEDIATE CONTROL LEVER       | 2       | —           | C             |           |
|             |              | Spares for:—                                                                            |         |             |               |           |
| 28N/13510   | HOFFMANN CJO | BEARING, spherical ... ..                                                               | 1       | —           | C             |           |
|             | E.A9.47.141  | FITTING-END, bearing ... ..                                                             | 1       | —           | —             |           |
|             | E.A3.47.49   | FORK-END, adjustable ... ..                                                             | 1       | —           | —             |           |
|             | E.A9.47.181  | PLUG-END, fork-end ... ..                                                               | 1       | —           | —             |           |
| 12165       | E.A9.47.89   | CONTROL, tube, throttle intermediate control lever to engine control                    | 1       | —           | C             |           |
| 12166       | E.A9.47.91   | CONTROL, tube shut-off cock intermediate control lever to engine control relay assembly | 1       | —           | C             |           |
| 22746       | E.A9.47.81   | LEVERS, CONTROL, IN LEADING EDGE AT RIB 2, GROUP                                        | 1       | —           | A             |           |
|             |              | Consisting of:—                                                                         |         |             |               |           |
| 22754       | E.A9.47.103  | BOLT, control levers pivot ... ..                                                       | 1       | DTD.683     | C             |           |
| 22749       | E.A9.47.97   | BRACKET, mounting ... ..                                                                | 1       | DTD.300     | C             |           |
| 22756       | E.A9.47.107  | BUSH, tapped ... ..                                                                     | 1       | S.1         | C             |           |
| 22750       | E.A9.47.99   | LEVER, THROTTLE, ASSEMBLY ... ..                                                        | 1       | —           | B             |           |
|             |              | Spares for:—                                                                            |         |             |               |           |
| 2A/9501178  | SKEFKO EE.5  | BEARING ... ..                                                                          | 2       | —           | C             |           |
|             | HOFFMANN     |                                                                                         |         |             |               |           |
| 28N/13510   | C.J.O.       | BEARING, spherical ... ..                                                               | 2       | —           | C             |           |
| 28N/2001691 | AGS.2030/23  | CIRCLIP, internal ... ..                                                                | 1       | —           | C             |           |
|             | E.A9.47.121  | PIECE, distance ... ..                                                                  | 1       | DTD.683     | C             |           |
| 28N/9156370 | SP.21        | NIPPLE, lubricating ... ..                                                              | 1       | —           | C             |           |
| 28W/14183   | AS.1903/E12  | WASHER, saddle ... ..                                                                   | 1       | —           | C             |           |
| 22752       | E.A9.47.101  | LEVER, SHUT-OFF COCK, ASSEMBLY ... ..                                                   | 1       | —           | B             |           |
|             |              | Spares for this assembly are identical with those for assembly Part No. E.A9.47.99      |         |             |               |           |
| 28R/16133   | AGS.575/A    | PIN, locking ... ..                                                                     | 1       | DTD.683     | C             |           |
| 22755       | E.A9.47.105  | WASHER, clamping ... ..                                                                 | 2       | DTD.683     | C             |           |
| 22757       | E.A9.47.109  | WASHER, distance, between levers ... ..                                                 | 1       | DTD.683     | C             |           |
| 30A/        | †            | WIRE, locking ... ..                                                                    | QR      | —           | —             |           |
| 22748       | E.A9.47.83   | LEVER, control, intermediate ... ..                                                     | 1       | —           | C             |           |
| 1122        | EEAS.63      | NUT, special, 2 BA, thin, slotted ... ..                                                | 12      | S.11        | C             |           |
| 5621        | E.A6.47.139  | RELAY, engine control assembly ... ..                                                   | 1       | —           | C             |           |
| 22765       | E.A9.47.169  | WASHER, packing, lever mounting at rib 2 ...                                            | 4       | L.72        | C             |           |



Restricted

[illegible]

Restricted

**Pages 121 to 130 not issued**



# CONTROLS

## ENGINE CONTROLS IN WING, STARBOARD

| Ref. No.  | Part No.        | Description                                                                                    |   |   |   |   |   | No. off | Matl. Spec. | Cl. of Equip.<br>M.R.<br>L.M. | Plate No. |
|-----------|-----------------|------------------------------------------------------------------------------------------------|---|---|---|---|---|---------|-------------|-------------------------------|-----------|
|           |                 | 1                                                                                              | 2 | 3 | 4 | 5 | 6 |         |             |                               |           |
|           | E.A9.47.79      | CONTROLS, ENGINE, IN WING, STARBOARD, ASSEMBLY                                                 |   |   |   |   |   | —       | —           | —                             |           |
|           |                 | Spares for:—                                                                                   |   |   |   |   |   |         |             |                               |           |
| 12162     | E.A9.47.173     | BOLT, special, connecting rod fork-end ... ..                                                  |   |   |   |   |   | 4       | S.11        | C                             |           |
|           |                 | (Made form EEAS.12)                                                                            |   |   |   |   |   |         |             |                               |           |
| 220       | EEAS.12/1       | BOLT, special, rod-end ... ..                                                                  |   |   |   |   |   | 8       | —           | C                             |           |
| 12163     | E.A9.47.85      | CONTROL, TUBE, FROM FUSELAGE TO CONTROL LEVER ASSEMBLY AT RIB 2 (PRE-MOD. 2621)                |   |   |   |   |   | 2       | —           | B                             |           |
| 32389     | E.A9.47.207     | CONTROL, TUBE, FROM FUSELAGE TO CONTROL LEVER ASSEMBLY AT RIB 2 (MOD. 2621)                    |   |   |   |   |   | 2       | —           | C                             |           |
|           |                 | Spares for:—                                                                                   |   |   |   |   |   |         |             |                               |           |
| 34096     | E.A3.47.53      | FORK-END, adjustable ... ..                                                                    |   |   |   |   |   | 1       | —           | C                             |           |
| 12164     | E.A9.47.87      | CONTROL, TUBE, FROM CONTROL LEVER ASSEMBLY AT RIB 2 TO INTERMEDIATE CONTROL LEVER              |   |   |   |   |   | 2       | —           | C                             |           |
|           |                 | Spares for:—                                                                                   |   |   |   |   |   |         |             |                               |           |
| 28N/13510 | HOFFMANN C.J.O. | BEARING, spherical ... ..                                                                      |   |   |   |   |   | 1       | —           | C                             |           |
|           | E.A9.47.141     | FITTING-END, bearing ... ..                                                                    |   |   |   |   |   | 1       | —           | —                             |           |
|           | E.A3.47.49      | FORK-END, adjustable ... ..                                                                    |   |   |   |   |   | 1       | —           | —                             |           |
|           | E.A9.47.181     | PLUG-END, fork-end ... ..                                                                      |   |   |   |   |   | 1       | —           | —                             |           |
| 12168     | E.A9.47.93      | CONTROL, tube, shut-off cock, intermediate control lever to engine control relay assembly      |   |   |   |   |   | 1       | —           | C                             |           |
| 12169     | E.A9.47.95      | CONTROL, tube, shut-off cock, intermediate control lever to engine control relay assembly      |   |   |   |   |   | 1       | —           | C                             |           |
| 22747     | E.A9.47.82      | LEVER, CONTROL, IN LEADING EDGE AT RIB 2, GROUP                                                |   |   |   |   |   | 1       | —           | A                             |           |
|           |                 | Consisting of:—                                                                                |   |   |   |   |   |         |             |                               |           |
| 22754     | E.A9.47.103     | BOLT, control lever's pivot ... ..                                                             |   |   |   |   |   | 1       | DTD.683     | C                             |           |
| 38050     | E.A9.47.98      | BRACKET, mounting ... ..                                                                       |   |   |   |   |   | 1       | DTD.300     | C                             |           |
| 22756     | E.A9.47.107     | BUSH, tapped ... ..                                                                            |   |   |   |   |   | 1       | S.1         | C                             |           |
| 22751     | E.A9.47.100     | LEVER, THROTTLE, ASSEMBLY ... ..                                                               |   |   |   |   |   | 1       | —           | B                             |           |
|           |                 | Spares for this assembly are identical with those for assembly Part No. E.A9.47.99 on page 119 |   |   |   |   |   |         |             |                               |           |
| 22753     | E.A9.47.102     | LEVER, SHUT-OFF COCK, ASSEMBLY ... ..                                                          |   |   |   |   |   | 1       | —           | B                             |           |
|           |                 | Spares for this assembly are identical with those for assembly Part No. E.A9.47.99 on page 119 |   |   |   |   |   |         |             |                               |           |
| 28R/16133 | AGS.575/A       | PIN, locking ... ..                                                                            |   |   |   |   |   | 1       | —           | C                             |           |
| 22755     | E.A9.47.105     | WASHER, clamping ... ..                                                                        |   |   |   |   |   | 2       | DTD.683     | C                             |           |
| 22757     | E.A9.47.109     | WASHER, distance, between levers ... ..                                                        |   |   |   |   |   | 1       | DTD.683     | C                             |           |
| 30A/      | †               | WIRE, locking ... ..                                                                           |   |   |   |   |   | QR      | —           | —                             |           |
| 22748     | E.A9.47.83      | LEVER, control, intermediate ... ..                                                            |   |   |   |   |   | 1       | —           | C                             |           |
| 1122      | EEAS.63         | NUT, special, 2 BA, thin, slotted ... ..                                                       |   |   |   |   |   | 12      | S.11        | C                             |           |
| 659       | E.A1.47.18      | RELAY, engine control assembly ... ..                                                          |   |   |   |   |   | 1       | —           | C                             |           |
| 22765     | E.A9.47.169     | WASHER, packing, lever mounting at rib 2 ... ..                                                |   |   |   |   |   | 4       | L.72        | C                             |           |

Restricted

| Ref. No. | Part No. |   |   |   |   |   |   | Description | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|----------|----------|---|---|---|---|---|---|-------------|---------|-------------|---------------|-----------|
|          |          | 1 | 2 | 3 | 4 | 5 | 6 |             |         |             | M.R.<br>L.M.  |           |
|          |          |   |   |   |   |   |   |             |         |             |               |           |

Restricted

**Pages 133 to 142 not issued**





CANBERRA B(1) Mk. 8

Page 143

# **CONTROLS** **ENGINE CONTROLS IN WING, PORT AND STARBOARD**

| Ref. No.    | Part No.     | Description                                                                          |        |     |     |     |     | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|-------------|--------------|--------------------------------------------------------------------------------------|--------|-----|-----|-----|-----|---------|-------------|---------------|-----------|
|             |              | 1                                                                                    | 2      | 3   | 4   | 5   | 6   |         |             | M.R. L.M.     |           |
|             |              | SUMMARY OF STOCK ITEMS USED ON ENGINE CONTROLS IN WING, PORT AND STARBOARD, ASSEMBLY |        |     |     |     |     |         |             |               |           |
| 28D/1008149 | A25/2B       | Bolt,                                                                                | 4      | BA  | ... | ... | ... | ...     | ...         | ...           | C         |
| 28D/7002428 | A25/6C       | Bolt,                                                                                | 2      | BA  | ... | ... | ... | ...     | ...         | ...           | C         |
| 28D/1011238 | A25/3E       | Bolt,                                                                                | 1/4"   | BSF | ... | ... | ... | ...     | ...         | ...           | C         |
| 28D/1008151 | A25/4E       | Bolt,                                                                                | 1/4"   | BSF | ... | ... | ... | ...     | ...         | ...           | C         |
| 28M/9403520 | A27/CP       | Nut,                                                                                 | 2      | BA  | ... | ... | ... | ...     | ...         | ...           | C         |
| 28M/1011467 | A27/ES       | Nut,                                                                                 | 1/4"   | BSF | ... | ... | ... | ...     | ...         | ...           | C         |
| 28M/10280   | AGS.2001/B/3 | Nut,                                                                                 | stiff, | 4   | BA  | ... | ... | ...     | ...         | ...           | C         |
| 28P/9527619 | SP.90/C7     | Pin,                                                                                 | split  | ... | ... | ... | ... | ...     | ...         | ...           | C         |
| 28P/19196   | SP.90/G14    | Pin,                                                                                 | split  | ... | ... | ... | ... | ...     | ...         | ...           | C         |
| 28W/9419474 | SP.15/B      | Washer                                                                               | ...    | ... | ... | ... | ... | ...     | ...         | ...           | C         |
| 28W/9419475 | SP.15/C      | Washer                                                                               | ...    | ... | ... | ... | ... | ...     | ...         | ...           | C         |
| 28W/9419405 | SP.15/E      | Washer                                                                               | ...    | ... | ... | ... | ... | ...     | ...         | ...           | C         |

Restricted

[illegible]

Restricted

# CONTROLS

## ENGINE CONTROLS IN CENTRE FUSELAGE

| Ref. No.    | Part No.        | Description                                                                         | No. off | Matl. Spec. | Cl. of Equip.<br>M.R.<br>L.M. | Plate No. |
|-------------|-----------------|-------------------------------------------------------------------------------------|---------|-------------|-------------------------------|-----------|
|             |                 | 1 2 3 4 5 6                                                                         |         |             |                               |           |
|             | E.A9.47.127     | <b>CONTROLS, ENGINE, IN CENTRE FUSELAGE, ASSEMBLY</b>                               | —       | —           | —                             |           |
|             |                 | Spares for:—                                                                        |         |             |                               |           |
| 220         | EEAS.12/1       | <b>Bolt</b> , special, connecting control tube and lever ...                        | 24      | S.11        | C                             |           |
|             | E.A1.47.203     | <b>CONTROLS, ENGINE, AT FRAME 13, GROUP</b> ...                                     | —       | —           | —                             |           |
|             |                 | Spares for:—                                                                        |         |             |                               |           |
| 3088        | EEAS.13/5       | <b>Bolt</b> , special, pivot for throttle and cut-out valve control operating lever | 1       | S.96        | C                             |           |
| 2042        | E.A3.47.73      | <b>Bolt</b> , special, pivot for throttle and cut-out valve control operating lever | 1       | S.11        | C                             |           |
| 7748        | E.A1.47.177     | <b>Bracket</b> , fairlead attachment, L.H. ...                                      | 1       | —           | C                             |           |
| 7749        | E.A1.47.179     | <b>Bracket</b> , fairlead attachment, R.H. ...                                      | 1       | —           | C                             |           |
| 7755        | E.A3.47.61      | <b>Bracket</b> , lever attachment, L.H. ...                                         | 1       | —           | C                             |           |
| 7754        | E.A3.47.63      | <b>Bracket</b> , lever attachment, L.H. ...                                         | 1       | —           | C                             |           |
| 7756        | E.A3.47.57      | <b>Bracket</b> , lever attachment, R.H. ...                                         | 1       | —           | C                             |           |
| 7757        | E.A3.47.59      | <b>Bracket</b> , lever attachment, R.H. ...                                         | 1       | —           | C                             |           |
| 3208        | E.A1.47.307     | <b>Fairlead</b> , half, engine throttle and cut-out valve transverse control tubes  | 2       | LFS.21      | C                             |           |
| 3209        | E.A1.47.309     | <b>Fairlead</b> , half, engine throttle and cut-out valve transverse control tubes  | 4       | LFS.21      | C                             |           |
| 2040        | E.A3.47.65      | <b>Lever</b> , throttle control, L.H. ...                                           | 1       | —           | B                             |           |
| 2041        | E.A3.47.66      | <b>Lever</b> , throttle control, R.H. ...                                           | 1       | —           | B                             |           |
| 2038        | E.A3.47.67      | <b>Lever</b> , cut-out valve control, L.H. ...                                      | 1       | —           | B                             |           |
| 2039        | E.A3.47.68      | <b>Lever</b> , cut-out valve control, R.H. ...                                      | 1       | —           | B                             |           |
|             | E.A9.47.129     | <b>CONTROLS, ENGINE, AT FRAME 16, L.H. GROUP</b>                                    | 1       | —           | —                             |           |
|             |                 | Spares for:—                                                                        |         |             |                               |           |
| 2A/9500412  | HOFFMANN CS.3   | <b>Bearing</b> , ball-race ...                                                      | 2       | —           | B                             |           |
| 7743        | E.A1.47.105     | <b>Bracket</b> , top ...                                                            | 1       | L.72        | C                             |           |
| 7745        | E.A1.47.107     | <b>Bracket</b> , bottom ...                                                         | 1       | —           | C                             |           |
| 7747        | E.A1.47.123     | <b>Housing</b> , ball-race ...                                                      | 2       | —           | C                             |           |
| 22760       | E.A9.47.131     | <b>LEVER, SUB-ASSEMBLY</b> ...                                                      | 1       | —           | B                             |           |
|             |                 | Spares for:—                                                                        |         |             |                               |           |
| 28N/13510   | HOFFMANN C.J.O. | <b>Bearing</b> , spherical ...                                                      | 2       | —           | C                             |           |
| 25772       | E.A3.47.151     | <b>Eye-end</b> , assembly ...                                                       | 2       | —           | C                             |           |
| 28M/1007404 | A27/JT          | <b>Nut</b> , $\frac{3}{8}$ " BSF ...                                                | 2       | —           | C                             |           |
|             | E.A9.47.130     | <b>CONTROLS, ENGINE, AT FRAME 16, R.H. GROUP</b>                                    | —       | —           | —                             |           |
|             |                 | Spares for:—                                                                        |         |             |                               |           |
| 2A/9500412  | HOFFMANN CS.3   | <b>Bearing</b> , ball-race ...                                                      | 2       | —           | B                             |           |
| 7744        | E.A1.47.106     | <b>Bracket</b> , top ...                                                            | 1       | L.72        | C                             |           |
| 7746        | E.A1.47.108     | <b>Bracket</b> , bottom ...                                                         | 1       | —           | C                             |           |
| 7747        | E.A1.47.123     | <b>Housing</b> , ball-race ...                                                      | 2       | —           | C                             |           |
| 22761       | E.A9.47.132     | <b>LEVER, SUB-ASSEMBLY</b> ...                                                      | 1       | —           | B                             |           |
|             |                 | Spares for:—                                                                        |         |             |                               |           |
| 28N/13510   | HOFFMANN C.J.O. | <b>Bearing</b> , spherical ...                                                      | 2       | —           | C                             |           |
| 25772       | E.A3.47.151     | <b>Eye-End</b> , assembly ...                                                       | 2       | —           | C                             |           |
| 23M/1007404 | A27/JT          | <b>Nut</b> , $\frac{3}{8}$ " BSF ...                                                | 2       | —           | C                             |           |
| 3210        | E.A1.47.305     | <b>Fairlead</b> , half, engine throttle and cut-out valve control tubes             | 16      | LFS.21      | C                             |           |
| 1122        | EEAS.63         | <b>Nut</b> , special, for control tube and lever connecting bolt                    | 24      | S.11        | C                             |           |
| 7738        | E.A1.47.535     | <b>Packing</b> , fairlead ...                                                       | 4       | —           | C                             |           |
| 7739        | E.A1.47.537     | <b>Packing</b> , fairlead ...                                                       | 2       | —           | C                             |           |
| 7740        | E.A1.47.539     | <b>Packing</b> , fairlead ...                                                       | 2       | —           | C                             |           |
| 226         | E.A1.47.223     | <b>TUBE, CONTROL, SHUT-OFF COCK AND THROTTLE (PRE-MOD. 2621)</b>                    | 2       | —           | C                             |           |

# **CONTROLS** **ENGINE CONTROLS IN CENTRE FUSELAGE**

| Ref. No. | Part No.    | Description |                                           |                                   |          |      |     | No. off | Matl. Spec. | Cl. of Equip.<br>M.R.<br>L.M. | Plate No. |
|----------|-------------|-------------|-------------------------------------------|-----------------------------------|----------|------|-----|---------|-------------|-------------------------------|-----------|
|          |             | 1           | 2                                         | 3                                 | 4        | 5    | 6   |         |             |                               |           |
| 32390    | E.A9.47.209 | -           | TUBE,                                     | CONTROL,                          | SHUT-OFF | COCK | AND | 2       | —           | C                             |           |
|          |             |             |                                           | THROTTLE (MOD. 2621)              |          |      |     |         |             |                               |           |
|          |             |             |                                           | Spares for:—                      |          |      |     |         |             |                               |           |
| 32079    | EEAS.234    |             | End, plug                                 | ...                               | ...      | ...  | ... | 1       | —           | C                             |           |
|          | E.A1.47.219 |             | Eye-End                                   | ...                               | ...      | ...  | ... | 1       | —           | —                             |           |
| 34096    | E.A3.47.53  |             | Fork-End                                  | ...                               | ...      | ...  | ... | 1       | —           | C                             |           |
| 227      | E.A1.47.225 | -           | TUBE, CONTROL, INTERMEDIATE, AFT OF FRAME |                                   |          |      |     | 2       | —           | C                             |           |
|          |             |             |                                           | 13                                |          |      |     |         |             |                               |           |
|          |             |             |                                           | Spares for:—                      |          |      |     |         |             |                               |           |
|          | E.A1.47.219 |             | Eye-End                                   | ...                               | ...      | ...  | ... | 1       | —           | —                             |           |
| 1118     | EEAS.53     |             | Eye-End, assembly                         | ...                               | ...      | ...  | ... | 1       | —           | C                             |           |
| 228      | E.A1.47.227 | -           | TUBE, CONTROL, THROTTLE AND SHUT-OFF      |                                   |          |      |     | 4       | —           | C                             |           |
|          |             |             |                                           | COCK                              |          |      |     |         |             |                               |           |
|          |             |             |                                           | Spares for:—                      |          |      |     |         |             |                               |           |
| 1118     | EEAS.53     |             | Eye-End, assembly                         | ...                               | ...      | ...  | ... | 1       | —           | C                             |           |
| 1116     | EEAS.51     |             | Fork-End                                  | ...                               | ...      | ...  | ... | 1       | —           | C                             |           |
| 229      | E.A1.47.229 | -           | TUBE, CONTROL, CONNECTION TO OPERATING    |                                   |          |      |     | 4       | —           | C                             |           |
|          |             |             |                                           | LEVER AT FRAME 16 (PRE-MOD. 2621) |          |      |     |         |             |                               |           |
| 32391    | E.A4.47.535 | -           | TUBE, CONTROL, CONNECTION TO OPERATING    |                                   |          |      |     | 4       | —           | C                             |           |
|          |             |             |                                           | LEVER AT FRAME 16 (MOD. 2621)     |          |      |     |         |             |                               |           |
|          |             |             |                                           | Spares for:—                      |          |      |     |         |             |                               |           |
| 32079    | EEAS.234    |             | End, plug                                 | ...                               | ...      | ...  | ... | 1       | —           | C                             |           |
| 1115     | EEAS.50     |             | Fork-End, adjustable                      | ...                               | ...      | ...  | ... | 1       | —           | C                             |           |
| 1116     | EEAS.51     |             | Fork-End, fixed                           | ...                               | ...      | ...  | ... | 1       | —           | C                             |           |
| 230      | E.A1.47.231 | -           | TUBE, CONTROL, TRANSVERSE LEVER CONNECT-  |                                   |          |      |     | 4       | —           | C                             |           |
|          |             |             |                                           | ING (PRE-MOD. 2621)               |          |      |     |         |             |                               |           |
| 32392    | E.A4.47.529 | -           | TUBE, CONTROL, TRANSVERSE LEVER CONNECT-  |                                   |          |      |     | 4       | —           | C                             |           |
|          |             |             |                                           | ING (MOD. 2621)                   |          |      |     |         |             |                               |           |
|          |             |             |                                           | Spares for:—                      |          |      |     |         |             |                               |           |
| 32079    | EEAS.234    |             | End, plug                                 | ...                               | ...      | ...  | ... | 1       | —           | C                             |           |
| 1118     | EEAS.53     |             | Eye-End                                   | ...                               | ...      | ...  | ... | 1       | —           | C                             |           |
| 1115     | EEAS.50     |             | Fork-End                                  | ...                               | ...      | ...  | ... | 1       | —           | C                             |           |
| 231      | E.A1.47.233 | -           | TUBE, CONTROL, TRANSVERSE CENTRE AT       |                                   |          |      |     | 2       | —           | C                             |           |
|          |             |             |                                           | FRAME 16                          |          |      |     |         |             |                               |           |
|          |             |             |                                           | Spares for:—                      |          |      |     |         |             |                               |           |
| 1116     | EEAS.51     |             | Fork-End                                  | ...                               | ...      | ...  | ... | 2       | —           | C                             |           |
| 232      | E.A1.47.249 | -           | TUBE, CONTROL, BETWEEN OPERATING LEVER    |                                   |          |      |     | 2       | —           | C                             |           |
|          |             |             |                                           | AND INTERMEDIATE CONTROL TUBE     |          |      |     |         |             |                               |           |
|          |             |             |                                           | (PRE-MOD. 2621)                   |          |      |     |         |             |                               |           |
| 32393    | E.A4.47.531 | -           | TUBE, CONTROL, BETWEEN OPERATING LEVER    |                                   |          |      |     | 2       | —           | C                             |           |
|          |             |             |                                           | AND INTERMEDIATE CONTROL          |          |      |     |         |             |                               |           |
|          |             |             |                                           | TUBE (MOD. 2621)                  |          |      |     |         |             |                               |           |
|          |             |             |                                           | Spares for:—                      |          |      |     |         |             |                               |           |
| 32079    | EEAS.234    |             | End, plug                                 | ...                               | ...      | ...  | ... | 1       | —           | C                             |           |
| 1118     | EEAS.53     |             | Eye-End                                   | ...                               | ...      | ...  | ... | 1       | —           | C                             |           |
| 34096    | E.A3.47.53  |             | Fork-End                                  | ...                               | ...      | ...  | ... | 1       | —           | C                             |           |

**Pages 147 to 156 not issued**





CANBERRA B.(I) MK.8

Page 157

# **CONTROLS** **ENGINE CONTROLS IN CENTRE FUSELAGE**

| Ref. No.  | Part No.     |                                                                                                |   |   |   |   | No.<br>off | Matl. Spec. | Cl. of St.   | Plate<br>No. |
|-----------|--------------|------------------------------------------------------------------------------------------------|---|---|---|---|------------|-------------|--------------|--------------|
|           |              | 1                                                                                              | 2 | 3 | 4 | 5 |            |             | M.R.<br>L.M. |              |
|           |              | <b>SUMMARY OF STOCK ITEMS USED<br/>ON ENGINE CONTROLS IN<br/>CENTRE FUSELAGE,<br/>ASSEMBLY</b> |   |   |   |   |            |             |              |              |
| 28D/12512 | A25/1C       | <b>Bolt</b> , 2 BA, hex. head, .55 long                                                        |   |   |   |   | ...        | ...         |              | C            |
| 28D/12515 | A25/10C      | <b>Bolt</b> , 2 BA, hex. head, 1.45 long                                                       |   |   |   |   | ...        | ...         |              | C            |
| 28D/12535 | A25/12C      | <b>Bolt</b> , 2 BA, hex. head, 1.65 long                                                       |   |   |   |   | ...        | ...         |              | C            |
| 28D/8317  | AS.1242/15C  | <b>Bolt</b> , 2 BA, hex. head, 1.9 long                                                        |   |   |   |   | ...        | ...         |              | C            |
| 28M/12929 | A27/CP       | <b>Nut</b> , 2 BA, plain                                                                       |   |   |   |   | ...        | ...         |              | C            |
| 28M/12930 | A27/ES       | <b>Nut</b> , 2 BA, slotted                                                                     |   |   |   |   | ...        | ...         |              | C            |
| 28M/10288 | AGS.2001/C/1 | <b>Nut</b> , stiff, 2 BA                                                                       |   |   |   |   | ...        | ...         |              | C            |
| 28P/12431 | SP9/C6       | <b>Pin</b> , split, $\frac{1}{16}$ " dia. x $\frac{3}{4}$ " long                               |   |   |   |   | ...        | ...         |              | C            |
| 28P/12462 | SP9/C8       | <b>Pin</b> , split, $\frac{1}{16}$ " dia. x 1" long                                            |   |   |   |   | ...        | ...         |              | C            |
| 28P/1283  | AGS.167/12   | <b>Pin</b> , taper                                                                             |   |   |   |   | ...        | ...         |              | C            |
| 28W/12296 | SP15/C       | <b>Washer</b> , 2 BA, plain                                                                    |   |   |   |   | ...        | ...         |              | C            |
| 28W/12297 | SP16/E       | <b>Washer</b> , $\frac{1}{4}$ " BSF, plain                                                     |   |   |   |   | ...        | ...         |              | C            |

## CONTROLS

### ENGINE CONTROLS IN CENTRE FUSELAGE

[illegible]

## CANBERRA B.(I) MK.8

Page 159

# CONTROLS, FLYING FLAP OPERATING MECHANISM, PORT

| Ref. No. | Part No.      |   |   |   |   |   | Description                                                                                   | No.<br>off | Matl. Spec.       | Cl. of St.   | Plate<br>No. |
|----------|---------------|---|---|---|---|---|-----------------------------------------------------------------------------------------------|------------|-------------------|--------------|--------------|
|          |               | 1 | 2 | 3 | 4 | 5 |                                                                                               |            |                   | M.R.<br>L.M. |              |
|          | E.A9.20.1187  |   |   |   |   |   | <b>FLAP OPERATING MECHANISM,<br/>PORT, ASSEMBLY</b><br>Spares for:—                           | —          | —                 | —            |              |
| 495      | E.A1.20.711   |   |   |   |   |   | <b>Bracket,</b> flap operating jack unit support ...                                          | 2          | L40               | C            |              |
| 496      | E.A1.20.885   |   |   |   |   |   | <b>Bracket,</b> mounting, flap operating jack unit support                                    | 4          | DTD.683           | C            |              |
| 6490     | E.A1.20.3129  |   |   |   |   |   | <b>Bracket,</b> Desynn transmitter flap indicator mounting, 20 SWG                            | 1          | DTD.610           | C            |              |
| 2036     | E.A3.20.1011  |   |   |   |   |   | <b>LINK, CONNECTING, FLAP TO<br/>OPERATING MECHANISM,<br/>GROUP</b><br>Spares for:—           | 4          | —                 | B            |              |
| 500      | E.A1.20.797   |   |   |   |   |   | <b>Plate,</b> locking, 20 SWG ... ..                                                          | 1          | DTD.610           | C            |              |
| 501      | E.A1.20.795   |   |   |   |   |   | <b>Screw,</b> adjusting ... ..                                                                | 1          | S11               | C            |              |
| 502      | E.A1.20.791   |   |   |   |   |   | <b>Washer,</b> special ... ..                                                                 | 2          | L40 or<br>DTD.390 | C            |              |
| 503      | E.A1.20.803   |   |   |   |   |   | <b>Pin,</b> special, operating lever connecting ...                                           | 4          | S11               | C            |              |
| 504      | E.A1.20.683   |   |   |   |   |   | <b>Plate,</b> removable cover, at rib 3A for assembly of flap jack unit, 18 SWG               | 1          | DTD.320           | C            |              |
| 3499     | E.A1.20.10777 |   |   |   |   |   | <b>Plate,</b> removable cover, at rib 3 for assembly of flap jack unit, 18 SWG (Pre Mod. 738) | 1          | DTD.610           | C            |              |
| 5849     | E.A3.20.2289  |   |   |   |   |   | <b>Plate,</b> removable cover, at rib 3A for assembly of flap jack unit, 18 SWG (Mod. 738)    | 1          | DTD.610           | C            |              |
| 3500     | E.A1.20.10778 |   |   |   |   |   | <b>Plate,</b> removable cover, at rib 3 for assembly of flap jack unit, 18 SWG                | 1          | DTD.610           | C            |              |
| 3497     | E.A1.20.10779 |   |   |   |   |   | <b>Plate,</b> removable cover, at ribs 3, 4 and 5 for assembly of flap jack unit, 18 SWG      | 2          | DTD.610           | C            |              |
| 3498     | E.A1.20.10780 |   |   |   |   |   | <b>Plate,</b> removable cover, at ribs 3, 4 and 5 for assembly of flap jack unit, 18 SWG      | 1          | DTD.610           | C            |              |

# **CONTROLS, FLYING FLAP OPERATING MECHANISM, PORT**

| Ref. No. | Part No.     |                                                                                                                |   |   |   |   | No.<br>off | Matl. Spec. | Cl. of St.   | Plate<br>No. |
|----------|--------------|----------------------------------------------------------------------------------------------------------------|---|---|---|---|------------|-------------|--------------|--------------|
|          |              | 1                                                                                                              | 2 | 3 | 4 | 5 |            |             | M.R.<br>L.M. |              |
| 9888     | E.A1.20.813  | <b>ROD, PUSH, OUTBOARD FLAP<br/>CONTROL, BETWEEN HINGE<br/>AND OPERATING JACK,<br/>GROUP</b>                   |   |   |   |   | 1          | —           | B            |              |
|          |              | Spares for:—                                                                                                   |   |   |   |   |            |             |              |              |
| 507      | E.A1.20.839  | <b>Bush</b> , bearing ... ..                                                                                   |   |   |   |   | 1          | DTD.197     | C            |              |
| 6920     | E.A1.20.827  | <b>End</b> , rod, single socket ... ..                                                                         |   |   |   |   | 1          | L40         | C            |              |
| 508      | E.A1.20.825  | <b>Fitting</b> , end, special ... ..                                                                           |   |   |   |   | 1          | L40         | C            |              |
| 1096     | EEAS.37/15A  | <b>Nipple</b> , 4 BA ... ..                                                                                    |   |   |   |   | 12         | S11         | C            |              |
| 509      | E.A1.20.805  | <b>Pin</b> , special ... ..                                                                                    |   |   |   |   | 1          | S11         | C            |              |
| 510      | E.A1.20.807  | <b>Plate</b> , locking ... ..                                                                                  |   |   |   |   | 1          | DTD.610     | C            |              |
|          | EEAS.38/2A   | <b>Spoke</b> , 4 BA (Make from Ref. 28R/6124) ...                                                              |   |   |   |   | 6          | S95         | —            |              |
| 549      | EEAS.5       | <b>Washer</b> , red fibre ... ..                                                                               |   |   |   |   | 1          | BSS.216     | C            |              |
| 9889     | E.A1.20.815  | <b>ROD, PUSH, OUTBOARD FLAP<br/>CONTROL, BETWEEN<br/>HINGE AND OPERATING<br/>JACK, GROUP (MOD. 2304)</b>       |   |   |   |   | 2          | —           | B            |              |
|          |              | Spares for this group are identical<br>with those for group Pt. No.<br>E.A1.20.813                             |   |   |   |   |            |             |              |              |
| 9891     | E.A1.20.819  | <b>ROD, PUSH, INBOARD FLAP<br/>CONTROL, BETWEEN<br/>HINGE AND OPERATING<br/>JACK CONNECTING ARM,<br/>GROUP</b> |   |   |   |   | 1          | —           | B            |              |
|          |              | Spares for this group are identical<br>with those for group Pt. No.<br>E.A1.20.813                             |   |   |   |   |            |             |              |              |
| 6491     | E.A1.20.3133 | <b>ROD, CONNECTING, FLAP<br/>INDICATOR MECHANISM,<br/>GROUP</b>                                                |   |   |   |   | 1          | —           | B            |              |
|          |              | Consisting of:—                                                                                                |   |   |   |   |            |             |              |              |
| 28N/5549 | AGS.899/2    | <b>Collar</b> ... ..                                                                                           |   |   |   |   | 2          | —           | C            |              |
|          | E.A1.20.881  | <b>Fitting</b> , fork end, R.H. ... ..                                                                         |   |   |   |   | 1          | L1          | —            |              |
|          | E.A1.20.883  | <b>Fitting</b> , fork end, L.H. ... ..                                                                         |   |   |   |   | 1          | L1          | —            |              |
| 28P/830  | SP4Y/B4      | <b>Pin</b> , special connecting ... ..                                                                         |   |   |   |   | 2          | —           | C            |              |
| 7094     | E.A1.20.3157 | <b>Rod</b> , screwed ... ..                                                                                    |   |   |   |   | 1          | DTD.683     | C            |              |

**Pages 161 to 170 not issued**





## CANBERRA B.(I) MK.8

Page 171

# CONTROLS, FLYING FLAP OPERATING MECHANISM, STARBOARD

| Ref. No. | Part No.      | Description                                                                                     |  |  |  |  | No. off | Matl. Spec.    | Cl. of St. | Plate No. |
|----------|---------------|-------------------------------------------------------------------------------------------------|--|--|--|--|---------|----------------|------------|-----------|
|          |               |                                                                                                 |  |  |  |  |         |                | M.R. L.M.  |           |
|          | E.A9.20.1188  | <b>FLAP OPERATING MECHANISM, STARBOARD, ASSEMBLY</b>                                            |  |  |  |  | —       | —              | —          |           |
|          |               | Spares for:—                                                                                    |  |  |  |  |         |                |            |           |
| 495      | E.A1.20.711   | <b>Bracket</b> , flap operating jack unit support ...                                           |  |  |  |  | 2       | —              | C          |           |
| 496      | E.A1.20.885   | <b>Bracket</b> , mounting, flap jack operating unit ...                                         |  |  |  |  | 2       | —              | C          |           |
| 511      | E.A1.20.887   | <b>Bracket</b> , mounting, flap jack operating unit, centre wing                                |  |  |  |  | 2       | DTD.683        | C          |           |
| 2036     | E.A3.20.1011  | <b>LINK, CONNECTING FLAP TO OPERATING MECHANISM, GROUP</b>                                      |  |  |  |  | 4       | —              | B          |           |
|          |               | Spares for:—                                                                                    |  |  |  |  |         |                |            |           |
| 500      | E.A1.20.797   | <b>Plate</b> , locking, 20 SWG ...                                                              |  |  |  |  | 1       | DTD.610        | C          |           |
| 501      | E.A1.20.795   | <b>Screw</b> , adjusting ...                                                                    |  |  |  |  | 1       | S11            | C          |           |
| 502      | E.A1.20.791   | <b>Washer</b> , special ...                                                                     |  |  |  |  | 2       | L40 or DTD.390 | C          |           |
| 503      | E.A1.20.803   | <b>Pin</b> , special, operating lever connecting ...                                            |  |  |  |  | 4       | S11            | C          |           |
| 504      | E.A1.20.683   | <b>Plate</b> , removable cover, at rib 3A for assembly of flap jack unit, 18 SWG (Pre Mod. 738) |  |  |  |  | 1       | DTD.390        | C          |           |
| 5849     | E.A3.20.2289  | <b>Plate</b> , removable cover, at rib 3A for assembly of flap jack unit, 18 SWG (Mod. 738)     |  |  |  |  | 1       | DTD.610        | C          |           |
| 3499     | E.A1.20.10777 | <b>Plate</b> , removable cover, at rib 3A for assembly of flap jack unit, 18 SWG                |  |  |  |  | 1       | DTD.610        | C          |           |
| 3500     | E.A1.20.10778 | <b>Plate</b> , removable cover, at rib 3A for assembly of flap jack unit, 18 SWG                |  |  |  |  | 1       | DTD.610        | C          |           |
| 3497     | E.A1.20.10779 | <b>Plate</b> , removable cover, at ribs 3, 4 and 5 for assembly of flap jack unit, 18 SWG       |  |  |  |  | 2       | DTD.610        | C          |           |
| 3498     | E.A1.20.10780 | <b>Plate</b> , removable cover, at ribs 3, 4 and 5 for assembly of flap jack unit, 18 SWG       |  |  |  |  | 1       | DTD.610        | C          |           |

# **CONTROLS, FLYING FLAP OPERATING MECHANISM, STARBOARD**

| Ref. No. | Part No.    |   |   |   |   |   | Description                                                                                                                                             | No.<br>off | Matl. Spec. | Cl. of St.   | Plate<br>No. |
|----------|-------------|---|---|---|---|---|---------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-------------|--------------|--------------|
|          |             | 1 | 2 | 3 | 4 | 5 |                                                                                                                                                         |            |             | M.R.<br>L.M. |              |
| 9890     | E.A1.20.817 |   |   |   |   |   | <b>ROD, PUSH, OUTBOARD FLAP<br/>CONTROL BETWEEN FLAP<br/>HINGE AND OPERATING<br/>JACK, GROUP (MOD. 2304)</b><br>Spares for:—                            | 1          | —           | B            |              |
| 507      | E.A1.20.839 |   |   |   |   |   | <b>Bush</b> , bearing ... ..                                                                                                                            | 1          | DTD.197     | C            |              |
| 6920     | E.A1.20.827 |   |   |   |   |   | <b>End</b> , rod, single socket ... ..                                                                                                                  | 1          | L40         | C            |              |
| 508      | E.A1.20.825 |   |   |   |   |   | <b>Fitting</b> , end, special ... ..                                                                                                                    | 1          | L40         | C            |              |
| 1096     | EEAS.37/15A |   |   |   |   |   | <b>Nipple</b> , 4 BA ... ..                                                                                                                             | 12         | S11         | C            |              |
| 509      | E.A1.20.805 |   |   |   |   |   | <b>Pin</b> , special ... ..                                                                                                                             | 1          | S11         | C            |              |
| 510      | E.A1.20.807 |   |   |   |   |   | <b>Plate</b> , locking ... ..                                                                                                                           | 1          | DTD.610     | C            |              |
|          | EEAS.38/2A  |   |   |   |   |   | <b>Spoke</b> , 4 BA (Make from Ref. 28R/6124) ...                                                                                                       | 6          | S95         | —            |              |
| 549      | EEAS.5      |   |   |   |   |   | <b>Washer</b> , red fibre ... ..                                                                                                                        | 1          | BSS.216     | C            |              |
| 9892     | E.A1.20.869 |   |   |   |   |   | <b>ROD, PUSH, INBOARD FLAP<br/>CONTROL BETWEEN HINGE<br/>AND OPERATING JACK<br/>CONNECTING ARM,<br/>GROUP</b><br>Spares for:—                           | 1          | —           | B            |              |
| 507      | E.A1.20.839 |   |   |   |   |   | <b>Bush</b> , rod end ... ..                                                                                                                            | 1          | DTD.197     | C            |              |
| 6920     | E.A1.20.827 |   |   |   |   |   | <b>End</b> , rod, single socket ... ..                                                                                                                  | 1          | L40         | C            |              |
| 508      | E.A1.20.825 |   |   |   |   |   | <b>Fitting</b> , special, fork end ... ..                                                                                                               | 1          | L40         | C            |              |
| 1096     | EEAS.37/15A |   |   |   |   |   | <b>Nipple</b> , 4 BA, $\frac{5}{16}$ " dia. ... ..                                                                                                      | 12         | S11         | C            |              |
| 509      | E.A1.20.805 |   |   |   |   |   | <b>Pin</b> , special, pivot ... ..                                                                                                                      | 1          | S11         | C            |              |
| 510      | E.A1.20.807 |   |   |   |   |   | <b>Plate</b> , locking ... ..                                                                                                                           | 1          | DTD.610     | C            |              |
|          | EEAS.38/2A  |   |   |   |   |   | <b>Spoke</b> , 4 BA (Make from Ref. 28R/6124) ...                                                                                                       | 6          | S95         | —            |              |
| 549      | EEAS.5      |   |   |   |   |   | <b>Washer</b> , red fibre ... ..                                                                                                                        | 1          | BSS.216     | C            |              |
| 9893     | E.A1.20.889 |   |   |   |   |   | <b>ROD, PUSH, INBOARD FLAP CENTRE<br/>WING, GROUP (MOD. 2304)</b><br>Spares for this group are identical<br>with those for group Pt. No.<br>E.A1.20.817 | 1          | —           | B            |              |
| 9894     | E.A1.20.891 |   |   |   |   |   | <b>ROD, PUSH, FLAP, OUTER WING,<br/>GROUP</b><br>Spares for this group are identical<br>with those for group Pt. No.<br>E.A1.20.869                     | 1          | —           | B            |              |



180  
Pages 173 to ~~182~~ not issued



CANBERRA B.(I) MK.8

Page 181

# CONTROLS, FLYING FLAP OPERATING MECHANISM, PORT AND STARBOARD

| Ref. No.  | Part No.     |                                                                                                          |   |   |   |   | Description                                                     | No.<br>off | Matl. Spec. | Cl. of St.<br>M.R.<br>L.M. | Plate<br>No. |
|-----------|--------------|----------------------------------------------------------------------------------------------------------|---|---|---|---|-----------------------------------------------------------------|------------|-------------|----------------------------|--------------|
|           |              | 1                                                                                                        | 2 | 3 | 4 | 5 |                                                                 |            |             |                            |              |
|           |              | <b>SUMMARY OF STOCK ITEMS USED<br/>ON FLAP OPERATING<br/>MECHANISM, PORT AND<br/>STARBOARD, ASSEMBLY</b> |   |   |   |   |                                                                 |            |             |                            |              |
| 28D/12528 | A25/1B       |                                                                                                          |   |   |   |   | <b>Bolt</b> , 4 BA, hex. head, .5 long ... ..                   |            |             | C                          |              |
| 28D/12565 | A25/8B       |                                                                                                          |   |   |   |   | <b>Bolt</b> , 4 BA, hex. head, 1.2 long ... ..                  |            |             | C                          |              |
| 28D/12817 | A25/8G       |                                                                                                          |   |   |   |   | <b>Bolt</b> , $\frac{5}{16}$ " BSF, hex. head, 1.35 long ... .. |            |             | C                          |              |
| 28D/13047 | A25/10G      |                                                                                                          |   |   |   |   | <b>Bolt</b> , $\frac{5}{16}$ " BSF, hex. head, 1.55 long ... .. |            |             | C                          |              |
| 28D/12718 | A25/12J      |                                                                                                          |   |   |   |   | <b>Bolt</b> , $\frac{3}{8}$ " BSF, hex. head, 1.85 long ... ..  |            |             | C                          |              |
| 28D/12521 | A25/13J      |                                                                                                          |   |   |   |   | <b>Bolt</b> , $\frac{3}{8}$ " BSF, hex. head, 1.95 long ... ..  |            |             | C                          |              |
| 28D/12522 | A25/14J      |                                                                                                          |   |   |   |   | <b>Bolt</b> , $\frac{3}{8}$ " BSF, hex. head, 2.05 long ... ..  |            |             | C                          |              |
| 28D/12837 | A28/1C       |                                                                                                          |   |   |   |   | <b>Bolt</b> , 2 BA, hex. head, .55 long ... ..                  |            |             | C                          |              |
| 28D/13283 | A28/2C       |                                                                                                          |   |   |   |   | <b>Bolt</b> , 2 BA, hex. head, .65 long ... ..                  |            |             | C                          |              |
| 28L/13124 | A27/CT       |                                                                                                          |   |   |   |   | <b>Nut</b> , 2 BA, thin ... ..                                  |            |             | C                          |              |
| 28L/13253 | A27/CTL      |                                                                                                          |   |   |   |   | <b>Nut</b> , 2 BA, thin, L.H. thread ... ..                     |            |             | C                          |              |
| 28M/13123 | A27/JS       |                                                                                                          |   |   |   |   | <b>Nut</b> , $\frac{3}{8}$ " BSF, slotted ... ..                |            |             | C                          |              |
| 28M/10287 | AGS.2001/B/1 |                                                                                                          |   |   |   |   | <b>Nut</b> , stiff, 4 BA ... ..                                 |            |             | C                          |              |
| 28M/10281 | AGS.2001/C/3 |                                                                                                          |   |   |   |   | <b>Nut</b> , stiff, 2 BA ... ..                                 |            |             | C                          |              |
| 28N/9796  | SP21         |                                                                                                          |   |   |   |   | <b>Nipple</b> , lubricating ... ..                              |            |             | C                          |              |
| 28P/12462 | SF9/C8       |                                                                                                          |   |   |   |   | <b>Pin</b> , split, $\frac{1}{16}$ " dia. x 1" long ... ..      |            |             | C                          |              |
| 28P/12647 | SP9/G8       |                                                                                                          |   |   |   |   | <b>Pin</b> , split, $\frac{1}{8}$ " dia. x 1" long ... ..       |            |             | C                          |              |
| 28S/3420  | A33/B8       |                                                                                                          |   |   |   |   | <b>Screw</b> , 4 BA, c'sk head, $\frac{1}{4}$ " long ... ..     |            |             | C                          |              |
| 28W/12306 | SP15/B       |                                                                                                          |   |   |   |   | <b>Washer</b> , 4 BA, plain ... ..                              |            |             | C                          |              |
| 28W/12296 | SP15/C       |                                                                                                          |   |   |   |   | <b>Washer</b> , 2 BA, plain ... ..                              |            |             | C                          |              |
| 28W/12321 | SP15/J       |                                                                                                          |   |   |   |   | <b>Washer</b> , $\frac{3}{8}$ " BSF, plain ... ..               |            |             | C                          |              |



CANBERRA B.(I) MK.8

Page 183

# **CONTROLS** **FLYING CONTROLS, ASSEMBLY, MISCELLANEOUS**

| Ref. No.          | Part No.          |                                                            |   |   |   |   | Description | No.<br>off | Matl. Spec. | Cl. of St.   | Plate<br>No. |
|-------------------|-------------------|------------------------------------------------------------|---|---|---|---|-------------|------------|-------------|--------------|--------------|
|                   |                   | 1                                                          | 2 | 3 | 4 | 5 |             |            |             | M.R.<br>L.M. |              |
|                   | E.A9.45.1         | <b>FLYING CONTROLS,<br/>ASSEMBLY</b>                       |   |   |   |   |             | —          | —           | —            |              |
|                   |                   | Consisting of :—                                           |   |   |   |   |             |            |             |              |              |
|                   | 67 EEAS.13/1      | <b>Bolt</b> , special ... ..                               |   |   |   |   |             | 7          | S11         | C            |              |
|                   | 68 EEAS.14        | <b>Bush</b> , special ... ..                               |   |   |   |   |             | 7          | S11         | C            |              |
|                   | 3569 EEAS.63/E    | <b>Nut</b> , special slotted ... ..                        |   |   |   |   |             | 7          | S96         | C            |              |
|                   | 3570 EEAS.127     | <b>Piece</b> , distance ... ..                             |   |   |   |   |             | 7          | S96         | C            |              |
| AL/9<br>28P/12462 | 9429528<br>SP9/C8 | <b>Pin</b> , split, $\frac{1}{16}$ " dia. x 1" long ... .. |   |   |   |   |             | 7          | —           | C            |              |



# CONTROLS

## FLYING CONTROLS IN COCKPIT

| Ref. No.     | Part No.           | Description                                                                 |   |   |   |   |   | No. Off | Matl. Spec. | Cl. of Equip.<br>M.R.<br>L.M. | Plate No. |
|--------------|--------------------|-----------------------------------------------------------------------------|---|---|---|---|---|---------|-------------|-------------------------------|-----------|
|              |                    | 1                                                                           | 2 | 3 | 4 | 5 | 6 |         |             |                               |           |
|              | E.A9.45.3          | <b>CONTROLS, FLYING, IN COCKPIT, ASSEMBLY</b>                               |   |   |   |   |   | —       | —           | —                             |           |
|              |                    | Spares for:—                                                                |   |   |   |   |   |         |             |                               |           |
| 67           | EEAS.13/1          | <b>BOLT</b> , special, control tube connecting ...                          |   |   |   |   |   | 15      | S.11        | C                             |           |
| 68           | EEAS.14            | <b>BUSH</b> , special, spacing, at control tube joints ...                  |   |   |   |   |   | 15      | S.11        | C                             |           |
| 12G/1454     | E.A3.45.501        | <b>CHARGE</b> , H.E. Emergency (Arm Mod. 47) ...                            |   |   |   |   |   | 1       | —           | C                             |           |
|              | E.A9.45.5          | <b>COLUMN, CONTROL, PILOT'S, ASSEMBLY</b> ...                               |   |   |   |   |   | —       | —           | —                             |           |
|              |                    | Spares for:—                                                                |   |   |   |   |   |         |             |                               |           |
|              | E.A9.45.9          | <b>COLUMN, CONTROL, GROUP</b> ...                                           |   |   |   |   |   | 1       | —           | —                             |           |
|              |                    | Spares for:—                                                                |   |   |   |   |   |         |             |                               |           |
| 2A/9500419   | HOFFMANN T.17      | <b>BEARING</b> , ballrace, aileron control ...                              |   |   |   |   |   | 1       | —           | C                             |           |
| 2A/9500422   | HOFFMANN T.25      | <b>BEARING</b> , ballrace, pilot's hand grip ...                            |   |   |   |   |   | 1       | —           | C                             |           |
| 40305        | E.B6.81.2047       | <b>BLOCK</b> , cable clamp ...                                              |   |   |   |   |   | 1       | —           | C/MR                          |           |
| 1021         | E.A1.45.1153       | <b>BOLT</b> , special, control and elevator control mounting                |   |   |   |   |   | 1       | DTD.683     | C                             |           |
| 71           | E.A1.45.107        | <b>BUSH</b> , main bearing, attached to bottom casting                      |   |   |   |   |   | 1       | L.40        | C                             |           |
|              | E.A9.81.1549       | <b>CABLE, ASSEMBLY, 13-D1, FROM TERMINAL BLOCK TO CONTROL COLUMN, GROUP</b> |   |   |   |   |   | 1       | —           | —                             |           |
|              |                    | Consisting of:—                                                             |   |   |   |   |   |         |             |                               |           |
| 5E/4183      | †                  | <b>CABLE</b> , Uninyvin 20 ...                                              |   |   |   |   |   | QR      | —           | C                             |           |
| 5K/9107065   | EEAS.146/16        | <b>SLEEVE</b> , $\frac{3}{4}$ " long ...                                    |   |   |   |   |   | 10      | —           | C                             |           |
| 5K/9107067   | EEAS.146/6         | <b>SLEEVE</b> , 1" long ...                                                 |   |   |   |   |   | 2       | —           | C                             |           |
| 5F/9138823   | HELLERMANN NT.3255 | <b>STUD</b> ...                                                             |   |   |   |   |   | QR      | —           | C                             |           |
| 5F/9434858   | HELLERMANN HV.3254 | <b>STRAPPING</b> ...                                                        |   |   |   |   |   | QR      | —           | C                             |           |
| 5X/9450396   | HC.490             | <b>TAG</b> ...                                                              |   |   |   |   |   | 5       | —           | C                             |           |
| 2907         | E.A3.81.351        | <b>CLAMP</b> , inter-comm. wiring ...                                       |   |   |   |   |   | 2       | DTD.683     | C                             |           |
| 40306        | E.B6.81.2049       | <b>CLAMP</b> , strip, cable ...                                             |   |   |   |   |   | 1       | —           | C                             |           |
|              | E.B7.45.71         | <b>COLUMN, CONTROL, PILOT'S, GROUP</b> ...                                  |   |   |   |   |   | 1       | —           | —                             |           |
|              |                    | Consisting of:—                                                             |   |   |   |   |   |         |             |                               |           |
|              | E.A6.45.247        | <b>CASTING</b> , top ...                                                    |   |   |   |   |   | 1       | DTD.300     | —                             |           |
|              | E.B7.45.73         | <b>DUCT</b> , cable ...                                                     |   |   |   |   |   | 1       | L.72        | —                             |           |
|              | E.A1.45.1021       | <b>TUBE</b> , $2\frac{1}{4}$ " o/d. x 20 SWG ...                            |   |   |   |   |   | 1       | T.45        | —                             |           |
|              | E.A1.45.91         | <b>YOKE</b> , E, bottom casting ...                                         |   |   |   |   |   | 1       | DTD.300     | —                             |           |
| 1439224      | E.A9.45.973        | <b>CONTROL, ELEVATOR, GROUP (MOD. 4492)</b>                                 |   |   |   |   |   | 1       | —           | A/MR                          |           |
|              |                    | Spares for:—                                                                |   |   |   |   |   |         |             |                               |           |
| 2A/9500426   | HOFFMANN T.33      | <b>BEARING</b> , ballrace ...                                               |   |   |   |   |   | 1       | —           | C                             |           |
|              | E.A9.45.513        | <b>COLLAR</b> ...                                                           |   |   |   |   |   | 1       | —           | —                             |           |
|              | E.A9.45.85         | <b>DIAPHRAGM</b> ...                                                        |   |   |   |   |   | 1       | —           | —                             |           |
| 6227         | E.A1.45.175        | <b>HOUSING</b> , bearing ...                                                |   |   |   |   |   | 1       | L.45        | C                             |           |
|              |                    | Attaching parts for E.A1.45.175:—                                           |   |   |   |   |   |         |             |                               |           |
| 28D/9709461  | AS.1242/3C         | <b>Bolt</b> , 2 BA ...                                                      |   |   |   |   |   | 8       | —           | C                             |           |
| 28M/5808573  | A27/CS             | <b>Nut</b> , 2 BA ...                                                       |   |   |   |   |   | 8       | —           | C                             |           |
| 28P/9486478  | SP.90/C5           | <b>Pin</b> , split ...                                                      |   |   |   |   |   | 8       | —           | C                             |           |
| 28W/9419475  | SP.15/C            | <b>Washer</b> ...                                                           |   |   |   |   |   | 8       | —           | C                             |           |
|              | E.A9.45.91         | <b>LEVER, OPERATING, ELEVATOR, GROUP</b> ...                                |   |   |   |   |   | 1       | —           | —                             |           |
|              |                    | Spares for:—                                                                |   |   |   |   |   |         |             |                               |           |
| 2A/9500463   | SKEFKO CBA.2       | <b>BEARING</b> , ballrace ...                                               |   |   |   |   |   | 1       | —           | C                             |           |
| 75           | EEAS.3/D           | <b>HOUSING</b> , bearing ...                                                |   |   |   |   |   | 1       | —           | C                             |           |
|              |                    | Attaching parts for E.A9.45.91:—                                            |   |   |   |   |   |         |             |                               |           |
| 28D/1212827  | AS.1242/9E         | <b>Bolt</b> , $\frac{1}{4}$ " BSF ...                                       |   |   |   |   |   | 8       | —           | C                             |           |
| 28M/1011467  | A27/ES             | <b>Nut</b> , $\frac{1}{4}$ " BSF ...                                        |   |   |   |   |   | 8       | —           | C                             |           |
| 28P/9486478  | SP.90/C5           | <b>Pin</b> , split ...                                                      |   |   |   |   |   | 8       | —           | C                             |           |
| 29VW/9419487 | SP.16/E            | <b>Washer</b> ...                                                           |   |   |   |   |   | 8       | —           | C                             |           |
| 1439228      | E.A9.45.963        | <b>RING, CLAMP, ASSEMBLY</b> ...                                            |   |   |   |   |   | 1       | —           | C                             |           |
|              |                    | Spares for:—                                                                |   |   |   |   |   |         |             |                               |           |
|              | E.A9.45.985        | <b>RING</b> , clamp, half ...                                               |   |   |   |   |   | 2       | —           | —                             |           |





CANBERRA B(1) Mk. 8

Page 187

# **CONTROLS** **FLYING CONTROLS IN COCKPIT**

| Ref. No.   | Part No.                              | Description                                                                                                                                 |   |   |   |   |   | No. off | Matl. Spec. | Cl. of Equip.<br>M.R.<br>L.M. | Plate No. |
|------------|---------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|---|---|---|---|---|---------|-------------|-------------------------------|-----------|
|            |                                       | 1                                                                                                                                           | 2 | 3 | 4 | 5 | 6 |         |             |                               |           |
| 38087      | E.A9.00.159                           | <b>TUBE, INNER, AILERON OPERATING, GROUP (E.A1.45.971)</b>                                                                                  |   |   |   |   |   | 1       | —           | B                             |           |
|            |                                       | Consisting of:—                                                                                                                             |   |   |   |   |   |         |             |                               |           |
| 2A/9800423 | HOFFMANN T.29                         | <b>BEARING, ballrace ... ..</b>                                                                                                             |   |   |   |   |   | 1       | —           | C                             |           |
| 1573       | EEAS.37/13A                           | <b>NIPPLE, 6 BA ... ..</b>                                                                                                                  |   |   |   |   |   | 4       | H.T.S.      | C                             |           |
|            | EEAS.38/1A                            | <b>SPOKE, 6 BA (Make from Ref. 28R/6123)</b>                                                                                                |   |   |   |   |   | 2       | S.11        | —                             |           |
|            | E.A1.45.1023                          | <b>TUBE, operating, 1½" o/d. x 14 SWG ... ..</b>                                                                                            |   |   |   |   |   | 1       | T.45        | —                             |           |
| 6210       | E.A6.45.261                           | <b>WASHER, special ... ..</b>                                                                                                               |   |   |   |   |   | 1       | DTD.683     | C                             |           |
| 6167       | E.A3.45.413                           | <b>WASHER, special ... ..</b>                                                                                                               |   |   |   |   |   | 1       | Alumn.      | C                             |           |
|            | E.A9.45.583                           | <b>WHEEL, hand, pilot's control (Alternative to AC.14292)</b>                                                                               |   |   |   |   |   | 1       | —           | —                             |           |
| 27J/504    | DUNLOP<br>AC.14292                    | <b>WHEEL, control assembly (Dunlop Mod. 3109) (For spares see A.P.4515, Vol. 3, Part 1, Sect. 2, Chap. 37) (Alternative to E.A9.45.583)</b> |   |   |   |   |   | 1       | —           | A                             |           |
| 12170      | E.A9.45.541                           | <b>COVER, sealing, pilot's control column ... ..</b>                                                                                        |   |   |   |   |   | 1       | —           | C                             |           |
| 22604      | E.A9.45.107                           | <b>CONTROL, BETWEEN PILOT'S RUDDER BAR AND RUDDER LEVER AT REAR OF PRESSURE BULKHEAD, GROUP</b>                                             |   |   |   |   |   | 1       | —           | B                             |           |
|            |                                       | Spares for:—                                                                                                                                |   |   |   |   |   |         |             |                               |           |
| 1683       | EEAS.47/2                             | <b>FORK-END, adjuster fitting ... ..</b>                                                                                                    |   |   |   |   |   | 1       | DTD.683     | C                             |           |
| 22605      | E.A9.45.115                           | <b>CONTROL, BETWEEN CONTROL COLUMN AND AILERON CONTROL LEVER AT REAR OF PRESSURE BULKHEAD, GROUP</b>                                        |   |   |   |   |   | 1       | —           | C                             |           |
|            |                                       | Spares for:—                                                                                                                                |   |   |   |   |   |         |             |                               |           |
| 12171      | E.A9.45.121                           | <b>FORK-END, adjuster fitting ... ..</b>                                                                                                    |   |   |   |   |   | 1       | DTD.683     | C                             |           |
| 22606      | E.A9.45.123                           | <b>CONTROL, BETWEEN PILOT'S CONTROL COLUMN AND ELEVATOR LEVER, GROUP</b>                                                                    |   |   |   |   |   | 1       | —           | C                             |           |
|            |                                       | Spares for:—                                                                                                                                |   |   |   |   |   |         |             |                               |           |
| 1683       | EEAS.47/2                             | <b>FORK-END, adjuster fitting ... ..</b>                                                                                                    |   |   |   |   |   | 1       | DTD.683     | C                             |           |
| 22607      | E.A9.45.129                           | <b>CONTROL, AILERON, BETWEEN CONTROL LEVERS AND PRESSURE BULKHEAD CONTROL SEALING BOX, GROUP</b>                                            |   |   |   |   |   | 1       | —           | C                             |           |
|            |                                       | Spares for:—                                                                                                                                |   |   |   |   |   |         |             |                               |           |
| 1683       | EEAS.47/2                             | <b>FORK-END, adjuster fitting ... ..</b>                                                                                                    |   |   |   |   |   | 1       | DTD.683     | C                             |           |
| 22608      | E.A9.45.133                           | <b>CONTROL, ELEVATOR AND RUDDER, BETWEEN CONTROL LEVERS AND PRESSURE BULKHEAD CONTROL SEALING BOX, GROUP</b>                                |   |   |   |   |   | 2       | —           | C                             |           |
|            |                                       | Spares for:—                                                                                                                                |   |   |   |   |   |         |             |                               |           |
| 1683       | EEAS.47/2                             | <b>FORK-END, adjuster fitting ... ..</b>                                                                                                    |   |   |   |   |   | 1       | DTD.683     | C                             |           |
|            | E.A9.45.211                           | <b>CONTROL, AILERON BIAS, ASSEMBLY ... ..</b>                                                                                               |   |   |   |   |   | 1       | —           | —                             |           |
|            |                                       | Spares for:—                                                                                                                                |   |   |   |   |   |         |             |                               |           |
| 5W/176     | E.E. CO. LTD.<br>BRADFORD<br>TYPE 259 | <b>ACTUATOR, linear ... ..</b>                                                                                                              |   |   |   |   |   | 1       | —           | A                             |           |
| 12172      | E.A9.45.215                           | <b>BOLT, special ... ..</b>                                                                                                                 |   |   |   |   |   | 1       | S.95        | C                             |           |
| 2023       | E.A6.45.345                           | <b>BOLT, special ... ..</b>                                                                                                                 |   |   |   |   |   | 1       | S.92        | C                             |           |
| 2881       | E.A6.45.341                           | <b>BRUSH, oilite ... ..</b>                                                                                                                 |   |   |   |   |   | 2       | —           | C                             |           |
| 22611      | E.A9.45.193                           | <b>BRACKET, aileron bias operating levers mounting</b>                                                                                      |   |   |   |   |   | 1       | —           | C/MR                          |           |
| 28U/4066   | SP.8Y/16                              | <b>ROLLER ... ..</b>                                                                                                                        |   |   |   |   |   | 1       | —           | C                             |           |
| 22614      | E.A9.45.231                           | <b>TUBE, torque, and levers ... ..</b>                                                                                                      |   |   |   |   |   | 1       | —           | B/MR                          |           |

## CONTROLS

### FLYING CONTROLS IN COCKPIT

| Ref. No.  | Part No.             | Description                                                                              | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|-----------|----------------------|------------------------------------------------------------------------------------------|---------|-------------|---------------|-----------|
|           |                      |                                                                                          |         |             | M.R. L.M.     |           |
| 3580      | E.A3.45.351          | <b>CONTROL, AILERON, RUDDER AND ELEVATOR, AT REAR OF PRESSURE BULKHEAD, GROUP</b>        | 3       | —           | B             |           |
| 1683      | EEAS.47/2            | Spares for:—<br><b>FORK-END</b> , adjuster fitting ... ..                                | 1       | DTD.683     | C             |           |
|           | E.A9.45.547          | <b>COVERS ON CASING FOR CONTROL LEVERS AT PRESSURE BULKHEAD, GROUP</b>                   | 1       | —           | —             |           |
| 22628     | E.A9.45.643          | Spares for:—<br><b>COVER, ASSEMBLY</b> ... ..                                            | 1       | —           | C             | C.2/8     |
|           | E.A9.45.645          | Spares for:—<br><b>COVER</b> , half, top, red fibre ... ..                               | 1       | BSS.216     | —             | C.2/8     |
|           | E.A9.45.647          | <b>COVER</b> , half, bottom, red fibre ... ..                                            | 1       | BSS.216     | —             | C.2/8     |
|           | E.A9.45.551          | <b>COVER</b> , red fibre ... ..                                                          | 1       | BSS.216     | —             | C.2/8     |
|           | E.A9.45.10003        | <b>LEVER, PARKING BRAKE, ASSEMBLY (MOD. 3159)</b>                                        | —       | —           | —             |           |
| 12174     | E.A9.45.291          | Spares for:—<br><b>BRACKET</b> , angle ... ..                                            | 1       | —           | —             |           |
|           | EE.A9.45.293         | <b>CABLE, BOWDEN, PARKING BRAKE LEVER, ASSEMBLY</b>                                      | 1       | —           | B             |           |
|           |                      | Consisting of:—                                                                          |         |             |               |           |
| 29H/4285  | BOWDEN LTD. 19/2     | <b>CABLE</b> , inner ... ..                                                              | 1       | —           | C             |           |
| 29H/4116  | BOWDEN LTD. B.2H     | <b>CONDUIT</b> , outer ... ..                                                            | 1       | —           | C             |           |
|           | BOWDEN LTD. PN.991/2 | <b>FERRULE</b> , plain ... ..                                                            | 2       | —           | —             |           |
|           | BOWDEN LTD. PN.553   | <b>NIPPLE</b> ... ..                                                                     | 1       | —           | —             |           |
|           | DUNLOP A.HO.18599    | <b>NIPPLE</b> ... ..                                                                     | 1       | —           | —             |           |
| 27VA/4268 | DUNLOP A.HO.1090     | <b>LEVER</b> , parking, assembly ... ..                                                  | 1       | —           | B             |           |
|           | E.A9.45.15           | <b>MOUNTING, AILERON, ELEVATOR AND RUDDER CONTROL LEVERS AT PRESSURE BULKHEAD, GROUP</b> | 1       | —           | —             |           |
| 8195      | E.A3.45.121          | Spares for:—<br><b>BAR</b> , stop, control lever, top ... ..                             | 1       | DTD.300     | C             | C.2/8     |
| 8196      | E.A3.45.123          | <b>BAR</b> , stop, control lever, bottom ... ..                                          | 1       | DTD.300     | C             | C.2/8     |
| 1535      | E.A3.45.27           | <b>BOLT</b> , special, control lever stop ... ..                                         | 1       | S.11        | C             | C.2/8     |
| 13096     | E.A9.45.669          | <b>BOLT</b> , special, rudder control lever stop ...                                     | 1       | S.96        | C             |           |
| 22626     | E.A9.45.639          | <b>BOLT</b> , special rudder and aileron control lever stop (Make from A25/26J)          | 2       | —           | C             |           |
| 25346     | E.A9.45.675          | <b>BOLT</b> , special elevator control lever stop (Make from A25/33J)                    | 1       | —           | C             |           |
| 25345     | E.A9.45.671          | <b>BOLT</b> , special (Make from A25/2C) ... ..                                          | 30      | —           | C             |           |
| 1439156   | E.A3.45.537          | <b>LEVER, CONTROL, GROUP (MOD. 4489)</b> ...                                             | 1       | —           | B             |           |
| 2739      | EEAS.13/2            | Spares for:—<br><b>BOLT</b> , special, lever to sealing ring attachment                  | 12      | S.96        | C             |           |
| 111       | E.A1.45.367          | <b>DOWEL</b> , upper and lower control lever locating                                    | 3       | S.1         | C             |           |
|           | E.A1.45.349          | <b>HOUSING</b> , control lever ... ..                                                    | 1       | DTD.289     | —             | C.2/8     |

CANBERRA B.(I) Mk. 8

Page 189

# CONTROLS

## FLYING CONTROLS IN COCKPIT

| Ref. No.    | Part No.      | Description                                                      |   |   |   |   |   | No. Off | Matl. Spec. | Cl. of Equip.<br>M.R.<br>L.M. | Plate No. |
|-------------|---------------|------------------------------------------------------------------|---|---|---|---|---|---------|-------------|-------------------------------|-----------|
|             |               | 1                                                                | 2 | 3 | 4 | 5 | 6 |         |             |                               |           |
| 112         | E.A1.45.345   | LEVER, c/w ballrace ... ..                                       |   |   |   |   |   | 6       | —           | C                             | C.2/8     |
|             | E.A1.45.361   | MOUNTING, lever control, end piece ... ..                        |   |   |   |   |   | 2       | L.40        | —                             | C.2/8     |
| 1439241     | E.A3.45.535   | PIECE, packing (Mod. 4489) ... ..                                |   |   |   |   |   | 2       | L.72        | C                             |           |
| 1948        | E.A1.45.351   | RING, sealing, outboard ... ..                                   |   |   |   |   |   | 1       | L.45        | C                             |           |
| 1949        | E.A1.45.353   | RING, sealing, centre ... ..                                     |   |   |   |   |   | 1       | L.45        | C                             |           |
| 1950        | E.A1.45.355   | RING, sealing, inboard ... ..                                    |   |   |   |   |   | 1       | L.45        | C                             |           |
| 12173       | E.A9.45.159   | SEAL, rubber, between control lever casing and pressure bulkhead |   |   |   |   |   | 1       | DTD.474     | C                             |           |
| 1439226     | E.A9.45.975   | SHAFTS, RUDDER AND AILERON TORQUE, ASSEMBLY (MOD. 4492)          |   |   |   |   |   | 1       | —           | A                             |           |
|             |               | Spares for:—                                                     |   |   |   |   |   |         |             |                               |           |
| 2A/9500422  | HOFFMANN T.25 | BEARING, ballrace ... ..                                         |   |   |   |   |   | 2       | —           | C                             | C.2/8     |
|             | E.A9.45.73    | HOUSING, bearing ... ..                                          |   |   |   |   |   | 1       | L.45        | —                             |           |
|             | E.A9.45.41    | LEVER, ASSEMBLY ... ..                                           |   |   |   |   |   | 1       | —           | —                             |           |
|             |               | Spares for:—                                                     |   |   |   |   |   |         |             |                               |           |
| 2A/9500463  | SKEFKO CBA.2  | BEARING, ballrace ... ..                                         |   |   |   |   |   | 1       | —           | C                             |           |
| 75          | EEAS.3/D      | HOUSING, bearing ... ..                                          |   |   |   |   |   | 1       | —           | C                             |           |
|             | E.A9.45.43    | LEVER ... ..                                                     |   |   |   |   |   | 1       | —           | —                             |           |
| 92          | EEAS.4/20C    | WASHER, packing ... ..                                           |   |   |   |   |   | 2       | —           | C                             |           |
|             |               | Attaching parts for E.A9.45.41:—                                 |   |   |   |   |   |         |             |                               |           |
| 28D/1013714 | AS.1242/5E    | Bolt, 1/4" BSF ... ..                                            |   |   |   |   |   | 8       | —           | C                             |           |
| 28M/1011467 | A27/ES        | Nut, 1/4" BSF ... ..                                             |   |   |   |   |   | 8       | —           | C                             |           |
| 28P/9486478 | SP.90/C5      | Pin, split ... ..                                                |   |   |   |   |   | 8       | —           | C                             |           |
| 28W/9419487 | SP.16/E       | Washer ... ..                                                    |   |   |   |   |   | 8       | —           | C                             |           |
| 1095        | EEAS.37/14A   | NIPPLE ... ..                                                    |   |   |   |   |   | 6       | —           | C                             |           |
| 1439230     | E.A9.45.967   | RING, CLAMP, ASSEMBLY ... ..                                     |   |   |   |   |   | 2       | —           | C                             |           |
|             |               | Spares for:—                                                     |   |   |   |   |   |         |             |                               |           |
|             | E.A9.45.959   | RING, clamp, half ... ..                                         |   |   |   |   |   | 2       | —           | —                             |           |
| 1439231     | E.A9.45.969   | RING, CLAMP, ASSEMBLY ... ..                                     |   |   |   |   |   | 2       | —           | C                             |           |
|             |               | Spares for:—                                                     |   |   |   |   |   |         |             |                               |           |
|             | E.A9.45.961   | RING, clamp, half ... ..                                         |   |   |   |   |   | 2       | —           | —                             |           |
|             | E.A9.45.989   | SHAFT, AILERON TORQUE, ASSEMBLY ... ..                           |   |   |   |   |   | 1       | —           | —                             |           |
|             |               | Spares for:—                                                     |   |   |   |   |   |         |             |                               |           |
| 2A/9500427  | HOFFMANN T.37 | BEARING, ballrace ... ..                                         |   |   |   |   |   | 2       | —           | C                             |           |
|             | E.A9.45.65    | HOUSING, bearing ... ..                                          |   |   |   |   |   | 2       | L.45        | —                             |           |
|             | E.A9.45.25    | LEVER, ASSEMBLY ... ..                                           |   |   |   |   |   | 1       | —           | —                             |           |
|             |               | Spares for:—                                                     |   |   |   |   |   |         |             |                               |           |
| 2A/9500463  | SKEFKO CBA.2  | BEARING, ballrace ... ..                                         |   |   |   |   |   | 1       | —           | C                             |           |
| 75          | EEAS.3/D      | HOUSING, bearing ... ..                                          |   |   |   |   |   | 1       | L.45        | —                             |           |
|             | E.A9.45.27    | LEVER ... ..                                                     |   |   |   |   |   | 1       | —           | —                             |           |
| 92          | EEAS.4/20C    | WASHER, packing ... ..                                           |   |   |   |   |   | 2       | —           | C                             |           |
|             |               | Attaching parts for E.A9.45.25:—                                 |   |   |   |   |   |         |             |                               |           |
| 28D/1013174 | AS.1242/5E    | Bolt, 1/4" BSF ... ..                                            |   |   |   |   |   | 8       | —           | C                             |           |
| 28M/1011467 | A27/ES        | Nut, 1/4" BSF ... ..                                             |   |   |   |   |   | 8       | —           | C                             |           |
| 28P/9486478 | SP.90/C5      | Pin, split ... ..                                                |   |   |   |   |   | 8       | —           | C                             |           |
| 28W/9419487 | SP.16/E       | Washer ... ..                                                    |   |   |   |   |   | 8       | —           | C                             |           |
|             | E.A9.45.29    | LEVER, ASSEMBLY ... ..                                           |   |   |   |   |   | 1       | —           | —                             |           |
|             |               | Spares for:—                                                     |   |   |   |   |   |         |             |                               |           |
| 2A/9500463  | SKEFKO CBA.2  | BEARING, ballrace ... ..                                         |   |   |   |   |   | 1       | —           | C                             |           |
| 75          | EEAS.3/D      | HOUSING, bearing ... ..                                          |   |   |   |   |   | 1       | L.45        | C                             |           |
|             | E.A9.45.31    | LEVER ... ..                                                     |   |   |   |   |   | 1       | —           | —                             |           |
| 92          | EEAS.4/20C    | WASHER, packing ... ..                                           |   |   |   |   |   | 2       | —           | C                             |           |
|             |               | Attaching parts for E.A9.45.29:—                                 |   |   |   |   |   |         |             |                               |           |
| 28D/1013174 | AS.1242/5E    | Bolt, 1/4" BSF ... ..                                            |   |   |   |   |   | 8       | —           | C                             |           |
| 28D/1011467 | A27/ES        | Nut, 1/4" BSF ... ..                                             |   |   |   |   |   | 8       | —           | C                             |           |
| 28P/9486478 | SP.90/C5      | Pin, split ... ..                                                |   |   |   |   |   | 8       | —           | C                             |           |
| 28W/9419487 | SP.16/E       | Washer ... ..                                                    |   |   |   |   |   | 8       | —           | C                             |           |

# CONTROLS

## FLYING CONTROLS IN COCKPIT

| Ref. No.    | Part No.      |   |   |   |   |   |   | No. Off | Matl. Spec. | Cl. of Equip.<br>M.R.<br>L.M. | Plate No. |
|-------------|---------------|---|---|---|---|---|---|---------|-------------|-------------------------------|-----------|
|             |               | 1 | 2 | 3 | 4 | 5 | 6 |         |             |                               |           |
| 1439230     | E.A9.45.967   |   |   |   |   |   |   | 1       | —           | C                             |           |
|             |               |   |   |   |   |   |   |         |             |                               |           |
|             | E.A9.45.959   |   |   |   |   |   |   | 2       | —           | —                             |           |
|             | E.A9.45.63    |   |   |   |   |   |   | 2       | —           | —                             |           |
|             | E.A9.45.61    |   |   |   |   |   |   | 1       | —           | —                             |           |
| 28D/9133011 | A25/2C        |   |   |   |   |   |   | 8       | —           | C                             |           |
| 28M/1006473 | A27/CT        |   |   |   |   |   |   | 8       | —           | C                             |           |
|             | E.A9.45.275   |   |   |   |   |   |   | 8       | —           | —                             |           |
|             | E.A9.45.491   |   |   |   |   |   |   | 8       | —           | —                             |           |
|             | E.A9.45.987   |   |   |   |   |   |   | 1       | —           | —                             |           |
| 2A/9500422  | HOFFMANN T.25 |   |   |   |   |   |   | 1       | —           | C                             |           |
|             | E.A9.45.73    |   |   |   |   |   |   | 1       | L.45        | —                             | C.2/8     |
|             | E.A9.45.45    |   |   |   |   |   |   | 1       | —           | —                             |           |
| 2A/9500463  | SKEFKO CBA.2  |   |   |   |   |   |   | 1       | —           | C                             |           |
| 75          | EEAS.3/D      |   |   |   |   |   |   | 1       | L.45        | C                             |           |
|             | E.A9.45.47    |   |   |   |   |   |   | 1       | —           | —                             |           |
| 92          | EEAS.4/20C    |   |   |   |   |   |   | 2       | —           | C                             |           |
| 28D/1013174 | AS.1242/5E    |   |   |   |   |   |   | 8       | —           | C                             |           |
| 28M/1011467 | A27/ES        |   |   |   |   |   |   | 8       | —           | C                             |           |
| 28P/9486478 | SP.90/C5      |   |   |   |   |   |   | 8       | —           | C                             |           |
| 28W/9419487 | SP.16/E       |   |   |   |   |   |   | 8       | —           | C                             |           |
| 1439231     | E.A9.45.969   |   |   |   |   |   |   | 1       | —           | C                             |           |
|             |               |   |   |   |   |   |   |         |             |                               |           |
|             | E.A9.45.961   |   |   |   |   |   |   | 2       | —           | —                             |           |
|             | E.A9.45.71    |   |   |   |   |   |   | 1       | —           | —                             |           |
|             | E.A9.45.69    |   |   |   |   |   |   | 1       | —           | —                             |           |
| 1095        | EEAS.37/14A   |   |   |   |   |   |   | 6       | —           | C                             |           |
|             | EEAS.38/2A    |   |   |   |   |   |   | 3       | —           | C                             |           |
| 1439225     | E.A9.45.977   |   |   |   |   |   |   | 1       | —           | B                             |           |
| 2A/9500422  | HOFFMANN T.25 |   |   |   |   |   |   | 2       | —           | C                             |           |
|             | E.A9.45.73    |   |   |   |   |   |   | 2       | L.45        | —                             | C.2/8     |
|             | E.A9.45.49    |   |   |   |   |   |   | 1       | —           | —                             |           |
| 2A/9500463  | SKEFKO CBA.2  |   |   |   |   |   |   | 1       | —           | C                             |           |
| 75          | EEAS.3/D      |   |   |   |   |   |   | 1       | L.45        | C                             |           |
|             | E.A9.45.51    |   |   |   |   |   |   | 1       | —           | —                             |           |
| 92          | EEAS.4/20C    |   |   |   |   |   |   | 2       | —           | C                             |           |
| 28D/1013174 | AS.1242/5E    |   |   |   |   |   |   | 8       | —           | C                             |           |
| 28M/1011467 | A27/ES        |   |   |   |   |   |   | 8       | —           | C                             |           |
| 28P/9486478 | SP.90/C5      |   |   |   |   |   |   | 8       | —           | C                             |           |
| 28W/9419487 | SP.16/E       |   |   |   |   |   |   | 8       | —           | C                             |           |
|             | E.A9.45.53    |   |   |   |   |   |   | 1       | —           | —                             |           |
| 2A/9500463  | SKEFKO CBA.2  |   |   |   |   |   |   | 1       | —           | C                             |           |
| 75          | EEAS.3/D      |   |   |   |   |   |   | 1       | L.45        | C                             |           |
|             | E.A9.45.55    |   |   |   |   |   |   | 1       | —           | —                             |           |



CANBERRA B.(I) Mk. 8

Page 191

# **CONTROLS** **FLYING CONTROLS IN COCKPIT**

| Ref. No.    | Part No.      | Description |   |   |   |   |   | No. Off | Matl. Spec. | Cl. of Equip.<br>M.R.<br>L.M. | Plate No. |
|-------------|---------------|-------------|---|---|---|---|---|---------|-------------|-------------------------------|-----------|
|             |               | 1           | 2 | 3 | 4 | 5 | 6 |         |             |                               |           |
| 92          | EEAS.4/20C    |             |   |   |   |   |   | 2       | —           | C                             |           |
|             |               |             |   |   |   |   |   |         |             |                               |           |
| 28D/1013174 | AS.1242/5E    |             |   |   |   |   |   | 8       | —           | C                             |           |
| 28M/1011467 | A27/ES        |             |   |   |   |   |   | 8       | —           | C                             |           |
| 28P/9486478 | SP.90/C5      |             |   |   |   |   |   | 8       | —           | C                             |           |
| 28V/9419487 | SP.16/E       |             |   |   |   |   |   | 8       | —           | C                             |           |
|             |               |             |   |   |   |   |   |         |             |                               |           |
|             | E.A9.45.137   |             |   |   |   |   |   | 1       | —           | —                             |           |
| 25483       | EEAS.28/20JR  |             |   |   |   |   |   | 5       | —           | C                             |           |
| 3569        | EEAS.63/E     |             |   |   |   |   |   | 15      | S.96        | C                             |           |
|             | E.A9.45.7     |             |   |   |   |   |   | 1       | —           | —                             |           |
|             |               |             |   |   |   |   |   |         |             |                               |           |
| 97          | E.A3.45.57    |             |   |   |   |   |   | 1       | —           | C                             |           |
| 28463       | E.A9.45.161   |             |   |   |   |   |   | 1       | —           | MR                            |           |
| 1091        | EEAS.37/8A    |             |   |   |   |   |   | 4       | —           | C                             |           |
| 21167       | E.A9.45.477   |             |   |   |   |   |   | 1       | —           | A                             |           |
|             |               |             |   |   |   |   |   |         |             |                               |           |
| 2A/9500420  | HOFFMANN T.21 |             |   |   |   |   |   | 1       | —           | C                             |           |
| 12062       | AS.2202       |             |   |   |   |   |   | 1       | S.110       | C                             |           |
| 12066       | AS.2203       |             |   |   |   |   |   | 1       | S.110       | C                             |           |
| 12385       | AS.2208       |             |   |   |   |   |   | 1       | —           | C                             |           |
| 12068       | AS.2196       |             |   |   |   |   |   | 1       | S.110       | C                             |           |
| 12849       | AS.3399       |             |   |   |   |   |   | 2       | —           | C                             |           |
| 12069       | AS.2180       |             |   |   |   |   |   | 1       | B.8         | C                             |           |
| 12067       | AS.2226       |             |   |   |   |   |   | 1       | B.8         | C                             |           |
| 39289       | E.A9.45.483   |             |   |   |   |   |   | 2       | LFS.26      | C                             |           |
| 13093       | E.A9.45.629   |             |   |   |   |   |   | 1       | S.1         | C                             |           |
| 12386       | E.A9.45.479   |             |   |   |   |   |   | 2       | DTD.683     | B                             |           |
| 22620       | E.A9.45.471   |             |   |   |   |   |   | 1       | —           | MR                            |           |
| 39287       | E.A9.45.472   |             |   |   |   |   |   | 1       | —           | MR                            |           |
|             | DUNLOP        |             |   |   |   |   |   |         |             |                               |           |
| 12388       | AHO.30411/15  |             |   |   |   |   |   | 2       | —           | B                             |           |
| 12071       | AS.2206       |             |   |   |   |   |   | 2       | T.4         | C                             |           |
| 12070       | AS.2231       |             |   |   |   |   |   | 4       | —           | C                             |           |
| 6815        | AS.2197       |             |   |   |   |   |   | 4       | S.110       | C                             |           |
| 12389       | AS.2224       |             |   |   |   |   |   | 1       | S.110       | C                             |           |
| 1439259     | E.A9.45.609   |             |   |   |   |   |   | 1       | —           | B                             |           |
|             |               |             |   |   |   |   |   |         |             |                               |           |
| 28D/1009984 | A25/7B        |             |   |   |   |   |   | 1       | —           | C                             |           |
| 28D/9133014 | A25/13C       |             |   |   |   |   |   | 1       | —           | C                             |           |
|             | DUNLOP        |             |   |   |   |   |   |         |             |                               |           |
| 27VA/5306   | A.C.M.18986   |             |   |   |   |   |   | 1       | —           | A                             |           |
|             | AERO          |             |   |   |   |   |   |         |             |                               |           |
|             | CONTROLS      |             |   |   |   |   |   |         |             |                               |           |
| 41465       | AC.3620       |             |   |   |   |   |   | 1       | —           | C                             |           |
| 38041       | AC.3612       |             |   |   |   |   |   | 1       | —           | C                             |           |
| 1439248     | AC.3602       |             |   |   |   |   |   | 1       | —           | C                             |           |
| 28N/9156370 | SP.21         |             |   |   |   |   |   | 1       | —           | C                             |           |
| 28M/9403519 | A27/BP        |             |   |   |   |   |   | 1       | —           | C                             |           |
| 28M/9403520 | A27/CP        |             |   |   |   |   |   | 2       | —           | C                             |           |
| 28M/1011475 | A27/EP        |             |   |   |   |   |   | 3       | —           | C                             |           |
|             | E.A9.45.611   |             |   |   |   |   |   | 1       | —           | —                             |           |
|             |               |             |   |   |   |   |   |         |             |                               |           |
| 26TV/4327   | 66833/335     |             |   |   |   |   |   | 1       | —           | B                             |           |



CANBERRA B.(I) Mk. 8

Page 193

# **CONTROLS** **FLYING CONTROLS IN COCKPIT**

| Ref. No.    | Part No.      | Description |   |   |   |   |   | No. Off | Matl. Spec. | Cl. of Equip.<br>M.R.<br>L.M. | Plate No. |
|-------------|---------------|-------------|---|---|---|---|---|---------|-------------|-------------------------------|-----------|
|             |               | 1           | 2 | 3 | 4 | 5 | 6 |         |             |                               |           |
|             | AERO CONTROLS |             |   |   |   |   |   |         |             |                               |           |
| 41464       | A.C.3619      |             |   |   |   |   |   | 1       | —           | C                             |           |
|             | E.A9.45.612   |             |   |   |   |   |   | 1       | —           | —                             |           |
|             |               |             |   |   |   |   |   |         |             |                               |           |
| 26TV/4448   | 66833/336     |             |   |   |   |   |   | 1       | —           | B                             |           |
|             |               |             |   |   |   |   |   |         |             |                               |           |
|             | AERO CONTROLS |             |   |   |   |   |   |         |             |                               |           |
| 1439247     | AC.3605       |             |   |   |   |   |   | 1       | —           | C                             |           |
| 5803        | AS.2412       |             |   |   |   |   |   | 1       | —           | B                             |           |
| 12973       | AS.3398       |             |   |   |   |   |   | 2       | —           | C                             |           |
| 12072       | AS.2177       |             |   |   |   |   |   | 1       | —           | C                             |           |
|             | EEAS.38/2A    |             |   |   |   |   |   | 2       | —           | LM                            |           |
| 3570        | EEAS.127      |             |   |   |   |   |   | 15      | S.96        | C                             |           |
|             | E.A9.45.775   |             |   |   |   |   |   | —       | —           | —                             |           |
|             |               |             |   |   |   |   |   |         |             |                               |           |
|             |               |             |   |   |   |   |   |         |             |                               |           |
| 5260        | EEAS.143/5H   |             |   |   |   |   |   | 2       | L.72        | C                             |           |
|             |               |             |   |   |   |   |   |         |             |                               |           |
| 28D/1010658 | A25/1B        |             |   |   |   |   |   | 1       | —           | C                             |           |
| 5259        | EEAS.21/2ERH  |             |   |   |   |   |   | 1       | L.72        | C                             |           |
|             |               |             |   |   |   |   |   |         |             |                               |           |
| 41803       | E.A9.45.755   |             |   |   |   |   |   | 1       | BS.2572     | C                             |           |
|             |               |             |   |   |   |   |   |         |             |                               |           |
| 28D/1008149 | A25/2B        |             |   |   |   |   |   | 6       | —           | C                             |           |
| 28M/1278189 | AGS.2001/B/1  |             |   |   |   |   |   | 6       | —           | C                             |           |
| 28W/9419465 | SP.13/B       |             |   |   |   |   |   | 6       | —           | C                             |           |
|             |               |             |   |   |   |   |   |         |             |                               |           |
|             | E.A9.45.761   |             |   |   |   |   |   | 1       | —           | —                             |           |
|             |               |             |   |   |   |   |   |         |             |                               |           |
| 34447       | E.A9.45.769   |             |   |   |   |   |   | 1       | —           | C                             |           |
|             |               |             |   |   |   |   |   |         |             |                               |           |
|             | E.A9.45.731   |             |   |   |   |   |   | 1       | —           | —                             |           |
| 34468       | E.A9.45.771   |             |   |   |   |   |   | 1       | B.11        | C                             |           |
|             |               |             |   |   |   |   |   |         |             |                               |           |
| 28D/1200119 | A25/4C        |             |   |   |   |   |   | 1       | —           | C                             |           |
| 28M/5808573 | A27/CS        |             |   |   |   |   |   | 1       | —           | C                             |           |
| 28P/19228   | SP.90/C8      |             |   |   |   |   |   | 1       | —           | C                             |           |
| 28W/9419475 | SP.15/C       |             |   |   |   |   |   | 3       | —           | C                             |           |
|             |               |             |   |   |   |   |   |         |             |                               |           |
|             | E.B7.45.29    |             |   |   |   |   |   | 1       | —           | —                             |           |
|             |               |             |   |   |   |   |   |         |             |                               |           |
|             | E.B7.45.45    |             |   |   |   |   |   | 1       | S.92        | —                             | C.2/8     |
|             | E.B7.45.49    |             |   |   |   |   |   | 1       | DTD.683     | —                             | C.2/8     |
|             | E.B7.45.39    |             |   |   |   |   |   | 1       | L.72        | —                             | C.2/8     |
|             | E.B7.45.41    |             |   |   |   |   |   | 1       | —           | —                             | C.2/8     |
| 5624        | E.B7.45.37    |             |   |   |   |   |   | 1       | DTD.215     | C                             |           |
|             | E.B7.45.35    |             |   |   |   |   |   | 1       | DTD.683     | —                             |           |
|             |               |             |   |   |   |   |   |         |             |                               |           |
| 28D/9133012 | A25/3C        |             |   |   |   |   |   | 1       | —           | C                             |           |
| 28M/5808573 | A27/CS        |             |   |   |   |   |   | 1       | —           | C                             |           |
| 28P/19228   | SP.90/C8      |             |   |   |   |   |   | 1       | —           | C                             |           |
| 28W/9419475 | SP.15/C       |             |   |   |   |   |   | 1       | —           | C                             |           |
|             |               |             |   |   |   |   |   |         |             |                               |           |
|             | E.A9.45.777   |             |   |   |   |   |   | 1       | —           | —                             |           |
|             |               |             |   |   |   |   |   |         |             |                               |           |
|             | E.B7.45.25    |             |   |   |   |   |   | 1       | S.92        | —                             |           |
| 28M/1278189 | AGS.2001/B/1  |             |   |   |   |   |   | 1       | —           | C                             |           |
| 28M/9403519 | A27/BP        |             |   |   |   |   |   | 1       | —           | C                             |           |
| 28W/9419465 | SP.13/B       |             |   |   |   |   |   | 4       | —           | C                             |           |





~~193 - 203~~

Pages ~~197~~ to ~~206~~ not issued

195 to 208 AL 20.



CANBERRA B(1) Mk. 8

Page 209

# **CONTROLS** **FLYING CONTROLS IN COCKPIT**

| Ref. No.    | Part No.     | Description                                                         |                 |                                              |     |     |     | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |  |
|-------------|--------------|---------------------------------------------------------------------|-----------------|----------------------------------------------|-----|-----|-----|---------|-------------|---------------|-----------|--|
|             |              | 1                                                                   | 2               | 3                                            | 4   | 5   | 6   |         |             | M.R. L.M.     |           |  |
|             |              | SUMMARY OF STOCK ITEMS USED ON FLYING CONTROLS IN COCKPIT, ASSEMBLY |                 |                                              |     |     |     |         |             |               |           |  |
| 28D/1008147 | A25/1A       | Bolt,                                                               | 6               | BA                                           | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28D/1010658 | A25/1B       | Bolt,                                                               | 4               | BA                                           | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28D/1008149 | A25/2B       | Bolt,                                                               | 4               | BA                                           | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28D/9419452 | A25/3B       | Bolt,                                                               | 4               | BA                                           | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28D/1011006 | A25/5B       | Bolt,                                                               | 4               | BA                                           | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28D/1009984 | A25/7B       | Bolt,                                                               | 4               | BA                                           | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28D/9436920 | A25/1C       | Bolt,                                                               | 2               | BA                                           | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28D/9133011 | A25/2C       | Bolt,                                                               | 2               | BA                                           | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28D/9133012 | A25/3C       | Bolt,                                                               | 2               | BA                                           | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28D/1200119 | A25/4C       | Bolt,                                                               | 2               | BA                                           | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28D/7002428 | A25/6C       | Bolt,                                                               | 2               | BA                                           | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28D/9140644 | A25/9C       | Bolt,                                                               | 2               | BA                                           | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28D/9133014 | A25/13C      | Bolt,                                                               | 2               | BA                                           | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28D/1011021 | A25/16C      | Bolt,                                                               | 2               | BA                                           | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28D/1012995 | A25/22C      | Bolt,                                                               | 2               | BA                                           | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28D/1011238 | A25/3E       | Bolt,                                                               | $\frac{1}{4}$ " | BSF                                          | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28D/1011240 | A25/5E       | Bolt,                                                               | $\frac{1}{4}$ " | BSF                                          | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28D/1007319 | AS.1242/4B   | Bolt,                                                               | 4               | BA                                           | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28D/1214091 | AS.1242/2C   | Bolt,                                                               | 2               | BA                                           | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28D/9709461 | AS.1242/3C   | Bolt,                                                               | 2               | BA                                           | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28D/1007976 | AS.1242/4C   | Bolt,                                                               | 2               | BA                                           | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28D/1214031 | AS.1242/8C   | Bolt,                                                               | 2               | BA                                           | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28D/1013119 | AS.1242/6E   | Bolt,                                                               | $\frac{1}{4}$ " | BSF                                          | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28N/5549    | AGS.899/2    | Collar                                                              | ...             | ...                                          | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28N/9153393 | AGS.899/4    | Collar                                                              | ...             | ...                                          | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28M/1013107 | A24/CS       | Nut,                                                                | 2               | BA                                           | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28M/13271   | A24/EP       | Nut,                                                                | $\frac{1}{4}$ " | BSF                                          | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28M/13226   | A24/ES       | Nut,                                                                | $\frac{1}{4}$ " | BSF                                          | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28M/13412   | A24/JS       | Nut,                                                                | $\frac{3}{8}$ " | BSF                                          | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28M/9403519 | A27/BP       | Nut,                                                                | 4               | BA                                           | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28M/9403520 | A27/CP       | Nut,                                                                | 2               | BA                                           | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28M/5808573 | A27/CS       | Nut,                                                                | 2               | BA                                           | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28M/1011475 | A27/EP       | Nut,                                                                | $\frac{1}{4}$ " | BSF                                          | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28M/1011467 | A27/ES       | Nut,                                                                | $\frac{1}{4}$ " | BSF                                          | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28M/1011476 | A27/JS       | Nut,                                                                | $\frac{3}{8}$ " | BSF                                          | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28M/1007404 | A27/JT       | Nut,                                                                | $\frac{3}{8}$ " | BSF                                          | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28M/9452621 | A27/NT       | Nut,                                                                | $\frac{1}{2}$ " | BSF                                          | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28M/10287   | AGS.2001/B/1 | Nut,                                                                | stiff,          | 4 BA                                         | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28M/10274   | AGS.2001/B/4 | Nut,                                                                | stiff,          | 4 BA                                         | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28M/10288   | AGS.2001/C/1 | Nut,                                                                | stiff,          | 2 BA                                         | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28M/10327   | AGS.2002/B/1 | Nut,                                                                | stiff,          | 4 BA                                         | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28M/7002430 | AGS.2002/E/1 | Nut,                                                                | stiff,          | $\frac{1}{4}$ " BSF                          | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28M/12099   | AGS.2007/B/3 | Nut,                                                                | stiff,          | 4 BA                                         | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28M/9434252 | AGS.2018/B/1 | Nut,                                                                | 4               | BA                                           | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28P/833     | SP4Y/B7      | Pin,                                                                | shackle         | ...                                          | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28P/1013002 | SP4Y/B9      | Pin,                                                                | shackle         | ...                                          | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28P/837     | SP4Y/B11     | Pin,                                                                | shackle         | ...                                          | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28P/840     | SP4Y/B14     | Pin,                                                                | shackle         | ...                                          | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28P/841     | SP4Y/B15     | Pin,                                                                | shackle         | ...                                          | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28P/9476399 | SP4Y/D5      | Pin,                                                                | shackle         | ...                                          | ... | ... | ... | ...     | ...         | ...           | C         |  |
| 28P/19750   | SP90/B4      | Pin,                                                                | split,          | $\frac{3}{64}$ " dia. x $\frac{1}{2}$ " long | ... | ... | ... | ...     | ...         | ...           | C         |  |

# CONTROLS FLYING CONTROLS IN COCKPIT

| Ref. No.    | Part No.   | Description    |                  |      |     |                  |      | off | Matl. Spec. | Cl. of Equip. | Plate No. |
|-------------|------------|----------------|------------------|------|-----|------------------|------|-----|-------------|---------------|-----------|
|             |            | 1              | 2                | 3    | 4   | 5                | 6    |     |             | M.R.<br>L.M.  |           |
| 28P/19127   | SP.90/B7   | Pin, split,    | $\frac{3}{64}$ " | dia. | x   | 1"               | long | ... | ...         | C             |           |
| 28P/9486478 | SP.90/C5   | Pin, split,    | $\frac{1}{16}$ " | dia. | x   | $\frac{3}{4}$ "  | long | ... | ...         | C             |           |
| 28P/19228   | SP.90/C8   | Pin, split,    | $\frac{1}{16}$ " | dia. | x   | 1"               | long | ... | ...         | C             |           |
| 28P/19175   | SP.90/E5   | Pin, split,    | $\frac{3}{32}$ " | dia. | x   | $\frac{5}{8}$ "  | long | ... | ...         | C             |           |
| 28P/19235   | SP.90/E10  | Pin, split,    | $\frac{3}{32}$ " | dia. | x   | $1\frac{1}{2}$ " | long | ... | ...         | C             |           |
| 28P/6159    | AGS.166/50 | Pin, split,    | $\frac{1}{16}$ " | dia. | x   | $\frac{5}{8}$ "  | long | ... | ...         | C             |           |
| 28S/9419435 | A31/B12    | Screw,         | 4 BA             | ...  | ... | ...              | ...  | ... | ...         | C             |           |
| 28S/9995324 | A32/A16    | Screw,         | 6 BA             | ...  | ... | ...              | ...  | ... | ...         | C             |           |
| 28S/1200060 | A33/A16    | Screw,         | 6 BA             | ...  | ... | ...              | ...  | ... | ...         | C             |           |
| 28S/1200053 | A33/C16    | Screw,         | 2 BA             | ...  | ... | ...              | ...  | ... | ...         | C             |           |
| 28S/9435718 | A33/C24    | Screw,         | 2 BA             | ...  | ... | ...              | ...  | ... | ...         | C             |           |
| 28S/1212706 | A40/B12    | Screw,         | 4 BA             | ...  | ... | ...              | ...  | ... | ...         | C             |           |
| 28S/1213957 | A41/B8     | Screw,         | 4 BA             | ...  | ... | ...              | ...  | ... | ...         | C             |           |
| 28S/1213959 | A41/B12    | Screw,         | 4 BA             | ...  | ... | ...              | ...  | ... | ...         | C             |           |
| 28W/9419401 | SP.10/B    | Washer         | ...              | ...  | ... | ...              | ...  | ... | ...         | C             |           |
| 28W/9419454 | SP.10/C    | Washer         | ...              | ...  | ... | ...              | ...  | ... | ...         | C             |           |
| 28W/9418920 | SP.10/E    | Washer         | ...              | ...  | ... | ...              | ...  | ... | ...         | C             |           |
| 28W/9419465 | SP.13/B    | Washer         | ...              | ...  | ... | ...              | ...  | ... | ...         | C             |           |
| 28W/9419402 | SP.13/C    | Washer         | ...              | ...  | ... | ...              | ...  | ... | ...         | C             |           |
| 28W/9418921 | SP.13/E    | Washer         | ...              | ...  | ... | ...              | ...  | ... | ...         | C             |           |
| 28W/9419403 | SP.13/G    | Washer         | ...              | ...  | ... | ...              | ...  | ... | ...         | C             |           |
| 28W/9128924 | SP.14/C    | Washer         | ...              | ...  | ... | ...              | ...  | ... | ...         | C             |           |
| 28W/9419474 | SP.15/B    | Washer         | ...              | ...  | ... | ...              | ...  | ... | ...         | C             |           |
| 28W/9419475 | SP.15/C    | Washer         | ...              | ...  | ... | ...              | ...  | ... | ...         | C             |           |
| 28W/9419405 | SP.15/E    | Washer         | ...              | ...  | ... | ...              | ...  | ... | ...         | C             |           |
| 28W/9419404 | SP.16/C    | Washer         | ...              | ...  | ... | ...              | ...  | ... | ...         | C             |           |
| 28W/9419487 | SP.16/E    | Washer         | ...              | ...  | ... | ...              | ...  | ... | ...         | C             |           |
| 28W/9416197 | SP.42/G    | Washer         | ...              | ...  | ... | ...              | ...  | ... | ...         | C             |           |
| 28W/9416641 | SP.47/A    | Washer, spring | ...              | ...  | ... | ...              | ...  | ... | ...         | C             |           |
| 28W/9416642 | SP.47/B    | Washer, spring | ...              | ...  | ... | ...              | ...  | ... | ...         | C             |           |
| 28W/9416643 | SP.47/C    | Washer, spring | ...              | ...  | ... | ...              | ...  | ... | ...         | C             |           |
| 28W/9416644 | SP.47/E    | Washer, spring | ...              | ...  | ... | ...              | ...  | ... | ...         | C             |           |
| 28W/9416645 | SP.47/G    | Washer, spring | ...              | ...  | ... | ...              | ...  | ... | ...         | C             |           |

CANBERRA B.(1) MK. 8

Page 211

# **CONTROLS** **FLYING CONTROLS IN CENTRE FUSELAGE**

| Ref. No. | Part No.        | Description                                                                                                | No.<br>off | Matl. Spec. | Cl. of Equip. | Plate No. |
|----------|-----------------|------------------------------------------------------------------------------------------------------------|------------|-------------|---------------|-----------|
|          |                 |                                                                                                            |            |             | M.R.<br>L.M.  |           |
|          | E.A9.45.695     | <b>CONTROLS, FLYING, IN CENTRE FUSELAGE, ASSEMBLY (Mod. 1794)</b><br>Spares for:—                          | —          | —           | —             |           |
| 67       | EEAS.13/1       | Bolt, special connecting, control tube joints ... ..                                                       | 13         | S.11        | C             |           |
| 68       | EEAS.14         | Bush, at control tube joints ... ..                                                                        | 13         | S.11        | C             |           |
| 3569     | EEAS.63/E       | Nut, special, 1/4" BSF ... ..                                                                              | 13         | S.96        | C             |           |
| 3570     | EEAS.127        | Piece, distance, control tube connection ... ..                                                            | 13         | S.96        | C             |           |
|          | E.A1.45.485     | <b>SUPPORT, CONTROL TUBE, BETWEEN FRAMES 12 AND 13, AILERON AND RUDDER ELEVATOR, GROUP</b><br>Spares for:— | —          | —           | —             |           |
| 2035     | FAIRY FS.515 or | Bearing, roller, control tube guide ... ..                                                                 | 3          | —           | B             |           |
| 1491     | FS.350*         |                                                                                                            |            |             |               |           |
| 10279    | E.A1.45.463     | Support, control tube ... ..                                                                               | 1          | —           | B/MR          |           |
|          | E.A1.45.487     | <b>SUPPORT, CONTROL TUBE, AT FRAME 15, GROUP</b><br>Spares for:—                                           | —          | —           | MR            |           |
| 2035     | FAIRY FS.515 or | Bearing, roller, control tube guide ... ..                                                                 | 3          | —           | B             |           |
| 1491     | FS.350*         |                                                                                                            |            |             |               |           |
| 10280    | E.A1.45.465     | Support, control tube ... ..                                                                               | 1          | —           | B/MR          |           |
|          | E.A1.489        | <b>SUPPORT, CONTROL TUBE, AT FRAME 20, GROUP</b><br>Spares for:—                                           | —          | —           | —             |           |
| 2035     | FAIRY FS.515 or | Bearing, roller, control tube guide ... ..                                                                 | 3          | —           | B             |           |
| 1491     | FS.350*         |                                                                                                            |            |             |               |           |
| 10281    | E.A1.45.467     | Support, control tube ... ..                                                                               | 1          | —           | B/MR          |           |
|          | E.A1.45.491     | <b>SUPPORT, CONTROL TUBE, AT FRAME 23, GROUP</b><br>Spares for:—                                           | —          | —           | MR            |           |
| 2035     | FAIRY FS.515 or | Bearing, roller, control tube guide ... ..                                                                 | 3          | —           | C             |           |
| 1491     | FS.350*         |                                                                                                            |            |             |               |           |
| 10282    | E.A1.45.469     | Support, control tube ... ..                                                                               | 1          | —           | B/MR          |           |
| 3582     | E.A3.45.363     | Tube, control, coupling at frame 21, between aileron lever and idle lever                                  | 1          | —           | C             |           |
| 3583     | E.A3.45.355     | Tube, control, aileron, between frames 15 and 20 ...                                                       | 1          | —           | C             |           |

# **CONTROLS** **FLYING CONTROLS IN CENTRE FUSELAGE**

| Ref. No. | Part No.    | Description                                                                    | No.<br>off | Matl. Spec. | Cl. of<br>Equip. | Plate<br>No. |
|----------|-------------|--------------------------------------------------------------------------------|------------|-------------|------------------|--------------|
|          |             |                                                                                |            |             | M.R.<br>L.M.     |              |
|          |             | 1 2 3 4 5 6                                                                    |            |             |                  |              |
| 3586     | E.A3.45.359 | TUBE, CONTROL, ELEVATOR, BETWEEN FRAMES<br>16 AND 19, 20, 23, 27 AND 31, GROUP | 6          | —           | B                |              |
|          |             | Spares for:—                                                                   |            |             |                  |              |
| 3226     | EEAS.130    | Fitting, end, c/w ballrace ... ..                                              | 1          | DTD.683     | C                |              |
| 3584     | E.A3.45.375 | TUBE, CONTROL, RUBBER AND ELEVATOR BE-<br>TWEEN FRAMES 23 AND 27, GROUP        | 2          | —           | B                |              |
|          |             | Spares for:—                                                                   |            |             |                  |              |
| 3226     | EEAS.130    | Fitting, end, c/w ballrace ... ..                                              | 1          | DTD.683     | C                |              |
| 3587     | E.A3.45.367 | TUBE, CONTROL, BETWEEN FRAME 20 AND<br>AILERON LEVER, GROUP                    | 1          | —           | B                |              |
|          |             | Spares for:—                                                                   |            |             |                  |              |
| 1683     | EEAS.47/2   | End, fork, adjuster fitting ... ..                                             | 1          | DTD.683     | C                |              |
| 3585     | E.A3.45.371 | TUBE, CONTROL, BETWEEN FRAMES 12 AND 13,<br>GROUP                              | 3          | —           | B                |              |
|          |             | Spares for:—                                                                   |            |             |                  |              |
| 3226     | EEAS.130    | Fitting, end, c/w ballrace ... ..                                              | 1          | DTD.683     | C                |              |



**Pages 213 to 222 not issued**



# **CONTROLS** **FLYING CONTROLS IN CENTRE FUSELAGE**

| Ref. No.  | Part No.  |                                                                                                |   |   |   |   | No.<br>off | Matl. Spec. | Cl. of St.   | Plate<br>No. |
|-----------|-----------|------------------------------------------------------------------------------------------------|---|---|---|---|------------|-------------|--------------|--------------|
|           |           | 1                                                                                              | 2 | 3 | 4 | 5 |            |             | M.R.<br>L.M. |              |
|           |           | <b>SUMMARY OF STOCK ITEMS USED<br/>ON FLYING CONTROLS IN<br/>CENTRE FUSELAGE,<br/>ASSEMBLY</b> |   |   |   |   |            |             |              |              |
| 28D/12531 | A25/3C    | <b>Bolt</b> , 2 BA, hex. head, .75 long                                                        |   |   |   |   | ...        | ...         |              | C            |
| 28D/12532 | A25/4C    | <b>Bolt</b> , 2 BA, hex. head, .85 long                                                        |   |   |   |   | ...        | ...         |              | C            |
| 28M/12929 | A27/CP    | <b>Nut</b> , 2 BA, plain                                                                       |   |   |   |   | ...        | ...         |              | C            |
| 28M/13879 | A29/NP    | <b>Nut</b> , $\frac{1}{2}$ " BSF, plain                                                        |   |   |   |   | ...        | ...         |              | C            |
| 28M/6036  | AGS.759/H | <b>Nut</b> , lock, $\frac{1}{2}$ " BSF...                                                      |   |   |   |   | ...        | ...         |              | C            |
| 28P/12462 | SP9/C8    | <b>Pin</b> , split, $\frac{1}{16}$ " dia. x 1" long                                            |   |   |   |   | ...        | ...         |              | C            |

[illegible]

# **CONTROLS** **FLYING CONTROLS IN REAR FUSELAGE**

| Ref. No.   | Part No.      | Description                                                                 | No.<br>off | Matl. Spec. | Cl. of Equip. | Plate No. |
|------------|---------------|-----------------------------------------------------------------------------|------------|-------------|---------------|-----------|
|            |               |                                                                             |            |             | M.R.<br>L.M.  |           |
|            |               | 1 2 3 4 5 6                                                                 |            |             |               |           |
|            | E.A3.45.385   | <b>CONTROLS, FLYING, IN REAR FUSELAGE, ASSEMBLY</b>                         | —          | —           | —             |           |
|            |               | Spares for:—                                                                |            |             |               |           |
| 67         | EEAS.13/1     | <b>BOLT</b> , special, connecting control tube ... ..                       | 8          | S.11        | C             |           |
| 68         | EEAS.14       | <b>BUSH</b> , at control tube joints ... ..                                 | 8          | S.11        | C             |           |
|            | E.A1.45.601   | <b>LEVERS, CONTROL, AND MOUNTING OF BRACKETS AT FRAME 42, GROUP</b> ...     | 1          | —           | —             |           |
|            |               | Spares for:—                                                                |            |             |               |           |
| 2741       | EEAS.13/7     | <b>BOLT</b> , special, mounting, rudder control lever ...                   | 1          | S.96        | C             |           |
| 2740       | EEAS.13/6     | <b>BOLT</b> , special, mounting, elevator control lever ...                 | 1          | S.96        | C             |           |
| 319        | E.A1.45.561   | <b>LEVER, CONTROL, RUDDER, GROUP</b> ... ..                                 | 1          | —           | B             |           |
|            |               | Spares for:—                                                                |            |             |               |           |
| 2A/9500410 | HOFFMANN CS.1 | <b>BEARING</b> , ballrace, centre ... ..                                    | 2          | —           | B             |           |
|            | E.A1.45.575   | <b>BOBBIN</b> , mounting and ballrace housing ... ..                        | 1          | L.40        | —             |           |
| 21671      | E.A1.45.577   | <b>BUSH</b> , distance, between centre ballraces ...                        | 1          | L.40        | C             |           |
| 34010      | E.A1.45.569   | <b>LUG</b> , end, control connecting, c/w ballrace ...                      | 2          | —           | B             |           |
| 991        | E.A1.45.1193  | <b>LEVER, CONTROL, ELEVATOR, GROUP</b> ... ..                               | 1          | —           | B             |           |
|            |               | Spares for:—                                                                |            |             |               |           |
| 2A/9500410 | HOFFMANN CS.1 | <b>BEARING</b> , ballrace, control lever mounting ...                       | 2          | —           | B             |           |
| 2A/9500463 | SKEFKO CBA.2  | <b>BEARING</b> , ballrace, for control levers ... ..                        | 2          | —           | B             |           |
|            | E.A1.45.573   | <b>BOBBIN</b> , mounting and pivot for control levers ...                   | 1          | L.40        | —             |           |
|            | E.A1.45.577   | <b>BUSH</b> , distance, between ballraces ... ..                            | 2          | L.40        | —             |           |
| 75         | EEAS.3/D      | <b>HOUSING</b> , ballrace ... ..                                            | 1          | L.40        | C             |           |
| 92         | EEAS.4/20 C   | <b>WASHER</b> , packing ... ..                                              | 4          | L.72        | —             |           |
| 3569       | EEAS.63/E     | <b>NUT</b> , special ... ..                                                 | 8          | S.96        | C             |           |
| 3570       | EEAS.127      | <b>PIECE</b> , distance, control tube connection ... ..                     | 8          | S.96        | C             |           |
| 2141       | E.A3.45.267   | <b>TUBE</b> , control, rudder and elevator, lettered "Do Not Handle" ... .. | 2          | —           | C             |           |
| 3584       | E.A3.45.375   | <b>TUBE, CONTROL, RUDDER AND ELEVATOR, GROUP</b>                            | 2          | —           | B             |           |
|            |               | Spares for:—                                                                |            |             |               |           |
| 3226       | EEAS.130      | <b>FITTING</b> , end, ballrace ... ..                                       | 1          | DTD.683     | C             |           |
| 4620       | E.A3.45.387   | <b>TUBE, ELEVATOR, REAR FUSELAGE, GROUP</b>                                 | 1          | —           | C             |           |
|            |               | Spares for:—                                                                |            |             |               |           |
| 1683       | EEAS.47/2     | <b>END</b> , fork, adjuster fitting ... ..                                  | 1          | DTD.683     | C             |           |
| 21073      | E.A3.45.115   | <b>TUBE, RUDDER, REAR FUSELAGE, GROUP</b> ...                               | 1          | —           | B             |           |
|            |               | Spares for:—                                                                |            |             |               |           |
| 1683       | EEAS.47/2     | <b>END</b> , fork, adjuster fitting ... ..                                  | 1          | DTD.683     | C             |           |
| 3589       | E.A3.45.393   | <b>TUBE, RUDDER, FROM CONTROL ARM TO RUDDER, GROUP</b>                      | 1          | —           | B             |           |
|            |               | Spares for:—                                                                |            |             |               |           |
| 1683       | EEAS.47/2     | <b>END</b> , fork, adjuster fitting ... ..                                  | 1          | DTD.683     | C             |           |
| 3588       | E.A3.45.317   | <b>TUBE, ELEVATOR, FROM CONTROL ARM TO ELEVATOR, GROUP</b>                  | 1          | —           | B             |           |
|            |               | Spares for:—                                                                |            |             |               |           |
| 1683       | EEAS.47/2     | <b>END</b> , fork, adjuster fitting ... ..                                  | 1          | DTD.683     | C             |           |

Restricted

| Ref. No. | Part No. |   |   |   |   |   |   | Description | off | Matl. Spec. | Cl. of Equip. | Plate No. |
|----------|----------|---|---|---|---|---|---|-------------|-----|-------------|---------------|-----------|
|          |          | 1 | 2 | 3 | 4 | 5 | 6 |             |     |             | M.R.<br>L.M.  |           |
|          |          |   |   |   |   |   |   |             |     |             |               |           |

Restricted

**Pages 227 to 236 not issued**





CANBERRA B(1) Mk. 8

Page 237

# **CONTROLS** **FLYING CONTROLS IN REAR FUSELAGE**

| Ref. No.    | Part No.  |                                                                                 |     |      |     |     |      | No.<br>off | Matl. Spec. | Cl. of<br>Equip. | Plate<br>No. |  |  |
|-------------|-----------|---------------------------------------------------------------------------------|-----|------|-----|-----|------|------------|-------------|------------------|--------------|--|--|
|             |           | 1                                                                               | 2   | 3    | 4   | 5   | 6    |            |             | M.R.<br>L.M.     |              |  |  |
|             |           | SUMMARY OF STOCK ITEMS USED ON FLYING<br>CONTROLS IN REAR FUSELAGE,<br>ASSEMBLY |     |      |     |     |      |            |             |                  |              |  |  |
| 28D/1200119 | A25/4C    | Bolt,                                                                           | 2   | BA   | ... | ... | ...  | ...        | ...         | ...              | C            |  |  |
| 28D/9133013 | A25/5C    | Bolt,                                                                           | 2   | BA   | ... | ... | ...  | ...        | ...         | ...              | C            |  |  |
| 28M/9403520 | A27/CP    | Nut,                                                                            | 2   | BA   | ... | ... | ...  | ...        | ...         | ...              | C            |  |  |
| 28M/1006473 | A27/CT    | Nut,                                                                            | 2   | BA   | ... | ... | ...  | ...        | ...         | ...              | C            |  |  |
| 28M/13879   | A29/NP    | Nut,                                                                            | 1/2 | BSF  | ... | ... | ...  | ...        | ...         | ...              | C            |  |  |
| 28M/7683    | AGS.572/A | Nut,                                                                            | 1/4 | BSF  | ... | ... | ...  | ...        | ...         | ...              | C            |  |  |
| 28P/9527619 | SP.90/C7  | Pin, split,                                                                     | 1/8 | dia. | x   | 1"  | long | ...        | ...         | ...              | C            |  |  |
| 28W/9419402 | SP.13/C   | Washer                                                                          | ... | ...  | ... | ... | ...  | ...        | ...         | ...              | C            |  |  |
| 28W/9419475 | SP.15/C   | Washer                                                                          | ... | ...  | ... | ... | ...  | ...        | ...         | ...              | C            |  |  |
| 28W/9419405 | SP.15/E   | Washer                                                                          | ... | ...  | ... | ... | ...  | ...        | ...         | ...              | C            |  |  |

Restricted

[illegible]

Restricted







