

## EQUIPMENT AIRCRAFT - INSTRUMENT PANELS

Page F.1

| REF.<br>NO. | PART NO.        |                                                                      |   |   |   |   | NO<br>OFF | MATL.<br>SPEC. | MR.<br>CL. of<br>ST. | PLATE<br>NO. |
|-------------|-----------------|----------------------------------------------------------------------|---|---|---|---|-----------|----------------|----------------------|--------------|
|             |                 | 1                                                                    | 2 | 3 | 4 | 5 |           |                |                      |              |
|             | C.191124        | <u>INSTRUMENT PANELS ASSEMBLY.</u>                                   |   |   |   |   | -         | -              |                      |              |
|             | A.188487        | Bracket, mounting, for stand-by compass.                             |   |   |   |   | 1         | DTD610         |                      |              |
| 6B/2191     | -               | Compass, "stand-by", type E2A.                                       |   |   |   |   | 1         | -              | A                    |              |
|             | D.187863        | Mounting, panel assembly.                                            |   |   |   |   | -         | -              |                      |              |
| 1536        | A.187735        | Bracket, top, centre panel mounting.                                 |   |   |   |   | 2         | -              | C                    |              |
| 1537        | A.187736        | Bracket, bottom, centre panel mounting.                              |   |   |   |   | 2         | -              | C                    |              |
| 3866        | Andre           | Block, mounting. (Referenced                                         |   |   |   |   | 6         | -              | C                    |              |
|             | B134/AD/4       | 26FH/353 for Admiralty).                                             |   |   |   |   |           |                |                      |              |
| 1538        | STD.1285/3BB    | Connector, earthing, at lord mounting, centre panel.                 |   |   |   |   | 4         | -              | C                    | 4            |
| 1539        | STD.1285/3DD    | Connector, earthing, at attachment of side panels.                   |   |   |   |   | 4         | -              | C                    | 4            |
| 27H/9335    | Sperry          | Mounting.                                                            |   |   |   |   | 8         | -              | B                    |              |
|             | 150 P6          |                                                                      |   |   |   |   |           |                |                      |              |
| 1542        | F.187614        | Plate, support.                                                      |   |   |   |   | 2         | DTD610         | C                    |              |
| 1543        | F.187864        | Strut, support, port.                                                |   |   |   |   | 1         | T.4            | C                    |              |
| 3867        | F.195815        | Strut, support, starboard.                                           |   |   |   |   | 1         | T.4            | C                    |              |
| 3797        | STD.1509/24/08  | Tube, distance 3/8" o/d x 17 s.w.g. x .80" long (Make from 30B/557). |   |   |   |   | 2         | T.4            | MR/C                 | 4            |
| 3798        | STD.1509/24/034 | Tube, distance 3/8" o/d x 17 s.w.g. x .34" long (Make from 30B/557). |   |   |   |   | 4         | T.4            | MR/C                 | 4            |
| 3868        | F.168524        | Washer, at lord mounting.                                            |   |   |   |   | 4         | DTD610         | C                    |              |
|             | D.191123        | Panel, centre, assembly.                                             |   |   |   |   | -         | -              |                      |              |
| 6A/2944     | -               | Altimeter, Mk.19A.                                                   |   |   |   |   | 1         | -              | A                    |              |
| 3735        | STD.840/16      | Clip, 7/16" wide x 22 s.w.g. (Make from 30B/1433).                   |   |   |   |   | 2         | DTD610         | MR/C                 | 4            |
| 3971        | STD.840/19      | Clip, 7/16" wide x 22 s.w.g. (Make from 30B/1433).                   |   |   |   |   | 2         | DTD610         | MR/C                 | 4            |
| 6A/2519     | -               | Connector, static and pressure.                                      |   |   |   |   | 2         | -              | A                    |              |
| 6A/2966     | -               | Indicator, rate of climb, Mk.3A(P).                                  |   |   |   |   | 1         | -              | A                    |              |
| 6A/2945     | -               | Indicator, turn and slip, Mk.2.                                      |   |   |   |   | 1         | -              | A                    |              |
| 6A/2717     | -               | Indicator, artificial horizon, Mk.3.                                 |   |   |   |   | 1         | -              | A                    |              |
| 6A/3158     | -               | Indicator, air speed, Mk.12A.                                        |   |   |   |   | 1         | -              | A                    |              |
| 6A/         | Smith 472.FL    | Indicator, tail plane position.                                      |   |   |   |   | 1         | -              | A                    |              |
| 6A/         | Smith 473.FL    | Indicator, flap position.                                            |   |   |   |   | 1         | -              | A                    |              |
| 6A/3300     | -               | Machmeter, Mk.3A                                                     |   |   |   |   | 1         | -              | A                    |              |
| 958         | A.192063        | Panel, group.                                                        |   |   |   |   | 1         | -              | B                    |              |
| 959         | F.188328        | Guard, toggle switch locking.                                        |   |   |   |   | 2         | DTD610         | C                    |              |
| 3597        | † A.191177/1    | Pipe, static, rate of climb indicator to A.S.I.                      |   |   |   |   | 1         | T.9            | MR/C                 |              |
| 3598        | † A.191177/2    | Pipe, static, A.S.I. to machmeter.                                   |   |   |   |   | 1         | T.9            | MR/C                 |              |

† For details see piping chart.

## RESTRICTED

## EQUIPMENT AIRCRAFT - INSTRUMENT PANELS

Page F.2

| REF.<br>NO. | PART NO.             |   |   |   |   |   | DESCRIPTION                                                                                         | NO<br>OFF | MATL.<br>SPEC. | MR.<br>CL of<br>ST | PLATE<br>NO. |
|-------------|----------------------|---|---|---|---|---|-----------------------------------------------------------------------------------------------------|-----------|----------------|--------------------|--------------|
|             |                      | 1 | 2 | 3 | 4 | 5 |                                                                                                     |           |                |                    |              |
| 3599        | † A.191177/3         |   |   |   |   |   | Pipe, static, machmeter to altimeter.                                                               | 1         | T.9            | MR/C               |              |
| 3600        | † A.191177/4         |   |   |   |   |   | Pipe, static, altimeter to static connector.                                                        | 1         | T.9            | MR/C               |              |
| 3601        | † A.191177/5         |   |   |   |   |   | Pipe, pressure, A.S.I. to machmeter.                                                                | 1         | T.9            | MR/C               |              |
| 3602        | † A.191177/6         |   |   |   |   |   | Pipe, pressure, machmeter to pitot connector.                                                       | 1         | T.9            | MR/C               |              |
| 1178        | STD. 1606/<br>44/B12 |   |   |   |   |   | Screw, roundhead, 4 B.A.                                                                            | 2         | Brass          | C                  | 5            |
| 3856        | STD. 1606/<br>44/C20 |   |   |   |   |   | Screw, roundhead, 2 B.A.                                                                            | 2         | Brass          | C                  | 5            |
| 3857        | STD. 1606/<br>44/C24 |   |   |   |   |   | Screw, roundhead, 2 B.A.                                                                            | 4         | Brass          | C                  | 5            |
| 3858        | STD. 1606/<br>45/B8  |   |   |   |   |   | Screw, countersunk, 4 B.A.<br>(Referenced 26AQ/2591 for Admiralty).                                 | 2         | Brass          | C                  | 5            |
|             | STD. 1606/<br>45/B14 |   |   |   |   |   | Screw, countersunk, 4 B.A.                                                                          | 4         | Brass          | C                  | 5            |
| 1943        | STD. 1606/<br>45/B16 |   |   |   |   |   | Screw, countersunk, 4 B.A.                                                                          | 2         | Brass          | C                  | 5            |
| 3861        | STD. 1606/<br>45/B24 |   |   |   |   |   | Screw, countersunk, 4 B.A.<br>(Referenced 26AQ/2594 for Admiralty).                                 | 16        | Brass          | C                  | 5            |
| 3862        | STD. 1606/<br>45/B30 |   |   |   |   |   | Screw, countersunk, 4 B.A.                                                                          | 4         | Brass          | C                  | 5            |
| 3841        | STD. 1606/<br>45/C16 |   |   |   |   |   | Screw, countersunk, 2 B.A.<br>(Referenced 26AQ/2780 for Admiralty).                                 | 8         | Brass          | C                  | 5            |
| 3863        | STD. 1606/<br>45/C24 |   |   |   |   |   | Screw, countersunk, 2 B.A.                                                                          | 4         | Brass          | C                  | 5            |
| 3864        | STD. 1606/<br>45/C26 |   |   |   |   |   | Screw, countersunk, 2 B.A.                                                                          | 4         | Brass          | C                  | 5            |
| 6B/2575     | -                    |   |   |   |   |   | Shield, magnetic.                                                                                   | 1         | -              | A                  |              |
| 5C/4179     | -                    |   |   |   |   |   | Switch, S.P. change over (without centre "off").                                                    | 2         | -              | A                  |              |
| 6A/2801     | -                    |   |   |   |   |   | Tachometer, engine speed, Mk.10A.                                                                   | 1         | -              | A                  |              |
| 6A/2191     | -                    |   |   |   |   |   | Thermometer, exhaust gas.                                                                           | 1         | -              | A                  |              |
| 5C/4327     | -                    |   |   |   |   |   | Transfer "ON".                                                                                      | 2         | -              | C                  |              |
| 5C/4328     | -                    |   |   |   |   |   | Transfer "OFF".                                                                                     | 2         | -              | C                  |              |
| 6B/2035     | -                    |   |   |   |   |   | Unit, gyro, type 'A'.                                                                               | 1         | -              | A                  |              |
| 3767        | STD. 915/B20         |   |   |   |   |   | Washer, 4 B.A.                                                                                      | 4         | DTD610         | C                  | 4            |
|             | B.192073             |   |   |   |   |   | Panel, port assembly.                                                                               | -         | -              | -                  |              |
| -           | D.188195             |   |   |   |   |   | Cable, F.13 assembly. (For details see cable chart).                                                | 1         | -              | -                  |              |
| 3734        | STD. 840/14          |   |   |   |   |   | Clip, 7/16" wide x 22 s.w.g. x 1.4" long (Make from 30B/1433) (Referenced 26FH/3219 for Admiralty). | 1         | DTD610         | MR/C               | 4            |

† For details see piping chart.

RESTRICTED

HAL 2733/2

## EQUIPMENT AIRCRAFT - INSTRUMENT PANELS

Page F.3

| REF.<br>NO. | PART NO.            |   |   |   |   |                                                                | NO<br>OFF | MATL.<br>SPEC. | MR.<br>CL of<br>ST. | PLATE<br>NO |
|-------------|---------------------|---|---|---|---|----------------------------------------------------------------|-----------|----------------|---------------------|-------------|
|             |                     | 1 | 2 | 3 | 4 | 5                                                              |           |                |                     |             |
| 3971        | STD. 840/19         |   |   |   |   | Clip, 7/16" wide x 22 s.w.g. x 1.9" long (Make from 30B/1433). | 1         | DTD610         | -                   | 4           |
| 3951        | STD. 840/26         |   |   |   |   | Clip, 7/16" wide x 22 s.w.g. x 2.6" long.                      | 1         | DTD610         | C                   | 4           |
| 5C/4271     | STD. 1512/8         |   |   |   |   | Disc, undercarriage warning lamp.                              | 1         | -              | C                   | 4           |
| 5C/5000     | STD. 1512/28        |   |   |   |   | Disc, hydraulic pressure warning lamp.                         | 1         | -              | C                   | 4           |
| 5C/4204     | -                   |   |   |   |   | Indicator, undercarriage position, type D.                     | 1         | -              | A                   |             |
| 5C/4361     | Dowty C.1838Y Mk.1  |   |   |   |   | Indicator, elevator and aileron arrester.                      | 2         | -              | A                   |             |
| 5C/1069     | -                   |   |   |   |   | Lamp, undercarriage warning, type A.                           | 1         | -              | A                   |             |
| 5C/1553     | -                   |   |   |   |   | Lamp, hydraulic pressure warning, type B.                      | 1         | -              | A                   |             |
| 956         | B.192073/A          |   |   |   |   | Panel, group.                                                  | 1         | -              | B                   |             |
|             | A.191653            |   |   |   |   | Consisting of:-<br>Bracket, undercarriage position indicator.  | 1         | DTD610         |                     |             |
|             | B.192562            |   |   |   |   | Bracket, undercarriage control switch.                         | 1         | S.3            |                     |             |
|             | F.189027            |   |   |   |   | Collar.                                                        | 1         | -              |                     |             |
|             | B.192072            |   |   |   |   | Panel.                                                         | 1         | DTD610         |                     |             |
| 28Q/1670    | AS.156/406          |   |   |   |   | Rivet.                                                         | 3         | -              | C                   |             |
| 28Q/1660    | AS.156/405          |   |   |   |   | Rivet.                                                         | 12        | -              | C                   |             |
| 1637        | STD. 1606/44/B14    |   |   |   |   | Screw, roundhead, 4 B.A. (Referenced 26AQ/3266 for Admiralty). | 2         | Brass          | C                   | 5           |
| 3839        | STD. 1606/44/B16    |   |   |   |   | Screw, roundhead, 4 B.A. (Referenced 26AQ/2782 for Admiralty). | 2         | Brass          | C                   | 5           |
| 1720        | STD. 1606/44/B24    |   |   |   |   | Screw, roundhead, 4 B.A.                                       | 4         | Brass          | C                   | 5           |
| 3859        | STD. 1606/45/B10    |   |   |   |   | Screw, countersunk, 4 B.A.                                     | 3         | Brass          | C                   | 5           |
| 5C/4506     | Dowty C.2524Y       |   |   |   |   | Switch, undercarriage push button.                             | 1         | -              | A                   |             |
| 5C/4678     | Dowty C.1223Y Mk.11 |   |   |   |   | Switch, flap lever.                                            | 1         | -              | A                   |             |
|             | B.187695            |   |   |   |   | Panel, starboard assembly.                                     | -         | -              | -                   |             |
| 6A/2709     | -                   |   |   |   |   | Altimeter, cabin, Mark 18.                                     | 1         | -              | A                   |             |
| -           | C.188193            |   |   |   |   | Cable F.11 assembly (For details see cable chart).             | 1         | -              | -                   |             |
| 5C/4267     | STD. 1512/4         |   |   |   |   | Disc, warning lamp.                                            | 1         | -              | C                   | 4           |
| 5C/5001     | STD. 1512/29        |   |   |   |   | Disc, warning lamp.                                            | 1         | -              | C                   | 4           |
| 10AF/530    | -                   |   |   |   |   | Indicator, D.M.E.                                              | 1         | -              | A                   |             |

RESTRICTED

EQUIPMENT AIRCRAFT - INSTRUMENT PANELS

Page F.4

| REF.<br>NO. | PART NO.              |   |   |   |   |   | DESCRIPTION                                                            | NO<br>OFF | MATL.<br>SPEC. | MR.<br>CL of<br>ST. | PLATE<br>NO |
|-------------|-----------------------|---|---|---|---|---|------------------------------------------------------------------------|-----------|----------------|---------------------|-------------|
|             |                       | 1 | 2 | 3 | 4 | 5 |                                                                        |           |                |                     |             |
| 5C/4361     | Dowty<br>C.1838Y Mk.1 |   |   |   |   |   | Indicator, magnetic.                                                   | 1         | -              | A                   |             |
| 5C/1069     | -                     |   |   |   |   |   | Lamp, warning, type 'A' (without<br>night screen).                     | 1         | -              | A                   |             |
| 5C/1553     | -                     |   |   |   |   |   | Lamp, warning, type 'B' (with<br>night screen).                        | 1         | -              | A                   |             |
| 1940        | STD.1231/1            |   |   |   |   |   | Lug, locking.                                                          | 1         | -              | C                   | 4           |
| 957         | C.187694              |   |   |   |   |   | Panel.                                                                 | 1         | DTD610         | B                   |             |
| 5C/4221     | -                     |   |   |   |   |   | Switch, S.P. "ON - OFF" (spring<br>return to centre OFF).              | 1         | -              | A                   |             |
| 5C/4184     | -                     |   |   |   |   |   | Switch, S.P. "ON - OFF" (upright<br>OFF).                              | 1         | -              | A                   |             |
| 3858        | STD.1606/<br>45/B8    |   |   |   |   |   | Screw, countersunk, 4 B.A.<br>(Referenced 26AQ/2591<br>for Admiralty). | 4         | Brass          | C                   | 5           |
| 3859        | STD.1606/<br>45/B10   |   |   |   |   |   | Screw, countersunk, 4 B.A.                                             | 1         | Brass          | C                   | 5           |
| 1943        | STD.1606/<br>45/B16   |   |   |   |   |   | Screw, countersunk, 4 B.A.<br>(Referenced 26AQ/2593 for<br>Admiralty). | 4         | Brass          | C                   | 5           |
| 3861        | STD.1606/<br>45/B24   |   |   |   |   |   | Screw, countersunk, 4 B.A.                                             | 4         | Brass          | C                   | 5           |
| 5C/4347     | -                     |   |   |   |   |   | Transfer, 'OUT'.                                                       | 1         | -              | C                   |             |
| 5C/5345     | -                     |   |   |   |   |   | Transfer, 'BRIGHT'.                                                    | 1         | -              | C                   |             |
| 5C/5344     | -                     |   |   |   |   |   | Transfer, 'DIM'.                                                       | 1         | -              | C                   |             |

RESTRICTED

HAL 2733/2



EQUIPMENT AIRCRAFT - INSTRUMENT PANELS

RESTRICTED

## EQUIPMENT AIRCRAFT - INSTRUMENT PANELS

Page F.6

RESTRICTED

RESTRICTED

## EQUIPMENT AIRCRAFT - INSTRUMENT PANELS

Page F.7

| REF.<br>NO. | PART NO.                               |   |   |   |   |   | DESCRIPTION.                  | NO<br>OFF | MATL.<br>SPEC. | MR.<br>CL. of<br>ST. | PLATE<br>NO. |
|-------------|----------------------------------------|---|---|---|---|---|-------------------------------|-----------|----------------|----------------------|--------------|
|             |                                        | 1 | 2 | 3 | 4 | 5 |                               |           |                |                      |              |
|             |                                        |   |   |   |   |   | <u>SUMMARY OF STOCK ITEMS</u> |           |                |                      |              |
| 28D/10114   | AS. 1249 <sup>1</sup> / <sub>2</sub> B |   |   |   |   |   | Bolt, 4 B.A.                  |           |                |                      |              |
| 28M/10280   | AGS. 2001/B3                           |   |   |   |   |   | Nut, 4 B.A.                   |           |                |                      |              |
| 28M/10290   | AGS. 2001/E1                           |   |   |   |   |   | Nut, 1/4" B.S.F.              |           |                |                      |              |
| 28M/10328   | AGS. 2002/C1                           |   |   |   |   |   | Nut, 2 B.A.                   |           |                |                      |              |
| 28L/12931   | A. 27.ET.                              |   |   |   |   |   | Nut, 1/4" B.S.F.              |           |                |                      |              |
| 28L/13734   | A. 54.B                                |   |   |   |   |   | Nut, 4 B.A.                   |           |                |                      |              |
| 28L/14534   | A. 54.C                                |   |   |   |   |   | Nut, 2 B.A.                   |           |                |                      |              |
| 28S/2868    | A32/C20                                |   |   |   |   |   | Screw, 2 B.A.                 |           |                |                      |              |
| 28V/13603   | AGS. 838/8                             |   |   |   |   |   | Union, bush.                  |           |                |                      |              |
| 28V/5107    | AGS. 838/3                             |   |   |   |   |   | Union, elbow.                 |           |                |                      |              |
| 28V/5108    | AGS. 838/4                             |   |   |   |   |   | Union, nut.                   |           |                |                      |              |
| 28V/5104    | AGS. 838/1                             |   |   |   |   |   | Union, straight.              |           |                |                      |              |
| 28V/5105    | AGS. 838/2                             |   |   |   |   |   | Union, tee.                   |           |                |                      |              |
| 28W/12296   | SP. 15C                                |   |   |   |   |   | Washer, 2 B.A.                |           |                |                      |              |
| 28W/12496   | SP. 15E                                |   |   |   |   |   | Washer, 1/4" dia.             |           |                |                      |              |
| 28W/3090    | AGS. 163D                              |   |   |   |   |   | Washer, spring.               |           |                |                      |              |

RESTRICTED

RESTRICTED

## EQUIPMENT AIRCRAFT - INSTRUMENT PANELS

Page F.8

RESTRICTED

HAL 2733/2

## EQUIPMENT AIRCRAFT -- MAP CASE

Issued on A.L. No.1

Page F9

| REF.<br>NO.                   | PART NO.   |                                             |   |   |   |   | DESCRIPTION. | NO<br>OFF | MATL.<br>SPEC. | MR.<br>CL of<br>ST. | PLATE<br>NO |
|-------------------------------|------------|---------------------------------------------|---|---|---|---|--------------|-----------|----------------|---------------------|-------------|
|                               |            | 1                                           | 2 | 3 | 4 | 5 |              |           |                |                     |             |
|                               | A.190817   | <u>MAP CASE AND G.G.S. RECORDER STOWAGE</u> |   |   |   |   | -            | -         |                |                     |             |
|                               |            | <u>ASSEMBLY (PRE MOD. 149)</u>              |   |   |   |   |              |           |                |                     |             |
| 2371                          | C.188865   | Case, for map and pilot's notes,            |   |   |   |   | 1            | DTD.610   | MR/C           | F.1                 |             |
| 2372                          | B.188866   | Stowage, G.G.S. Recorder.                   |   |   |   |   | 1            | DTD.610   | MR/C           | F.1                 |             |
|                               | B.203375   | <u>MAP CASE AND G.G.S. RECORDER STOWAGE</u> |   |   |   |   | -            | -         |                |                     |             |
|                               |            | <u>ASSEMBLY (MOD. 149)</u>                  |   |   |   |   |              |           |                |                     |             |
| 4900                          | C.203324   | Case, map and G.G.S recorder                |   |   |   |   | 1            | L.72      | MR/C           | F.1                 |             |
|                               |            | stowage.                                    |   |   |   |   |              |           |                |                     |             |
| 27H/2768                      | -          | Case, note for pilot.                       |   |   |   |   | 1            | -         | C              |                     |             |
| <u>SUMMARY OF STOCK ITEMS</u> |            |                                             |   |   |   |   |              |           |                |                     |             |
| 28Q/1650                      | AS.156/404 | Rivet.                                      |   |   |   |   |              |           |                |                     |             |
| 28Q/7655                      | AS.164/404 | Rivet.                                      |   |   |   |   |              |           |                |                     |             |
| 28S/14005                     | A.32.B.14  | Screw, 4 B.A.                               |   |   |   |   |              |           |                |                     |             |
| 28W/12306                     | SP.15.B    | Washer, 4 B.A.                              |   |   |   |   |              |           |                |                     |             |

## EQUIPMENT AIRCRAFT - MAP CASE

Issued on A.L. No. 1

HAL 2733/2



RESTRICTED

## EQUIPMENT AIRCRAFT - G.M. COMPASS INSTALLATION

Page F.11

| REF.<br>NO.                 | PART NO.   |                                                             |   |   |   |   | NO<br>OFF | MATL.<br>SPEC. | MR.<br>CL of<br>ST. | PLATE<br>NO |
|-----------------------------|------------|-------------------------------------------------------------|---|---|---|---|-----------|----------------|---------------------|-------------|
|                             |            | 1                                                           | 2 | 3 | 4 | 5 |           |                |                     |             |
|                             | D.193235   | <u>G.M. COMPASS INSTALLATION ASSEMBLY.</u>                  |   |   |   |   | 1         | -              |                     |             |
| 6B/2036<br>4140             | F.186171   | Amplifier, precision.                                       |   |   |   |   | 2         | LFS.21         | C                   |             |
|                             |            | Block, at detector unit cable attachment.                   |   |   |   |   |           |                |                     |             |
| 6B/2569                     |            | Box, connector control.                                     |   |   |   |   | 1         | -              |                     |             |
|                             |            | Cables, electrical, (see cable chart).                      |   |   |   |   | -         | -              |                     |             |
| 3741                        | Std.840/20 | Clip, cable attachment, at ribs C & D, outer wings.         |   |   |   |   | 4         | DTD610         | C                   | 4           |
|                             | Std.850/32 | Clip, detector unit cable attachment at outer wing end rib. |   |   |   |   | 1         | DTD610         |                     |             |
|                             | F.193236   | Plate, for panel mounting plug.                             |   |   |   |   | 1         | DTD610         |                     |             |
| 5K/<br>Hellerman<br>HV.3341 |            | Strapping, cable, 1/2" wide.                                |   |   |   |   | 13"       | -              |                     |             |
| 5K/<br>Hellerman<br>HV.3254 |            | Strapping, cable, 5/16" wide.                               |   |   |   |   | 13"       | -              |                     |             |
| 5K/<br>Hellerman<br>HV.3342 |            | Stud, cable.                                                |   |   |   |   | 5         | -              |                     |             |
| 5K/<br>Hellerman<br>HV.3255 |            | Stud, cable.                                                |   |   |   |   | 6         | -              |                     |             |
| 6B/438                      |            | Tray, mounting, for amplifier.                              |   |   |   |   | 1         | -              |                     |             |
| 6B/1993                     |            | Unit, detector, type 'A'.                                   |   |   |   |   | 1         | -              |                     |             |
| 10H/<br>Z970050             |            | Washer, panel mounting.                                     |   |   |   |   | 2         | -              |                     |             |

RESTRICTED

RESTRICTED

## EQUIPMENT AIRCRAFT - G.M. COMPASS INSTALLATION

Page F.12

RESTRICTED

RESTRICTED

## EQUIPMENT AIRCRAFT - G.M. COMPASS INSTALLATION

Page F.13

| REF.<br>Nº. | PART Nº      |   |   |   |   |   | DESCRIPTION.                  | Nº<br>OFF | MATL.<br>SPEC. | M.R.<br>CL. of<br>ST. | PLATE<br>Nº |
|-------------|--------------|---|---|---|---|---|-------------------------------|-----------|----------------|-----------------------|-------------|
|             |              | 1 | 2 | 3 | 4 | 5 |                               |           |                |                       |             |
|             |              |   |   |   |   |   | <u>SUMMARY OF STOCK ITEMS</u> |           |                |                       |             |
| 28D/8341    | AS. 1248. 1C |   |   |   |   |   | Bolt, 2 B.A.                  |           |                |                       |             |
| 28M/10309   | AGS. 2002/B4 |   |   |   |   |   | Nut, 4 B.A.                   |           |                |                       |             |
| 28S/13883   | A31. B14     |   |   |   |   |   | Screw, 4 B.A.                 |           |                |                       |             |
| 28S/2772    | A31. C20     |   |   |   |   |   | Screw, 2 B.A.                 |           |                |                       |             |
| 28S/2079    | A43. B20     |   |   |   |   |   | Screw, 4 B.A.                 |           |                |                       |             |

RESTRICTED


## EQUIPMENT AIRCRAFT - G.M. COMPASS INSTALLATION

Page F. 14

RESTRICTED

Illustrations for this section will be issued later.





This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.