

ENGINE CONTROLS—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.188847	ENGINE CONTROLS IN FRONT FUSELAGE, ASSEMBLY					—	—		
	C.188850	Box, control, H.P. cock, group ...					1	—		
7101	F.211170	Block, mounting (Mod. 369) ...					1	LFS.21	MR/C	DB.1
913	F.188852	Bolt, special ...					3	S.1	C.	DB.1
		Cable, assembly (see cable, chart) ...					—	—		
914	A.189086	Handle ...					1	—	C.	DB.1
1480	Std.218/8	Nut, (Mod. 369) ...					1	—	C.	
	or									
7009	Std.1511/C	Nut, (Mod. 369) ...					1	—	C.	
4111	F.199021	Plate, adaptor ...					1	DTD.610	C.	DB.1
915	A.189083	Plate, side ...					1	DTD.610	C.	DB.1
916	F.174699	Spring ...					2	DDT.215	C.	DB.1
5CW/5056	Dowty 5162Y	Switch, push ...					1	—	A.	
	Mk. 2									
27K/1067	Teleflex	Unit, lever box ...					1	—	A.	
	C.36313									
	C.188849	Box, control, L.P. cock, group ASSEMBLY ...					4	—		
913	F.188852	Bolt, special ...					3	S.1	C.	DB.1
917	A.188851	Plate, side ...					1	DTD.610	C.	DB.1
27K/1066	Teleflex	Unit, lever box ...					1	—	A.	
	C.36314									
1892	D.188688	Box, control, throttle, group ...					1	—	A.	DB.1
	C.188689	Box, throttle, control ...					1	—		
8637	B.192435	Cable, GS.15, group (see cable chart) ...					1	—	B.	
		Cable, assemblies (see cable chart) ...					—	—		
1893	F.174585	Eye-bolt, switch adjusting ...					1	S.1	C.	DB.1
2142	Std.532/7	Ferrule ...					2	S.80	C.	4
1894	F.176105	Handle, throttle damping, group ...					1	—	B.	DB.1
	F.167986	Rod ...					1	S.95.B		
1895	F.167984	Spring ...					1	Sp. Stl	C.	DB.1
1896	F.167988	Lever ...					1	DTD.364	C.	DB.1
1897	A.167991	Lever, damper, group ...					1	S.3	B.	DB.1
1898	F.167972	Block, rubbing ...					1	Ferodo	C.	DB.1
	F.188705	Lever, switch operating ...					1	S.3 & T.26		
1899	B.188700	Lever, throttle control, group ...					1	—	B.	DB.1
	A.188702	Bearing, group ...					1	—		
	F.152086	Bush ...					2	B.55		
	Std.608/2	Bush ...					1	B.8		4
1900	F.195880	Plate, support, micro switch ...					1	S.3	C.	DB.1
1901	F.195881	Plate, support, micro switch ...					1	S.3	C.	DB.1
	F.174662	Shaft ...					1	T.6		
5CW/463806	1815	Switch, micro, type 1A ...					1	—	B.	
3791	Std.1509/2/026	Tube, distance ...					1	T.4	MR/C	4
3792	Std.1509/23/025	Tube, distance ...					1	T.4	MR/C	4
3793	Std.1509/23/045	Tube, distance ...					1	T.4	MR/C	4
8B/3231	—	Unit, control, type T.1 Mk. 2 ...					1	—	A.	
	Std.914/J24	Washer, rubbing ...					2	S.1 or S.3		
918	A.189576	Bracket, swivel support ...					1	S.3 or T.26	C.	DB.1
27K/1062	Teleflex	Break unit ...					3	—	C.	
	C.36706/B									

RESTRICTED

Hunter F. Mk. 4
Issued with Amendment List No. 15

ENGINE CONTROLS—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
27K/1070	Teleflex B.35375/B	Bulkhead, connector					3	—	C.	
27K/1236	Teleflex No. 380	Cable					QR	—	C.	
27K/1063	Teleflex C.36424	Cable and break rod, assembly Length of inner cables :— Throttle 88-65" HP Cock 87-15" LP Cock 84-17"					3	—	C.	
5800	F.206576	Clamp (Mod. 214)					2	LFS.21	C.	DB.1
919	F.189942	Clamp					5	LFS.21	C.	DB.1
5801	F.206523	Clamp (Mod. 214)					2	LFS.21	C.	DB.1
1702	F.193858	Clamp					1	LFS.21	C.	DB.1
1703	F.193859	Clamp					1	LFS.21	C.	DB.1
3734	Std.840/14	Clip, for earthing connector					1	DTD.610	C.	4
27K/1041	Teleflex A.35336	Collar					16	—	C.	
27K/548	Teleflex DS.307/2	Conduit (for lengths see Hawker drawings B.189945, B.189948-51 and A.205977-80)					QR	—	C.	
27K/533	Teleflex B.726	Conduit, clamp					2	—	C.	
27K/796	Teleflex B.35340/B	Connector, conduit					3	—	C.	
920	F.175409	Fork end					1	S.1	C.	DB.1
1940	Std.1231/1	Lug, locking, for swivel at frame 10					1	S.3	C.	4
373	Std.1221/Y/D50	Pin					1	H.T.S.	C.	4
27K/1042	Teleflex A.35335	Sleeve, outer					17	—	C.	
27K/545	Teleflex A.24242	Sleeve, nut					1	—	C.	
27K/†	Teleflex C.36247	Sliding screwed end					1	—	C.	
27K/	Teleflex C.28166/C	Swivel, spring loaded					1	—	C.	
5802	F.206557	Support, for conduit (Mod. 214)					2	LFS.21	C.	DB.1

† For details see A.P.4515G, Vol. 3

RESTRICTED

RESTRICTED


Hunter F. Mk. 4
Issued with Amendment List No. 19

Page DB.3

ENGINE CONTROLS—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.	
		1	2	3	4	5					
SUMMARY OF STOCK ITEMS											
28D/12528	A.25.1B	Bolt, 4	B.A.	...	...	...	...	...	—	—	—
28D/12511	A.25.2B	Bolt, 4	B.A.	...	...	...	...	...	—	—	—
28D/12622	A.25.3B	Bolt, 4	B.A.	...	...	...	...	...	—	—	—
28D/12627	A.25.11B	Bolt, 4	B.A.	...	...	...	...	...	—	—	—
28D/12512	A.25.1C	Bolt, 2	B.A.	...	...	...	...	...	—	—	—
28D/12531	A.25.3C	Bolt, 2	B.A.	...	...	...	...	...	—	—	—
28D/12533	A.25.5C	Bolt, 2	B.A.	...	...	...	...	...	—	—	—
28D/12566	A.25.6C	Bolt, 2	B.A.	...	...	...	...	...	—	—	—
28D/12534	A.25.9C	Bolt, 2	B.A.	...	...	...	...	...	—	—	—
28D/12515	A.25.10C	Bolt, 2	B.A.	...	...	...	...	...	—	—	—
28D/12571	A.25.21E	Bolt, 1/4"	B.S.F.	...	...	...	...	...	—	—	—
28D/8306	AS.1242.1C	Bolt, 2	B.A.	...	...	...	...	...	—	—	—
28L/5236	A.14.E.B.	Nut, 1/2"	B.S.F.	...	...	...	...	...	—	—	—
28M/12929	A.27.C.P.	Nut, 2	B.A.	...	...	...	...	...	—	—	—
28M/12930	A.27.E.S.	Nut, 1/2"	B.S.F.	...	...	...	...	...	—	—	—
28M/10287	AGS.2001.B.1	Nut, 4	B.A.	...	...	...	...	...	—	—	—
28M/10288	AGS.2001.C.1	Nut, 2	B.A.	...	...	...	...	...	—	—	—
28M/10327	AGS.2002.B.1	Nut, 4	B.A.	...	...	...	...	...	—	—	—
28M/10328	AGS.2002.C.1	Nut, 2	B.A.	...	...	...	...	...	—	—	—
28P/14542	SP4.Y.A18	Pin	...	...	...	...	...	...	—	—	—
28P/833	SP4.Y.B.7	Pin	...	...	...	...	...	...	—	—	—
28P/1017	SP4.Y.B.17	Pin	...	...	...	...	...	...	—	—	—
28S/6965	A.32.Z.8	Screw	...	...	...	...	...	...	—	—	—
28S/14301	A.33.C.14	Screw	...	...	...	...	...	...	—	—	—
28W/9418921	SP.13.E	Washer	...	...	...	...	...	...	—	—	—
28W/9419474	SP.15.B	Washer	...	...	...	...	...	...	—	—	—
28W/9419475	SP.15.C	Washer	...	...	...	...	...	...	—	—	—
28W/9416643	SP.47.C	Washer	...	...	...	...	...	...	—	—	—

RESTRICTED



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

