FLYING CONTROLS—OUTER WING

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Place No.
	D.181483–4	**FLYING CONTROLS, OUTER WING, ASSEMBLY**	–	—		
8358	A.215630	**Bolt,** flap, inboard hinge (Mod. 481)	2	S.95.B	C.	DG.2
8356	A.215628	**Bolt,** flap, inner and outer hinges (Mod. 481) ...	4	S.95.B	C.	DG.2
8357	A.215629	**Bolt,** flap hinge at flap jack (Mod. 481)	2	S.95.B	C.	DG.2
137	F.170109 STD1630/13EX	**Bolt,** flap jack operating lever attachment ... ... BOLT, ATTDLING LINK FULCRUM	2 2	S.95 S.95.B	C.	DG.2 5
	C.199991	**DETAILS IN PORT WING, ASSEMBLY** ...	–	—		
	F.185694	**Angle,** connector rod anchor, flap inboard bearing bracket	1	DTD.364		
8436	A.199188	**Cable,** operating desynn transmitter, group ... Consisting of :—	1	—	B.	DG.2
29H/4109	Latch & Batchelor 1/00	**Cable,** flexible, special $\frac{1}{32}$" dia.	25"	—	C.	
29H/1878	Bowden B.52	**Casing,** outer	21"	—	C.	
29H/1893	Bowden PN.980	**Ferrule,** plain	2	—	C.	
29H/1176	Bowden PN.935	**Nipple**	1	—	C.	
	F.189497	**Nipple,** special	1	B.11		
29H/—	Bowden PN.1160	**Nut**	1	—	C.	
29H/1900	Bowden PN.1159	**Stop,** adjusting	1	—	C.	
1310	A.185383	**Lever,** flap interconnecting, inboard hinge ...	1	—	B.	DG.2
148	F.176488	**Lever,** flap interconnecting, inboard hinge ...	1	DTD.364	C.	DG.2
4482	F.199213	**Link,** at desynn transmitter	1	L.72	C.	DG.2
153	F.181946	PEG ~~Leg,~~ attachment of flap levers, inboard hinge ...	1	S.95.B	C.	DG.2
154	Std.1221/Y/B40	**Pin,** attachment of control rod to position indicator lever	2	S.2	C.	4
1315	F.185697	**Rod,** connecting levers, flap inboard bearing bracket	1	—	C.	DG.2
4480	F.199191	**Shackle,** at desynn transmitter	1	S.3	C.	DG.2
4469	F.157015	**Spring,** at desynn transmitter	1	Steel	C.	DG.2
	C.185037–8	**FLAP, SYNCHRONISING, JACK MOUNTING, ASSEMBLY**	–	—		
4218	A.198798	**Adaptor**	4	DTD.364	C.	DG.2
1305	C.185039–40	**Blocks,** bearing, port	1 pr.	—	C.	DG.2
1307	C.185041–2	**Blocks,** bearing, starboard	1 pr.	—	C.	DG.2
74	Std.1553/C40	**Bolt,** special	16	S.99.B	C.	5
1304	F.185860	**Bolt,** securing jack to lever	2	S.99.B	C.	DG.2
4219	F.191499	**Bolt,** banjo	4	S.95.B	C.	DG.2
7680	Std.1231/3.B	**Lug,** locking	4	S.2	MR/C	4
4214	A.198842/1	**Pipe,** greaser, port, inner	1	—	C.	DG.2
4215	A.198842/2	**Pipe,** greaser, starboard, inner	1	—	C.	
4216	A.198842/3	**Pipe,** greaser, port, outer	1	—	C.	DG.2
4217	A.198842/4	**Pipe,** greaser, starboard, outer	1	—	C.	
27Q/12001	Dowty SP.815/3	**Seal**	4	—	C.	
	F.202783	**Shim,** flap synchronising jack mounting	QR	L.72		
	F.202784	**Shim,** flap synchronising jack mounting	QR	L.72		
	F.202785	**Shim,** flap synchronising jack mounting	QR	L.72		
	F.202786	**Shim,** flap synchronising jack mounting	QR	L.72		
4150	Std.915/C.22	**Washer**	4	DTD.610	C.	4

FLYING CONTROLS—OUTER WING

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R Class of Store	Plate No.
138	B.182043	**Lever,** aileron, inboard, group	2	—	B.	DG.1
2A/9600/15 ~~B.R.A.137~~	B.R.A.½	**Bearing**	2	—	B.	
	Std.1357/40	**Ferrule**	4	S.2		
5783	A.120920	**Sleeve**	1	S.2	C.	DG.1
	Std.184/5B	**Washer**	4	S.2		
146	B.181399	**Lever,** aileron control, rib "L"	2	—	B.	DG.1
151	A.181278	**Link,** idling, aileron control	4	—	B.	DG.1
	C.201270–1	**LINKAGE, AILERON BOOSTER, ASSEMBLY**	–	—		
127	A.181938	**Bearing,** aileron booster unit	2	—	B.	DG.1
130	F.182035*	**Bolt,** attachment of bearing blocks at aileron booster unit	32	S.95.B	C.	DG.1
5278	Std.1639/4EX	**Bolt,** attachment of bearing blocks at aileron booster unit	32	S.95.B	C.	5
5257	F.201358	**Bolt,** attachment of booster unit to lever	2	S.95.B	C.	DG.1
5262	C.201270/A	**Housing,** bearing, port, group Consisting of :—	1	—	B.	DG.1
	Std.1553/E.145	**Bolt**	1	S.99		
	B.201276	**Housing,** group	1	—		
	F.168683	**Stud**	2	H.T.S.		
4189	F.198959	**Stud**	2	H.T.S.	C.	DG.1
28M/12930	A27.ES	**Nut**	1	—	C	
28P/12462	SP.9.C8	**Pin,** split	1	—	C.	
	A.201278	**Plug,** end	1	H.T.S.		
28W/14183	AS.1903/E12	**Saddle**	2	—	C	
5263	C.201271/A	**Housing,** bearing, starboard, group Consisting of :—	1	—	B.	DG.1
	Std.1553/E.145	**Bolt,**	1	S.99		
	B.210277	**Housing,** group	1	—	—	—
	F.168683	**Stud**	2	H.T.S.		
4189	F.198959	**Stud**	2	H.T.S.	C.	DG.1
28M/12930	A27.ES	**Nut**	1	—	C.	
28P/12462	SP.9.C8	**Pin,** split	1	—	C.	
	A.201278	**Plug,** end	1	H.T.S.		
28W/14183	AS.1903/E12	**Saddle**	2	—	C	
5259	B.201272	**Lever,** aileron booster unit, port group (Pre Mod.467)	1	—	B.	DG.1
7957	B.215041	**Lever,** aileron booster unit, port, group (Mod.467)	1	—		DG.1
5260	~~B.210273~~ B.201273	**Lever,** aileron booster unit, starboard group (Pre Mod. 467)	1	—	B.	DG.1
7958	B.215042	**Lever,** aileron booster unit, starboard group (Mod. 467)	1	—		DG.1
27S/83	BRL.5/8	**Bearing**	2	—	B.	
1560	A.191949	**Block,** bearing	2	Stamping	C.	DG.1
1561	F.191951	**Bolt,** bearing retaining	2	S.96.B	C.	DG.1
132	F.182095	**Bolt,** shackle attachment	2	S.95.B	C.	DG.1
1562	A.191950	**Cap,** bearing retaining	2	DTD.364	C.	DG.1
	~~C.210274~~ C.201274	**Lever,** port, group	1	—	—	
	C.201275	**Lever,** starboard, group	1	—	—	—
5261	F.202435	**Bush**	2	BSS.369	C.	DG.1
	Std.1357/37	**Ferrule**	4	S.2		
	Std.1357/38	**Ferrule**	4	S.2		
174	F.182015	**Pin,** lever attachment	2	S.97.B	C.	DG.1

FLYING CONTROLS—OUTER WING

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	B.182065	**Lever,** port, group	1	—	—	
	B.182066	**Lever,** starboard, group	1	—		
	F.168914	**Bush,** special	2	S.95.B		
	Std.1357/41	**Ferrule**	4	S.2		
1052	Std.1357/42	**Ferrule**	4	S.2	C	
156	A.182072	**Shackle,** group	2	—	B.	DG.1
2A/9500365 ~~275/198~~	ACL.5/8	**Bearing,** contact	2	—	B.	
	F.168716	**Spindle**	2	S.95.B		
	F.168717	**Spindle**	2	S.95.B		
163	F.182068	**Washer,** for shackle (Pre Mod. 467)	2	S.1	C.	DG.1
7959	F.214989	**Washer,** special for shackle (Mod. 467) ...	QR	S.1	C.	DG.1
7960	F.214990	**Washer,** special, for shackle (Mod. 467) ...	QR	S.1	C.	DG.1
7961	F.214991	**Washer,** special, for shackle (Mod. 467) ...	QR	S.1	C.	DG.1
7962	F.214992	**Washer,** special, for shackle (Mod. 467) ...	QR	S.1	C.	DG.1
1501	F.190470	**Washer,** special	2	DTD.610	C.	DG.1
1559	F.192086	**Washer,** bearing attachment bolt	2	S.3	C.	DG.1
8053	Std.1208/180/88/20	**Washer,** shim, between levers	QR	Shim Steel	C.	
8054	Std.1208/180/88/30	**Washer,** shim, between levers	QR	Shim Steel	C.	
8055	Std.1208/180/88/45	**Washer,** shim, between levers	QR	Shim Steel	C.	
4109	F.199249	**Plate,** locking, for bearing block	2	S.3	C.	
4110	F.199250	**Plate,** locking, for bearing block	14	S.3	C.	
157	F.181791	**Shackle**	2	Stamping	B.	DG.1
7122	F.210462	**Shim,** for linkage	QR	DTD.166	C.	
7123	F.210463	**Shim,** for linkage	QR	DTD.166	C.	
7124	F.210464	**Shim,** for linkage	QR	DTD.166	C.	
7125	F.210465	**Shim,** for linkage	QR	DTD.166	C.	
7126	F.210466	**Shim,** for linakge	QR	DTD.166	C.	
7127	F.210467	**Shim,** for linkage	QR	DTD.166	C.	
7128	F.210468	**Shim,** for linkage	QR	DTD.166	C.	
7129	F.210469	**Shim,** for linkage	QR	DTD.166	C.	
9609 ~~472~~	A.~~168741229676~~	**Tube,** control ... MOD. 737	2	—	B.	DG.1
8362	F.215654	**Plate,** locking (Mod. 481)	2	DTD.166	C.	DG.2
8360	F.215167	**Sleeve,** flap, inboard hinge (Mod. 481)	2	S.95.B	C.	DG.2
8359	F.215166	**Sleeve,** flap, inner and outer hinges (Mod. 481) ...	4	S.95.B	C.	DG.2
8361	F.215165	**Sleeve,** flap hinge at jack (Mod. 481)	2	S.95.B	C.	DG.2
164	A.180993	**Tube,** aileron control, inboard, port	1	—	B.	DG.1
165	A.180994	**Tube,** aileron control, inboard, starboard	1	—	B.	DG.1
166	A.180995	**Tube,** aileron control, between tail ribs "E" and "G"	2	—	B.	DG.1
1502	A.191584	**Tube,** aileron control, between tail ribs "G" and "L" group	2	—	B.	DG.1
168	A.169527	**Eye-end**	1	—	B.	DG.1
169	A.171048	**Tube,** aileron control, between tail rib "L" ~~and booster~~ and booster unit, port ASSEMBLY	1	—	B.	DG.1
170	A.171049	**Tube,** aileron control, between tail rib "L" and booster unit ASSEMBLY (STARBOARD)	1	—	B.	DG.1

FLYING CONTROLS—OUTER WING

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R Class of Store	Plate No.
		1 2 3 4 5				
		SUMMARY OF STOCK ITEMS				
28D/12512	A25–1C	**Bolt,** 2 B.A.	–	—	—	
28D/12513	A25–2C	**Bolt,** 2 B.A.	–	—	—	
28D/12531	A25–3C	**Bolt,** 2 B.A.	–	—	—	
28D/12566	A25–6C	**Bolt,** 2 B.A.	–	—	—	
28D/12634	A25–18E	**Bolt,** 1/4" B.S.F.	–	—	—	
28D/14365	A30–11G	**Bolt,** 5/16" B.S.F.	–	—	—	
28D/13477	A30.13.J	**Bolt**	–	—	—	
28D/8309	AS.1242/4C	**Bolt,** 2 B.A.	–	—	—	
~~28D/11510~~	~~AS.2504/9G~~	~~**Bolt,** 5/16" B.S.F.~~	–	—	—	
~~28D/13435~~	~~AS.2504/20J~~	~~**Bolt,** 3/8" B.S.F.~~	–	—	—	
~~28D/13258~~	~~AS.2504/5C~~	~~**Bolt**~~	–	—	—	
* SEE BELOW						
28N/9796	SP.21	**Lubricator**	–	—	—	
28M/12929	A27.CP	**Nut,** 2 B.A.	–	—	—	
28M/13121	A27.C.S.	**Nut,** 2 B.A.	–	—	—	
28L/13124	A27.CT	**Nut,** 2 B.A.	–	—	—	
28M/12930	A27.E.S.	**Nut,** 1/4" B.S.F.	–	—	—	
28M/13122	A27.G.S.	**Nut,** 5/16" B.S.F.	–	—	—	
28M/13123	A.27.J.S.	**Nut,** 9/16" B.S.F.	–	—	—	
28M/13028	A27.J.T.	**Nut,** 3/8" B.S.F.	–	—	—	
28M/13120	A27.L.S.	**Nut,** 7/16" B.S.F.	–	—	—	
28M/14537	A58.G.S.	**Nut,** 5/16" B.S.F.	–	—	—	
28M/15496	A58.L.T.	**Nut,** 7/16" B.S.F.	–	—	—	
28M/14555	A58.N.S.	**Nut**	–	—	—	
28M/8101	AGS.572.C	**Nut,** 5/16" B.S.F.	–	—	—	
28M/7727	AGS.572.E	**Nut,** 3/8" B.S.F.	–	—	—	
28M/7748	AGS.572.J	**Nut,** 9/16" B.S.F.	–	—	—	
28M/10288	AGS.2001/C1	**Nut,** 2 B.A.	–	—	—	
28M/10328	AGS.2002/C1	**Nut,** 2 B.A.	–	—	—	
28P/828	SP.4.Y.B2	**Pin**	–	—	—	
28W/12296	SP15.C	**Washer**	–	—	—	
28W/12297	SP15.G	**Washer**	–	—	—	
28W/12298	SP15.J	**Washer**	–	—	—	
28W/12299	SP15.L	**Washer**	–	—	—	
28W/12300	SP16.C	**Washer**	–	—	—	
28W/12301	SP16.G	**Washer**	–	—	—	
28W/12302	SP16.J	**Washer**	–	—	—	
28W/12303	SP16.P	**Washer**	–	—	—	

* 28D/13256 A30 S.G. BOLT, 2 B.A.
28D/14218 A30 9 G BOLT, 3/16" B.S.F
28D/ A30. 20.J. BOLT 3/8" B.S.F


A 182072
A 181938
F 182095
F 201358
PRE MOD 467
MOD 467
F 182068
F 214989 &90
F 214991 &2
A 168741
F 182035
F 198959
B 215041 &2
MOD 467
B 201272 &3
PRE MOD 467
C 201270 /A
C 201271 /A
F 190470
F 202435
F 182015
F 192086
A 191950
A 191949
F 191951
A 191584
A 169527
A 180995
F 181791
A 180993 &4
A 171048 &9
A 120920
B 181399
A 181278
B 182043


F 170109
F 215166
F 185860
A 215628
A 198798
F 191499
A 198842 /1
A 198842 /3
C 185040 & 42
C 185039 & 41
F 176488
F 181946
F 185697
A 185383
A 215629
F 215654
F 215165
A 215630
F 215167
A 199188
F 199213
F 157015
F 199191

This file was downloaded
from the RTFM Library.
Link:www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.