

RESTRICTED

CONTROLS-UNDERCARRIAGE FAIRING

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Score	Place No.
	E.205280-1	UNDERCARRIAGE, FAIRING CONTROLS, ASSEMBLY	-	-		
4218	A.198798	Adapter, for greaser pipe	2	DTD.364	C.	DH.1
27K/534	Teleflex B.731	Block, swivel	4	—	C.	
354	Std.325/88	Bolt, attachment of jack to universal shaft	2	S.95 or S.96	C.	4
355	Std.325/82	Bolt, attachment of jack to undercarriage wheel door	2	S.95 or S.96	C.	4
4219	F.191499	Bolt, banjo, for greaser pipe	2	S.1	C.	DH.1
356	B.187846	Bracket, bearing, port group	1	Stamping	B.	DH.1
357	F.187900	Bush	2	BSS.250	C.	DH.1
358	B.187847	Bracket, bearing, starboard group	1	Stamping	B.	DH.1
357	F.187900	Bush	2	BSS.250	C.	DH.1
359	B.188154	Bracket, bearing, port group	1	DTD.610	B.	DH.1
360	A.188156	Spool, group	1	DTD.364	C.	DH.1
	F.188157	Bush	2	B.8		
361	B.188155	Bracket, bearing, starboard group	1	—	B.	DH.1
360	A.188156	Spool, group	1	DTD.364	C.	DH.1
	F.188157	Bush	2	B.8		
5167	F.205300	Cleat, for control cable	2	LFS.21	C.	DH.1
5720	Std.842/11	Clip, support, for greaser pipe (Make from 30B/1433)	4	DTD.610	MR/C	4
6753	B.209434	Control, "Teleflex," for outboard lock, port group ...	1	—	B.	DH.1
6754	B.209435	Control, "Teleflex," for outboard lock, starboard group ...	1	—	B.	DH.1
		(Handed by bending of conduit) Consisting of:—				
27K/548	Teleflex D.S.307/2	Conduit, port	3' 10"	—	C.	
27K/548	Teleflex D.S.307/2	Conduit, starboard	3' 8"	—	C.	
27K/1041	Teleflex A.35336	Collar	2	—	C.	
27K/717	Teleflex B.10898/C	Connector, greaser	2	—	C.	
27K/796	Teleflex B.35340/B	Connector, conduit	2	—	C.	
362	F.187712	Fork-end	2	S.95.B	C.	DH.1
27K/571	Teleflex A.821	Nipple	6	—	C.	
28L/13124	A.27.CT	Nut, lock	2	—	C.	
27K/	Teleflex C.40076/R/70 1/4"	Rod and cable, assembly, port	1	—	C.	
27K/	Teleflex C.40076/R/71"	Rod and cable, assembly, starboard	1	—	C.	
27K/1042	Teleflex A.35335	Sleeve, outer	2	—	C.	
27K/	Teleflex C.41558/C	Swivel, assembly	2	—	C.	
363	F.184903	End-cap, for spring housing	2	DTD.364	C.	DH.1
364	A.187861	Housing, for detent pin return spring	2	DTD.364	C.	DH.1
365	A.187854	Lever, at top anchorage of jack, group	1	Stamping	B.	DH.1
366	Std.608/4	Bush	1	B.8	C.	4
367	A.187855	Lever, at top anchorage of jack, group	1	Stamping	B.	DH.1
366	Std.608/4	Bush	1	B.8	C.	4
7984	A.210491	Lever, for aft lock control rod, group (Mod. 421) ...	2	Stamping	B.	DH.1
369	Std.608	Bush	1	B.8	C.	4
370	A.188131	Lever, for forward lock control rod, group	2	Stamping	B.	DH.1
369	Std.608/5	Bush	2	B.8	C.	4

RESTRICTED

RESTRICTED

Hunter Mk. 4, 5, 6, 50, 51, 52
Issued with A.L.8


CONTROLS—UNDERCARRIAGE FAIRING

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
2144	Std.1231/3	Lug, locking ...	...	...	...	...	4	S.3	C.	4
5483	Std.1231/1B	Lug, locking, for greaser pipe ...	...	...	...	...	2	S.3	MR/C	4
5176	F.199102	Pin, detent, at top anchorage for jack ...	...	...	...	...	2	S.95	C.	DH.1
373	Std.1221.Y/D.50	Pin ...	...	...	...	...	6	S.2	C.	4
7981	F.213793	Pin, taper (Mod. 421) ...	...	...	...	...	2	S.96.B	C.	DH.1
7982	F.213794	Pin, taper (Mod. 421) ...	...	...	...	...	6	S.96.B	C.	DH.1
7983	F.212427	Pin, taper (Mod. 421) ...	...	...	...	...	8	S.96.B	C.	DH.1
5211	F.204752/1	Pipe, greaser, port ...	...	...	...	...	1	—	C.	DH.1
5212	F.204752/2	Pipe, greaser, starboard ...	...	...	...	...	1	—	C.	DH.1
374	A.186944	Rod, control, for forward lock ...	...	...	...	...	2	—	C.	DH.1
375	A.186945	Rod, control, for aft lock ...	...	...	...	...	2	—	C.	DH.1
7977	A.213788	Shaft, universal, forward, port, group (Mod. 421) ...	...	...	...	...	1	—	C.	DH.1
7978	A.213789	Shaft, universal, forward, starboard group (Mod. 421) ...	...	...	...	...	1	—	C.	DH.1
7979	A.213799	Shaft, universal, rear, port group (Mod. 421) ...	...	...	...	...	1	—	C.	DH.1
7980	A.213800	Shaft, universal, rear, starboard group (Mod. 421) ...	...	...	...	...	1	—	C.	DH.1
380	F.188254	Shaft, for control rod ...	...	...	...	...	2	T.50	C.	DH.1
381	F.184905	Spring, for detent pin ...	...	...	...	...	2	Sp. St.	C.	DH.1
5784	A.208219	Stop, at top anchorage for jack ...	...	...	...	...	2	DTD.364	C.	DH.1
5210	F.204753	Washer, profile, for banjo bolt ...	...	...	...	...	2	L.65	C.	DH.1
	C.207895	WING-FUSELAGE CONNECTIONS, FAIRING LOCK CONTROL, ASSEMBLY (Mk. 4)					—	—	—	
	C.208006	WING-FUSELAGE CONNECTIONS, FAIRING LOCK CONTROL ASSEMBLY (Mk. 5)					—	—	—	
	C.208007	WING-FUSELAGE CONNECTIONS, FAIRING LOCK CONTROL, ASSEMBLY (Mk. 6)					—	—	—	
6755	B.209370	Control, for fairing lock, port group ...	...	...	...	...	1	—	B.	DH.1
6756	B.209371	Control, for fairing lock, starboard group ...	...	...	...	...	1	—	B.	DH.1
		(Handed by bending of conduit) Consisting of :—								
27K/548	Teleflex D.S.307/2	Conduit, port, inner ...	...	...	...	...	1' 10"	—	C.	
27K/548	Teleflex D.S.307/2	Conduit, starboard, inner ...	...	...	...	...	2' 1"	—	C.	
27K/1041	Teleflex A.35336	Collar ...	...	...	...	...	4	—	C.	
27K/	Teleflex C.41552	End, self-aligning, assembly ...	...	...	...	...	2	—	C.	
27K/1042	Teleflex A.35335	Sleeve, outer ...	...	...	...	...	4	—	C.	
5170	F.203769	Spring ...	...	...	...	...	2	Steel	C.	DH.1
5484	F.202932	Stop, special ...	...	...	...	...	2	S.80.B	MR/C	DH.1
27K/	Teleflex C.41551/B	Swivel, assembly ...	...	...	...	...	2	—	C.	
4986	Std.914/J.18	Washer ...	...	...	...	...	2	S.1 or S.3	C.	4
	C.201671	CONTROL TO BRACKETS ON FUSELAGE, PORT, ASSEMBLY					—	—	—	
	C.201672	CONTROL TO BRACKETS ON FUSELAGE, STARBOARD, ASSEMBLY					—	—	—	
5173	F.202789	Block, clamp ...	...	...	...	...	2	L.65.C	C.	DH.1
5174	F.202790	Block, clamp ...	...	...	...	...	2	L.65.C	C.	DH.1
5175	F.204234	Bolt, special ...	...	...	...	...	2	H.T.S.	C.	DH.1
4150	Std.915/C/22	Washer, special ...	...	...	...	...	4	DTD.610	C.	4

RESTRICTED

CONTROLS—UNDERCARRIAGE FAIRING

Ref. No.	Part No.	Description										No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5	6	7	8	9	10				
		SUMMARY OF STOCK ITEMS													
28D/12528	A25.1.B	Bolt, 4	B.A.	...	...	...	...	...	...	...	...	—	—	—	
28D/12624	A25.7.B	Bolt, 4	B.A.	...	...	...	...	...	...	...	...	—	—	—	
28D/12512	A25.1.C	Bolt, 2	B.A.	...	...	...	...	...	...	...	...	—	—	—	
28D/12513	A25.2.C	Bolt, 2	B.A.	...	...	...	...	...	...	...	...	—	—	—	
28D/12531	A25.3.C	Bolt, 2	B.A.	...	...	...	...	...	...	...	...	—	—	—	
28D/12532	A25.4.C	Bolt, 2	B.A.	...	...	...	...	...	...	...	...	—	—	—	
28D/12535	A25.12.C	Bolt, 2	B.A.	...	...	...	...	...	...	...	...	—	—	—	
28D/10471	AS.1248/11C	Bolt, 2	B.A.	...	...	...	...	...	...	...	...	—	—	—	



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

