

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	G.199814	ELECTRICAL EQUIPMENT—CENTRE FUSELAGE					—	—		
5J/3336		Accumulator, Varley Type "J" (Mod. 386)					2	—	B.	
	B.206477	BLOCK, TERMINAL, No. 11, ASSEMBLY					—	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					1	—	B.	
5X/3275	Plessey CZ.26808	Cover					1	—	B.	
5X/6163	Plessey Z.50210	Link, connecting, 2 way					1	—	C.	
5X/3278	Plessey Z.28426	Pillar					2	—	C.	
	B.206478	BLOCK, TERMINAL, No. 12, ASSEMBLY					—	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					1	—	B.	
5X/3275	Plessey CZ.26808	Cover					1	—	B.	
5X/6172	Plessey Z.50212	Link, commoning, 4 way					2	—	C.	
5X/3278	Plessey Z.28426	Pillar					2	—	C.	
	A.216517	BLOCK, TERMINAL, No. 84, ASSEMBLY (Mod. 452)					—	—		
5D/506	—	Box, junction, 5 way					1	—	B.	
5K/2374	—	Disc, blanking					3	—	C.	
5K/87	—	Nut, gland					3	—	C.	
	A.216803	BLOCK, TERMINAL, No. 89, ASSEMBLY (Mod. 386)					—	—		
5H/13	AS.2654	Block, terminal H.D.					1	—	C.	
5H/14	AS.2655	Cover					1	—	C.	
	A.215761	Box, terminal, No. 83, group (Mod. 452)					1	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					1	—	B.	
	A.215762	Box					1	—		
8480	A.215763	Lid					1	L.16	C.	
5X/6163	Plessey Z.50210	Link, 2 way					1	—	C.	
6A/4444	Smiths	Box relay (Mod. 266)					1	—	A.	
	Waymouth JX.15									
6A/4443	Smiths	Box relay (Mod. 266)					1	—	A.	
	Waymouth JX.13									
5866	D.203812	Box, junction, No. 1, group					1	—	A.	
	D.213196	Box, junction					1	—		
5X/3181	Plessey	Block, terminal, 20 way					4	—	B.	
	CZ.23212/1									
	—	Cables (see cable chart)					—	—		
28FP/147	Dzus A4/30	Fastener					2	—	C.	
28FP/309	Dzus GA4/250	Grommet					2	—	C.	
6714	C.213287	Lid, group					1	—	B.	
5X/6317	Plessey Z.50218	Link, 10 way					1	—	C.	
5X/6314	Plessey Z.50214	Link, 6 way					1	—	C.	
5X/6171	Plessey Z.50211	Link, 3 way					1	—	C.	
5X/6163	Plessey Z.50210	Link, 2 way					4	—	C.	
5X/3259	Plessey Z.50219	Link, transverse					2	—	C.	
7812	F.206915	Plate, tapped					1	L.72	MR/C	
7813	F.206916	Plate, tapped					1	L.72	MR/C	
7814	F.206917	Plate, tapped					1	L.72	MR/C	
7815	F.206918	Plate, tapped					1	L.72	MR/C	
5X/6181	Plessey CZ.50356	Plug, code 4					1	—	B.	
5X/6328	Plessey CZ.50375	Plug, code 8					1	—	B.	
5X/6091	Plessey CZ.28108	Plug, code 14					1	—	B.	
5X/6185	Plessey CZ.50361	Plug, code 21					11	—	B.	
5X/3148	—	Sleeve, 4-7 amp.					19	—	C.	
5X/3146	—	Sleeve, 7-19 amp.					2	—	C.	
5X/2266	Plessey Z.19924	Tag, 4 amp.					QR	—	C.	
5X/2267	Plessey Z.19925	Tag, 7 amp.					QR	—	C.	
5X/2268	Plessey Z.19926	Tag, 19 amp.					QR	—	C.	
5X/2269	Plessey Z.19979	Thimble, 4 amp.					QR	—	C.	
5X/2270	Plessey Z.19980	Thimble, 7 amp.					QR	—	C.	
5X/2271	Plessey Z.19981	Thimble, 19 amp.					QR	—	C.	
5D/1761	—	Box, distribution, R.P. firing (Mod. 229)					1	—	A.	

RESTRICTED

Hunter F. Mk. 4
Issued with Amendment List No. 19

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
6030	A.205605	Bracket, mounting, for service lamp					1	DTD.610	MR/C	
5827	B.205573	Bracket, for fuel time switch					1	L.72	C.	
	B.202334	Bracket, for ground supply plug (Mod. 12)					1	L.72		
	A.208251	Bracket, mounting, for suppressor (Mod. 138)					1	L.72		
4772	A.199648	Bracket, mounting, for suppressor					1	L.72	MR/C	
9814	A.209778	Bracket, mounting, for external supply socket (Mod. 334)					1	L.72	C.	
—	—	Cables, electrical (see Cable Chart)					—	—	—	
	C.225330	CLIPPING OF CABLES IN SPINE, ASSEMBLY (Mod. 629)					—	—		
3741	Std.840/20	Clip, $\frac{1}{8}$ " wide x 22 S.W.G. x 2-0" long					2	DTD.610	C.	4
4159	Std.841/20	Clip, $\frac{1}{8}$ " wide x 22 S.W.G. x 2-0" long					2	DTD.610	C.	4
5F/2281	Hellerman HV.3341	Strapping, $\frac{1}{2}$ " wide					QR	—	C.	
5F/2282	Hellerman HV.3342	Stud					QR	—	C.	
	C.198765-6	CLIPPING, FOR CABLES, ASSEMBLY					—	—		
3741	Std.840/20	Clip, $\frac{1}{8}$ " wide x 22 s.w.g. x 2" long					1	DTD.610	C.	4
4670	Std.840/23	Clip, $\frac{1}{8}$ " wide x 22 s.w.g. x 2-3" long					1	DTD.610	C.	4
3747	Std.841/28	Clip, $\frac{1}{8}$ " wide x 22 s.w.g. x 2-8" long					1	DTD.610	MR/C	4
4823	Std.841/42	Clip, $\frac{1}{8}$ " wide x 22 s.w.g. x 4-2" long					1	DTD.610	MR/C	4
5F/2281	Hellerman HV.3341	Strapping					QR	—	C.	
5F/2282	Hellerman HV.3342	Stud					QR	—	C.	
	E.199817	CLIPPING, FOR CABLES, ASSEMBLY					—	—		
7838	C.211588	Box, junction, Arm No. 1, group (Pre-Mod. 436)					1	—	B.	
5X/6630	Plessey CZ.72441	Block, terminal, 5 way					9	—	B.	
	C.202521	Box, detail					1	L.59		
	A.202570	Cable, arm earthing					1	—		
	A.159698	Ferrule					2	BSS.265		
5CZ/5073	—	Indicator, magnetic					1	—	B.	
6029	B.202522	Lid					1	L.59	MR/C	
6015	F.195858	Link, commoning					6	BSS.265	C.	
	F.199948	Lug					8	BSS.265		
10H/0560200	Plessey	Plug, panel unit					1	—	C.	
10H/9560203	Plessey	Plug, panel unit					1	—	C.	
10H/0560150	Plessey	Plug, panel unit					1	—	C.	
	F.202523	Spacer					1	S.3		
5CW/4221	Rotax D.5405	Switch					1	—	B.	
5CW/4327	Rotax N.100397/1	Transfer, "ON"					1	—	C.	
5K/3469	Ross Courtney 01	Tag					27	—	C.	
751	Std.915/A/20	Washer					QR	DTD.610	C.	4
8168	C.214401	Box, junction, Arm 1, group (Mod. 436)					1	—	B.	
	F.214406	Block, mounting					4	L.65C		
	F.214407	Block, mounting					2	L.65C		
5X/3181	Plessey CZ.23212/1	Block, terminal, 20 way					1	—	B.	
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					3	—	B.	
	C.214402	Box					1	—		
	F.214404	Bracket, relay mounting					1	—		
	A.214844	Cable, arm, earthing					1	—		
	A.159698	Ferrule					2	BSS.265		
5X/6168	Plessey Z.23197	Gasket					2	—	C.	
5CZ/5073	—	Indicator, magnetic					1	—	B.	
6029	B.202522	Lid					1	L.59	MR/C	
5X/6163	Plessey Z.50210	Link, commoning					2	—	C.	
5X/6173	Plessey Z.50213	Link, commoning					1	—	C.	
	F.214405	Plate, switch mounting					1	L.65C		
10H/0560150	Plessey	Plug, panel unit					1	—	C.	
10H/0560200	Plessey	Plug, panel unit					1	—	C.	

RESTRICTED

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
10H/9560203	Plessey					Plug, panel unit	1	—	C.	
10F/Z530032	Plessey					Relay	1	—	B.	
5CW/540	—					Switch, push D.P. flange type B	1	—	B.	
4776	B.198696					Bracket, mounting, for cables C.16, C.18 and C.20	1	DTD.610	MR/C	
6031	B.201234					Bracket, wing service, inboard, port	1	S.84	MR/C	
6032	B.201235					Bracket, wing service, inboard, starboard	1	S.84	MR/C	
6033	A.201236					Bracket, wing service, outboard, port	1	S.84	MR/C	
10H/0569067	Plessey					Cap, protective (Mod. 229)	1	—	C.	
	2CZ/83672									
4618	F.196181					Clamp, for igniter cables, frame 37	2	Ferobestos	C.	
4778	F.197490					Clip, securing cables, lower portion of frame 32	1	S.3	MR/C	
4779	F.197491					Clip, securing cables, lower portion of frame 32	1	S.3	MR/C	
4780	F.197582					Clip, securing cable CA.30, on tank access door	1	DTD.610	MR/C	
4781	F.196789					Clip, securing cable at frame 19	2	DTD.610	MR/C	
4782	F.197059					Clip, securing cables at gun heating valve, frame 19	1	S.3	MR/C	
4783	F.196769					Clip, securing cables at lower portion of frame 22	1	DTD.610	MR/C	
						(May be made from Std.850/42)				
4784	F.196958					Clip, securing cables at frame 26	1	DTD.610	MR/C	
						(May be made from Std.850/51)				
	F.196759					Clip, securing cables at frame 19 (Mod. 386)	1	DTD.610		
4786	F.196873					Clip, securing cables at lower portion of frame 19	1	DTD.610	MR/C	
						(May be made from Std.850/63)				
4788	F.198279					Clip, securing cables, frame 31	1	DTD.610	MR/C	
6035	F.205571					Clip, securing cables at frame 19	3	L.72	MR/C	
4764	Std.840/21					Clip, securing cables, $\frac{7}{8}$ " wide x 22 s.w.g. x 2-1" long	4	DTD.610	MR/C	4
4802	Std.840/31					Clip, securing high energy cables, frame 36, $\frac{7}{8}$ " wide x 22 s.w.g. x 3-1" long	1	DTD.610	MR/C	4
3749	Std.841/38					Clip, securing cables at frame 25	3	DTD.610	C.	4
	Std.841/40					Clip, securing A4 cable on frame 25 (alternative to Std.2046/43/20)	1	DTD.610		
6010	Std.841/41					Clip, securing A3 cable on frame 25 (alternative to Std.2046/44/20)	1	DTD.610	MR/C	4
3751	Std.842/12					Clip, securing cable, $\frac{7}{8}$ " wide x 22 s.w.g. x 1-2" long (Make from 30A/549)	1	S.3	MR/C	4
	Std.843/12					Clip, securing cables on strut, rear frame 19	1	S.3		
4792	Std.852/36					Clip, securing cable C30, frame 34, $\frac{7}{8}$ " wide x 22 s.w.g. x 3-6" long (Make from 30A/549)	1	S.3	MR/C	4
	Std.2045/17/26					Clip, sleeved	1	—		
	Std.2045/18/26					Clip, sleeved	1	—		
	Std.2045/24/24					Clip, sleeved	1	—		
	Std.2045/32/22					Clip, sleeved	2	—		
	Std.2045/36/22					Clip, sleeved	2	—		
	Std.2045/45/20					Clip, sleeved	2	—		
	Std.2045/47/20					Clip, sleeved	1	—		
	Std.2045/48/20					Clip, sleeved	1	—		
	Std.2045/52/20					Clip, sleeved	1	—		
	Std.2045/53/20					Clip, sleeved	1	—		
	Std.2045/65/20					Clip, sleeved	1	—		
	Std.2046/17/26					Clip, sleeved	1	—		
	Std.2046/21/24					Clip, sleeved	1	—		
	Std.2046/41/20					Clip, sleeved, securing A3 and A14-C13 cable on frame 25 (alternative to Std.841/38)	3	—		
	Std.2046/43/20					Clip, sleeved, securing A4 cable at frame 25 (alternative to Std.841/40)	1	—		
	Std.2046/44/20					Clip, sleeved, securing A3 cable at frame 25 (alternative to Std.841/41)	1	—		
29H/2100	Bowden PN.448					Clip	26	—	C.	

RESTRICTED

Hunter F. Mk. 4
Issued with Amendment List No. 19

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	A.197386	EARTHING POINT, No. 9, FRAME 25, STAR-BOARD SIDE, ASSEMBLY					—	—		
	Std.1298/1	Stud	...	...	...	...	1	S.1		
4613	Std.1335/C.18	Washer	...	...	...	...	3	L.4	C.	
4803	B.198028	Guard, cable, forward face of frame 19	...	...	...	...	1	DTD.166	MR/C	
9060	B.219799	Guard, cable, forward face of frame 19 (Mod. 386)	...	...	...	...	1	DTD.171	C.	
4804	F.196308	Plate, sealing, for cables C24 and C26, at frame 37	...	...	...	...	4	LFS.21	MR/C	
4805	F.198874	Plate, cover, at cable duct, frame 37 (Pre Mod.118)	...	...	...	...	2	DTD.610	MR/C	
	F.227156	Plate, sealing, at frame 37 (Mod. 303)	...	...	...	...	2	LFS.21		
5F/2281	Hellerman H.V.3341	Strapping	...	...	...	...	QR	—	C.	
5F/2282	Hellerman H.V.3342	Stud	...	...	...	...	QR	—	C.	
9061	F.219800	Stud, for attachment of cable guard (Mod. 386)	...	...	...	...	2	S.1	C.	
4807	Std.1509/12/028	Tube, distance, $\frac{1}{4}$ " o/d x 20 s.w.g. x 0.28" long (Make from 30B/619) (Pre Mod. 118)	...	...	...	...	4	T.4	MR/C	4
	Std.2045/17/26	Clip, securing cables	...	...	...	...	2	—		
	Std.2045/20/24	Clip, securing cables	...	...	...	...	1	—		
9664	Std.2045/22/24	Clip, securing cables	...	...	...	...	2	—	C.	
	Std.2045/25/24	Clip, securing cables	...	...	...	...	1	—		
	Std.2045/32/22	Clip, securing cables	...	...	...	...	1	—		
	Std.2045/34/22	Clip, securing cables	...	...	...	...	3	—		
	Std.2045/36/22	Clip, sleeved	...	...	...	...	1	—		
	Std.2045/38/22	Clip, sleeved	...	...	...	...	1	—		
	Std.2045/39/22	Clip, securing cables	...	...	...	...	1	—		
	Std.2045/49/20	Clip, securing cables	...	...	...	...	1	—		
	Std.2045/68/20	Clip, securing cables	...	...	...	...	1	—		
	Std.2046/16/26	Clip, securing cables	...	...	...	...	2	—		
	Std.2046/17/26	Clip, securing cables	...	...	...	...	3	—		
	Std.2046/21/24	Clip, securing cables	...	...	...	...	1	—		
	Std.2046/28/22	Clip, securing cables	...	...	...	...	1	—		
9735	Std.2046/33/22	Clip, sleeved	...	...	...	...	2	—	C.	
	Std.2046/35/22	Clip, securing cables	...	...	...	...	1	—		
	Std.2046/37/22	Clip, securing cables	...	...	...	...	1	—		
	Std.2046/38/22	Clip, securing cables	...	...	...	...	2	—		
	Std.2046/42/20	Clip, securing cables	...	...	...	...	4	—		
	Std.2046/45/20	Clip, sleeved	...	...	...	...	1	—		
4808	Std.850/24	Clip, securing ignition leads at engine mounting rail, $\frac{7}{16}$ " wide x 22 s.w.g. x 2.4" long	...	...	...	...	2	DTD.610	MR/C	4
6A/3335	Smiths Waymouth CA/30	Connector	...	...	...	...	2	—	B.	
6A/2733	Smiths Waymouth CA/37	Connector	...	...	...	...	1	—	B.	
6A/3571	Smiths Waymouth CA/62	Connector	...	...	...	...	1	—	B.	
6A/3572	Smiths Waymouth CA/125	Connector	...	...	...	...	1	—	B.	
6A/3573	Smiths Waymouth CA/140	Connector	...	...	...	...	1	—	B.	
6A/4447	Smiths Waymouth CS.75	Connector (Mod. 266)	...	...	...	...	2	—	B.	

RESTRICTED

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
4105	Std.1285/8.C.C.	Connector, earthing, at high energy ignition ...					1	—	C.	4
4239	F.200916	Cover, terminal, for ground supply plug ...					1	Black Plastic	C.	
4240	F.200892	Cover, terminal, for ground supply plug ...					2	Black Plastic	C.	
5J/3419	—	Cover, venting and retaining rods (Mod.682) ...					2	—	C.	
4619	A.197124-5	EARTHING POINTS, Nos. 10 and 16, assembly ...					—	—		
5L/9953271	Std.1335/E.18	Washer ...					2	L.4	C.	4
5X/3098	Z.23201/D	Filament, 28v. 7w. ...					1	—	B.	
—	F.224947	Gasket, sealing (AS.760/61) ...					1	—	C.	
37A/1790	—	Hose, for venting cover (Mod. 682) (Make from 32C/472, 30" long)					2	DTD.251/D	—	
5CX/446	—	Igniter, high energy, type C.10.T.S./3 (Mod. 532) ...					2	—	A.	
4896	B.199981	Lamp, cockpit Mk. 1A ...					1	—	B.	
5E/3131	—	Lead, ignition, group					1	—	B.	
		Consisting of:—								
	United Metallic C. No. 110	Cable, uniplughitemp, No. 3 ...					46"	—	C.	
29H/2100	Lodge CG-11	Conduit, braided, 0-312" i/d ...					40"	—		
	Bowden PN/448	Contact-button ...					2	—		
37B/1985	Lodge EA6-90°	Clip ...					1	—	C.	
	Rolls Royce D.29850	Elbow, assembly ...					1	—		
	Lodge S.F.6	Ferrule ...					2	—	C.	
	Lodge N.28	Ferrule, spring type ...					2	—		
	Lodge SS.18	Nut ...					2	—		
	Lodge SS.23	Sleeve ...					1	—		
4897	B.199982	Sleeve ...					1	—		
		Lead, ignition, group					1	—	B.	
		Consisting of:—								
5E/3131	—	Cable, uniplughitemp No.3 ...					82"	—	C.	—
	United Metallic Co. No. 110	Conduit, braided, 0-312" i/d ...					76"	—		
29H/2100	Lodge C.G-11	Contact-button ...					2	—		
	Bowden PN.448	Clip ...					1	—	C.	
37B/1985	Lodge E.A6-90°	Elbow, assembly ...					1	—		
	Rolls Royce D.29850	Ferrule ...					2	—	C.	
	Lodge S.F.6	Ferrule, spring type ...					2	—		
	Lodge N.28	Nut ...					2	—		
	Lodge SS.23	Sleeve ...					1	—		
	Lodge SS.18	Sleeve ...					1	—		
4620	F.197595	Plate, sealing, at frame 37 ...					4	LFS.21	C.	
4621	F.197596	Plate, sealing, at frame 37 ...					4	LFS.21	C.	
5CY/4314	—	Plug, ground supply ...					1	—	B.	
5CY/3002	—	Socket (Mod.386) ...					1	—	B.	
5J/3346	—	Socket, cannon (Mod.386) ...					2	—	C.	
5F/2301	A.201651	Stiffener, for inertia switch ...					1	L.72		
	Hellerman NY.18007A	Strapping, 1/2" wide ...					QR	—	C.	
5F/2279	Hellerman HV.3254	Strapping ...					QR	—	C.	
5F/2280	Hellerman HV.3255	Stud ...					QR	—	C.	
5F/2282	Hellerman HV.3342	Stud ...					QR	—	C.	

RESTRICTED

Hunter F. Mk. 4
Issued with Amendment List No. 19

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.196635	Suppressor, group	...	...	...	...	2	—		
4811	A.196638	Angle, mounting	...	...	...	...	1	DTD.364	MR/C	
4812	A.196639	Angle, mounting	...	...	...	...	1	DTD.364	MR/C	
4813	A.196640	Plate, mounting	...	...	...	...	1	DTD.610	MR/C	
5CY/3084	—	Suppressor, type "X3"	...	...	...	...	1	—	A.	
5CY/2866	—	Suppressor, type "B4"	...	...	...	...	1	—	A.	
4814	Std.1548/24/10	Washer, profile	...	...	...	...	2	DTD.610	MR/C	4
5CY/2967	—	Suppressor, type O.No.2	...	...	...	...	1	—	A.	
5CW/5501	Venner	Switch, time	...	...	...	...	1	—	A.	
	PTA/HA/W 19055									
27N/93	—	Switch, inertia, Mk. 1	...	...	...	...	1	—	A.	
27N/91	—	Switch, flame detector, Mk. 4	...	...	...	...	8	—	A.	
	Std.1509/2/048	Tube, distance, $\frac{1}{4}$ " o/d x 22 s.w.g. x 0.48" long	...	...	...	...	2	T.4		
	Std.1509/2/095	Tube, distance, $\frac{1}{4}$ " o/d x 22 s.w.g. x 0.95" long	...	...	...	...	2	T.4		
	Std.1509/24/022	Tube, distance, $\frac{3}{8}$ " o/d x 17 s.w.g. x 0.22" long	...	...	...	...	4	T.4		
2192	Std.915/C14	Washer, packing, at timing unit	...	...	...	...	2	—	C.	4

RESTRICTED

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
		SUMMARY OF STOCK ITEMS								
28D/12528	A25.1.B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
28D/12622	A25.3.B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
28D/12530	A25.6.B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
28D/12512	A25.1.C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
28D/12513	A25.2.C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
28D/12531	A25.3.C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
28D/12514	A25.7.C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
28D/12516	A25.11.C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
28D/12535	A25.12.C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
28D/12536	A25.13.C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
28D/12538	A25.15.C	Bolt	...	...	...	...	—	—	—	
28D/12539	A25.16.C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
28D/12519	A25.3.E	Bolt, 1/2" B.S.F.	...	...	...	...	—	—	—	
28D/12812	A25.12.E	Bolt, 1/2" B.S.F.	...	...	...	...	—	—	—	
28D/12545	A25.13.E	Bolt	...	...	...	...	—	—	—	
28D/8300	AS.1242.1B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
28D/8307	AS.1242.2C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
28D/8325	AS.1242.4E	Bolt, 1/2" B.S.F.	...	...	...	...	—	—	—	
28D/8326	AS.1242.5E	Bolt, 1/2" B.S.F.	...	...	...	...	—	—	—	
28D/10764	AS.1248.1B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
28E/8184	AGS.605 Mk. 2	Clip	...	...	...	...	—	—	—	
5K/3412	AS.3360.C7C	Lead, bonding	...	...	...	...	—	—	—	
28L/12931	A27.ET	Nut, 1/4" B.S.F.	...	...	...	...	—	—	—	
28M/10288	AGS.2001/C1	Nut, 2 B.A.	...	...	...	...	—	—	—	
28M/10290	AGS.2001/E1	Nut, 1/4" B.S.F.	...	...	...	...	—	—	—	
28M/10326	AGS.2002/A1	Nut, 6 B.A.	...	...	...	...	—	—	—	
28M/10327	AGS.2002/B1	Nut, 4 B.A.	...	...	...	...	—	—	—	
28M/10328	AGS.2002/C1	Nut, 2 B.A.	...	...	...	...	—	—	—	
28M/10330	AGS.2002/E1	Nut, 1/4" B.S.F.	...	...	...	...	—	—	—	
28S/9419435	A31.B12	Screw, 4 B.A.	...	...	...	...	—	—	—	
28S/2767	A31.B16	Screw, 4 B.A.	...	...	...	...	—	—	—	
28S/2773	A31.B20	Screw, 4 B.A.	...	...	...	...	—	—	—	
28S/2779	A31.B24	Screw, 4 B.A.	...	...	...	...	—	—	—	
28S/2785	A31.B28	Screw, 4 B.A.	...	...	...	...	—	—	—	
28S/2760	A31.C12	Screw, 2 B.A.	...	...	...	...	—	—	—	
28S/2766	A31.C16	Screw, 2 B.A.	...	...	...	...	—	—	—	
28S/2772	A31.C20	Screw, 2 B.A.	...	...	...	...	—	—	—	
28S/14547	A32.A10	Screw, 6 B.A.	...	...	...	...	—	—	—	
28S/2858	A32.A12	Screw, 6 B.A.	...	...	...	...	—	—	—	
28S/2864	A32.A16	Screw, 4 B.A.	...	...	...	...	—	—	—	
28S/2865	A32.B16	Screw, 4 B.A.	...	...	...	...	—	—	—	
28S/2857	A32.B12	Screw, 4 B.A.	...	...	...	...	—	—	—	
28S/2875	A32.B24	Screw, 4 B.A.	...	...	...	...	—	—	—	
28S/2874	A32.C24	Screw, 2 B.A.	...	...	...	...	—	—	—	
28S/15108	A33.A14	Screw, 6 B.A.	...	...	...	...	—	—	—	
28S/2809	A33.B12	Screw, 4 B.A.	...	...	...	...	—	—	—	
28S/2815	A22.B16	Screw, 4 B.A.	...	...	...	...	—	—	—	
28S/2827	A33.B24	Screw, 4 B.A.	...	...	...	...	—	—	—	

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
28W/9419401	SP.10B	Washer	...	...	...	...	—	—	—	
28W/9419464	SP.13A	Washer	...	...	...	...	—	—	—	
28W/9419465	SP.13B	Washer	...	...	...	...	—	—	—	
28W/9419474	SP.15.B	Washer, 4 B.A.	...	...	...	...	—	—	—	
28W/9419475	SP.15.C	Washer, 2 B.A.	...	...	...	...	—	—	—	
28W/9419405	SP.15.E	Washer, 1/2" dia.	...	...	...	...	—	—	—	
28W/9419486	SP.16.B	Washer	...	...	...	...	—	—	—	
28W/9419404	SP.16.C	Washer, 2 B.A.	...	...	...	...	—	—	—	
28W/9419487	SP.16.E	Washer, 1/2" B.S.F.	...	...	...	...	—	—	—	
28W/9419489	SP.16.J	Washer	...	...	...	...	—	—	—	
28L/11067	AGS.2035/B	Washer	...	...	...	...	—	—	—	

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

