

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.199813	ELECTRICAL EQUIPMENT IN FRONT FUSELAGE, ASSEMBLY					—	—		
5J/3307	—	Accumulator, lead acid 12V. (Mod. 502)					2	—	A.	
14A/1423	—	Adaptor, type 32					1	—	A.	
5CZ/5059	Teddington Controls FLM/A/1	Amplifier, magnetic (Pre-Mod. 439)					1	—	A.	
5CZ/5299	Teddington Controls FLM/A/5	Amplifier, magnetic (Mod. 439)					1	—	A.	
5CZ/5293	Smiths	Amplifier, magnetic, type EC 4/2 (Mod. 437) (Alternative to Ultra A234)					1	—	A.	
5CZ/5264	Ultra	Amplifier, magnetic, type A234 (Alternative to Smiths EC4/2)					1	—	A.	
6A/4457	Smiths Waymouth FAB/18	Amplifier					2	—	A.	
6012	A.204444	Angle, mounting, top, for circuit breaker					1	L.72	MR/C	
6013	A.204445	Angle, mounting, bottom, for circuit breaker					1	L.72	MR/C	
5H/55	—	Bar, bus, 3 way					1	—	C.	
	A.206459	BLOCK, TERMINAL, No. 1, ON FRAME 3, ASSEMBLY					—	—		
5X/3268	Plessey CZ.50207	Block, terminal, 5 way					1	—	B.	
5X/3274	Plessey CZ.26805	Cover					1	—	B.	
5X/6163	Plessey Z.50210	Link, commoning, 2 way					1	—	C.	
5X/3278	Plessey Z.28426	Pillar					2	—	C.	
	A.206460	BLOCK, TERMINAL, No. 2, ON FRAME 4, ASSEMBLY					—	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					1	—	B.	
	A.218494	Bracket, mounting (Mod. 572)					1	—		
	Std.2046/25/24	Clip, sleeved					1	—		
8545	F.220484	Cover (Mod. 572)					1	—	C.	
5X/6163	Plessey Z.50210	Link, commoning					2	—	C.	
8543	F.218495	Mounting (Mod. 572)					4	Rubber	C.	
8544	F.217580	Pillar (Mod. 572)					2	—	C.	
8546	Std.2008/C362	Strip, locking					1	S.84	C.	
8547	Std.2008/B423	Strip, locking					1	S.84	C.	
	Std.1509/23/084	Tube, distance, $\frac{1}{8}$ " o/d x 17 s.w.g. x 0.84" long					2	T.4		
5407	Std.915/T.18	Washer					2	DTD.610	MR/C	
	B.206462	BLOCK, TERMINAL, No. 3 AND 7, AT PORT COCKPIT SHELF, ASSEMBLY (Pre Mod. 428)					—	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					1	—	B.	
5X/3277	Plessey CZ.50206	Block, terminal, 3 way					1	—	B.	
5X/3275	Plessey CZ.26808	Cover					1	—	B.	
5X/3273	Plessey CZ.26802	Cover					1	—	B.	
5X/6163	Plessey Z.50210	Link, commoning					1	—	C.	
5X/3278	Plessey Z.28426	Pillar					4	—	C.	
	B.203690	BLOCK, TERMINAL, No. 4 AND 6, AT PORT COCKPIT SHELF, ASSEMBLY								
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					1	—	B.	
5X/3277	Plessey CZ.50206	Block, terminal, 3 way					1	—	B.	
5X/3275	Plessey CZ.26808	Cover					1	—	B.	
5X/3273	Plessey CZ.26802	Cover					1	—	B.	
5X/6163	Plessey Z.50210	Link, commoning					1	—	C.	
5X/3278	Plessey Z.28426	Pillar					4	—	C.	

RESTRICTED

Hunter F. Mk. 4

Issued with Amendment List No. 19

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	A.210927	BLOCK, TERMINAL, No. 5, AT FRAME 5, ASSEMBLY (Mod. 303)					—	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					1	—	B.	
	A.218494	Bracket, mounting (Mod. 572)					1	—		
	Std.843/22	Clip, $\frac{7}{8}$ " wide x 22 s.w.g. x 2-2" long					1	S.3		
8545	F.220484	Cover (Mod. 572)					1	—	C.	
8543	F.218495	Mounting (Mod. 572)					4	Rubber	C.	
8544	F.217580	Pillar (Mod. 572)					2	—	C.	
8546	Std.2008/C362	Strip, locking					1	S.84	C.	
8547	Std.2008/B423	Strip, locking					1	S.84	C.	
	Std.1509/23/084	Tube, distance, $\frac{1}{8}$ " o/d x 17 s.w.g. x 0-84" long					2	T.4		
5407	Std.915/T.18	Washer					2	DTD.610	MR/C	
	A.216438	BLOCK TERMINAL, No. 63, ASSEMBLY (Mod. 390) (Pre-Mod. 629)					—	—		B.
5X/3276	Plessey CZ.50205	Block, terminal, 2-way					1	—	B.	
5X/3272	Plessey CZ.26799	Cover					1	—	B.	
5X/3278	Plessey Z.28426	Pillar, fixing					2	—	C.	
	B.222375	BLOCK, TERMINAL, No. 99, ASSEMBLY (Mod. 629)					—	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					1	—	B.	
5X/3275	Plessey CZ.26808	Cover					1	—	B.	
5X/3278	Plessey CZ.28426	Pillar					2	—	C.	
	A.206556	BLOCK, TERMINAL, No. 64, AT FRAME 12, ASSEMBLY					—	—		
5X/3268	Plessey CZ.50207	Block, terminal, 5 way					1	—	B.	
5X/3274	Plessey CZ.26805	Cover					1	—	B.	
5X/3278	Plessey Z.28426	Pillar					2	—	C.	
5880	DTD.487/11B	Bolt, special, for starboard arch panel					2	DTD.487	C.	
5H/49	—	Bolt, connecting					3	—	C.	
8482	A.216114	Box, for standby batteries (complete with cable PC.13), group (Mod. 502)					1	—	B.	
	C.216112	Box, group					1	—		
8483	F.216126	Clip, spring					2	Spr. Steel	C.	
	F.216127	Packing, for clip					1	—		
4985	D.206064	Box, a/c junction and radar supply, group (Pre-Mod. 556)					1	—	A.	
9346	D.221813	Box, a/c junction, flight instruments and radar supply, group (Mod. 556)					1	—	A.	
5X/6607	Plessey CZ.73898	Block, fuse, with ident tags, less cover					4	—	B.	
5X/3268	Plessey CZ.50207	Block, terminal, 5 way					4	—	B.	
6731	F.210524	Bolt, wing					6	S.3	C.	
5CY/2561	—	Breaker, circuit, type A.3					2	—	A.	
1632	A.190855	Bus-bar					2	BSS.266	C.	
	D.190732	Cable, assemblies					2	—		
		Consisting of:—								
6A/2715	Smiths 213 M.V.	Auto-transformer, 115/26V, 400 c/s					1	—	A.	
5E/2886	—	Cable, trimetvinsmall					10"	—	C.	
5E/	—	Cable, 2-5 amp.					QR	—	C.	
5E/3040	—	Cable, unipren, 12 amp.					QR	—	C.	
5E/3042	—	Cable, unipren, 24 amp.					QR	—	C.	
10C/	Dubilier	Capacitor, 25 mf. 250 WKG					1	—	C.	
Z.115260										
10C/Z.115333	Dubilier	Capacitor, 0-5 mf. 250V. WKG.					3	—	C.	
	A.190048	Channel, relay mounting					1	DTD.610		
	A.190049	Channel, relay mounting					1	DTD.610		

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
10H/0970058	Plessey Z.60667					Gasket, outlet, code 45	1	—	C.	
10H/0970108	Plessey Z.62235					Gasket, union	1	—	C.	
5X/2785	Plessey Z.22430					Grommet, Helsyn, type 2	1	—	C.	
5K/17	Plessey P.79692/23					Grommet	2	—	C.	
5X/1874	Plessey Z.1840					Grommet	1	—	C.	
5X/6505	Plessey Z.70005					Lug, terminal	1	—	C.	
10H/0970069	Plessey CZ.49181					Outlet, 90°, code 45	1	—	C.	
10H/0560080	Plessey CZ.48995					Plug, panel, unit code 45	1	—	B.	
10H/0560130	Plessey CZ.51327					Plug, panel, unit code 44	1	—	B.	
10H/0560050	Plessey CZ.48992					Plug, panel, unit code 41	1	—	B.	
10H/0560070	Plessey CZ.48994					Plug, panel, unit code 43	1	—	B.	
10H/0560060	Plessey CZ.48993					Plug, panel mounting, unit code 42	1	—	B.	
10H/0970102	Plessey Z.49040					Ring, compression	1	—	C.	
10H/0970096	Plessey Z.49037					Ring, thrust	1	—	C.	
5K/2576	—					Sleeve, Helsyn A.P.	115	—	C.	
5K/2577	—					Sleeve, Helsyn B.P.	12	—	C.	
5K/2578	—					Sleeve, Helsyn C.P.	1	—	C.	
10H/0970114	Plessey Z.62240					Sleeve, cable, code 45	1	—	C.	
10H/0560230	Plessey CZ.49217					Socket, panel, unit code 41	1	—	C.	
10H/0560250	Plessey CZ.49221					Socket, panel, unit code 43	1	—	C.	
10H/0560240	Plessey CZ.49219					Socket, panel, unit code 42	1	—	C.	
10H/	Plessey CZ.56743					Socket, panel, mounting coupler, code 45	1	—	C.	
5CW/3942	—					Switch, magnetic relay, type S.1	2	—	A.	
5CW/3944	—					Switch, magnetic relay, type S.3	4	—	A.	
5K/3623	Tucker S.79					Tag, eyelet	13	—	C.	
5K/301	Ross Courtney No. 00					Tag, eyelet	2	—	C.	
5X/2266	Plessey Z.19924					Tag, 4 amp., Q/R	10	—	C.	
5X/2267	Plessey Z.19925					Tag, 7 amp., Q/R	39	—	C.	
5X/2268	Plessey Z.19926					Tag, 19 amp., Q/R	6	—	C.	
5X/2270	Plessey Z.19980					Thimble, 7 amp. Q/R	39	—	C.	
5X/2271	Plessey Z.19981					Thimble, 19 amp. Q/R	6	—	C.	
5CY/3610	—					Cap, protecting, circuit breaker	2	—	C.	
or										
5CY/4520	—					Cap, protective	1	—	C.	
10H/0970055	Plessey CZ.51538					Fuse, 2.5 amp.	5	—	C.	
5CZ/879	—					Fuse, 5 amp.	1	—	C.	
5CZ/880	—					Fuse, 10 amp.	2	—	C.	
5CZ/881	—					Fuse, 2.5 amp., type H.R.C.	7	—	C.	
5CW/5214	—					Indicator, magnetic	1	—	A.	
5CZ/5073	—					Lead, D.C. inverter, group	1	—		
	B.201758					Consisting of:—				
5E/3038	—					Cable, unipren 6 amp.	8"	—	C.	
5E/3092	—					Cable, uniprenmet 12 amp.	QR	—	C.	
5X/1383	Plessey Z.14485/2					Ferrule, cut type	2	—	C.	
5X/2787	Plessey Z.22432					Grommet, helsyn type 4	1	—	C.	
5X/2798	Plessey Z.24211					Sleeve, helsyn	2	—	C.	
5X/2796	Plessey Z.24209					Sleeve, helsyn	2	—	C.	
5K/3455	—					Sleeve, helsyn plus J.P.	4	—	C.	
5X/6014	Plessey CZ.27902					Socket	2	—	C.	
5X/2267	Plessey Z.19925					Tag, 7 amp. Q/R	2	—	C.	
5X/6502	Plessey Z.70002					Tag, eyelet	1	—	C.	
5X/2270	Plessey Z.19980					Thimble, 7 amp. Q/R	2	—	C.	
	Std.914/L/22T					Washer	1	S.1 or S.3		

RESTRICTED

Hunter F. Mk. 4
Issued with Amendment List No. 19

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
1633	B.190333					Lid, front	1	DTD.213	C.	
1634	B.190172					Lid, top	1	DTD.213	C.	
5X/6171	Plessey Z.50211					Link, commoning, 3 way	1	—	C.	
5X/6173	Plessey Z.50213					Link, commoning, 5 way	1	—	C.	
	F.197020/2					Saddle	1	DTD.610		
	B.190455					Screen, suppressor	1	DTD.610		
1178	Std.1606/44/B12					Screw, roundhead	17	Brass	C.	5
3839	Std.1606/44/B16					Screw, roundhead	1	Brass	C.	5
1638	Std.1606/44/B6					Screw, roundhead	2	Brass	C.	5
1639	Std.1606/44/A6					Screw, roundhead	4	Brass	C.	5
1640	C.190344					Shell, outer	1	DTD.213	C.	
—	Hellermann P3 Grey					Sleeve, P.V.C. 9" long (Use 5K/2578)	1	178 type B	—	
	—					Suppressor, type F, No. 2, sub-assembly, group. (5CY/2682/SA.1)	2	—		
						Consisting of:—				
5CY/2738	—					Block, terminal	2	—	C.	
5CY/2740	—					Choke, assembly	3	—	B.	
5CY/2839	—					Capacitor, type A.1004	3	—	B.	
5CY/2739	—					Plate, earthing	1	—	C.	
5CW/4184	—					Switch, S.P., "on-off" upright "off"	1	—	B.	
5CW/5105	EAP/2312*					Switch, torque	2	—	A.	
5CW/5907	Smiths EAP.2340					Switch, torque	2	—	A.	
5CW/4485	—					Transfer, "normal"	1	—	C.	
5CW/4333	—					Transfer, "test"	1	—	C.	
3796	Std.1509/12/072					Tube, distance, 1/4" o/d x 20 s.w.g. x 72" long (Make from 30B/619)	8	T.4	MR/C	4
1641	D.189839					Unit, mounting, for A.C. junction box	1	DTD.213	B.	
	A.218401					Unit, torque switch suppression, group (Mod. 556)	1			
10C/Z.115590	Plessey Z.115590					Capacitor	2	—	C.	
	F.218439					Clip	1	L.72		
10W/Z.215162	Plessey Z.215162					Resistor	2	—	C.	
3837	Std.1606/44/B10					Screw	1	Brass	C.	
10H/0970049	Plessey Z.54105					Washer, panel mounting	QR	—	C.	
6A/4446	Smiths—					Box, connector (Mod. 266)	1	—	B.	
	Waymouth JX/14									
6A/4445	Smiths—					Box, connector (Mod. 266)	1	—	B.	
	Waymouth JX/12									
	A.220499					Box, distribution and suppressor, assembly (Mod. 417)	—	—		
	C.215622					Box, distribution, group	1	—		
5X/6630	Plessey CZ.72441					Block, terminal, 5 way	3	—	B.	
5E/3038	—					Cable, unipren 6	12 ft.	—	C.	
10C/Z.115567	—					Capacitor	3	—	C.	
10H/0590110	Belling Lee L/693/2					Fuse, 2 amp.	2	—	C.	
10H/9613	Belling Lee 1055/1					Fuse, 1 amp.	2	—	C.	
9533	A.215621					Lid, group	1	—	C.	
	A.215621/2					Strip, sealing, 1/2" x 1/8"	18 1/2"	Rubber BSS.265	C.	
6015	F.195858					Link, commoning	4			
10H/0560260	Plessey CZ.49223					Socket, panel unit, code 45	1	—	C.	
10H/0560250	Plessey CZ.49221					Socket, panel unit, code 43	1	—	C.	
10H/Z.560251	Plessey CZ.49221/1					Socket, panel unit, code 43	1	—	C.	
10H/0560240	Plessey CZ.49219					Socket, panel unit, code 42	1	—	C.	
5K/3469	Ross Courtney 01					Tag, 2.5 amp.	24	—	C.	
10H/0590100	Belling Lee L.1348					Unit, fuse	5	—	C.	
751	Std.915/A20					Washer, packing	QR	—	C.	

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	Std.842/9					Clip, $\frac{1}{16}$ " x 22 s.w.g. x 0.90" long ...	1	S.3		4
3750	Std.842/10					Clip, $\frac{1}{16}$ " x 22 s.w.g. x 1.00" long ...	1	S.3	MR/C	4
5CY/2866	—					Suppressor, type B.4 ...	1	—	A.	
5868	C.206527					Box, junction No. 2, group ...	1	—	B.	
5X/3181	Plessey CZ.23212/1					Block, terminal, 20 way ...	1	—	B.	
	Plessey BZ.73118					Box, assembly ...	1	—		
	Plessey CZ.73106					Lid, assembly ...	1	—		
5X/6163	Plessey Z.50210					Link, commoning ...	3	—	C.	
5X/	Plessey CZ.72949					Plug, form F.24 ...	1	—	C.	
5X/	Plessey Z.73213					Washer, packing ...	2	—	C.	
7837	C.213051					Box, junction No. 2, Armament, group (Mod. 229) ...	1	—	A.	
	F.202933					Angle, support for relay ...	1	L.72		
	F.202934					Angle, support for relay ...	1	L.72		
5X/6630	Plessey CZ.72441					Block, terminal, 5 way miniature ...	6	—	B.	
	C.213190					Box, group ...	1	L.59		
	F.202906					Angle, support, for T.B. ...	2	L.72		
	F.202912					Angle, attachment ...	2	L.72		
	Std.1569/B					Nut, side anchor ...	4	—		
	F.202911					Bracket, fuse holder ...	1	L.72		
5E/3038	—					Cable, unipren 6 amp. ...	QR	—	C.	
5E/3040	—					Cable, unipren 12 amp. ...	QR	—	C.	
5CZ/879	—					Fuse, type "S", 2.5 amp. ...	2	—	C.	
5CZ/3741	—					Holder, fuse ...	2	—	C.	
6014	B.202884					Lid ...	1	L.59 and Rubber Strip BSS.265	MR/C	
6015	F.195858					Link, commoning ...	9	—	C.	
10H/0560150	Plessey CZ.49112					Plug, panel unit ...	1	—	B.	
10H/0560151	Plessey CZ.49112/1					Plug, panel unit ...	1	—	C.	
10H/0560152	Plessey CZ.49112/2					Plug, panel unit ...	1	—	C.	
10H/0560080	Plessey CZ.48995					Plug, panel unit ...	1	—	C.	
5CW/3942	—					Relay, type "S" No. 1 ...	2	—	A.	
5CW/3944	—					Relay, type "S" No. 3 ...	1	—	A.	
5K/3455	—					Sleeve, helsyn, plus J.P. $\frac{1}{4}$ " long ...	45	—	C.	
10H/0560260	Plessey CZ.49223					Socket, panel unit ...	1	—	C.	
5K/3469	Ross Courtney 01					Tag ...	54	—	C.	
	Std.1509/12/108					Tube, distance, $\frac{1}{4}$ " o/d x 17 s.w.g. x 1.08" long ...	2	T.4		
	B.216710					Box, relay control for air brake group (Mod. 523) ...	1	—		
	C.204561					Box ...	1	L.72		
4178	Rotax N.65291					Bung ...	1	—	C.	
5E/3038	—					Cable, unipren 6 ...	QR	—	C.	
5CW/5253	Hellerman HV.3710					Cap, sea-grey ...	1	—	C.	
8460	A.220906					Lid (Mod. 523) ...	1	—	B.	
	B.219892					Plug, form, group (Mod. 523) ...	1	—		
						Consisting of:—				
5E/3038	—					Cable, unipren 6 ...	QR	—	C.	
	Std.1948/11					Marker, sleeve ...	3	—		
	Std.1948/21					Marker, sleeve ...	5	—		
	Std.1950/11					Marker, sleeve ...	1	—		

RESTRICTED

Hunter F. Mk. 4
Issued with Amendment List No. 19

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
10H/0560150	Plessey CZ.49112					Plug, panel unit Mk. 4	1	—	C.	
5K/3455	Helsyn J.P.					Sleeve	8	—	C.	
5K/3469	Ross Courtney 01					Tag	3	—	C.	
5CW/5014	—					Relay, type 9B No. 1	2	—	A.	
	A.216688					RELAY, R.I. AND TERMINAL BLOCK, ASSEMBLY (Mod. 523)	—	—		
5X/6630	Plessey CZ.72441					Block, terminal, 5 way	1	—	B.	
	A.216690					Platform, mounting	1	L.72		
	A.216689					RELAY, R.I. AND WIRING, ASSEMBLY	—	—		
5CW/3942	—					Relay, type 5.1	1	—	A.	
5K/3469	Ross Courtney 01					Tag	4	—	C.	
1638	Std.1606/44/B6					Screw	4	Brass	C.	5
5CW/4226	Rotax					Switch, double pole (Rotax only)	1	—	B.	
5CW/4333	—					Transfer, "Test"	1	—	C.	
	B.213688					BOX, JUNCTION ARM No. 7 and 8, ASSEMBLY (Mod. 229)	—	—		
5D/506	—					Box, junction, 5 way, type A	2	—	B.	
5K/2374	—					Disc, blanking	5	—	C.	
5K/87	—					Nut, gland	5	—	C.	
	B.225404					Box, junction, Power Controls, group (Mod. 684)	1	—		
5X/2863	Plessey CZ.24285					Block, terminal	1	—	B.	
5X/3277	Plessey CZ.50206					Block, terminal	1	—	B.	
	B.226144					Box	1	L.72		
5CZ/879	—					Fuse, 2.5 amps	2	—	C.	
5CZ/3741	—					Fuseholder, type "A"	2	—	C.	
5X/2790	Plessey Z.22634					Grommet	1	—	C.	
4042	Std.1509/23/030					Tube, distance, $\frac{1}{8}$ " o/d x 17 s.w.g. x 0.30" long	2	T.4	MR/C	4
	C.217978					Box, gun firing and engine control relay, group (Pre Mod. 631)	1	—		
	B.220522					Base, for box	1	—		
	B.213540					Cover	1	L.72		
5CW/	Oliver Pell Ltd.					Relay, R.H.2	1	—	A.	
5CW/6583	Teddington Controls					Switch, altitude, type PAD/AO.9 20,000/1	1	—	A.	
	C.221727					Box, gun firing and engine control relay, group (Mod. 631)	1	—		
	B.220522					Base, for box	1	—		
	B.213540					Cover	1	L.72		
5CW/6307	Oliver Pell Ltd.					Relay, RH2/1	1	—	A.	
5CW/	Teddington Controls					Switch, altitude, type PAD/AO.12, 30,000ft.	1	—	A.	
	A.221292					Bracket (Mod. 488)	1	—		
5828	A.203115					Bracket, plug mounting	3	L.72	C.	
5CY/2564	—					Breaker, circuit, type A, No. 6	1	—	A.	
5CY/2560	—					Breaker, circuit, type A, No. 2	2	—	A.	
	F.203862					Cable, earthing, group	2	—		
						Consisting of:—				
5E/3092	—					Cable, uniprenmet 12 amp.	2½ ft.	—	C.	
5K/24	—					Ferrule, cut type	1	—	C.	
5X/	Plessey Z.77859					Lug, terminal	1	—	C.	
5K/87	—					Nut, coupling	1	—	C.	
5X/2796	Plessey Z.24209					Sleeve, helsyn	1	—	C.	
	Std.1948/11					Sleeve, helsyn, plus	1	—		
	Std.1948/21					Sleeve, helsyn, plus	1	—		
5K/1494	Ross Courtney No. 0					Terminal	1	—	C.	

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
—	C.225347	Cable, electrical, F10 group (Mod. 678) (see Cable Chart)					1	—		
5D/645	—	Plug, 3 pin, type K					1	—	B.	
	C.201799	Cable Loom, F.57, group (Pre-Mod. 707)					1	—		
	C.227822	Cable, loom, F.57 group (Mod. 707) (Pre-Mod. 488)					1	—		
	C.227824	Cable, loom, F.57 group (Mod. 488)					1	—		
5CZ/1793	Rotax 16936	Hood					2	—	C.	
5CX/2454	—	Lamp, type "B" No. 1 U/V					2	—	A.	
5CX/4058	—	Lamp, type "C", No. 2					10	—	B.	
5892	F.203673	Screen, lamp					1	—	MR/C	
5CX/3430	—	Screen, lamp					8	—	C.	
5CW/5825	Rotax D.5404/1	Switch, single pole (Pre-Mod. 707)					1	—	B.	
5CW/6551	—	Switch, S.P. (Mod. 488)					1	—	B.	
5CW/4327	—	Switch, transfer "on" (Rotax N 100397/1)					1	—	C.	
—	—	Cables, electrical (see Cable Chart)					—	—	—	
14A/1380	—	Camera, G.45B, Mk. 3					1	—	A.	
10H/	Plessey CZ.51538	Cap, protective (Mod. 417)					2	—	C.	
5CY/4520	—	Cap, protective					3	—	C.	
5CW/5252	Hellerman HV.3711	Cap, helvin (grey)					1	—	C.	
—	E.206363-4	CLIPPING OF ELECTRICAL CABLES, ASSEMBLY					—	—	—	
—	—	Cable, assembly (see Cable Chart)					—	—	—	
3733	Std.840/40	Clip, $\frac{7}{16}$ " wide x 22 s.w.g. x 4-0" long					1	DTD.610		4
4761	Std.840/12	Clip, $\frac{7}{16}$ " wide x 22 s.w.g. x 1-2" long					1	DTD.610	C.	4
3743	Std.840/13	Clip, $\frac{7}{16}$ " wide x 22 s.w.g. x 1-3" long					1	DTD.610	MR/C	4
3951	Std.840/25	Clip, $\frac{7}{16}$ " wide x 22 s.w.g. x 2-5" long (Mod. 629)					1	DTD.610	MR/C	4
	Std.840/26	Clip, $\frac{7}{16}$ " wide x 22 s.w.g. x 2-6" long					2	DTD.610	C.	4
	Std.840/39	Clip, $\frac{7}{16}$ " wide x 22 s.w.g. x 3-9" long (Mod. 629)					1	DTD.610		
3739	Std.840/30	Clip, $\frac{7}{16}$ " wide x 22 s.w.g. x 3-0" long					1	DTD.610	C.	4
4790	Std.840/32	Clip, $\frac{7}{16}$ " wide x 22 s.w.g. x 3-2" long (Pre-Mod. 629)					1	DTD.610	C.	4
2145	Std.841/13	Clip, $\frac{7}{16}$ " wide x 22 s.w.g. x 1-3" long					3	DTD.610	C.	4
4186	Std.841/16	Clip, $\frac{7}{16}$ " wide x 22 s.w.g. x 1-6" long					1	DTD.610	C.	4
3745	Std.841/17	Clip, $\frac{7}{16}$ " wide x 22 s.w.g. x 1-7" long (Pre-Mod. 629)					1	DTD.610	C.	4
4544	Std.841/18	Clip, $\frac{7}{16}$ " wide x 22 s.w.g. x 1-8" long					1	DTD.610	C.	4
4159	Std.841/20	Clip, $\frac{7}{16}$ " wide x 22 s.w.g. x 2-0" long (Pre-Mod. 629)					1	DTD.610	C.	4
	Std.841/23	Clip, $\frac{7}{16}$ " wide x 22 s.w.g. x 2-3" long (Mod. 629)					1	DTD.610		
4556	Std.841/25	Clip, $\frac{7}{16}$ " wide x 22 s.w.g. x 2-5" long					2	DTD.610	C.	4
4732	Std.841/29	Clip, $\frac{7}{16}$ " wide x 22 s.w.g. x 2-9" long (Mod. 629)					1	DTD.610	MR/C	4
3750	Std.842/10	Clip, $\frac{7}{16}$ " wide x 22 s.w.g. x 1-0" long (Mod. 488)					1	DTD.610	MR/C	4
5897	F.209035	Clip, securing cable F.26 at pilots floor (Make up from Std.843/29)					1	S.3	MR/C	
6A/3570	Smiths Waymouth C.A.10	Connector					1	—	B.	
6A/2767	Smiths Waymouth C.A.14	Connector					1	—	B.	
5X/2114	Plessey Z.22675/D	Ferrule, outer					3	—	C.	
5X/2121	Plessey Z.22676/D	Ferrule, inner					3	—	C.	
5X/6700	Plessey Z.71632	Gland					3	—	C.	
5X/3148	Plessey Z.49428	Sleeve, adaptor					70	—	C.	
5X/6194	Plessey CZ.50405	Socket, assembly, D24/2/0					3	—	B.	

RESTRICTED

Hunter F. Mk. 4
Issued with Amendment List No. 19

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5F/2281	Hellerman HV.3341					Strapping, $\frac{1}{2}$ " wide	QR	—	C.	
5F/2279	Hellerman HV.3254					Strapping, $\frac{3}{8}$ " wide	QR	—	C.	
5F/2280	Hellerman HV.3255					Stud	QR	—	C.	
5F/2282	Hellerman HV.3342					Stud	QR	—	C.	
6734	Std.1335/A18					Washer, for earth lead	2	L.4	C.	
	D.206612					COCKPIT LIGHTING EQUIPMENT, ASSEMBLY ...	—	—		
5J/3082	6140/101806					Accumulator, emergency, 2.4 volt 1.2 amp. (Pre-Mod. 488)	1	—	B.	
6018	A.201563					Bracket, for standby light switch	1	L.72	MR/C	
5894	A.201366					Bracket, lamp mounting	1	L.72	MR/C	
	F.216675					Bracket, fire test switch (Mod. 522)	1	L.72		
	A.218822					Bracket, switch unit mounting (Mod. 417)	1	L.72		
3734	Std.840/14					Clip, cable, $\frac{7}{8}$ " wide x 22 s.w.g. x 1.4" long	2	DTD.610	MR/C	4
4768	Std.841/14					Clip, cable, $\frac{7}{8}$ " wide x 22 s.w.g. x 1.4" long	2	DTD.610	MR/C	4
4186	Std.841/16					Clip, cable, $\frac{7}{8}$ " wide x 22 s.w.g. x 1.6" long	2	DTD.610	C.	4
4793	Std.841/19					Clip, cable, $\frac{7}{8}$ " wide x 22 s.w.g. x 1.9" long	1	DTD.610	MR/C	4
4159	Std.841/20					Clip, $\frac{7}{8}$ " wide x 22 s.w.g. x 2.0" long	1	DTD.610	C.	4
4043	Std.841/30					Clip, cable, $\frac{7}{8}$ " wide x 22 s.w.g. x 3.0" long	1	DTD.610	C.	4
3750	Std.842/10					Clip, cable, $\frac{7}{8}$ " wide x 22 s.w.g. x 1.0" long (Make from 30A/549)	3	S.3	MR/C	4
3751	Std.842/12					Clip, cable, $\frac{7}{8}$ " wide x 22 s.w.g. x 1.2" long (Make from 30A/549)	4	S.3	MR/C	4
4297	Std.843/11					Clip, cable, $\frac{7}{8}$ " wide x 22 s.w.g. x 1.1" long (Make from 30A/549)	3	S.3	MR/C	4
—	Std.843/22					Clip, cable, $\frac{7}{8}$ " wide x 22 s.w.g. x 2.2" long (Make from 30A/549)	1	S.3	—	4
5L/9951263	—					Filament, 24 volt, 2.8 watt, red (Pre-Mod. 488)	8	—	B.	
5L/9951263	—					Filament, 24 volt, 2.8 watt, red (Mod. 488)	11	—	B.	
5L/9951134	—					Filament, 2.5 volt, 0.3 amp., red (Pre-Mod. 488)	2	—	B.	
5L/9952261	—					Filament, 12 volt, 7.5 watt	2	—	B.	
5243	F.146835					Holder, for standby accumulator, group (Pre-Mod. 488)	1	—	C.	
	F.146836					Spring	1	Steel		
5893	A.201372					Plate, mounting, for dimmer switches	1	L.72	MR/C	
	F.214760					Plate, mounting, port (Mod. 465)	1	L.72		
	F.203502					Plate, mounting, starboard	1	L.72		
8233	B.214483					Screen, cockpit, port (Mod. 229)	1	L.72, L.59	MR/C	
5896	E.204493					Screen, cockpit, starboard	1	L.72, L.59	C.	
5245	Std.1606/44/A10					Screw, roundhead	10	Brass	C.	5
5246	Std.1606/44/A12					Screw, roundhead	2	Brass	C.	5
5247	Std.1606/44/A16					Screw, roundhead	9	Brass	C.	5
3838	Std.1606/44/B8					Screw, roundhead	2	Brass	C.	5
5248	Std.1606/45/A8					Screw, countersunk	8	Brass	C.	5
5F/2281	Hellerman HV.3341					Strapping, $\frac{1}{2}$ " wide	2 ft.	—	C.	
5F/2282	Hellerman HV.3342					Stud	2	—	C.	
5CW/2451	—					Switch, dimmer, type "R", 22 ohms	1	—	A.	
5CW/2530	—					Switch, dimmer, type "R", 75 ohms	2	—	A.	
5CW/4325	—					Tab, luminous (Pre-Mod. 707)	1	—	C.	

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
14A/2852	—	Cover, protective end	...	...	...	...	1	—	C.	
5K/86	—	Collet, split	...	...	...	...	1	—	C.	
	A.197111	EARTHING CONNECTION, No. 1, ASSEMBLY					—	—		
4978	Std.1298/7	Stud	...	...	...	...	1	S.1	C.	
4979	Std.1335/C/20	Washer	...	...	...	...	3	L.4	C.	4
	A.197112-3	EARTHING CONNECTIONS, ASSEMBLY					—	—		
	Std.1298/1	Stud	...	...	...	...	2	S.1		
4613	Std.1335/C/18	Washer	...	...	...	...	6	L.4	C.	
27V/4532	Teddington Controls F.H.J/A/2	Element (Pre-Mod. 210)	...	...	...	...	1	—	A.	
27V/4812	Teddington Controls F.H.J/A/7	Element (Mod. 210)	...	...	...	...	1	—	A.	
8780	C.206529	Equipment, on port forward shelf, group	...	...	...	...	1	—	A.	
	B.190207	Box, switch, group (Pre-Mod. 629)	...	...	...	...	1	—		
	B.226140	Box, switch, group (Mod. 629)	...	...	...	...	1	—		
	A.190209	Cover	...	...	...	...	1	DTD.610		
	F.190211	Lever	...	...	...	...	1	S.3 & T.26		
1642	F.190212	Spring	...	...	...	...	1	Spring Steel	C.	
3782	Std.1509/2/164	Tube, distance, $\frac{1}{4}$ " o/d x 22 s.w.g. x 1-64" long (Make from 30A/965)	...	...	...	...	1	T.4	MR/C	4
3783	Std.1507/2/062	Tube, distance, $\frac{1}{4}$ " o/d x 22 s.w.g. x .62" long (Make from 30A/965)	...	...	...	...	1	T.26	MR/C	4
4178	Rotax N.65291	Bung, sealing	...	...	...	...	1	—	C.	
—	C.211084	Cable, form (F.19), for cockpit shelf forward port	...	...	...	...	1	—	—	
—	—	Cable, assembly (see Cable Chart)	...	...	...	...	—	—	—	
3734	Std.840/14	Clip, $\frac{7}{16}$ " wide x 22 s.w.g. x 1-4" long	...	...	...	...	1	DTD.610	MR/C	4
3737	Std.840/22	Clip, $\frac{7}{16}$ " wide, 22 s.w.g. x 2-2" long	...	...	...	...	1	DTD.610	MR/C	4
4543	Std.840/24	Clip, securing, $\frac{7}{16}$ " wide x 22 s.w.g. x 2-4" long	...	...	...	...	1	DTD.610	C.	4
5L/9951273	—	Filament, 28 volt, 3-5 watts	...	...	...	...	1	—	B.	
	F.205187	Guard, locking, for switch (Mod. 390) (Pre-Mod.) 629)	...	...	...	...	1	L.72		
6909	F.198334	Guard, locking, for switch	...	...	...	...	1	L.72	MR/C	
5CW/4222	Rotax	Guard, locking, for switch	...	...	...	...	1	—	C.	
5CZ/5073	—	Indicator, magnetic	...	...	...	...	1	—	B.	
6A/3569	Smiths 501 F.L.	Indicator, position, trim, aileron and rudder	...	...	...	...	1	—	A.	
5CX/1069	—	Lamp, warning, type "A", red	...	...	...	...	1	—	B.	
5264	AW.88052	Lock, trim switch, group	...	...	...	...	1	—	B.	
5700	AW.49162	Plunger	...	...	...	...	1	S.1	MR/C	
5701	AW.49163	Spring	...	...	...	...	1	Steel	MR/C	
1638	Std.1606/44/B6	Screw, securing switch (Mod. 629)	...	...	...	...	4	Brass	C.	5
3838	Std.1606/44/B8	Screw, securing switches S.P.	...	...	...	...	9	Brass	C.	5
3837	Std.1606/44/B10	Screw, securing clips	...	...	...	...	3	—	C.	5
1178	Std.1606/44/B12	Screw, securing switch	...	...	...	...	2	Brass	C.	5
1637	Std.1606/44/B14	Screw, securing position indicator	...	...	...	...	2	Brass	C.	5
4179	Std.1606/44/B20	Screw, securing switch (Pre-Mod. 629)	...	...	...	...	2	Brass	C.	5
3856	Std.1606/44/C20	Screw, securing trim switch	...	...	...	...	2	Brass	C.	5
3857	Std.1606/44/C24	Screw, securing trim switch	...	...	...	...	2	Brass	C.	5

RESTRICTED

Hunter F. Mk. 4
Issued with Amendment List No. 19

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.192718						1	DTD.610		
	F.216695					Guard, for tailplane standby actuator control (Mod. 299)	1	L72		
5K/107067	Hellerman					Sleeve, P.V.C., .9" long	4	1738 type "B"	C.	
5CW/4638	—					Switch, micro, type 1A	1	—	B.	
5CW/4178	—					Switch, S.P., change over centre "off" spring return both ways	1	—	B.	
5CW/4179	Rotax D.5406					Switch, S.P., "change over" no "off" position	2	—	B.	
5CW/4184	—					Switch, S.P., "on-off", "upright-off"	1	—	B.	
5CW/5827	—					Switch, D.P., "on", "off" upright off (Mod. 629)	1	—	B.	
5CW/4682	Western Mnf. Est. LS.1611					Switch, trim, Mk. B/2, aileron and rudder	1	—	A.	
5CW/4327	—					Transfer, "ON"	3	—	C.	
5CW/4328	—					Transfer, "OFF"	3	—	C.	
5CW/4340	—					Transfer, "UP"	1	—	C.	
5CW/4341	—					Transfer, "DOWN"	1	—	C.	
	Std.1509/12/014					Tube, distance, $\frac{1}{4}$ " o/d x 20 s.w.g. x 0.14" long	1	T.4		
	Std.1509/23/036					Tube, distance, $\frac{1}{8}$ " o/d x 17 s.w.g. x 0.36" long	2	T.4		
921	Std.915/B12					Washer, for switch guard	2	DTD.610	C.	
8776	D.203685					Equipment, on port rear shelf, group	1	—	A.	
6076	F.207954					Bar, ganging	1	Filine	C.	
5X/6480	Plessey Z.60218					Bar, commoning	2	—	C.	
—	Plessey Z.63022					Bar, commoning, L.H. (Make from 5X/6480)	1	—	—	
—	Plessey Z.63023					Bar, commoning, R.H. (Make from 5X/6480)	1	—	—	
5X/6607	Plessey CZ.73898					Block, fuse, Q/R, with identification tags, less cover	6	—	B.	
5X/3277	—					Block, terminal, 3 way (Mod. 554)	1	—	B.	
5X/3181	Plessey CZ.23212/1					Block, terminal, 20 way	2	—	B.	
5X/2863	Plessey CZ.24285					Block, terminal, 10 way	2	—	B.	
5CY/2562	—					Breaker circuit, type A, No. 4, 25 amp.	1	—	A.	
5CY/2561	—					Breaker circuit, type A4, 15 amp. (Mod. 325)	1	—	A.	
4178	Rotax N.65291					Bung	7	—	C.	
	C.213324					Cable, form A, for rear cockpit shelf, port	1	—	—	
	C.218027					Cable, form B, for rear cockpit shelf, port	1	—	—	
5E/3038	—					Cable, unipren 6 amp.	QR	—	C.	
5E/3042	—					Cable, unipren 24 amp.	QR	—	C.	
5CW/5253	Hellerman HV.3710					Cap, Helvin, sea-grey	1	—	C.	
5CW/5252	Hellerman HV.3711					Cap, Helvin, sea-grey	2	—	C.	
5CY/4520	—					Cap, protective	2	—	C.	
	B.189231					Channels, mounting	1	—	—	
5CZ/879	—					Fuse, 2.5 amp., type S	6	—	C.	
5CZ/880	—					Fuse, 5 amp. type S	12	—	C.	
5CZ/1255	—					Fuse, 20 amp., type S	1	—	C.	
5X/6163	Plessey Z.50210					Link, commoning, 2 way	3	—	C.	
5X/6171	Plessey Z.50211					Link, commoning, 3 way	1	—	C.	
5X/6314	Plessey Z.50214					Link, commoning, 6 way	1	—	C.	
5X/6317	Plessey Z.50218					Link, commoning, 10 way	2	—	C.	
5CZ/3137	—					Lug, cable	1	—	C.	
	C.189088					Plate, end, shelf	1	DTD.610		
	A.207504					RELAY, 'H', ASSEMBLY	—	—		
5E/3038	—					Cable, unipren 6 amp.	9'	—	C.	
5K/3455	—					Sleeve, helsyn, plus J.P. $\frac{1}{2}$ "	7	—	C.	
	Std.1950/11					Sleeve, identification	1	—	—	
5CW/3944	—					Switch, magnetic relay, type 'S', No. 3	1	—	A.	
5X/2266	Plessey Z.19924					Tag, 4 amp.	6	—	C.	
5X/2269	Plessey Z.19979					Thimble, 4 amp.	6	—	C.	

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	A.205946	RELAY, 'K', ASSEMBLY					—	—		
5E/3038	—	Cable, unipren 6 amp.					11'	—	C.	
5K/3455	—	Sleeve, helsyn, plus J.P. x 3/4"					9	—	C.	
5CW/3944	—	Switch, magnetic relay, type 'S', No. 3					1	—	A.	
5X/2266	Plessey Z.19924	Tag, 4 amp.					5	—	C.	
5X/2269	Plessey Z.19979	Thimble, 4 amp.					5	—	C.	
1639	Std.1606/44/A6	Screw, securing safety cover					4	—	C.	5
1638	Std.1606/44/B6	Screw, securing switches					14	—	C.	5
1178	Std.1606/44/B12	Screw, securing temperature selector					4	Brass	C.	5
3839	Std.1606/44/B16	Screw, securing "Dowty" lever switch					2	Brass	C.	5
4179	Std.1606/44/B20	Screw, securing altitude switch					3	Brass	C.	5
5CZ/4900	Teddington Crs. FHK/A/7	Selector, temperature (Pre-Mod. 422)					1	—	A.	
5CZ/5297	Teddington Crs. FHKA/26	Selector, temperature (Mod. 422)					1	—	A.	
1643	C.189204	Shelf, rear portion, group					1	DTD.610	B.	
1644	F.189202	Fastener, hinged					3	DTD.610	C.	
1645	F.189203	Fastener, hinged					1	DTD.610	C.	
28FP/143	Dzus A.3/20	Fastener					2	—	C.	
28FP/146	Dzus A.4/25	Fastener					4	—	C.	
28FP/323	Dzus S.3/150	Spring					2	—	C.	
5CW/5042	Kelvin & Hughe KB.562/01	Switch, altitude					1	—	A.	
5CW/4225	—	Switch, D.P., "on-off" spring return to centre position					1	—	B.	
or 5CW/5833	—	Switch, S.P., change over, no "off" position					5	—	B.	
or 5CW/5823	—	Switch, lever, cabin temperature control					1	—	A.	
5CW/4679	Dowty C.1223Y Mk. 12	Switch, magnetic relay, type 9B, No. 2					2	—	A.	
5CW/5015	—	Tag, 4 amp. Q/R					21	—	C.	
5X/2266	Plessey Z.19924	Tag, 19 amp., Q/R					9	—	C.	
5X/2268	Plessey Z.19926	Tag, 19 amp., closed					4	—	C.	
5X/6439	Plessey Z.56547	Thimble, 4 amp.					21	—	C.	
5X/2269	Plessey Z.19979	Thimble, 19 amp.					13	—	C.	
5X/2271	Plessey Z.19981	Transfer, "normal"					2	—	C.	
5CW/4485	—	Transfer, "test"					2	—	C.	
5CW/4333	—	Transfer, "on"					3	—	C.	
5CW/4327	—	Transfer, "off"					3	—	C.	
5CW/4328	—	Unit, Audio warning delay, group (Mod. 554)					1	—	B.	
9108	A.218524	Capacitor, 500 MFD, 50v., D.C.					1	—	C.	
10C/Z.145519	Plessey Z.145519	Clip					1	L.72	C.	
	Plessey Z.243145	Resistor, 330 ohms, 4-5 watts					1	—	C.	
or Z.243145	5905/Z/113308	Screw					1	Brass	C.	5
1178	Std.1606/44/B12	Unit, warning light delay, group (Mod. 554)					1	—	B.	
9109	F.218578	Clip, 1/8" wide x 22 s.w.g. x 1-8" long					1	DTD.610	C.	4
4099	Std.840/18	Resistor, 30 ohms, 6 watts					1	—	C.	
10W/ Z.243145	Plessey Z.243046	Screw					1	Brass	C.	5
1178	Std.1606/44/B12									

RESTRICTED

Hunter F. Mk. 4
Issued with Amendment List No. 19

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Place No.
		1 2 3 4 5				
8784	E.199825	Equipment, on starboard, cockpit shelf, group ...	1	—	A.	
5X/6480	Plessey Z.60218	Bar, commoning ...	2	—	C.	
—	Plessey Z.63022	Bar, commoning (Make from 5X/6480) ...	1	—	—	
5X/6607	Plessey CZ.73898	Block, fuse Q/R, with identification tags, less cover ...	4	—	B.	
5X/2863	Plessey CZ.24285	Block, terminal, 10 way ...	2	—	B.	
5X/3181	Plessey CZ.23212/1	Block, terminal, 20 way ...	2	—	B.	
5CY/2562	—	Breaker circuit, type A, No. 4 ...	2	—	A.	
5CY/2564	—	Breaker circuit, type A, No. 6 ...	1	—	A.	
—	—	Cable, assemblies (See Cable Chart) ...	—	—	—	
—	E.216935	Cable, form and links, assembly ...	1	—	—	
—	B.205662	Cable, form 'B', for cockpit shelf, starboard ...	1	—	—	
5CY/3610	—	Cap, protecting ...	3	—	C.	
or 5CY/4520	B.190259	Channels, mounting fuse and terminal block ...	1	—	—	
3739	Std.840/30	Clip, securing, $\frac{1}{8}$ " wide x 22 s.w.g. x 3" long ...	1	DTD.610	C.	4
4543	Std.840/24	Clip, securing, $\frac{1}{8}$ " wide x 22 s.w.g. x 2-4" long ...	3	DTD.610	C.	4
1646	F.167745	Cover, safety, butt test switch ...	1	—	C.	
5X/6165	Plessey CZ.25111	Cover, transparent ...	2	—	C.	
5CZ/879	—	Fuse, 2-5 amp. ...	5	—	C.	
6A/4442	Smiths	Gauge, fuel contents ...	1	—	A.	
—	Waymouth AG.39	—	—	—	—	
6A/4441	Smiths	Gauge, fuel contents ...	1	—	A.	
—	Waymouth AG.38	—	—	—	—	
5CW/5045	Rotax N.65290	Grommet ...	2	—	C.	
5CZ/5073	—	Indicator, magnetic ...	4	—	B.	
—	A.190747	Label ...	1	DTD.213	—	
5L/9951273	—	Lamp, filament 28V., 3-5 watt ...	2	—	B.	
—	Rotax H.2805 or Smiths	Lamp, warning ...	2	—	A.	
5CX/5154	43/CFP/24	—	—	—	—	
5X/6173	Plessey Z.50213	Link, commoning, 5 way ...	1	DTD.213	C.	
5X/6317	Plessey Z.50218	Link, commoning, 10 way ...	2	—	C.	
5X/6171	Plessey Z.50211	Link, commoning, 3 way ...	1	—	C.	
5X/3278	Plessey Z.28426	Pillar ...	4	—	C.	
—	B.190403	Plate, end, shelf ...	1	DTD.610	—	
5CY/596	—	Plug, type "F" ...	1	—	B.	
1639	Std.1606/44/A6	Screw, securing protection cap ...	6	Brass	C.	5
1638	Std.1606/44/B6	Screw, securing switches ...	8	Brass	C.	5
3838	Std.1606/44/B8	Screw, securing switches ...	16	Brass	C.	5
1178	Std.1606/44/B12	Screw, securing clip ...	1	Brass	C.	5
3839	Std.1606/44/B16	Screw, securing socket ...	2	Brass	C.	5
1720	Std.1606/44/B24	Screw, securing fuel indicators ...	12	Brass	C.	5
6019	E.199824	Shelf, group ...	1	DTD.610	MR/B	
—	B.190391	Door, access, hinged, group ...	1	DTD.610	—	
28FP/144	Dzus A.3/25	Fastener ...	2	—	C.	
1644	F.189202	Fastener, hinged ...	6	DTD.610	C.	
1645	F.189203	Fastener, hinged ...	1	DTD.610	C.	
28FP/146	Dzus A.4/25	Fastener ...	10	—	C.	
27FP/323	Dzus S.3/150	Spring ...	2	—	C.	
29G/2180	882	Stud, (Lift the Dot) ...	1	—	C.	

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5K/3455	—	Sleeve, helsyn, plus J.P. $\frac{1}{2}$ " long	...	...	...	...	4	—	C.	
5CY/597	—	Socket, type "F"	...	...	...	...	1	—	B.	
5CW/4226	—	Switch, D.P., "change over" no "off" position	...	...	...	...	1	—	B.	
5CW/4179	—	Switch, S.P., "change over", no "off" position	...	...	...	...	1	—	B.	
5CW/4221	—	Switch, S.P., "on-off", spring return to centre off	...	...	...	...	1	—	B.	
5CW/4224	—	Switch, D.P., "change over", "centre off" spring return both positions	...	...	...	...	1	—	B.	
5CW/4184	—	Switch, S.P., "on-off", "upright off"	...	...	...	...	6	—	B.	
5K/301	Ross Courtney No. 00	Terminal	...	...	...	...	2	—	C.	
5CW/4327	—	Transfer, "on"	...	...	...	...	7	—	C.	
5CW/4328	—	Transfer, "off"	...	...	...	...	8	—	C.	
5CW/4481	—	Transfer, "port"	...	...	...	...	1	—	C.	
5CW/4482	—	Transfer, "starboard"	...	...	...	...	1	—	C.	
5CW/4487	—	Transfer, "Eng."	...	...	...	...	2	—	C.	
5CW/4333	—	Transfer, "test"	...	...	...	...	3	—	C.	
	Std.1509/12/112	Tube, distance, $\frac{1}{4}$ " o/d x 20 s.w.g. x 1'12" long	...	...	...	...	1	T.4		
	A.190430	EQUIPMENT ON STARBOARD, ARCH PANEL, ASSEMBLY					—	—		
5L/9951272	—	Filament, 28V., 3-5W.	...	...	...	...	1	—	B.	
	F.220951	Panel, arch, starboard (Mod. 581)	...	...	...	...	1	DTD.610		
3837	Std.1606/44/B10	Screw, securing fire extinguisher switch	...	...	...	...	4	Brass	C.	5
5CW/6311	—	Switch, fire extinguisher (Mod. 522)	...	...	...	...	1	—	B.	
5CW/4528	—	Window, red	...	...	...	...	1	—	C.	
8788	D.204875	Equipment, on leg panel, group	...	...	...	...	1	—	A.	
5X/6480	Plessey Z.60218	Bar, commoning, 4 way	...	...	...	...	3	—	C.	
5X/6607	Plessey CZ.73898	Block, fuse	...	...	...	...	4	—	B.	
5X/2863	Plessey CZ.24285	Block, terminal, 10 way	...	...	...	...	3	—	B.	
	F.188304	Bracket, for plug socket	...	...	...	...	1	DTD.610		
5CY/2560	—	Breaker, circuit, type A.2	...	...	...	...	1	—	A.	
	D.205124	Cable, form, at leg panel	...	...	...	...	1	—	—	
—	—	Cable, assemblies (See Cable Chart)	...	...	...	...	—	—	—	
5E/3038	—	Cable, unipren, 6 amp.	...	...	...	...	18'	—	C.	
5E/3040	—	Cable, unipren, 12 amp.	...	...	...	...	41'	—	C.	
5E/3042	—	Cable, unipren, 24 amp.	...	...	...	...	101'	—	C.	
5CY/3610	—	Cap, protective	...	...	...	...	1	—	C.	
or	—									
5CY/4520	—									
5CX/4264	Std.1512/1	Disc, identification	...	...	...	...	2	—	C.	4
5L/9951273	—	Filament, 28 volt, 3-5 watt	...	...	...	...	2	—	B.	
5CZ/879	—	Fuse, 2-5 amp., type S	...	...	...	...	1	—	C.	
5CZ/5214	—	Fuse, 2-5 amp., type HRC	...	...	...	...	2	—	C.	
5CZ/880	—	Fuse, 5 amp.	...	...	...	...	3	—	C.	
5CZ/881	—	Fuse, 10 amp.	...	...	...	...	4	—	C.	
5CX/1553	—	Lamp, warning, type B	...	...	...	...	2	—	B.	
5X/6317	Plessey Z.50218	Link, commoning, 10 way	...	...	...	...	1	—	C.	
5X/6171	Plessey Z.50211	Link, commoning, 3 way	...	...	...	...	1	—	C.	
5X/6163	Plessey Z.50210	Link, commoning, 2 way	...	...	...	...	1	—	C.	
4490	F.199451	Nut, special, at transfer "on" and "off" switch	...	...	...	...	1	L.65.C	C.	
	D.188300	Panel, leg, group	...	...	...	...	1	DTD.610		
	A.188306	Bar, ganging	...	...	...	...	1	M.S.		
	A.196162	Bracket, for terminal block	...	...	...	...	1	DTD.610		
4615	B.188298	Door, group	...	...	...	...	1	DTD.610	C.	
28FP/146	Dzus A.4/25	Fastener	...	...	...	...	3	—	C.	

RESTRICTED

Hunter F. Mk. 4
Issued with Amendment List No. 19

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Score	Plate No.
		1 2 3 4 5				
1649	A.188310	Lever, rudder bar release, group	1	—		
1650	F.188308	Lever	1	T.26	C.	
	F.188311	Shackle	1	S.3	C.	
5706	A.191440	Panel, front (top portion)	1	L.72	MR/C	
5707	B.191441	Panel, front (bottom portion)	1	L.72	MR/C	
5705	A.203256	Panel, access	1	L.72	MR/C	
	A.192533	Plate, identification	1	DTD.610		
4211	Std.1687/2	Saddle	4	DTD.610	C.	5
3190	F.151094	Spring, for ganging bar	1	—	MR/C	
	F.199450	Plate, locking, at transfer "on" and "off" switch (Make from 30B/1726 1 1/2" x 1 1/2")	1	L.72	—	
6A/2714	Smiths I A.C.R.	Ratiometer indicator, for oil pressure	1	—	A.	
	B.205125	RELAYS, 'S' AND 'U', ASSEMBLY	—	—		
6020	F.202763	Bracket, relay mounting	1	L.72	MR/C	
6021	F.202764	Bracket, relay mounting	1	L.72	MR/C	
5E/3038	—	Cable, unipren, 6 amp.	22'	—	C.	
5E/3040	—	Cable, unipren, 12 amp.	27"	—	C.	
5CW/3944	—	Relay, type 'S', No. 3, 10 amp.	2	—	A.	
5K/3455	—	Sleeve, helsyn, plus J.P. x 1/2"	21	—	C.	
5X/2266	Plessey Z.19924	Tag, quick release	14	—	C.	
5X/2267	Plessey Z.19925	Tag, quick release	2	—	C.	
5X/2269	Plessey Z.19979	Thimble, crimping	14	—	C.	
5X/2270	Plessey Z.19980	Thimble, crimping	2	—	C.	
1639	Std.1606/44/A6	Screw, securing protective cover	2	Brass	C.	5
1638	Std.1606/44/B6	Screw, securing fuse block	8	Brass	C.	5
3838	Std.1606/44/B8	Screw, securing "on-off" switches	11	Brass	C.	5
3837	Std.1606/44/B10	Screw, securing bracket for plug socket	4	Brass	C.	5
4617	Std.1606/44/C14	Screw, securing resistance unit	3	Brass	C.	5
3839	Std.1606/44/B16	Screw, securing cartridge selector switch and magnetic relay switch	4	Brass	C.	5
4179	Std.1606/44/B20	Screw, securing magnetic relay switch	2	Brass	C.	5
1720	Std.1606/44/B24	Screw, securing ratiometer oil indicator	4	Brass	C.	5
3840	Std.1606/44/B28	Screw, securing terminal block, 10 way	6	Brass	C.	5
4661	Std.1606/45/B12	Screw, securing, relay mounting bracket	4	Brass	C.	5
5K/107067	Hellerman P3 Grey	Sleeve, P.V.C., 0-9" long	4	1738	C.	
5K/107070	Hellerman P9 Grey	Sleeve, P.V.C., 6" long	1	1738 type "B"	C.	
4491	F.199449	Stud, at transfer "on" and "off" switch	1	S.95.B	C.	
5CW/6430	—	Switch, S.P., "on-off", "upright off"	4	—	B.	
5CW/6436	—	Switch, D.P., "on-off", "upright off"	1	—	B.	
5CW/5015	—	Switch, magnetic, relay type 9, No. 2	1	—	A.	
5CW/4494	F.J.B/A/5 or F.J.B/A/3	Switch, selector cartridge	1	—	A.	
5X/6215	Plessey Z.56545	Tag, closed end	2	—	C.	
5X/6439	Plessey Z.56547	Tag, closed end	2	—	C.	
5X/2266	Plessey Z.19924	Tag, quick release	10	—	C.	
5X/2267	Plessey Z.19925	Tag, quick release	1	—	C.	
5X/2268	Plessey Z.19926	Tag, quick release	6	—	C.	
5X/2269	Plessey Z.19979	Thimble	10	—	C.	
5X/2270	Plessey Z.19980	Thimble	3	—	C.	
5X/2271	Plessey Z.19981	Thimble	8	—	C.	

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5CW/4328	—					Transfer, "off"	5	—	C.	
5CW/4327	—					Transfer, "on"	5	—	C.	
5CZ/4725	Teddington Controls FKX/A/1					Unit, resistance, 10 ohms	1	—	A.	
14A/1420	—					Flange, front	1	—	A.	
10H/11718	Belling Lee L.1055/5					Fuse, 5 amp (Mod. 488)	2	—	C.	
10H/0590100	Belling Lee L.356					Holder, fuse (Mod. 488)	2	—	C.	
5H/48	—					Insulator, busbar	2	—	C.	
5UB/4938	—					Inverter, type 100A	2	—	A.	
5CX/446	—					Lamp, cockpit, Mk. 1, A (service light)	2	—	B.	
5L/9953271	—					Lamp, filament, 28V., 7W., type "J"	2	—	B.	
6022	A.201761					Lead, inverter connection, group	1	—	B.	
						Consisting of:—				
5F/2055	—					Braid, flexible T.C. nominal size 1" braid only ...	QR	—	C.	
5E/3038	—					Cable, unipren, 6 amp.	30"	—	C.	
5E/3042	—					Cable, unipren, 24 amp.	20"	—	C.	
5X/1524	Plessey Z.18500/B					Ferrule, inner	2	—	C.	
5K/3457	—					Sleeve, helsyn, plus L.P.	4	—	C.	
5K/3456	—					Sleeve, helsyn, plus K.P.	6	—	C.	
5X/3146	Plessey Z.49397					Sleeve	4	—	C.	
5X/3148	Plessey Z.49428					Sleeve	6	—	C.	
5X/6382	Plessey CZ.64770					Socket	2	—	C.	
5F/—	—					Tube, $\frac{3}{8}$ " i/d (Thinwall)	QR	P.V.C.	C.	
	C.214585					MOUNTING, FOR MAGNETIC AMPLIFIER, ASSEMBLY (Mod. 303)	—	—		
	F.209366					Angle	2	S.3		
7058	B.209359					Channel, mounting	2	—	C.	
	F.209363					Packing	1	—		
	F.209364					Packing	1	—		
	B.209358					Rail, guide	2	L.72		
7059	F.209362					Screw, special	4	S.95.B	C.	
	A.209365					Stiffener	1	L.72		
6712	F.203133					Washer	2	Rubber	C.	
	B.213052					PANEL, BOMB AND R.P. CONTROL, ASSEMBLY (Mod. 229)	—	—		
4178	Rotax N.65291					Bung	1	—	C.	
—	—					Cable, assemblies (See Cable Chart)	—	—	—	
4543	Std.840/24					Clip, $\frac{1}{8}$ " wide x 22 s.w.g. x 2-4" long	1	DTD.610	C.	
5K/2724	—					Cover, spring	1	—	C.	
5CW/4227	Rotax					Guard, switch	1	—	B.	
or	—									
5CW/5765	—									
8232	A.213202					Panel, switch (Mod. 229)	1	L.72	MR/C	
5829	Std.1606/44/A14					Screw	4	Brass	C.	5
3838	Std.1606/44/B8					Screw	2	Brass	C.	5
1178	Std.1606/44/B12					Screw	1	Brass	C.	5
5830	Std.1606/45/A14					Screw	4	Brass	C.	5
1638	Std.1606/45/B6					Screw	2	Brass	C.	5
5CW/4199	—					Switch, D.P., changeover	1	—	B.	

RESTRICTED

Hunter F. Mk. 4
Issued with Amendment List No. 19

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5CW/540	—	Switch, D.P., push	...	...	...	...	1	—	B.	
5CW/936	—	Switch, rotary, 3-way, type "B"	...	...	...	...	1	—	B.	
5CW/4327	—	Transfer	...	...	...	...	2	—	C.	
751	Std.915/A20	Washer	...	...	...	...	4	DTD.610	C.	4
5UC/4939	—	Panel, control, type 12	...	...	...	...	2	—	A.	
8775	D.205552	Panel, generator control, group	...	...	...	...	1	—	A.	
5X/6607	Plessey CZ.73898	Block, fuse, with identification tags, less cove	...	...	...	...	2	—	B.	
5X/2863	Plessey CZ.24285	Block, terminal, 10-way	...	...	...	...	1	—	B.	
	F.196207	Bolt, special, for securing links	...	...	...	...	2	BSS.250B		
5CY/2560	—	Breaker, circuit, type A, No. 2, 10 amp.	...	...	...	...	2	—	A.	
5CY/2853	—	Breaker, circuit, type "D"	...	...	...	...	2	—	A.	
	A.198117	Bracket, mounting	...	...	...	...	1	DTD.610		
4178	Rotax N.65291	Bung, sealing	...	...	...	...	4	—	C.	
—	—	Cable, assemblies (See Cable Chart)	...	...	...	...	—	—	—	
5CY/4520	—	Cap, protective	...	...	...	...	2	—	C.	
3735	Std.840/16	Clip, securing cable, $\frac{7}{16}$ " wide x 22 s.w.g. x 1-6" long	...	...	...	...	2	DTD.610	MR/C	4
3971	Std.840/19	Clip, securing cable, $\frac{7}{16}$ " wide x 22 s.w.g. x 1-9" long	...	...	...	...	2	DTD.610	MR/C	4
4764	Std.840/21	Clip, securing cable, $\frac{7}{16}$ " wide x 22 s.w.g. x 2-1" long	...	...	...	...	1	DTD.610	MR/C	4
3740	Std.840/33	Clip, securing cable, $\frac{7}{16}$ " wide x 22 s.w.g. x 3-3" long	...	...	...	...	1	DTD.610	MR/C	4
4768	Std.841/14	Clip, securing cable, $\frac{7}{16}$ " wide x 22 s.w.g. x 1-4" long	...	...	...	...	1	DTD.610	MR/C	4
4769	Std.843/10	Clip, securing cable, $\frac{7}{16}$ " wide x 22 s.w.g. x 1" long	...	...	...	...	1	S.3	MR/C	
5CY/4211	—	Cut-out, differential, type A Mk. 2	...	...	...	...	2	—	A.	
5X/1878	—	Grommet	...	...	...	...	2	—	C.	
5CZ/5073	—	Indicator, magnetic	...	...	...	...	2	—	A.	
5X/6317	Plessey Z.50218	Link, commoning, 10-way	...	...	...	...	1	—	C.	
	A.190681	Link, connecting	...	...	...	...	1	BSS.1433		
4181	A.190682	Link, connecting	...	...	...	...	1	BSS.1433	C.	
4182	A.190683	Link, connecting	...	...	...	...	1	BSS.1433	C.	
4183	A.190684	Link, connecting	...	...	...	...	1	BSS.1433	C.	
4184	F.190685	Link, connecting	...	...	...	...	1	BSS.1433	C.	
4185	B.190680	Link, connecting	...	...	...	...	1	BSS.1433	C.	
	D.186570	Panel, detail, group	...	...	...	...	1	DTD.610		
28FP/228	Dzus AJW.5/35	Fastener	...	...	...	...	4	—	C.	
	A.187946	Label, amps and volts	...	...	...	...	1	L.16 or L.59		
	A.187947	Label, "Generator No. 1"	...	...	...	...	1	L.16 or L.59		
	A.187948	Label, "Generator No. 2"	...	...	...	...	1	L.16 or L.59		
	A.187949	Label, "Reset"	...	...	...	...	1	L.16 or L.59		
1651	F.186573	Lug, hinge	...	...	...	...	2	DTD.364	C.	
5UC/5937	—	Regulator, voltage, type 94	...	...	...	...	2	—	A.	
5CW/3944	—	Relay, type S, No. 3	...	...	...	...	4	—	A.	
5UC/5209	—	Resistance, trimmer remote type 3, 5 ohms	...	...	...	...	2	—	A.	
5Q/4341	—	Shunt, ammeter, 200 amps 50 m/v.	...	...	...	...	2	—	B.	
5CY/3002	—	Socket, 3 pole, 2 amps.	...	...	...	...	4	—	B.	
5CW/5824	—	Switch D.P., "change over no off position"	...	...	...	...	2	—	B.	
5CW/5014	—	Switch, magnetic relay, type 9B, No. 1	...	...	...	...	2	—	A.	
5CW/3940	—	Switch, magnetic relay, type R	...	...	...	...	1	—	A.	
5CW/4485	—	Transfer, "normal"	...	...	...	...	2	—	C.	
	Std.1546/36/16	Washer, profile, for mounting bracket	...	...	...	...	1	DTD.610		
5781	Std.915/E/20	Washer, at differential cut-out	...	...	...	...	4	DTD.610	C.	4
	Std.1509/12/174	Tube, distance at bolt securing relays	...	...	...	...	1	T.4		

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Place No.
		1	2	3	4	5				
	C.206652	PANEL, GUN FIRING, ASSEMBLY (Mod. 77)					—	—		
	F.215659	Block, distance (Mod. 456) ...					4	DTD.364		
5X/3271	Plessey CZ.52815	Block, fuse ...					1	—	B.	
5X/2863	Plessey CZ.24285	Block, terminal, 10-way ...					1	—	B.	
5X/3277	Plessey CZ.50206	Block, terminal, 3-way ...					1	—	B.	
5CY/2559	—	Breaker, circuit, type A.I ...					1	—	A.	
—	—	Cable, assemblies (See Cable Chart)					—	—	—	
8590	B.206530	Cable, assembly F.47 ...					1	—	B.	
5E/3038	—	Cable, unipren 6 amp. ...					72"	—	C.	
5E/3040	—	Cable, unipren 12 amp. ...					48"	—	C.	
5CY/3610	—	Cap, protective ...					1	—	C.	
or										
5CY/4520										
5X/3273	Plessey CZ.26802	Cover, 3-way ...					1	—	B.	
5X/3275	Plessey CZ.26808	Cover, 10-way ...					1	—	B.	
10H/321	—	Fuse, .75 amp. ...					4	—	C.	
5CZ/880	—	Fuse, "S", 5 amp. ...					2	—	C.	
10H/0590100	—	Holder, fuse ...					4	—	C.	
5UB/5398	—	Inverter, type 300 ...					1	—	A.	
5X/6904	Plessey Z.75020	Link, fuse, 2-way R.H. (AS.860/15)					1	—	C.	
5X/6171	Plessey Z.50211	Link, commoning, 3-way ...					1	—	C.	
5X/6671	Plessey Z.77859	Lug, cable ...					1	—	C.	
	C.200681	Panel, detail ...					1	DTD.610		
	A.206894	RELAY C.I., TERMINAL BLOCK AND BRACKET, ASSEMBLY					—	—		
5X/3268	Plessey CZ.50207	Block, terminal, 5-way ...					1	—	B.	
	A.198838	Bracket, mounting ...					1	DTD.610		
5X/3274	Plessey CZ.26805	Cover, 5-way ...					1	—	B.	
5X/3278	Plessey Z.28426	Pillar, fixing ...					2	—	C.	
	A.206896	Relay C.I., group ...					1	—		
5E/3038	—	Cable, unipren 6 amp. ...					42"	—	C.	
5K/3455	—	Sleeve, helsyn, plus J.P. x 1/4" ...					7	—	C.	
5CW/3944	—	Switch, magnetic relay, type S.3 ...					1	—	A.	
5X/2266	Plessey Z.19924	Tag, 4 amp. ...					7	—	C.	
5X/2269	Plessey Z.19979	Thimble, 4 amp. ...					7	—	C.	
	A.206910	Relay F.1, group ...					1	—		
5E/3038	—	Cable, unipren 6 amp. ...					80"	—	C.	
5K/3455	—	Sleeve, helsyn, plus JP x 3/4" ...					11	—	C.	
5CW/3944	—	Switch, magnetic relay, type S.3 ...					1	—	A.	
5X/2266	Plessey Z.19924	Tag, 4 amp. ...					9	—	C.	
5X/2269	Plessey Z.19979	Thimble, 4 amp. ...					9	—	C.	
5K/3455	—	Sleeve, helsyn, plus JP x 3/4" ...					8	—	C.	
6023	F.206895	Spacer ...					4	BSS.249 or BSS.251	MR/C	
5CW/5014	—	Switch, magnetic relay, type 9.B, No. 1 ...					1	—	A.	
5X/6215	Plessey Z.56545	Tag ...					1	—	C.	
5X/2266	Plessey Z.19924	Tag, 4 amp. ...					6	—	C.	
5X/2269	Plessey Z.19979	Thimble, 4 amp. ...					6	—	C.	
5X/2270	Plessey Z.19980	Thimble ...					1	—	C.	
	Std.1509/12/080	Tube, distance 1/4" o/d x 20 s.w.g. x 0-80" long ...					1	T.4		

RESTRICTED

Hunter F. Mk. 4
Issued with Amendment List No. 19

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.199828	PANEL, SUPPLY, ASSEMBLY					—	—		
5X/6607	Plessey CZ.73898	Block, fuse					12	—	B.	
5X/3181	CZ.23212/1	Block, terminal					8	—	B.	
	E.199830	Cable form, for supply panel (Pre-Mod. 252)					1	—		
	E.220727	Cable form (Mod. 252)					1	—		
6024	F.209038	Clip					2	L.72	MR/C	
6025	F.209039	Clip					2	L.72	MR/C	
3741	Std.840/20	Clip, 7/16" wide x 22 s.w.g. x 2" long					1	DTD.610	C.	4
5X/6163	Plessey Z.50210	Link, commoning, 2-way					7	—	C.	
—	Plessey Z.63022	Link, commoning, L.H. (Make up from 5X/6480)					4	—	—	
5X/6317	Plessey Z.50218	Link, commoning, 10-way					2	—	C.	
5X/3259	Plessey Z.50219	Link, commoning, transverse					2	—	C.	
—	Plessey Z.63023	Link, commoning, R.H. (Make up from 5X/6480)					4	—	—	
—	Plessey Z.63021	Link, commoning (Make up from 5X/6480)					1	—	—	
	D.186210	Panel, fuse and terminal block, group					1	DTD.610		
	F.186211	Bracket, end, for landing					1	DTD.610		
	F.186212	Bracket, end, for landing					1	DTD.610		
	F.186213	Bracket, centre, for landing					2	DTD.610		
	F.186207	Bracket, centre, for shelf					2	DTD.610		
	F.186208	Bracket, end, for shelf					1	DTD.610		
	C.186214	Plate, plug and landing, group					1	DTD.610		
28FP/337	Dzus S.5/200	Spring					4	—	C.	
3762	Std.915/A/18	Washer					8	—	MR/C	4
	B.186752	Shelf					1	DTD.610		
	F.215693	Plate, adaptor (Mod. 252)					1	—		
6026	A.204928	Plate, mounting, for fuse block					1	L.72	MR/C	
6027	F.204929	Plate, mounting, for fuse block					1	L.72	MR/C	
6028	F.204930	Plate, mounting, for fuse block					5	L.72	MR/C	
5CW/3942	—	Relay, type S, No. 1					1	—	A.	
5CW/3944	—	Relay, type S, No. 3					1	—	A.	
5CW/4120	—	Relay, type Q, No. 2					2	—	A.	
5CW/5014	—	Relay, type Q (Mod. 252)					1	—	A.	
10W/Z.243099	—	Resistor, 100 ohms					2	—	C.	
10W/Z.243107	—	Resistor, 120 ohms					3	—	C.	
5K/2576	—	Sleeve, helsyn A.P.					21	—	C.	
6A/3580	Sangamo Weston FD.871	Spool, adjustable					1	—	B.	
—	Std.1509/12/062	Tube, distance, 1/4" o/d x 20 s.w.g. x 0.62" long (Make up from 30A/965)					1	T.4	—	
—	C.187696	Panel, pilot's instrument (See Section "F") (Pre-Mod. 691)					—	—	—	
—	C.226206	Panel, pilot's instruments (see section F) (Mod. 691)					—	—	—	
5UC/	Rotax F.1306	Relay, hood motor (AS.830/99)					1	—	A.	
5CZ/5249	Elect. Comp. Ltd.	Resistor, plug-in, 1485 ohms (Pre-Mod. 631)					1	—	B.	
5CZ/	Elect. Comp. Ltd.	Resistor, plug-in, 22508/685 (Mod. 631)					1	—	B.	
1638	Std.1606/44/B6	Screw					2	Brass	C.	5
5CY/1004	—	Stowage, dummy, type B					1	—	A.	
5F/2281	Hellerman HV.3341	Strapping, 1/2" wide					QR	—	C.	
5F/2282	Hellerman HV.3342	Stud					QR	—	C.	
5CY/1002	—	Suppressor, type P, No. 1					1	—	A.	

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.200534	SWITCH, ENGINE ANTI-ICING, ASSEMBLY					—	—		
5CW/4222	—	Guard, locking ...					1	—	B.	
5CZ/5085	Plessey 6	Indicator, magnetic ...					1	—	B.	
	CZ.621.81/2									
4871	Std.1606/44/A8	Screw ...					2	Brass	C.	5
3438	Std.1606/44/B8	Screw ...					2	Brass	C.	5
5K/107067	Hellerman	Sleeve, P.V.C., 9" long ...					1	1738	C.	
	P3 Grey							Type B		
5CW/4179	—	Switch ...					1	—	B.	
5CW/5707	Dowty C.1831.Y-25	Switch, limit, Downmic (Mod. 303) ...					1	—	B.	
	Mk. 102.C									
5CW/5057	—	Switch, fire test, button (Mod. 522) ...					1	—	B.	
5CW/4638	—	Switch, micro, type 1.A ...					1	—	B.	
or 6375	—									
5CW/4639	—	Switch, micro, type 4.A ...					1	—	B.	
or 6376	—									
5CW/4179	—	Switch, S.P.C.O. no off position ...					1	—	B.	
5891	F.190440	SWITCH, HOOD CONTROL, ASSEMBLY					1	—	MR/B	
	A.183030	Bracket, mounting ...					1	DTD.610		
	A.184397	Label ...					1	DTD.213		
5CW/4224	—	Switch, "change-over", "centre off", spring return both positions					1	—	B.	
5CW/4331	—	Transfer, "open" ...					1	—	C.	
5CW/4337	—	Transfer, "closed" ...					1	—	C.	
5CW/5885	Teddington Controls	Switch, time (Mod. 303) ...					1	—	A.	
	FHM/A/58									
5CW/4439	Teddington Controls	Switch, time delay ...					1	—	A.	
	F.H.M/A/25									
5CW/4643	Western Manufacturing	Switch, hood jettison ...					1	—	A.	
	LS.561									
27N/93	—	Switch, inertia, Mk. 1, type S.3 ...					1	—	A.	
	A.222307	SWITCH, TEST, ASSEMBLY (Mod. 562)					—	—		
	A.222340	Bracket, mounting (Mod. 616) ...					1	L.72		
5CW/4182	—	Switch, change-over ...					1	—	B.	
	Std.1507/23/085	Tube, distance, $\frac{1}{8}$ " o/d x 17 s.w.g. x 0.85" long					2	T.26		
4042	Std.1509/23/030	Tube, distance, $\frac{1}{8}$ " o/d x 17 s.w.g. x 0.3" long					2	T.4	MR/C	4
		(Make from 30B/556)								

[illegible]

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
		SUMMARY OF STOCK ITEMS								
28D/12620	A25.1.A	Bolt	...	...	...	...	—	—	—	
28D/13868	A25.1.B	Bolt	...	...	...	...	—	—	—	
28D/12528	A25.1.B	Bolt	...	...	...	...	—	—	—	
28D/12622	A25.3.B	Bolt	...	...	...	...	—	—	—	
28D/12623	A.25.5.B	Bolt	...	...	...	...	—	—	—	
28D/12565	A25.8.B	Bolt	...	...	...	...	—	—	—	
28D/12625	A25.9.B	Bolt	...	...	...	...	—	—	—	
28D/12512	A25.1.C	Bolt	...	...	...	...	—	—	—	
28D/12513	A25.2.C	Bolt	...	...	...	...	—	—	—	
28D/12532	A25.4.C	Bolt	...	...	...	...	—	—	—	
28D/12533	A25.5.C	Bolt	...	...	...	...	—	—	—	
28D/12566	A25.6.C	Bolt	...	...	...	...	—	—	—	
28D/12515	A25.10.C	Bolt	...	...	...	...	—	—	—	
28D/12535	A25.12.C	Bolt	...	...	...	...	—	—	—	
28D/12538	A25.15.C	Bolt	...	...	...	...	—	—	—	
28D/12517	A25.17.C	Bolt	...	...	...	...	—	—	—	
28D/8300	AS.1242.1B	Bolt	...	...	...	...	—	—	—	
28D/11126	AS.1242.9B	Bolt	...	...	...	...	—	—	—	
28D/12143	AS.1246.2E	Bolt	...	...	...	...	—	—	—	
28D/10764	AS.1248.1B	Bolt	...	...	...	...	—	—	—	
28D/8337	AS.1248.1B	Bolt	...	...	...	...	—	—	—	
28D/9353	AS.1248.1C	Bolt	...	...	...	...	—	—	—	
28D/11247	AS.1248.11B	Bolt	...	...	...	...	—	—	—	
28D/8341	AS.1248.1C	Bolt	...	...	...	...	—	—	—	
28D/8342	AS.1248.2C	Bolt	...	...	...	...	—	—	—	
28D/9588	AS.1248.3C	Bolt	...	...	...	...	—	—	—	
28D/8343	AS.1248.4C	Bolt	...	...	...	...	—	—	—	
28D/8344	AS.1248.5C	Bolt	...	...	...	...	—	—	—	
28D/14524	AS.1248.24C	Bolt	...	...	...	...	—	—	—	
5K/15	AGS.1696/1	Grommet	...	...	...	...	—	—	—	
28N/10361	AS.1856/90	Hinge	...	...	...	...	—	—	—	
28M/10286	AGS.2001/A1	Nut	...	...	...	...	—	—	—	
28M/10287	AGS.2001/B1	Nut	...	...	...	...	—	—	—	
28M/10288	AGS.2001/C1	Nut	...	...	...	...	—	—	—	
28M/10276	AGS.2001/E4	Nut	...	...	...	...	—	—	—	
28M/10326	AGS.2002/A1	Nut	...	...	...	...	—	—	—	
28M/10327	AGS.2002/B1	Nut	...	...	...	...	—	—	—	
28M/10309	AGS.2002/B4	Nut	...	...	...	...	—	—	—	
28M/10328	AGS.2002/C1	Nut	...	...	...	...	—	—	—	
28M/10330	AGS.2002.E1	Nut	...	...	...	...	—	—	—	
28L/13243	A27.A.T.	Nut	...	...	...	...	—	—	—	
28M/13086	A27.B.P.	Nut	...	...	...	...	—	—	—	
28M/12929	A27.C.P.	Nut	...	...	...	...	—	—	—	
28L/13124	A27.C.T.	Nut	...	...	...	...	—	—	—	
28M/13535	A47.Z	Nut	...	...	...	...	—	—	—	
28L/13734	A.54/B	Nut	...	...	...	...	—	—	—	
28P/815	SP.4.Y.A.5	Pin	...	...	...	...	—	—	—	
28P/826	SP.4.Y.A.16	Pin	...	...	...	...	—	—	—	
28P/868	SP.4.Y.D.10	Pin	...	...	...	...	—	—	—	
28S/13930	A31.A10	Screw	...	...	...	...	—	—	—	
28S/2762	A31.A12	Screw	...	...	...	...	—	—	—	
28S/14661	A31.A14	Screw	...	...	...	...	—	—	—	
28S/5799	A31.B6	Screw	...	...	...	...	—	—	—	
28S/3370	A31.B8	Screw	...	...	...	...	—	—	—	
28S/2761	A31.B12	Screw	...	...	...	...	—	—	—	
28S/13883	A31.B14	Screw	...	...	...	...	—	—	—	
28S/2767	A31.B16	Screw	...	...	...	...	—	—	—	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
28S/2773	A31.B20	Screw	...	...	...	...	—	—	—	
28S/2779	A31.B24	Screw	...	...	...	...	—	—	—	
28S/2785	A31.B28	Screw	...	...	...	...	—	—	—	
28S/6201	A31.B40	Screw	...	...	...	...	—	—	—	
28S/14546	A31.C14	Screw	...	...	...	...	—	—	—	
28S/2757	A31.Z8	Screw	...	...	...	...	—	—	—	
28S/6302	A32.A6	Screw	...	...	...	...	—	—	—	
28S/14547	A32.A10	Screw	...	...	...	...	—	—	—	
28S/2858	A32.A12	Screw	...	...	...	...	—	—	—	
28S/14019	A32.A14	Screw	...	...	...	...	—	—	—	
28S/3426	A32.B8	Screw	...	...	...	...	—	—	—	
28S/13887	A32.B10	Screw	...	...	...	...	—	—	—	
28S/2857	A32.B12	Screw	...	...	...	...	—	—	—	
28S/14005	A32.B14	Screw	...	...	...	...	—	—	—	
28S/2863	A32.B16	Screw	...	...	...	...	—	—	—	
28S/2869	A32.B20	Screw	...	...	...	...	—	—	—	
28S/2875	A32.B24	Screw	...	...	...	...	—	—	—	
28S/2881	A32.B28	Screw	...	...	...	...	—	—	—	
28S/2887	A32.B32	Screw	...	...	...	...	—	—	—	
28S/2862	A32.C16	Screw	...	...	...	...	—	—	—	
28S/2868	A32.C20	Screw	...	...	...	...	—	—	—	
28S/2874	A32.C24	Screw	...	...	...	...	—	—	—	
28S/2880	A32.C28	Screw	...	...	...	...	—	—	—	
28S/2810	A33.A12	Screw	...	...	...	...	—	—	—	
28S/2822	A33.A20	Screw	...	...	...	...	—	—	—	
28S/6545	A33.B6	Screw	...	...	...	...	—	—	—	
28S/3420	A33.B8	Screw	...	...	...	...	—	—	—	
28S/9419438	A33.B10	Screw	...	...	...	...	—	—	—	
28S/2809	A33.B12	Screw	...	...	...	...	—	—	—	
28S/2815	A33.B16	Screw	...	...	...	...	—	—	—	
28S/14006	A33.B14	Screw	...	...	...	...	—	—	—	
28S/2821	A33.B20	Screw	...	...	...	...	—	—	—	
28S/2827	A33.B24	Screw	...	...	...	...	—	—	—	
28S/2814	A33.C16	Screw	...	...	...	...	—	—	—	
28S/13814	A43.B14	Screw	...	...	...	...	—	—	—	
28S/2073	A43.B16	Screw	...	...	...	...	—	—	—	
28S/2079	A43.B20	Screw	...	...	...	...	—	—	—	
28S/2085	A43.B24	Screw	...	...	...	...	—	—	—	
28S/2066	A43.C12	Screw	...	...	...	...	—	—	—	
28S/8057	A44.B6	Screw	...	...	...	...	—	—	—	
28S/15006	A45.B14	Screw	...	...	...	...	—	—	—	
28W/9419402	SP.13.C	Washer	...	...	...	...	—	—	—	
28W/9419474	SP.15.B	Washer	...	...	...	...	—	—	—	
28W/9419475	SP.15.C	Washer	...	...	...	...	—	—	—	
28W/9419405	SP.15.E	Washer	...	...	...	...	—	—	—	
28W/9419473	SP.15.A	Washer	...	...	...	...	—	—	—	
28W/9419486	SP.16.B	Washer	...	...	...	...	—	—	—	
28W/9419404	SP.16.C	Washer	...	...	...	...	—	—	—	
28L/11048	AGS.2034A	Washer	...	...	...	...	—	—	—	
28L/11049	AGS.2034B	Washer	...	...	...	...	—	—	—	
28L/9419448	AGS.2035C	Washer	...	...	...	...	—	—	—	
28N/255	AGS.191/C	Washer	...	...	...	...	—	—	—	
28W/9416642	SP.47.B	Washer, spring	...	...	...	...	—	—	—	

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

