

RESTRICTED

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	D.199920	ELECTRICAL INSTALLATION IN PORT WING, ASSEMBLY (Pre Mod. 228)	—	—		
	F.207239	ANGLE , support, for cable harness (local manufacture)	3	L.72		
	A.206175	BLOCK, TERMINAL No. 21, AT INTER-SPAR RIB 'D,' PORT, ASSEMBLY	—	—		
5X/2863	Plessey	Block , terminal, 10 way	1	—	B.	
	CZ.24285					
5X/3275	Plessey	Cover	1	—	B.	
	CZ.26808					
5X/6163	Plessey	Link , commoning, 2 way	2	—	C.	
	Z.50210					
	A.206175/1	Markers	1 set.	—		
4177	F.197297	Pillar	2	BSS.249	C.	
	A.206158	BLOCK, TERMINAL, No. 22, AT OUTER RIB, PORT, ASSEMBLY	—	—		
5X/3268	Plessey	Block , terminal, 5 way	1	—	B.	
	CZ.50207					
5X/3274	Plessey	Cover	1	—	B.	
	CZ.26805					
	A.206158/1	Markers	1 set.	—		
5X/3278	Plessey	Pillar	2	—	C.	
	Z.28426					
	A.206141	BLOCK, TERMINAL No. 23, AT RIB 'R,' INBOARD, ASSEMBLY	—	—		
5X/3276	Plessey	Block , terminal, 2 way	1	—	B.	
	CZ.50205-24.285					
5X/3275	Plessey	Cover	1	—	B.	
	CZ.26799-26808					
	A.206141/1	Marker	1 set.	—		
5X/3278	Plessey	Pillar	2	—	C.	
	Z.28426					
	A.206476 A.215707	BLOCK, TERMINAL, No. 24, AT RIB 'S,' PORT, ASSEMBLY (MOD.452)	—	—		
5X/3276	Plessey	Block , terminal, 2 way	1	—	B.	
	CZ.50205					
5X/3272	Plessey	Cover	1	—	B.	
	CZ.26799					
	A.206476/1	Marker	1 set.	—		
6023 5X/3278	Plessey	SPACER	2	BSS.249	C.	
	Z.20426 F.206895	Pillar				
3763	Sed.915/B24	Washer, special, 4 B.A.	2	DTD.364	C.	4

RESTRICTED

RESTRICTED

Hunter F. Mk. 4
Issued with Amendment List No. 9

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	A.206139	BLOCK, TERMINAL, No. 25, AT RIB 'C,' PORT, ASSEMBLY					—	—		
5X/3268	Plessey CZ.50207	Block, terminal, 5 way					1	—	B.	
5X/3274	Plessey CZ.26805	Cover					1	—	B.	
	A.206139/1	Markers					1 set.	—		
5X/3278	Plessey Z.28426	Pillar					2	—	C.	
	A.206171	BLOCK, TERMINAL, No. 26, AT RIB 'D,' PORT, ASSEMBLY					—	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					1	—	B.	
5X/3275	CZ.26808	Cover					1	—	B.	
5X/6163	Plessey Z.50210	Link, commoning					2	—	C.	
	A.206171/1	Marker					1 set.	—		
4177	F.197297	Pillar					2	BSS.249	C.	
	A.206133	BLOCK, TERMINAL No. 27. AT TAIL RIBS 'L' AND 'M,' PORT, ASSEMBLY					—	—		
5X/2863	CZ.24285	Block, terminal, 10 way					1	—	B.	
	A.206133/1	Markers					1 set.	—		
	F.180308	Spacer-lock					2	BSS.249		
	B.206270	BLOCK, TERMINAL, No. 28, AT INTER-SPAR RIB 'F,' PORT, ASSEMBLY (Pre Mod. 233)					—	—		
5X/3277	Plessey CZ.50206	Block, terminal, 3 way					1	—	B.	
6003	F.205956	Bracket, mounting					1	L.72	MR/C	
5X/3273	Plessey CZ.26802	Cover					1	—	B.	
	B.206270/1	Markers					1 set.	—		
4177	F.197297	Pillar					2	—	C.	
	B.208246	BLOCK, TERMINAL, No. 28, AT INTER-SPAR RIB 'F,' PORT, ASSEMBLY (Mod. 233)					—	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					1	—	B.	
6003	F.205956	Bracket, mounting					1	L.72	MR/C	
5X/3275	Plessey CZ.26808	Cover					1	—	B.	
5X/6163	Plessey Z.50210	Link, commoning, 2 way					1	—	C.	
	B.208246/1	Label					1	—		
5X/3278	Plessey Z.28426	Pillar					2	—	C.	

RESTRICTED

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	A.201764	BLOCK, TERMINAL, NO. 29, AT INTER-SPAR RIB 'F,' PORT, ASSEMBLY					1	—	—	
5X/3276	Plessey CZ.50205	Block, terminal, 2 way					1	—	B.	
5X/3272	Plessey CZ.26799	Cover					1	—	B.	
	A.201764/1	Marker					1 set.	—		
5X/3278	Plessey Z.28426	Pillar					2	—	C.	
6A/4390	Smiths. CRC.54	Cable, co-axial (Mod. 265)					1	—		
—	—	Cables, electrical (See Cable Chart)					—	—		
6A/4381	Smiths CG.1	Cable, harness co-axial (Mod. 265)					1	—		
	D.199922	CLIPPING AND STRAPPING CABLES, ASSEMBLY					—	—	—	
4761	Std.840/13	Clip, securing cables at rib "A" and inter-spar rib "F," $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 1.3" long (Make from 30B/1433)					2	DTD.610	MR/C	4
3971	Std.840/19	Clip, securing cables at inter-spar rib "F" and front spar, $\frac{7}{16}$ " side $\times$ 22 S.W.G. $\times$ 1.9" long (Make from 30B/1433)					2	DTD.610	MR/C	4
4670	Std.840/23	Clip, for aerial at inter-spar rib "A," $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 2.3" long (Make from 30B/1433)					1	DTD.610	MR/C	
4791	Std.840/34	Clip, securing cables at undercarriage girder, inter-spar rib "D," $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 3.4" long (Make from 30B/1433)					1	DTD.610	MR/C	4
4159	Std.841/20	Clip, securing cables at front spar, inter-spar rib "D," $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 2" long (Make from 30B/1433)					1	DTD.610	MR/C	4
3748	Std.841/34	Clip, securing cables, $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 3.4" long (Make from 30B/1433)					1	DTD.610	MR/C	4
6010	Std.841/41	Clip, securing cables at undercarriage girder between inter-spar ribs "C" and "D," $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 4.1" long (Make from 30B/1433)					1	DTD.610	MR/C	4
3755	Std.843/13	Clip, securing cables at rib "E," $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 1.3" long (Make from 30A/549)					2	S.3	MR/C	4
4165	Std.850/35	Clip, securing cables at undercarriage girder, inter-spar rib "D," $\frac{7}{16}$ " $\times$ 22 S.W.G. $\times$ 3.5" long					1	DTD.610	C.	4
6011	F.208013	Clip, securing cables at undercarriage girder, inter-spar rib "E"					1	S.3	MR/C	
6006	F.205087	Clip, securing cables at undercarriage girder, inter-spar rib "F"					1	S.3	MR/C	
5832	F.205000	Plate, sealing, at undercarriage girder, outboard of inter-spar, rib "F"					1	L.F.S.21	C.	
5F/2281	Hellerman H.V.3341	Strapping					QR	—	C.	
5F/2279	Hellerman H.V.3254	Strapping					QR	—	C.	
	Std.1614/1	Strip, sealing at inter-spar rib "D"					9"	Rubber		
5F/2282	Hellerman H.V.3342	Stud					QR	—	C.	
5F/2283	Hellerman H.V.3255	Stud					QR	—	C.	
	Std.1509/12/080	Tube, distance, for clip securing aerial					1	T.4		

RESTRICTED

Hunter F. Mk. 4
Issued with Amendment List No. 9

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
3734	Std.840/14	Clip, securing cables, $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 1-4" long (Make from 30B/1433)					1	DTD.610	MR/C	4
3735	Std.840/16	Clip, securing cables, inboard of rib "R," $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 1-6" long (Make from 30B/1433)					1	DTD.610	MR/C	4
3741	Std.840/20	Clip, securing cables, $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 2" long					1	DTD.610	C.	4
4670	Std.840/23	Clip, securing cables between ribs "L" and "M," $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 2-3" long					1	DTD.610	C.	4
6008	Std.850/110	Clip, securing cables on undercarriage jack, $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 11" long (Make from 30B/1433)					1	DTD.610	MR/C	4
5X/2121	—	Ferrule, inner					1	—	C.	
5X/2114	—	Ferrule, outer					1	—	C.	
5L/9462431	—	Filament, lamp, 28V. 20W. 24W.					1	—	B.	
5X/2131	—									
5CX/887	—	Lamp, navigation, type B, port					1	—	A.	
4830	F.176494	Packing, at drum switch					4	DTD.364	MR/C	
4831	F.179367	Packing, at micro switch, inter-spar, rib "D"					1	DTD.610 or DTD.364	MR/C	
5833	F.205537	Plate, bolt, at micro switch, inter-spar rib "D"					1	—	C.	
5X/3148	—	Sleeve, 4-7 amp.					19	—	C.	
5X/3146	—	Sleeve, 7-19 amp.					2	—	C.	
5X/6194	—	Socket					1	—	B.	
5F/2281	Hellerman H.V.3341	Strapping					QR	—	C.	
5F/2282	Hellerman H.V.3342	Stud					5	—	C.	
5CW/4638	—	Switch, micro, type 1A					1	—	B.	
5CW/4639	—	Switch, micro type 4A					4	—	B.	
5CW/5118	Dowty C.1220.Y. Mk. 111	Switch, drum, unit					1	—	A.	
6A/2133	—	Transmitter, position indicator, type C					1	—	A.	

RESTRICTED

RESTRICTED

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/12565	A.25.8B	Bolt, 4	B.A.	...	...	...	...	...	—	—
28D/12625	A.25.9B	Bolt, 4	B.A.	...	...	...	...	...	—	—
28D/12626	A.25.10B	Bolt, 4	B.A.	...	...	...	...	...	—	—
28D/12627	A.25.11B	Bolt, 4	B.A.	...	...	...	...	...	—	—
28D/12513	A.25.2C	Bolt, 2	B.A.	...	...	...	...	...	—	—
28D/12532	A.25.4C	Bolt, 2	B.A.	...	...	...	...	...	—	—
28D/12535	A.25.12C	Bolt, 2	B.A.	...	...	...	...	...	—	—
28N/254	AGS.191B	Burr	...	...	...	...	...	...	—	—
28M/10327	AGS.2002.B1	Nut, 4	B.A.	...	...	...	...	...	—	—
28M/10328	AGS.2002.C1	Nut, 2	B.A.	...	...	...	...	...	—	—
28S/3426	A.32.B8	Screw, 4	B.A.	...	...	...	...	...	—	—
28S/2857	A.32.B12	Screw, 4	B.A.	...	...	...	...	...	—	—
28S/14005	A.32.B14	Screw, 4	B.A.	...	...	...	...	...	—	—
28S/2869	A.32.B20	Screw, 4	B.A.	...	...	...	...	...	—	—
28S/2856	A.32.C12	Screw, 2	B.A.	...	...	...	...	...	—	—
28S/13742	A.32.C14	Screw, 2	B.A.	...	...	...	...	...	—	—
28S/2868	A.32.C20	Screw, 4	B.A.	...	...	...	...	...	—	—
28W/12306	SP.15B	Washer, 4	B.A.	...	...	...	...	...	—	—
28W/12306	SP.15C	Washer, 2	B.A.	...	...	...	...	...	—	—
28W/12306	SP.16B	Washer, 4	B.A.	...	...	...	...	...	—	—
28W/12306	SP.16C	Washer	...	...	...	...	...	...	—	—
28W/12307	SP.18B	Washer, 4	B.A.	...	...	...	...	...	—	—

RESTRICTED

ELECTRICAL EQUIPMENT—WINGS

[illegible]

RESTRICTED

RESTRICTED

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Score	Plate No.
		1 2 3 4 5				
	D.199921	ELECTRICAL INSTALLATION IN STARBOARD WING, ASSEMBLY (Pre Mod. 228)	—	—	—	
	F.207239	ANGLE , support for cable harness (Local manufacture)	3	L.72		
	215768 A.206083	BLOCK, TERMINAL, No. 32, AT RIB 'S,' STARBOARD, ASSEMBLY (MOD. 452)	—	—		
2863 5X/3260	Plessey 214235 CZ.50207	Block, terminal, 5 way	1	—	B.	
3275 5X/3274	Plessey CZ.26805-26808	Cover	1	—	B.	
	A.206083/1	Marker	1	—		
6023 5X/3278	Plessey Z.28426 F.206895	Pillar SPACER	set. 2	—	MR/C.	
	A.206084	BLOCK, TERMINAL, No. 33, AT RIB 'D,' STARBOARD, ASSEMBLY	—	—	—	
5X/2863	Plessey CZ.24285	Block, terminal, 10 way	1	—	B.	
5X/3275	Plessey CZ.26808	Cover	1	—	B.	
5X/6163	Plessey Z.50210	Link, commoning, 2 way	1	—	C.	
	A.206084/1	Marker	1	—		
5X/3278	Plessey Z.28426	Pillar	set. 2	—	C.	
	B.205957	BLOCK, TERMINAL, No. 34, AT INTER-SPAR RIB 'F,' STARBOARD, ASSEMBLY (Pre Mod. 233)	—	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way	1	—	B.	
6003	F.205956	Bracket, mounting	1	L.72	MR/C	
5X/3275	Plessey CZ.26808	Cover	1	—	B.	
	B.205957/1	Marker	1	—		
5X/3278	Plessey Z.28426	Pillar	set. 2	—	C.	
	B.208247	BLOCK, TERMINAL, No. 34, AT INTER-SPAR RIB 'F,' STARBOARD, ASSEMBLY (Mod. 233)	—	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way	1	—	B.	
6003	F.205956*	Bracket: (Pre Mod. 197)	1	—	MR/C	
	F.217326	Bracket: (Mod. 197)	1	—	MR/C	
5X/3275	Plessey CZ.26808	Cover	1	—	B.	
	B.208247/1	Label	1	—		
5X/3278	Plessey Z.28426	Pillar	2	—	C.	

RESTRICTED

RESTRICTED

Hunter F. Mk. 4
Issued with Amendment List No. 9

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	A.201765	BLOCK, TERMINAL, No. 36, AT INTER-SPAR RIB 'F,' STARBOARD, ASSEMBLY					—	—	—	
5X/3276	Plessey	Block, terminal, 2 way					1	—	B.	
	CZ.50205									
5X/3272	Plessey	Cover					1	—	B.	
	CZ.26799									
	A.201765/1	Marker					1	—		
							set.			
5X/3278	Plessey	Pillar					2	—	C.	
	Z.28426									
6A/4390	Smiths CRC.54	Cable, co-axial (Mod. 265)					1	—		
	—	Cables, electrical (See Cables Chart)					—	—	—	
6A/4381	Smiths CG.1	Cable, harness, co-axial (Mod. 265)					1	—		
	D.199923	CLIPPING AND STRAPPING CABLES, ASSEMBLY					—	—		
	A.197419/2	Clip, at inter-spar rib 'E'					1	S.3		
4761	Std.840/13	Clip, securing cables at undercarriage girder, inter-spar ribs "A" and "F," $\frac{7}{16}$" wide x 22 S.W.G. x 1-3" long (Make from 30B/1433)					4	DTD.610	MR/C	4
4099	Std.840/18	Clip, securing cables, $\frac{7}{16}$" wide x 22 S.W.G. x 1-8" long (Make from 30B/1433)					3	DTD.610	MR/C	4
4797	Std.840/27	Clip, securing cables at undercarriage girder, inter-spar rib "D," $\frac{7}{16}$" wide x 22 S.W.G. x 2-7" long (Make from 30B/1433)					1	DTD.610	MR/C	4
3738	Std.840/29	Clip, securing cables, $\frac{7}{16}$" wide x 22 S.W.G. x 2-9" long (Make from 30B/1433)					1	DTD.610	MR/C	4
3740	Std.840/33	Clip, securing cables at undercarriage girder, between inter-spar ribs "C" and "D" $\frac{7}{16}$" wide x 22 S.W.G. x 3-3" long (Make from 30B/1433)					2	DTD.610	MR/C	4
* SEE BELOW										
3740	Std.841/40	Clip, securing cables at undercarriage girder between inter-spar ribs "C" and "D" $\frac{7}{16}$" wide x 22 S.W.G. x 3-4 long (Make from 30B/1433)					1	DTD.610	MR/C	4
5480	Std.842/13	Clip, securing cables at inter-spar rib "D," $\frac{7}{16}$" wide x 22 S.W.G. x 1-3" long (Make from 30B/549)					1	S.3	MR/C	4
6004	Std.850/30	Clip, securing cables at undercarriage girder, inter-spar rib "D," $\frac{7}{16}$" wide x 22 S.W.G. x 3" long					1	DTD.610	C.	4
6005	Std.850/31	Clip, securing cables at front spar, inter-spar rib "C," $\frac{7}{16}$" wide x 22 S.W.G. x 3-1" long (Make from 30B/1433)					2	DTD.610	MR/C	4
6006	F.205087	Clip, securing cables at inter-spar rib "F"					1	S.3	MR/C	
8481-6007	F.205087	Clip, securing cables at inter-spar rib "E" (MOD. 452)					1	S.3	MR/C	
5832	F.205000	Plate, sealing, at undercarriage girder, outboard of inter-spar rib "F"					1	LFS.21	C.	
5F/2281	Hellerman	Strapping					QR	—	C.	
	H.V.3341									
5F/2279	Hellerman	Strapping					QR	—	C.	
	H.V.3254									
5F/2282	Hellerman	Stud					QR	—	C.	
	H.V.3342									
* STD 840/40		CLIP, SECURING CABLES $\frac{7}{16}$" WIDE X 22 S.W.G. X 4-0" LONG					1	D.T.D.610	—	

RESTRICTED

RESTRICTED

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5F/2280	Hellerman H.V.3255	Stud	...	...	...	...	QR	—	C.	
4761	Std.840/13	Clip, securing cables, $\frac{7}{16}$ " wide × 22 S.W.G. × 1-3" long (Make from 30B/1433)	1				1	DTD.610	MR/C	4
3734	Std.840/14	Clip, securing cables, $\frac{7}{16}$ " wide × 1-4" long (Make from 30B/1433)	2				2	DTD.610	MR/C	4
4670	Std.840/23	Clip, securing cables, between ribs "L" and "M," $\frac{7}{16}$ " wide × 22 S.W.G. × 2-3" long	1				1	DTD.610	C.	4
4543	Std.840/24	Clip, securing cables between ribs "Q" and "R," $\frac{7}{16}$ " wide × 22 S.W.G. × 2-4" long (Make from 30B/1433)	1				1	DTD.610	MR/C	4
3743	Std.840/25	Clip, securing cables, $\frac{7}{16}$ " wide × 22 S.W.G. × 2-5" long (Make from 30B/1433)	1				1	DTD.610	MR/C	4
2145	Std.841/13	Clip, securing cables, $\frac{7}{16}$ " wide × 22 S.W.G. × 1-3" long (Make from 30B/1433)	1				1	DTD.610	MR/C	4
6008	Std.850/110	Clip, securing cables on undercarriage jack, $\frac{7}{16}$ " wide × 22 S.W.G. × 11" long (Make from 30B/1433)	1				1	DTD.610	MR/C	4
5X/2121	Plessey Z.22676/D	Ferrule, inner	1				1	—	C.	
5X/2114	Plessey Z.22675/D	Ferrule, outer	1				1	—	C.	
5L/9952/431	—	Filament, lamp, 20W 28V. 28W	1				1	—	B.	
X.952431	—									
5CX/889	—	Lamp, navigation, type B, starboard	1				1	—	A.	
4831	F.179367	Packing, at micro switch, inter-spar rib "D"	1				1	DTD.610 or DTD.364	MR/C	
5833	F.205537	Plate, bolt, at micro switch, inter-spar rib "D"	1				1	S.3	C.	
5X/3148	—	Sleeve, 4-7 amp.	19				19	—	C.	
5X/3146	—	Sleeve, 7-19 amp.	2				2	—	C.	
5X/6194	—	Socket	1				1	—	B.	
5F/2281	Hellerman H.V.3341	Strapping	QR				QR	—	C.	
5F/2282	Hellerman H.V.3342	Stud	4				4	—	C.	
5CW/4638	—	Switch, micro, type 1A	1				1	—	B.	
5CW/4639	—	Switch, micro, type 4A	5				5	—	B.	
5767	Std.1509/12/030	Tube, distance, $\frac{1}{4}$ " o/d. × 20 S.W.G. × 3" long (Make from 30B/619)	1				1	T.4	MR/C	4

RESTRICTED

RESTRICTED

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/12529	A.25.4B	Bolt, 4	B.A.	...	...	...	...	...	—	—
28D/12565	A.25.8B	Bolt, 4	B.A.	...	...	...	...	...	—	—
28D/12625	A.25.9B	Bolt, 4	B.A.	...	...	...	...	...	—	—
28D/12626	A.25.10B	Bolt, 4	B.A.	...	...	...	...	...	—	—
28D/12627	A.25.11B	Bolt, 4	B.A.	...	...	...	...	...	—	—
28D/11246	AS.1248.8B	Bolt, 4	B.A.	...	...	...	...	...	—	—
28N/255	AGS.191.C	Burr	...	...	...	...	...	...	—	—
28M/10327	AGS.2002.B1	Nut, 4	B.A.	...	...	...	...	...	—	—
28M/10309	AGS.2002.B4	Nut, 4	B.A.	...	...	...	...	...	—	—
28M/10328	AGS.2002.C1	Nut, 2	B.A.	...	...	...	...	...	—	—
28S/3426	A.32.B8	Screw, 4	B.A.	...	...	...	...	...	—	—
28S/2869	A.32.B20	Screw	...	...	...	...	...	...	—	—
28S/13742	A.32.C14	Screw, 2	B.A.	...	...	...	...	...	—	—
28S/2856	A.32.C12	Screw, 2	B.A.	...	...	...	...	...	—	—
28S/2868	A.32.C20	Screw	...	...	...	...	...	...	—	—
28S/2407	A.44.B12	Screw, 4	B.A.	...	...	...	...	...	—	—
28S/2121	A.45.B12	Screw, 4	B.A.	...	...	...	...	...	—	—
28W/12306	SP.15.B	Washer, 4	B.A.	...	...	...	...	...	—	—
28W/12307	SP.16.B	Washer, 2	B.A.	...	...	...	...	...	—	—
28W/12307	SP.16.C	Washer	...	...	...	...	...	...	—	—
28W/12307	SP.18.B	Washer, 4	B.A.	...	...	...	...	...	—	—

RESTRICTED

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

